

CRPL-F 109

Taken from the Library.


FOR OFFICIAL USE

IONOSPHERIC DATA

ISSUED

SEPTEMBER 1953

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
WASHINGTON, D. C.



IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	2
World-Wide Sources of Ionospheric Data	5
Hourly Ionospheric Data at Washington, D. C..	7, 12, 23, 48
Ionospheric Storminess at Washington, D. C. .	7, 35
Radio Propagation Quality Figures	8, 36
Observations of the Solar Corona	9, 38
Relative Sunspot Numbers	10, 44
Observations of Solar Flares	10, 45
Indices of Geomagnetic Activity	11, 46
Sudden Ionosphere Disturbances	11, 47
Tables of Ionospheric Data	12
Graphs of Ionospheric Data	48
Index of Tables and Graphs of Ionospheric Data in CRPL-F109	80

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in Document No. 626-E referred to above.

a. For all ionospheric characteristics:

Values missing because of A, C, F, L, M, N, Q, S, or T are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of f_{oF2} (and f_{oE} near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of $h'F2$ (and $h'E$ near sunrise and sunset) missing for this reason are counted as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For f_{oF2} , as equal to or less than f_{oF1} .
2. For $h'F2$, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic. This practice represents a change from that listed in issues previous to CRPL-F78.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (E_s):

Values of fEs missing because of E or G (and B when applied to the daytime E region only) are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

Values of fEs missing for any other reason, and values of hⁱE_s missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when f_{oF2} is less than or equal to f_{oFl} , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily, a blank space in the f_{Es} column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of f_{oE} . Blank spaces at the beginning and end of columns of $h'Fl$, f_{oFl} , $h'E$, and f_{oE} are usually the result of diurnal variation in these characteristics. Complete absence of medians of $h'Fl$ and f_{oFl} is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.

- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

<u>Month</u>	<u>Predicted Sunspot Number</u>								
	1953	1952	1951	1950	1949	1948	1947	1946	1945
December	33	53	86	108	114	126	85	38	
November	38	52	87	112	115	124	83	36	
October	43	52	90	114	116	119	81	23	
September	46	54	91	115	117	121	79	22	
August	18	49	57	96	111	123	122	77	20
July	20	51	60	101	108	125	116	73	
June	21	52	63	103	108	129	112	67	
May	22	52	68	102	108	130	109	67	
April	24	52	74	101	109	133	107	62	
March	27	52	78	103	111	133	105	51	
February	29	51	82	103	113	133	90	46	
January	30	53	85	105	112	130	88	42	

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 63 and figures 1 to 126 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:

Brisbane, Australia
Canberra, Australia
Hobart, Tasmania
Townsville, Australia

Australian Department of Supply and Shipping, Bureau of Mineral Resources, Geology and Geophysics:
Watheroo, Western Australia

Meteorological Service of the Belgian Congo and Ruanda-Urundi:
Leopoldville, Belgian Congo

British Department of Scientific and Industrial Research, Radio Research Board:
Falkland Is.
Ibadan, Nigeria
Inverness, Scotland
Port Lockroy
Singapore, British Malaya
Slough, England

Defence Research Board, Canada:

Baker Lake, Canada
Fort Chimo, Canada
Ottawa, Canada
Prince Rupert, Canada
Resolute Bay, Canada
St. John's, Newfoundland
Winnipeg, Canada

Radio Wave Research Laboratories, National Taiwan University, Taipeh, Formosa,
China:
Formosa, China

French Ministry of Naval Armaments (Section for Scientific Research):
Dakar, French West Africa
Tananarive, Madagascar

Institute for Ionospheric Research, Lindau Über Northeim, Hannover, Germany:
Lindau/Harz, Germany

The Royal Netherlands Meteorological Institute:
De Bilt, Holland

All India Radio (Government of India), New Delhi, India:
Bombay, India
Delhi, India
Madras, India
Tiruchi (Tiruchirapalli), India

Christchurch Geophysical Observatory, New Zealand, Department of Scientific
and Industrial Research:
Christchurch, New Zealand
Rarotonga, Cook Is.

Norwegian Defence Research Establishment, Kjeller per Lillestrom, Norway:
Oslo, Norway
Tromsø, Norway

Manila Observatory:
Baguio, P. I.

South African Council for Scientific and Industrial Research:
Capetown, Union of South Africa
Johannesburg, Union of South Africa

Research Laboratory of Electronics, Chalmers University of Technology,
Gothenburg, Sweden:
Kiruna, Sweden

Research Institute of National Defence, Stockholm, Sweden:
Upsala, Sweden

Royal Board of Swedish Telegraphs, Radio Department, Stockholm, Sweden:
Lulea, Sweden

Post, Telegraph and Telegraph Administration, Berne, Switzerland:
Schwarzenburg, Switzerland

United States Army Signal Corps:
Adak, Alaska
Okinawa I.
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Laboratory):
Anchorage, Alaska
Fairbanks, Alaska (Geophysical Institute of the University of Alaska)
Guam I.
Huancayo, Peru (Instituto Geofisico de Huancayo)
Maui, Hawaii
Narsarsuaq, Greenland
Panama Canal Zone
Point Barrow, Alaska
Puerto Rico, W. I.
San Francisco, California (Stanford University)
Washington, D. C.

HOURLY IONOSPHERIC DATA AT WASHINGTON, D. C.

The data given in tables 64 through 75 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols, Terminology, Conventions." Beginning with September 1949, the data are taken at Ft. Belvoir, Virginia.

IONOSPHERIC STORMINESS AT WASHINGTON, D.C.

Table 76 presents ionosphere character figures for Washington, D. C., during August 1953, as determined by the criteria given in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, geomagnetic K-figures, which are usually covariant with them.

Tables 77a and 77b give for July 1953 the radio propagation quality figures for the North Atlantic area, CRPL advance and short-term forecasts, a summary geomagnetic activity index and sundry comparisons, specifically as follows:

- (a) radio propagation quality figures, separately for each 6-hour interval of the Greenwich day, viz., 00-06, 06-12, 12-18, 18-24 hours UT (Universal Time or GCT).
- (b) whole-day radio quality indices (beginning October 1952). Each index is a weighted average of the four quarter-day Q-figures, before rounding off, with half weight given to quality grades 5 and 6. This procedure tends to give whole-day indices suitable for comparison with whole-day advance forecasts which designate whenever possible the days when significant disturbance or unusually quiet conditions will occur.
- (c) short-term forecasts, issued by CRPL every six hours (nominally one hour before 00^h, 06^h, 12^h, 18^h UT) and applicable to the period 1 to 13 (especially 1 to 7) hours ahead. Note that new scoring rules have been adopted beginning with October 1952 data.
- (d) advance forecasts, issued semiweekly (CRPL-J reports) and applicable 1 to 3 or 4 days ahead, 4 or 5 to 7 days ahead, and 8 to 25 days ahead. These forecasts are scored against the whole-day quality indices.
- (e) half-day averages of the geomagnetic K indices measured by the Cheltenham Magnetic Observatory of the U. S. Coast and Geodetic Survey.
- (f) illustration of the comparison of short-term forecasts with Q-figures and also with estimates of radio quality based on CRPL observations only.
- (g) illustration of the outcome of advance forecasts (1 to 3 or 4 days ahead) and, for comparison, the outcome of a type of "blind" forecast. For the latter the frequency for each quality grade, as determined from the distribution of quality grades in the four most recent months of the current season, is partitioned among the grades observed in the current month in proportion to the frequencies observed in the current month.

The radio propagation quality figures are prepared from radio traffic data reported to CRPL by American Telephone and Telegraph Company, Mackay Radio and Telegraph Company, ECA Communications, Inc., Marconi Company, British Admiralty Signal and Radar Establishment, and the following agencies of the U. S. Government:--Coast Guard, Navy, Army Signal Corps, and State Department. The method of calculation, summarized below, is similar to that described in a 1946 report, IRPL-B31, now out of print. Beginning with recalculated figures for January 1952, only reports of radio transmission on North Atlantic paths closely approximating New York-London are included in the estimation of quality. Observations of selected ionospheric characteristics, even though strongly correlated with radio transmission quality, and traffic reports for paths such as New York-Stockholm or New York-Tangier, previously included in the quality-figure determination with low weight, have been left out of the present calculations inasmuch as a sufficient number of homogeneous reports are now available.

The original reports are submitted on various scales and for various time intervals. The observations for each 6-hour interval are averaged on the quality scale of the original reports. These 6-hour indices are then adjusted to the 1 to 9 quality-figure scale by a conversion table prepared by comparing the distribution of these indices for at least four months, usually a year,

with a master distribution determined from analysis of the reports originally made on the 1 to 9 quality-figure scale. A report whose distribution is the same as the master is thereby converted linearly to the Q-figure scale. The 6-hourly quality figures are (subjectively) weighted means of the reports received for that period. These 6-hourly quality figures replace, beginning January 1953, the half-daily quality figures which formerly appeared in this table.

These quality figures are, in effect, a consensus of reported radio propagation conditions in the North Atlantic area. The reasons for low quality are not necessarily known and may not be limited to ionospheric storminess. For instance, low quality may result from improper frequency usage for the path and time of day. Although, wherever it is reported, frequency usage is included in the rating of reports, it must often be an assumption that the reports refer to optimum working frequencies. It is more difficult to eliminate from the indices conditions of low quality because of multipath, interference, etc. These considerations should be taken into account in interpreting research correlations between the Q-figures and solar, auroral, geomagnetic or similar indices.

Note. The North Pacific quality figures, which were published through October 1951, have been temporarily discontinued. Since the establishment of the North Pacific Radio Warning Service at Anchorage, Alaska, a larger number of reports are being received than were previously available in Washington. The preparation of the quality figures will be resumed when sufficient data have been accumulated for determination of conversion tables for these new reports.

OBSERVATIONS OF THE SOLAR CORONA

Tables 78 through 80 give the observations of the solar corona during August 1953, obtained at Climax, Colorado, by the High Altitude Observatory of Harvard University and the University of Colorado. Tables 81 through 83 list the coronal observations obtained at Sacramento Peak, New Mexico, during August 1953, derived by Harvard College Observatory as a part of its performance of a research contract with the Upper Air Research Observatory, Geophysical Research Directorate, Air Force Cambridge Research Center. The data are listed separately for east and west limbs at 5-degree intervals of position angle north and south of the Solar Equator at the limb. The time of observation is given to the nearest tenth of a day, GCT.

Table 78 gives the intensities of the green (5303A) line of the emission spectrum of the solar corona; table 79 gives similarly the intensities of the first red (6374A) coronal line; and table 80, the intensities of the second red (6702A) coronal line; all observed at Climax in August 1953.

Table 81 gives the intensities of the green (5303A) coronal line; table 82, the intensities of the first red (6374A) coronal line; and table 83, the intensities of the second red (6702A) coronal line; all observed at Sacramento Peak in August 1953.

The following symbols are used in tables 78 through 83: a, observation of low weight; -, corona not visible; and X, position angle not included in plate estimates.

RELATIVE SUNSPOT NUMBERS

Table 84 lists the daily provisional Zurich relative sunspot number, R_Z , as communicated by the Swiss Federal Observatory. Publication of the American relative sunspot numbers, R_A , which usually appear monthly in these pages, is temporarily suspended until new arrangements are made for the reduction of the observations made by the Solar Division of the AAVSO.

OBSERVATIONS OF SOLAR FLARES

Table 85 gives the preliminary record of solar flares reported to the CRPL. These reports are communicated on a rapid schedule at the sacrifice of detailed accuracy. Definitive and complete records are published later in the Quarterly Bulletin of Solar Activity, I.A.U., in various observatory publications, and elsewhere. The present listing serves to identify and roughly describe the phenomena observed. Details should be sought from the reporting observatory.

Reporting directly to the CRPL are the following observatories: Mt. Wilson, McMath-Hulbert, U. S. Naval, Wendelstein, Kanzel and High Altitude at Sacramento Peak, New Mexico. The remainder report to Meudon (Paris) and the data are taken from the Paris-URSIgram broadcast, monitored fairly regularly by the CRPL. The data on solar flares reported from Sacramento Peak, New Mexico, communicated by the High Altitude Observatory at Boulder, Colorado, are provided by Harvard University as the result of work undertaken on an Air Materiel Command Research and Development Contract administered by the Air Force Cambridge Research Laboratories.

The table lists for each flare the reporting observatory, date, times of beginning and ending of observation, duration (when known), total area (corrected for foreshortening), and heliographic coordinates. For the maximum phase of the flare is given the time, intensity, area relative to the total area, and the importance. The column "SID observed" is to indicate when a sudden ionosphere disturbance, noted elsewhere in these reports, occurred at the time of a flare. Times are in Universal Time (GCT).

INDICES OF GEOMAGNETIC ACTIVITY

Table 86 lists various indices of geomagnetic activity based on data from magnetic observatories widely distributed throughout the world. The indices are: (1) preliminary international character-figures, C; (2) geomagnetic planetary three-hour-range indices, K_p; (3) magnetically selected quiet and disturbed days.

The C-figure is the arithmetic mean of the subjective classification by all observatories of each day's magnetic activity on a scale of 0 (quiet) to 2 (storm). The magnetically quiet and disturbed days are selected by the international scheme outlined on pages 219-227 in the December 1943 issue of Terrestrial Magnetism and Atmospheric Electricity. The details of the currently used method follow. For each day of a month, its geomagnetic activity is assigned by weighting equally the following four criteria: (1) C; (2) the sum of the eight K_p's; (3) the greatest K_p; and (4) the sum of the squares of the eight K_p's.

K_p is the mean standardized K-index from 11 observatories between geomagnetic latitudes 47 and 63 degrees. The scale is 0 (very quiet) to 9 (extremely disturbed), expressed in thirds of a unit, e.g., 5- is 4 2/3; 5o is 5 0/3, and 5+ is 5 1/3. This planetary index is designed to measure solar particle-radiation by its magnetic effects, specifically to meet the needs of research workers in the ionospheric field. A complete description of K_p has appeared in Bulletin 12b, "Geomagnetic Indices C and K, 1948," published in Washington, D. C., 1949, by the Association of Terrestrial Magnetism and Electricity, International Union of Geodesy and Geophysics. K_p is available from 1937 to date as noted in F108.

The Committee on Characterization of Magnetic Disturbance, ATME, IUGG, has kindly supplied this table. The Meteorological Office, De Bilt, Holland, collects the data and compiles C and selected days. The Chairman of the Committee computes the planetary index. Current tables are also published quarterly in the Journal of Geophysical Research along with data on sudden commencements (sc) and solar flare effects (sfe).

SUDDEN IONOSPHERE DISTURBANCES

Table 87 shows the sudden ionosphere disturbances observed at Washington, D. C., August 1953.

TABLES OF IONOSPHERIC DATA

Table 1								August 1953	
Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2	
00	270	2.8					3.0		
01	(290)	2.6					3.0		
02	(280)	2.2					3.1		
03	280	1.9					3.0		
04	(280)	1.8					3.1		
05	(270)	2.2					3.2		
06	230	3.4	220	—	110	1.9	2.8	3.3	
07	4	3.6	210	3.4	100	2.3	3.2	0	
08	450	4.2	210	3.8	100	2.5	3.8	2.7	
09	400	4.6	210	4.0	100	2.8	4.1	3.0	
10	400	4.6	200	4.1	100	3.0	4.0	2.9	
11	480	4.7	200	4.2	100	3.2	3.8	2.7	
12	410	4.7	200	4.2	100	3.2	3.3	2.9	
13	430	4.8	200	4.2	100	3.2	4.1	2.8	
14	410	4.8	200	4.2	100	3.2	3.8	2.9	
15	380	4.7	210	4.0	100	3.0	3.3	3.0	
16	360	4.8	210	3.9	100	2.8	3.4	2.9	
17	330	4.8	220	3.6	100	2.5	2.9	3.0	
18	290	4.8	230	3.3	110	2.0	3.6	3.1	
19	240	5.0					3.0	3.2	
20	230	5.0					2.5	3.1	
21	250	4.2					3.0	3.1	
22	(250)	3.5					2.3	3.0	
23	270	3.9					2.6	3.0	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 3								July 1953	
Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2	
00	(280)	(3.4)					5.8	(3.0)	
01	300	3.4					4.4	3.0	
02	300	4.3					6.2	3.0	
03	320	3.7	—	—	—	—	6.6	3.0	
04	350	3.8	—	—	—	—	5.0	3.0	
05	< 350	3.8	220	3.2	—	—	4.4	2.9	
06	400	4.0	220	3.4	—	—	3.6	2.7	
07	420	3.8	210	3.5	—	—		2.6	
08	480	4.0	220	3.6	—	—		2.5	
09	G	< 4.0	200	3.8	—	—		G	
10	430	4.2	200	3.9	—	—		2.8	
11	G	< 3.9	200	3.8	—	—		G	
12	G	< 4.2	200	3.9	—	—		G	
13	450	4.4	200	3.8	—	—		2.7	
14	G	4.2	210	3.8	—	—		G	
15	440	4.4	200	3.9	—	—		2.7	
16	410	4.2	200	3.8	—	—		2.7	
17	360	4.2	210	3.7	—	—		2.9	
18	350	4.2	220	3.5	—	—	3.8	5.0	
19	290	4.0	220	3.2	—	—	3.2	5.1	
20	270	4.0	—	—	—	—		3.1	
21	250	3.8					4.9	3.1	
22	250	3.6					4.5	3.2	
23	(260)	3.4					4.0	(3.2)	

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 16 seconds.

Table 6								July 1953	
Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2	
00	(300)	(3.0)					4.6	(3.0)	
01	(310)	(3.0)					5.0	(2.8)	
02	(320)	(3.1)					5.0	(3.0)	
03	(320)	(3.3)					4.3	(3.0)	
04	(300)	(3.4)	—	—	—	—	5.2	(3.2)	
05	(360)	(3.7)	—	—	100	—	4.8	(3.0)	
06	(420)	4.0	220	3.6	100	2.3	4.3	(3.0)	
07	420	4.0	220	3.7	100	2.5	4.5	2.9	
08	400	4.2	200	3.9	100	2.7	4.7	3.0	
09	(480)	(4.2)	200	4.0	100	2.8	3.5	(2.7)	
10	(520)	4.3	200	4.0	100	2.9	3.3	2.6	
11	(480)	(4.4)	200	4.0	100	2.9	3.4	(2.6)	
12	(450)	(4.4)	(200)	(4.0)	100	(3.0)	(2.7)		
13	(500)	(4.4)	200	4.0	100	3.0	3.2	(2.6)	
14	450	(4.4)	200	4.0	100	2.9	3.3	(2.7)	
15	450	(4.6)	210	4.0	100	2.8	3.3	(2.7)	
16	400	(4.6)	220	(3.9)	100	2.7	3.5	(2.9)	
17	370	(4.4)	220	3.8	100	2.6	4.3	(3.0)	
18	350	(4.3)	220	3.6	100	2.4	4.3	3.1	
19	320	(4.4)	(250)	(3.4)	100	1.9	4.6	(3.1)	
20	280	(3.8)	—	—	—	4.8	(3.1)		
21	280	(3.9)	—	—	—	5.1	(3.1)		
22	270	(3.7)	—	—	—	6.2	(3.2)		
23	270	(3.4)	—	—	—	5.4	(3.1)		

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 2								July 1953	
Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2	
00	—	(3.2)	—	—	—	—	—	4.0	(3.1)
01	310	3.7	—	—	—	—	—	4.6	3.0
02	(320)	4.0	250	—	—	—	—	4.4	(3.0)
03	(320)	4.1	250	—	—	—	—	4.4	(3.0)
04	395	3.2	241	3.1	100	—	—	3.8	2.9
05	410	3.9	220	3.4	100	2.1	3.2	2.9	
06	450	3.9	225	3.5	100	2.3	2.9	2.8	
07	445	4.2	205	3.6	100	2.4	3.0	2.8	
08	435	4.2	205	3.8	100	2.6	3.0	2.8	
09	430	4.2	220	3.9	100	2.7	3.0	2.8	
10	410	4.4	210	3.9	100	2.7	2.9	2.8	
11	416	4.4	210	4.0	100	2.7	3.2	2.9	
12	420	4.4	200	4.0	100	2.8	3.1	2.9	
13	400	4.1	210	4.0	100	2.8	2.8	2.9	
14	390	4.1	210	4.0	100	2.8	2.8	2.9	
15	400	4.1	210	4.0	100	2.8	2.8	2.9	
16	450	4.1	205	3.9	100	2.7	2.9	2.8	
17	450	4.1	210	3.9	100	2.7	2.9	2.8	
18	380	4.2	230	3.6	100	2.3	2.3	2.9	
19	320	4.0	240	3.3	120	1.9	2.7	3.1	
20	300	4.0	240	—	—	—	—	3.6	3.0
21	270	3.9	—	—	—	—	—	1.8	3.0
22	280	3.6	—	—	—	—	—	2.5	3.0
23	300	3.5	—	—	—	—	—	3.1	2.9

Time: 15.0°E.

Sweep: 0.5 Mc to 26.0 Mc in 5 minutes, automatic operation.

Table 4								July 1953	
Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2	
00	300	3.3	—	—	—	—	—	2.7	2.9
01	300	3.1	—	—	—	—	—	3.6	2.9
02	300	2.9	—	—	—	—	—	3.1	2.9
03	300	3.0	290	2.4	—	—	—	2.4	2.8
04	420	3.5	280	2.8	120	1.6	—	2.4	2.7
05	450	3.8	280	2.1	110	1.9	—	2.7	
06	470	3.8	220	3.4	110	2.2	—	2.6	
07	500	3.9	210	3.6	110	2.4	—	2.5	
08	540	3.9	210	3.8	110	2.6	—	2.5	
09	510	4.2	200	3.9	110	2.8	—	2.2	
10	435	4.4	205	4.0	100	2.7	4.0	2.8	
11	430	4.4	210	4.0	100	2.8	4.0	2.8	
12	440	4.6	205	4.0	100	2.9	4.2	2.7	
13	400	4.5	200	4.0	100	2.9	3.9	2.9	
14	430	4.4	205	4.0	100	2.9	4.0	2.8	
15	410	4.4	205	4.0	100	2.8	3.7	2.8	
16	405	4.4	210	3.8	100	2.7	3.6	2.9	
17	390	4.4	215	3.6	100	2.6	4.0	3.0	
18	345	4.3	230	3.6	105	2.3	4.6	3.0	
19	310	4.5	240	3.4	105	2.0	3.7	3.1	
20	280	4.4	240	—	120	1.6	3.2	3.1	
21	255	4.3	—	—	—	—	—	—	
22	250	4.2	—	—	—	—	—	3.1	
23	250	3.5	—	—	—	—	—	3.0	

Time: 15.0°E.

Sweep: 0.6 Mc to 14.0 Mc in 8 minutes, automatic operation.

Table 7

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	265	3.0					2.2	2.9
01	270	2.7					2.7	2.9
02	280	2.6					2.5	2.9
03	270	2.8	270	—	—	E	2.4	2.9
04	410	3.3	245	2.8	—	1.5	2.6	2.8
05	440	3.6	240	3.2	120	1.9	2.5	2.7
06	465	3.8	225	3.5	115	2.2	3.3	2.7
07	445	4.0	220	3.6	110	2.4	3.7	2.6
08	465	4.2	210	3.7	110	2.6	3.3	2.7
09	435	4.4	210	3.9	110	2.8	3.6	2.7
10	430	4.5	210	4.0	105	2.8	4.2	2.8
11	410	4.5	210	4.0	105	2.8	4.1	2.8
12	395	4.6	210	4.0	105	2.8	3.6	2.9
13	390	4.6	210	4.0	105	2.8	3.6	2.9
14	440	4.4	210	4.0	110	2.8	3.5	2.7
15	410	4.4	210	4.0	110	2.8	3.6	2.8
16	390	4.3	216	3.8	110	2.6	3.4	2.9
17	385	4.3	220	3.7	110	2.4	4.2	2.9
18	335	4.3	240	3.5	115	2.2	4.5	3.0
19	300	4.3	245	3.2	120	1.8	3.7	3.0
20	280	4.4	245	2.6	—	E	3.3	3.0
21	250	4.4		—	E	2.2		3.0
22	255	4.1					3.0	
23	260	3.5					2.1	(3.0)

Time: 15.0°W.

Sweep: 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 9
San Francisco, California (37.4°N, 122.2°W)

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	(280)	(3.0)					3.1	(3.1)
01	(280)	(3.0)					4.1	(3.1)
02	(280)	(2.8)					4.0	(3.0)
03	(280)	(2.9)					3.9	(3.1)
04	(280)	(2.6)					2.3	(3.0)
05	(310)	< 2.6	(260)	(2.6)	—	—	3.4	(3.0)
06	(480)	< 3.4	240	(3.0)	(110)	(1.8)	4.2	6
07	(450)	(3.9)	210	3.4	100	2.3	4.0	(2.7)
08	440	(4.3)	210	3.7	100	(2.6)	4.6	2.8
09	460	4.4	200	(3.9)	100	(2.8)	4.6	2.8
10	440	4.6	190	(4.0)	100	(3.0)	5.6	2.8
11	(490)	(4.5)	190	(4.0)	100	(3.0)	4.6	2.5
12	460	(4.6)	190	(4.1)	100	(3.1)	6.6	2.6
13	450	4.7	190	4.1	100	3.1	4.4	2.7
14	420	4.8	(200)	(4.0)	100	(3.1)	4.6	2.9
15	430	4.6	220	(4.0)	100	—	4.3	2.8
16	410	4.6	220	(3.8)	100	(2.8)	4.2	2.8
17	380	4.5	220	(3.7)	110	(2.5)	3.9	3.0
18	340	4.6	240	(3.3)	110	2.1	4.3	3.1
19	280	4.8	—	—	—	—	4.0	3.2
20	240	5.3					5.7	3.2
21	(240)	(4.9)					5.6	(3.2)
22	(240)	(4.2)					5.5	(3.2)
23	(260)	(3.3)					6.1	(3.1)

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 11

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	300	4.2					4.0	2.9
01	280	4.2					4.2	3.1
02	280	3.8					4.4	3.0
03	260	3.8					4.9	3.0
04	260	3.6					3.4	3.1
05	260	3.3					4.0	3.2
06	250	4.4	—	—	—	—	4.0	3.4
07	260	5.2	230	—	110	2.3	5.0	3.5
08	280	5.2	220	4.0	110	2.7	6.0	3.4
09	340	4.9	220	4.2	110	2.9	6.4	3.1
10	370	5.0	210	4.3	110	3.1	6.4	3.0
11	430	5.0	230	4.3	110	3.2	6.0	2.7
12	420	5.4	220	4.3	110	3.2	6.0	2.7
13	390	6.1	210	4.3	110	3.2	5.6	2.8
14	370	6.9	220	4.2	110	3.1	6.2	2.8
15	340	7.4	230	4.1	110	3.1	6.2	2.9
16	320	7.5	220	4.0	110	2.8	5.5	3.0
17	300	7.8	230	3.7	110	2.4	5.6	3.1
18	260	7.4					4.7	3.3
19	240	6.4					4.4	3.3
20	260	5.4					4.0	3.0
21	270	4.8					4.0	3.0
22	300	4.4					4.0	2.9
23	300	4.4					3.5	2.9

Time: 127.5°E.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 7

July 1953

Table 8

July 1953

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	280	3.8						2.9
01	280	3.5						3.1
02	280	3.1						2.4
03	300	2.8						2.2
04	330	3.1	270	—	2.4	—	—	2.8
05	440	3.6	250	3.0	130	1.8	2.3	2.7
06	440	4.0	240	3.3	120	2.2	5.0	2.7
07	450	4.2	230	3.7	110	2.5	6.2	2.6
08	480	4.3	220	3.8	110	2.8	6.0	2.6
09	450	4.6	210	3.9	110	2.9	6.0	2.6
10	480	4.4	210	4.0	110	3.0	6.6	2.6
11	470	4.4	210	4.0	110	3.0	6.2	2.7
12	490	4.4	210	4.1	110	3.0	6.0	2.6
13	520	4.4	210	4.0	110	2.9	5.2	2.6
14	520	4.4	210	4.0	110	2.8	4.7	2.6
15	490	4.8	220	4.0	110	2.8	4.7	2.6
16	490	4.8	220	4.0	110	2.8	4.3	2.7
17	380	4.2	240	3.7	110	2.5	4.2	2.9
18	360	4.2	240	3.4	120	2.2	5.0	3.0
19	310	4.4	250	3.0	130	1.7	4.4	3.0
20	280	4.8	—	—	—	—	4.8	3.0
21	260	5.0					4.7	3.0
22	260	4.8					4.0	3.0
23	280	4.2					3.1	3.0

Time: 180.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 10

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	270	3.3						3.6
01	280	3.2						3.8
02	280	3.1						3.0
03	270	2.8						2.7
04	280	2.8						3.1
05	280	2.7						3.0
06	340	3.4	230	3.0	120	1.9	3.4	3.0
07	380	4.0	220	3.5	110	2.3	3.8	3.0
08	410	4.4	200	3.8	110	2.7	4.4	2.8
09	420	4.6	200	4.0	110	2.9	4.6	2.8
10	530	4.5	190	4.1	110	3.0	4.6	2.6
11	520	4.7	190	4.1	110	3.1	4.7	2.5
12	470	5.0	200	4.2	110	3.2	4.5	2.7
13	420	5.0	210	4.2	110	3.2	4.5	2.8
14	370	5.1	200	4.1	110	3.1	4.4	2.9
15	360	5.2	210	4.0	110	3.0	4.3	2.9
16	360	5.2	210	3.9	110	3.0	4.3	2.9
17	260	5.3	—	—	—	—	3.7	3.1
18	240	5.5					4.3	3.2
19	250	4.8					4.4	3.1
20	260	3.9					4.1	3.1
21	260	3.9					4.1	3.1
22	270	3.6					4.1	3.1
23	270	3.6					3.7	3.0

Time: 105.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 12

Time	h'F2	foF2	n'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	290	4.4						3.4
01	280	4.3						3.8
02	260	4.3						3.7
03	270	3.8						3.0
04	270	3.6						2.8
05	240	3.2	240	—	—	—	—	2.6
06	350	4.5	230	3.6	110	2.1	4.0	3.3
07	360	4.8	210	3.9	110	2.6	5.4	3.0
08	400	4.9	210	4.1	110	2.9	5.1	2.6
09	450	5.0	200	4.2	110	3.1	6.4	2.6
10	460	5.5	200	4.3	110	3.4	5.6	2.6
11	500	5.1	200	4.2	110	3.3	5.7	2.5
12	460	5.5	220	4.3	110	3.4	5.6	2.6
13	420	6.4	220	4.2	110	3.4	5.5	2.6
14	390	7.4	220	4.2	110	3.3	5.2	2.7
15	370	7.9	220	4.1	110	3.2	4.9	2.7
16	330	8.6	220	4.0	110	3.0	5.2	

Table 13

Puerto Rico, July 1953 (18.5°N, 67.2°W)							July 1953		
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2	
00	230	4.2					3.0	3.1	
01	260	4.4					2.7	3.1	
02	240	4.4					2.8	(3.2)	
03	260	4.0					3.0	3.2	
04	250	3.6					2.7	3.1	
05	250	3.2					2.3	3.1	
06	240	3.5		100			2.9	3.4	
07	250	4.4	210	3.5	100	2.1	2.6	3.4	
08	320	4.8	210	3.9	100	2.6	4.4	3.3	
09	340	5.0	200	4.0	100	3.0	4.4	3.2	
10	310	4.9	200	4.2	100	3.1	4.9	3.1	
11	470	5.1	200	4.2	100	3.3	4.0	2.8	
12	380	5.6	200	4.2	100	3.4	4.9	2.9	
13	320	6.4	220	4.3	100	3.4	5.3	3.1	
14	330	6.6	210	4.3	100	3.3	5.5	3.0	
15	320	6.7	210	4.2	100	3.2	5.4	3.1	
16	300	6.9	200	4.0	100	3.0	5.4	3.1	
17	290	7.2	220	3.2	100	2.6	5.2	3.1	
18	260	7.3	220	3.4	100	2.0	4.7	3.4	
19	250	7.1	—	—	—	—	3.9	3.4	
20	240	5.6	—	—	—	—	4.3	3.3	
21	240	5.2	—	—	—	—	4.2	3.3	
22	250	4.6	—	—	—	—	3.5	3.1	
23	250	4.2	—	—	—	—	3.2	3.1	

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Panama Canal Zone (9.4°N, 79.9°W)							July 1953		
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2	
00	270	4.4						3.0	
01	250	4.1					2.0	3.1	
02	250	3.8						3.1	
03	260	3.4					2.0	3.0	
04	260	3.2					1.8	3.2	
05	250	3.0					2.8	3.2	
06	250	3.0					3.9	3.2	
07	260	4.4	230	3.5	(120)	(2.0)	4.2	3.4	
08	380	4.6	220	4.0	110	2.6	4.2	2.9	
09	460	4.8	210	4.1	110	(3.0)	4.4	2.6	
10	440	5.4	220	4.1	110	3.2	4.1	2.6	
11	450	5.8	220	4.2	110	3.3	4.5	2.6	
12	430	6.3	210	4.2	110	3.4	4.3	2.6	
13	390	7.7	210	4.2	110	3.4	4.6	2.7	
14	360	8.5	210	4.2	110	3.3	5.2	2.8	
15	350	8.9	220	4.0	110	3.1	4.8	2.9	
16	310	9.4	220	4.0	110	2.9	4.8	3.0	
17	290	9.5	220	5.8	110	(2.5)	3.9	3.1	
18	250	8.4	230	(3.2)	—	—	3.7	3.2	
19	240	7.6	—	—	—	—	3.1	3.2	
20	240	6.7	—	—	—	—	3.2	3.1	
21	240	5.8	—	—	—	—	2.9	3.1	
22	260	4.8	—	—	—	—	2.1	3.0	
23	260	4.6	—	—	—	—	2.0	3.0	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 17

De Bilt, Holland (52.1°N, 5.2°E)							June 1953		
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2	
00	250	4.1					2.0	3.1	
01	250	3.7					1.8	3.0	
02	255	3.4					2.2	3.0	
03	260	3.2					2.3	3.1	
04	260	3.7	215	—	—	1.6	3.0	3.2	
05	315	4.2	210	3.3	100	2.0	3.5	3.1	
06	370	4.3	205	3.6	100	2.3	4.0	3.1	
07	350	4.6	205	3.9	100	2.6	4.6	3.0	
08	320	5.1	200	4.0	100	2.8	4.7	3.2	
09	320	5.0	200	4.2	100	3.0	4.6	3.2	
10	360	5.2	200	4.2	100	3.0	4.4	3.0	
11	340	5.2	200	4.3	100	3.0	4.3	3.2	
12	350	5.0	200	4.3	100	3.2	4.5	3.1	
13	400	4.8	200	4.2	100	3.1	4.5	3.0	
14	360	5.0	200	4.2	100	3.1	4.5	3.0	
15	380	5.0	200	4.1	100	3.0	4.3	3.0	
16	330	5.1	200	3.9	100	2.8	4.8	3.1	
17	295	5.1	215	3.8	100	2.5	4.7	3.2	
18	270	5.2	—	3.4	100	2.2	5.0	3.2	
19	270	5.6	250	—	115	1.8	4.1	3.2	
20	230	6.1	—	—	—	—	3.5	3.3	
21	220	5.6	—	—	—	—	3.0	3.2	
22	225	5.0	—	—	—	—	2.6	3.2	
23	250	4.4	—	—	—	—	3.1	3.1	

Time: 0.0°.

Sweep: 1.4 Mc to 11.2 Mc in 6 minutes, automatic operation.

Table 14

Guam I. (13.6°N, 144.9°E)							July 1953		
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2	
00	320	2.8							2.9
01	330	2.4							3.0
02	320	2.1							3.0
03	(360)	—							2.1
04	(320)	(2.0)							3.6
05	(280)	(1.9)							2.4
06	250	3.1							3.4
07	260	5.2	230	—	(120)	—	—	—	2.4
08	280	6.2	220	3.8	110	2.6	5.2	3.3	
09	330	5.6	200	4.0	110	2.9	5.8	3.1	
10	370	6.0	190	4.1	110	3.2	4.9	2.8	
11	410	5.2	210	4.2	110	(3.3)	4.0	2.7	
12	420	6.3	200	4.3	110	3.4	5.1	2.6	
13	420	7.0	200	4.3	110	3.5	5.5	2.6	
14	410	7.4	210	4.2	110	3.3	4.8	2.6	
15	370	7.6	210	4.1	110	3.1	6.0	2.7	
16	350	8.0	220	4.0	110	2.9	5.3	2.8	
17	320	8.4	230	3.7	—	—	—	4.2	3.0
18	290	8.4	240	—	—	—	—	4.2	3.1
19	250	7.8	—	—	—	—	—	2.7	3.1
20	250	6.2	—	—	—	—	—	2.5	3.2
21	260	4.5	—	—	—	—	—	2.3	3.2
22	270	4.2	—	—	—	—	—	2.9	3.2
23	300	3.2	—	—	—	—	—	1.8	3.0

Time: 150.0°E.

Sweep: 1.0 Mc to 35.0 Mc in 15 seconds.

Table 15

Kiruna, Sweden (67.8°N, 20.5°E)							June 1953		
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2	
00	270	4.0	—	—	—	—			3.2
01	280	4.1	240	2.7	—	—			3.0
02	300	4.0	220	2.9	105	1.9	2.2	3.0	
03	330	4.2	220	3.2	100	2.0	1.6	3.0	
04	345	4.2	220	3.5	105	2.2	3.0		
05	360	4.4	215	3.7	100	2.3	2.5	2.9	
06	400	4.6	210	3.8	100	2.6	2.6	2.9	
07	390	4.8	205	3.9	100	2.8	3.0	3.0	
08	360	4.9	200	4.0	100	2.9	3.2	3.0	
09	400	4.9	200	4.1	100	3.0	3.0	2.9	
10	430	4.9	200	4.1	100	3.1	3.2	2.8	
11	355	5.0	200	4.2	100	3.1	3.1	2.9	
12	360	5.0	200	4.2	100	3.1	3.1	3.0	
13	340	4.7	200	4.0	105	2.9	2.9	3.0	
14	390	4.8	220	3.9	105	2.8	3.9	3.1	
15	320	4.7	230	3.8	110	2.4	3.9	3.1	
16	360	4.8	230	3.4	105	2.2	3.9	3.2	
17	390	4.8	230	4.1	100	2.9	4.4	3.0	
18	330	5.0	220	3.8	100	2.7	5.3	3.1	
19	370	5.0	220	3.6	105	2.4	5.2	3.2	
20	310	5.2	220	3.6	105	2.3	5.2	3.2	
21	340	5.2	220	3.5	115	2.0	4.4	3.2	
22	260	5.7	260	—	—	E	4.3	3.2	
23	240	6.0	—	—	—	—	3.6	3.2	

Time: 15.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 8 minutes.

Table 16

Lindau/Harz, Germany (51.6°N, 10.1°E)							June 1953		
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2	

</tbl

Table 19

Schwarzenburg, Switzerland (46.8°N, 7.3°E)								June 1953	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	250	4.2						3.4	
01	300	4.0						3.3	
02	300	3.8						3.3	
03	280	3.5					3.8	3.3	
04	250	3.2					3.1	3.4	
05	250	3.5						3.4	
06	300	4.0	200	3.4	100	2.0	3.4	3.3	
07	300	4.4	200	3.6	100	2.4	4.2	3.5	
08	310	4.6	200	3.8	100	2.7	5.5	3.3	
09	300	5.0	200	4.0	100	3.0	4.8	3.4	
10	300	5.4	200	4.1	100	3.0	5.5	3.4	
11	330	5.0	200	4.1	100	3.1		3.3	
12	360	5.0	200	4.2	100	3.1	4.6	3.1	
13	330	5.1	200	4.1	100	3.1	4.8	3.3	
14	350	5.0	200	4.1	100	3.0	4.8	3.2	
15	370	5.0	200	4.0	100	3.0	5.4	3.1	
16	340	5.0	200	4.0	100	3.0	4.4	3.2	
17	300	5.0	200	3.8	100	2.8	4.5	3.3	
18	300	5.3	200	3.6	100	2.4	4.0	3.4	
19	280	5.7	200	3.2	100	2.0	4.0	3.4	
20	240	5.8					3.2	3.5	
21	240	6.4					3.8	3.5	
22	210	5.6						3.5	
23	250	4.8						3.4	

Time: 15.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 21

Baguio, P.I. (16.4°N, 120.6°E)								June 1953	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	300	4.3					7.0	(2.7)	
01	260	(4.0)					7.0	(3.0)	
02	250	3.8					6.9	3.1	
03	270	3.4					7.0	(3.1)	
04	260	(3.0)					7.2	(2.9)	
05	250	3.0					7.0	(3.2)	
06	240	4.6					5.7	3.3	
07	250	5.5	220	---	110	2.4	4.6	3.1	
08	(330)	6.0	220	---	110	---	3.3	2.8	
09	380	6.6	210	4.1	110	3.0	4.0	2.7	
10	410	7.1	200	4.2	110	---	3.4	2.5	
11	440	7.5	200	4.2	110	3.3	2.5	2.4	
12	450	7.8	190	4.2	110	3.4	2.6	2.4	
13	440	8.2	200	4.2	110	3.4	3.4	2.4	
14	410	8.1	200	4.2	110	3.2	4.0	2.4	
15	390	8.4	200	4.1	110	3.0	3.4	2.5	
16	350	8.6	220	---	110	2.6	2.8	2.6	
17	300	6.6	220	---	110	(2.3)	4.8	2.8	
18	260	8.7					5.7	2.9	
19	240	8.1					5.2	3.0	
20	270	6.8					7.0	2.9	
21	290	5.7					7.1	2.9	
22	320	4.6					7.4	2.7	
23	310	(4.2)					7.4	2.7	

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 23

Huancayo, Peru (12.0°S, 75.3°W)								June 1953	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	250	4.0						3.3	
01	250	3.8						3.3	
02	260	3.8						3.2	
03	260	3.0						3.3	
04	270	2.5						3.3	
05	270	2.1						3.1	
06	300	2.2						2.9	
07	240	4.7	240	---	120	2.0		3.2	
08	320	5.8	220	---	110	---	6.6	2.9	
09	350	6.2	210	4.1	110	---	9.3	2.7	
10	380	6.0	200	4.2	110	---	10.2	2.7	
11	400	6.0	200	4.2	110	---	11.6	2.6	
12	410	5.9	200	4.2	110	---	11.8	2.6	
13	420	6.0	190	4.2	110	---	12.0	2.5	
14	400	6.2	200	4.1	110	---	11.8	2.6	
15	370	6.2	200	4.0	110	---	11.8	2.5	
16	280	6.6	200	---	110	---	10.6	2.7	
17	240	6.7	240	---	120	2.0	9.1	2.8	
18	250	6.8					5.3	3.0	
19	250	6.1						3.0	
20	260	5.4						3.1	
21	240	5.6						3.2	
22	240	5.1						3.3	
23	240	4.5						3.3	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 20

Formosa, China (25.0°N, 121.5°E)								June 1953	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	370	(5.3)						5.2	(2.8)
01	270	5.6						5.0	(3.0)
02	250	(5.2)						4.6	(3.0)
03	250	4.0						4.0	3.0
04	250	3.8						3.6	3.0
05	250	3.6						4.0	3.1
06	240	5.0	---	---			100	(1.9)	4.2
07	260	5.8	240	3.8	100	2.5	5.9	3.5	
08	360	5.6	220	4.2	100	2.9	6.4	3.2	
09	360	5.7	220	4.4	100	3.1	6.8	2.9	
10	370	6.3	220	4.5	110	3.2	7.5	2.8	
11	360	7.3	200	---				6.6	2.9
12	360	7.9	---	---				6.4	2.8
13	360	8.8	---	---	110	3.4	6.6	2.9	
14	360	9.3	220	4.5	---			5.7	2.9
15	320	9.6	220	4.3	110	3.3	4.9	3.1	
16	320	10.1	240	4.1	100	3.0	5.5	3.1	
17	280	10.1	220	3.9	---			4.7	3.2
18	260	8.9	---	---				5.1	3.1
19	240	8.1						4.0	3.3
20	260	6.8						4.3	3.0
21	280	5.8						4.4	3.1
22	280	5.4						5.2	2.8
23	310	5.4						5.5	2.9

Time: 120.0°E.

Sweep: 1.1 Mc to 19.5 Mc in 15 minutes, manual operation.

Table 22

Leopoldville, Belgian Congo (4.3°S, 15.6°E)								June 1953	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	225	3.6						2.5	2.5
01	220	3.0						2.6	2.4
02	(230)	(2.4)						2.2	(2.3)
03	---	(2.3)						2.7	(2.3)
04	(230)	2.4						3.0	2.4
05	240	3.5						2.1	2.4
06	250	5.8	240	---	125	2.2	2.9	2.5	
07	260	6.4	225	4.0	120	2.8	3.0	2.4	
08	275	6.6	210	4.1	120	3.1	4.0	2.4	
09	275	7.0	205	4.3	115	3.2	3.8	2.3	
10	275	7.4	200	4.3	115	3.4	3.9	2.3	
11	290	7.4	200	4.4	115	3.4	4.0	2.2	
12	300	8.4	195	4.3	115	3.3	3.9	2.2	
13	300	8.9	190	4.2	115	3.2	3.4	2.1	
14	290	9.2	200	4.0	120	3.0	3.6	2.2	
15	270	9.0	240	3.9	120	2.8	3.2	2.2	
16	245	8.8	245	---	125	2.3	3.4	2.3	
17	220	8.1						3.3	2.3
18	220	6.8						2.8	2.4
19	210	5.9						2.7	2.6
20	210	4.2						2.5	2.7
21	230	3.0						2.6	2.4
22	235	2.8						2.8	2.2
23	(225)	3.5						2.6	2.2

Time: 0.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 24

Johannesburg, Union of S. Africa (26.0°S, 28.1°E)								June 1953	
Time	h'F2	foF2	h						

Table 25

Time	(M3000)F2						June 1953
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	240	3.5			1.6	3.2	
01	250	3.5				3.2	
02	240	3.6				3.2	
03	240	3.6			2.1	3.4	
04	240	3.6				3.4	
05	220	3.5				3.5	
06	220	3.1			1.7	3.3	
07	210	3.5				3.5	
08	220	4.8	—	—	2.0	2.1	3.7
09	240	5.4	210	3.5	2.5	3.1	3.6
10	250	5.8	220	4.0	2.8	3.2	3.5
11	260	6.1	210	4.1	3.0	3.2	3.6
12	260	6.0	210	4.2	3.0	3.5	3.5
13	270	6.3	200	4.2	3.0	3.5	3.4
14	260	5.9	210	4.0	2.9	3.6	3.5
15	260	6.0	220	3.7	2.6	3.2	3.5
16	240	6.0	230	3.3	2.3	3.5	3.6
17	220	5.6			1.9	3.1	3.5
18	220	3.8				3.2	3.5
19	230	2.9				3.0	3.3
20	240	2.9				2.6	3.2
21	240	3.1				2.6	3.2
22	240	3.2				2.1	3.3
23	240	3.4				2.0	3.2

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 2 minutes.

Table 27

Time	(M3000)F2						May 1953
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	250	3.7	230	—	120	1.6	3.0
01	250	3.7	230	—	120	1.6	3.1
02	240	3.8	220	—	120	1.7	3.1
03	270	3.3	230	3.0	110	1.9	3.1
04	260	3.5	230	3.0	110	2.0	3.1
05	410	3.6	220	3.2	110	2.2	2.6
06	400	3.6	220	3.3	110	2.3	2.9
07	470	< 3.5	220	3.4	100	2.4	0
08	470	3.8	220	3.5	100	2.6	0
09	G	< 3.7	220	3.6	100	2.7	0
10	G	< 3.7	210	3.7	100	2.7	0
11	G	< 3.7	210	3.7	100	2.8	0
12	G	< 3.8	210	3.7	100	2.8	0
13	G	< 3.8	200	3.7	100	2.7	0
14	G	< 3.9	210	3.7	100	2.7	0
15	430	4.0	210	3.6	110	2.6	2.6
16	470	4.0	210	3.6	100	2.5	2.6
17	410	4.0	210	3.5	100	2.4	2.8
18	370	4.0	210	3.3	110	2.3	2.8
19	360	4.1	210	3.3	110	2.1	2.9
20	310	3.9	220	3.1	110	2.0	3.0
21	280	4.0	230	3.0	110	1.8	3.0
22	260	3.8	230	3.0	—	1.7	3.0
23	250	3.9	230	—	—	1.7	3.0

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 29

Time	(M3000)F2						May 1953
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	250	3.5			E	4.6	3.0
01	250	3.4			E	4.0	3.0
02	240	3.5			1.2	3.3	3.0
03	250	3.3	—	—	120	1.7	3.0
04	260	3.2	—	—	110	1.8	3.0
05	260	3.4	220	3.2	100	1.9	3.0
06	340	3.7	210	3.3	100	2.2	4.4 (2.7)
07	520	< 3.7	210	3.5	100	2.5	3.8
08	480	3.8	200	3.6	100	2.8	5.7 (2.6)
09	490	4.1	210	3.8	100	3.0	4.3 (2.6)
10	480	4.1	210	3.8	100	3.0	4.2 (2.6)
11	470	4.3	220	3.8	100	3.1	4.0
12	490	4.2	220	3.9	100	3.0	2.6
13	420	4.4	210	3.9	100	3.0	2.7
14	400	4.6	200	3.9	100	3.0	2.7
15	390	4.6	210	3.8	100	2.9	3.4
16	400	4.7	210	3.7	100	2.8	4.0
17	360	4.4	220	3.7	100	2.7	4.0
18	350	4.2	220	3.4	100	2.4	4.0
19	320	4.1	220	3.1	110	2.3	4.1
20	270	4.0	240	2.9	110	1.9	5.5
21	250	3.8	—	—	110	1.8	6.0
22	250	3.8			120	1.7	4.5
23	260	3.6			E	6.0	2.9

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 26

Time	(M3000)F2						June 1953
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	260	2.4					3.2
01	280	2.5					3.0
02	270	2.5					3.0
03	280	2.6					3.1
04	260	2.5					3.1
05	240	2.4					3.3
06	240	2.2					3.2
07	260	2.0					3.2
08	230	3.7					3.4
09	230	5.0	220	2.9	120	2.1	3.6
10	230	5.2	230	3.6	120	2.5	3.5
11	250	5.3	220	3.8	110	2.8	3.5
12	260	5.4	210	4.0	110	2.9	3.5
13	270	5.6	200	4.0	110	3.0	3.3
14	270	5.8	220	4.0	110	2.9	3.1
15	270	5.8	200	3.8	120	2.7	3.2
16	250	5.8	220	3.2	120	2.4	3.4
17	230	5.3	220	2.4	120	1.9	3.4
18	210	4.4					3.5
19	230	2.6					3.3
20	250	2.4					3.3
21	240	2.3					3.3
22	240	2.6					1.8
23	230	2.4					3.3

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 28

Time	(M3000)F2						May 1953
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	280	3.7					3.0
01	300	3.5	—	—	—	—	6.4
02	300	3.7	—	—	—	—	3.0
03	300	3.5	260	—	—	—	5.7
04	300	3.4	240	3.1	—	—	3.1
05	320	3.5	230	3.2	100	1.0	3.0
06	360	3.8	240	3.4	100	2.2	5.1
07	450	3.8	220	3.5	—	—	2.7
08	390	4.2	220	3.7	—	—	5.0
09	460	4.0	240	3.7	—	—	4.7
10	500	4.0	220	3.8	100	2.5	4.5
11	480	4.0	220	3.8	100	2.7	3.8
12	430	4.1	210	3.8	100	2.8	2.7
13	450	4.2	220	3.8	100	2.8	3.5
14	460	4.2	210	3.8	100	3.0	2.7
15	400	4.3	210	3.8	100	3.0	2.8
16	380	4.4	210	4.0	100	3.0	2.8
17	370	4.2	230	3.6	110	2.4	2.5
18	360	4.0	230	3.5	110	2.1	2.9
19	330	4.0	240	3.3	110	2.1	3.8
20	300	4.0	250	3.2	110	1.8	4.1
21	310	3.7	260	—	110	—	4.4
22	270	3.6	—	—	—	—	4.9
23	290	3.6	—	—	—	—	3.2

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 30

Time	(M3000)F2						May 1953
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	230	3.2					3.0
01	300	3.2					3.0
02	300	< 3.3					3.0
03	300	3.2					3.0
04	300	3.5					3.0
05	(300)	3.6					(3.0)
06	(310)	< 4.0	—	—	100	3.5	(2.9)
07	400	4.0	210	3.8	100	3.2	2.8
08	560	< 4.0	210	3.9	100	3.0	2.7
09	440	< 4.1	200	4.0	100	3.0	2.8
10	400	4.5	200	4.0	100	3.0	2.8
11	430	4.4	210	4.0	100	3.0	2.9
12	400	4.8	200	4.0	100	3.0	2.9
13	420	4.7	200	4.0	100	3.0	2.8
14	400	4.8	210	4.0	100	3.0	2.8
15	400	4.8	210	3.9	100	3.0	2.8
16	380	4.8	240	3.8	100	2.9	2.9
17	350	4.7	250	3.7	110		

Table 31

Time	$h^{\circ}F2$	f_0F2	$h^{\circ}F1$	f_0F1	$h^{\circ}E$	f_0E	f_{Es}	(M3000)F2	May 1953
00	280	2.9					2.5	---	
01	300	2.3					3.0	---	
02	310	2.1					0.8	---	
03	300	1.8					2.0	---	
04	300	2.0					1.6	---	
05	260	< 2.9	240	---	110	1.6	1.8	3.2	
06	400	< 3.4	230	3.2	110	1.9	3.1		
07	470	3.8	220	3.4	110	2.3		2.6	
08	540	< 3.8	200	3.7	110	2.6	2.8	G	
09	450	4.2	200	3.8	100	2.8	3.9	G	
10	460	4.4	200	3.9	100	3.0	3.9	2.7	
11	440	4.6	200	4.0	100	3.0	4.1	2.7	
12	420	4.7	200	4.0	100	3.0	4.0	2.9	
13	410	4.6	200	4.1	100	3.0		2.8	
14	430	4.7	210	4.0	100	3.0	3.5	2.8	
15	430	4.5	200	4.0	100	3.0		2.8	
16	400	4.4	210	3.9	100	2.9		2.8	
17	380	4.4	220	3.8	110	2.7		3.0	
18	330	4.4	220	3.6	110	2.4	2.8	3.1	
19	300	4.4	230	3.3	110	2.0	3.8	3.2	
20	260	4.4	---	---	130	1.7	3.6	3.2	
21	260	4.3					4.0	3.1	
22	260	4.0					3.1	(3.2)	
23	250	3.3					3.2	(3.2)	

Time: 120.0°W.

Sweep: 1.0 Mc to 10.0 Mc in 15 seconds.

Table 33

Time	$h^{\circ}F2$	f_0F2	$h^{\circ}F1$	f_0F1	$h^{\circ}E$	f_0E	f_{Es}	(M3000)F2	May 1953
00	300	2.5					---		
01	340	2.3					3.0	---	
02	330	2.3					2.9	---	
03	330	2.6					3.5	---	
04	300	2.5					3.0	---	
05	270	2.9	---	---	120	1.7	2.0	3.2	
06	240	3.5	230	3.2	120	2.0	2.6	3.3	
07	(680)	3.8	220	3.5	120	2.4		G	
08	500	4.1	210	3.7	110	2.7	4.0	G	
09	490	4.2	200	3.9	110	2.9	4.0	G	
10	490	4.5	200	4.0	110	3.0	3.8	G	
11	440	4.6	200	4.1	110	3.1	6.0	2.8	
12	470	4.4	200	4.1	110	3.2	3.5	2.6	
13	450	4.4	200	4.1	110	3.2		2.7	
14	450	4.6	200	4.0	110	3.1		2.8	
15	400	4.8	210	4.0	110	3.0		2.9	
16	390	4.6	220	3.9	110	2.9		2.8	
17	350	4.7	220	3.8	110	2.7		2.9	
18	330	4.7	220	3.6	120	2.4		3.0	
19	290	4.6	240	---	130	2.1		3.1	
20	260	4.6	---	---		1.7		3.2	
21	240	4.1					3.2		
22	270	3.0					(3.2)		
23	300	2.6					(2.9)		

Time: 90.0°W.

Sweep: 1.0 Mc to 10.0 Mc in 16 seconds.

Table 35

Time	$h^{\circ}F2$	f_0F2	$h^{\circ}F1$	f_0F1	$h^{\circ}E$	f_0E	f_{Es}	(M3000)F2	May 1953
00	290	2.4					3.0		
01	(300)	2.0					(3.1)		
02	---	2.0				2.8	---		
03	---	1.9					---		
04	280	1.9					(3.0)		
05	250	2.9	---	---	120	1.8	3.2		
06	G	< 3.8	220	3.5	110	2.2	G		
07	G	3.9	210	3.7	110	2.5	G		
08	G	4.0	210	3.9	110	2.8	G		
09	400	4.2	200	4.0	110	3.0		2.9	
10	480	4.4	200	4.0	110	3.1		2.8	
11	400	4.5	200	4.1	110	3.2		2.8	
12	440	4.6	210	4.2	110	3.2		2.8	
13	420	4.6	210	4.2	110	3.2		2.8	
14	400	4.8	200	4.1	110	3.2		2.9	
15	400	4.8	200	4.0	110	3.0		3.0	
16	360	4.9	210	3.9	110	2.9		3.0	
17	320	5.0	230	3.8	110	2.6		3.1	
18	300	5.0	230	3.4	110	2.2		3.2	
19	250	5.0	---	---	---			3.2	
20	250	4.7					3.2		
21	240	4.0					3.2		
22	260	3.2					3.2		
23	280	2.8					3.1		

Time: 75.0°W.

Sweep: 1.0 Mc to 10.0 Mc in 15 seconds.

Table 32

Time	$h^{\circ}F2$	f_0F2	$h^{\circ}F1$	f_0F1	$h^{\circ}E$	f_0E	f_{Es}	(M3000)F2	May 1953
00	270	3.8							2.0
01	260	3.4							2.2
02	260	3.3							2.2
03	270	3.0							2.1
04	275	2.9	---	---	---	---	---	E	2.2
05	280	3.5	240	3.0	130	1.4	2.4	3.2	
06	290	4.2	240	3.4	115	2.0	3.1	3.3	
07	355	4.4	225	3.6	110	2.4	3.4	3.0	
08	350	4.8	220	3.8	105	2.6	3.6	3.1	
09	350	5.0	210	4.0	105	2.8	> 4.0	3.1	
10	340	5.2	216	4.1	100	3.0	4.4	3.1	
11	360	5.0	210	4.2	105	3.1	4.1	3.0	
12	360	6.0	220	4.2	105	3.1	4.5	3.1	
13	355	6.2	210	4.2	100	3.0	4.0	3.1	
14	365	5.0	220	4.2	100	3.0	4.4	3.0	
15	360	5.0	225	4.1	100	2.9	3.5	3.0	
16	350	5.0	220	4.0	105	2.8	3.8	3.1	
17	320	5.2	230	3.7	105	2.5	3.6	3.2	
18	290	5.4	230	3.5	110	2.2	4.2	3.2	
19	276	5.6	240	3.0	130	1.7	3.2	3.2	
20	240	6.8	---	---				2.8	3.3
21	235	5.6						1.8	3.2
22	240	4.9						2.4	3.2
23	260	4.2						2.2	3.1

Time: 15.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 8 minutes.

Table 36

Time	$h^{\circ}F2$	f_0F2	$h^{\circ}F1$	f_0F1	$h^{\circ}E$	f_0E	f_{Es}	(M3000)F2	April 1953
00	280	3.0							7.4
01	300	3.2							6.6
02	300	3.2							5.4
03	300	3.0	---	---	---	---	---	E	4.9
04	300	3.1	---	---	---	---	---	E	4.2
05	320	3.2	---	---	---	---	---	E	4.0
06	280	3.4	---	---	---	---	---	E	4.0
07	(400)	3.7	---	---	---	---	---	E	4.4
08	< 480	3.8	---	---	3.5	---	---	E	4.8
09	510	(3.8)	240	3.4	---	---	---	E	(2.6)
10	G	3.7	230	3.6	110	2.7	4.0	2.3	2.2
11	660	3.9	240	3.6	110	2.6	3.4	2.3	2.3
12	570	4.0	230	3.6	110	2.8			2.2
13	480	4.0	230	3.6	110	2.7			2.6
14	450	4.2	240	3.6	110	2.6			2.6
15	440	4.2	240	3.6	110	2.5			2.7
16	400	4.0	250	3.4	110	2.3			2.8
17	380	4.0	250	3.4	120	2.2			2.9
18	340	3.7	250	3.3	120	2.0			3.0
19	300	3.8	240	---	120	1.7			3.1
20	280	3.4	---	---	120	---			3.1
21	300	3.1	---	---	---	---			4.6
22	310	3.2	---	---	---	---			3.1
23	300	3.3	---	---	---	---			5.9

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 37

Time	April 1953						
	h'F2	f0F2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	290	4.2				2.6	2.9
01	280	3.9				2.5	2.9
02	260	3.7				3.0	
03	< 260	3.8				3.0	
04	< 270	3.3				3.0	
05	< 290	3.2				2.9	
06	250	3.4				2.9	
07	250	6.8	—	—	2.0	2.6	3.3
08	250	7.9	230	3.8	110	2.5	3.5
09	250	7.7	230	4.2	110	2.9	3.4
10	250	8.0	210	4.5	110	3.1	4.1
11	250	8.4	210	4.5	110	3.3	4.2
12	260	8.4	220	4.5	110	3.4	3.4
13	270	8.4	220	4.6	110	3.3	4.4
14	270	8.7	220	4.5	110	3.2	4.5
15	260	8.9	220	4.4	110	3.0	4.6
16	260	8.1	220	4.1	110	2.8	4.4
17	250	7.8	240	3.6	110	2.5	4.3
18	240	7.6				4.1	3.2
19	240	6.4				3.9	3.2
20	240	5.1				3.2	3.1
21	260	4.6				2.9	3.0
22	< 270	4.4				2.6	5.0
23	250	4.2				2.6	2.9

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 39

Time	March 1953						
	h'F2	f0F2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	280	(3.2)				7.0	(3.0)
01	(260)	—				7.6	—
02	300	(2.6)				4.5	(3.2)
03	(320)	(2.1)				4.6	—
04	(300)	—				4.1	—
05	(320)	—				4.6	—
06	340	(3.1)				4.2	(2.8)
07	—	—	—	—		4.5	—
08	(290)	(3.0)	—	—	—	4.9	(2.9)
09	(290)	3.4	—	—	—	4.8	3.1
10	(300)	3.5	—	—	—	4.0	3.1
11	300	3.7	210	—	120	(2.0)	3.2
12	(300)	3.9	220	—	120	—	3.2
13	300	3.8	240	—	120	—	2.9
14	310	3.8	250	3.4	120	(2.1)	3.1
15	280	4.0	240	—	120	—	3.1
16	300	3.9	240	—	120	—	3.0
17	270	4.0	270	—	—	2.4	3.2
18	270	3.4	—	—	—	3.2	3.2
19	260	3.2	—	—	—	3.9	3.2
20	(270)	—	—	—	—	4.5	—
21	(320)	—	—	—	—	4.9	—
22	—	—	—	—	—	5.0	—
23	—	—	—	—	—	6.2	—

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 41

Time	March 1953						
	h'F2	f0F2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	280	3.2				2.9	
01	280	2.8				2.9	
02	280	2.6				2.3	2.9
03	280	2.6				2.5	3.0
04	270	2.2				2.7	3.1
05	< 280	2.0				3.4	3.2
06	260	2.9	—	—	1.4	3.3	3.3
07	270	3.8	250	3.2	1.9	3.2	3.3
08	300	4.4	230	3.7	2.3	3.7	3.5
09	310	5.0	220	3.9	2.7	3.3	
10	300	5.2	220	4.2	2.6	3.3	
11	300	5.7	210	4.2	3.0	3.2	
12	310	5.7	220	4.2	3.1	3.3	
13	310	5.8	220	4.2	3.0	3.2	
14	300	5.8	220	4.2	2.9	3.2	
15	280	5.8	230	4.0	2.7	4.0	3.3
16	280	5.5	240	3.7	2.3	3.3	
17	260	5.3	250	3.4	2.1	3.2	
18	260	5.3	250	2.6	1.7	3.2	
19	260	5.5	—	—	1.6	3.0	
20	250	5.1	—	—	2.7	3.1	
21	260	4.6	—	—	2.7	3.1	
22	270	3.9	—	—	3.2	3.0	
23	270	3.8	—	—	2.5	2.9	

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 38

Time	April 1953						
	h'F2	f0F2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(270)	3.0					2.2
01	(280)	3.0					2.2
02	280	2.0					2.3
03	270	2.6					2.3
04	260	2.4					2.6
05	250	2.3					3.0
06	260	2.4					3.1
07	250	3.8	—	—			1.6
08	250	4.9	240	3.3			2.2
09	250	5.3	230	3.8			2.4
10	270	5.5	230	3.9			3.5
11	280	6.3	220	4.1			2.9
12	280	6.1	230	4.2			2.9
13	280	6.0	220	4.0			4.3
14	280	6.0	230	4.0			3.3
15	270	6.0	230	3.7			4.0
16	250	6.0	240	3.2			4.0
17	240	5.6	250	3.2			1.8
18	240	5.0	—	—			3.8
19	250	4.8	—	—			2.0
20	250	4.8	—	—			3.5
21	270	3.6	—	—			3.0
22	(270)	3.4	—	—			1.9
23	(270)	3.4	—	—			2.8

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 40

Time	March 1953						
	h'F2	f0F2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	< 270	5.1					3.1
01	270	4.8					2.6
02	< 260	4.3					2.5
03	< 280	3.6					2.9
04	290	3.6					3.0
05	< 300	3.5					3.0
06	< 250	3.4					2.3
07	250	6.0	—	—	—	2.0	3.2
08	250	7.0	240	4.2	110	2.5	3.4
09	270	7.8	230	4.3	110	3.0	4.0
10	290	7.6	220	4.6	110	3.1	4.5
11	280	8.6	210	4.6	110	3.3	4.4
12	290	9.5	200	4.5	110	3.3	4.3
13	290	9.2	210	4.7	110	3.4	5.1
14	290	9.2	200	4.5	110	3.3	4.5
15	280	8.5	250	4.4	110	3.1	4.3
16	290	8.0	230	4.2	110	2.9	4.0
17	260	7.6	250	4.1	110	2.5	4.1
18	250	7.7	—	—	—		4.5
19	260	6.8	—	—	—		4.2
20	250	6.6	—	—	—		3.9
21	270	5.7	—	—	—		3.1
22	280	5.2	—	—	—		3.3
23	290	5.0	—	—	—		3.3

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 42*

Time	February 1953						
	h'F2	f0F2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	305	(1.8)					(2.7)
01	310	(1.7)					(2.8)
02	300	(1.7)					(2.7)
03	310	(1.8)					(2.7)
04	295	(1.7)					(2.8)
05	300	(1.6)					(2.7)
06	305	(1.5)					(3.0)
07	290	1.6					(2.9)
08	235	3.2			(125)	1.6	2.5
09	250	4.1	(215)	(3.0)	125	1.9	2.7
10	235	4.7	(215)	(3.2)	120	3.2	2.8
11	260	4.6	210	3.4	120	2.3	2.7
12	260	5.1	205	3.5	120	2.4	2.7
13	250	5.2	210	3.5	120	2.4	2.7
14	260	5.4	215	3.5	120	2.3	2.7
15	250	5.2	220	(3.1)	125	2.1	2.7
16	230	5.0	—	—	130	1.9	2.7
17	230	4.7	—	—	(140)	(1.7)	3.3
18	230	4.3	—	—	—	—	3.2
19	250	3.7	—	—	—	—	3.1
20	255	3.0	—	—	—	—	3.1
21	290	2.3	—	—	—	—	(3.0)
22	310	(2.0)	—	—	—	—	(2.9)
23	310	1.9	—	—	—	—	—

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

*Average values except

Slough, England (51.6°N, 0.6°W)

Table 43*

Time	February 1953						
	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs (M3000)F2
00	275	2.7				2.6	2.9
01	270	2.8				2.6	2.9
02	270	2.9				2.6	2.9
03	270	3.0				2.8	2.8
04	270	2.6				2.6	2.9
05	265	2.2				3.4	3.0
06	260	2.0				2.6	3.0
07	240	2.9				2.6	3.2
08	225	4.4	210 ^a	2.9	135	1.7	3.6
09	240	5.0	220	3.2	120	2.1	3.4
10	260	6.4	210	3.5	120	2.4	4.2
11	260	5.8	215	3.7	120	2.6	4.2
12	265	5.6	220	3.8	120	2.7	4.4
13	255	5.8	220	3.8	120	2.7	3.4
14	255	5.8	215	3.7	120	2.6	3.6
15	240	5.4	225	3.5	120	2.3	4.2
16	235	6.6	235	3.0	125	2.0	3.6
17	225	5.0				1.7	2.5
18	230	4.4					2.4
19	240	4.2					2.3
20	240	3.6					3.2
21	265	2.9					3.0
22	285	2.9					3.0
23	280	2.6					2.6

Time: 0.0°.

Sweep: 0.65 Mc to 16.5 Mc in 6 minutes.

*Average values except foF2 and fEs, which are median values.

^aOne or two observations only.

Table 45

Bombay, India (19.0°N, 73.0°E)

Time	February 1953						
	*	foF2	h'F1	foFl	h'E	foE	fEs (M3000)F2
00							
01							
02							
03							
04							
05							
06							
07	300	5.1					3.1
08	330	7.2					3.0
09	330	7.9					2.8
10	360	9.1					2.8
11	380	10.0					2.7
12	390	10.6					2.6
13	390	10.8					2.6
14	390	11.6					2.6
15	390	11.6					2.8
16	330	10.9					2.8
17	330	10.5					3.0
18	330	9.8					3.0
19	330	8.6					3.0
20	330	7.9					3.0
21	300	6.4					3.0
22	300	5.8					3.0
23	300	5.1					3.1

Time: Local.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

^aAverage values; other columns, median values.

Table 47

Tiruchi, India (10.8°N, 78.8°E)

Time	February 1953						
	*	foF2	h'F1	foFl	h'E	foE	fEs (M3000)F2
00							
01							
02							
03							
04							
05							
06	360	3.3					2.8
07	390	5.5					2.6
08	450	6.9					2.4
09	480	7.1					2.4
10	480	7.2					2.2
11	510	7.0					2.2
12	510	7.2					2.2
13	510	7.4					2.2
14	510	7.6					2.2
15	480	7.9					2.2
16	480	8.0					2.3
17	480	7.9					2.3
18	480	7.8					2.4
19	450	7.5					2.4
20	450	7.2					2.4
21	420	6.9					2.6
22	420	6.8					2.6
23							

Time: Local.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

^aAverage values; other columns, median values.

Delhi, India (28.6°N, 77.1°E)

Table 44

Time	February 1953						
	*	foF2	h'F1	foFl	h'E	foE	fEs (M3000)F2
00		280					
01		280					
02		280					
03							
04		240					
05		260					
06		260	< 2.8				
07		240	4.6				
08		240	5.7				
09		240	6.6				
10		260	7.2				
11		260	7.4				
12		280	7.9				
13		260	8.6				
14		260	8.3				
15		240	7.4				
16		240	7.1				
17		240	6.8				
18		220	5.6				
19		240	4.2				
20		240	3.9				
21		260	3.2				
22		280	3.0				
23		280	2.8				

Times: Local.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

^aAverage values; other columns, median values.

Table 46

Madras, India (13.0°N, 80.2°E)

Time	February 1953						
	*	foF2	h'F1	foFl	h'E	foE	fEs (M3000)F2
00							
01							
02							
03							
04							
05							
06							
07	300	6.4					3.0
08	340	6.6					2.9
09	390	7.4					2.7
10	420	8.0					2.6
11	420	7.4					2.6
12	420	7.6					2.5
13	420	7.9					2.5
14	420	8.6					2.6
15	420	9.0					2.6
16	250	2.5					3.2
07	250	5.8	235		125	2.0	3.3
08	236	6.7	225	(4.1)	120	2.6	3.0
09	320	7.3	220	4.3	116	3.0	2.8
10	360	8.0	210	4.5	110	3.3	6.0
11	390	8.4	205	4.5	110	3.4	6.2
12	410	8.7	205	4.5	110	3.5	5.6
13	410	8.6	200	4.5	110	3.5	5.4
14	385	8.8	200	4.4	110	3.4	5.2
15	355	9.0	205	4.4	110	3.2	4.9
16	320	9.0	220	(4.1)	115	2.8	4.6
17	(290)	8.8	230		120	2.4	3.8
18	255	8.6			135	1.7	3.4
19	290	8.2					3.2
20	305	7.8					2.6
21	280	7.6					3.0
22	245	8.0					2.7
23	216	7.2					3.5

Time: 105.0°E.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

^aAverage values except foF2 and fEs, which are median values.

Table 49

Time	February 1953						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	250	4.3				2.9	3.1
01	240	4.3				3.2	3.2
02	210	3.9				3.3	3.2
03	240	3.6				3.2	3.2
04	240	3.3				3.0	3.2
05	235	2.8				2.4	3.3
06	240	3.4			1.3		3.3
07	230	4.4	---	---	100	2.0	3.5
08	300	5.4	230	4.0	100	2.6	4.2
09	300	5.8	210	4.1	110	3.1	4.4
10	300	6.6	210	4.3	100	3.3	5.2
11	310	7.4	200	4.4	100	3.4	4.6
12	330	7.6	190	4.5	100	3.5	4.5
13	310	8.7	200	4.5	110	3.4	4.7
14	280	8.9	200	4.4	110	3.3	4.4
15	270	9.4	220	4.3	110	3.2	4.2
16	265	8.1	220	4.1	110	3.0	4.3
17	255	5.8	230	3.8	110	2.5	4.0
18	240	6.7	230	---	120	1.3	3.6
19	230	5.0					3.1
20	240	4.9					3.2
21	270	4.7				2.8	3.1
22	280	4.4				2.7	3.0
23	275	4.4				3.3	3.1

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 51

Time	February 1953						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	250	4.6				3.8	3.0
01	240	4.4				3.7	3.1
02	230	3.8				3.5	3.2
03	230	(3.6)				3.4	3.2
04	240	3.0				3.1	3.1
05	(240)	2.9				3.0	3.1
06	240	3.8	---	---	1.6	2.6	3.4
07	240	4.4	220	---	100	2.0	3.4
08	370	4.9	220	4.0	100	2.7	3.5
09	325	5.4	200	4.1	100	3.0	3.8
10	310	5.8	200	4.2	100	3.2	3.8
11	290	6.2	190	4.4	100	3.3	4.0
12	300	6.1	190	4.4	100	3.3	3.8
13	310	6.1	190	4.4	100	3.3	3.8
14	310	6.0	200	4.3	100	3.3	3.2
15	300	6.1	210	4.1	100	3.1	3.6
16	290	5.9	210	4.0	100	3.0	3.4
17	270	5.8	220	3.8	100	2.7	3.3
18	250	5.5	230	---	110	1.8	3.2
19	240	5.5				2.6	3.1
20	240	5.5				2.8	3.1
21	240	5.3				2.8	3.1
22	(240)	4.9				3.8	3.0
23	250	4.7				3.8	3.0

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 52

Time	January 1953						
	*	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	3.0					3.2
01	300	3.0					3.2
02	(300)	2.9					3.2
03	---						
04	280	3.0					3.3
05	280	3.2					3.3
06	260	3.4					3.6
07	260	4.2					3.5
08	240	5.8					3.6
09	260	6.7					3.4
10	260	7.4					3.4
11	250	7.8					3.4
12	260	7.2					3.5
13	260	7.0					3.3
14	260	6.8					3.4
15	250	6.5					3.4
16	240	6.0					3.4
17	240	5.7					3.5
18	260	4.5					3.4
19	260	4.8					3.4
20	260	4.2					3.4
21	260	3.2					3.4
22	260	3.0					3.2
23	300	2.9					3.2

Time: Local.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

**Average values; other columns, median values.

Table 53

Time	February 1953						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	260	4.7					3.6
01	240	4.9					3.0
02	230	4.2					3.2
03	250	3.3					2.5
04	260	3.0					3.1
05	250	3.0					2.0
06	220	4.1				120	2.1
07	250	4.9	220		4.0	110	2.6
08	210	5.2	210		4.2	100	2.9
09	300	6.1	210		4.3	100	---
10	310	6.6	---		4.4	100	---
11	300	7.0	180		4.5	100	3.3
12	300	7.3	220		4.6	100	3.5
13	210	7.3	200		4.6	100	3.5
14	230	7.1	210		4.6	100	3.1
15	280	7.2	210		4.3	100	3.2
16	220	6.8	220		4.0	100	2.9
17	270	6.2	220		3.8	103	2.4
18	240	6.2	---		---	---	---
19	230	6.3					2.8
20	245	5.4					1.8
21	260	5.0					3.0
22	290	4.8					1.9
23	270	5.0					3.0

Time: 150.0°E.

Sweep: 1.0 Mc to 18.0 Mc in 1 minute 55 seconds.

Table 54

Time	January 1953						
	*	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00							
01							
02							
03							
04							
05							
06							
07		270	4.8				
08		300	6.9				
09		300	7.6				
10		350	8.4				
11		330	9.6				
12		360	9.9				
13		360	10.4				
14		360	10.8				
15		360	10.4				
16		330	9.6				
17		300	8.4				
18		300	9.0				
19		330	5.8				
20		300	7.4				
21		300	5.8				
22		300	5.0				
23		270	4.7				

Time: Local.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

**Average values; other columns, median values.

Madras, India (13.0°N, 80.2°E)

Table 55

January 1953

Time	ϵ	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06								
07	330	5.2				3.0		
08	340	6.8				2.9		
09	350	8.0				2.7		
10	420	7.6				2.6		
11	420	7.4				2.5		
12	420	7.6				2.5		
13	420	8.0				2.5		
14	420	8.8				2.5		
15	420	9.0				2.6		
16	390	9.2				2.6		
17	390	9.0				2.6		
18	350	8.5				2.7		
19	360	8.2				2.8		
20	360	7.3				2.8		
21	360	6.9				2.9		
22	330	5.8				2.9		
23								

Time: Local.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

Height at 0.83 feet.

*Average values; other columns, median values.

Table 57*

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	290	6.0				3.0	2.7	
01	280	5.6				3.0	2.8	
02	280	5.6				2.7	2.8	
03	285	4.8				2.0	2.9	
04	270	4.8	(270)		145	1.4	2.0	2.9
05	280	5.1	250	3.2	130	1.9	2.8	2.9
06	310	5.6	245	3.7	115	2.3	4.8	2.8
07	370	5.2	245	4.0	105	2.7	5.7	2.8
08	390	5.2	230	4.1	105	3.0	5.6	2.7
09	380	5.7	220	4.3	105	3.1	5.9	2.7
10	400	6.2	220	4.4	100	3.2	6.0	2.6
11	350	6.7	220	4.5	100	3.3	6.0	2.8
12	350	6.7	215	4.4	100	3.4	5.9	2.9
13	350	5.8	220	4.4	100	3.3	5.8	2.9
14	350	5.6	215	4.4	100	3.2	5.8	2.9
15	355	5.6	220	4.3	105	3.1	5.3	3.0
16	340	5.7	225	4.2	105	3.0	5.4	3.0
17	310	5.8	230	4.0	110	2.7	5.0	3.0
18	290	5.7	230	3.7	110	2.3	5.2	3.1
19	260	5.8	(250)		125	2.0	3.2	3.1
20	275	5.4				4.0	2.8	
21	300	6.0				4.4	2.7	
22	290	6.0				4.0	2.7	
23	290	6.2				3.8	2.7	

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

Table 59

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	260	6.1						3.1
01	255	5.5						
02	260	4.9						3.0
03	250	4.3						3.2
04	250	3.4						3.2
05	262	3.2						3.1
06	250	4.9	---	---	125	1.9	2.2	3.2
07	312	5.9	240	4.1	121	2.6	2.9	3.1
08	320	6.7	230	4.4	121	3.0	3.2	3.0
09	325	7.8	225	4.5	119	3.2	3.0	3.0
10	330	8.3	228	4.6	121	3.4	3.6	2.9
11	330	8.8	220	4.7	121	3.4	3.6	2.9
12	320	9.4	220	4.6	119	3.6	3.4	2.9
13	318	9.5	235	4.6	119	3.5	3.2	3.0
14	310	9.4	230	4.5	121	3.3	2.9	3.0
15	310	8.9	235	4.4	121	3.2	3.0	
16	302	8.6	235	4.2	121	2.9	2.8	3.0
17	285	8.9	240	---	125	2.4	3.3	3.0
18	260	8.4		---		3.4	3.1	
19	255	7.9				3.3	3.0	
20	260	7.4				2.8	3.1	
21	260	6.7				2.2	3.0	
22	280	6.4				2.1	2.9	
23	280	6.2				1.7	2.9	

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 55

January 1953

Tiruchi, India (10.6°N, 78.8°E)

January 1953

Time	ϵ	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06		360				3.8		2.8
07		390				5.0		2.7
08		450				7.1		2.4
09		480				7.2		2.3
10		480				7.3		2.3
11		510				7.4		2.2
12		540				7.4		2.2
13		540				7.8		2.2
14		540				7.9		2.2
15		510				8.2		2.2
16		510				8.2		2.2
17		510				7.8		2.2
18		480				7.6		2.3
19		460				7.4		2.4
20		420				7.2		2.4
21		420				6.9		2.5
22		420				(6.7)		(2.5)
23								

Time: Local.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 feet.

**Average values; other columns, median values.

Table 57*

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	260	7.4						
01	265	7.2						
02	280	7.1						
03	285	7.0						
04	290	6.4	(235)		(2.9)			
05	290	5.6	(235)		(3.2)			3.5
06	(310)	5.4			(3.5)	(120)	(2.5)	4.6
07	(330)	5.0	(225)		(3.7)			
08	(300)	5.0	(215)		(3.9)	(115)	(2.7)	4.8
09	325	5.0	(205)		4.0	105	2.9	4.8
10	(320)	5.4			(4.2)	(100)	(3.0)	5.3
11	335	5.2			4.3	(105)	(3.1)	5.2
12	335	5.0	210		4.3	105	3.1	4.8
13	(355)	5.0			(4.3)	(100)	(3.1)	
14	(310)	5.1	(210)		(4.2)	(105)	(3.1)	(4.3)
15	(350)	5.0	(200)		4.2			4.4
16	(355)	4.9			(4.1)			
17	(280)	5.4	(215)		(3.7)			5.4
18	(295)	5.2			(2.9)			4.5
19	(260)	5.2	(225)					
20	270	6.0						
21	275	6.0						
22	275	6.8						
23	260	7.0						3.4

Time: 60.0°W.

Sweep: 1.1 Mc to 16.0 Mc, manual operation.

*Average values except foF2 and fEs, which are median values.

Table 59

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	(240)							
01	(235)							(1.9)
02	(230)							
03	(225)							
04	(225)							
05	(230)							
06	(255)							
07	(270)							
08	(270)	(8.5)	(210)		(4.2)	(117)	(2.6)	
09	(300)		> 7.4		(205)	(4.6)	(3.1)	(5.0)
10	(340)	(7.4)	(205)		(4.7)	(106)	(3.6)	(5.0)
11	(335)	(8.5)	(205)		(4.7)	(109)		(5.1)
12	(340)	(8.8)	(200)		(4.6)	(102)	(3.6)	(10.1)
13	(320)	(9.0)	(195)		(4.6)	(103)	(3.6)	(5.6)
14	(320)				(200)	(4.2)	(109)	
15	(310)				(190)	(4.1)	(105)	(3.0)
16	(250)				(210)	(2.7)	(110)	(2.5)
17	(280)							(116)
18	(295)	(9.1)						(2.3)
19	(310)							(2.9)
20	(275)							
21	(255)							
22	(245)							
23	(250)							

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

†Indicates less than 5 values.

Table 61

Lulea, Sweden (65.6°N, 22.1°E)							July 1952		
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	310	4.0	270	—	—	E	2.6		
01									
02	340	4.0	275	—	—	E	2.4		
03									
04	360	4.2	235	3.2	115	2.0	2.8		
05									
06	375	4.5	220	3.7	115	2.5	3.0		
07									
08	390	4.8	210	4.0	105	2.8	3.4		
09									
10	390	4.9	215	4.2	105	3.0			
11									
12	370	4.8	210	4.2	105	2.9	3.1		
13									
14	380	4.9	210	4.2	105	2.9	3.0		
15									
16	360	4.8	210	4.0	110	2.7			
17									
18	300	4.6	230	—	120	2.4	2.9		
19									
20	300	4.5	250	—	130	1.8	2.0		
21									
22	310	4.2	270	—	—	E	2.7		
23									

Time: 15.0°E.

Sweep: 1.5 Mc to 10.0 Mc in 6 minutes, automatic operation.

Table 63

Dakar, French West Africa (14.6°N, 17.4°W)							May 1952		
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	342	(3.9)					3.2	(2.8)	
01	310	(3.4)					3.4	(2.8)	
02	280	(3.3)					2.5	(2.9)	
03	300	3.6					3.4	(2.9)	
04	270	3.7					2.8	(3.2)	
05	240	3.4					3.3	(3.3)	
06	235	5.0	---	---	---	1.7	3.6	3.5	
07	242	5.8	230	—	107	2.5	4.0	3.4	
08	310	6.2	220	—	105	3.0	4.2	3.2	
09	325	7.0	220	—	105	3.3	4.4	3.0	
10	375	7.3	225	4.7	105	3.5	4.0	2.7	
11	425	8.7	220	4.7	104	(3.6)	4.0	2.5	
12	430	9.6	210	4.6	106	3.7	4.0	2.6	
13	370	10.8	210	4.7	105	3.6	4.2	2.7	
14	360	11.8	210	4.6	102	3.5	4.1	2.8	
15	325	11.6	222	4.4	105	3.3	3.6	(2.8)	
16	305	11.8	225	4.3	107	2.9	3.4	3.0	
17	270	11.6	230	—	109	2.4	4.0	3.0	
18	245	> 11.0	—	—	< 1.8	3.4	3.0		
19	240	8.7				3.0	3.0		
20	290	(7.0)				2.5	2.7		
21	< 350	4.6				5.3	2.6		
22	360	4.6				3.0	(2.5)		
23	360	4.0				2.8	(2.7)		

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 62

Dakar, French W. Africa (14.6°N, 17.4°W)							June 1952		
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	
00	340	(4.4)					3.0	(2.6)	
01	330	3.9					3.4	(2.8)	
02	348	(4.0)					3.8	(2.8)	
03	335	(3.8)					4.2	(2.8)	
04	305	(3.6)					4.0	(3.0)	
05	290	3.8					4.4		
06	240	5.1	—	—	—	—	4.4		
07	250	6.2	230	—	105	2.6	4.5	3.5	
08	275	6.0	220	—	105	—	4.5	3.2	
09	325	6.4	208	4.5	103	3.2	4.5	3.0	
10	368	6.8	220	4.7	101	3.4	4.5	2.7	
11	390	7.8	210	4.7	102	—	4.5	2.6	
12	400	8.6	210	4.5	105	3.6	4.4	2.6	
13	405	9.6	218	4.6	105	3.5	4.4	2.6	
14	380	10.2	208	4.6	105	3.5	4.5	2.7	
15	350	11.2	220	4.6	105	3.2	4.5	2.8	
16	310	11.6	220	4.3	105	2.9	4.2	3.0	
17	290	10.8	230	—	111	2.6	3.2	3.1	
18	252	9.8	235	—	134	1.9	3.1	3.0	
19	240	8.4					2.8	2.9	
20	295	6.4					3.1	2.8	
21	330	4.8					3.1	2.6	
22	345	4.6					3.0	2.5	
23	345	4.2					3.2	2.6	

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Form adopted June 13, 1946

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

TABLE 64
IONOSPHERIC DATA

h' F2, **Km**, **August**, **1953**
 (Characteristic) (Unit)
 Observed at **Washington, D.C.**

Lat. 38.7° N, Long. 77.1° W

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	75°W			Moon Time								
																									Calculated by			E.J.W.								
1	(2.70) ⁵	(2.80) ⁵	5	A	E	(2.70) ⁴	310	(400) ⁴	[3.80] ⁷	360	350	6	G	360	440	400	310	(2.70) ⁹	(2.70) ⁹	260	(2.40) ⁵	(3.00) ⁵														
2	2.90	(2.90) ⁵	(4.80) ⁵	(3.00) ⁵	[2.20] ⁹	2.30	G	450	[4.40] ⁷	420	540	390	370	430	340	300	280	240	210	205	205	(2.80) ⁴	2.50													
3	2.60	2.80	2.80	2.60	(2.80) ⁵	(4.50) ⁵	2.30	G	450	(3.50) ⁹	370	410	430	350	360	350	300	280	260	230	230	(2.80) ⁴	2.40	2.50												
4	2.30	2.50	2.80	2.80	(2.80) ⁵	2.80	(4.70) ⁵	2.30	330	250	280	340	500	380	310	310	300	310	260	230	220	250	(2.80) ⁴	(3.00) ⁴												
5	(2.80) ⁵	5	5	A	A	(2.80) ⁵	2.60	[3.00] ⁷	(3.20) ⁴	320	A	A	A	380	360	380	320	330	320	330	250	220	(2.60) ⁵	2.50												
6	(2.70) ⁵	(3.00) ⁵	(3.80) ⁵	[2.70] ⁵	2.30	G	480	(610) ⁹	340	380	400	400	400	400	400	350	390	290	230	220	(2.70) ⁴	2.80	2.60													
7	2.60	2.60	2.60	5	(2.80) ⁵	2.70	2.60	340	320	350	480	320	430	420	370	370	370	370	370	370	370	370	370	370	370	(2.40) ⁵	(2.50) ⁵									
8	2.40	2.30	(2.50) ⁵	(2.80) ⁵	(2.80) ⁵	(2.80) ⁵	(2.70) ⁵	(2.70) ⁵	2.30	300	280	300	360	410	350	350	380	320	320	290	280	240	(2.40) ⁴	2.40	2.50											
9	2.40	3.00	2.70	2.70	(2.70) ⁵	(2.70) ⁵	(3.40) ⁴	4.50	G	530	(570) ⁵	440	370	460	420	440	410	320	310	310	310	(2.40) ⁴	(2.50) ⁴	(2.50) ⁵	(3.10) ⁵											
10	2.80	2.80	(2.60) ⁵	(3.00) ⁵	(3.00) ⁵	(3.00) ⁵	(3.10) ⁵	(2.40)	2.40	G	470	460	360	G	470	440	430	420	340	340	330	300	300	270	250	250	2.80									
11	2.50	2.50	2.50	2.50	(2.70) ⁵	2.40	G	460	530	G	(480) ⁵	(500) ⁸	370	410	360	360	370	370	370	370	370	370	370	370	370	370	370	370	F							
12	3.00	(3.00) ⁵	3.10 ⁵	[3.00] ⁷	(2.90) ⁵	2.50	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G								
13	2.60	(3.00) ⁵	E	5	2.30	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G												
14	2.80	2.80	2.50	2.50	2.50	2.50	2.60	2.30	2.30	G	460	360	G	510	430	360	360	350	330	330	300	280	280	230	250	250	2.80									
15	2.70	(3.00) ⁹	(2.70) ⁵	2.30	250	300	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320											
16	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	G	460	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370	S					
17	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	G	260	270	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	A					
18	A	A	A	A	(2.70) ⁴	(2.70) ⁴	(2.60) ⁴	(2.60) ⁴	(2.60) ⁴	3.10	3.10	4.00	4.80	G	400	340	330	330	340	340	300	[3.00] ⁹	260	240	(2.40) ⁴	2.50										
19	2.50	2.60	(2.80) ⁵	2.30	300	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320												
20	A	A	(2.60) ⁵	A	5	2.60	2.30	(2.30) ⁴	2.30	2.70	3.00	3.10	3.40	4.40	4.40	4.40	4.40	4.40	4.40	4.40	4.40	4.40	4.40	A												
21	(2.90) ⁵	(2.90) ⁵	(2.60)	(2.60)	(2.60)	(2.60)	(2.60)	(2.60)	(2.60)	(2.60)	G	270	270	300	300	330	330	320	320	320	320	320	320	320	320	320	320	320	320	320						
22	2.60	2.70	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	G	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260						
23	(2.90) ³	2.80	2.50	2.60	2.60	(2.60) ³	2.30	2.30	2.20	2.20	G	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320						
24	3.50 ⁴	3.50 ⁴	(3.10) ⁵	(3.10) ⁵	E	K	2.50 ⁴	G	K	G	K	G	K	G	K	G	K	G	K	610 ⁴	570 ⁴	450 ⁴	320 ⁴	220 ⁴	220 ⁴	220 ⁴	220 ⁴									
25	S K	E K	E K	E K	E K	E K	E K	E K	E K	E K	G K	G K	G K	G K	G K	G K	G K	G K	G K	570 ⁵	550 ⁴	A K	A K	2.60 K	2.60 K	2.60 K	2.60 K	2.60 K	2.60 K	2.60 K	2.60 K	2.60 K	2.60 K			
26	(2.90) ⁵	2.80	E	E	E	E	E	E	E	E	2.50	G	370	360	360	360	460	350	440	310	280	280	280	280	280	280	280	280	280	280	280					
27	(2.90) ⁵	2.70	3.00 E	E K	E K	E K	E K	E K	E K	E K	G K	G K	G K	G K	G K	G K	G K	G K	G K	420 ⁴	380 ⁴	380 ⁴	380 ⁴	380 ⁴	380 ⁴	380 ⁴	380 ⁴	380 ⁴	380 ⁴	380 ⁴						
28	(2.20 ⁵	(2.20 ⁵	(2.00 ⁵	E K	E K	E K	E K	E K	E K	E K	G K	G K	G K	G K	G K	G K	G K	G K	G K	450 ⁴	350 ⁴	280 ⁴	240 ⁴	220 ⁴	220 ⁴	220 ⁴	220 ⁴									
29	(2.80) ⁵	(2.80) ⁵	(2.60)	E K	E K	E K	E K	E K	E K	E K	G K	G K	G K	G K	G K	G K	G K	G K	G K	530 ⁴	(3.80) ⁴	330 ⁴	250 ⁴	220 ⁴	220 ⁴	220 ⁴										
30	S K	E K	E K	E K	E K	E K	E K	E K	E K	E K	G K	G K	G K	G K	G K	G K	G K	G K	G K	480 ⁴	350 ⁴	250 ⁴	220 ⁴	220 ⁴	220 ⁴											
31	S K	E K	E K	E K	E K	E K	C K	C K	C K	C K	G K	G K	G K	G K	G K	G K	G K	G K	G K	460 ⁴	400 ⁴	250 ⁴	220 ⁴	220 ⁴	220 ⁴											
Median	2.70	(2.70)	(2.70)	(2.70)	(2.70)	(2.70)	(2.70)	(2.70)	(2.70)	(2.70)	G	450	400	400	480	410	430	410	380	360	330	310	30	30	31	31	31	31	31	31	31					
Count	26	27	26	22	22	22	22	22	22	22	26	30	29	27	30	30	30	31	31	30	30	31	31	31	31	31	31	31	31	31	31					

Sweep 1.0, Me to 22.0, Min. to 22 min

Manual □ Automatic ■

TABLE 65
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

IONOSPHERIC DATA

foE2 — Mc (Characteristic) August, 1953
(Unit) (Month)

Observed at Washington, D.C.

Lat. 38°7'N, Long. 77°10'W

Calculated by: M.C.C., J.W.P., E.J.W.

Doy	75°W												Moon Time													
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	(2.5) ^s	2.3	(2.0) ^s	A	<1.0 ^s	2.3	3.6	[4.2] ^a	4.7	(4.7) ^a	[4.8] ^a	4.8	<4.0 ^s	4.7	4.5	4.5	4.6	4.7	4.7	4.7	4.0 ^s	(3.3) ^s	2.7			
2	2.6	2.4	(2.1) ^s	1.8*	(1.5) ^s	(2.2) ^s	3.3	<3.6 ^s	4.3	[4.4] ^a	4.5	4.5	4.8	4.9	4.9	4.8	4.6	4.6	4.6	4.0	3.3	3.1	3.0			
3	2.5	2.5	2.3	1.8	2.2	3.5	<3.5 ^s	4.2	4.7	4.7	4.9	4.6	4.7	4.8	4.9	4.7	4.5	4.4	4.8	5.2	4.4 ^s	(4.0) ^s	(3.7) ^s			
4	3.2	F	2.7	2.1	1.8 ^s	(1.8) ^s	2.3	3.5	4.4	5.2	5.0	5.4	4.9	4.6	4.9	5.0	5.2	4.9	4.7 ^s	4.8	5.2	4.8	3.6			
5	2.3	2.2	2.1	A	[2.6] ^s	A	2.8	[4.1] ^a	4.4	4.7	[4.6] ^a	[4.9] ^a	A	A	4.7	4.7	4.7	4.8	4.7	4.9	5.0	4.0 ^s	3.2	2.7		
6	2.4	(2.1) ^s	(1.9) ^s	(1.7) ^s	2.2	3.4	<3.3 ^s	A	4.4	4.7	4.9	4.7	4.8	4.8	4.8	4.7	4.6	4.5	4.5	5.0	5.4	3.8	3.2	3.4		
7	2.7	2.5	2.3	2.0	1.9	2.3	3.5	3.7	4.7	5.0	4.6	5.0	4.7	4.7	4.6	4.7	4.7	4.6	4.7	4.7	(5.2) ^s	5.7	5.0 ^s	3.5 ^s		
8	3.3	2.7	2.4	(1.9) ^s	1.9 ^F	2.2	3.5	3.8	4.9	5.4	5.7	5.1	4.9	5.0	4.9	5.2	4.9	5.0	5.2	5.0	4.5	3.6	3.2			
9	2.9	2.6	2.5	2.2 ^F	2.1 ^F	2.1	3.3	3.8	[3.7] ^s	4.2	(4.3) ^s	4.7	4.8	4.7	4.7	4.5	4.6	4.5	4.5	4.6	5.0	5.0	4.4	4.1		
10	3.5	3.0	2.6	2.3	(1.7) ^s	(2.0) ^s	2.8	[3.4] ^C	(4.1) ^s	(4.5) ^P	(4.6) ^s	[4.2] ^G	4.7	4.9	4.7	4.7	4.8	4.8	4.6 ^s	4.9	5.2	(5.8) ^s	5.6	5.3 ^s	4.6 ^s	
11	3.5	2.9	2.6	2.2	2.1	2.3	3.3	<3.3 ^s	3.7 ^s	[3.3] ^s	<4.0 ^s	4.5	4.8	[4.4] ^G	(4.4) ^S	[4.4] ^G	[4.4] ^G	[4.1] ^K	[3.9] ^K	[3.9] ^K	4.2 ^K	3.9 ^K	X4.2 ^K	4.2 ^K	4.1 ^K	
12	(2.8) ^s	(2.7) ^F	[1.9] ^F	F	S ^F	2.3 ^F	2.9 ^X	<3.3 ^G	3.7 ^K	<4.0 ^K	<4.0 ^K	<4.1 ^K	<4.1 ^K	<4.1 ^K	<4.1 ^K	<4.1 ^K	<4.1 ^K	<4.1 ^K	<4.1 ^K	3.9 ^K	X4.2 ^K	4.2 ^K	3.8			
13	3.0	2.5	1.8	<1.0 ^E	<1.0 ^E	1.9	3.0	<3.5 ^s	3.9 ^s	<3.9 ^s	<4.1 ^s	4.4	4.6	4.6	4.6	3.0	3.0	3.0	3.2	3.8	6.3	6.0	4.6 ^s	4.1	3.2 ^s	
14	(3.4) ^F	2.8 ^F	2.4 ^F	(1.8) ^F	[2.0] ^F	2.2 ^s	3.2	<3.5 ^s	4.2	4.7	<4.3 ^s	4.6	4.7	5.0	5.0	5.2	5.3	5.2	5.2	5.0	4.8	(4.3) ^s	(3.5) ^s	(3.0) ^s		
15	(3.1) ^s	2.7	2.6	(2.3) ^F	F	F ^s	4.3	(5.0) ^s	5.2	(5.0) ^s	5.6	6.2	5.4	5.6	5.8	5.8	6.2	6.0	6.0	6.2	5.8	5.2 ^F	4.9	3.2		
16	3.0 ^s	2.9 ^F	2.6 ^F	2.1	2.0	3.4	<3.5 ^s	4.2	4.6	4.4	5.6	4.8	4.9	5.1	4.8	5.0	5.0	5.2	5.2	5.0	4.5	4.0	3.6 ^s			
17	3.5	3.4 ^s	2.4	2.3 ^s	2.4	(2.8) ^s	3.9	4.8	6.0	6.0	5.3	5.4	5.4	5.4	5.6	5.7	5.7	5.8	5.8	5.8	5.8	5.8	4.5 ^s	(3.8) ^s	A	
18	A	3.0	2.7 ^F	2.7 ^F	2.5	(2.5) ^s	3.5 ^s	4.1	4.5	4.9	4.7	<4.4 ^s	4.9	4.7	4.7	4.8	5.0	5.0	4.5	5.0	5.0	5.4	4.2 ^F	4.2	(3.6) ^s	
19	3.1	2.9	2.6	2.4	2.2	(2.3) ^s	3.4	4.2	M	M	4.9	4.6	5.0	5.0	5.3	[5.2] ^A	5.3	(4.9) ^M	[5.0] ^A	5.0	5.2	5.8	(3.9) ^s	3.2	A	
20	A	A	(2.2) ^s	A	F	(2.7) ^s	4.2	4.5	5.6	5.6	5.2	5.6	5.2	5.0	5.2	4.8	5.0	5.2	5.4	5.4	5.0	4.1	[3.2] ^A	2.8 ^F		
21	2.8	2.7 ^s	2.7 ^F	2.5 ^s	2.2 ^F	2.2 ^F	3.8	4.5	4.9	5.2	5.2	5.3	5.4	5.1	5.2	5.2	5.2	5.2	5.2	5.2	5.4	(4.6) ^s	(3.9) ^s	3.3		
22	3.6	3.2	3.1	3.0	2.7	2.8 ^F	3.5	(4.2) ^s	5.0	5.2	5.4	5.8	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	4.4	4.0	3.7 ^s			
23	3.1	3.0 ^F	3.0	2.4	2.0	(1.9) ^s	3.5	4.2	4.8	5.6 ^s	6.6 ^s	7.0 ^K	5.3 ^K	4.9 ^K	4.5 ^K	4.7 ^K	4.8 ^K	5.2 ^K	7.0 ^K	8.6 ^K	6.4 ^K	4.5 ^K	3.6 ^K			
24	"(3.5) ^s	2.7 ^K	2.8 ^K	(1.7) ^s	1.5 ^s	<1.0 ^E	K1.5 ^s	2.7 ^K	<3.1 ^K	<3.6 ^K	<3.6 ^K	<3.7 ^K	<3.9 ^K	<4.0 ^K	<3.9 ^K	4.1 ^K	4.2 ^K	4.0 ^K	4.4 ^K	4.7 ^K	4.9 ^K	2.6 ^K	2.3 ^K	2.1 ^K		
25	2.0 ^K	1.8 ^X	K1.6 ^J	K1.5 ^J	K1.4 ^J	F	2.8 ^K	<3.0 ^K	<3.6 ^K	4.0 ^K	<3.9 ^K	<3.9 ^K	<4.0 ^K	<4.0 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	4.0 ^K	4.3 ^K	3.5 ^K	2.9	2.4			
26	2.4	2.1	1.8	(1.6) ^J	(1.7) ^J	(1.0) ^J	3.0	<3.7 ^G	4.1	4.5	4.7	4.8	4.6	4.5	4.5	4.5	4.5	4.5	4.5	(4.9) ^s	5.0	4.2	3.0	2.9		
27	2.8	2.4	2.2	1.8	K1.5 ^s	<1.0 ^K	2.6 ^K	<3.0 ^K	<3.4 ^K	<3.5 ^K	<3.7 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	4.1 ^K	4.2 ^K	4.3 ^K	4.4 ^K	4.7 ^K	3.7 ^K	2.8 ^K	2.2 ^K			
28	(2.0) ^F	(2.2) ^F	(2.0) ^K	K1.7 ^F	K1.6 ^J	K1.4 ^J	2.6 ^K	<3.2 ^K	<3.4 ^K	<3.4 ^K	<3.6 ^K	<3.6 ^K	<3.8 ^K	<3.8 ^K	<3.8 ^K	4.3 ^K	4.4 ^K	4.0 ^K	4.2 ^K	4.3 ^K	4.5 ^K	3.4 ^K	2.5 ^K	1.8 ^J		
29	X2.0 ^J	2.0 ^X	K1.6 ^J	K1.7 ^J	K1.0 ^E	2.9 ^K	<3.5 ^K	<3.7 ^K	<3.8 ^K	<3.8 ^K	<3.9 ^K	<4.0 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	4.3 ^K	4.3 ^K	4.3 ^K	4.3 ^K	4.3 ^K	4.5 ^K	3.9 ^K	3.3 ^K	2.9 ^J		
30	1.9 ^K	<1.0 ^E	2.5 ^K	<3.2 ^K	<3.4 ^K	<3.4 ^K	<3.7 ^K	<3.8 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	4.0 ^K	3.9 ^K	3.5 ^K	K2.8 ^J	1.9 ^K						
31	1.9 ^K	<1.0 ^E	C ^K	C ^K	C ^K	C ^K	<3.3 ^K	<3.7 ^K	<4.0 ^K	<4.0 ^K	<4.0 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	<3.9 ^K	4.0 ^K	3.7 ^K	4.2 ^K	3.2 ^K	2.4 ^K	(1.8) ^K					
Median	2.8	2.6	2.2	1.9	1.8	2.2	3.4	<3.6	4.2	4.6	4.6	4.7	4.7	4.8	4.8	4.7	4.8	4.8	4.7	4.8	4.8	4.8	4.5 ^s	3.0	4.2	3.5
Count	29	30	31	27	27	28	34	30	29	30	31	31	30	30	31	31	30	30	31	31	31	31	31	30	31	20

Sweep 1.0—Mc ln. 0.250. Mc ln. 0.25 min
Manual □ Automatic ■

for F₂ Mc. August 1953
 (month)
 Observed at Washington, D.C.
 Lat 38°7' N, Long 77°10' W

TABLE 66
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

Day	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330	National Bureau of Standards					
																									McC.	McC.	Calculated by: E.I.W.			
1	22.2	21.2	(20.5)	21.7	21.8	21.5	22.2	22.8	23.2	24.7	24.4	24.7	25.0	24.0	24.5	24.5	24.5	24.5	24.5	24.5	24.5	24.5	24.5	24.5	24.5	24.5	3.6	3.0	(2.7)5	
2	21.4	20.2	(19.0)	21.7	21.0	21.6	21.5	21.0	20.7	20.4	20.1	20.4	20.7	21.0	21.3	21.6	21.9	21.9	21.9	21.9	21.9	21.9	21.9	21.9	21.9	21.9	21.9	21.9	21.9	21.9
3	20.5	20.4	20.2	20.0	20.8	20.5	20.2	20.7	20.7	20.5	20.3	20.5	20.7	20.9	21.1	21.3	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	
4	20.8	20.3	20.3	20.0	20.8	20.5	20.2	20.7	20.7	20.5	20.3	20.5	20.7	20.9	21.1	21.3	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	
5	20.2	20.1	20.1	20.0	20.7	20.4	20.0	20.5	20.5	20.3	20.1	20.4	20.6	20.8	21.0	21.2	21.4	21.4	21.4	21.4	21.4	21.4	21.4	21.4	21.4	21.4	21.4	21.4	21.4	21.4
6	19	19	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	
7	20.6	20.4	20.2	20.1	20.7	20.5	20.3	20.7	20.7	20.5	20.3	20.5	20.7	20.9	21.1	21.3	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5
8	20.9	20.7	20.5	20.3	20.9	20.7	20.5	20.8	20.8	20.6	20.4	20.6	20.8	21.0	21.2	21.4	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6
9	20.8	20.6	20.5	20.3	20.9	20.7	20.5	20.8	20.8	20.6	20.4	20.6	20.8	21.0	21.2	21.4	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6
10	20.2	20.2	20.2	20.2	20.7	20.5	20.3	20.7	20.7	20.5	20.3	20.5	20.7	20.9	21.1	21.3	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5
11	20.0	20.0	20.0	20.0	20.4	20.6	20.5	20.0	20.5	20.4	20.3	20.5	20.8	21.1	21.4	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7
12	20.8	20.8	20.8	20.8	20.8	20.8	20.7	20.8	20.8	20.7	20.6	20.8	20.9	21.0	21.1	21.2	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3	21.3
13	20.6	20.6	20.5	20.5	20.7	20.6	20.5	20.6	20.6	20.5	20.4	20.5	20.6	20.7	20.8	20.9	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
14	20.6	20.6	20.6	20.6	20.6	20.6	20.5	20.6	20.6	20.5	20.4	20.5	20.6	20.7	20.8	20.9	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
15	20.7	20.7	20.7	20.7	20.7	20.7	20.6	20.7	20.7	20.6	20.5	20.6	20.7	20.8	20.9	21.0	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1
16	20.8	20.7	20.7	20.7	20.7	20.7	20.6	20.7	20.7	20.6	20.5	20.6	20.7	20.8	20.9	21.0	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1	21.1
17	20.5	20.5	20.5	20.5	20.5	20.5	20.4	20.5	20.5	20.4	20.3	20.4	20.5	20.6	20.7	20.8	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9
18	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
19	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
20	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
21	27	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
22	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5
23	30.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1
24	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0
25	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9
26	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2
27	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7
28	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)	(20.1)
29	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2	29.2
30	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1	29.1
31	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5
Median	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7
Count	29	30	29	29	29	30	30	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Manuscr. LQ. Mc 1025.0 Mc. 1025.0 Mc. In. 0.25 m⁻²

Automatic

TABLE 67
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

h ¹ F _I		Km	August, 1953	
(Characteristic)	(Unit)	(Month)		
Observed at Washington, D.C.		Lat 38.7°N Long 77.1°W		
Day	00	01	02	03
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				

TABLE 68
Central Radio Propagation Laboratory; National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA
August 1953
Day, 38.7°N. Long 77.0°W
Observed at Washington, D. C.

Day	75°W Mean Time												National Bureau of Standards (Institution) M.C.C. E.J.W.													
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	-	-	-	-	-	-	-	-	A	A	A	4.0	4.2	4.5	4.6	4.6	3.8	3.7	3.3	-	-	-	-	-		
2	-	-	-	-	-	-	Q	3.6	3.8	[3.9]A	4.0	4.2	4.2	4.1	4.1	4.3	3.8	3.6	3.3	-	-	-	-	-		
3	-	-	-	-	-	-	Q	3.5	3.9	[4.0]A	4.0	4.2	4.2	4.2	4.2	(4.2)A	4.0	3.9	3.6	3.3	-	-	-	-		
4	-	-	-	-	-	-	Q	3.5	3.8	4.0	4.2	4.2	4.3	4.2	4.0	3.9	[3.7]A	3.5	3.2	-	-	-	-	-		
5	-	-	-	-	-	-	Q	A	A	4.0	A	A	A	A	4.2	4.1	4.0	4.0	3.7	3.4	-	-	-	-		
6	-	-	-	-	-	-	Q	3.3	[3.6]A	4.0	[4.1]A	4.2	4.2	4.2	4.1	4.0	3.8	3.4	3.3	-	-	-	-	-		
7	-	-	-	-	-	-	Q	3.4	3.9	4.0	4.2	4.2	4.2	4.3	4.2	4.1	4.0	3.9	3.7	(3.2)P	-	-	-	-		
8	-	-	-	-	-	-	Q	3.5	3.9	4.2A	4.2	4.2	4.2	4.3	4.2	4.1	4.0	3.8	(3.3)P	-	-	-	-	-		
9	-	-	-	-	-	-	(3.0)A	3.5	3.7	3.9	4.1	4.2	4.3	4.2	4.1	4.1	3.9	A	L	-	-	-	-	-		
10	-	-	-	-	-	-	Q	C	3.8	4.1A	4.2A	4.2A	4.3A	4.3	4.2	4.1	4.0	3.7	3.7	3.2	-	-	-	-	-	
11	-	-	-	-	-	-	L	3.3	3.7	4.0	4.2	4.3	4.4	4.3	4.3	4.2	4.0	F	3.8F	(3.3)L	-	-	-	-	-	
12	-	-	-	-	-	-	Q	K	3.3X	3.7X	4.0X	4.0X	4.1X	4.1X	4.1X	4.1X	4.1X	3.8X	3.6X	3.6X	3.7X	-	-	-	-	-
13	-	-	-	-	-	-	Q	3.5	3.8X	3.9	4.1	4.2	4.2	4.2	4.3	4.2	4.0	3.9	L	-	-	-	-	-		
14	-	-	-	-	-	-	Q	3.5F	3.8	4.0	4.3	4.3	4.3	4.4	4.3	4.2	4.1	3.7	L	-	-	-	-	-		
15	-	-	-	-	-	-	Q	L	4.1	4.2	4.2	4.6	4.6	4.5	4.4	4.3	4.2	4.2	3.7	L	-	-	-	-	-	
16	-	-	-	-	-	-	L	3.5	(3.7)P	(4.2)A	4.2	[4.2]A	4.2	4.2	4.2	4.1	4.1	4.0	3.8	L	-	-	-	-	-	
17	-	-	-	-	-	-	Q	L	4.0	4.2	4.3	4.4	4.4	4.4	4.4	4.3	4.3	4.0	H	(3.7)4	L	-	-	-	-	-
18	-	-	-	-	-	-	Q	L	4.0	4.1A	4.2	4.4	4.4	4.4	4.3	4.2	4.1	4.0	3.7	A	L	-	-	-	-	-
19	-	-	-	-	-	-	Q	(3.5)A	M	M	4.1	4.1A	4.1	4.4	4.3	[4.2]A	(4.0)A	A	A	L	-	-	-	-	-	
20	-	-	-	-	-	-	L	3.8	4.1	4.1A	4.3	4.4	4.4	4.4	4.3	4.3	4.1A	4.0	3.6H	2.9	-	-	-	-	-	
21	-	-	-	-	-	-	L	3.9	4.1	4.2	4.3	4.3	4.3	4.3	4.2	4.2	4.0	3.9	3.6	L	-	-	-	-	-	
22	-	-	-	-	-	-	Q	3.6	4.0	4.1	4.2	4.3	4.3	4.2	4.2	4.2	4.0	A	L	-	-	-	-	-		
23	-	-	-	-	-	-	Q	3.4	3.5X	4.0	4.2A	4.2A	4.2A	4.2A	4.2A	4.0X	3.9X	3.7X	3.4X	3.1X	-	-	-	-	-	
24	-	-	-	-	-	-	Q	K	3.1X	3.4X	3.6X	3.7X	3.7X	3.7X	3.7X	3.7X	3.8X	3.7X	3.4X	2.9X	-	-	-	-	-	
25	-	-	-	-	-	-	Q	K	3.0X	3.6X	3.7X	3.9X	3.9X	4.0X	4.0X	3.9X	3.7X	3.7X	A	K	-	-	-	-	-	
26	-	-	-	-	-	-	L	3.7	3.7	3.8	4.0H	4.0X	4.2	4.1	4.0	3.9	3.5	3.4	3.0	-	-	-	-	-		
27	-	-	-	-	-	-	L	X	3.0X	3.4X	3.5X	3.7X	3.9X	3.9X	3.9X	3.8X	3.7X	3.6X	3.3X	K	-	-	-	-	-	
28	-	-	-	-	-	-	Q	K	3.2X	3.4X	3.6X	3.8X	3.9X	4.0X	4.0X	3.9X	3.9X	3.6X	3.4X	L	-	-	-	-	-	
29	-	-	-	-	-	-	L	K	3.3X	3.5X	3.7X	3.8X	3.9X	4.0X	3.9X	3.8X	3.8X	3.5X	(3.4)K	L	-	-	-	-	-	
30	-	-	-	-	-	-	Q	K	3.2X	3.4X	3.7X	3.8X	3.9X	3.9X	4.0X	3.9X	3.7X	3.5X	3.4X	Q	-	-	-	-	-	
31	-	-	-	-	-	-	C	K	3.3X	3.7X	4.0X	4.0X	4.0X	4.0X	4.0X	3.9X	3.8X	3.7X	3.3X	L	-	-	-	-	-	
Median	-	-	-	-	-	-	3.4	3.8	4.0	4.1	4.2	4.2	4.2	4.2	4.0	3.9	3.6	3.3	-	-	-	-	-	-		
Count	3	22	28	29	29	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30		

Sweep 1-0 Mc to 25.0 Mc in 0.25 min
Manual Automatic

TABLE 69
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

hE , Km (Characteristic)		August, 1953 (Month)		Washington, D. C.		38.7°N, Long 77.1°W		IONOSPHERIC DATA												75°W Mean Time		5°W Mean Time		
Doy	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
2					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
3					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
4					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
5					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
6					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
7					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
8					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
9					S	C	C	C	C	C	C	110	110	110	110	110	110	110	110	110	110	110	110	110
10					S	C	C	C	C	C	C	110	110	110	110	110	110	110	110	110	110	110	110	110
11					S	S	S	S	S	S	S	110	100	100	100	100	100	100	100	100	100	100	100	100
12					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
13					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
14					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
15					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
16					A	A	A	A	A	A	A	110	100	100	100	100	100	100	100	100	100	100	100	100
17					S	S	S	S	S	S	S	100	100	100	100	100	100	100	100	100	100	100	100	100
18					S	S	S	S	S	S	S	100	100	100	100	100	100	100	100	100	100	100	100	100
19					S	S	S	S	S	S	S	100	100	100	100	100	100	100	100	100	100	100	100	100
20					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
21					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
22					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
23					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
24					S	S	S	S	S	S	S	100	100	100	100	100	100	100	100	100	100	100	100	100
25					S	S	S	S	S	S	S	100	100	100	100	100	100	100	100	100	100	100	100	100
26					S	S	S	S	S	S	S	110	100	100	100	100	100	100	100	100	100	100	100	100
27					S	S	S	S	S	S	S	100	100	100	100	100	100	100	100	100	100	100	100	100
28					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
29					A	A	A	A	A	A	A	100	100	100	100	100	100	100	100	100	100	100	100	100
30					Q	Q	Q	Q	Q	Q	Q	110	100	100	100	100	100	100	100	100	100	100	100	100
31					C	C	C	C	C	C	C	100	100	100	100	100	100	100	100	100	100	100	100	100
Median	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Count	12	27	29	29	29	29	29	29	29	29	29	30	30	30	30	30	30	30	30	31	31	31	31	

Manual Automatic

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Form adopted June 1946

TABLE 70
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

foE — MC — August, 1953

(Month)

D.C.

Observed at Washington, D.C.

Lat 38.7°N, long 77.1°W

IONOSPHERIC DATA

75°W

Day	National Bureau of Standards												Mean Time
	00	01	02	03	04	05	06	07	08	09	10	11	
1	A	A	A	2.3	2.5	(2.7) ^a	[2.8] ^a	3.1	[3.2] ^a	3.2	3.2	3.1	A 2.5 (2.2) ^b
2	A	A	A	2.6	A	A	A	A	A	B	B	B	A 2.4
3	A	A	(1.9) ^a	2.2	2.5	[2.8] ^a	(3.2) ^a	(3.2) ^a	(3.3) ^a	(3.3) ^a	(3.3) ^a	3.1	3.0 2.4 2.3
4	A	A	2.5	A	A	A	A	A	A	A	A	A	A 2.3
5	A	A	2.6	A	A	A	A	A	A	A	A	A	A 2.2
6	A	A	A	A	A	A	A	A	A	A	A	A	A 2.2
7	1.7	2.3	2.7	A	A	(3.2) ^a	3.3	(3.3) ^a	(3.3) ^a	(3.3) ^a	(3.3) ^a	3.1	2.5 2.2 ^c
8	(1.8) ^a	(2.4) ^a	(2.5) ^a	A	A	(3.3) ^a	3.4	3.3	3.2	3.1	2.8	A	S
9	A	(2.3) ^a	2.5	A	A	A	A	(3.1) ^a	3.2	3.1	2.9	2.5	A
10	A	C	(2.5) ^a	A	A	A	A	3.3	3.2	3.0	2.8	2.5	A
11	1.7	[2.3] ^a	2.9	A	A	A	A	A	A	A	A	A	3.0 (2.1) ^a
12	1.9 ^c	A ^c	A ^c	3.0 ^c	3.1 ^c	(3.2) ^a	3.2 ^c	3.2 ^c	3.2 ^c	3.0 ^c	2.8 ^c	2.5 ^c	2.0 ^c
13	(2.0) ^a	2.3	(2.6) ^a	(2.7) ^a	(2.8) ^a	(2.9) ^a	3.1	[3.2] ^a	3.3	3.2	3.1	A	A
14	A	(2.4) ^a	2.7	(3.9) ^a	[3.0] ^a	(3.0) ^a	A	A	A	A	A	2.9	2.5 A
15	A	2.4	2.7	3.0	A	A	A	A	A	3.2	3.1	2.9	2.5 A
16	1.7	2.3	2.7	2.8	3.0	[3.2] ^a	(3.3) ^a	A	A	A	A	2.8	2.5 A
17	5	2.4	A	A	A	A	A	A	A	3.3	(3.1) ^a	2.8	2.5 A
18	A	2.3	2.3	3.1	A	A	A	A	A	A	A	2.6	A
19	A	(2.2) ^a	M	1.4	3.1	3.2	3.3	3.2	3.2	3.1	2.9	2.5	A
20	1.8	2.3	2.8	A	A	3.3	(3.3) ^a	[3.2] ^a	3.2	3.0	2.8	2.6	A
21	A	A	(3.1) ^a	A	A	3.3	[3.3] ^a	3.2	3.0	2.8	2.4	S	
22	A	A	2.7	3.0	3.2	(3.3) ^a	(3.2) ^a	3.4	3.3	3.1	2.9	2.4	A
23	A	(2.2) ^a	(2.5) ^a	A ^c	A ^c	3.2 ^c	3.3 ^c	3.2 ^c	3.1 ^c	3.0 ^c	[3.7] ^a	2.4 ^c	S ^c
24	5 ^c	A ^c	2.4 ^c	2.6 ^c	[2.8] ^a	3.1 ^c	3.2 ^c	3.1 ^c	3.0 ^c	3.0 ^c	2.6 ^c	2.4 ^c	1.8 ^c
25	1.7 ^c	2.1 ^c	2.4 ^c	2.7 ^c	(2.8) ^a	3.1 ^c	(3.2) ^a	[3.2] ^a	3.1 ^c	2.9 ^c	2.7 ^c	2.3 ^c	A ^c
26	1.7	2.2	A	A	3.0	3.1	(3.2) ^a	3.1	3.0	2.9	(3.6) ^a	2.3	1.8
27	A ^c	2.2 ^c	2.4 ^c	(2.7) ^a	3.0 ^c	3.2 ^c	3.2 ^c	(3.2) ^a	(3.1) ^a	2.8 ^c	2.6 ^c	2.4 ^c	1.7 ^c
28	A ^c	2.3 ^c	2.5 ^c	2.7 ^c	(3.0) ^a	3.1 ^c	3.1 ^c	3.0 ^c	3.0 ^c	2.8 ^c	2.6 ^c	2.4 ^c	1.8 ^c
29	6.8 ^c	2.2 ^c	2.4 ^c	2.8 ^c	3.0 ^c	3.1 ^c	3.2 ^c	3.1 ^c	2.9 ^c	2.5 ^c	2.2 ^c	1.7 ^c	
30	Q ^c	(2.2) ^a	2.5 ^c	2.9 ^c	3.0 ^c	(3.1) ^a	(3.2) ^a	(3.1) ^a	3.0 ^c	2.7 ^c	2.3 ^c	A ^c	
31	C ^c	2.2 ^c	2.4 ^c	(2.8) ^a	(2.8) ^a	3.1 ^c	3.2 ^c	3.2 ^c	3.0 ^c	2.8 ^c	2.6 ^c	2.4 ^c	A ^c
Median	1.8	2.3	2.5	2.8	3.0	3.2	3.2	3.2	3.2	3.0	2.8	2.5	2.0
Count	N	21	24	19	16	20	22	21	24	26	28	24	11

Sweep 1.0 Mc to 25.0 Mc in 0.25 min
Manual □ Automatic ■

TABLE 71
IONOSPHERIC DATA
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

Es, Mc.Km August 1953
(Characteristic) (Unit)

Observed at Washington, D.C.
Lat 38.7°N, Long 77.1°W

Mc.C. J.W.P., E.J.W.
(Institution)

Scaled by: McC. Calculated by: McC. E.J.W.

75° W Mean Time																							
Doy	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15							
1	E	E	8.0/00	7.2/00	E	3.1/2.0	4.2/1.0	5.2/1.0	5.4/1.0	9.4/1.0	10.0/1.0	5.0/1.00	G	4.1/2.0	3.9/2.0	G							
2	E	E	10.5/10	4.4/100	E	7.0/1/10	3.8/1/10	3.3/1/10	3.3/1/10	6.6/1/100	4.6/1/100	4.2/1/100	G	G	3.1/2.0	4.9/1.0	E						
3	3.6/1/100	2.0/1/100	2.8/1/100	E	4.3/1/100	7.4/1/100	2.2/1/100	3.5/1/100	6.3/1/100	4.8/1/100	3.9/1/100	4.0/1/100	3.8/1/100	G	3.4/1/10	2.1/1/10	E						
4	E	E	5.4/1/100	4.9/1/100	E	7.2/1/100	3.8/1/100	5.0/1/100	4.3/1/100	3.9/1/100	G	G	4.8/1/10	5.4/1/10	6.8/1/100	4.4/1/100	G						
5	E	E	5.4/1/100	4.9/1/100	5.8/1/00	5.4/1/00	4.5/1/00	4.2/1/00	6.8/1/00	7.0/1/00	7.0/1/00	7.2/1/00	5.0/1/00	5.0/1/00	4.3/1/00	4.9/1/100	E						
6	E	E	4.4/1/00	3.0/1/00	(2.5)/1/00	3.8/1/2c	E	3.3/1/00	6.6/1/100	5.8/1/00	4.5/1/00	5.3/1/00	2.0/1/00	5.0/1/100	5.2/1/100	4.3/1/100	G						
7	E	E	4.0/1/00	3.2/1/00	4.0/1/00	4.2/1/100	3.0/1/30	G	4.0/1/00	3.8/1/00	3.7/1/100	G	3.1/2.0	3.3/1/00	4.2/1/00	2.0/1/00	G						
8	E	E	2.4/1/00	E	7.2/1/00	E	3.1/1/40	3.1/1/20	3.7/1/20	4.1/1/10	4.2/1/10	3.5/1/20	G	7.0/1/10	4.0/1/40	3.7/1/30	7.2/1/20	2.9/1/20	E				
9	E	E	2.2/1/20	E	7.3/1/20	3.0/1/10	2.9/1/30	3.5/1/20	4.1/1/10	4.7/1/100	5.3/1/00	4.2/1/00	G	G	4.9/1/20	7.2/1/10	3.3/1/20	4.2/1/20	2.3/1/10	E			
10	2.7/1/100	2.7/1/20	E	E	8.2/1/100	3.1/1/20	C	3.9/1/20	3.9/1/100	3.3/1/100	3.4/1/100	3.5/1/100	4.7/1/20	7.0/1/20	6.8/1/20	3.5/1/20	4.2/1/100	E					
11	3.3/1/10	3.5/1/10	E	E	2.3/1/00	2.2/1/10	1.9/1/00	3.5/1/20	4.1/1/20	18.0/1/00	4.0/1/00	11.0/1/00	4.2/1/00	7.6/1/10	4.2/1/00	3.9/1/00	4.6/1/00	G					
12	2.4/1/20	E	E	E	2.4/1/50	1.7/1/30	2.1/1/10	2.3/1/10	3.5/1/10	3.5/1/10	3.9/1/100	3.1/1/10	5.0/1/10	5.0/1/10	G	G	3.4/1/10	3.7/1/10	2.3/1/20	E			
13	E	E	E	E	3.7/1/00	E	2.0/1/30	2.7/1/20	3.1/1/10	4.8/1/00	9.9/1/00	9.9/1/00	5.0/1/10	5.0/1/10	3.8/1/20	3.8/1/30	G	G	3.6/1/10	3.7/1/20	2.8/1/10	E	
14	E	E	4.0/1/00	2.8/1/00	E	E	4.2/1/100	3.1/1/10	3.1/1/10	4.0/1/10	7.0/1/10	4.1/1/10	4.2/1/00	4.1/1/10	6.6/1/10	6.6/1/10	6.6/1/10	6.6/1/10	G				
15	4.7/1/00	4.1/1/00	4.0/1/20	E	8.4/1/00	4.4/1/00	3.6/1/00	3.6/1/00	G	7.2/1/10	4.9/1/100	5.2/1/00	8.6/1/100	8.6/1/100	4.2/1/10	G	G	3.9/1/10	4.2/1/10	2.8/1/00	E		
16	3.0/1/00	2.7/1/00	3.2/1/00	E	E	3.0/1/20	4.7/1/30	2.1/1/10	2.3/1/10	3.5/1/10	3.5/1/10	3.9/1/100	3.1/1/10	5.0/1/10	5.0/1/10	G	G	3.4/1/10	3.6/1/20	2.5/1/30	E		
17	E	E	E	E	6.4/1/00	8.0/1/00	6.8/1/00	6.8/1/00	6.4/1/00	6.8/1/00	6.4/1/00	6.8/1/00	G	4.0/1/10	4.8/1/20	3.8/1/30	G	G	3.6/1/10	3.7/1/20	2.8/1/10	E	
18	7.8/1/00	4.1/1/00	6.4/1/10	E	4.0/1/00	4.3/1/00	4.1/1/10	3.2/1/20	3.7/1/10	3.6/1/100	4.3/1/100	5.0/1/00	4.3/1/100	4.2/1/00	4.2/1/00	4.2/1/00	4.2/1/00	G	G	4.9/1/20	4.3/1/20	3.5/1/20	5.6/1/10
19	E	E	E	E	3.0/1/20	2.7/1/20	2.3/1/20	M	M	3.5/1/10	7.0/1/20	4.9/1/100	5.2/1/00	8.6/1/100	4.2/1/10	G	G	3.9/1/10	4.2/1/10	2.0/1/20	E		
20	4.7/1/00	5.1/1/00	4.4/1/00	E	E	4.0/1/20	4.2/1/10	4.5/1/10	4.8/1/00	5.2/1/00	6.2/1/00	6.2/1/00	4.0/1/00	4.5/1/00	5.2/1/00	3.3/1/00	3.5/1/00	3.6/1/00	2.4/1/00	4.3/1/10	E		
21	4.2/1/00	3.8/1/00	3.1/1/00	E	E	3.9/1/00	3.6/1/00	4.7/1/00	3.2/1/00	4.0/1/00	4.3/1/00	4.0/1/00	4.3/1/00	4.0/1/00	4.0/1/00	3.3/1/00	3.0/1/00	3.4/1/30	3.0/1/10	3.9/1/00	E		
22	E	3.6/1/00	2.5/1/00	3.0/1/00	E	E	2.7/1/00	2.5/1/00	2.7/1/100	3.3/1/100	4.0/1/100	3.5/1/100	4.1/1/100	3.7/1/100	G	G	6.0/1/10	6.2/1/00	6.6/1/00	2.6/1/00	5.8/1/00	3.1/1/00	
23	3.7/1/00	E	E	E	E	2.2/1/100	3.7/1/100	3.1/1/00	3.7/1/100	3.1/1/00	G	G	G	G	G	G	G	E	2.4/1/10	E	E		
24	E	E	E	E	E	4.0/1/00	4.1/1/00	2.7/1/00	G	3.0/1/00	3.8/1/00	4.0/1/00	4.0/1/00	4.1/1/00	G	G	4.0/1/00	4.1/1/00	4.0/1/00	4.0/1/00	4.1/1/00	E	
25	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	4.2/1/00	4.2/1/00	4.2/1/00	4.2/1/00	4.2/1/00	E	
26	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	3.4/1/00	3.4/1/00	3.4/1/00	3.4/1/00	3.4/1/00	E	
27	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	3.5/1/00	3.5/1/00	3.5/1/00	3.5/1/00	3.5/1/00	E	
28	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	6.8/1/00	6.8/1/00	6.8/1/00	6.8/1/00	6.8/1/00	E	
29	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	2.7/1/10	2.7/1/10	2.7/1/10	2.7/1/10	2.7/1/10	E	
30	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	2.1/1/30	2.1/1/30	2.1/1/30	2.1/1/30	2.1/1/30	E	
31	E	E	E	E	E	E	E	E	E	C	C	C	C	C	C	C	8.2/1/10	8.2/1/10	8.2/1/10	8.2/1/10	8.2/1/10	E	
Median	**	**	**	**	**	**	**	**	2.6	2.8	3.2	3.8	4.1	4.0	3.8	3.3	3.4	2.9	3.6	3.0	2.5	3.0	2.3
Count	31	31	31	31	31	31	31	31	30	30	29	30	31	31	31	31	31	31	31	31	31	31	31

* * MEDIAN 1E6 LESS THAN 10E, OR LESS THAN LOWER FREQUENCY LIMIT OF THE RECORDER.

Manual Automatic

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

36

National Bureau of Standards
(Institution) MC C. U. W. P. E. J. W.

(M1500) F2, (Un) (Month)
Observed at Washington, D. C.

August, 1953

(Month)

Lat. 38°N Long 77°W

TABLE 72
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

Calculated by: MCC. E. J. W.

Mean Time 75°W

75°W

Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23				
1	(2.1) ^s	2.1	(2.0) ^s	A	E	2.2	2.2	A	2.2	(1.9) ^s	A	2.1	2.1	G	2.1	1.8	1.9	2.1	2.2	2.1	2.1	2.1	(2.3) ^s	1.9				
2	2.0	2.0	(2.1) ^s	2.0	(2.1) ^s	(2.3) ^s	2.3	G	(2.3) ^s	A	1.9	1.7	1.9	2.0	2.0	1.9	2.1	2.2	2.3	2.3	2.4	2.0	2.0	2.1				
3	2.2	2.0	2.1	2.2	2.2	2.3	2.3	G	1.9	2.1	2.1	2.1	2.0	1.9	2.1	2.0	2.0	2.1	2.0	2.0	2.0	1.9	1.9	(2.0) ^s				
4	2.2	2.1	2.0	(2.0) ^s	(2.0) ^s	2.2	2.3	2.1	2.3	2.1	2.4	2.2	1.7	2.2	2.0	2.2	2.3	2.3	2.2	2.2	2.3	2.1	2.1	A	(2.2) ^s			
5	2.1	2.0	1.9	A	A	A	A	A	2.3	A	2.1	2.1	A	A	A	2.0	2.0	1.9	2.1	2.0	2.2	2.3	(2.2) ^s	2.0	2.0			
6	2.1	(1.9) ^s	(2.1) ^s	(2.0) ^s	(2.1) ^s	2.0	2.2	G	A	1.7	1.9	2.1	2.1	1.9	1.9	2.1	1.9	2.1	2.0	2.0	2.3	2.0	2.0	2.1	2.2			
7	2.1	2.0	2.2	2.0	2.0	2.1	2.2	2.4	2.1	2.3	2.2	2.2	1.8	2.3	1.9	2.1	1.9	2.0	2.1	2.0	(2.2) ^s	2.2	2.2	(2.1) ^s	2.0			
8	(2.2) ^s	2.3	2.2	(2.0) ^s	F	1.8 ^f	2.2	2.4	2.3	2.3	2.2	2.1	1.9	2.1	2.1	2.0	2.1	2.3	2.2	2.2	2.3	2.3	2.1	2.1	2.0			
9	2.1	2.0	2.1	2.1	F	2.1	2.1	1.9	G	1.7	(1.6) ^s	1.8	2.0	1.8	1.9	1.9	1.9	1.9	2.1	2.0	2.3	2.0	2.0	2.0	1.9			
10	2.0	2.0	1.9	(1.9) ^s	(1.9) ^s	2.3	C	(1.9) ^s	(1.8) ^s	(2.1) ^s	G	1.8	1.8	1.8	1.9	2.1	2.0	2.1	2.0	2.0	2.0	2.0	2.0	2.1	1.9			
11	2.0	2.0	2.1	2.0	2.1	1.8	2.5	G	G	G	1.8	1.6	G	(1.8) ^s	(2.0) ^s	2.0	1.9 ^s	2.0	2.0	2.0	2.0	2.0	2.0	2.0	(1.9) ^s			
12	(1.9) ^s	F	(1.9) ^s	F	S	F	2.2	F	2.4	K	G	K	G	K	G	K	G	K	2.0	K	2.0	K	1.9	K	1.9			
13	2.0	1.9	1.9	E	E	1.9	2.3	G	G	G	G	1.4	1.6	1.9	1.9	1.9	1.9	2.0	2.0	2.1	2.2	(2.1) ^s	2.1	2.1	1.9 ^s			
14	(1.9) ^s	F	(2.0) ^s	F	2.2	F	(2.0) ^s	F	(2.0) ^s	F	(2.0) ^s	2.3	2.1	G	1.7	1.7	1.9	2.1	2.0	2.1	2.3	2.2	2.1	(2.1) ^s	(2.0) ^s			
15	(2.0) ^s	2.1	2.1	F	(2.2) ^s	F	F	2.5	2.4	(2.3) ^s	H	2.1	2.0	2.1	2.0	2.1	2.0	2.0	2.1	2.1	2.1	2.1	2.1	2.1	2.2			
16	1.9 ^s	2.0	F	2.0	F	2.2	2.2	2.5	G	1.8	2.0	1.6	2.1	2.0	1.8	2.0	1.9	2.0	2.0	2.1	2.1	2.1	2.0	2.0	(2.1) ^s			
17	2.1	(2.0) ^s	2.1	(1.9) ^s	2.0	(2.0) ^s	2.0	(1.9) ^s	2.4	2.2	2.4	2.3	1.9	2.1	2.1	2.2	2.0	2.2	2.3	2.3	2.3	2.2	2.2	2.2	(2.2) ^s			
18	A	2.0	2.2	F	2.2	F	(2.3) ^s	2.4	2.2	2.4	2.4	2.2	2.0	1.8	G	2.0	2.1	2.1	2.2	2.2	2.2	2.2	2.0	2.0	2.0	(2.1) ^s		
19	2.0	1.9	2.0	2.1	2.0	(2.0) ^s	2.3	2.2	M	M	2.1	1.7	2.2	2.2	A	2.1	(2.3) ^s	A	2.2	2.0	2.0	2.3	2.1	A	2.1			
20	A	A	(1.9) ^s	A	S	F	(2.0) ^s	2.0	2.5	2.5	2.4	2.4	2.2	2.2	2.2	2.1	2.2	2.2	2.3	2.3	2.3	2.3	2.3	2.3	2.0 ^r			
21	2.0	(2.0) ^s	2.0	F	(2.0) ^s	F	2.4	F	2.4	2.4	2.4	2.2	2.2	2.1	2.2	2.0	2.0	2.0	2.2	2.3	2.3	2.3	2.3	(2.2) ^s	2.2			
22	2.0	2.0	2.1	2.2	2.2	2.3	F	2.4	(2.4) ^s	2.3	2.4	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.3	2.3	(2.0) ^s			
23	2.0	2.2	F	2.1	2.1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.0 ^s	K	1.7 ^s	1.7 ^s	2.0	K	1.9 ^s	1.9 ^s	2.2	K	1.8 ^s			
24	K(1.7) ^s	2.0	K	1.9 ^s	K	(1.8) ^s	F	K(1.8) ^s	2.3	K	G	K	G	K	G	K	G	K	1.7 ^s	K	2.0	K	1.9 ^s	K(2.0) ^s	1.9 ^s			
25	1.9 ^s	1.9	K(1.8) ^s	K(1.8) ^s	K(1.9) ^s	F	K	K(1.7) ^s	F	K	2.1	K	G	K	G	K	G	K	K(1.6) ^s	1.6 ^s	K	A	K	2.0	K	2.0		
26	2.0	1.9	2.0	2.1	2.2	2.2	2.3	F	2.4	(2.4) ^s	2.3	2.4	2.2	2.2	2.0	2.1	2.0	2.1	2.2	1.9 ^s	2.0	2.0	(2.1) ^s	2.1	2.4	1.9		
27	1.9	2.0	2.1	2.1	1.9	(2.1) ^s	E	K	(2.1) ^s	E	K	G	K	G	K	G	K	G	K	1.8 ^s	K	1.9 ^s	K	2.1	K	2.3	K	2.0 ^r
28	(1.9) ^s	(2.2) ^s	(2.2) ^s	(2.2) ^s	K(1.8) ^s	K(2.0) ^s	K(1.7) ^s	K(2.0) ^s	K(1.7) ^s	2.3	K	G	K	G	K	G	K	G	K	1.9 ^s	K	2.0 ^s	K	2.3	K	K(1.7) ^s	2.3	
29	(2.0) ^s	2.0	K	K(1.9) ^s	K(1.9) ^s	F	K(1.9) ^s	F	K(1.9) ^s	E	K	2.2	K	G	K	G	K	G	K	G	K	1.7 ^s	K	2.3	K	2.3	K	K(2.2) ^s
30	2.0	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	G	K	G	K	G	K	G	K		
31	2.0	K	E	K	E	K	E	K	E	K	C	K	C	K	C	K	C	K	G	K	G	K	G	K	G	K		
Median	2.0	2.0	2.1	2.0	2.1	2.2	2.3	G	1.8	2.0	2.0	1.9	1.8	1.9	2.0	1.9	2.0	1.9	2.0	2.1	2.2	2.1	2.1	2.0	2.0	2.0		
Count	29	28	28	28	24	21	23	30	27	29	29	29	30	30	30	31	31	31	31	31	31	31	31	31	31	31		

Swept LO Mc 10.25 Mc in 0.25 min

Manual □ Automatic □

National Bureau of Standards
(Institution)
McC. JWP, E.J.W.

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

(M3000)F2, (Unit)
(Characteristic)
Observed at Washington, D.C.

Lat. 38.7°N, Long. 77.0°W

August 1953
(Month)

TABLE 73
IONOSPHERIC DATA

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	75°W Mean Time					
1	(3.1)5	3.1	(3.0)5	A	E	-3.2	3.2	A	3.2	(2.9)A	A	3.1	3.1	G	G	3.1	2.7	2.8	3.1	3.2	3.1	3.1	2.9	3.1	2.9	3.1	2.9			
2	3.0	3.0	(3.1)5	3.0	(3.1)5	(3.3)5	3.3	G	2.7	A	2.9	2.5	2.9	3.0	2.8	3.1	3.2	3.3	3.4	3.4	3.0	3.0	3.0	3.0	3.0	3.0	3.1			
3	3.2	3.0	3.1	3.2	3.2	3.3	3.3	G	2.8	3.1	3.1	2.9	2.8	3.2	3.0	3.0	3.1	3.0	3.2	3.2	3.0	2.9	F	(3.0)5	(3.1)5	(3.0)5				
4	3.2	3.1	3.0	(3.0)5	(3.0)5	3.2	3.3	3.1	3.1	3.4	3.2	2.6	3.2	3.0	3.2	3.3	3.3	3.2	3.2	3.3	3.1	A	(3.2)5	(3.2)5	(3.2)5	(3.2)5				
5	3.1	3.0	2.9	A	A	3.4	A	3.1	3.3	A	A	A	A	3.0	3.0	2.9	3.1	3.0	3.2	3.3	3.0	3.0	3.0	3.0	3.0	3.0	3.0			
6	3.1	(2.9)5	(3.1)5	(3.0)5	(3.1)5	3.0	3.2	G	A	2.6	2.9	3.1	3.1	2.9	2.9	3.1	2.8	3.0	3.3	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0			
7	3.1	3.0	3.2	3.2	3.0	3.0	3.1	3.2	3.5	3.1	3.4	3.2	2.7	3.4	2.8	2.8	3.1	2.9	3.0	3.1	(2.2)5	(2.2)5	(3.2)5	(3.2)5	(3.1)5	(3.1)5				
8	3.2	3.3	3.2	(3.0)5	(2.8)5	3.2	3.4	3.4	3.4	3.2	3.4	3.2	3.1	3.1	3.0	3.1	3.4	3.3	3.3	3.3	3.1	3.1	3.1	3.0	3.0	3.0	3.0			
9	3.1	3.0	3.1	3.2	3.2	3.1	3.1	3.2	2.8	G	2.5	(2.4)5	2.8	3.0	2.7	2.8	2.9	3.1	3.0	3.3	3.0	3.0	3.0	3.0	3.0	3.0	3.0			
10	3.0	3.0	3.0	3.0	2.8	(2.8)5	(2.9)5	3.4	C	(2.7)5	(2.7)5	(3.1)5	G	2.7	2.8	2.8	2.8	3.1	3.0	3.0	3.1	3.0	3.0	3.0	3.0	3.0	3.0	3.0		
11	3.0	3.0	3.1	3.0	3.1	3.1	3.1	3.2	3.5	G	3.1	2.5	(2.7)5	(3.0)5	C	2.8	H	2.8	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0		
12	2.9	(2.7)5	2.7	2.7	2.6	3.4	K	G	K	G	K	C	G	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K		
13	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
14	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
15	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
16	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
17	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
18	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
19	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
20	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
21	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
22	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
23	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
24	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
25	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
26	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
27	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
28	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
29	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
30	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
31	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
Median	3.0	3.0	3.1	3.0	3.1	3.2	3.3	G	2.7	3.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9		
Count	29	28	28	28	21	21	23	30	27	29	29	29	30	30	30	30	31	29	30	31	31	31	31	31	31	31	31	31	31	31

Sweep 10 Mc to 25.0 Mc in 0.25 min

Manual □ Automatic ■

Form adopted June 1946

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

(M3000)F1, (Unit)
(Characteristic) August , 1953
Observed at: Washington, D.C.TABLE 74
IONOSPHERIC DATA

Lat. 38.7°N, Long. 77.1°W

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

National Bureau of Standards

(Institution)
Scaled by: Mc C., J.W.P., E.J.W.

Calculated by: McC., E.J.W.

Day	75°W												Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
	—	3.6	3.7	3.8	3.9	4.0	3.9	3.8	3.7	3.6	3.7	3.8	3.7	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	
Median																									
Count	3	21	26	26	29	29	28	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	

Sweep 10 Mc to 25.0 Mc in 0.25 min
Manual Automatic

TABLE 75
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

(M1500)E, (Unit)
(Characteristic) (Month)

August, 1953
(Month)

Observed at Washington, D. C.

Lat. 38.7°N, Long. 77.0°W

75°W

Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1					A	A	A	A	A	A	A	A	B	B	B	B	B	B	B	B	B	B	B		
2					A	4.1	4.3	(4.3) ^A	A	4.3	A	4.2	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
3					A	4.4	A	A	A	A	A	A	(4.4) ^f	(4.4) ^P											
4					(4.0) ^P	4.3	4.3	A	(4.2) ^A	(4.2) ^P															
5					A	4.4	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
6					A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
7					4.4	4.3	4.3	A	A	(4.3) ^A															
8					(4.2) ^H	(4.3) ^A	(4.5) ^A	A	A	(4.2) ^A															
9					A	(4.4) ^H	4.5	A	A	A	A	A	(4.4) ^P												
10					A	C	(4.5) ^A	A	A	A	A	A	4.4	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3
11					4.4	A	4.3	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
12					4.4 ^K	A	4.3 ^K																		
13					(4.0) ^A	4.1	(4.5) ^A	(4.5) ^A	(4.5) ^A	(4.5) ^P															
14					A	(4.2) ^A	4.3	(4.3) ^A	A	(4.4) ^f	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
15					A	4.1	4.3	4.4	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
16					4.3	4.3	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
17					S	4.0	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
18					A	4.2	4.5	4.4	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
19					A	(4.4) ^P	4.1	4.1	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
20					4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
21					A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
22					A	A	A	4.3	4.2	4.3	(4.3) ^f	(4.4) ^A													
23					A	(4.3) ^A	(4.4) ^A	A	A	A	4.4	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
24					S	K	A	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
25					4.1 ^K	4.4 ^K	4.3 ^K	4.5 ^K	(4.5) ^P	(4.4) ^P															
26					4.3	4.2	A	A	4.0	4.2	(4.2) ^P														
27					A	K	4.4 ^K	4.4 ^K	4.2 ^K	4.1 ^K															
28					A	K	4.0 ^K	4.3 ^K	4.3 ^K	4.3 ^K	4.2 ^K														
29					4.4 ^K	4.2 ^K	4.4 ^K	4.3 ^K	4.4 ^K	4.4 ^K	4.3 ^K														
30					Q	K	(4.2) ^P	4.1 ^K	4.2 ^K	4.2 ^K	4.2 ^K	4.3 ^K													
31					C	K	4.0 ^K	4.2 ^K	4.2 ^K	4.3 ^K	4.2 ^K	4.2 ^K	4.3 ^K												
Median	4.3	4.3	4.4	4.4	4.3	4.2	4.3	4.2	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
Count	11	20	24	16	12	12	19	20	17	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	

Swept 1.0 Mc to 25.0 Mc in 0.25 min

Manual Automatic

Table 76Ionospheric Storminess at Washington, D. C.August 1953

Day	Ionosphere character*		Principal storms		Geomagnetic character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
1	1	2			3	3
2	3	1			3	2
3	2	2			2	2
4	1	2			3	3
5	2	2			3	2
6	2	2			1	2
7	1	1			3	2
8	0	2			3	2
9	1	2			3	3
10	2	2			4	3
11	1	3			4	3
12	2	5	1100	----	5	3
13	2	3	----	0400	3	4
14	1	1			3	3
15	2	3			2	2
16	1	2			3	3
17	0	3			1	1
18	1	1			2	2
19	1	1			2	1
20	1	1			1	1
21	2	2			1	1
22	1	3			2	1
23	1	4	1300	----	4	4
24	4	5	----	----	5	5
25	4	5	----	----	5	3
26	2	2	----	0200	4	4
27	2	5	0900	----	5	4
28	4	5	----	----	5	4
29	4	5	----	----	5	4
30	6	5	----	----	5	4
31	6	5	----	----	4	4

*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D. C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of Cheltenham, Maryland, geomagnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

----Dashes indicate continuing storm.

Table 77a

Radio Propagation Quality Figures
(Including Comparisons with Short-Term and Advance Forecasts)

July 1953

Day	North Atlantic 6-hourly quality figures				Short-term forecasts issued about one hour in advance of:				Whole day quality index	Advance forecasts (J-reports) for whole day; issued in advance by:			Geomag- netic KCh	
	00	06	12	18	00	06	12	18		1-4 days	4-7 days	8-25 days	(1)	(2)
	to 06	to 12	to 18	to 24										
1	6	(4)	6	6	(4)	(4)	(4)	5	5	(4)	(4)	X	(5)	(4)
2	6	(4)	6	6	5	(4)	5	6	5	5	5		(4)	(4)
3	6	5	6	6	5	(4)	5	6	6	6	6		3	3
4	6	(4)	6	6	6	5	6	6	6	5	6		3	3
5	6	(4)	7	7	6	5	6	6	6	7	7		3	2
6	6	5	7	7	6	5	6	7	6	7	7		3	2
7	7	6	7	7	6	5	6	6	7	7	7		3	3
8	6	5	6	6	6	5	6	7	6	6	6		3	3
9	6	7	6	7	6	6	7	7	6	6	6		2	3
10	7	6	7	7	6	7	7	7	7	6	6		3	1
11	7	6	7	7	7	7	7	7	7	6	7		2	1
12	7	7	7	7	7	7	7	7	7	6	7		1	3
13	7	6	6	6	6	6	6	7	7	6	7		(4)	3
14	7	6	7	7	6	6	7	7	7	7	7		2	(4)
15	7	5	7	7	7	6	6	7	7	7	7		(4)	3
16	7	7	7	7	6	5	7	7	7	7	7		2	1
17	7	7	7	7	7	7	7	7	7	7	7		2	1
18	7	6	7	7	7	6	7	7	7	7	7		2	1
19	7	7	7	7	7	7	7	7	7	7	7		2	2
20	7	7	7	7	7	7	7	7	7	7	7		3	2
21	7	7	7	7	7	7	7	7	7	7	7		2	1
22	7	6	7	7	7	7	7	7	7	7	7		1	2
23	6	(4)	6	5	7	5	6	6	5	7	7		(4)	(4)
24	(4)	5	6	7	(4)	(3)	7	6	6	7	7		3	3
25	7	6	7	7	6	6	6	6	7	6	7		2	3
26	6	5	6	6	6	(4)	6	5	6	5	5		(4)	3
27	5	(3)	6	5	5	(3)	5	(4)	(4)	(4)	(4)	X	(5)	3
28	(4)	(3)	5	6	(4)	(3)	5	6	(4)	(4)	(4)	X	(5)	3
29	(4)	(4)	5	6	(4)	(4)	5	5	(4)	(4)	(4)	X	(4)	(4)
30	(4)	(3)	5	6	(4)	(4)	5	5	(4)	5	5		(4)	(4)
31	(4)	5	5	6	(4)	(4)	5	5	5	5	6		(4)	3

Score:

Quiet periods	P	16	11	20	18		15	19
	S	9	9	10	13		11	7
	U	0	2	0	0		1	1
	F	1	0	1	0		0	0
Disturbed periods	P	5	5	0	0		3	3
	S	0	4	0	0		1	1
	U	0	0	0	0		0	0
	F	0	0	0	0		0	0

Scales:

- Q-scale of Radio Propagation Quality
 (1) - useless
 (2) - very poor
 (3) - poor
 (4) - poor to fair
 5 - fair
 6 - fair to good
 7 - good
 8 - very good
 9 - excellent

K-scale of Geomagnetic Activity
 0 to 9, 9 representing the greatest disturbance; $K_{Ch} \geq 4$ indicates significant disturbance, enclosed in () for emphasis

Scoring: (beginning October 1952)

- P - Perfect: forecast quality equal to observed
 S - Satisfactory: (beginning October 1952)
 forecast quality one grade different
 from observed
 U - Unsatisfactory: forecast quality two or more
 grades different from observed when both
 forecast and observed were ≥ 5 , or both ≤ 5
 F - Failure: other times when forecast quality
 two or more grades different from observed

Symbols:


- X - probable disturbed date

Note: All times are UT (Universal Time or GCT)

Table 77b

Short-Term Forecasts--July 1953

 observed disturbance
  observed quiet
 — forecasts
 ○ CRPL observations only



Outcome of Advance Forecasts (1 to 4 days ahead)--July 1953




Table 78a

Coronal observations at Climax, Colorado (5303A), east limb

Table 79a

Coronal observations at Climax, Colorado (6374A), east limb

Table 78b

Coronal observations at Climax, Colorado (5303A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																	
	90	85	80	75	70	65	50	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	55	70	75	80	85	90
1953	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aug 3.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
11.0a	-	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
11.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
13.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	6	5	2	1	1	-	-	-	-				
16.0a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-			
16.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	1	2	2	1	1	1	1	1	1	1	
17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
18.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	2	2	2	2	2	2	2	2	2	2	2	
19.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
20.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
21.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23.9a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	4	4	4	4	4	4	4	4	4	4	4	4	
26.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
28.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
30.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
31.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 79b

Coronal observations at Climax, Colorado (6374A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																
	90	85	80	75	70	65	50	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	55	70	75	80	85
1953	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aug 3.6	2	2	2	2	2	2	2	2	2	1	1	3	4	3	1	2	5	4	4	3	2	2	2	2	2	2	2	2	2	2	2		
4.8a	3	3	3	2	2	2	2	2	3	2	2	3	3	3	4	4	3	3	3	4	4	3	2	2	2	2	2	2	2	2	2		
5.7a	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2	2		
6.7a	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	4	5	4	4	3	2	2	2	2	2	2	2	2		
7.7a	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	4	4	4	4	3	3	2	2	2	2	2	2	2	2	2		
8.7	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
11.0a	3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
11.7a	2	2	1	1	1	1	1	2	2	2	2	2	2	2	2	2	3	3	2	4	4	3	4	3	2	2	2	2	1	1	1		
12.8	3	3	2	2	2	2	1	1	1	1	2	2	2	2	3	3	3	4	5	6	6	6	4	4	3	2	2	2	1	1	2		
13.7a	2	2	3	1	1	1	1	1	1	2	2	2	2	4	5	5	6	16	10	8	5	2	2	2	2	2	2	2	2	2	3		
16.0a	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	4	4	3	2	1	1	1	1	2	
16.7	1	1	1	1	1	1	1	1	2	2	4	3	3	3	2	2	2	3	2	2	3	6	7	5	2	2	2	1	1	1	1		
17.7	1	1	1	1	1	1	1	1	2	3	3	4	3	4	3	2	2	2	3	2	3	3	3	5	3	1	1	1	1	1	1		
18.8	2	2	2	2	2	1	1	2	2	2	2	2	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
19.7a	1	1	1	1	1	1	1	1	1	2	2	2	2	2	3	4	2	3	2	1	1	2	2	1	1	1	1	1	1	1	1		
20.7a	2	1	1	1	1	1	1	1	2	2	2	2	3	3	3	3	3	3	3	1	1	1	1	1	1	1	1	1	1	1			
21.7a	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23.9a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24.7a	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	5	4	4	3	3	3	3	3	3	3	3	3	3	3		
25.7a	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	2	2	4	6	4	3	3	4	4	3	2	2	2
26.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
28.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
30.0	1	1	1	1	1	1	1	1	1	1	1	2	3	2	2	3	3	4	5	5	5	5	5	4	3	2	1	1	1	1	1		
30.7	1	2	2	1	1	1	1	1	1	1	3	5	6	4	4	5	5	5	5	5	4	4	4	4	4	4	4	4	4	4	4		
31.7	3	1	1	1	1	-	-	-	-	-	1	2	5	4	4	4	4	4	4	4	5	5	3	3	2	2	2	1	1	1	2		

Table 80a

Coronal observations at Climax, Colorado (6702A), east limb

Date GCT	Degrees north of the solar equator															Degrees south of the solar equator																				
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	0°	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85
1952	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Aug 3.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.8a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
5.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8.7	X	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11.0a	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
16.0a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
16.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
19.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
20.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23.9a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26.8a	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
28.7a	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
31.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 81a

Coronal observations at Sacramento Peak, New Mexico (5303A), east limb

Date GCT	Degrees north of the solar equator															Degrees south of the solar equator																					
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	0°	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
1953	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Aug 1.8	-	-	2	2	3	2	2	2	3	3	3	4	2	3	4	13	3	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-				
2.7	-	-	-	-	3	3	3	3	4	3	4	3	3	3	5	11	9	4	3	3	3	3	2	3	3	3	3	2	2	2	-	-	-				
3.8a	-	-	-	3	3	3	3	4	4	4	4	3	4	3	3	3	4	4	4	3	4	4	3	3	3	2	2	-	-	-	-	-	-				
4.8a	-	-	-	3	3	4	3	4	4	4	3	3	4	3	3	5	7	6	4	3	8	4	5	4	3	3	4	4	4	2	2	3	3	X	X		
5.7a	-	2	2	3	3	4	4	3	3	3	3	3	3	2	5	8	11	6	5	5	8	4	4	3	3	2	3	2	3	3	3	3	3	3			
7.7a	-	-	-	2	2	2	3	3	3	3	3	3	3	3	4	10	8	6	5	4	3	3	3	2	2	2	2	-	-	-	-	-	-	-			
8.7a	-	-	-	-	-	-	2	3	3	3	3	3	4	5	5	11	10	5	4	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
9.7	-	-	-	-	-	-	2	3	3	2	3	2	3	2	4	8	11	10	11	10	5	7	3	3	2	3	3	2	2	-	-	-	-	-			
10.7	-	-	-	-	-	-	2	3	3	2	3	2	3	4	4	4	8	7	9	11	10	9	7	3	3	2	3	3	2	2	2	3	2	-	-		
11.7a	-	-	-	-	-	-	3	2	2	3	2	3	3	3	3	4	4	4	3	4	3	3	2	2	3	2	2	2	2	2	2	2	2	-	-		
12.7a	-	-	-	-	-	-	2	2	2	2	3	3	3	3	2	3	3	2	2	2	3	2	3	2	3	2	2	2	2	2	2	2	2	X	X	X	
13.7a	-	-	-	-	-	-	2	2	2	3	2	3	3	3	3	3	3	2	3	3	2	3	3	2	3	2	2	2	2	2	2	2	2	-	-	-	
14.7a	-	-	-	-	-	-	-	2	3	3	2	2	3	2	3	3	2	2	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24.7a	-	-	2	2	3	3	2	2	3	3	4	4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
25.6	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	4	4	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26.6	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	3	6	8	3	2	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
27.7	2	3	-	2	-	-	-	-	-	-	2	2	3	3	3	3	8	12	3	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
28.7	-	3	2	2	2	-	-	-	-	-	2	2	2	2	3	3	3	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29.7a	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	4	4	4	5	6	4	5	4	4	3	2	2	2	2	2	2	2	2	2	-	-	-
30.6a	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	3	4	4	4	4	3	3	4	4	5	4	3	2</td									

Table 80b

Coronal observations at Climax, Colorado (6702A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																		
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85
1953	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aug 3.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8.7	-	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
11.0a	-	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
11.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
16.0a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23.9a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
28.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
30.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 81b

Coronal observations at Sacramento Peak, New Mexico (5303A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																			
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
1953	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Aug 1.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	3	2	3	2	3	3	2	3	2	2	-	-	-	
3.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	3	3	3	3	3	3	3	2	3	2	2	-	-	-	
4.8a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
5.7a	3	3	3	2	2	-	2	3	-	3	3	2	2	3	3	2	2	3	3	2	2	3	3	2	2	3	3	2	2	2	-	-	-			
7.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	2	2	3	2	2	2	2	2	-	-	-	-	-
10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	-	
12.7a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
13.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	2	2	3	2	2	2	2	2	2	2	2	2	-
14.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	2	2	3	2	2	2	2	2	2	2	2	2	-
15.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	2	2	3	2	2	2	2	2	2	2	2	2	-
19.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
21.7	-	3	3	3	2	2	3	3	4	3	4	3	2	2	3	2	2	3	4	3	2	2	3	2	2	3	4	3	2	2	2	2	-			
24.7a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
25.6	-	2	2	3	3	2	2	3	3	3	-	2	2	3	3	4	3	2	2	3	2	2	3	4	5	6	7	7	8	7	5	3	3	-		
26.6a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
27.7a	3	2	3	3	3	2	2	2	3	3	2	2	2	3	3	2	2	3	2	3	2	2	3	3	2	2	2	2	2	2	2	2	2			
28.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	2	3	3	3	2	2	2	-	-	-	
29.7a	-	-	3	3	3	2	3	3	3	3	3	4	3	3	2	2	3	2	3	3	2	2	3	3	2	2	2	2	2	2	2	2	-			
30.6a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	2	2	3	3	3	2	2	2	2	2	-	
31.6a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-												

Table 82a

Coronal observations at Sacramento Peak, New Mexico (6374A), east limb

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																					
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90				
1953																																						
Aug	1.8	3	5	5	3	2	2	3	-	-	2	3	4	5	6	7	20	14	11	8	6	5	8	7	4	5	3	3	2	-	2	2	2	3	3	3	3	
	2.7	3	3	4	4	3	3	2	-	-	2	2	4	5	5	4	8	7	7	6	12	8	8	7	6	5	5	4	3	2	-	2	2	3	2	2	3	3
	3.8a	4	3	4	3	2	3	2	3	2	3	4	4	4	3	4	4	4	4	7	5	5	4	3	3	3	4	4	3	-	-	2	2	2	3	3	2	
	4.8a	3	3	3	2	3	2	2	2	-	2	3	3	2	2	3	5	6	5	5	4	5	5	4	4	3	3	2	3	2	-	3	X	X	X			
	5.7a	2	5	4	4	3	2	2	-	2	2	2	2	3	2	3	2	3	5	4	3	7	5	5	4	3	3	2	2	2	2	3	3	-	2	2	3	
	7.7a	3	2	2	3	3	3	-	2	2	2	2	3	3	3	3	8	6	3	3	5	3	4	3	3	2	3	2	2	2	-	3	-	-	2	2	2	
	8.7a	2	2	2	3	2	2	2	3	2	-	2	2	3	3	2	2	8	10	6	4	5	4	3	4	4	3	3	3	2	-	-	-	2	2	2	-	
	9.7	2	-	4	2	3	3	2	-	-	3	2	3	2	3	4	6	11	10	11	7	6	3	3	-	-	2	2	2	-	2	2	3	2	-	2	2	
	10.7	3	2	2	2	2	3	2	2	2	2	3	3	3	5	5	6	18	11	8	11	12	6	4	5	3	3	2	2	-	-	-	-	-	-	-		
	11.7a	2	2	3	3	2	3	3	-	-	2	2	3	2	2	3	3	4	5	4	4	8	5	3	3	2	3	2	-	-	-	-	-	-	-	-		
	12.7a	2	3	2	3	3	2	2	3	-	2	2	3	2	2	3	3	4	2	3	3	5	4	3	2	2	2	-	-	-	X	X	X	X				
	13.7a	3	4	2	2	3	-	2	2	-	2	5	4	4	3	3	3	3	3	4	5	7	5	2	3	2	-	-	-	2	2	2	2	3	-	2		
	14.7a	2	3	2	2	2	3	2	2	-	2	3	3	3	2	2	3	3	4	4	5	6	4	4	3	3	-	2	2	2	-	-	-	-	-	-		
	15.7a	-	-	-	-	-	-	-	-	-	2	3	3	3	2	2	-	2	3	3	4	4	5	3	3	2	2	2	-	-	-	-	-	-	-	-	-	
	19.7	3	2	2	2	-	2	2	2	-	2	3	3	3	3	3	4	4	5	6	6	5	4	X	X	X	X	X	X	X	X	X	X	X	X			
	21.7	2	3	3	2	3	3	2	2	2	3	4	5	3	4	4	5	5	5	6	5	4	5	8	4	3	4	3	3	2	3	-	-	-	-			
	24.7a	3	3	3	2	2	2	2	2	2	3	3	3	4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
	25.6	3	3	3	3	2	2	3	-	-	2	2	3	5	6	8	5	4	5	5	3	4	3	2	2	2	-	2	2	2	2	3	2	-	2			
	26.6	3	2	2	3	3	2	2	-	-	2	3	3	4	3	3	14	12	5	5	7	5	2	3	3	2	2	3	2	-	-	-	-	-	-			
	27.7	3	3	2	3	3	2	2	-	-	2	2	2	2	4	3	3	8	16	8	5	4	3	4	3	3	2	2	2	-	2	-	2	-	2	3		
	28.7	2	3	3	2	3	2	-	-	-	2	3	4	3	2	4	10	12	6	4	4	4	3	4	3	2	2	-	-	2	2	-	3	2	-	2		
	29.7a	3	3	3	2	-	-	-	-	-	-	3	5	4	3	5	4	6	7	7	5	4	5	4	4	3	2	2	-	-	-	-	-	-	-	-	-	
	30.6a	3	3	3	3	2	-	2	2	2	3	4	7	6	6	5	6	6	5	5	5	4	3	4	3	4	3	2	3	2	2	2	-	-	3			
	31.6a	-	2	-	-	-	2	-	-	2	4	3	3	3	-	-	2	3	4	3	4	3	2	2	3	-	2	2	-	-	2	2	2	2	-	-		

Table 83a

Coronal observations at Sacramento Peak, New Mexico (6702A), east limb

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																		
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1953																																			
Aug	1.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	24.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
	25.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	26.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	27.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	28.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	29.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	30.6a	-	-	-	-	-																													

Table 82b

Coronal observations at Sacramento Peak, New Mexico (6374A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																				
	90	85	80	75	70	65	50	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1953																																					
Aug 1.8	3	2	2	2	2	2	3	3	2	2	3	5	4	5	9	10	8	8	5	4	5	5	5	4	4	4	4	5	5	4	2	3	3	3	3	4	3
2.7	3	3	-	2	2	2	-	-	-	-	3	4	5	5	6	6	5	7	5	4	4	4	5	4	3	4	5	2	3	3	3	3	3	3			
3.8a	2	-	2	-	2	2	3	2	2	-	-	3	3	2	3	3	3	3	5	5	4	5	3	2	3	4	5	5	-	3	2	3	3	4	4		
4.8a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
5.7a	3	3	2	-	2	-	3	2	2	2	3	2	3	3	2	3	3	3	2	3	3	3	2	3	2	3	3	3	3	2	3	3	3	3	2		
7.7a	2	3	3	2	2	-	3	2	2	2	3	3	2	3	3	2	3	3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
8.7a	-	2	2	-	-	2	2	-	-	2	3	4	5	4	5	4	4	4	4	5	5	5	4	5	4	3	2	3	2	3	2	3	2	3	2		
9.7	2	3	3	3	2	2	2	-	-	3	3	3	3	5	4	4	4	4	7	8	5	4	5	4	4	4	3	2	3	3	2	3	2	3	2		
10.7	-	-	2	2	2	2	2	2	3	3	3	3	3	3	4	5	4	8	7	6	5	4	3	3	4	3	2	3	3	2	3	3	3	3	3		
11.7	-	-	-	-	-	-	-	-	-	2	2	2	2	3	2	3	3	3	3	5	4	8	5	3	3	3	3	-	2	2	2	2	2	2			
12.7a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
13.7	2	2	2	2	-	-	-	-	2	2	2	3	3	3	3	4	5	5	6	6	11	23	16	14	11	3	2	-	2	2	-	-	3	2	3	3	3
14.7a	-	-	2	-	-	2	-	-	2	-	2	3	3	3	4	4	4	4	5	5	6	16	20	8	5	3	2	2	2	2	2	2	3	3	2		
15.7	-	-	-	-	-	-	-	-	-	-	2	3	3	3	3	3	2	3	3	4	10	16	12	3	2	2	2	2	-	-	-	-	-	-	-		
19.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
21.7	-	3	3	-	2	3	-	-	3	3	3	2	3	4	5	5	6	4	12	14	12	11	3	2	3	3	3	2	2	-	2	2	2	-	2		
24.7a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
25.6	2	2	2	2	-	2	-	2	2	3	3	2	2	3	6	7	7	15	13	8	5	6	10	13	5	3	3	2	3	3	3	3	2	2	3		
26.6a	2	2	3	3	2	3	2	-	-	3	3	5	4	5	4	5	6	5	4	3	4	3	4	3	3	3	2	2	2	2	2	2	2	2	3		
27.7a	3	3	2	2	-	3	-	-	-	2	2	3	3	3	3	4	4	3	2	3	2	4	2	3	2	2	3	2	2	2	2	2	3	3			
28.7a	2	-	-	2	-	2	2	-	-	2	3	3	3	3	4	3	2	-	2	3	3	4	2	2	3	2	-	2	-	3	2	2	-	2			
29.7a	-	-	-	-	-	-	-	-	-	3	2	3	4	5	6	5	5	5	6	6	6	6	5	4	4	4	5	4	3	2	-	2	-	2			
30.6a	3	2	3	2	-	2	2	-	-	2	4	5	5	4	3	3	3	7	6	5	8	5	4	3	2	3	5	4	3	3	3	2	-	3			
31.6a	2	2	-	2	-	-	-	-	-	3	4	3	4	3	3	3	3	3	3	4	5	4	3	3	2	2	-	-	-	-	-	-	-	-	-	-	

Table 83b

Coronal observations at Sacramento Peak, New Mexico (6702A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																			
	90	85	80	75	70	65	50	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
1953																																				
Aug 1.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4.8a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
5.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12.7a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
13.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24.7a	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
25.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26.6a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30.6a	3	2	3	2	-	2	2	-	-	2	4	5	5	4																						

Table 84Zürich Provisional Relative Sunspot NumbersAugust 1953

Date	R_Z^*	Date	R_Z^*
1	0	17	47
2	7	18	31
3	12	19	26
4	12	20	24
5	11	21	17
6	10	22	10
7	16	23	8
8	10	24	0
9	29	25	0
10	48	26	0
11	73	27	0
12	77	28	0
13	73	29	0
14	65	30	0
15	62	31	0
16	54	Mean:	23.3

*Dependent on observations at Zürich Observatory and its stations at Locarno and Arosa.

Table 85

Solar Flares, August 1953

Observatory	Date	Time Observed		Duration	Area (Mill.) (of) (Visible)	Position Latitude	Time of Maximum (GCT)	Int. of Maximum	Relative Area of Maximum (Tenths)	Importance	SID Observed
		Begin-	End-	(Min)	(Hemi sph)	(Deg)	(GCT)				
		(GCT)	(GCT)			(Deg)					
Sac. Peak	Aug. 7	1355	1430	35	250	N17	E08	1408	11	4	1
McMath	7	2235	1400	App. 90.	75	N15	E08	2343	10	4	1
Sac. Peak	9	1332	2404A	App. 90.		N19	W31				-
McMath	11	1520				N10	E80				-
"						N10	E80				1525
Sac. Peak	11	1530B	1558	App. 28	85	N12	E71	1545	10	8	1
McMath	11	1536	1551	15		N18	W47				-
Sac. Peak	11	1538	1552	14	87	N20	W48	1542	20	2	1
Wendel.	14	0634				N12	E40	1104			-
"						N12	E39				
Wendel.	14	1103B	1114	App. 11	102						
McMath	14	1116	1130	14	87	N12	E41	1119			
Sac. Peak	14	1245				S05	E40				
McMath	14	1505	1535	30	142	N12	E41	1512	20	4	1
Sac. Peak	14	1510				N11	E35				2
McMath	15	1910	2015	65	62	N10	E12	1919	10	3	1
Sac. Peak											+
Wendel.											-

Sac. Peak = Sacramento Peak.
Wendel. = Wendelstein.

B Flare began before given time.
A Flare ended after given time.

Table 86

Indices of Geomagnetic Activity for July 1953

Preliminary values of international character-figures, C;
Geomagnetic planetary three-hour-range indices, K_p;
Magnetically selected quiet and disturbed days

Table 87

Sudden Ionosphere Disturbances Observed at Washington, D. C.August 1953

1953 Day	GCT	Location of transmitters	Relative intensity at minimum*	Other phenomena
	Beginning End			
August 11	1536 1550	Ohio, D. C., England, Mexico	0.02	

*Ratio of received field intensity during SID to average field intensity before and after, for station KQ2XAU (formerly W8XAL), 6080 kilocycles, 600 kilometers distant.

Note: Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

GRAPHS OF IONOSPHERIC DATA




Fig. 1. WASHINGTON, D.C.
38.7° N, 77.1° W

AUGUST 1953




Fig. 2. WASHINGTON, D.C. AUGUST 1953




Fig. 3. TROMSO, NORWAY
69.7° N, 19.0° E

JULY 1953




Fig. 4. TROMSO, NORWAY JULY 1953




Fig. 5. FAIRBANKS, ALASKA
64°9'N, 147.8°W JULY 1953




Fig. 6. FAIRBANKS, ALASKA JULY 1953




Fig. 7. ANCHORAGE, ALASKA
61.2°N, 149.9°W JULY 1953




Fig. 8. ANCHORAGE, ALASKA JULY 1953




Fig. 9. NARSARSSUAK, GREENLAND
61.2°N, 45.4°W JULY 1953




Fig. 10. NARSARSSUAK, GREENLAND JULY 1953




Fig. 11. OSLO, NORWAY
60.0°N, 11.1°E JULY 1953




Fig. 12. OSLO, NORWAY JULY 1953




Fig. 13. UPSALA, SWEDEN

59.8°N, 17.6°E

JULY 1953




Fig. 14. UPSALA, SWEDEN

JULY 1953




Fig. 15. ADAK, ALASKA

51.9°N, 176.6°W

JULY 1953




Fig. 16. ADAK, ALASKA

JULY 1953




Fig. 17. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W JULY 1953




Fig. 18. SAN FRANCISCO, CALIFORNIA JULY 1953




Fig. 19. WHITE SANDS, NEW MEXICO
32.3°N, 106.5°W JULY 1953




Fig. 20. WHITE SANDS, NEW MEXICO JULY 1953




Fig. 21. OKINAWA I.

26.3°N, 127.8°E

JULY 1953




Fig. 22. OKINAWA I.

JULY 1953




Fig. 23. MAUI, HAWAII

20.8°N, 156.5°W

JULY 1953




Fig. 24. MAUI, HAWAII

JULY 1953




Fig 25. PUERTO RICO, W.I.
18.5°N, 67.2°W

JULY 1953




Fig 26. PUERTO RICO, W.I.

JULY 1953




Fig 27. GUAM I.

13.6°N, 144.9°E

JULY 1953




Fig 28. GUAM I

JULY 1953




Fig. 29. PANAMA CANAL ZONE
9.4°N, 79.9°W JULY 1953




Fig. 30. PANAMA CANAL ZONE JULY 1953




Fig. 31. KIRUNA, SWEDEN
67.8°N, 20.5°E JUNE 1953




Fig. 32. KIRUNA, SWEDEN JUNE 1953




Fig. 33. De BILT, HOLLAND
52.1°N, 5.2°E

JUNE 1953




Fig. 34. De BILT, HOLLAND

JUNE 1953




Fig. 35. LINDAU / HARZ, GERMANY
51.6°N, 10.1°E

JUNE 1953








Fig. 36. LINDAU / HARZ, GERMANY

JUNE 1953






Fig. 41. BAGUIO, P. I.

16.4°N , 120.6°E

JUNE 1953




Fig. 42. BAGUIO, P. I.

JUNE 1953




Fig. 43. LEOPOLDVILLE, BELGIAN CONGO

4.3°S , 15.3°E

JUNE 1953








Fig. 44. LEOPOLDVILLE, BELGIAN CONGO JUNE 1953






Fig. 49. WATHEROO, W. AUSTRALIA
30.3°S, 115.9°E JUNE 1953




Fig. 50. WATHEROO, W. AUSTRALIA JUNE 1953




Fig. 51. CAPETOWN, UNION OF S. AFRICA
34.2°S, 18.3°E JUNE 1953




Fig. 52. CAPETOWN, UNION OF S. AFRICA JUNE 1953




Fig. 53. RESOLUTE BAY, CANADA
74°7'N, 94.9°W MAY 1953




Fig. 54. RESOLUTE BAY, CANADA MAY 1953




Fig. 55. POINT BARROW, ALASKA
71.3°N, 156.8°W MAY 1953




Fig. 56. POINT BARROW, ALASKA MAY 1953




Fig. 57. BAKER LAKE, CANADA

64.3°N, 96.0°W

MAY 1953




Fig. 58. BAKER LAKE, CANADA

MAY 1953




Fig. 59. FORT CHIMO, CANADA

58.1°N, 68.3°W

MAY 1953








Fig. 60. FORT CHIMO, CANADA

MAY 1953






Fig. 65. WINNIPEG, CANADA

49.9° N, 97.4° W

MAY 1953




Fig. 66. WINNIPEG, CANADA

MAY 1953




Fig. 67. ST. JOHN'S, NEWFOUNDLAND

47.6° N, 52.7° W

MAY 1953








Fig. 68. ST. JOHN'S, NEWFOUNDLAND MAY 1953






Fig. 73. RAROTONGA I.

21.3°S, 159.8°W

APRIL 1953




Fig. 74. RAROTONGA I.

APRIL 1953




Fig. 75. CHRISTCHURCH, NEW ZEALAND

43.6°S, 172.7°E

APRIL 1953




Fig. 76. CHRISTCHURCH, NEW ZEALAND

APRIL 1953




Fig. 77. POINT BARROW, ALASKA
71.3°N, 156.8°W MARCH 1953




Fig. 78. POINT BARROW, ALASKA MARCH 1953




Fig. 79. RAROTONGA I.
21.3°S, 159.8°W MARCH 1953




Fig. 80. RAROTONGA I MARCH 1953




Fig. 81. CHRISTCHURCH, NEW ZEALAND
43.6°S, 172.7°E MARCH 1953
NBS 503




Fig. 82. CHRISTCHURCH, NEW ZEALAND




Fig. 83. INVERNESS, SCOTLAND
57.4°N, 4.2°W FEBRUARY 1953








Fig. 84. INVERNESS, SCOTLAND FEBRUARY 1953






Fig. 89. BOMBAY, INDIA
19.0°N, 73.0°E

FEBRUARY 1953




Fig. 90. BOMBAY, INDIA

FEBRUARY 1953




Fig. 91. MADRAS, INDIA
13.0°N, 80.2°E

FEBRUARY 1953








Fig. 92. MADRAS, INDIA

FEBRUARY 1953






Fig. 97. TOWNSVILLE, AUSTRALIA
19.3°S, 146.8°E FEBRUARY 1953




Fig. 98. TOWNSVILLE, AUSTRALIA




Fig. 99. BRISBANE, AUSTRALIA
27.5°S, 153.0°E FEBRUARY 1953








Fig. 100. BRISBANE, AUSTRALIA FEBRUARY 1953






Fig. 105. DELHI, INDIA
28.6°N, 77.1°E

JANUARY 1953




Fig. 106. DELHI, INDIA

JANUARY 1953




Fig. 107. BOMBAY, INDIA
19.0°N, 73.0°E

JANUARY 1953








Fig. 108. BOMBAY, INDIA

JANUARY 1953






Fig. 113. FALKLAND IS.
51.7°S, 57.8°W

JANUARY 1953




Fig. 114. FALKLAND IS.

JANUARY 1953




Fig. 115. PORT LOCKROY
64.8°S, 63.5°W

JANUARY 1953




Fig. 116. PORT LOCKROY

JANUARY 1953




Fig. 117. TANANARIVE, MADAGASCAR
18.8°S, 47.8°E NOVEMBER 1952




Fig. 118. TANANARIVE, MADAGASCAR NOVEMBER 1952




Fig. 119. IBADAN, NIGERIA
7.4°N, 4.0°E OCTOBER 1952




Fig. 120. IBADAN, NIGERIA OCTOBER 1952




Fig. 121. LULEA, SWEDEN
65.6°N, 22.1°E

JULY 1952




Fig. 122. LULEA, SWEDEN

JULY 1952




Fig. 123. DAKAR, FRENCH W AFRICA
14.6°N, 17.4°W

JUNE 1952






Fig. 124. DAKAR, FRENCH W. AFRICA

JUNE 1952



Index of Tables and Graphs of Ionospheric Datain CRPL-F109

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
July 1953	13	51
Anchorage, Alaska		
July 1953	12	49
Baguio, P. I.		
June 1953	15	58
Baker Lake, Canada		
May 1953	16	62
Bombay, India		
February 1953	19	70
January 1953	20	74
Brisbane, Australia		
February 1953	20	72
Canberra, Australia		
February 1953	20	73
Capetown, Union of South Africa		
June 1953	16	60
Christchurch, New Zealand		
April 1953	18	66
March 1953	18	68
Dakar, French West Africa		
June 1952	22	78
May 1952	22	79
De Bilt, Holland		
June 1953	14	56
Delhi, India		
February 1953	19	69
January 1953	20	74
Fairbanks, Alaska		
July 1953	12	49
Falkland Is.		
January 1953	21	76
Formosa, China		
June 1953	15	57
Fort Chimo, Canada		
May 1953	16	62
Guam I.		
July 1953	14	54
Hobart, Tasmania		
February 1953	20	73
Huancayo, Peru		
June 1953	15	59
Ibadan, Nigeria		
October 1952	21	77

Index (CRPL-F109, continued)

	<u>Table page</u>	<u>Figure page</u>
Inverness, Scotland		
February 1953	18	68
Johannesburg, Union of South Africa		
June 1953	15	59
Kiruna, Sweden		
June 1953	14	55
Leopoldville, Belgian Congo		
June 1953	15	58
Lindau/Bars, Germany		
June 1953	14	56
May 1953	17	63
Lulea, Sweden		
July 1952	22	78
Madras, India		
February 1953	19	70
January 1953	21	75
Maui, Hawaii		
July 1953	13	53
Narsarsuaq, Greenland		
July 1953	12	50
Okinawa I.		
July 1953	13	53
Oslo, Norway		
July 1953	12	50
Ottawa, Canada		
May 1953	17	65
Panama Canal Zone		
July 1953	14	55
Point Barrow, Alaska		
May 1953	16	61
April 1953	17	65
March 1953	18	67
Port Lockroy		
January 1953	21	76
Prince Rupert, Canada		
May 1953	17	63
Puerto Rico, W. I.		
July 1953	14	54
Rarotonga I.		
April 1953	18	66
March 1953	18	67
Resolute Bay, Canada		
May 1953	16	61
St. John's, Newfoundland		
May 1953	17	64

Index (CRPL-F109, concluded)

	<u>Table page</u>	<u>Figure page</u>
San Francisco, California		
July 1953	13	52
Schwarzenburg, Switzerland		
June 1953	15	57
Singapore, British Malaya		
February 1953	19	71
Slough, England		
February 1953	19	69
Tananarive, Madagascar		
November 1952	21	77
Tiruchi, India		
February 1953	19	71
January 1953	21	75
Townsville, Australia		
February 1953	20	72
Tromso, Norway		
July 1953	12	48
Upsala, Sweden		
July 1953	13	51
Washington, D. C.		
August 1953	12	48
Watheroo, Western Australia		
June 1953	16	60
White Sands, New Mexico		
July 1953	13	52
Winnipeg, Canada		
May 1953	17	64

CRPL and IRPL Reports

[A list of CRPL Section Reports is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance forecasts, every half hour from broadcast station WWV of the National Bureau of Standards.
Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Semiweekly:

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).
CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Navy, DNC 18 () series; Dept. of the Air Force, TO 16-1B-2 series.)

CRPL—F. Ionospheric Data.

*IRPL—A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

*IRPL—H. Frequency Guide for Operating Personnel.

Circulars of the National Bureau of Standards:

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

Reports issued in past:

IRPL—C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL—G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

(G1, G3, available. Others out of print; see second footnote.)

IRPL—R. Nonscheduled reports:

R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.

R5. Criteria for Ionospheric Storminess.

**R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.

R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.

**R11. A Nomographic Method for both Prediction and Observation Correlation of Ionosphere Characteristics.

**R12. Short Time Variations in Ionosphere Characteristics.

R14. A Graphical Method for Calculating Ground Reflection Coefficients.

**R15. Predicted Limits for F2-Layer Radio Transmission Throughout the Solar Cycle.

**R17. Japanese Ionospheric Data—1943.

R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.

**R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)

**R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.

**R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.

**R25. The Prediction of Solar Activity as a Basis for the Prediction of Radio Propagation Phenomena.

**R26. The Ionosphere as a Measure of Solar Activity.

R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.

**R30. Disturbance Rating in Values of IRPL Quality-Figure Scale from A. T. & T. Co. Transmission Disturbance Reports to Replace T. D. Figures as Reported.

**R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.

**R33. Ionospheric Data on File at IRPL.

**R34. The Interpretation of Recorded Values of fEs.

**R35. Comparison of Percentage of Total Time of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.

IRPL—T. Reports on tropospheric propagation:

T1. Radar operation and weather. (Superseded by JANP 101.)

T2. Radar coverage and weather. (Superseded by JANP 102.)

CRPL—T3. Tropospheric Propagation and Radio-Meteorology. (Reissue of Columbia Wave Propagation Group WPG—5.)

*Items bearing this symbol are distributed only by U. S. Navy. They are issued under one cover as the DNC 14 () Series.

**Out of print; information concerning cost of photostat or microfilm copies is available from CRPL upon request.

SON