

RESTRIC~~TED~~
REF ID: A6512

IONOSPHERIC DATA

ISSUED
JULY, 1945

PREPARED BY INTERSERVICE RADIO PROPAGATION LABORATORY
National Bureau of Standards
Washington, D.C.

*"This document contains information affecting the national defense
of the United States within the meaning of the Espionage Act, 50 U.S.C.,
31 and 32. Its transmission or the revelation of its contents in any man-
ner to an unauthorized person is prohibited by law."*

Organized under Joint U.S. Communications Board

IONOSPHERIC DATA

CONTENTS

TERMINOLOGY AND SCALING PRACTICES	Page 4
MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA	Page 5

Provisional data (received by telephone or telegraph)

June 1945

Baffin I., Canada (Median values)	Table 1
Fairbanks, Alaska (Median values)	Table 2
Reykjavik, Iceland (Median values)	Table 3
Churchill, Canada (Median values)	Table 4
Prince Rupert, Canada (Median values)	Table 5
St. John's, Newfoundland (Median values)	Table 6
Ottawa, Canada (Median values)	Table 7
Boston, Massachusetts (Median values)	Table 8
San Francisco, Calif. (Median values)	Table 9
Maui, Hawaii (Median values)	Table 10
Huancayo, Peru (Median values)	Table 11

May 1945

Burghead, Scotland (Average values)	Table 12
Great Baddow, England (Average values)	Table 13
Colombo, Ceylon (Average values)	Table 14
Cape York, Q., Australia (Average values)	Table 15
Watheroo, W. Australia (Average values)	Table 16
Simonstown, Union of S. Africa (Average values)	Table 17
Mt. Stromlo, N.S.W., Australia (Average values)	Table 18
Campbell I. (Average values)	Table 19

April 1945

Delhi, India (Average values)	Table 20
Colombo, Ceylon (Average values)	Table 21

Final data

June 1945

Washington, D.C. (Median values)	Table 22
	Figs. 1 and 2

Final data (continued)May 1945

Fairbanks, Alaska (Median values)	Table 23
	Figs. 3 and 4
Churchill, Canada (Median values)	Table 24
	Figs. 5 and 6
St. John's, Newfoundland (Median values)	Table 25
	Figs. 7 and 8
Ottawa, Canada (Median values)	Table 26
	Figs. 9 and 10
Boston, Massachusetts (Median values)	Table 27
	Figs. 11 and 12
San Francisco, Calif. (Median values)	Table 28
	Figs. 13 and 14
Baton Rouge, Louisiana (Median values)	Table 29
	Figs. 15 and 16
Maui, Hawaii (Median values)	Table 30
	Figs. 17 and 18
San Juan, Puerto Rico (Median values)	Table 31
	Figs. 19 and 20
Christmas I. (Median values)	Table 32
	Figs. 21 and 22
Huancayo, Peru (Median values)	Table 33
	Figs. 23 and 24
Rarotonga I. (Average values)	Table 34
	Figs. 25 and 26
Pitcairn I. (Average values)	Table 35
	Fig. 27
Brisbane, Q., Australia (Median values)	Table 36
	Figs. 28 and 29
Kermadec Is. (Average values)	Table 37
	Figs. 30 and 31
Christchurch, N.Z. (Median values)	Table 38
	Figs. 32 and 33

April 1945

Burghead, Scotland (Median values)	Table 39
	Fig. 34
Slough, England (Median values)	Table 40
	Fig. 35
Cape York, Q., Australia (Average values)	Table 41
	Figs. 36 and 37
Simonstown, Union of S. Africa (Median values)	Table 42
	Fig. 38

March 1945

Sverdlovsk, U.S.S.R. (Average values)	Table 43
	Fig. 39
Tomsk, U.S.S.R. (Average values)	Table 44
	Fig. 40

Final data (continued)March 1945 (continued)

Moscow, U.S.S.R. (Average values)	Table 45 Fig. 41
Simonstown, Union of S. Africa (Median values)	Table 46 Fig. 42

February 1945

Tykhi Bay, U.S.S.R. (Average values)	Table 47 Fig. 43
Sverdlovsk, U.S.S.R. (Average values)	Table 48 Fig. 44
Tomsk, U.S.S.R. (Average values)	Table 49 Fig. 45
Moscow, U.S.S.R. (Average values)	Table 50 Fig. 46

January 1945

Tykhi Bay, U.S.S.R. (Average values)	Table 51 Fig. 47
Tomsk, U.S.S.R. (Average values)	Table 52 Fig. 48
Moscow, U.S.S.R. (Average values)	Table 53 Fig. 49

IONOSPHERIC DATA FOR EVERY DAY AND HOUR Page 7

June, 1945

Washington, D.C.

$h^{\circ}F2$	Table 54
$f^{\circ}F2$	Tables 55 and 56
$h^{\circ}F1$	Table 57
$f^{\circ}F1$	Table 58
$h^{\circ}E$	Table 59
$f^{\circ}E$	Table 60
Es	Table 61
F2-M1500	Table 62
F2-M3000	Table 63
F1-M3000	Table 64
E-M1500	Table 65

IONOSPHERE DISTURBANCES Page 7

Ionospheric storminess	Table 66
Ionospheric character and principal storms observed at Washington, D.C., June 1945.	

Sudden Ionosphere Disturbances	Table 67
Observed at Washington, D.C., during June 1945.	

<u>Radio Propagation Quality Figures, Compared with IRPL and ISIB Warnings, and IRPL A-Zone Forecasts.</u>	
North Atlantic and North Pacific quality figures, May 1945, provisional	Table 68
<u>Revised Radio Propagation Quality Figures, Compared with IRPL Warnings and IRPL A-Zone Forecasts.</u>	
North Pacific quality figures, November and December 1922	Table 69
NEW STATIONS	Page 7
IONOSPHERIC THRESHOLDS OF SOLAR ACTIVITY	Page 8
Nomogram for obtaining monthly average f^0F2 , December, at Washington, D.C.	Fig. 50
Nomogram for obtaining monthly average f^0F2 , June, at Watheroo, W. Australia	Fig. 51
Nomogram for obtaining monthly average f^0F2 , February, at Huancayo, Peru	Fig. 52
Nomogram for obtaining monthly average f^0F2 , June, at Huancayo, Peru	Fig. 53
ERRATA	Page 9

TERMINOLOGY AND SCALING PRACTICES

The symbols and terminology used in this report are those adopted by the International Radio Propagation Conference, and given in detail on pages 24 to 26 of the report IRPL-C61, "Report of International Radio Propagation Conference", and in the Section on "Terminology", in reports IRPL-F1, 2, 3, 4, 5.

In the past, ionospheric conditions were summarized on a monthly basis by using average or mean values, for each hour of the day, for each month. However, following the recommendations of the International Radio Propagation Conference, held in Washington 17 April to 5 May 1944, beginning with data for 1 Jan. 1945, median values were used by IRPL wherever possible. Thus, median values are given for Washington, for all stations reporting directly to the IRPL, for the Canadian stations, and for all others sending in detailed tabulations to the IRPL, from which medians can be computed.

Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data existed.

The monthly median values used here are the values equalled or exceeded on half the days of the month at the given hour. The following conventions are used in determining the medians for hours when no measured values are given, because of equipment limitations and ionospheric irregularities. Symbols used are those given in the report referred to above, IRPL-C61.

a. For all ionospheric characteristics:

Values missing because of A, B, C or F (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values missing because of E are counted as equal to or less than the lower limit of the recorder.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For $f^{\circ}F2$, as equal to or less than $f^{\circ}F1$.

2. For $h'F2$, as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing for any reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because no Es reflections appeared, the equipment functioning normally otherwise, are counted as equal to or less than the lower limit of the recorder.

Values of fEs missing for any other reason, and values of hEs missing for any reason at all, are omitted from the median count.

MONTHLY AVERAGES AND MEDIAN VALUES OF IONOSPHERIC DATA

The ionospheric data given here in graphical and tabular form were assembled by the Interservice Radio Propagation Laboratory for analysis and correlation, incidental to IRPL predictions of radio propagation conditions. The following are the sources of the data:

Australian Council for Scientific and Industrial Research

Radio Research Board, Australia

Brisbane, Q., Australia

Mt. Stromlo, Canberra, NSW, Australia

Cape York, Q., Australia.

British National Physical Laboratory, and Inter-Services Ionosphere Bureau

Radio Research Station, Slough, England

Great Baddow, England

Burghead, Scotland

Delhi, India

Madras, India

Simonstown, Union of S. Africa

Canadian Department of National Defence, Naval Service

Churchill, Canada

Ottawa, Canada

St. John's, Canada.

New Zealand Radio Research Committee

Kermadec Is.

Christchurch (Canterbury University College Observatory)

Campbell I.

Pitcairn I.

Rarotonga I.

Interdepartment Ionosphere Bureau, U.S.S.R. Scientific Experimental
Institute of Terrestrial Magnetism, Moscow, U.S.S.R.

Tykhi Bay, U.S.S.R.

Tomsk, U.S.S.R.

Sverdlovsk, U.S.S.R.

Moscow, U.S.S.R.

Carnegie Institution of Washington (Department of Terrestrial Magnetism)

Baffin I., Canada

Christmas I.

Fairbanks, Alaska (University of Alaska, College, Alaska)

Reykjavik, Iceland

Maui, Hawaii

Trinidad, Brit. West Indies

Huancayo, Peru

Watheroo, W. Australia

National Bureau of Standards, Washington, D.C.

Stanford University, (San Francisco), California.

Louisiana State University, Baton Rouge, Louisiana.

University of Puerto Rico, San Juan, P.R.

Harvard University, Boston, Mass.

The tables of "provisional data" give values as reported to the IRPL by telephone or telegraph. Any errors in these values will be corrected in later issues of the F-series reports. In final data tabulations, any omission of values previously given in provisional tabulations is indicated by a dash.

The tables and graphs of "final data" are correct for the values reported to the IRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of these errors are due to:

a. Differences in scaling records where spread echoes are present.

b. Omission of values where f^oF2 is less than or equal to f^oF1 , leading to erroneously high values of monthly average or median values.

c. Omission of values where critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series reports, IRPL-F1, 2, 3, 4, and 5. Discrepancies between predicted and observed values are often ascribable to these effects.

IONOSPHERIC DATA FOR EVERY DAY AND HOUR

These data, observed at Washington, D.C., follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given under "Terminology and Scaling Practices" above. Beginning this month the table of values of F2-M3500 is omitted, since these values can be readily derived from the values of F2-M3000.

IONOSPHERE DISTURBANCES

Table 66 presents ionospheric character figures for Washington, D.C., during June 1945, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess", together with American magnetic K-figures which are usually covariant with them.

Table 67 presents sudden ionospheric disturbances as observed at Washington, D.C., during June 1945.

Table 68 gives provisional radio propagation quality figures for North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, May 1945, compared with the IRPL daily radio disturbance warnings, and ISIB daily warnings, the IRPL semiweekly radio propagation forecasts for the A-zone, and the half-day American geomagnetic K-figures.

The radio propagation quality figures were prepared from radio traffic data, reported to IRPL, in the manner described in detail in report IRPL-R13, "Ionospheric and Radio Propagation Disturbances, October 1943 through February 1945," issued 24 May 1945.

Table 69 presents revised radio propagation quality figures for the North Pacific areas, for November and December, compared with IRPL warnings and IRPL A-zone forecasts.

NEW STATIONS

The new stations for which data appear in this report for the first time are Prince Rupert, Canada (54.4°N , 130.3°W), operated by the Canadian Department of National Defence (see Table 5), and Colombo, Ceylon (6.6°N , 80°E) operated by the British National Physical Laboratory (see tables 14 and 21).

IONOSPHERIC THRESHOLDS OF SOLAR ACTIVITY

IRPL studies of the correlation of ionospheric critical frequencies with solar activity, as measured by sunspot numbers, have shown that for all ionospheric layers, all locations, all seasons, and all hours of the day, the following relation holds true, to a very close approximation:

$$f^o = a + b S \quad (1)$$

where f^o represents the critical frequency, S the yearly average sunspot number, a and b constants which vary with location, season, and time of day. (Cf. IRPL-R4, "Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies").

For any location, at any season, if the diurnal variations of a and b are expressed respectively as the time functions $f_1(t)$ and $f_2(t)$, then

$$f^o = f_1(t) + f_2(t)S \quad (2)$$

The relationship of Eq. (2) may be conveniently shown by nomograms of the type presented here as Figs. 50 through 53. (Cf. IRPL-R11, "A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics").

For E-layer and Fl-layer critical frequencies, the locus of points forming the diurnal time scale is a straight line, originating at $f^o = 0$, and extending diagonally to meet the sunspot-number scale at a value below $S = 0$. The sunspot-number intercept of these lines is identical for all seasons at a given location. If the value of this intercept is represented by A , Eq. (2) may be expressed more simply as

$$f^o = f_3(t)(S + A) \quad (3)$$

thus indicating that sunspot numbers represent a remarkably good measure of the solar activity causing ionization in the upper atmosphere, but that the true threshold value of such activity lies at a value far below the formation of visible sunspots.

Values of A for f^o_E at Fairbanks, Alaska, Washington, D.C., Huancayo, Peru, and Watheroo, W. Australia, are, respectively, 996, 574, 460, and 401. For f^o_{Fl} , the respective values of A are 468, 766, 358, and 347, the first of these being of rather low accuracy.

F2-layer critical frequencies may be presented rather accurately by Eq. (2), but, for most locations and seasons, the locus of points determining the diurnal time scale is a loop which is nearly collapsed into a line, and therefore a fairly good approximation is given by equation (3). A typical example of this appears as Fig. 50 of this report, which shows the variation of f^o_{F2} at Washington, D.C., in December. Values of A for f^o_{F2} at Washington vary from 94 in June to 116 in December.

At Watheroo, W. Australia, a better approximation is given by the expression

$$(f^{\circ}F2 - B) = f_4(t)(S + A) \quad (4)$$

where B varies from 0.6 Mc in June to 2.2 Mc in December, and A varies from 102 in June to 66 in December. Fig. 51 shows the variation of $f^{\circ}F2$ at Watheroo in June.

Notable exceptions to any approximations of the types of Eq. (3) or Eq. (4) occur in auroral regions and near the geomagnetic equator. Near the geomagnetic equator the diurnal time scale loop of these nomograms is nearly vertical for most months, as shown by Fig. 52, which presents the variation of $f^{\circ}F2$ at Huancayo, Peru, during February. This may be roughly expressed as

$$f^{\circ}F2 = f_5(t) + KS + A' \quad (5)$$

With increasing departure of the solar declination from the latitude of Huancayo, the time-scale assumes the "figure-eight" form shown in Fig. 53, which represents the variation of $f^{\circ}F2$ at Huancayo during June. During the hours represented fairly well by the straight-line portions of this time scale, the relation of $f^{\circ}F2$ to S is that of Eq. (4), the varying slopes of different parts of the time scale representing widely varying values of B and A.

ERRATA

1. Certain provisional data for stations under the direction of the Australian Council for Scientific and Industrial Research have appeared incorrectly in past issues of the IRPL-F series under meridian time instead of under local time. The stations with the meridian time on which provisional data were reported, the meridian of the time erroneously used, the date of the data which first appeared with an incorrect time indicated, and the issue of the IRPL-F in which the data appeared incorrectly are as follows:

Station	Meridian of Local Time	Meridian of Time Erroneously Used	First Month for Which the Time Was in Error	Issues of IRPL-F
Mt. Stromlo	149.0°E	150°E	August 1944	F2, 3, 4, 5, 6, 8, 9, 10
Brisbane	153.0°E	150°E	August 1944	F2, 3, 4, 5, 6, 9, 10
Watheroo	119.9°E	120°E	October 1944	F2, 3, 4, 5, 6, 7, 8, 9, 10
Cape York	142.4°E	150°E	December 1944	F2, 3, 4, 5, 6, 7, 8, 9, 10

2. The 0800 value of F2-M3000 for Boston, April 1945, should have appeared as 3.2 instead of 3.1, as it was reported in the last issue, IRPL-F10 (table 24, Fig. 11).

3. The time for the provisional data for St. John's, Newfoundland, Table 5 of the last issue, IRPL-F10, was not stated. It should have been stated as 52.5°W meridian time.

4. Tabulation of hourly values of F2-M3000 for December 1944, for Washington, D.C., Table 55, IRPL-F5, noon median value should be 3.28 instead of 2.28, as reported.

Table 1 (Provisional data)

Baffin Island, Canada (70°5'N, 68°6'W)

June 1945

Fairbanks, Alaska (64°9'N, 147°8'W)

Table 2 (Provisional data)

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F6	f°F6	F2-45000
00	250	4.8			3.0				
01	250	4.7			3.1				
02	250	4.6	280	3.0	3.1				
03	320	4.3	240	3.5	3.0				
04	320	4.4	240	3.4	116	2.4			
05	400	4.5	230	3.6	114	2.4	3.1		
06	420	4.5	230	3.8	112	2.5	2.8		
07	450	4.6	240	3.8	111	2.6	2.9		
08	440	4.7	240	3.9	110	2.8	2.7		
09	420	4.9	250	4.1	110	2.9	2.8		
10	420	5.2	230	4.2	110	2.9	2.6		
11	420	5.1	240	4.2	110	2.9	2.8		
12	390	5.2	230	4.2	110	2.9	2.7		
13	410	5.2	220	4.2	110	2.9	2.6		
14	400	5.1	220	4.1	110	2.9	2.7		
15	430	4.9	240	4.0	110	2.8	2.8		
16	400	5.0	230	4.0	110	2.7	2.8		
17	360	5.1	230	3.9	111	2.6	2.6		
18	350	5.0	240	3.7	112	2.5	2.5		
19	340	5.0	250	3.9	115	2.4	3.0		
20	260	5.0	240	3.0	3.0				
21	260	4.8			3.0				
22	250	4.8			3.0				
23	250	4.8			3.2				

Time: 75°W.
Length of time sweep: 2 Mo to 16 Mo in one minute.
Median values.

Table 3 (Provisional data)

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F6	f°F6	F2-45000
00	230	4.5			3.0				
01	270	4.5			2.9				
02	270	4.2			3.0				
03	270	4.7			2.9				
04	220	4.3	240	3.3					
05	500	4.4	220	3.5					
06	300	4.6	200	3.8	100	2.6			
07	310	5.0	200	4.1	100	2.6			
08	290	5.1	200	4.2	100	2.9			
09	360	5.1	180	4.3	100	3.1			
10	350	5.3	190	4.3	100	3.3			
11	340	5.5	190	4.5	100	3.2			
12	340	5.6	200	4.5	180	3.4			
13	350	5.5	190	4.5	180	3.3			
14	360	5.5	190	4.5	100	3.3			
15	360	5.6	200	4.4	100	3.2			
16	320	5.6	200	4.3	100	3.2			
17	300	5.6	200	4.2	100	2.9			
18	300	5.5	200	4.1	180	2.7			
19	270	5.5	210	3.8	180	2.4			
20	240	5.3	230	3.6	100	2.4			
21	250	5.0							
22	260	5.2							
23	250	4.7							

Time: 15°W.
Length of time sweep: 2 Mo to 16 Mo in one minute.
Median values.

Table 4 (Provisional data)

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F6	f°F6	F2-45000
00	230	4.5			3.0				
01	270	4.5			2.9				
02	270	4.2			3.0				
03	270	4.7			2.9				
04	220	4.3	240	3.3					
05	500	4.4	220	3.5					
06	300	4.6	200	3.8	100	2.6			
07	310	5.0	200	4.1	100	2.6			
08	290	5.1	200	4.2	100	2.9			
09	360	5.1	180	4.3	100	3.1			
10	350	5.3	190	4.3	100	3.3			
11	340	5.5	190	4.5	100	3.2			
12	340	5.6	200	4.5	180	3.4			
13	350	5.5	190	4.5	180	3.3			
14	360	5.5	190	4.5	100	3.3			
15	360	5.6	200	4.4	100	3.2			
16	320	5.6	200	4.3	100	3.2			
17	300	5.6	200	4.2	100	2.9			
18	300	5.5	200	4.1	180	2.7			
19	270	5.5	210	3.8	180	2.4			
20	240	5.3	230	3.6	100	2.4			
21	250	5.0							
22	260	5.2							
23	250	4.7							

Time: 15°W.
Length of time sweep: 2 Mo to 16 Mo in one minute.
Median values.

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F6	f°F6	F2-45000
00	230	4.5			3.0				
01	270	4.5			2.9				
02	270	4.2			3.0				
03	270	4.7			2.9				
04	220	4.3	240	3.3					
05	500	4.4	220	3.5					
06	300	4.6	200	3.8	100	2.6			
07	310	5.0	200	4.1	100	2.6			
08	290	5.1	200	4.2	100	2.9			
09	360	5.1	180	4.3	100	3.1			
10	350	5.3	190	4.3	100	3.3			
11	340	5.5	190	4.5	100	3.2			
12	340	5.6	200	4.5	180	3.4			
13	350	5.5	190	4.5	180	3.3			
14	360	5.5	190	4.5	100	3.3			
15	360	5.6	200	4.4	100	3.2			
16	320	5.6	200	4.3	100	3.2			
17	300	5.6	200	4.2	100	2.9			
18	300	5.5	200	4.1	180	2.7			
19	270	5.5	210	3.8	180	2.4			
20	240	5.3	230	3.6	100	2.4			
21	250	5.0							
22	260	5.2							
23	250	4.7							

Time: 15°W.
Length of time sweep: 2 Mo to 16 Mo in one minute.
Median values.

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F6	f°F6	F2-45000
00	230	4.5			3.0				
01	270	4.5			2.9				
02	270	4.2			3.0				
03	270	4.7			2.9				
04	220	4.3	240	3.3					
05	500	4.4	220	3.5					
06	300	4.6	200	3.8	100	2.6			
07	310	5.0	200	4.1	100	2.6			
08	290	5.1	200	4.2	100	2.9			
09	360	5.1	180	4.3	100	3.1			
10	350	5.3	190	4.3	100	3.3			
11	340	5.5	190	4.5	100	3.2			
12	340	5.6	200	4.5	180	3.4			
13	350	5.5	190	4.5	180	3.3			
14	360	5.5	190	4.5	100	3.3			
15	360	5.6	200	4.4	100	3.2			
16	320	5.6	200	4.3	100	3.2			
17	300	5.6	200	4.2	100	2.9			
18	300	5.5	200	4.1	180	2.7			
19	270	5.5	210	3.8	180	2.4			
20	240	5.3	230	3.6	100	2.4			
21	250	5.0							
22	260	5.2							
23	250	4.7							

Time: 15°W.
Length of time sweep: 2 Mo to 16 Mo in one minute.
Median values.

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F6	f°F6	F2-45000
00	230	4.5			3.0				
01	270	4.5			2.9				
02	270	4.2			3.0				
03	270	4.7			2.9				
04	220	4.3	240	3.3					
05	500	4.4	220	3.5					
06	300	4.6	200	3.8	100	2.6			
07	310	5.0	200	4.1	100	2.6			
08	290	5.1	200	4.2	100	2.9			
09	360	5.1	180	4.3	100	3.1			
10	350	5.3	190	4.3	100	3.3			
11	340	5.5	190	4.5	100	3.2			
12	340	5.6	200	4.5	180	3.4			
13	350	5.5	190	4.5	180	3.3			
14	360	5.5	190	4.5	100	3.3			
15	360	5.6	200	4.4	100	3.2			
16</td									

Table 5 (Provisional data)

Table 5 (Provisional data)

Ottawa, Ontario (45°5'N, 75°8'W)

June 1945

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F8	f°F8	P2-M5000
00	4.9	3.1	3.1	0.1	5.0	4.4	3.2	3.2	
01	4.1	3.7	3.0	0.2	4.0	4.0	3.1	3.1	
02	5.0	3.7	3.5	0.3	5.6	5.6	3.2	3.2	
03	3.7	3.6	3.5	0.3	3.6	3.6	3.2	3.2	
04	3.6	4.2	3.0	0.4	4.2	4.2	3.4	3.4	
05	4.2	4.7	3.0	0.5	4.7	4.7	3.3	3.3	
06	4.7	4.5	2.9	0.6	5.1	5.1	3.5	3.5	
07	4.5	5.0	2.9	0.7	5.4	5.4	3.5	3.5	
08	5.0	5.5	2.9	0.8	5.4	5.4	3.6	3.6	
09	5.3	5.5	2.5	0.9	5.6	5.6	3.6	3.6	
10	5.4	5.5	2.8	1.0	5.6	5.6	3.6	3.6	
11	5.5	5.9	2.9	1.1	5.5	5.5	3.2	3.2	
12	5.7	6.0	3.0	1.2	5.6	5.6	3.2	3.2	
13	6.4	6.4	3.0	1.3	5.7	5.7	3.2	3.2	
14	6.5	6.6	3.6	14	5.3	5.3	3.2	3.2	
15	5.5	5.5	3.0	15	5.8	5.8	3.2	3.2	
16	5.3	5.3	3.0	16	5.8	5.8	3.2	3.2	
17	5.3	5.3	3.1	17	6.0	6.0	3.2	3.2	
18	5.3	5.3	3.2	18	6.2	6.2	3.2	3.2	
19	5.3	5.3	3.2	19	6.6	6.6	3.4	3.4	
20	5.5	5.5	3.2	20	6.6	6.6	3.2	3.2	
21	5.6	5.6	3.3	21	6.4	6.4	3.5	3.5	
22	5.6	5.6	3.2	22	5.8	5.8	3.1	3.1	
23	5.4	5.4	3.2	23	5.4	5.4	3.2	3.2	

Median values.

Data from 1200 June 6 to 2300 June 30.
Table 7 (Provisional data)

Ottawa, Ontario (45°5'N, 75°8'W)

June 1945

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F8	f°F8	P2-M5000
00	4.6	2.8	2.8	0.0	4.4	4.4	2.9	2.9	
01	3.0	2.4	2.4	0.1	3.9	3.9	2.9	2.9	
02	3.5	3.1	2.8	0.2	3.5	3.5	2.9	2.9	
03	3.1	3.1	2.9	0.3	3.0	3.0	3.0	3.0	
04	3.2	4.1	2.9	0.4	3.1	3.1	3.2	3.2	
05	4.1	4.7	3.0	0.5	4.1	4.1	3.1	3.1	
06	4.7	5.0	2.9	0.6	4.5	4.5	3.1	3.1	
07	5.0	5.0	3.0	0.7	4.9	4.9	3.0	3.0	
08	5.4	5.4	3.0	0.8	5.3	5.3	2.9	2.9	
09	5.7	5.7	2.9	0.9	5.6	5.6	3.0	3.0	
10	5.9	5.9	2.9	10	5.7	5.7	2.9	2.9	
11	5.7	5.7	2.9	11	5.8	5.8	3.0	3.0	
12	5.9	5.9	2.3	12	5.3	5.3	2.9	2.9	
13	5.9	5.9	2.9	13	5.9	5.9	3.0	3.0	
14	5.9	5.9	2.9	14	6.0	6.0	3.0	3.0	
15	5.9	5.9	2.9	15	5.8	5.8	2.9	2.9	
16	6.0	6.2	2.8	16	6.0	6.0	3.0	3.0	
17	6.2	6.2	2.9	17	6.2	6.2	3.0	3.0	
18	6.4	6.4	2.9	18	6.4	6.4	3.0	3.0	
19	6.7	6.7	3.0	19	6.5	6.5	3.0	3.0	
20	6.6	6.2	3.0	20	6.4	6.4	3.0	3.0	
21	6.2	6.2	3.0	21	5.8	5.8	2.9	2.9	
22	5.4	5.4	2.9	22	5.0	5.0	2.9	2.9	
23	4.9	4.9	2.9	23	4.7	4.7	2.9	2.9	

Time: 52.5%
Median values.
Table 7 (Provisional data)

St. John's, Newfoundland (47.7'N, 52.7'W)

June 1945

Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F	h°F8	f°F8	P2-M5000
00	5.0	0.1	0.1	0.2	4.0	4.0	3.1	3.1	
01	5.0	0.2	0.2	0.3	4.0	4.0	3.2	3.2	
02	5.0	0.3	0.3	0.4	4.0	4.0	3.2	3.2	
03	5.0	0.4	0.4	0.5	4.0	4.0	3.2	3.2	
04	5.0	0.5	0.5	0.6	4.0	4.0	3.2	3.2	
05	5.0	0.6	0.6	0.7	4.0	4.0	3.2	3.2	
06	5.0	0.7	0.7	0.8	4.0	4.0	3.2	3.2	
07	5.0	0.8	0.8	0.9	4.0	4.0	3.2	3.2	
08	5.4	1.0	1.0	1.1	4.4	4.4	3.2	3.2	
09	5.7	1.2	1.2	1.3	4.4	4.4	3.2	3.2	
10	5.9	1.4	1.4	1.5	4.4	4.4	3.2	3.2	
11	5.7	1.6	1.6	1.7	4.4	4.4	3.2	3.2	
12	5.9	1.8	1.8	1.9	4.4	4.4	3.2	3.2	
13	5.9	2.0	1.9	2.1	4.4	4.4	3.2	3.2	
14	5.9	2.2	2.0	2.4	4.4	4.4	3.2	3.2	
15	5.9	2.4	2.3	2.5	4.4	4.4	3.2	3.2	
16	6.0	2.6	2.5	2.7	4.4	4.4	3.2	3.2	
17	6.2	2.8	2.7	2.9	4.4	4.4	3.2	3.2	
18	6.4	3.0	2.9	3.0	4.4	4.4	3.2	3.2	
19	6.7	3.2	3.0	3.1	4.4	4.4	3.2	3.2	
20	6.6	3.4	3.0	3.2	4.4	4.4	3.2	3.2	
21	6.2	3.6	3.0	3.1	4.4	4.4	3.2	3.2	
22	5.4	3.8	2.9	3.0	4.4	4.4	3.2	3.2	
23	4.9	4.0	2.9	3.0	4.4	4.4	3.2	3.2	

Time: 75.0%
Length of time sweep, 1.33 hr to 13.5 hr. Manual operation.
Median values.Time: 75.0%
Median values.
Table 8 (Provisional data)

Table 9 (Provisional data)

San Francisco, Calif. (37.4°N, 122.2°W)							June 1945									
Time	h°F2	f°F2	h°F1	f°F1	h°E	f°E	h°F8	f°F8	h°F10	f°F10	h°F12	f°F12	h°F2	f°F2	h°F1	f°F1
00	4.5	2.8	2.8	0.9	7.0	2.9	2.9	0.1	2.70	6.6	2.9	0.1	2.9	0.1	2.9	0.1
01	4.4	2.8	2.8	0.2	6.7	2.70	2.70	0.2	2.50	6.7	2.70	0.2	2.50	0.2	2.50	0.2
02	4.3	2.8	2.8	0.2	6.1	2.60	2.60	0.3	2.60	6.1	2.60	0.3	2.60	0.3	2.60	0.3
03	4.2	2.9	2.9	0.2	5.3	2.50	2.50	0.4	2.50	5.3	2.50	0.4	2.50	0.4	2.50	0.4
04	3.9	2.8	2.8	0.3	5.1	2.40	2.40	0.5	2.40	5.0	2.40	0.5	2.40	0.5	2.40	0.5
05	4.0	2.9	2.9	0.3	5.0	2.30	2.30	0.6	2.30	5.0	2.30	0.6	2.30	0.6	2.30	0.6
06	4.3	2.8	2.8	0.3	4.6	2.20	2.20	0.7	2.20	4.6	2.20	0.7	2.20	0.7	2.20	0.7
07	5.6	2.8	2.8	0.3	4.0	2.10	2.10	0.8	2.10	4.0	2.10	0.8	2.10	0.8	2.10	0.8
08	6.2	2.9	2.9	0.3	3.5	2.00	2.00	0.9	2.00	3.5	2.00	0.9	2.00	0.9	2.00	0.9
09	6.4	3.1	3.1	0.9	3.95	1.95	1.95	1.0	4.00	7.7	1.90	1.0	4.00	1.0	4.00	1.0
10	6.5	3.0	3.0	0.9	3.95	1.90	1.90	1.1	4.20	8.3	1.90	1.0	4.20	1.0	4.20	1.0
11	6.4	3.0	3.0	0.9	3.95	1.92	1.92	1.2	3.95	9.2	2.00	1.0	3.95	1.0	3.95	1.0
12	7.0	2.9	2.9	0.9	3.75	9.6	2.00	1.3	3.75	9.6	2.00	1.3	3.75	9.6	2.00	1.3
13	6.9	2.9	2.9	0.9	3.50	10.0	2.00	1.4	3.50	10.0	2.00	1.4	3.50	10.0	2.00	1.4
14	6.9	3.0	3.0	0.9	3.50	10.7	2.00	1.5	3.50	10.7	2.00	1.5	3.50	10.7	2.00	1.5
15	6.3	3.0	3.0	0.9	3.25	10.6	2.00	1.6	3.25	10.6	2.10	1.6	3.25	10.6	2.10	1.6
16	6.7	3.0	3.0	0.9	3.25	10.6	2.10	1.7	2.55	11.2	2.10	1.7	2.55	11.2	2.10	1.7
17	6.5	3.0	3.0	0.9	3.1	2.60	2.60	1.8	2.60	11.2	2.20	1.8	2.60	11.2	2.20	1.8
18	6.6	3.0	3.0	0.9	3.1	2.45	2.45	1.9	2.45	10.0	2.20	1.9	2.45	10.0	2.20	1.9
19	6.7	3.0	3.0	0.9	3.2	2.45	2.45	2.0	2.45	9.2	2.20	1.9	2.45	9.2	2.20	1.9
20	6.6	3.0	3.0	0.9	3.1	2.50	2.50	2.1	2.50	8.2	2.20	1.9	2.50	8.2	2.20	1.9
21	6.0	3.1	3.1	0.9	3.0	2.60	2.60	2.2	2.60	7.6	2.20	1.9	2.60	7.6	2.20	1.9
22	5.4	3.0	3.0	0.9	2.9	2.80	2.80	2.3	2.80	7.4	2.20	1.9	2.80	7.4	2.20	1.9
23	4.8	3.0	3.0	0.9	2.9	2.80	2.80	2.4	2.80	7.4	2.20	1.9	2.80	7.4	2.20	1.9

Time: 120°W.
Length of time sweep: 0.8 sec to 12 sec in six minutes. Record centered
on the hour.

Median values.

Table 11 (Provisional data)

Huancayo, Peru (12.0°S, 75.3°W)							June 1945									
Time	h°F2	f°F2	h°F1	f°F1	h°E	f°E	h°F8	f°F8	h°F10	f°F10	h°F12	f°F12	h°F2	f°F2	h°F1	f°F1
00	5.4	3.2	3.2	0.2	3.2	0.0	3.2	0.1	3.2	4.5	3.1	0.0	3.2	0.1	3.2	0.0
01	4.3	4.3	4.3	0.3	4.3	0.2	4.3	0.2	4.3	3.7	3.7	0.2	4.3	0.2	4.3	0.2
02	4.3	4.2	4.2	0.3	4.2	0.3	4.2	0.3	4.2	3.6	3.6	0.3	4.2	0.3	4.2	0.3
03	3.5	3.5	3.5	0.2	3.5	0.4	3.5	0.4	3.5	3.5	3.5	0.4	3.5	0.4	3.5	0.4
04	3.0	3.0	3.0	0.2	3.0	0.5	3.0	0.5	3.0	4.0	4.0	0.5	3.0	0.5	3.0	0.5
05	3.5	3.5	3.5	0.2	3.5	0.6	3.5	0.6	3.5	4.5	4.5	0.6	3.5	0.6	3.5	0.6
06	3.5	3.5	3.5	0.2	3.5	0.7	3.5	0.7	3.5	4.5	4.5	0.7	3.5	0.7	3.5	0.7
07	5.8	7.2	7.2	0.7	2.9	0.8	2.9	0.8	2.9	5.1	5.1	0.8	2.9	0.8	2.9	0.8
08	6.8	7.4	7.4	0.7	2.7	0.9	2.7	0.9	2.7	5.3	5.3	0.9	2.7	0.9	2.7	0.9
09	7.1	7.1	7.1	0.7	2.6	1.0	2.6	1.0	2.6	5.5	5.5	1.0	2.6	1.0	2.6	1.0
10	7.1	7.2	7.2	0.7	2.6	1.1	2.6	1.1	2.6	5.6	5.6	1.1	2.6	1.1	2.6	1.1
11	6.9	7.4	7.4	0.7	2.7	1.1	2.7	1.1	2.7	5.7	5.7	1.1	2.7	1.1	2.7	1.1
12	6.9	7.3	7.3	0.7	2.5	1.2	2.5	1.2	2.5	5.5	5.5	1.2	2.5	1.2	2.5	1.2
13	6.9	7.3	7.3	0.7	2.5	1.3	2.5	1.3	2.5	5.5	5.5	1.3	2.5	1.3	2.5	1.3
14	6.8	7.2	7.2	0.7	2.5	1.4	2.5	1.4	2.5	5.5	5.5	1.4	2.5	1.4	2.5	1.4
15	7.1	7.1	7.1	0.7	2.4	1.5	2.4	1.5	2.4	5.6	5.6	1.5	2.4	1.5	2.4	1.5
16	7.2	7.2	7.2	0.7	2.6	1.6	2.6	1.6	2.6	5.7	5.7	1.6	2.6	1.6	2.6	1.6
17	7.4	7.4	7.4	0.7	2.7	1.7	2.7	1.7	2.7	5.8	5.8	1.7	2.7	1.7	2.7	1.7
18	7.3	7.3	7.3	0.7	2.8	1.8	2.8	1.8	2.8	5.9	5.9	1.8	2.8	1.8	2.8	1.8
19	6.7	6.7	6.7	0.7	2.9	1.9	2.9	1.9	2.9	5.9	5.9	1.9	2.9	1.9	2.9	1.9
20	6.8	6.8	6.8	0.7	2.8	2.0	2.8	2.0	2.8	5.9	5.9	2.0	2.8	2.0	2.8	2.0
21	7.0	7.0	7.0	0.7	3.0	2.1	3.0	2.1	3.0	6.0	6.0	2.1	3.0	2.1	3.0	2.1
22	6.4	6.4	6.4	0.7	3.2	2.2	3.2	2.2	3.2	5.6	5.6	2.2	3.2	2.2	3.2	2.2
23	5.6	5.6	5.6	0.7	3.2	2.3	3.2	2.3	3.2	4.9	4.9	2.3	3.2	2.3	3.2	2.3

Median values.

Table 11 (Provisional data)

Huancayo, Peru (12.0°S, 75.3°W)							June 1945									
Time	h°F2	f°F2	h°F1	f°F1	h°E	f°E	h°F8	f°F8	h°F10	f°F10	h°F12	f°F12	h°F2	f°F2	h°F1	f°F1
00	5.4	3.2	3.2	0.2	3.2	0.0	3.2	0.1	3.2	4.5	3.1	0.0	3.2	0.1	3.2	0.0
01	4.3	4.3	4.3	0.3	4.3	0.2	4.3	0.2	4.3	3.7	3.7	0.2	4.3	0.2	4.3	0.2
02	4.3	4.2	4.2	0.3	4.2	0.3	4.2	0.3	4.2	3.6	3.6	0.3	4.2	0.3	4.2	0.3
03	3.5	3.5	3.5	0.2	3.5	0.4	3.5	0.4	3.5	3.5	3.5	0.4	3.5	0.4	3.5	0.4
04	3.0	3.0	3.0	0.2	3.0	0.5	3.0	0.5	3.0	4.0	4.0	0.5	3.0	0.5	3.0	0.5
05	3.5	3.5	3.5	0.2	3.5	0.6	3.5	0.6	3.5	4.5	4.5	0.6	3.5	0.6	3.5	0.6
06	3.5	3.5	3.5	0.2	3.5	0.7	3.5	0.7	3.5	4.5	4.5	0.7	3.5	0.7	3.5	0.7
07	5.8	7.2	7.2	0.7	2.9	0.8	2.9	0.8	2.9	5.1	5.1	0.8	2.9	0.8	2.9	0.8
08	6.8	7.4	7.4	0.7	2.7	0.9	2.7	0.9	2.7	5.3	5.3	0.9	2.7	0.9	2.7	0.9
09	7.1	7.1	7.1	0.7	2.6	1.0	2.6	1.0	2.6	5.5	5.5	1.0	2.6	1.0	2.6	1.0
10	7.1	7.2	7.2	0.7	2.6	1.1	2.6	1.1	2.6	5.6	5.6	1.1	2.6	1.1	2.6	1.1
11	6.9	7.4	7.4	0.7	2.7	1.1	2.7	1.1	2.7	5.7	5.7	1.1	2.7	1.1	2.7	1.1
12	6.9	7.3	7.3	0.7	2.5	1.2	2.5	1.2	2.5	5.5	5.5	1.2	2.5	1.2	2.5	1.2
13	6.9	7.3	7.3	0.7	2.5	1.3	2.5	1.3	2.5	5.5	5.5	1.3	2.5	1.3	2.5	1.3
14	6.8	7.2	7.2	0.7	2.5	1.4	2.5	1.4	2.5	5.5	5.5	1.4	2.5	1.4	2.5	1.4
15	7.1	7.1	7.1	0.7	2.4	1.5	2.4	1.5	2.4	5.6	5.6	1.5	2.4	1.5	2.4	1.5
16	7.2	7.2	7.2	0.7	2.6	1.6	2.6	1.6	2.6	5.7	5.7	1.6	2.6	1.6	2.6	1.6
17	7.4	7.4	7.4	0.7	2.7	1.7	2.7	1.7	2.7	5.8	5.8	1.7	2.7	1.7	2.7	1.7
18	7.3	7.3	7.3	0.7	2.8	1.8	2.8	1.8	2.8	5.9	5.9	1.8	2.8	1.8	2.8	1.8
19	6.7	6.7	6.7	0.7	2.9	1.9	2.9	1.9	2.9	5.9	5.9	1.9	2.9	1.9	2.9	1.9
20	6.8	6.8	6.8	0.7	2.8	2.0	2.8	2.0	2.8	5.9	5.9	2.0	2.8	2.0	2.8	2.0
21	7.0	7.0	7.													

Table 12 (Provisional data)

Date: Wed. 26.04. (51.7°S., 25.5°E.)

Time	h _{Y2}	f _{P2}	h _{Y1}	f _{P1}	h ^E	f ^E	h ^W	f ^W	F2-M3000
00	4.4	2.7	0.0	5.0	3.6	3.6	3.6	3.6	3.6
01	3.1	2.7	0.1	4.5	3.5	3.5	3.5	3.5	3.5
02	2.9	2.7	0.2	3.2	3.5	3.5	3.5	3.5	3.5
03	2.4	2.7	0.3	3.9	3.5	3.5	3.5	3.5	3.5
04	2.7	2.3	0.4	3.9	3.5	3.5	3.5	3.5	3.5
05	4.2	2.9	0.5	4.3	3.0	3.0	3.0	3.0	3.0
06	4.5	3.0	0.6	7.3	2.5	2.5	2.5	2.5	2.5
07	3.4	2.9	0.7	6.6	2.5	2.5	2.5	2.5	2.5
08	2.4	2.3	0.8	6.6	2.5	2.5	2.5	2.5	2.5
09	2.7	2.3	0.9	6.6	2.5	2.5	2.5	2.5	2.5
10	3.2	2.3	1.0	6.7	2.7	2.7	2.7	2.7	2.7
11	3.7	2.9	1.1	6.1	2.7	2.7	2.7	2.7	2.7
12	3.1	2.9	1.2	6.0	2.7	2.7	2.7	2.7	2.7
13	2.7	2.3	1.3	6.0	2.6	2.6	2.6	2.6	2.6
14	3.3	2.3	1.4	6.0	2.6	2.6	2.6	2.6	2.6
15	3.3	2.3	1.5	6.7	2.7	2.7	2.7	2.7	2.7
16	6.0	2.9	1.6	6.7	2.7	2.7	2.7	2.7	2.7
17	5.2	2.9	1.7	9.6	3.0	3.0	3.0	3.0	3.0
18	6.2	2.9	1.8	5.7	3.0	3.0	3.0	3.0	3.0
19	6.0	2.9	1.9	9.4	3.0	3.0	3.0	3.0	3.0
20	5.1	2.9	2.0	7.3	3.0	3.0	3.0	3.0	3.0
21	5.3	2.9	2.1	7.3	3.0	3.0	3.0	3.0	3.0
22	5.3	2.9	2.2	6.4	3.0	3.0	3.0	3.0	3.0
23	5.0	2.9	2.3	5.4	3.0	3.0	3.0	3.0	3.0

Time: 0°
Length of time sweep: Intermittent.

Mean: 2.9 min.

Table 15 (Provisional data)

Date: Thurs. 27.04. (11.0°S., 142.4°E.)

Time: Local

Time	h _{Y2}	f _{P2}	h _{Y1}	f _{P1}	h ^E	f ^E	h ^W	f ^W	F2-M3000
00	3.6	3.2	0.0	3.6	3.0	3.0	3.0	3.0	3.0
01	2.4	3.2	0.1	3.9	3.0	3.0	3.0	3.0	3.0
02	3.2	2.5	0.2	3.9	3.0	3.0	3.0	3.0	3.0
03	2.5	3.0	0.3	3.9	3.0	3.0	3.0	3.0	3.0
04	2.5	3.1	0.4	4.0	3.0	3.0	3.0	3.0	3.0
05	2.0	3.1	0.5	3.4	3.0	3.0	3.0	3.0	3.0
06	4.0	3.5	0.6	3.4	3.0	3.0	3.0	3.0	3.0
07	6.0	3.4	0.7	5.2	3.0	3.0	3.0	3.0	3.0
08	8.2	3.4	0.8	6.2	3.0	3.0	3.0	3.0	3.0
09	8.3	3.4	0.9	6.7	3.0	3.0	3.0	3.0	3.0
10	8.0	3.4	1.0	7.2	3.0	3.0	3.0	3.0	3.0
11	8.4	3.2	1.1	7.4	3.0	3.0	3.0	3.0	3.0
12	8.7	3.2	1.2	7.1	3.0	3.0	3.0	3.0	3.0
13	8.6	3.2	1.3	7.6	3.0	3.0	3.0	3.0	3.0
14	8.4	3.2	1.4	7.7	3.0	3.0	3.0	3.0	3.0
15	8.4	3.2	1.5	7.5	3.0	3.0	3.0	3.0	3.0
16	8.6	3.2	1.6	6.7	3.0	3.0	3.0	3.0	3.0
17	8.6	3.3	1.7	5.7	3.0	3.0	3.0	3.0	3.0
18	7.6	3.2	1.8	4.5	3.0	3.0	3.0	3.0	3.0
19	6.6	3.2	1.9	3.4	3.0	3.0	3.0	3.0	3.0
20	5.4	3.2	2.0	3.2	3.0	3.0	3.0	3.0	3.0
21	4.5	3.1	2.1	3.2	3.0	3.0	3.0	3.0	3.0
22	3.9	3.1	2.2	3.4	3.0	3.0	3.0	3.0	3.0
23	3.7	3.2	2.3	3.6	3.0	3.0	3.0	3.0	3.0

Time: Local

Mean: 3.0 min.

Table 16 (Provisional data)

Date: Fri., 28.04. (6.6°S., 115.9°E.)

Time: Local

Time	h _{Y2}	f _{P2}	h _{Y1}	f _{P1}	h ^E	f ^E	h ^W	f ^W	F2-M3000
00	0.0	3.2	0.0	3.6	3.0	3.0	3.0	3.0	3.0
01	2.4	3.2	0.1	3.9	3.0	3.0	3.0	3.0	3.0
02	3.2	2.5	0.2	3.9	3.0	3.0	3.0	3.0	3.0
03	2.5	3.0	0.3	3.9	3.0	3.0	3.0	3.0	3.0
04	2.5	3.1	0.4	4.0	3.0	3.0	3.0	3.0	3.0
05	2.0	3.1	0.5	3.4	3.0	3.0	3.0	3.0	3.0
06	4.0	3.5	0.6	3.4	3.0	3.0	3.0	3.0	3.0
07	6.0	3.4	0.7	5.2	3.0	3.0	3.0	3.0	3.0
08	8.2	3.4	0.8	6.2	3.0	3.0	3.0	3.0	3.0
09	8.3	3.4	0.9	6.7	3.0	3.0	3.0	3.0	3.0
10	8.0	3.4	1.0	7.2	3.0	3.0	3.0	3.0	3.0
11	8.4	3.2	1.1	7.4	3.0	3.0	3.0	3.0	3.0
12	8.7	3.2	1.2	7.1	3.0	3.0	3.0	3.0	3.0
13	8.6	3.2	1.3	7.6	3.0	3.0	3.0	3.0	3.0
14	8.4	3.2	1.4	7.7	3.0	3.0	3.0	3.0	3.0
15	8.4	3.2	1.5	7.5	3.0	3.0	3.0	3.0	3.0
16	8.6	3.2	1.6	6.7	3.0	3.0	3.0	3.0	3.0
17	8.6	3.3	1.7	5.7	3.0	3.0	3.0	3.0	3.0
18	7.6	3.2	1.8	4.5	3.0	3.0	3.0	3.0	3.0
19	6.6	3.2	1.9	3.4	3.0	3.0	3.0	3.0	3.0
20	5.4	3.2	2.0	3.2	3.0	3.0	3.0	3.0	3.0
21	4.5	3.1	2.1	3.2	3.0	3.0	3.0	3.0	3.0
22	3.9	3.1	2.2	3.4	3.0	3.0	3.0	3.0	3.0
23	3.7	3.2	2.3	3.6	3.0	3.0	3.0	3.0	3.0

Time: Local

Mean: 3.0 min.

Table 17 (Provisional data)

Date: Sat., 29.04. (30.3°S., 115.9°E.)

Time: Local

Time	h _{Y2}	f _{P2}	h _{Y1}	f _{P1}	h ^E	f ^E	h ^W	f ^W	F2-M3000
00	3.6	3.2	0.0	3.6	3.0	3.0	3.0	3.0	3.0
01	2.4	3.2	0.1	3.9	3.0	3.0	3.0	3.0	3.0
02	3.2	2.5	0.2	3.9	3.0	3.0	3.0	3.0	3.0
03	2.5	3.0	0.3	3.9	3.0	3.0	3.0	3.0	3.0
04	2.5	3.1	0.4	4.0	3.0	3.0	3.0	3.0	3.0
05	2.0	3.1	0.5	3.4	3.0	3.0	3.0	3.0	3.0
06	4.0	3.5	0.6	3.4	3.0	3.0	3.0	3.0	3.0
07	6.0	3.4	0.7	5.2	3.0	3.0	3.0	3.0	3.0
08	8.2	3.4	0.8	6.2	3.0	3.0	3.0	3.0	3.0
09	8.3	3.4	0.9	6.7	3.0	3.0	3.0	3.0	3.0
10	8.0	3.4	1.0	7.2	3.0	3.0	3.0	3.0	3.0
11	8.4	3.2	1.1	7.4	3.0	3.0	3.0	3.0	3.0
12	8.7	3.2	1.2	7.1	3.0	3.0	3.0	3.0	3.0
13	8.6	3.2	1.3	7.6	3.0	3.0	3.0	3.0	3.0
14	8.4	3.2	1.4	7.7	3.0	3.0	3.0	3.0	3.0
15	8.4	3.2	1.5	7.5	3.0	3.0	3.0	3.0	3.0
16	8.6	3.2	1.6	6.7	3.0	3.0	3.0	3.0	3.0
17	8.6	3.3	1.7	5.7	3.0	3.0	3.0	3.0	3.0
18	7.6	3.2	1.8	4.5	3.0	3.0	3.0	3.0	3.0
19	6.6	3.2	1.9	3.4	3.0	3.0	3.0	3.0	3.0
20	5.4	3.2	2.0	3.2	3.0	3.0	3.0	3.0	3.0
21	4.5	3.1	2.1	3.2	3.0	3.0	3.0	3.0	3.0
22	3.9	3.1	2.2	3.4	3.0	3.0	3.0	3.0	3.0
23	3.7	3.2	2.3	3.6	3.0	3.0	3.0	3.0	3.0

Time: Local

Mean: 3.0 min.

Table 18 (Provisional data)

Date: Sun., 30.04. (30.3°S., 115.9°E.)

Time: Local

Time	h _{Y2}	f _{P2}	h _{Y1}	f _{P1}	h ^E	f ^E	h ^W	f ^W	F2-M3000
00	3.6	3.2	0.0	3.6	3.0	3.0	3.0	3.0	3.0
01	2.4	3.2	0.1	3.9	3.0	3.0	3.0	3.0	3.0
02	3.2	2.5	0.2	3.9	3.0	3.0	3.0	3.0	3.0
03	2.5	3.0	0.3	3.9	3.0	3.0	3.0	3.0	3.0
04	2.5	3.1	0.4	4.0	3.0	3.0	3.0	3.0	3.0
05	2.0	3.1	0.5	3.4	3.0	3.0	3.0	3.0	3.0
06	4.0	3.5	0.6	3.4	3.0	3.0	3.0	3.0	3.0
07	6.0	3.4	0.7	5.2	3.0	3.0	3.0	3.0	3.0
08	8.2	3.4	0.8	6.2	3.0	3.0	3.0	3.0	3.0
09	8.3	3.4	0.9	6.7	3.0	3.0	3.0	3.0	3.0
10	8.0	3.4	1.0	7.2	3.0	3.0	3.0	3.0	3.0
11	8.4	3.2	1.1	7.4	3.0	3.0	3.0	3.0	3.0
12	8.7	3.2	1.2	7.1	3.0	3.0			

Table 17 (Provisional data)

Saronstown, Union of S. Africa (33°9'S, 16°7'E)						
Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F
00	2.8		2.5		2.5	
01	2.9		2.8		2.8	
02	2.9		2.9		2.9	
03	3.1		2.9		2.9	
04	3.0		2.9		2.9	
05	3.0		2.9		2.9	
06	2.9		2.9		2.9	
07	3.1		3.0		3.0	
08	5.0		3.3		3.3	
09	6.0		3.2		3.2	
10	6.5		3.2		3.2	
11	7.2		3.1		3.1	
12	7.2		3.1		3.1	
13	7.6		3.0		3.0	
14	8.2		3.0		3.0	
15	8.5		3.0		3.0	
16	7.9		3.1		3.1	
17	7.0		3.2		3.2	
18	5.6		3.2		3.2	
19	3.6		3.1		3.1	
20	3.2		3.1		3.1	
21	2.9		3.1		3.1	
22	2.8		3.0		3.0	
23	2.7		2.8		2.8	

Time: 1505.
Length of time sweep: 2 hr to 16 hr in one minute.
Average values.

Table 18 (Provisional data)

Stromlo, N.S.W., Australia (35°5'S, 149°0"E)						
Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F
00	2.8		2.5		2.5	
01	2.9		2.8		2.8	
02	2.9		2.9		2.9	
03	3.1		2.9		2.9	
04	3.0		2.9		2.9	
05	3.0		2.9		2.9	
06	2.9		2.9		2.9	
07	3.1		3.0		3.0	
08	3.3		3.0		3.0	
09	3.5		3.4		3.4	
10			3.4		3.4	
11	6.2		3.4		3.4	
12	6.5		3.4		3.4	
13	6.4		3.4		3.4	
14	6.5		3.5		3.5	
15	6.4		3.5		3.5	
16	6.1		3.3		3.3	
17	5.4		3.2		3.2	
18	4.5		3.0		3.0	
19	3.5		2.9		2.9	
20			2.0		2.0	
21	3.4		2.6		2.6	
22			2.8		2.8	
23	3.1		2.8		2.8	

Time: 1605.
Length of time sweep: 2 hr to 16 hr in one minute.
Average values.

Table 19 (Provisional data)

Campbell Is. (52°5'S, 169°0"E)						
Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F
00			0.0		4.4	
01			0.1		4.2	
02			0.2		3.0	
03			0.3		3.9	
04	2.4					
05			2.9		3.5	
06			0.6		3.4	
07	3.3		3.1		3.7	
08			0.7		6.9	
09	5.5		3.4		3.9	
10			0.9		7.5	
11	6.2		3.4		8.7	
12	6.5		3.4		10.0	
13	6.4		3.4		11.2	
14	6.5		3.5		11.8	
15	6.4		3.5		12.0	
16	6.1		3.3		12.0	
17	5.4		3.2		11.8	
18	4.5		3.0		11.0	
19	3.5		2.9		10.4	
20			2.0		8.3	
21	3.4		2.6		6.6	
22			2.8		5.0	
23	3.1		2.8		4.7	

Time: 1605.
Length of time sweep: 2 hr to 16 hr in one minute.
Average values.

Table 20 (Provisional data)

Delhi, India (28°6'N, 77°20'E)						
Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F
00			0.0		4.4	
01			0.1		4.2	
02			0.2		3.0	
03			0.3		3.9	
04			0.4		3.5	
05	2.9		0.6		3.4	
06			0.6		5.7	
07	3.1		0.7		6.9	
08			0.8		3.9	
09	3.4		0.9		7.5	
10			1.0		8.7	
11	3.4		1.1		10.0	
12	3.4		1.2		11.2	
13	3.4		1.3		11.8	
14	3.5		1.4		12.0	
15	3.5		1.5		12.0	
16	3.3		1.6		11.8	
17	3.2		1.7		11.0	
18	3.0		1.8		10.4	
19	2.9		1.9		8.3	
20			2.0		6.6	
21	2.6		2.1		5.0	
22			2.2		4.7	
23	2.8		2.3		4.5	

Time: Local.
Length of time sweep: 1.6 hr to 12.5 hr in two minutes.
Average values.

Table 21 (Provisional data)						
Time	h°F2	f°F2	h°F1	f°F1	h°F	f°F
00			0.0		4.4	
01			0.1		4.2	
02			0.2		3.0	
03			0.3		3.9	
04	2.4		0.4		3.5	
05			2.9		3.4	
06			0.6		5.7	
07	3.3		0.7		6.9	
08			0.8		3.9	
09	3.4		0.9		7.5	
10			1.0		8.7	
11	3.4		1.1		10.0	
12	3.4		1.2		11.2	
13	3.4		1.3		11.8	
14	3.5		1.4		12.0	
15	3.5		1.5		12.0	
16	3.3		1.6		11.8	
17	3.2		1.7		11.0	
18	3.0		1.8		10.4	
19	2.9		1.9		8.3	
20			2.0		6.6	
21	2.6		2.1		5.0	
22			2.2		4.7	
23	2.8		2.3		4.5	

Time: 1605.
Average values.

Time: 1605.
Average values.

Time: 1605.
Average values.

Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ F	f ₁ F	f ₂	f ₃
00	-	-	-	-	3.8	-	-	-
01	-	-	3.7	-	0.1	290	4.2	-
02	-	-	3.5	2.8	0.2	295	-	-
03	-	-	3.8	-	0.3	310	-	-
04	-	-	3.5	-	0.4	300	-	-
05	-	-	3.5	-	0.6	320	3.8	-
06	-	-	3.5	-	0.6	390	4.1	-
07	-	-	3.4	-	0.7	410	4.3	-
08	-	-	3.2	-	0.8	490	-	-
09	-	-	3.1	-	0.9	455	-	-
450	-	-	3.2	-	1.0	435	-	-
10	-	-	3.2	-	1.1	450	-	-
11	-	-	3.2	-	1.1	450	-	-
12	-	-	3.1	-	1.2	410	-	-
13	-	-	3.1	-	1.3	420	5.0	-
14	-	-	3.0	-	1.4	390	4.3	-
392	-	-	3.0	-	1.5	390	4.2	-
16	-	-	2.8	-	1.6	350	4.2	-
17	-	-	3.0	-	1.7	350	5.6	-
18	-	-	3.1	-	1.8	340	-	-
19	-	-	3.1	-	1.9	340	5.0	-
20	-	-	3.5	-	2.0	290	-	-
21	-	-	3.0	-	2.1	300	-	-
22	-	-	3.0	-	2.2	290	-	-
23	-	-	3.6	-	2.3	295	-	-

Average values.

Table 23

(Additions and corrections to previously published provisional data)

Fairbanks, Alaska (64°30'N, 147°30'W)

May 1945

Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ F	f ₁ F	f ₂	f ₃
00	-	-	3.8	-	0.0	290	-	-
01	-	-	3.7	-	0.1	290	4.2	-
02	-	-	3.5	2.8	0.2	295	-	-
03	-	-	3.8	-	0.3	310	-	-
04	-	-	3.5	-	0.4	300	-	-
05	-	-	3.5	-	0.6	320	3.8	-
06	-	-	3.5	-	0.6	390	4.1	-
07	-	-	3.4	-	0.7	410	4.3	-
08	-	-	3.2	-	0.8	490	-	-
09	-	-	3.1	-	0.9	455	-	-
450	-	-	3.2	-	1.0	435	-	-
10	-	-	3.2	-	1.1	450	-	-
11	-	-	3.2	-	1.1	450	-	-
12	-	-	3.1	-	1.2	410	-	-
13	-	-	3.1	-	1.3	420	5.0	-
14	-	-	3.0	-	1.4	390	4.3	-
392	-	-	3.0	-	1.5	390	4.2	-
16	-	-	2.8	-	1.6	350	4.2	-
17	-	-	3.0	-	1.7	350	5.6	-
18	-	-	3.1	-	1.8	340	-	-
19	-	-	3.1	-	1.9	340	5.0	-
20	-	-	3.5	-	2.0	290	-	-
21	-	-	3.0	-	2.1	300	-	-
22	-	-	3.0	-	2.2	290	-	-
23	-	-	3.6	-	2.3	295	-	-

Time, 1500; f₁ = 104.5, f₂ = 25000

Length of time sweep: 0.3 sec to 14 sec in two minutes.

Table 24

(Additions and corrections to previously published provisional data)

Churchill, Canada (58°50'N, 94°20'W)

May 1945

Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ F	f ₁ F	f ₂	f ₃
00	-	-	3.8	-	0.0	290	-	-
01	-	-	3.7	-	0.1	290	4.2	-
02	-	-	3.5	2.8	0.2	295	-	-
03	-	-	3.8	-	0.3	310	-	-
04	-	-	3.5	-	0.4	300	-	-
05	-	-	3.5	-	0.6	320	3.8	-
06	-	-	3.5	-	0.6	390	4.1	-
07	-	-	3.4	-	0.7	410	4.3	-
08	-	-	3.2	-	0.8	490	-	-
09	-	-	3.1	-	0.9	455	-	-
450	-	-	3.2	-	1.0	435	-	-
10	-	-	3.2	-	1.1	450	-	-
11	-	-	3.2	-	1.1	450	-	-
12	-	-	3.1	-	1.2	410	-	-
13	-	-	3.1	-	1.3	420	5.0	-
14	-	-	3.0	-	1.4	390	4.3	-
392	-	-	3.0	-	1.5	390	4.2	-
16	-	-	2.8	-	1.6	350	4.2	-
17	-	-	3.0	-	1.7	350	5.6	-
18	-	-	3.1	-	1.8	340	-	-
19	-	-	3.1	-	1.9	340	5.0	-
20	-	-	3.5	-	2.0	290	-	-
21	-	-	3.0	-	2.1	300	-	-
22	-	-	3.0	-	2.2	290	-	-
23	-	-	3.6	-	2.3	295	-	-

Time, 1500; f₁ = 104.5, f₂ = 25000

Length of time sweep: 0.3 sec to 14 sec in two minutes.

Table 24

Time, 1500.
Length of time sweep: 16 sec to 0.5 Mc in fifteen minutes.
Median values.Time, 1500.
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 25

(Additions and corrections to previously published provisional data)

St. John's, Newfoundland (47.7°N, 52.7°W)

May 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}S$	$f^{\circ}S$	$F2-M3000$
00	240				3.2				
C1	250				3.2				
C2	260				3.2				
C3	250				3.2				
C4	245				3.2				
C5	235				3.2				
C6	220				3.2				
C7	245				3.2				
C8	300				3.2				
C9	200				3.2				
C10	320				3.2				
C11	310				3.2				
C12	320				3.2				
C13	315				3.2				
C14	320				3.2				
C15	310				3.2				
C16	300				3.2				
C17	290				3.2				
C18	250				3.2				
C19	225				3.2				
C20	220				3.2				
C21	220				3.2				
C22	230				3.2				
C23	240				3.2				

Time: $E2-5.0^{\circ}$.
Median values.

Table 27

(Additions and corrections to previously published provisional data)

Boston, Massachusetts (42.4°N, 71.2°W)

May 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}S$	$f^{\circ}S$	$F2-M3000$
00	270				1.0				
01	268				1.2				
02	265				1.2				
03	260				1.2				
04	275				1.4				
05	250				1.2				
06	323				3.5				
07	352				3.9				
08	350				4.1				
09	370				2.5				
10	370				4.3				
11	365				4.5				
12	370				4.5				
13	330				4.5				
14	370				4.4				
15	345				4.2				
16	325				4.0				
17	302				4.0				
18	275				3.7				
19	250				4.2				
20	250				4.3				
21	250				4.2				
22	256				4.1				
23	265				3.9				

Time: $E2-5.0^{\circ}$.
Length of time sweep: 1.98 sec to 13.5 Mc. Manual operation.

Table 28

(Additions and corrections to previously published provisional data)

San Francisco, Calif. (37.4°N, 122.2°W)

May 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}S$	$f^{\circ}S$	$F2-M3000$
00	300				0.0				
01	300				0.1				
02	290				0.2				
03	290				0.3				
04	290				0.4				
05	290				3.8				
06	290				4.4				
07	370				5.0				
08	365				5.7				
09	370				3.0				
10	370				3.2				
11	385				3.1				
12	380				3.1				
13	385				3.1				
14	360				3.0				
15	340				3.0				
16	340				3.0				
17	310				3.0				
18	280				3.0				
19	250				3.0				
20	240				2.7				
21	250				2.6				
22	270				2.6				
23	290				2.6				

Time: $E2-5.0^{\circ}$.
Length of time sweep: 1.98 sec to 13.5 Mc in six minutes. Record centered.
Median values.

Table 26

(Additions and corrections to previously published provisional data)

Ottawa, Canada (45.5°N, 75.8°W)

May 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}S$	$f^{\circ}S$	$F2-M3000$
00	290				0.0				
01	320				0.1				
02	320				0.2				
03	320				0.3				
04	320				0.4				
05	320				0.5				
06	250				0.6				
07	230				0.7				
08	210				0.8				
09	200				0.9				
10	190				1.0				
11	180				1.1				
12	170				1.2				
13	160				1.3				
14	150				1.4				
15	140				1.5				
16	130				1.6				
17	120				1.7				
18	110				1.8				
19	100				1.9				
20	90				2.0				
21	80				2.1				
22	70				2.2				
23	60				2.3				

Time: $E2-5.0^{\circ}$.
Length of time sweep: 0.6 sec to 12 Mc in six minutes. Record centered.
Median values.

Table 29

(Additions and corrections to previously published provisional data)

Baton Rouge, Louisiana (30.5°N, 91.2°W) May 1945

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	F_2 -M5000
00	300	3.6					
01	300						
02	290						
03	290						
04	290						
05	270						
06	260						
07	250	240	3.8	130	2.5	3.3	
08	320	240	4.4	120	2.9		
09	370	220	4.4	120	3.0	2.9	
10	370	220	4.6	120	3.5		
11	365	6.2	220	4.6	120	3.4	
12	370	235	4.6	120	3.4	12	
13	360	240	4.6	120	3.4	13	
14	360	240	4.6	120	3.3	14	
15	340	7.6	250	4.5	120	3.3	
16	330	250	4.4	120	3.0	16	
17	310	9.6	240	3.9	130	2.5	
18	275						
19	250	7.4					
20	240						
21	265						
22	290						
23	300	3.6					

Time: 90°W.
Length of time sweep: 1.9 Mo to 9.8 Mo in three minutes thirty seconds.
Median values.

Table 31

(Additions and corrections to previously published provisional data)

San Juan, Puerto Rico (18.4°N, 66.1°W)

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	F_2 -M5000
00	5.8						
01	5.9						
02	4.8						
03	4.0						
04	4.1						
05	4.0						
06	4.4						
07	280	5.3					
08	300	6.1	220	3.9	2.9		
09	320	6.8	220	4.4	3.1		
10	350	6.6	220	4.5	3.4		
11	350	7.8	220	4.7	3.5		
12	335	8.7	230	4.7	3.5		
13	315	9.5	230	4.7	3.5		
14	300	9.2	235	4.6	3.5		
15	300	9.0	230	4.4	3.3		
16	300	10.1	210	4.2	3.1		
17	290	9.6	240	3.9	4.7		
18	280	8.8					
19	250	7.4					
20	6.3						
21	5.4						
22	6.7						
23	5.5						

Time: 90°W.
Length of time sweep: Record centered on the hour.
Median values.

Table 31

(Additions and corrections to previously published provisional data)

Christmas I. (2.0°N, 157°W)

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	F_2 -M5000
00	2.8						
01	2.9						
02	3.0						
03	2.9						
04	2.9						
05	3.0						
06	3.2						
07	3.3						
08	3.2						
09	3.0						
10	2.9						
11	2.8						
12	2.8						
13	2.8						
14	2.8						
15	2.9						
16	2.9						
17	2.9						
18	3.0						
19	3.0						
20	3.1						
21	3.0						
22	2.8						
23	2.8						

Time: 150°W.
Length of time sweep: 2 Mo to 16 Mo in one minute.
Median values.

Table 32

(Additions and corrections to previously published provisional data)

Maui, Hawaii (20.8°N, 156.5°W)

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	F_2 -M5000
00	0.1						
01	0.2						
02	0.3						
03	0.4						
04	0.5						
05	0.6						
06	0.6						
07	0.6						
08	0.7						
09	0.8						
10	0.9						
11	1.0						
12	1.1						
13	1.2						
14	1.3						
15	1.4						
16	1.5						
17	1.6						
18	1.7						
19	1.8						
20	1.9						
21	2.0						
22	2.1						
23	2.2						

Time: 150°W.
Length of time sweep: Automatic equipment.
Median values.

Table 32

(Additions and corrections to previously published provisional data)

May 1945

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	F_2 -M5000
00	0.0						
01	0.1						
02	0.2						
03	0.3						
04	0.4						
05	0.5						
06	0.6						
07	0.6						
08	0.7						
09	0.8						
10	0.9						
11	1.0						
12	1.1						
13	1.2						
14	1.3						
15	1.4						
16	1.5						
17	1.6						
18	1.7						
19	1.8						
20	1.9						
21	2.0						
22	2.1						
23	2.2						

Time: 150°W.
Length of time sweep: Automatic equipment.
Median values.

Table 32

(Additions and corrections to previously published provisional data)

May 1945

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	F_2 -M5000
00	0.0						
01	0.1						
02	0.2						
03	0.3						
04	0.4						
05	0.5						
06	0.6						
07	0.6						
08	0.7						
09	0.8						
10	0.9						
11	1.0						
12	1.1						
13	1.2						
14	1.3						
15	1.4						
16	1.5						
17	1.6						
18	1.7						
19	1.8						
20	1.9						
21	2.0						
22	2.1						
23	2.2						

Time: 150°W.
Length of time sweep: Automatic equipment.
Median values.

Table 32

(Additions and corrections to previously published provisional data)

May 1945

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	F_2 -M5000
00	0.0						
01	0.1						
02	0.2						
03	0.3						
04	0.4						
05	0.5						
06	0.6						
07	0.6						
08	0.7						
09	0.8						
10	0.9						
11	1.0						
12	1.1						
13	1.2						
14	1.3						
15	1.4						
16	1.5						
17	1.6						
18	1.7						
19	1.8						
20	1.9						
21	2.0						
22	2.1						
23	2.2						

Table 34

Additions and corrections to previously published provisional data
Huancayo, Peru (12.0°S, 76.3°W)

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00	22.0	5.9					3.3		0.0				
01	23.0	5.1					3.3	0.1	0.0				
02	23.0	4.4					3.2	0.2	0.0				
03	24.0	3.5					3.2	0.3	0.0				
04	25.0	3.2					3.2	0.4	0.0				
05	27.0	2.8					3.2	0.5	0.0				
06	27.0	3.4					1.3	0.6	0.0				
07	24.0	6.0					2.3	0.7	0.0				
08	26.0	7.7					2.3	0.8	0.0				
09	32.0	0.2					2.0	0.9	0.0				
10	34.0	0.1					2.0	0.9	0.0				
11	35.0	7.7					3.4	0.9	0.0				
12	36.0	7.4					3.5	0.9	0.0				
13	36.0	7.7					2.0	1.0	0.0				
14	33.0	7.3					2.0	1.1	0.0				
15	30.0	7.9					2.0	1.1	0.0				
16	23.0	7.3					2.0	1.1	0.0				
17	25.5	7.3					2.0	1.1	0.0				
18	27.0	7.7					2.0	1.1	0.0				
19	28.0	7.2					2.0	1.1	0.0				
20	27.5	7.3					2.0	1.1	0.0				
21	24.0	7.5					2.0	1.1	0.0				
22	23.0	6.9					2.0	1.1	0.0				
23	23.0	6.0					2.0	1.1	0.0				

Time: 75°W.
Length of time sweep, 16 hr to 0.5 hr in fifteen minutes.
Median values.

Table 35

Additions and corrections to previously published provisional data
Pitcairn I. (25.0°S, 130.0°W)

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							2.0		0.0				
01	26.6	3.4					0.1	2.0	4.02				
02							0.2	2.0	3.95				
03							0.3	2.0	3.90				
04	29.0	2.7					0.4	2.0	3.94				
05							0.5	2.0	3.50				
06	23.7	6.7					0.6	2.0	3.73				
07							0.7	2.0	5.79				
08	24.5	6.3					0.8	2.0	6.52				
09							0.9	2.0	7.02				
10	24.9	8.2					1.0	2.0	7.42				
11							1.1	2.0	7.30				
12	24.7	7.6					1.2	2.0	6.65				
13							1.3	2.0	7.18				
14	24.2	7.5					1.4	2.0	7.56				
15							1.5	2.0	7.47				
16							1.6	2.0	6.92				
17							1.7	2.0	6.06				
18	24.5	4.4					1.8	2.0	4.95				
19							1.9	2.0	4.05				
20							2.0	2.0	4.01				
21	27.1	3.6					2.1	2.0	4.01				
22							2.2	2.0	3.96				
23							2.3	2.0	3.94				

Time: 150°W.
Length of time sweep, 16 hr to 0.5 hr in fifteen minutes.
Median values.

Table 36

Additions and corrections to previously published provisional data
Rarotonga I. (21.4°S, 159.6°W)

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							0.0	2.0	2.96				
01							0.1	2.0	4.02				
02							0.2	2.0	3.95				
03							0.3	2.0	3.90				
04							0.4	2.0	3.94				
05							0.5	2.0	3.50				
06							0.6	2.0	3.73				
07							0.7	2.0	5.79				
08							0.8	2.0	6.52				
09							0.9	2.0	7.02				
10							1.0	2.0	7.42				
11							1.1	2.0	7.30				
12							1.2	2.0	6.65				
13							1.3	2.0	7.18				
14							1.4	2.0	7.56				
15							1.5	2.0	7.47				
16							1.6	2.0	6.92				
17							1.7	2.0	6.06				
18							1.8	2.0	4.95				
19							1.9	2.0	4.05				
20							2.0	2.0	4.01				
21							2.1	2.0	4.01				
22							2.2	2.0	3.96				
23							2.3	2.0	3.94				

Time: 150°W.
Length of time sweep, 16 hr to 0.5 hr in two minutes, thirty seconds.
Average values.

Table 36

Additions and corrections to previously published provisional data
Brisbane, Q., Australia (27.5°S, 153.0°E)

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							0.0	2.0	2.60				
01							0.1	2.0	3.02				
02							0.2	2.0	3.05				
03							0.3	2.0	3.02				
04							0.4	2.0	3.05				
05							0.5	2.0	3.02				
06							0.6	2.0	3.05				
07							0.7	2.0	3.02				
08							0.8	2.0	3.05				
09							0.9	2.0	3.02				
10							1.0	2.0	3.05				
11							1.1	2.0	3.02				
12							1.2	2.0	3.05				
13							1.3	2.0	3.02				
14							1.4	2.0	3.05				
15							1.5	2.0	3.02				
16							1.6	2.0	3.05				
17							1.7	2.0	3.02				
18							1.8	2.0	3.05				
19							1.9	2.0	3.02				
20							2.0	2.0	3.05				
21							2.1	2.0	3.02				
22							2.2	2.0	3.05				
23							2.3	2.0	3.02				

Time: 150°E.
Length of time sweep, 2.2 hr to 1.5 hr in two minutes, thirty seconds.
Average values.

Time: 150°W.
Length of time sweep, 16 hr to 0.5 hr in fifteen minutes.
Average values.

Raible 57

(Additions and corrections to previously published provisional data)
Kernadeo Is. (29°20'S, 177°59'W) May 1945

Time: 1600E.

69

(corrected one to avoid our published records) (date)

Time	h^{0T_2}	f^{0T_2}	h^{0T_1}	f^{0T_1}	h^{0T}	f^{0T}	$F2-M3000$
00	5.3						
01	3.0						
02	2.6						
03	2.9						
04	2.9						
05	2.7						
06							
07	4.1						
08	4.6						
09	4.7						
10	5.0						
11	5.2						
12	5.1						
13	5.6						
14	5.7						
15	5.6						
16	5.6						
17	5.8						
18	5.6						
19	5.6						
20							
21							
22							
23							

Time: 00.
Medicines are given

Table 38

(Additions and corrections to previously published provisional data)

$\nu_{\text{max}} = 1045$

Christchurch, N.Z. (43°50'S, 172°00'E)

Time	h^1P_2	f^0P_2	h^1P_1	f^0P_1	h^1E	f^0E	F^0B	F^1B
00	265	3.5					2.7	
01	270	3.2					2.5	
02	260	2.9					2.1	
03	260	3.0					1.5	
04	265	2.6					1.8	
05	240	2.4					2.2	
06.	260	2.3					2.6	
07	240	3.5					2.7	
08	230	5.4					2.1	
09	240	6.0	220	3.4	100	2.4	2.8	
10	240	6.0	220	3.3	100	2.6	3.0	
11	250	6.5	220	4.0	100	2.7	3.4	
12	260	6.5	220	4.0	100	2.7	3.0	
13	250	6.5	230	4.0	100	2.3	3.0	
14	250	6.6	230	4.0	100	2.7	3.0	
15	240	6.4	230	3.4	100	2.5	3.0	
16	230	6.1	220	2.7	100	2.4	2.6	
17	220	5.2					2.0	
18	240	4.2					2.1	
19	240	3.9					2.1	
20	250	3.6					2.9	
21	250	3.6					2.7	
22	255	3.4					2.0	
23	260	3.1					2.7	

Time: 172.502.
Length of time sweep: 2.6 ms to 12 Ms in two minutes.
Median values.

Table 40

April 11 1946

二二二

Time	$h^1 F_2$	$f^1 F_2$	$h^1 \bar{F}_1$	$f^0 \bar{F}_1$	$h^1 E$	$f^0 E$	π^0	π^0	$F_2 - M_{3000}$
00					3.6				
01					3.4				
02					3.2				
03					3.0				
04					2.8				
05					5.1				
06					5.9				
07					4.4				
08					4.6				
09					5.2				
10					5.6				
11					5.6				
12					5.4				
13					5.8				
14					6.9				
15					5.8				
16					6.0				
17					6.0				
18					6.0				
19					6.4				
20					5.7				
21					4.7				
22					3.9				
23					3.6				

Time 00.
Medium yellow

Table 41

(Additions and corrections to previously published provisional data)

April 1945

Cape York, 2°, Australia (11.00°S, 142.4°E)

Time	h°F2	f°F2	h°F1	f°F1	h°E	f°E	h°F8	f°F8	F2-M3000
00	245	4.79					3.0	0.0	3.0
01	245	4.50					3.2	0.1	
02	222	4.25					3.4	0.2	
03	218	3.19					3.4	0.3	
04	244	2.55					3.1	0.4	
05	263	2.54					2.9	0.5	
06	272	2.73					3.0	0.6	2.9
07	244	5.53					3.3	0.7	2.7
08	250	7.90	237	4.12	102	2.53	3.3	0.8	5.2
09	272	9.16	226	4.43	102	3.10	3.3	0.9	5.2
10	270	9.77	215	4.64		2.27	3.4	1.0	
11	274	9.71	213	4.74	104	3.48	3.4	1.1	
12	292	9.80	203	4.79	104	3.53	3.4	1.2	
13	301	9.60	212	4.90	106	3.50	3.1	1.3	
14	294	9.38	215	4.71	104	3.42	3.1	1.4	
15	293	9.92	213	4.52	107	3.30	3.0	1.5	9.4
16	269	10.20	225	4.26	105	3.08	3.1	1.6	9.0
17	261	10.15			106	2.54	3.2	1.7	8.2
18	239	9.69					3.3	1.8	7.0
19	232	8.42					3.2	1.9	
20	233	7.65					2.9	2.0	3.6
21	232	5.75					3.0	2.1	
22	243	4.55					2.8	2.2	
23	252	4.77					3.0	2.3	3.0

Time: 12°0E.
Average values.

Table 43

Sverdlovsk, U.S.S.R. (56.7°N, 61.1°E)

March 1945

Simontov, Union of S. Africa (33.5°S, 18.7°E)

April 1945

Time	h°F2	f°F2	h°F1	f°F1	h°E	f°E	h°F8	f°F8	F2-M3000
00	260	2.7					0.0	300	2.8
01	200	2.8					0.1	300	2.3
02	280	2.7					0.2	300	2.7
03	270	2.7					0.3	310	2.7
04	270	2.7					0.4	300	2.6
05	250	2.7					0.5	300	2.5
06	240	3.1					0.6	290	2.0
07	210	4.0					0.7	250	1.6
08	230	4.8	200	4.6	100	2.2	0.8	240	1.9
09	240	5.4	200	2.7	105	2.5	0.9	300	2.2
10	235	5.3	190	3.9	105	2.7	1.0	320	2.1
11	185	6.1	135	4.0	100	2.8	320	6.5	2.0
12	225	6.0	155	4.9	100	2.6	12	320	6.7
13	220	6.1	190	3.9	100	2.8	13	290	6.7
14	220	6.1	190	3.7	105	2.7	14	280	6.7
15	200	6.0			110	2.5	15	230	6.4
16	200	5.7			110	2.2	16	260	6.2
17	200	5.2			120	1.9	17	250	5.9
18	200	4.9			130	1.7	18	240	5.5
19	210	4.6			110	2.0	19	240	5.1
20	215	3.5			215	3.5	20	280	4.5
21	230	3.3			230	2.5	21	270	3.5
22	240	3.0			240	2.2	22	290	3.3
23	263	2.9			263	2.5	23	290	3.1

Time: 50°E.
Median f°F2. Average others.Time: 50°E.
Average values.

Table 45

(Corrections to previously published provisional data)

Table 45
Moscow, U.S.S.R. (55°30'N, 37°60'E)

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}S$	$f^{\circ}N$	$F2-M5000$
00	2.8								5.0
01	2.9								3.4
02	2.8								3.3
03	2.9								3.1
04	2.5								3.2
05	2.9								3.0
06	3.5								3.0
07	4.2								4.5
08	4.9								0
09	5.5								6.8
10	5.7								7.0
11	5.9								7.5
12	5.5								8.3
13	6.0								8.4
14	6.0								8.4
15	5.7								7.5
16	5.6								6.7
17	5.5								6.2
18	6.3								7.4
19	4.7								6.6
20	4.2								4.6
21	3.7								4.2
22	2.7								3.3
23	3.1								3.4

Time: 300E.
Average values.

Table 47

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00	240	3.7			110	2.3	
01	240	4.0			100	2.4	
02							
03							
04							
05							
06							
07							
08							
09							
10	270	4.2			110	2.2	
11							
12	240	4.5			110	2.1	
13							
14	250	4.4			110	2.2	
15							
16							
17							
18							
19	240	4.7			100	4.0	
20							
21							
22	230	4.4			110	2.3	
23							

Time: 300E.
Average values.

Table 48

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							
01							
02							
03							
04							
05							
06							
07							
08							
09							
10	270				110	2.2	
11							
12	240				110	2.1	
13							
14	250				110	2.2	
15							
16							
17							
18							
19	240				100	4.0	
20							
21							
22	230				110	2.3	
23							

Time: 150E.

Length of time sweep: 2 Mc to 16 Mc in one minute.

Median values.

Table 49

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							
01							
02							
03							
04							
05							
06							
07							
08							
09							
10	270				110	2.2	
11							
12	240				110	2.1	
13							
14	250				110	2.2	
15							
16							
17							
18							
19	240				100	4.0	
20							
21							
22	230				110	2.3	
23							

Time: 150E.

Length of time sweep: 2 Mc to 16 Mc in one minute.

Median values.

Table 46

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							
01							
02							
03							
04							
05							
06							
07							
08							
09							
10	270				110	2.2	
11							
12	240				110	2.1	
13							
14	250				110	2.2	
15							
16							
17							
18							
19	240				100	4.0	
20							
21							
22	230				110	2.3	
23							

Time: 150E.

Length of time sweep: 2 Mc to 16 Mc in one minute.

Median values.

Table 45

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							
01							
02							
03							
04							
05							
06							
07							
08							
09							
10	270				110	2.2	
11							
12	240				110	2.1	
13							
14	250				110	2.2	
15							
16							
17							
18							
19	240				100	4.0	
20							
21							
22	230				110	2.3	
23							

Time: 150E.

Length of time sweep: 2 Mc to 16 Mc in one minute.

Median values.

Table 46

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-M5000$
00							
01							
02							
03							
04							
05							
06							
07							
08							
09							
10	270				110	2.2	
11							
12	240				110	2.1	
13							
14	250				110	2.2	
15							
16							
17							
18							
19	240				100	4.0	
20							
21							
22	230				110	2.3	
23							

Time: 150E.

Length of time sweep: 2 Mc to 16 Mc in one minute.

Median values.

Table 47

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	<
------	----------------	----------------	----------------	---

Table 49

Tomsk, U.S.S.R. (56.5°N, 85.2°E)

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-K1000$
00	300	2.9					
01	300	3.0					
02	310	3.0					
03	310	3.0					
04	300	2.9					
05	290	2.9					
06	280	2.8					
07	280	2.8					
08	250	4.2					
09	250	5.4					
10	250	6.1					
11	260	6.5	24.0				
12	260	6.7	23.0				
13	260	6.9	24.0				
14	260	7.0	23.0				
15	240	6.7	24.0				
16	240	6.2					
17	230	5.7					
18	230	4.9					
19	240	3.3					
20	260	3.2					
21	280	2.9					
22	300	2.8					
23	300	2.9					

Time: 90°E.
Average values.

Table 50

Moscow, U.S.S.R. (55.8°N, 37.0°E)

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-K1000$
00	00						
01	01						
02	02						
03	03						
04	04						
05	05						
06	06						
07	07						
08	08						
09	09						
10	10						
11	11						
12	12						
13	13						
14	14						
15	15						
16	16						
17	17						
18	18						
19	19						
20	20						
21	21						
22	22						
23	23						

Time: 30°E.
Average values.

Table 51

February 1945

February 1946

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-K1000$
00	00						
01	01						
02	02						
03	03						
04	04						
05	05						
06	06						
07	07						
08	08						
09	09						
10	10						
11	11						
12	12						
13	13						
14	14						
15	15						
16	16						
17	17						
18	18						
19	19						
20	20						
21	21						
22	22						
23	23						

Time: 30°E.
Average values.

Table 52

January 1945

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$F2-K1000$
00	250	4.7					
01	250	3.9					
02							
03							
04							
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							

Time: 30°E.
Average values.Time: 60°E.
Average values.

Table 52

Tomsk, U.S.S.R. (56.5°N, 85.2°E)
January 1945

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}M$	$f^{\circ}M$	$F2-M3000$
00	300	2.9							
01	290	2.9							
02	300	2.9							
03	290	2.9							
04	290	2.9							
05	290	2.9							
06	300	2.6							
07	300	2.4							
08	270	2.9							
09	240	4.7							
10	240	5.6							
11	240	6.2							
12	240	6.6							
13	230	6.7							
14	230	6.5							
15	230	6.8							
16	230	5.5							
17	240	4.4							
18	250	3.4							
19	280	2.5							
20	320	2.3							
21	340	2.5							
22	300	2.7							
23	300	2.8							

Time: 90°E.
Average values.

Time: 300°E.
Average values.

Table 53

Moscow, U.S.S.R. (55.8°N, 37.6°E)

January 1945

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$h^{\circ}M$	$f^{\circ}M$	$F2-M3000$
00					0.0	3.1			
					01	3.1			
					02	3.2			
					03	3.1			
					04	2.9			
					05	2.8			
					06	2.7			
					07	3.0			
					08	4.6			
					09	5.7			
					10	6.2			
					11	6.0			
					12	6.4			
					13	6.8			
					14	5.7			
					15	5.5			
					16	4.7			
					17	3.7			
					18	2.9			
					19	2.5			
					20	2.6			
					21	2.8			
					22	2.7			
					23	2.7			

TABLE 55
IONOSPHERE DATA-2

Washington, D.C. Ionosphere Station.

National Bureau Of Standards
(Institution)

RESTRICTED

Height of $\text{f}^{\circ}\text{F}_2$ in m for June 1945
(cont.)

Records measured by J. B. C.
W.A.T.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	3.6 F	3.2 F	2.7 F	[2.7] A	2.7 F	[3.5] A	4.6	5.0	5.6	5.5	5.4	5.5	5.5	5.5	[6.0] C	[6.0] C	6.1	6.0	6.0	6.4	6.7	(6.6)	(6.4)	5.3	4.3	
2	4.2	4.0	(3.5)	3.1	3.0	3.5	4.3	5.4	5.3	5.8	6.2	5.7	5.9	5.8	5.8	(5.8)	6.2	6.3	6.6	(6.4)	(6.7)	(5.8)	5.6	[4.8] C		
3	4.7	4.4	4.0	3.6	3.4	4.3	5.0	5.2	5.7	5.6	(5.9)	6.0	5.9	6.1	6.2	6.0	5.8	5.9	6.0	(6.7)	(6.6)	5.5	4.9	4.5		
4	4.3	3.9	3.8	3.5	3.4	3.9	5.0	5.3	(6.0)	5.9	6.6	6.4	6.6	6.7	(6.2)	(6.0)	6.0	6.4	(7.0)	(7.3)	[6.4] A	5.8	[4.6] F	4.8		
5	4.4	4.1	3.5	(3.5) F	(3.5) A	(3.2)	(3.9)	5.0	4.7	5.4	5.5	5.7	5.6	5.7	6.2	6.4	6.2	6.1	6.3	6.8	(7.6) C	6.1	5.9	4.5		
6	4.4 F	(4.2) K	(3.2) K	(3.2) K	(3.1) K	(3.1) K	(3.1) K	3.4 K	4.0 K	4.6 K	(4.3) K	5.0 K	(4.8) K	(4.8) K	(4.9) K	(5.2) K	(4.9) K	5.2 K	6.0	5.7	5.7	5.5 F	5.0	4.4	4.1	
7	(3.3)	(3.6)	(2.7)	(2.2) B	(2.5) J	(3.7)	(4.0)	4.2	(4.7)	4.7	5.2	5.6	5.7	C	C	C	5.8	6.4	7.4	7.5	6.8	(6.1)	4.9	4.1	(3.6) C	
8	(3.2)	(3.1)	(2.9)	(2.8)	(2.8)	(3.6)	(4.1)	(4.5)	(4.8)	(4.8)	(5.0)	(5.1) C	(5.1) C	(5.1) A	(5.6) A	(5.6) A	C	C	C	C	6.2	7.2	7.2	(6.0)	5.8	(5.0)
9	(4.3)	3.5	3.5	(3.1) F	(3.9) F	(3.9) F	(4.2)	(4.0)	(4.9)	(4.6)	(5.6) F	6.0	(5.4)	5.5	5.6	5.6	5.7	5.9	6.2	7.6	(7.2)	(6.0)	5.7	5.1	[4.7] C	
10	4.9	4.5	4.2	3.9	(2.9)	(3.4)	4.3	4.3	5.0	5.3	5.5	(6.4)	5.5	5.4	5.2	5.7	5.9	5.8	6.2	6.3	5.5	C	C	C	C	
11	[4.4] C	4.3	3.7	(3.5)	2.9	3.4	3.5	4.2	4.7	5.3	5.8	6.1	(6.2)	6.0	5.7	6.1	5.7	(6.3)	C	C	C	C	C	C	C	
12	4.3	4.3	3.7	(3.4) J	(3.1) F	(3.5)	4.6	5.2	(5.4)	(5.7)	(6.5)	6.1	6.0	6.2	6.3	6.1	6.4	(6.7)	6.7	[7.0] C	6.8	(6.0)	5.6	5.3		
13	4.9	4.2	3.9	3.8	3.8	3.7	(4.0)	4.2	4.8	5.3	5.7	6.2	(5.9)	(6.3)	6.4	6.5	6.6	6.8	6.5	6.8	(6.2)	5.9	5.4	4.7		
14	4.7	4.6	4.0	3.9	3.5	(4.1) C	5.3	6.3	7.2	6.2	6.1	6.2	6.3	6.4	6.9	6.4	5.9	2.0	7.6	7.6	7.1	6.0	5.1	4.8		
15	4.4	4.0	3.4	(3.4)	3.9	4.7	5.1	5.5	6.0	5.7	5.6	5.7	5.7	5.7	5.5	5.8	6.0	(6.1)	6.5	6.4	(6.2)	5.6	4.6	4.2		
16	4.0	3.7	3.5	3.5	(3.4)	4.0	4.5	4.8	5.6	5.6	5.6	6.3	(6.2)	6.2	6.4	6.4	6.5	6.4	6.4	(6.7)	6.7	6.2	5.8	(5.3)	5.1	
17	4.4	4.0	3.9	3.7	(3.5)	(3.7)	4.5	4.8	5.2	5.5	5.7	6.0	6.4	6.4	6.4	6.4	6.4	6.3	6.4	6.7	(6.3)	(6.9)	5.8	5.1	4.8	
18	4.5	4.3	4.0	3.9	3.8	4.1	(4.7)	5.3	5.7	5.5	(5.4)	5.5	(5.6)	5.5	[5.6] C	5.6	5.6	5.6	5.8	(6.4)	(5.9)	5.6	5.3	4.7		
19	4.6	4.4	4.0	3.7	3.7	3.8	4.5	5.3	(5.5) C	(5.7)	(5.7)	(5.8)	(6.0)	(6.3)	(6.1)	6.6	5.8	5.7	5.5							
20	5.3	5.0	4.3	3.6 F	3.8	3.9	4.5	4.4	4.6	5.5	6.1	5.7	6.2	5.9	6.4	6.0	6.2	6.6	6.4	6.2	6.5	(6.0)	5.8	5.4		
21	5.3	5.0	4.6	3.6	3.5	(4.2)	5.2	(5.7)	5.5	5.7	5.8	6.0	(5.9) C	5.9	5.7	5.3	5.6	5.5	[5.7] A	(5.6) A	(5.0)	(5.8)	5.8	5.5		
22	4.7 F	4.2 F	3.7 F	(3.3) F	(3.3)	3.8	3.5	5.1	5.8	6.4	(7.2)	6.6	6.5	6.4	C	C	6.6	6.6	6.6	(6.8)	[7.7] A	7.4	6.8	(6.0)	5.7	5.1
23	4.7	4.5	3.9	3.5	[3.4] A	3.9	4.6	(5.3)	5.7	(5.7)	6.0	6.4	6.0	6.4	6.6	6.2	6.1	6.4	6.8	(6.8)	6.7	(6.6)	5.8	5.6		
24	4.5	4.6 F	4.3 F	3.6 F	(3.4)	3.5	4.2	(4.8)	5.5	5.7	5.7	5.9	5.7	(5.7)	6.5	5.9	6.3	(6.6)	(6.6)	(6.8)	(6.2)	5.5	5.2			
25	4.5	4.9	(4.7)	(3.8) F	[3.6] A	4.0	5.1	5.6	6.4	6.5	6.6	6.6	(6.1)	(6.3)	6.4	6.4	6.4	6.6	6.0	(6.2)	5.8	5.0	4.7			
26	4.4	4.4	4.0	(3.5)	(3.3)	3.3	3.7	4.4	4.9	5.5	5.7	5.8	6.2	6.0	5.9	6.2	5.9	6.0	6.2	6.6	(7.1)	6.8	6.1	5.4	4.7	
27	4.5	(4.2)	4.1	(3.3) K	(3.3) K	3.6 K	3.8 K	(4.4) K	4.2 K	4.8 K	5.4 K	(4.9) K	(4.9) K	(4.9) K	(4.9) K	(4.9) K	4.8 K	5.0 K	5.1 K	5.4 K	(4.7) K	(4.6) K	[4.0] K	(3.8) K		
28	4.7 F	(3.5) F	2.5 F	(1.9) F	3.8	(4.4)	(4.7)	5.0	6.0	C	C	C	C	C	5.5	5.3	5.4	5.2	(5.2)	(5.6)	5.2	(4.7) F				
29	4.7 F	(4.2)	3.9	3.7 F	(3.3) F	3.8	(4.5)	5.0	(5.0)	4.8	5.0	(5.5)	5.2	5.6	6.1	(6.4)	(6.4)	5.7	5.4	4.9	(4.6)	3.9	3.7			
30	3.6	[3.5] A	[3.3] A	3.2	2.9 F	(3.5)	(3.8)	(5.3)	4.7	(4.8)	A	A	A	A	A	5.4	5.8	(5.4)	6.0	5.9	5.8	[3.6] C	[5.6] C			
31	Sum	4.4	4.2	3.8	3.5	3.4	3.8	4.5	5.0	5.4	5.6	5.7	6.0	5.9	5.8	5.9	5.9	6.0	6.3	6.4	6.6	5.6	5.3	4.8		

RESTRICTED

Records measured by: J. M. C.

TABLE 56
IONOSPHERE DATA - 3

Washington, D. C. Ionosphere Station

(Location) National Bureau Of Standards
(Institution)

TIME: 75° N MERIDIAN

Half hourly values of $f^{\circ} F_2$ for June 195

(Month)

W.A.T.

Day	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330	
1	3.4 ^F	4.8 ^F	(3.0) ^F	[2.7] ^A	3.0 ^F	4.2	4.6	5.3	5.6	5.5	5.6	5.4	5.5	6.0	6.2	6.0	6.0	(6.0)	6.4	(6.8)	6.6	5.7	4.5	4.4	
2	4.0	3.7	3.3	3.0 ^F	3.2	4.1	4.8	5.6	5.8	5.6	5.9	5.6	5.8	5.5	5.5	5.8	(6.4)	6.2	(6.3)	(6.7)	6.2	5.6	5.3	4.6	
3	4.5	4.1	3.6	3.4	3.6	4.8	5.3	5.5	5.1	5.8	5.5	5.8	6.2	6.0	5.9	6.2	6.1	(6.3)	7.2	6.4	5.2	4.5	4.4		
4	4.2	3.9	3.4	3.4	(3.2) ^F	(4.4)	5.0	5.8	(5.5)	5.8	6.7	6.4	6.6	(6.8)	6.3	6.0	6.5	6.6	7.6	(7.0)	(6.2)	5.6	(4.6) ^F		
5	4.3	3.8	(3.5) ^J	(3.3) ^J	(3.3) ^J	4.2	5.0	5.2	(5.5)	5.6	5.5	5.6	5.6	5.6	6.0	6.2	6.3	6.0	(6.5)	(6.8)	6.9	5.6	4.6 ^K		
6	4.4 ^K	3.8 ^F	(3.3) ^J	(3.3) ^J	(3.3) ^J	4.0 ^J	4.6 ^K	>4.2 ^G	(5.3) ^K	(4.9) ^K	5.2 ^K	5.1 ^K	5.4 ^K	5.7 ^K	5.7	5.7	5.7	(5.3) ^J	5.0	4.4	(3.8)	(3.4) ^J			
7	(2.9)	(3.2)	(2.0)	(2.5) ^J	(2.7)	4.4	4.2	(4.4)	(5.3)	5.4	(5.1)	5.6	C	C	5.9	6.1	7.2	7.5	7.6	(7.4)	5.4	4.4	4.1	(3.2) ^J	
8	(3.4)	2.7	2.8	(2.8) ^F	2.6	3.5	(3.8)	(4.4)	4.9	(4.6) ^J	(5.0)	5.5	5.7	5.5	5.3	C	C	C	C	(6.4)	7.6	(6.6)	5.7	5.3	(4.2)
9	4.0	(3.3)	(3.2) ^J	3.4	3.3 ^F	(9.0)	>3.9 ^G	(4.4) ^J	5.0	5.6	6.2	(5.5)	(5.2)	5.4	5.7	5.7	5.9	5.8	(7.0)	7.4	6.6	5.8	5.5	5.3	
10	4.7	4.4	4.0	3.3	(3.1)	3.9	4.4	4.8	4.8	4.9	5.6	5.6	(5.6)	(5.5)	5.6	5.7	5.7	6.0	6.3	6.5	5.5	C	C	C	
11	4.3	4.0	3.5	3.1	3.2	3.7	4.8	4.8	5.4	(5.8)	6.3	(5.8)	6.8	5.8	5.8	6.2	C	C	C	C	C	C	C		
12	4.3	4.0	3.5	(3.5)	(3.4)	4.0	4.6	5.3	5.7	6.2	6.6	5.8	6.2	6.4	6.0	6.4	6.4	6.7	6.7	(7.2)	(7.0)	5.8	5.3	5.1	
13	4.4	4.1	3.9	3.5 ^F	3.4	4.0	4.7	5.0	(5.5)	(5.8)	(6.0)	6.4	6.4	6.4	6.6	6.5	6.4	6.6	(6.7)	6.6	(6.2)	5.6	5.1	4.5	
14	4.8	4.1	3.8 ^J	3.6	3.5	4.7	5.7	6.5	(6.8)	6.1	6.3	6.3	6.4	6.6	7.1	6.5	7.0	(7.0)	7.7	6.8	(6.4)	5.6	5.0	4.6	
15	4.2	4.0	3.6	3.5 ^J	3.5	4.2	4.7	(5.7)	5.8	6.1	5.9	5.6	5.7	5.8	5.8	5.8	5.8	6.2	(6.2)	6.4	(5.8)	5.1	4.2	4.2	
16	3.8	3.7	3.5	3.5	3.4	4.1	4.7	5.1	(5.7)	6.0	6.0	6.2	6.2	6.6	6.5	6.6	6.4	6.9	(6.7)	6.0	5.8	5.4	5.3	4.4	
17	4.0	4.2	3.8	(4.1)	3.9	4.2	5.0	4.9	(5.3)	5.5	6.0	(6.2)	6.4	6.4	6.0	6.5	6.4	6.4	6.4	6.8	6.6	(6.0)	5.4	5.0	4.8
18	4.4	4.2	3.9	3.8	3.8	4.6	5.5	5.5	5.4	5.7	5.7	5.7	5.7	5.6	5.5	6.0	5.7	5.7	5.8	(5.9)	(6.2)	5.5	5.3	4.8	
19	[4.5] ^C	4.3	[3.7] ^C	3.8	3.5	4.2	5.0	5.7	[5.4] ^C	5.4	5.6	[5.5] ^A	5.6	5.6	5.5	6.0	[6.2] ^A	[6.2] ^B	[6.3] ^A	[6.2] ^B	6.2	5.8	5.5	5.4	
20	5.1	3.9	3.9	3.5	4.4	4.6	4.9	6.0	5.9	6.3	6.2	6.3	(5.8)	6.3	6.6	6.2	6.2	6.2	6.8	6.4	5.9	5.6	5.2		
21	4.9	4.9	4.6	(3.6)	3.7	4.5	(5.2)	5.2	5.7	5.6	5.8	5.4	5.7	5.7	5.7	5.5	(5.6)	(5.6)	5.8	(5.3) ^B	(6.1)	(5.8)	5.7	(4.8)	
22	4.4 ^F	3.9 ^F	(3.4) ^F	(3.3)	4.2	5.2	6.4	(6.8)	6.1	6.4	6.4	C	C	C	C	6.4	6.6	7.0	(7.2) ^A	(6.5)	(6.0)	(5.1)	5.0		
23	4.5	4.3	3.5	[3.5] ^A	(3.4)	4.5	(5.1)	5.9	5.8	6.3	6.1	6.5	6.6	6.2	6.3	6.6	7.1	6.6	(6.4)	6.4	5.6	5.6	5.6		
24	5.2 ^F	4.5 ^F	3.9 ^F	3.5	(3.4)	3.7	4.5	5.1	5.7	5.6	5.5	5.8	6.0	5.8	5.8	5.6	5.6	(6.1)	[6.6] ^A	(6.6)	6.6	5.8	5.3	5.1	
25	4.8	4.7 ^F	4.0 ^F	[3.6] ^F	(4.0)	4.8	5.6	6.0	6.6	6.6	6.6	6.3	6.3	6.5	6.2	(6.5)	6.5	6.6	5.7	(5.7)	5.7	5.7	4.7	4.3	
26	4.2	3.8	3.4	3.0 ^J	4.3	4.8	5.3	5.5	(5.7)	5.7	5.7	5.7	5.7	5.9	5.9	6.1	6.6	(6.8)	(7.1)	(6.3)	5.7	5.2	4.4		
27	4.4	4.2	4.0	3.8 ^K	(3.3) ^K	3.8 ^K	(4.2) ^K	(4.7) ^K	4.8 ^K	5.3 ^K	4.9 ^K	4.2 ^K	4.7 ^K	4.7 ^K	4.7 ^K	5.1 ^K	5.2 ^K	[5.2] ^K	(5.4)	4.3 ^K	3.8 ^K	(4.6) ^F			
28	(3.6) ^K	(3.6) ^K	[2.8] ^K	2.2 ^K	3.8	4.2	4.8	5.5	5.0	C	C	C	C	5.5	5.4	5.2	5.5	5.6	5.6	5.8	(5.7)	4.8 ^F	(4.7) ^F		
29	4.4 ^F	4.0	(3.7) ^F	3.8 ^F	(3.3) ^F	4.5	[4.7] ^A	(4.7)	5.6	(5.3)	>4.5 ^G	5.2	5.2	5.4	5.7	5.7	5.9	(6.5)	(6.4)	5.4	5.4	4.9	4.2	3.9	
30	(3.5)	(3.3)	3.0 ^F	2.8 ^F	(3.8)	4.7	4.8	(5.0)	A	A	5.4	6.0	6.0	(5.9)	(6.1)	5.8	5.8	5.2	(5.2)	C	C	C			
31																									
Median	4.4	4.0	3.5	3.4	3.4	4.2	4.8	5.2	5.5	5.7	5.9	5.8	5.7	5.8	6.0	6.2	6.2	6.4	6.6	6.6	6.2	5.6	5.0	4.6	

TABLE 59
IONOSPHERE DATA

**Ionosphere Station
Washington, D.C.**

National Bureau Of Standards

IONOSPHERE DATA - 5

RECEIVED
LIBRARY
UNIVERSITY OF TORONTO LIBRARIES

Roughly values of H.E in m for June 1945
Records measured by J. P. G.

TIME 75°W MERIDIAN

TABLE 60
IONOSPHERE DATA - 7
Washington, D.C.
(Location)
National Bureau Of Standards
(Institution)

Day	TIME: 75°W MERIDIAN												TIME: 145°E (W.A.T.)													
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	A	A	A	A	A	A	A	(2.7)	3.1	A	3.4	(3.6)	[3.7]C	[3.4]C	3.4	(3.2)	(2.9)	A								
2	A	A	A	A	A	A	A	2.4	(2.8)	(3.1)	3.5	3.5	B	A	A	(3.2)	[3.0]A	A								
3	A	A	A	A	A	A	A	(2.7)	(3.1)	A	3.5	3.6	(3.6)	A	A	3.1	[2.9]A	[2.4]A	A							
4	A	A	A	A	A	A	A	2.5	(3.3)A	A	(3.4)	[2.5]A	(3.8)	(3.6)	(3.4)	A	A	3.4	3.6	A						
5	A	A	A	A	A	A	A	2.5	(3.1)A	A	(3.4)	[2.5]A	(3.5)A	A	A	A	A	3.4	(3.3)	A	(2.1)	K				
6	A	A	A	A	A	A	A	1.8	2.4	(2.9)	A	A	C	C	C	A	A	(3.2)	3.5	(1.6)	0.9					
7	A	A	A	A	A	A	A	1.8	2.5	(3.0)A	(3.4)	(3.3)	A	B	3.6	(3.5)	3.6	3.4	3.4	3.3	2.8	1.7				
8	A	A	A	A	A	A	A	1.7	2.6	A	A	A	A	A	A	C	C	C	C	C	C	C	A			
9	A	A	A	A	A	A	A	1.7	2.6	(3.1)	(3.4)	(3.4)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)		
10	A	A	A	A	A	A	A	1.7	2.6	(3.1)	(3.3)A	(3.4)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)		
11	A	A	A	A	A	A	A	1.7	2.6	A	A	A	(3.6)	A	B	C	C	C	C	C	C	C	C	C		
12	A	A	A	A	A	A	A	1.7	2.6	A	A	A	A	A	A	A	A	3.5	[3.5]A	3.4	(2.8)	(2.0)				
13	A	A	A	A	A	A	A	1.7	2.6	[3.2]A	A	A	A	A	A	A	A	A	A	[3.3]A	(2.9)	A				
14	A	A	A	A	A	A	A	1.7	2.5	(2.5)	A	A	(3.5)	[3.6]A												
15	A	A	A	A	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
16	A	A	A	A	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
17	A	A	A	A	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
18	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
19	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
20	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
21	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
22	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
23	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
24	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
25	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
26	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
27	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
28	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
29	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
30	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
31	A	A	C	C	A	A	A	1.7	2.5	(2.5)	(3.3)A	(3.4)	(3.5)A	(3.5)A	(3.6)A											
32	Median																									

RESTRICTED

Records measured by: J.M.C.

W.A.T.

TABLE 61

Washington, D.C. Ionosphere Station

IONOSPHERE DATA - 8

(Location) National Bureau Of Standards

(Institution)

TIME: 75° W MERIDIAN

Hourly values of E_s in no_{in} for June 1945 (Month)

Records measured by J.M.C.

W.A.T.

RESTRICTED

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	5.9 /10	5.3 /10	6.3 /10	6.0 /10	6.9 /100	5.4 /100	4.2 /100	5.2 /100	4.6 /100	4.3 /100	4.2 /100	4.3 /100	4.2 /100	4.3 /100	4.5 /100	4.6 /100	4.5 /100	4.6 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100		
2	3.4 /100	4.6 /100	3.6 /100	3.0 /100	3.4 /100	3.6 /100	4.3 /100	3.4 /100	3.5 /100	3.8 /100	3.7 /100	5.7 /100	5.7 /100	6.1 /100	4.6 /100	(4.9) /100	5.4 /100	3.6 /100	3.2 /100	3.4 /100	4.2 /100	4.2 /100	4.2 /100		
3	1.6 /100	1.4 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100	1.1 /100		
4	2.6 /100	1.7 /100	2.9 /100	3.0 /100	3.7 /100	4.6 /100	5.0 /100	4.5 /100	5.8 /100	4.7 /100	5.9 /100	3.7 /100	4.1 /100	3.4 /100	3.9 /100	4.1 /100	4.7 /100	5.0 /100	6.0 /100	5.0 /100	5.2 /100	5.7 /100	5.4 /100	5.4 /100	
5	2.6 /100	1.6 /100	1.4 /100	1.4 /100	1.4 /100	2.5 /100	4.1 /100	4.1 /100	4.7 /100	4.7 /100	4.6 /100	3.4 /100	4.2 /100	4.1 /100	4.6 /100	4.2 /100	4.2 /100	4.2 /100	4.2 /100	4.2 /100	4.2 /100	4.2 /100	4.2 /100	4.2 /100	
6	4.2 /100	5.7 /100	4.0 /100	4.6 /100	4.0 /100	4.0 /100	4.0 /100	4.0 /100	4.3 /100	5.3 /100	5.3 /100	4.0 /100	4.6 /100	4.6 /100	4.6 /100	4.6 /100	4.6 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	
7	1.7 /100	1.5 /100	1.2 /100	1.7 /100	1.6 /100	2.6 /100	3.9 /100	3.9 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	
8																									
9	1.0 /100	1.0 /100	1.0 /100	1.0 /100	1.0 /100	2.9 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	3.9 /100	4.3 /100	4.4 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100
10	2.6 /100	2.7 /100																							
11	2.9 /100	2.6 /100	(1.5) /20	2.7 /100	2.7 /100	4.0 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	(4.2) /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100
12	3.4 /100	3.8 /100	2.8 /100	3.4 /100	3.5 /100	3.4 /100	4.4 /100	4.4 /100	4.4 /100	4.4 /100	4.4 /100	(3.9) /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100
13	4.3 /100	3.6 /100	3.8 /100	2.8 /100	2.8 /100	3.1 /100	3.4 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	3.1 /100	
14	5.7 /100	4.4 /100	3.5 /100	3.4 /100	4.5 /100	4.5 /100	4.9 /100	4.9 /100	4.9 /100	4.9 /100	4.9 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	
15	3.4 /100	3.0 /100	2.5 /100	2.5 /100	2.5 /100	3.0 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	5.3 /100	
16	2.8 /100	4.7 /100	3.4 /100	3.9 /100	3.6 /100	4.0 /100	5.9 /100	5.9 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100	6.0 /100		
17	2.7 /100	3.0 /100	3.5 /100	6.4 /100	(6.6) /100	4.1 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	
18	2.9 /100	1.9 /100	1.1 /100	1.2 /100	1.2 /100	1.8 /100	3.4 /100	4.0 /100	3.7 /100	4.0 /100	4.0 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	
19	3.4 /100	4.1 /100	3.5 /100	4.0 /100	3.7 /100	3.7 /100	4.0 /100	4.0 /100	4.0 /100	4.0 /100	4.0 /100	4.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	
20	3.3 /100	1.1 /100	2.8 /100	2.8 /100	2.5 /100	3.1 /100	3.3 /100	3.4 /100	3.7 /100	3.7 /100	3.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	5.7 /100	
21	1.0 /100	3.3 /100	3.5 /100	2.6 /100	2.6 /100	2.9 /100	(3.3) /100	4.2 /100	5.9 /100	4.0 /20	3.6 /20	3.8 /20	3.8 /20	3.8 /20	3.8 /20	3.8 /20	3.8 /20	3.8 /20	3.8 /20	(3.2) /100	3.7 /20	3.7 /20	3.7 /20		
22	6.4 /100	4.8 /100	2.0 /100	5.7 /100	5.7 /100	8.5 /100	6.7 /100	6.4 /100	6.4 /100	5.5 /100	5.2 /100	5.7 /100	6.6 /100	6.6 /100	5.8 /100	5.8 /100	4.2 /100	4.2 /100	5.0 /100	5.0 /100	4.7 /100	4.7 /100	4.7 /100	4.7 /100	
23	4.2 /100	3.9 /100	4.1 /100	4.1 /100	4.3 /100	5.7 /100	5.7 /100	4.4 /100	5.0 /100	5.0 /100	5.0 /100	5.0 /100	5.0 /100	5.0 /100	5.0 /100	5.0 /100	4.1 /100	4.1 /100	4.1 /100	4.1 /100	4.1 /100	4.1 /100	4.1 /100	4.1 /100	
24	2.5 /100	2.6 /100	2.7 /100	2.8 /100	1.1 /100	2.8 /100	4.1 /100	4.5 /100	5.0 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	6.4 /100	6.4 /100	6.3 /100	6.3 /100	6.3 /100	6.3 /100	6.3 /100	6.3 /100	
25	4.2 /100	5.0 /100	4.6 /100	6.4 /100	6.4 /100	7.0 /100	4.9 /20	4.7 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	5.1 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	
26	2.8 /100	1.1 /100	1.0 /100	1.2 /100	1.2 /100	2.7 /100	3.7 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	
27																									
28	4.3 /100	4.4 /100	2.9 /100	3.0 /100	2.7 /100	3.7 /100	3.7 /100	4.3 /100	4.8 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	4.3 /100	
29	3.3 /100	4.0 /100	4.0 /100	3.5 /100	3.5 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	2.6 /100	4.1 /100	4.1 /100	3.8 /100	3.8 /100	3.8 /100	3.8 /100	3.8 /100	3.8 /100	
30	5.9 /100	6.2 /100	5.0 /100	4.9 /100	4.1 /100	3.7 /100	3.7 /100	3.8 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	4.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	5.5 /100	
31																									
Sum	2.9	3.2	2.9	3.2	3.2	3.4	4.2	4.4	4.4	5.2	5.0	4.5	4.4	4.6	4.2	4.3	4.1	4.4	4.2	4.3	4.1	4.4	4.2	4.3	4.1
Median	2.9	3.2	2.9	3.2	3.2	3.4	4.2	4.4	4.4	5.2	5.0	4.5	4.4	4.6	4.2	4.3	4.1	4.4	4.2	4.3	4.1	4.4	4.2	4.3	4.1

Washington, D.C. Ionosphere Station

TABLE 62
IONOSPHERE DATA - 9

卷之三

National Bureau Of Standards

TABLE 62
IONOSPHERE DATA-9

Washington, D. C. Ionosphere Station

TABLE 63
ATMOSPHERE DATA-10

Ionosphere Station

卷之三

卷之三

RESTRICTED

IONOSPHERE. DATA-10

IONOSPHERE DATA--

RESTRICTED

National Bureau of Standards

Washington, D.C.

RESTRIC

Hourly values of F1-M3000 for June 1945
 IONOSPHERE DATA - II

Records measured by: J.M.C.

TABLE 65

Washington, D.C. Ionosphere Station
 (Location) Ionosphere Station

IONOSPHERE DATA- 12

National Bureau Of Standards
 (Institution)

RESTRICTED

Hourly values of E-M1500 for June 1945
 (Month)

TIME: 75° W MERIDIAN

W.A.T.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1							A	A	A	A	(4.5)	(4.2)	C	C	4.0	(4.1)	A	A							
2							A	A	3.9	A	B	A	A	A	A	(4.1)	A	A							
3							A	A	A	(4.3)	A	A	A	A	A	(4.3)	A	A	A						
4							A	A	A	A	A	(4.4)	4.2	(4.2)	A	A	4.0	3.9	A						
5							A	(3.7)	A	A	(4.2)	A	(4.2)	(4.1)	(4.3)	(4.1)	4.0	(3.9)	A	(4.0)	K				
6							K	A	K	(4.0)	A	K	(4.5)	B	K	A	K	A	(4.1)	(3.8)	(3.9)	3.9			
7							A	A	A	A	A	A	A	C	C	A	A	(4.1)	(4.0)	A	C				
8							(4.1)	A	A	A	C	A	A	A	C	C	C	A	A						
9							C	(4.0)	A	(4.2)	(4.4)	A	B	4.2	(4.3)	4.1	4.0	4.2	4.1	(3.7)	4.0				
10							(3.7)	4.0	A	A	A	A	A	(4.2)	4.3	C	A	(4.1)	3.9	A					
11							A	(4.1)	A	(4.1)	(4.2)	(4.3)	A	(4.0)	(4.3)	A	(4.3)	A	B	C	C	C	C		
12							A	A	A	A	A	A	A	B	4.3	A	4.4	A	4.1	(4.3)	(3.8)				
13							A	A	A	A	A	A	A	B	4.3	4.1	(4.4)	C	A	A	A	A	A		
14							A	A	A	A	A	A	A	A	A	(4.5)	4.2	A	A	A	A	A	A		
15							A	A	A	(4.3)	A	A	A	A	A	A	A	A	4.1	A	A				
16							A	A	A	A	A	A	A	A	A	A	A	A	4.1	(4.2)	A				
17							A	A	A	A	(4.2)	(4.2)	(4.4)	(4.3)	A	A	A	A	A	A	A	A	A		
18							(3.9)	4.2	(4.3)	(4.1)	B	A	A	B	C	B	A	A	A	(4.0)					
19							A	C	C	A	C	A	A	4.3	A	A	A	A	A	A	A	A	A	A	
20							A	(4.0)	(3.9)	A	A	A	A	A	A	A	A	(4.1)	(3.9)	A					
21							A	A	A	4.3	(4.3)	(4.3)	C	A	A	(4.2)	A	A	(4.0)	A					
22							A	A	(4.0)	A	(4.3)	A	A	C	C	(4.2)	4.2	A	A	A	A				
23							A	A	(4.0)	(4.2)	A	(4.3)	4.2	(4.4)	(4.4)	A	(4.3)	A	A	A	A				
24							A	A	A	A	A	A	A	A	A	(4.3)	A	(4.1)	A	A	A				
25							A	A	(4.0)	A	A	A	A	A	A	A	A	A	A	(4.0)	(3.9)				
26							A	A	(4.0)	A	(4.3)	A	(3.9)	A	A	A	A	A	4.0	(4.0)	A				
27							A	K	A	K	A	K	A	K	(4.3)K	(4.4)K	A	K	(4.0)K	(4.3)K	A	K			
28							A	A	A	A	A	C	C	A	A	A	4.1	(4.0)	(4.0)	(3.7)	A				
29							A	A	A	A	(4.0)	A	A	A	A	(4.2)	A	A	A	(4.2)	A				
30							A	A	A	A	A	A	A	A	A	A	A	A	3.9	C	A				
31																									
	Sum																								
	Median																								
	4.0	4.0	4.2	4.3	4.3	4.2	4.2	4.3	4.2	4.3	4.2	4.2	4.2	4.2	4.1	4.0	4.0	3.9							

Records measured by: J.M.C.

Table 66

Ionospheric Storminess, June 1946

Day	Ionospheric Character*		Principal Storms		Magnetic Character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
June						
1	2	2			1	1
2	2	1			1	1
3	1	1			1	1
4	2	1			1	1
5	1	1			2	2
6	4	4			3	3
7	3	2			3	3
8	3	3			3	3
9	2	2			2	2
10	1	3			2	2
11	2	1			2	2
12	1	1			2	2
13	1	0			1	1
14	2	0			1	1
15	1	3			1	1
16	2	0			1	1
17	1	0			1	1
18	1	3			1	1
19	1	3			1	1
20	1	1			2	2
21	1	2			2	2
22	1	1			0	0
23	2	1			1	1
24	1	1			1	1
25	1	1			1	1
26	1	1			1	1
27	2	5	0830	1000	2	2
28	4	3			1	0
29	2	3				
30	3	2				

*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D.C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of American magnetic K-figure, determined by a number of observatories, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

/ Dashes indicate continuance of disturbance.

Table 67. Sudden Ionosphere Disturbances Observed
at Washington, D.C.

Day	GCT Beginning	GCT End	Locations of transmitters	Relative intensity at minimum*	Other phenomena
June 17	1452	1540	Ohio, D.C., England, Mexico, Brazil, Chile	0.05	Terracing pulses 1450-1540

*Ratio of received field intensity during SID to average field intensity before, and after, for station WSKAL, 6080 kilocycles, 600 kilometers distant.

**As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

Table 68

Provisional Radio Propagation Quality Figures

May 1945

Compared with IRPL and ISIB Warnings and IRPL A-Zone Forecasts.

Day	North Atlantic				North Pacific				Quality Figure and Forecast Scale:			
	Quality Figure	IRPL	ISIB	A-Zone Forecast	Geo-magnetic Figure	IRPL	A-Zone Forecast	Geomagnetic Figure	K _A	13-24 GCT	01-12 GCT	13-24 GCT
1	6	6	X X	(4)	2	2	7	7	X X	(4)	2	2
2	6	6	(3)	(3)	3	2	7	6	(3)	3	2	2
3	6	7	(4)	(4)	2	2	6	6	(4)	2	1	2
4	6	7	5	2	1	8	7	5	2	1	2	2
5	6	7	5	5	1	2	7	6	5	1	2	2
6	6	7	5	5	0	1	7	7	5	0	1	2
7	6	7	5	5	2	1	7	7	5	2	1	2
8	6	7	5	5	1	3	7	7	5	1	3	2
9	6	7	5	5	2	2	7	7	5	2	2	2
10	6	7	5	5	3	3	6	6	X X	5	3	3
11	(4)	5	X X	X X	5	2	2	6	X X	5	2	2
12	5	6	X X	X X	6	2	2	6	X X	6	2	2
13	6	6	6	6	1	2	7	6	6	1	2	2
14	6	7	6	6	1	1	7	7	6	1	1	1
15	6	7	6	6	1	2	7	7	6	1	2	2
16	6	7	6	5	1	2	7	7	5	2	2	2
17	6	7	5	5	2	2	7	7	5	2	2	2
18	6	6	6	6	1	3	7	7	6	1	3	2
19	6	6	6	6	2	2	7	7	6	2	2	2
20	6	6	X	5	2	1	7	7	X X	5	2	1
21	6	6		(4)	1	2	6	7	(4)	1	2	2
22	6	7		5	1	1	6	8	5	1	1	2
23	6	7		6	2	1	7	7	6	2	1	2
24	6	7		5	2	2	7	7	6	2	2	2
25	5	6		6	3	2	7	8	6	3	2	2
26	7	7		5	2	2	7	7	5	2	2	2
27	7	7		5	1	2	7	7	5	1	2	2
28	7	7		5	1	2	7	7	5	1	2	2
29	6	7		5	2	2	7	8	5	2	2	2
30	7	7		5	2	3	7	7	5	2	3	2
31	5	6		6	2	2	7	7	6	2	2	2

Score:

H	1	0	0	0
M	0	1	1	0
G	27	29	25	27
(S)	1	1	0	0
S	2	0	5	5

Symbol:
X = Warning given.
H = Quality 4 or worse on day or half-day following warning.
M = Quality 4 or worse on day or half-day following no warning.
G = Quality 5 or better on day following no warning.
(S) = Quality 5 on day following warning.
S = Quality 6 or better on day following warning.
() = Quality or forecast 4 or worse (disturbed)

Geomagnetic K_A on the standard scale of 0 to 9, 9 representing the greatest disturbance.

Table 69

Revised Radio Propagation Quality Figures
North Pacific
Compares with IRPL Warnings and IRPL A-Zone Forecasts.

Day	November 1944			December 1944			Quality Figure and Forecast Scale:
	Quality Figure	IRPL Warning	A-Zone Forecast	Quality Figure	IRPL Warning	A-Zone Forecast	
1	7	X	5	0	1	6	5
2	5	6	5	1	0	6	1
3	6	5	6	1	2	6	3
4	6	7	X	5	2	X	2
5	5	6	X	5	3	X	1
6	6	6	X	5	3	6	2
7	7	6	X	(4)	1	2	1
8	3	5	6	X	(4)	0	0
9	5	5	X	5	2	1	1
10	(4)	(4)	(4)	(4)	1	2	1
11	6	6	(4)	(4)	1	1	1
12	12	5	6	(4)	1	0	1
13	5	6	5	0	0	6	2
14	14	5	5	(4)	1	1	3
15	6	6	X	(4)	1	0	2
16	6	5	X	5	2	1	4
17	17	5	6	5	0	1	6
18	6	6	X	X	2	2	4
19	19	6	X	(4)	3	1	2
20	20	5	6	X	3	3	5
21	21	6	5	X	1	0	2
22	22	5	6	5	0	1	2
23	23	5	6	5	1	1	1
24	24	7	6	(4)	1	0	6
25	25	6	6	5	0	1	1
26	26	6	5	(4)	2	1	0
27	27	6	7	X	6	(4)	2
28	28	6	6	5	1	1	4
29	29	5	6	6	1	2	3
30	30	6	6	6	5	(4)	2
31	31			(4)	(4)	X	1
Score:							
H	0	1					4
M	1	0					8
G	18	18					17
(S)	5	5					0
S	6	6					2

Quality Figure and Forecast Scale:

- 1 = Useless
- 2 = Very poor
- 3 = Poor
- 4 = Fair to fair
- 5 = Fair
- 6 = Fair to good
- 7 = Good
- 8 = Very good
- 9 = Excellent

Symbols:

- X = Warning given.
- H = Quality 4 or worse on day or half-day following warning.
- M = Quality 4 or worse on day or half-day following no warning.
- G = Quality 5 or better on day following no warning.
- (S) = Quality 5 on day following warning.
- S = Quality 6 or better on day following warning.
- () = Quality or forecast 4 or worse (disturbed)

Geometric KA on the standard scale of 0 to 9, 9 representing the greatest disturbance.




Fig. 1. WASHINGTON, D. C.
39°N, 77.5°W JUNE, 1945




Fig. 2. WASHINGTON, D. C. JUNE, 1945




Fig. 3 FAIRBANKS, ALASKA
64.9°N, 147.8°W MAY, 1945




Fig. 4 FAIRBANKS, ALASKA MAY, 1945




Fig. 5. CHURCHILL, CANADA
58.8°N, 94.2°W MAY, 1945




Fig. 6. CHURCHILL, CANADA MAY, 1945




Fig. 7 ST JOHN'S, NEWFOUNDLAND
47.7°N, 52.7°W MAY, 1945








Fig. 8 ST JOHN'S, NEWFOUNDLAND MAY, 1945






Fig 13. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W MAY, 1945




Fig 14. SAN FRANCISCO, CALIFORNIA MAY, 1945




Fig 15. BATON ROUGE, LOUISIANA
30.5°N, 91.2°W MAY, 1945








Fig 16. BATON ROUGE, LOUISIANA MAY, 1945






Fig. 21. CHRISTMAS I.
2.0°N, 157.0°W
MAY, 1945




Fig. 22. CHRISTMAS I.
MAY, 1945




Fig. 23. HUANCAYO, PERU
12°S, 75.3°W
MAY, 1945




Fig. 24. HUANCAYO, PERU
MAY, 1945




Fig. 25. RAROTONGA I.
21.4°S, 159.6°W

MAY, 1945




Fig. 26. RAROTONGA I

MAY, 1945




Fig. 27. PITCAIRN I.
25.0°S 130.0°W

MAY, 1945




Fig. 28. BRISBANE, Q. AUSTRALIA
27.5°S, 153.0°E MAY, 1945




Fig. 29. BRISBANE, Q. AUSTRALIA MAY, 1945




Fig. 30. KERMADEC I.
29.2°S, 1779°W MAY, 1945








Fig. 31. KERMADEC IS. MAY, 1945








Fig 38 SIMONSTOWN, UNION OF S. AFRICA
33° 9'S, 18° 7'E APRIL, 1945




Fig 39. SVERDLOVSK, U.S.S.R
56.7°N, 61.1°E MARCH, 1945





Fig 40. TOMSK, U.S.S.R.

56.5°N , 85.2°E

MARCH, 1945





Fig 41. MOSCOW, U.S.S.R

55.8°N , 37.6°E

MARCH, 1945





Fig 42. SIMONSTOWN, UNION OF S. AFRICA

33.9°S , 18.7°E

MARCH, 1945









Fig 43. TYKHI BAY, U.S.S.R.

80.3°N , 52.8°E

FEBRUARY, 1945






Fig. 49 MOSCOW, U. S. S. R.
55.8°N, 37.6°E
JANUARY, 1945




Fig. 48 TOMSK, U. S. S. R.
56.5°N, 85.2°E
JANUARY, 1945




Fig 51. NOMOGRAM FOR OBTAINING MONTHLY AVERAGE $f^{\circ} F2$, JUNE, AT WATHEROO, W AUSTRALIA.




Fig 50. NOMOGRAM FOR OBTAINING MONTHLY AVERAGE $f^{\circ} F2$, DECEMBER, AT WASHINGTON, D.C.




Fig. 52. NOMOGRAM FOR OBTAINING MONTHLY AVERAGE $f^{\circ}F2$, FEBRUARY, AT HUANCAYO, PERU

Fig. 53. NOMOGRAM FOR OBTAINING MONTHLY AVERAGE $f^{\circ}F2$, JUNE, AT HUANCAYO, PERU.



IRPL REPORTS

Daily:

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data from various places.
Radio disturbance warnings.

Semiweekly:

IRPL-J. Radio Propagation Forecast.

Semimonthly:

IRPL-Ja. Semimonthly Frequency Revision Factors for IRPL Basic Radio Propagation Prediction Reports. (Issued with IRPL-J series from 4 to 7 days in advance).

Monthly:

IRPL-D. Basic Radio Propagation Predictions - Three months in advance. (War Dept. TB 11-499-, monthly supplements to TM 11-499; Navy Dept. DNC-13-1 (), monthly supplements to DNC-13-1).

IRPL-F. Ionospheric Data.

Bimonthly:

IRPL-G. Correlation of D.F. Errors with Ionospheric Conditions.

Quarterly:

- *IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific
- IRPL-B. Recommended Frequency Bands for Submarines in the Pacific.
- *IRPL-H. Frequency Guide for Operating Personnel.
- **IRPL-M. Frequency Guide for Merchant Ships.

Special Reports, etc.:

IRPL Radio Propagation Handbook, Part 1. (War Dept. TM 11-499; Navy Dept. DNC-13-1).
IRPL-C1 through C61. Reports and papers of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-R. Unscheduled reports:

- R1. Maximum Usable Frequency Graph Paper.
- R2 and R3. Obsolete.
- R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.
- R5. Criteria for Ionospheric Storminess.
- R6. Experimental studies of ionospheric propagation as applied to a navigation system.
- R7. Further studies of ionospheric propagation as applied to a navigation system.
- R8. The Prediction of Usable Frequencies Over a Path of Short or Medium Length, Including the Effect of Es.
- R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.
- R10. A method for study of the ionosphere.
- R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.
- R12. Ionospheric variations.
- R13. Ionospheric and Radio Propagation Disturbances, October 1943 through February 1945.
- R14. A Graphical Method for Calculating Ground Reflection Coefficients.

IRPL-T. Reports on Tropospheric Propagation.

- T1. Radar Operation and Weather. (Superseded by JANP 101).
- T2. Radar coverage and weather. (Superseded by JANP 102).

*Items bearing this symbol are distributed only by U.S. Navy in NONREGISTERED PUBLICATIONS MEMORANDA (NRPB).

**Distributed only by U.S. Navy.

