

National Bureau of Standards  
Library, N. W. Edge  
DEC 8 1954

Not to be taken from Library.

Copy 1

CRPL-F 123

FOR OFFICIAL USE

## IONOSPHERIC DATA

ISSUED  
NOVEMBER 1954

U. S. DEPARTMENT OF COMMERCE  
NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO



CRPL-F 123

NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO

Issued  
24 Nov. 1954

## IONOSPHERIC DATA

### CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions . . . . .	2
World-Wide Sources of Ionospheric Data . . . .	5
Hourly Ionospheric Data at Washington, D. C..	7, 12, 24, 51
Ionospheric Storminess at Washington, D. C. .	7, 36
Radio Propagation Quality Figures . . . . .	8, 37
Observations of the Solar Corona . . . . .	10, 40
Relative Sunspot Numbers . . . . .	10, 46
Observations of Solar Flares . . . . .	10, 48
Indices of Geomagnetic Activity . . . . .	11, 49
Sudden Ionosphere Disturbances . . . . .	11, 50
Erratum . . . . .	11, 50
Tables of Ionospheric Data . . . . .	12
Graphs of Ionospheric Data . . . . .	51
Index of Tables and Graphs of Ionospheric Data in CRPL-F123 . . . . .	87

## SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in Document No. 626-E referred to above.

### a. For all ionospheric characteristics:

Values missing because of A, C, F, L, M, N, Q, S, or T are omitted from the median count.

### b. For critical frequencies and virtual heights:

Values of  $f_{cF2}$  (and  $f_{cE}$  near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of  $h'F2$  (and  $h'E$  near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For  $f_{cF2}$ , as equal to or less than  $f_{cFl}$ .
2. For  $h'F2$ , as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic. This practice represents a change from that listed in issues previous to CEPL-F78.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G (and B when applied to the daytime E region only) are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.
2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and Fl layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.
3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CEPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when  $f_{oF2}$  is less than or equal to  $f_{oFl}$ , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IHPL-F5.

Ordinarily, a blank space in the  $f_{Es}$  column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of  $f_{oE}$ . Blank spaces at the beginning and end of columns of  $h'Fl$ ,  $f_{oFl}$ ,  $h'E$ , and  $f_{oE}$  are usually the result of diurnal variation in these characteristics. Complete absence of medians of  $h'Fl$  and  $f_{oFl}$  is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.

c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

Month	Predicted Sunspot Number									
	1954	1953	1952	1951	1950	1949	1948	1947	1946	1945
December		15	33	53	86	108	114	126	85	38
November		16	38	52	87	112	115	124	83	36
October	10	17	43	52	90	114	116	119	81	23
September	8	18	46	54	91	115	117	121	79	22
August	8	18	49	57	96	111	123	122	77	20
July	8	20	51	60	101	108	125	116	73	
June	9	21	52	63	103	108	129	112	67	
May	10	22	52	68	102	108	130	109	67	
April	10	24	52	74	101	109	133	107	62	
March	11	27	52	78	103	111	133	105	51	
February	12	29	51	82	103	113	133	90	46	
January	14	30	53	85	105	112	130	88	42	

#### WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 144 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Commonwealth of Australia, Ionospheric Prediction Service  
of the Commonwealth Observatory:

Brisbane, Australia  
Canberra, Australia  
Hobart, Tasmania  
Townsville, Australia

Australian Department of Supply and Shipping, Bureau of Mineral Resources, Geology and Geophysics:  
Watheroo, Western Australia

University of Graz:  
Graz, Austria

Meteorological Service of the Belgian Congo and Ruanda-Urundi:  
Leopoldville, Belgian Congo

British Department of Scientific and Industrial Research, Radio  
Research Board:  
Falkland Is.  
Ibadan, Nigeria  
Inverness, Scotland  
Port Lockroy  
Singapore, British Malaya  
Slough, England

Defence Research Board, Canada:  
Baker Lake, Canada  
Churchill, Canada  
Fort Chimo, Canada  
Ottawa, Canada  
Resolute Bay, Canada  
St. John's, Newfoundland

Radio Wave Research Laboratories, National Taiwan University, Taipeh,  
Formosa, China:  
Formosa, China

French Ministry of National Defense (Section for Scientific Research):  
Dakar, French West Africa  
Djibouti, French Somaliland  
Fribourg, Germany

Institute for Ionospheric Research, Lindau Über Northeim, Hannover,  
Germany:  
Lindau/Harz, Germany

The Royal Netherlands Meteorological Institute:  
De Bilt, Holland

Icelandic Post and Telegraph Administration:  
Reykjavik, Iceland

All India Radio (Government of India), New Delhi, India:  
Bombay, India  
Delhi, India  
Madras, India  
Tiruchy, India

Ministry of Postal Services, Radio Research Laboratories, Tokyo, Japan:  
Akita, Japan  
Tokyo (Kokubunji), Japan  
Wakkanai, Japan  
Yamagawa, Japan

Christchurch Geophysical Observatory, New Zealand Department of  
Scientific and Industrial Research:  
Christchurch, New Zealand  
Rarotonga I.

South African Council for Scientific and Industrial Research:  
Capetown, Union of South Africa  
Johannesburg, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:  
Upsala, Sweden

United States Army Signal Corps:  
Adak, Alaska  
Okinawa I.  
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Laboratory):  
Anchorage, Alaska  
Fairbanks, Alaska (Geophysical Institute of the University  
of Alaska)  
Guam I.  
Huancayo, Peru (Instituto Geofisico de Huancayo)  
Maui, Hawaii  
Narsarsuaq, Greenland  
Panama Canal Zone  
Point Barrow, Alaska  
Puerto Rico, W. I.  
Washington, D. C.

#### HOURLY IONOSPHERIC DATA AT WASHINGTON, D. C.

The data given in tables 73 through 84 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols, Terminology, Conventions." Beginning with September 1949, the data are taken at Ft. Belvoir, Virginia.

#### IONOSPHERIC STORMINESS AT WASHINGTON, D.C.

Table 85 presents ionosphere character figures for Washington, D. C. during October 1954, as determined by the criteria given in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, geomagnetic K-figures, which are usually covariant with them.

## RADIO PROPAGATION QUALITY FIGURES

Tables 87a and 87b give for September 1954 the radio propagation quality figures for the North Atlantic area, the relevant CRPL advance and short-term forecasts, a summary geomagnetic activity index and sundry comparisons, specifically as follows:

- (a) radio propagation quality figures, Q<sub>a</sub>, separately for each 6-hour interval of the Greenwich day, viz., 00-06, 06-12, 12-18, 18-24 hours UT (Universal Time or GCT).
- (b) whole-day radio quality indices (beginning October 1952). Each index is a weighted average of the four quarter-day Q<sub>a</sub>-figures, before rounding off, with half weight given to quality grades 5 and 6. This procedure tends to give whole-day indices suitable for comparison with whole-day advance forecasts which designate whenever possible the days when significant disturbance or unusually quiet conditions will occur.
- (c) short-term forecasts, issued by CRPL every six hours (nominally one hour before 00<sup>h</sup>, 06<sup>h</sup>, 12<sup>h</sup>, 18<sup>h</sup> UT) and applicable to the period 1 to 13 (especially 1 to 7) hours ahead. Note that new scoring rules have been adopted beginning with October 1952 data.
- (d) advance forecasts, issued semiweekly (CRPL-J reports) and applicable 1 to 3 or 4 days ahead, 4 or 5 to 7 days ahead, and 8 to 25 days ahead. These forecasts are scored against the whole-day quality indices.
- (e) half-day averages of the geomagnetic K indices measured by the Cheltenham Magnetic Observatory of the U. S. Coast and Geodetic Survey.
- (f) illustration of the comparison of short-term forecasts with Q<sub>a</sub>-figures and also with estimates of radio quality based on CRPL observations only.
- (g) illustration of the outcome of advance forecasts (1 to 3 or 4 days ahead) and, for comparison, the outcome of a type of "blind" forecast. For the latter the frequency for each quality grade, as determined from the distribution of quality grades in the four most recent months of the current season, is partitioned among the grades observed in the current month in proportion to the frequencies observed in the current month.

These radio propagation quality figures, Q<sub>a</sub>, are prepared from radio traffic data reported to CRPL by American Telephone and Telegraph Company, Mackay Radio and Telegraph Company, RCA Communications, Inc., Marconi Company, British Admiralty Signal and Radar Establishment, and the following agencies of the U. S. Government:--Coast Guard, Navy, Army Signal Corps, and U. S. Information Agency. The method of calculation, summarized below, is similar to that described in a 1946 report, IRPL-R31, now out of print. Only reports of radio transmission on North Atlantic paths closely approximating New York-London are included in the estimation of quality.

The original reports are submitted on various scales and for various time intervals. The observations for each 6-hour interval are averaged on the quality scale of the original reports. These 6-hour indices are then adjusted to the 1 to 9 quality-figure scale by a conversion table prepared by comparing the distribution of these indices for at least four months, usually a year, with a master distribution determined from analysis of the reports originally made on the 1 to 9 quality-figure scale. A report whose distribution is the same as the master is thereby converted linearly to the Q-figure scale. The 6-hourly quality figures are (subjectively) weighted means of the reports received for that period. These 6-hourly quality figures replace, beginning January 1953, the half-daily quality figures which formerly appeared in this table. (These forecasts and quality indices are prepared by the North Atlantic Radio Warning Service, the CRPL forecasting center at Ft. Belvoir, Virginia.)

Table 86 gives for September 1954, the radio propagation quality figures for the North Pacific area, the relevant CRPL advance and short-term forecasts, and sundry comparisons, specifically as follows:

- (a) radio propagation quality figures,  $Q_p$ , separately for each of three 9-hour intervals of the Greenwich day, viz., 03-12, 09-18 and 18-03 UT (Universal Time or GCT).
- (b) whole-day radio quality indices for each Greenwich day. These are derived from the same basic data as the 9-hour indices, separately reduced.
- (c) short-term forecasts, issued daily at 02, 09 and 18 hours UT.
- (d) advance forecasts, issued semiweekly (CRPL-Jp reports) and applicable 1 to 3 or 4 days ahead, 4 or 5 to 7 days ahead, and 8 to 25 days ahead. These forecasts are scored against the whole day quality indices.

These radio quality indices,  $Q_p$ , refer to radio propagation on optimum frequencies over moderately long transmission paths in the North Pacific area. Typical paths are Anchorage (Alaska) to Seattle, or Anchorage to Tokyo. The indices are derived from reports submitted regularly by communications agencies of the U. S. Army and Air Force, and by Aeronautical Radio, Inc. The method of derivation of  $Q_p$  differs from that of  $Q_a$ . For data prior to June 1954, the reported quality ratings were reduced to a Q-scale with assumed mean and standard deviation for each of the periods of the day; the  $Q_p$  published was the average converted rating for each date. Beginning with the data for June 1954 a ranking method has been used with the Q-scale bound statistically to magnetic character figures, as follows:

The original reports from the various contributors are used only to rank the days of the month in order of degree of disturbance. The numerical value of  $Q_p$  assigned to each day is taken from a table which gives the  $Q_p$  that corresponds in a statistical sense to the magnetic activity observed during the month, it being assumed that the one-month sample is large enough that the distribution of quiet and disturbance will be the same for magnetic and radio quality indices. This table comes from equating the expected distributions of magnetic activity indices and  $Q_p$  (for the former, the years 1952-53 of K-Cheltenham were used; for the latter the distribution was arbitrary but strongly influenced by experience with  $Q_a$  and the previous  $Q_p$ ). In order to avoid the statistic "average rank," the raw scores for each reporter-period are first converted to the 1-9 scale by ranking and the use of the same table. Mean quality indices for each day-period are then computed and these means ranked and converted by the table to give  $Q_p$ .

The expected distributions adopted for  $Q_p$  differ slightly for the different periods of the day for which quality figures are derived. For the 03-12, 18-03 and 00-24 periods 23% of the quality figures are 4 or less and for the 09-18 period 25% are. In the periods 18-03 and 00-24, indices of seven or greater are expected 25% of the time; in the 03-12 period 22% and in the 09-18 period 16%. (These forecasts and quality indices are prepared by the North Pacific Radio Warning Service, the CRPL forecasting center at Anchorage, Alaska.)

These quality figures are, in effect, a consensus of reported radio propagation conditions. The reasons for low quality are not necessarily known and may not be limited to ionospheric storminess. For instance, low quality may result from improper frequency usage for the path and time of day. Although, wherever it is reported, frequency usage is included in the rating of reports, it must often be an assumption that the reports refer to optimum working frequencies. It is more difficult to eliminate from the indices conditions of low quality because of multipath, interference, etc. These considerations should be taken into account in interpreting research correlations between the Q-figures and solar, auroral, geomagnetic or similar indices.

## OBSERVATIONS OF THE SOLAR CORONA

Tables 88 through 90 give the observations of the solar corona during October 1954, obtained at Climax, Colorado, by the High Altitude Observatory of Harvard University and the University of Colorado. Tables 91 through 93 list the coronal observations obtained at Sacramento Peak, New Mexico, during October 1954, derived by Harvard College Observatory as a part of its performance of a research contract with the Upper Air Research Observatory, Geophysical Research Directorate, Air Force Cambridge Research Center. The data are listed separately for east and west limbs at 5-degree intervals of position angle north and south of the Solar Equator at the limb. The time of observation is given to the nearest tenth of a day, GCT.

Table 88 gives the intensities of the green (5303A) line of the emission spectrum of the solar corona; table 89 gives similarly the intensities of the first red (6374A) coronal line; and table 90, the intensities of the second red (6702A) coronal line; all observed at Climax in October 1954.

Table 91 gives the intensities of the green (5303A) coronal line; table 92, the intensities of the first red (6374A) coronal line; and table 93, the intensities of the second red (6702A) coronal line; all observed at Sacramento Peak in October 1954.

The following symbols are used in tables 88 through 93: a, observation of low weight for whole limb (if in date column) or for portion of limb indicated; -, corona not visible; and X, no observation for whole limb (if in date column) or for portion of limb indicated.

## RELATIVE SUNSPOT NUMBERS

Table 94 lists the daily provisional Zürich relative sunspot number,  $R_Z$ , for October 1954, as communicated by the Swiss Federal Observatory. Table 95 contains the daily American relative sunspot number,  $R_A'$ , for September 1954, as compiled by the Solar Division, American Association of Variable Star Observers.

## OBSERVATIONS OF SOLAR FLARES

Table 96 gives the preliminary record of solar flares reported to the CRPL. These reports are communicated on a rapid schedule at the sacrifice of detailed accuracy. Definitive and complete records are published later in the Quarterly Bulletin of Solar Activity, I.A.U., in various observatory publications, and elsewhere. The present listing serves to identify and roughly describe the phenomena observed. Details should be sought from the reporting observatory.

Reporting directly to the CRPL are the following observatories: Mt. Wilson, McMath-Hulbert, U. S. Naval, Wendelstein, Kanzel and High Altitude at Sacramento Peak, New Mexico. The remainder report to Meudon (Paris) and the data are taken from the Paris-URSIgram broadcast, monitored fairly regularly by the CRPL. The data on solar flares reported from Sacramento Peak, New Mexico, communicated by the High Altitude Observatory at Boulder, Colorado, are provided by Harvard University as the result of work undertaken on an Air Materiel Command Research and Development Contract administered by the Air Force Cambridge Research Laboratories.

The table lists for each flare the reporting observatory, date, times of beginning and ending of observation, duration (when known), total area (corrected for foreshortening), and heliographic coordinates. For the maximum phase of the flare is given the time, intensity, area relative to the total area, and the importance. The column "SID observed" is to indicate when a sudden ionosphere disturbance, noted elsewhere in these reports, occurred at the time of a flare. Times are in Universal Time (GCT).

## INDICES OF GEOMAGNETIC ACTIVITY

Table 97 lists various indices of geomagnetic activity based on data from magnetic observatories widely distributed throughout the world. The indices are: (1) preliminary international character-figures, C; (2) geomagnetic planetary three-hour-range indices, K<sub>p</sub>; (3) magnetically selected quiet and disturbed days.

The C-figure is the arithmetic mean of the subjective classification by all observatories of each day's magnetic activity on a scale of 0 (quiet) to 2 (storm). The magnetically quiet and disturbed days are selected by the international scheme outlined on pages 219-227 in the December 1943 issue of Terrestrial Magnetism and Atmospheric Electricity. The details of the currently used method follow. For each day of a month, its geomagnetic activity is assigned by weighting equally the following three criteria: (1) the sum of the eight K<sub>p</sub>'s; (2) the greatest K<sub>p</sub>; and (3) the sum of the square of the eight K<sub>p</sub>'s.

K<sub>p</sub> is the mean standardized K-index from 11 observatories between geomagnetic latitudes 47 and 63 degrees. The scale is 0 (very quiet) to 9 (extremely disturbed), expressed in thirds of a unit, e.g., 5- is 4 2/3, 50 is 5 0/3, and 5+ is 5 1/3. This planetary index is designed to measure solar particle-radiation by its magnetic effects, specifically to meet the needs of research workers in the ionospheric field. A complete description of K<sub>p</sub> has appeared in Bulletin 12b, "Geomagnetic Indices C and K, 1948," published in Washington, D. C., 1949, by the Association of Terrestrial Magnetism and Electricity, International Union of Geodesy and Geophysics. K<sub>p</sub> is available from 1937 to date as noted in F108.

The Committee on Characterization of Magnetic Disturbance, ATME, IUGG, has kindly supplied this table. The Meteorological Office, De Bilt, Holland, collects the data and compiles C and selected days. The Chairman of the Committee computes the planetary index. Current tables are also published quarterly in the Journal of Geophysical Research along with data on sudden commencements (sc) and solar flare effects (afe).

## SUDDEN IONOSPHERE DISTURBANCES

Table 98 shows that no sudden ionosphere disturbances were observed at Ft. Belvoir, Virginia, during the month of October 1954.

## ERRATUM

CRPL-F122, p. 15, table 20: fEs column at 0200 should read 3.4; at 0300 should read 3.1.

p. 61, fig. 40: See fig. A, p. 50 of this issue for revised graph.

## TABLES OF IONOSPHERIC DATA

Washington, D. C. (38.7°N, 77.1°W)							October 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	290	2.6						3.0
01	280	2.3						3.1
02	280	2.5						3.1
03	270	2.4						3.1
04	(270)	2.3						3.1
05	(270)	(2.2)						(3.2)
06	250	2.6						
07	230	4.2	220	---	120	1.8	2.8	3.3
08	250	5.0	220	3.4	110	2.3	3.0	3.5
09	260	5.3	210	3.8	110	2.5	3.7	3.4
10	280	5.6	200	4.0	100	2.7	3.6	3.4
11	280	5.7	190	4.1	100	2.8	3.5	3.3
12	290	6.0	190	4.1	100	2.9	3.1	3.3
13	290	6.2	200	4.1	100	2.9	3.1	3.2
14	270	6.1	210	3.9	100	2.8		3.25
15	270	6.2	220	3.7	110	2.5		3.35
16	250	5.7	230	---	110	2.2		3.4
17	230	5.6	240	---	(120)	1.7	1.8	3.5
18	220	6.6						3.4
19	230	3.8						3.3
20	250	3.2						3.2
21	270	2.8						3.1
22	280	2.8						3.1
23	280	2.7						3.05

Time: 75.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Fairbanks, Alaska (64.9°N, 147.8°W)							September 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	(350)	(2.1)						6.4 (2.9)
01	---	---						6.0 ---
02	---	---						7.0 ---
03	---	---						6.8 ---
04	(380)	(2.0)						7.0 (2.75)
05	(330)	(2.4)	---	---	---	---	---	6.0 (2.9)
06	G	<2.8	250	2.8				G
07	G	<3.2	250	3.1	110 (2.0)	3.8		G
08	G	<3.3	230	3.3	110 (2.2)	3.8		G
09	G	<3.5	220	3.4	110 (2.4)	3.0		G
10	G	<3.5	210	3.5	110 2.5	2.0		G
11	(500)	(3.7)	210	3.6	110 2.6	2.8		(2.6)
12	(550)	(3.8)	220	3.6	110 (2.5)	2.3		(2.6)
13	(450)	3.9	230	3.6	110 2.5	2.2		2.7
14	(430)	4.0	220	3.6	110 2.4	3.0		
15	370	3.8	230	3.5	120 2.2	3.2		
16	(340)	3.8	230	---	120 (1.9)	2.7		3.25
17	260	3.6	230	---	120 (1.6)	3.25		
18	250	3.4	---	---	---	---	1.5	3.3
19	280	3.0						3.2
20	310	(2.2)						3.0
21	310	(1.9)						4.9 (2.85)
22	(340)	(2.1)						5.6 (2.9)
23	(340)	(2.0)						6.8 ---

Time: 150.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Upsala, Sweden (59.8°N, 17.6°E)							September 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	330 (2.0)							(2.9)
01	330 (1.9)							
02	340 (1.7)							
03	335 (1.6)							
04	345 (1.5)							
05	280 2.0							
06	250 2.9	230 2.6	---	1.5	2.0	3.3		
07	3.5	225 3.2	130 1.8	2.1	3.2			
08	405 3.8	215 3.5	120 2.2	2.3	3.1			
09	390 4.0	210 3.6	115 2.3	3.3	3.0			
10	350 4.1	200 3.8	110 2.5	3.8	3.1			
11	320 4.6	200 3.8	110 2.6	3.4	3.2			
12	340 4.4	200 3.9	110 2.6	3.1	3.15			
13	325 4.4	200 3.8	110 2.5	2.8	3.1			
14	310 4.4	220 3.8	110 2.4	3.0	3.2			
15	290 4.2	215 3.6	110 2.3	2.6	3.25			
16	275 4.2	235 3.3	115 2.1	2.2	3.25			
17	275 4.2	245 (3.1)	130 1.8	2.2	3.2			
18	255 4.2	245 2.5	---	3.8	2.8	3.1		
19	250 4.1	---	3	3.0	3.1			
20	250 3.7				2.2	3.1		
21	250 (3.1)					(3.1)		
22	280 (2.5)					(3.0)		
23	305 (2.0)					2.9		

Time: 150.0°W.  
Sweep: 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Adak, Alaska (51.9°N, 176.6°W)							September 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	270	2.4						2.0 3.05
01	280	2.4						2.2 3.0
02	280	2.4						2.2 3.0
03	280	2.5						2.2 3.0
04	280	2.4						2.0 3.0
05	270	2.4	---	---	---	---	---	2.9 3.1
06	280	3.2	230	2.8	120	1.6	2.6	3.2
07	360	3.8	230	3.3	110	2.0	4.4	3.1
08	380	4.1	220	3.5	110	2.3	2.7	3.0
09	390	4.2	210	3.8	110	2.6	5.0	3.0
10	400	4.2	210	3.9	110	2.7	2.7	3.0
11	410	4.3	200	3.9	110	2.8	2.6	2.8
12	370	4.4	200	3.9	110	2.8	2.8	3.1
13	340	4.3	200	3.9	110	2.7	3.0	3.2
14	340	4.3	210	3.8	110	2.6	2.8	3.2
15	310	4.2	220	3.8	110	2.5	2.2	3.2
16	270	4.1	230	3.6	110	2.2	1.5	3.3
17	240	4.1	240	---	120	1.8	2.2	3.4
18	240	3.9	---	---	130	1.6	2.7	3.3
19	250	3.8						3.3 3.2
20	260	3.6						3.2 3.1
21	250	3.2						2.7 3.1
22	240	3.1						2.6 3.2
23	250	2.7						2.6 3.2

Time: 180.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

White Sands, New Mexico (32.3°N, 106.5°W)							September 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	250	3.1						
01	260	3.2						
02	250	3.1						
03	240	3.2						
04	230	2.9						
05	240	2.8						
06	230	3.5						
07	260 4.7	220 3.4	110 (2.0)	2.5	3.4			
08	250 5.2	200 3.8	110 2.5	2.8	3.5			
09	280 5.4	200 4.0	(110) (2.8)	3.4	3.45			
10	300 5.4	190 4.1	110 3.0	2.8	3.2			
11	340 5.4	190 4.2	110 3.1	2.8	3.1			
12	320 5.8	200 4.2	110 3.2	2.7	3.1			
13	300 6.2	200 4.2	110 3.1	2.8	3.2			
14	290 6.4	210 4.1	110 3.0	2.6	3.3			
15	280 6.2	210 4.0	110 2.8	2.3	3.3			
16	260 6.0	220 3.8	110 2.5	2.6	3.4			
17	250 5.8	220 (3.4)	110 2.0	3.2	3.5			
18	210 5.2	---			2.6	3.6		
19	200 4.4					3.5		
20	220 3.6					3.4		
21	(240) 3.2					3.2		
22	240 3.1					3.2		
23	250 3.1					3.2		

Time: 105.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Okinawa 1. (26.3°N, 127.8°E)							September 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	280 (3.2)							1.9 (3.0)
01	260 3.2							1.9 (3.1)
02	240 (3.1)							3.1
03	240 (2.8)							(3.2)
04	240 2.5							(3.15)
05	240 2.4							(3.2)
06	240 4.2							2.1 (3.45)
07	230 5.7							2.2 (3.45)
08	250 5.7							3.6
09	290 5.6							3.55
10	310 6.0							3.3
11	330 7.2							3.15
12	320 8.0							3.0
13	310 8.6							3.0
14	290 8.8							3.0
15	300 7.6							3.1
16	280 7.4			</td				

Table 7								September 1954	
Time	h <sup>1</sup> F2	f <sub>0</sub> F2	h <sup>1</sup> F1	f <sub>0</sub> F1	h <sup>1</sup> E	f <sub>0</sub> E	f <sub>EE</sub>	(M3000)F2	
00	320	3.3				2.4		2.85	
01	300	3.3				2.3		3.0	
02	280	3.4				1.8		3.1	
03	260	3.0				1.6		3.2	
04	270	2.4				1.6		3.2	
05	300	2.2					2.9		
06	290	2.6					3.0		
07	280	5.2	260	---	130	2.0	3.0	3.2	
08	290	5.7	240	3.9	120	2.5	5.0	3.2	
09	350	5.9	230	4.2	120	2.9	5.2	2.9	
10	380	6.8	230	4.4	120	3.1	5.6	2.6	
11	420	7.8	210	4.5	110	3.3	5.7	2.55	
12	390	8.9	220	4.4	120	3.3	5.6	2.7	
13	360	9.2	230	4.4	120	3.3	4.8	2.75	
14	360	9.4	230	4.3	120	3.2	4.3	2.8	
15	340	10.0	240	4.2	(120)	3.0	4.6	2.9	
16	300	10.7	240	4.0	120	2.8	4.4	3.1	
17	260	10.4	250	3.7	120	2.3	4.4	3.3	
18	240	8.2	260	---	---	4.0	3.5		
19	240	5.3				4.4	3.4		
20	260	5.8				4.0	2.9		
21	310	3.4				3.7	2.8		
22	330	3.4				2.6	2.7		
23	320	3.4				2.6	2.8		

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 8								September 1954	
Time	h <sup>1</sup> F2	f <sub>0</sub> F2	h <sup>1</sup> F1	f <sub>0</sub> F1	h <sup>1</sup> E	f <sub>0</sub> E	f <sub>EE</sub>	(M3000)F2	
00	290	3.2							2.95
01	280	3.4							3.0
02	270	3.4							3.1
03	240	3.3							3.2
04	250	2.8							3.2
05	260	2.8							3.2
06	240	2.9							3.3
07	230	4.7	220	---		120	1.9		3.6
08	240	5.2	220	3.6	110	2.4	2.8		3.6
09	290	5.1	200	4.1	110	2.8	2.6		3.3
10	320	5.6	200	4.3	110	3.1	2.9		3.1
11	340	6.0	200	4.3	110	3.2	3.0		3.0
12	320	7.1	200	4.3	110	3.3			3.0
13	310	8.2	210	4.3	110	3.3			3.0
14	310	8.4	210	4.3	110	3.2			3.0
15	300	8.4	230	4.2	110	3.1	2.4		3.1
16	270	9.0	230	4.0	110	2.8	3.6		3.2
17	250	8.6	230	3.7	110	2.4	3.5		3.4
18	230	8.0	220	---	---	---	2.7		3.55
19	210	5.9					2.4		3.5
20	240	4.0					2.6		3.15
21	280	3.3					2.3		3.0
22	300	3.1					3.0		
23	300	3.1					3.0		

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 9								September 1954	
Time	h <sup>1</sup> F2	f <sub>0</sub> F2	h <sup>1</sup> F1	f <sub>0</sub> F1	h <sup>1</sup> E	f <sub>0</sub> E	f <sub>EE</sub>	(M3000)F2	
00	290	3.3				2.0		3.0	
01	280	3.2				2.2		3.1	
02	240	3.0				1.6		3.4	
03	240	2.0							
04	280	1.7							
05	280	1.5							
06	250	2.6				1.6		3.2	
07	240	5.2	220	---	110	1.8	2.7	3.5	
08	280	6.2	210	3.9	110	2.5	3.4	3.25	
09	320	7.0	200	4.1	110	2.9	4.0	2.9	
10	360	7.5	200	4.2	110	3.1	4.0	2.7	
11	360	7.6	190	4.3	110	3.2	4.2	2.65	
12	360	7.7	200	4.3	(110)	(3.2)	4.4	2.65	
13	350	8.3	200	4.3	110	3.2	3.6	2.8	
14	320	8.8	210	4.3	110	3.2	4.0	3.0	
15	300	9.2	220	4.2	110	3.0	4.4	3.1	
16	290	9.8	220	4.0	110	2.8	4.5	3.3	
17	270	9.4	220	3.7	110	2.3	4.5	3.3	
18	250	8.8	240	---	(120)	(1.4)	3.6	3.3	
19	240	8.4				2.8	3.3		
20	230	6.8				2.2	3.3		
21	230	6.1				2.5	3.3		
22	240	5.0				2.3	3.3		
23	260	3.9				2.4	3.0		

Time: 150.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 10								September 1954	
Time	h <sup>1</sup> F2	f <sub>0</sub> F2	h <sup>1</sup> F1	f <sub>0</sub> F1	h <sup>1</sup> E	f <sub>0</sub> E	f <sub>EE</sub>	(M3000)F2	
00	280	3.5							3.1
01	240	3.5							3.35
02	230	3.4							3.6
03	240	2.5							3.15
04	260	2.4							3.1
05	260	2.5							3.2
06	260	2.8							3.0
07	240	4.8	230	---		120	2.0	3.6	3.45
08	300	5.2	210	4.1	110	2.6	3.9	3.2	
09	370	5.6	220	4.2	110	3.0	4.2	2.95	
10	390	6.9	200	4.3	110	3.2	4.2	2.7	
11	390	8.1	220	4.4	110	3.4	4.3	2.7	
12	360	9.2	220	4.4	110	3.4	4.4	2.8	
13	360	10.2	220	4.4	110	3.4	4.4	2.9	
14	340	11.0	220	4.3	110	3.3	4.7	2.9	
15	310	12.0	230	4.2	110	3.1	4.6	3.1	
16	280	12.2	230	4.0	110	2.8	4.6	3.3	
17	250	11.6	230	3.7	120	(2.3)	4.2	3.4	
18	220	9.2							3.1
19	220	5.8							3.2
20	230	4.8							2.3
21	260	3.8							3.0
22	290	3.6							2.9
23	300	3.4							2.9

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 11								August 1954	
Time	h <sup>1</sup> F2	f <sub>0</sub> F2	h <sup>1</sup> F1	f <sub>0</sub> F1	h <sup>1</sup> E	f <sub>0</sub> E	f <sub>EE</sub>	(M3000)F2	
00	320	(2.5)				4.5	(2.9)		
01	320	(2.7)				5.7	(2.95)		
02	300	2.8				5.4	3.1		
03	320	(2.9)				5.8	(3.05)		
04	310	3.0	---	---		5.2	3.0		
05	390	(3.2)	250	2.9	120	(1.6)	4.6	(2.8)	
06	480	(3.5)	220	3.2	120	(2.0)	5.0	(2.65)	
07	(500)	(3.6)	220	3.4	110	(2.3)	4.5	(2.5)	
08	(510)	(3.7)	200	3.5	110	(2.5)	4.0	(2.6)	
09	0	(3.7)	200	3.6	110	(2.6)	4.0	(2.6)	
10	0	(3.7)	200	3.7	100	(2.7)	4.0	(2.5)	
11	(520)	(4.0)	200	3.8	100	(2.8)	4.4	(2.5)	
12	(520)	(4.0)	190	3.8	100	(2.8)	4.4	(2.55)	
13	(520)	(4.0)	200	3.8	110	(2.7)	4.0	(2.4)	
14	(520)	(4.0)	210	3.7	100	2.6	4.0	(2.5)	
15	480	(4.0)	210	3.7	110	(2.5)	4.0	(2.6)	
16	(400)	4.0	210	3.6	110	2.4	3.6	2.9	
17	(340)	3.9	220	(3.5)	110	(2.2)	2.6	3.1	
18	300	3.9	< 230	(3.2)	120	(2.0)	2.5	3.2	
19	260	3.8	240	---	120	(1.6)	4.0	3.3	
20	270	3.2	240	---	---	5.2	3.25		
21	290	(2.9)	---	---	---	4.2	(3.1)		
22	310	(2.8)	---	---	---	4.6	(3.0)		
23	310	(2.5)	---	---	---	5.6	(3.0)		

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 12								August 1954	
Time	h <sup>1</sup> F2	f <sub>0</sub> F2	h <sup>1</sup> F1	f <sub>0</sub> F1	h <sup>1</sup> E	f <sub>0</sub> E	f <sub>EE</sub>	(M3000)F2	
00	---	---							4.2
01	---	---					</		

Anchorage, Alaska ( $61.2^{\circ}\text{N}$ , $149.9^{\circ}\text{W}$ )								August 1944	
Time	$\text{h}^{\circ}\text{F2}$	$\text{f}_{\text{o}}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}_{\text{o}}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}_{\text{o}}\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2	
00	300	(1.9)							(3.0)
01	< 300	(2.0)							(3.0)
02	330	(1.8)							5.0
03	< 310	(1.9)							5.0
04	300	(2.4)	---	---					5.2
05	(560)	(2.9)	250	2.8	120	1.6	2.7	(2.5)	4.8
06	560	3.3	220	3.1	120	(1.9)	2.3	2.5	---
07	(720)	(3.5)	210	3.3	110	2.3	2.6	(2.1)	(3.2)
08	G	(3.6)	200	3.5	110	2.4	2.6	G	(2.7)
09	0	(3.7)	200	3.6	110	2.6	2.8	G	(2.8)
10	530	3.9	200	3.7	110	2.7	2.8	2.6	2.9
11	560	4.0	200	3.8	100	2.7	3.0	2.5	2.9
12	0	(3.9)	190	3.9	100	2.8	2.7	G	2.95
13	(690)	(4.0)	200	3.8	100	2.8		(2.25)	(2.7)
14	(640)	3.9	200	3.8	100	2.7		2.3	3.0
15	520	3.9	210	3.7	110	2.6		2.6	3.0
16	440	3.9	220	3.6	110	2.6		2.85	3.1
17	420	3.8	220	3.5	110	2.2		3.0	3.1
18	300	3.9	230	(3.3)	120	(2.0)	2.3	3.2	3.35
19	260	3.8	230	---	130	(1.7)	2.8	3.2	3.4
20	250	3.6	---	---	---	---	2.4	3.2	3.5
21	250	3.3					3.0	3.1	
22	250	(3.0)					(3.2)	6.4	(3.35)
23	260	(2.4)					(3.2)	6.8	(3.2)

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Adak, Alaska ( $51.9^{\circ}\text{N}$ , $176.6^{\circ}\text{W}$ )								August 1944	
Time	$\text{h}^{\circ}\text{F2}$	$\text{f}_{\text{o}}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}_{\text{o}}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}_{\text{o}}\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2	
00	260	3.2							3.1
01	250	3.1							3.2
02	260	2.9							3.2
03	270	2.9							3.2
04	270	2.9	---	---	---	---			3.3
05	350	3.1	250	2.7	120	1.6	2.5	2.2	2.9
06	410	3.6	230	3.1	120	1.9	3.5	2.8	3.4
07	410	4.0	230	3.4	110	2.3	4.1	2.9	3.3
08	430	4.1	210	3.7	110	2.6	5.1	2.8	3.3
09	440	4.2	210	3.8	110	2.7	5.3	2.8	3.2
10	450	4.3	200	3.9	110	2.8	6.3	2.8	3.0
11	460	4.3	200	4.0	110	2.8	6.5	2.7	3.0
12	500	4.2	200	4.0	110	2.9	6.7	2.7	3.0
13	530	4.2	200	4.0	100	2.9	6.7	2.6	3.0
14	480	4.2	200	4.0	110	2.8	6.9	2.6	3.1
15	430	4.2	210	3.9	110	2.7	6.9	2.8	3.2
16	410	4.1	220	3.7	110	2.6	5.3	2.9	3.3
17	350	4.0	220	3.5	110	2.2	4.1	3.1	3.4
18	300	4.1	240	3.2	120	1.7	4.0	3.2	3.4
19	260	4.3	---	---	---	---	4.2	3.2	3.3
20	260	4.8					3.4	3.1	
21	250	4.5					3.6	3.1	
22	250	4.2					3.5	3.2	
23	250	3.5					2.8	3.1	

Time: 180.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Point Barrow, Alaska ( $71.3^{\circ}\text{N}$ , $156.8^{\circ}\text{W}$ )								July 1944	
Time	$\text{h}^{\circ}\text{F2}$	$\text{f}_{\text{o}}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}_{\text{o}}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}_{\text{o}}\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2	
00	290	3.5	---	---	110	1.3	6.6	3.3	
01	270	3.5	230	2.2	110	1.4	6.2	3.3	
02	(260)	3.5	220	2.2	110	(1.5)	5.8	3.3	
03	(280)	3.5	220	2.8	110	1.5	6.0	3.4	
04	(310)	3.6	220	3.0	100	1.6	6.4	3.3	
05	320	3.8	220	3.3	100	1.8	6.8	3.2	
06	(420)	3.8	210	3.4	100	2.1	6.5	2.8	
07	(440)	(3.8)	220	3.5	100	(2.3)	6.5	2.75	
08	500	< 3.9	210	3.6	100	2.4	6.5	2.6	
09	G	< 3.8	220	3.7	100	2.5	4.0	G	
10	G	< 3.8	210	3.7	100	2.6	3.4	G	
11	G	< 3.8	200	3.8	100	2.7	3.3	G	
12	660	(3.9)	200	3.8	100	(2.7)	3.2	2.2	
13	560	4.0	210	3.8	100	(2.7)	3.0	2.4	
14	520	4.0	210	3.8	100	2.6	2.8	2.5	
15	480	4.0	210	3.8	100	2.6	2.9	2.7	
16	430	4.1	210	3.7	100	2.5	3.0	2.8	
17	420	4.0	210	3.7	100	2.4	2.9	2.85	
18	390	4.0	220	3.5	100	2.3	3.7	2.9	
19	360	3.9	220	3.4	110	2.1	3.4	3.0	
20	340	3.7	240	3.3	110	2.0	4.0	3.1	
21	320	3.6	240	3.0	110	1.6	4.2	3.2	
22	300	3.6	---	---	110	--	4.4	3.2	
23	300	3.5			110	1.3	5.4	3.25	

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Narsarsuaq, Greenland ( $61.2^{\circ}\text{N}$ , $45.4^{\circ}\text{W}$ )								August 1944	
Time	$\text{h}^{\circ}\text{F2}$	$\text{f}_{\text{o}}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}_{\text{o}}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}_{\text{o}}\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2	
00	(300)	(2.6)							5.3
01	(220)	(2.6)							5.0
02	--	--							5.0
03	--	--							5.2
04	--	--							4.8
05	(320)	(3.2)	---	---	---	---	---	4.7	(3.25)
06	(340)	(3.2)	230	3.2	110	2.1	3.3	3.2	
07	(460)	(3.5)	220	3.3	100	2.4	3.0	2.7	(2.7)
08	(480)	(3.8)	220	3.5	100	2.5	3.0	2.8	(2.8)
09	(560)	(3.8)	210	3.7	110	3.7	100	2.7	(2.7)
10	450	4.0	210	3.8	110	3.8	100	2.8	2.9
11	440	4.1	210	3.8	100	3.8	100	2.8	2.9
12	440	4.2	210	3.8	100	3.8	100	2.8	2.8
13	420	4.2	200	3.8	100	3.8	100	2.8	2.9
14	440	4.2	200	3.8	100	3.8	100	2.8	2.8
15	430	4.2	210	3.8	100	3.8	100	2.8	2.9
16	400	4.2	210	3.7	100	3.7	100	2.8	2.9
17	380	4.2	210	3.6	100	3.6	100	2.8	2.9
18	350	4.1	230	3.5	110	2.4	3.7	3.2	
19	320	4.1	230	3.4	110	2.4	3.4	3.3	
20	310	(3.9)	240	3.0	110	1.9	1.9	3.6	
21	290	(3.8)	---	---	110	--	1.9	3.8	
22	280	(3.6)			---	--	4.0	(3.3)	
23	(270)	(4.0)			---	--	4.5	--	

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Reykjavik, Iceland ( $64.1^{\circ}\text{N}$ , $21.8^{\circ}\text{W}$ )								July 1944	
Time	$\text{h}^{\circ}\text{F2}$	$\text{f}_{\text{o}}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}_{\text{o}}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}_{\text{o}}\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2	
00	(270)	---							(4.6)
01	(260)	(3.8)							4.7
02	(280)	(3.1)	---	---	---	---	---		4.2
03	(300)	3.1	---	---	---	---	---		4.2
04	(330)	(3.1)	240	---	100	---	---		3.9
05	0	3.3	230	3.1	110	1.8	1.8		2.8
06	G	(3.4)	220	3.3	100	2.1	2.1		G
07	(450)	(3.7)	220	3.5	100	2.3	2.3		2.7
08	460	3.8	210	3.6	100	2.5	2.8		2.7
09	G	(3.8)	200	3.6	100	2.7	2.7		G
10	530	(4.0)	200	3.8	100	(2.7)	2.9		2.9
11	440	4.1	200	3.8	100	3.8	3.8		2.8
12	440	4.2	200</						

Table 19

Narsarsuaq, Greenland ( $61.2^{\circ}\text{N}$ , $45.4^{\circ}\text{W}$ )								July 1954
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2
00	(280)	(3.2)				5.0	(3.3)	
01	(320)	(3.0)				4.7	(3.2)	
02	(310)	(3.2)				4.4	(3.3)	
03	---	---				4.8	---	
04	---	(3.4)				4.9	---	
05	G	(3.2)	240	3.2	---	4.8	0	
06	(400)	(3.5)	220	3.4	110	2.1	4.3	2.9
07	(460)	(3.6)	200	3.5	100	2.4	3.8	(2.6)
08	470	3.8	210	3.7	110	2.7	2.8	
09	0	(3.8)	210	3.8	100	2.7	2.9	0
10	420	(4.1)	210	3.8	100	2.8	2.9	
11	440	4.2	210	3.9	110	2.9	2.9	3.0
12	(490)	(3.9)	210	3.9	110	(3.0)	3.0	(2.5)
13	430	4.1	210	3.9	110	2.9	2.95	
14	450	4.1	210	3.9	100	2.8	2.9	
15	420	4.2	210	3.8	110	2.8	3.0	
16	400	4.0	220	3.7	100	2.6	3.2	3.0
17	380	4.1	220	3.5	110	2.4	4.0	3.1
18	350	4.1	240	3.4	120	2.3	4.2	3.2
19	310	3.9	240	3.2	120	2.1	4.1	3.3
20	270	3.9	---	---	120	(1.7)	4.4	3.4
21	250	(3.5)	---	---			5.4	(3.5)
22	(270)	(3.2)	---	---			5.6	(3.4)
23	270	(3.3)	---	---			5.0	(3.4)

Time:  $45.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 21

Resolute Bay, Canada ( $74.7^{\circ}\text{N}$ , $94.9^{\circ}\text{W}$ )								June 1954
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2
00	270	3.9	220	3.0	(120)	1.9	3.4	
01	270	3.9	210	3.0	110	1.9	3.4	
02	270	3.9	210	3.0	110	1.9	3.4	
03	290	3.9	210	3.0	110	2.0	3.3	
04	310	3.8	210	3.2	110	2.0	3.3	
05	320	3.9	210	3.3	100	2.1	3.2	
06	340	4.0	210	3.4	100	2.3	3.2	
07	350	4.2	210	3.5	100	2.6	3.15	
08	340	4.1	200	3.7	100	2.7	3.2	
09	380	4.1	200	3.8	100	2.8	3.1	
10	370	4.4	200	3.8	100	2.9	3.1	
11	370	4.4	200	3.8	100	2.9	3.0	
12	370	4.4	200	3.9	100	2.9	3.0	
13	370	4.3	200	3.9	100	2.9	3.0	
14	390	4.4	200	3.8	100	2.9	3.0	
15	370	4.2	200	3.8	100	2.8	3.1	
16	360	4.2	200	3.8	100	2.8	3.0	
17	360	4.2	200	3.7	100	2.6	3.05	
18	320	4.2	200	3.6	100	2.4	3.2	
19	310	4.2	200	3.4	100	2.1	3.2	
20	300	4.1	210	3.3	110	2.1	3.2	
21	280	4.0	210	3.1	110	2.0	3.25	
22	280	4.0	210	3.0	110	2.0	3.3	
23	280	4.0	220	---	110	1.9	3.3	

Time:  $90.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 23

Baker Lake, Canada ( $64.3^{\circ}\text{N}$ , $96.0^{\circ}\text{W}$ )								June 1954
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2
00	220	3.6				1.2	4.2	3.4
01	220	3.5				1.2	3.0	3.4
02	220	3.4				1.4	3.0	3.4
03	220	3.5	---	---	100	1.7	3.0	3.4
04	250	3.5	200	2.8	100	1.8	3.0	3.3
05	300	3.8	200	3.1	100	2.0	3.25	
06	330	4.0	200	3.4	100	2.2	3.2	
07	350	4.2	190	3.7	100	2.5	3.1	
08	380	4.3	180	3.8	100	2.8	3.0	
09	440	4.3	200	4.0	100	3.3	2.7	
10	420	4.3	200	4.0	100	3.3	2.8	
11	430	4.3	200	4.0	100	3.2	2.85	
12	420	4.3	200	3.9	100	3.2	2.85	
13	410	4.3	200	3.9	100	3.1	2.9	
14	380	4.5	200	3.9	100	3.0	3.0	
15	370	4.6	200	3.9	100	3.0	3.0	
16	340	4.8	200	3.8	100	3.0	3.0	
17	340	4.6	200	3.8	100	3.0	3.05	
18	300	4.7	200	3.7	100	2.9	3.8	
19	280	4.4	200	3.3	100	2.4	4.0	3.2
20	260	4.3	200	3.1	100	2.2	6.0	3.3
21	240	4.2	220	---	100	1.9	5.3	3.35
22	230	4.0			110	1.7	5.2	3.3
23	230	3.8			110	1.4	6.0	3.3

Time:  $90.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 20

Panama Canal Zons ( $9.4^{\circ}\text{N}$ , $79.9^{\circ}\text{W}$ )								July 1954
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2
00	270	4.1						2.2
01	260	3.4						3.15
02	270	3.1						1.8
03	260	2.8						2.2
04	260	2.8						3.15
05	240	2.7						3.1
06	260	2.8						2.3
07	280	4.1	220		3.5	120	2.1	2.7
08	330	4.7	220		3.9	120	(2.6)	3.2
09	450	4.7	220		4.0	110	(2.9)	4.0
10	480	4.8	220		4.1	110	3.2	4.2
11	460	5.6	210		4.1	110	3.3	4.2
12	420	6.5	220		4.2	110	3.3	4.2
13	400	7.3	220		4.2	110	3.3	4.2
14	370	8.0	220		4.1	110	3.3	4.2
15	350	8.5	220		4.0	110	3.1	4.2
16	<310	9.0	220		3.8	110	2.9	4.8
17	300	9.0	220		3.7	110	(2.6)	3.8
18	270	8.7	230		3.1	130	2.0	3.7
19	230	7.4						4.1
20	240	5.7						3.0
21	250	4.9						3.2
22	270	4.3						2.0
23	280	4.1						3.0

Time:  $75.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 21

Point Barrow, Alaska ( $71.3^{\circ}\text{N}$ , $156.8^{\circ}\text{W}$ )								June 1954
Time	h'F2	f0F2	h'Fl	f0Fl	h'E	f0E	fEs	(M3000)F2
00	270	3.8	210		2.2	110	1.2	6.0
01	280	3.8	220		2.3	110	1.3	6.0
02	280	3.9	210		2.5	110	(1.4)	5.8
03	280	3.9	210		2.9	110	1.6	4.5
04	(310)	3.9	210		3.2	100	(1.8)	4.3
05	350	4.1	200		3.4	110	(2.0)	4.2
06	400	4.2	220		3.6	100	2.3	4.9
07	390	4.4	220		3.7	100	2.4	4.6
08	380	4.3	200		3.7	100	2.5	4.2
09	430	4.2	200		3.7	100	2.6	4.8
10	420	4.2	200		3.8	100	2.7	4.8
11	420	4.2	200		3.8	100	2.7	4.8
12	420	4.2	200		3.8	100	2.7	4.8
13	390	4.3	210		3.8	100	2.4	4.0
14	340	4.3	210		3.6	110	2.2	4.8
15	400	4.1	220		3.8	110	2.0	4.2
16	300	4.0	230		3.9	110	2.9	5.2
17	360	4.7	230		3.8	110	2.8	4.8
18	340	4.6	250		3.7	110	2.8	4.8
19	330	4.3	260		3.4	110	2.7	4.3
20	300	4.1	---		---	120	2.8	4.3
21	300	3.9				120	2.7	6.0
22	270	3.8				150	(2.2)	8.0
23	250	3.5				---	---	9.0

Time:  $90.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 10.0 Mc in 16 seconds.

Table 25								June 1954	
Time	h <sup>1</sup> F2	foF2	h <sup>1</sup> F1	foF1	h <sup>1</sup> E	foE	fEE	(M3000)F2	
00	250	(3.2)					5.2		
01	260	3.1					5.0		
02	260	(3.2)					4.0		
03	(250)	(3.3)			100	2.8	4.2		
04	280	3.4	---	---	100	3.0	4.4		
05	(300)	3.7	250	3.3	100	3.1	4.3	---	
06	340	<4.7	230	3.6	100	2.7	4.3	---	
07	400	4.0	210	3.7	100	2.9	4.0	(3.15)	
08	380	4.2	200	3.8	100	2.8	3.6	0	
09	400	4.2	200	3.8	100	3.0	3.2	(2.95)	
10	440	4.2	200	4.0	100	3.0	3.7	0	
11	380	4.3	200	4.0	100	3.0		3.0	
12	390	4.3	200	4.0	100	3.1	3.4	2.95	
13	400	4.3	200	4.0	100	3.0		2.7	
14	380	4.4	200	3.9	100	3.0		(2.9)	
15	380	4.3	200	3.8	100	3.0	3.7	(2.9)	
16	360	4.6	200	3.7	100	2.8		(3.0)	
17	360	4.6	240	3.6	100	2.6	3.2	---	
18	330	4.3	260	(3.3)	100	2.9	3.8	---	
19	290	4.1	230	---	100	2.6	3.9	---	
20	260	(4.0)				2.2	5.3	---	
21	220	(3.6)					6.2		
22	230	3.2					6.2		
23	230	3.2					4.8		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 26								June 1954	
Time	h <sup>1</sup> F2	foF2	h <sup>1</sup> F1	foF1	h <sup>1</sup> E	foE	fEE	(M3000)F2	
00	280	2.4							3.0
01	290	2.1							3.0
02	290	2.0							3.0
03	280	2.0							3.0
04	240	3.0	---	---	---		E	3.7	3.0
05	240	3.7	230	3.2	110	2.0	3.6		3.4
06	320	4.0	230	3.5	110	2.4	4.5		3.2
07	350	4.3	220	3.8	110	2.8	4.8		3.2
08	350	4.5	210	4.0	110	3.0	5.0		3.2
09	370	4.6	210	4.0	110	3.2	4.6		3.2
10	380	4.6	200	4.1	110	3.2	4.6		3.0
11	380	4.6	200	4.1	100	3.3	4.5		3.1
12	410	4.6	200	4.2	100	3.4	4.5		2.9
13	390	4.6	200	4.1	100	3.3	4.5		3.0
14	390	4.6	200	4.0	110	3.2	4.5		3.0
15	380	4.5	210	4.0	110	3.0	4.5		3.05
16	370	4.5	220	3.8	110	2.9	4.1		3.1
17	340	4.5	230	3.6	110	2.5	4.8		3.1
18	300	4.8	250	3.3	110	2.1	4.6		3.2
19	250	5.2	250	---	120	E	4.0		3.25
20	230	5.2				E	4.2		3.4
21	240	4.5				E	2.7		3.3
22	240	3.9				E	1.7		3.2
23	270	3.2							3.3

Time: 60.0°W.

Sweep: 0.9 Mc to 10.0 Mc in 18 seconds.

Table 27								June 1954	
Time	h <sup>1</sup> F2	foF2	h <sup>1</sup> F1	foF1	h <sup>1</sup> E	foE	fEE	(M3000)F2	
00	260	4.0							
01	280	3.6							
02	280	3.5							
03	280	3.2							
04	290	3.2							
05	270	4.0	3.0						
06	300	4.6	225	3.6					
07	290	(5.0)		3.9	(2.6)	4.2			
08	300	5.0	200	4.0	(2.8)	4.3			
09	290	5.2	(200)	4.1	(3.0)	5.1			
10	300	5.2		4.1		5.1			
11	(290)	5.0	(200)	(4.3)	(3.1)	4.4			
12	(330)	(5.1)	(4.5)	(3.2)	4.0				
13	(300)	5.0	200	(4.2)	(3.2)	4.0			
14	(5.0)	200	4.1		(3.1)	3.9			
15	5.0	200	4.0		(3.0)	3.6			
16	335	5.0	200	4.0	(2.9)	3.4			
17	300	5.0	210	3.8		4.0			
18	300	5.0	(250)	3.5		3.9			
19	270	5.4				4.5			
20	250	6.2				4.0			
21	250	5.8				3.4			
22	250	5.3				3.8			
23	250	4.8				3.2			

Time: 15.0°E.

Sweep: 2.5 Mc to 12.0 Mc in 2 minutes.

Table 28								June 1954	
Time	h <sup>1</sup> F2	foF2	h <sup>1</sup> F1	foF1	h <sup>1</sup> E	foE	fEE	(M3000)F2	
00	270	2.4							3.1
01	290	2.0							3.1
02	320	1.8							2.3
03	(330)	1.8							3.0
04	270	2.1							2.7
05	240	3.1	---	---	120	1.8	2.9		3.4
06	330	3.6	220	3.3	110	2.2	3.2		3.2
07	350	4.0	210	3.6	110	2.6	3.9		3.1
08	360	4.4	210	3.8	110	2.8	4.9		3.1
09	390	4.5	200	4.0	110	3.0	4.8		3.1
10	360	4.6	200	4.1	110	3.2	4.0		3.0
11	380	4.7	200	4.1	110	3.3	4.8		3.0
12	390	4.6	200	4.2	110	3.3			2.9
13	400	4.6	200	4.1	110	3.3			2.9
14	400	4.6	200	4.0	110	3.1			2.85
15	400	4.5	200	4.0	110	3.0			3.0
16	380	4.6	220	3.8	110	3.0			3.0
17	340	4.6	230	3.7	110	2.7			3.0
18	310	4.8	230	3.4	110	2.3	4.0		3.1
19	270	5.0	240	3.0	120	1.9	4.5		3.2
20	240	5.1					4.2		3.2
21	240	4.7					3.4		3.2
22	240	3.9					2.6		3.2
23	250	3.1							3.1

Time: 75.0°W.

Sweep: 1.0 Mc to 10.0 Mc in 15 seconds.

Table 29								June 1954	
Time	h <sup>1</sup> F2	foF2	h <sup>1</sup> F1	foF1	h <sup>1</sup> E	foE	fEE	(M3000)F2	
00	260	4.5							
01	260	4.2							
02	270	4.5							
03	260	4.1							
04	260	4.2							
05	280	4.5							
06	310	4.8							
07	330	5.1							
08	320	5.2							
09	320	5.3							
10	320	5.5							
11	380	4.9							
12	400	5.0							
13	390	5.0							
14	400	4.7							
15	380	4.8							
16	340	4.9							
17	320	5.0							
18	300	5.3							
19	280	5.7							
20	260	6.0							
21	270	5.9							
22	260	5.3							
23	260	4.8							

Time: 135.0°E.

Sweep: 1.0 Mc to 22.0 Mc in 1 minute.

Table 30								June 1954	
Time	h <sup>1</sup> F2	foF2	h <sup>1</sup> F1	foF1	h <sup>1</sup> E	foE	fEE	(M3000)F2	
00	260	4.1							5.0
01	270	4.0							5.1
02	250	4.0							4.3
03	240	3.8							4.2
04	240	3.5							3.6
05	250	4.0							3.8
06	270	4.6							4.6
07	(270)	5.2							6.9
08	(290)	5.4							7.0
09	(270)	5.5							7.2
10	(300)	(5.4)							

Table 31

Tokyo, Japan ( $35.7^{\circ}\text{N}$ , $139.5^{\circ}\text{E}$ )								June 1954
Time	$\text{h}^1\text{F}2$	$\text{f}_0\text{F}2$	$\text{h}^1\text{Fl}$	$\text{f}_0\text{Fl}$	$\text{h}^1\text{E}$	$\text{f}_0\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2
00	280	4.0				5.2	3.0	
01	280	3.9				5.4	3.0	
02	280	3.7				5.5	3.1	
03	260	3.4				4.5	3.1	
04	270	3.2				4.2	3.0	
05	250	3.8	---	---	130	1.6	3.5	3.25
06	300	4.5	240	3.5	110	2.3	4.6	3.2
07	290	5.0	---	---	110	2.6	6.0	3.2
08	290	5.5	---	---	110	2.9	6.5	3.3
09	290	5.6	220	4.1	110	3.0	7.0	3.3
10	(340)	(5.1)	---	4.3	110	3.1	7.2	3.2
11	(360)	5.3	---	---	110	3.2	7.4	3.0
12	(370)	5.0	230	4.2	110	3.2	7.0	3.0
13	400	5.0	200	4.1	110	3.2	7.0	2.9
14	350	5.5	220	4.1	110	3.1	6.5	3.0
15	350	5.9	220	4.0	110	3.0	5.9	3.0
16	320	5.8	240	3.9	110	2.8	5.9	3.1
17	310	5.8	230	3.5	110	2.4	5.8	3.1
18	290	5.8	250	3.2	120	1.9	5.4	3.1
19	250	6.0					5.6	3.2
20	250	5.9					5.6	3.2
21	260	4.8					4.8	3.2
22	300	4.1					5.6	3.0
23	290	4.0					5.8	3.0

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 17.2 Mc in 2 minutes.

Table 33

Huancayo, Peru ( $12.0^{\circ}\text{S}$ , $75.3^{\circ}\text{W}$ )								June 1954
Time	$\text{h}^1\text{F}2$	$\text{f}_0\text{F}2$	$\text{h}^1\text{Fl}$	$\text{f}_0\text{Fl}$	$\text{h}^1\text{E}$	$\text{f}_0\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2
00	230	3.0					3.5	
01	230	3.0					3.4	
02	230	2.8					3.4	
03	240	2.3					3.4	
04	250	1.8					3.45	
05	270	E					(3.4)	
06	270	1.8			110	2.0	3.0	
07	240	4.4	220	---	110	2.6	5.7	3.3
08	300	5.4	210	---	100	---	9.1	3.1
09	340	5.8	200	3.9	100	---	9.2	2.9
10	380	5.6	200	4.0	100	---	10.9	2.7
11	400	5.5	190	4.1	100	---	11.2	2.6
12	410	5.3	190	4.1	100	---	10.9	2.6
13	420	5.6	190	4.1	100	---	11.0	2.6
14	390	5.8	190	4.0	100	---	10.2	2.7
15	360	6.0	190	3.8	100	---	9.4	2.6
16	310	6.1	190	3.6	110	---	8.8	2.8
17	(260)	6.0	210	---	---	2.0	4.8	3.0
18	210	6.0					3.2	
19	240	5.2					3.15	
20	230	4.6					3.3	
21	230	4.7					3.4	
22	220	4.3					3.5	
23	220	3.4					3.5	

Time:  $75.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 35

Upsala, Sweden ( $59.8^{\circ}\text{N}$ , $17.6^{\circ}\text{E}$ )								May 1954
Time	$\text{h}^1\text{F}2$	$\text{f}_0\text{F}2$	$\text{h}^1\text{Fl}$	$\text{f}_0\text{Fl}$	$\text{h}^1\text{E}$	$\text{f}_0\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2
00	260	2.8				2.2	3.1	
01	265	2.4				2.0	3.05	
02	270	2.3		---	---		3.1	
03	260	2.6		---	E	2.2	3.1	
04	260	3.2	225	2.8	---	E	1.8	3.1
05	360	3.6	225	3.2	120	1.8	2.4	3.1
06	370	3.9	225	3.4	110	2.2	3.3	3.0
07	405	4.1	215	3.7	110	2.4	3.2	2.9
08	375	4.3	210	3.8	105	2.6	3.3	2.9
09	370	4.5	210	3.9	105	2.7	3.4	3.1
10	360	4.6	210	4.0	105	2.8	3.4	3.1
11	355	4.7	210	4.0	105	2.9	3.1	3.1
12	360	4.7	210	4.0	105	3.0	3.1	3.1
13	360	4.6	205	4.0	105	2.9	3.0	3.1
14	350	4.7	210	4.0	105	2.8	3.2	3.1
15	355	4.4	210	3.9	105	2.7	3.2	3.1
16	340	4.5	220	3.8	105	2.5	3.4	3.1
17	320	4.5	225	3.6	110	2.3	3.5	3.1
18	290	4.6	235	3.3	110	2.0	3.6	3.2
19	260	4.6	240	(2.8)	130	1.6	3.3	3.3
20	250	4.5	240	---	---	E	2.5	3.2
21	240	4.8		---			3.2	
22	235	4.2					3.2	
23	250	3.7					3.1	

Time:  $15.0^{\circ}\text{E}$ .

Sweep: 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 32

Yamagawa, Japan ( $31.2^{\circ}\text{N}$ , $130.6^{\circ}\text{E}$ )								June 1954
Time	$\text{h}^1\text{F}2$	$\text{f}_0\text{F}2$	$\text{h}^1\text{Fl}$	$\text{f}_0\text{Fl}$	$\text{h}^1\text{E}$	$\text{f}_0\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2
00	320	---						6.0
01	300	---						5.9
02	270	(3.5)						5.1
03	290	(3.3)						5.0
04	280	(3.2)						5.0
05	270	3.2						3.3
06	250	4.3						3.8
07	280	5.0						5.6
08	290	5.2						6.2
09	300	5.6						8.2
10	(360)	5.2						8.2
11	(330)	(5.1)						8.6
12	(400)	(5.5)						8.8
13	(400)	(5.4)						8.6
14	370	6.4						8.3
15	350	6.7						6.4
16	320	7.1						6.0
17	300	6.6						6.2
18	290	6.1						6.0
19	270	6.1						5.8
20	260	6.0						5.8
21	260	5.2						5.8
22	300	4.6						5.9
23	300	(4.9)						5.9

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 22.0 Mc in 1 minute.

Table 34

Watheroo, W. Australia ( $30.3^{\circ}\text{S}$ , $115.9^{\circ}\text{E}$ )								June 1954
Time	$\text{h}^1\text{F}2$	$\text{f}_0\text{F}2$	$\text{h}^1\text{Fl}$	$\text{f}_0\text{Fl}$	$\text{h}^1\text{E}$	$\text{f}_0\text{E}$	$\text{f}_{\text{Es}}$	(M3000)F2
00	240	3.2						3.3
01	240	3.6						3.3
02	240	3.7						3.3
03	240	3.6						3.4
04	240	3.6						1.9
05	220	3.5						3.4
06	220	3.0						3.45
07	220	3.5						3.4
08	220	4.4					1.9	3.7
09	240	4.6	230	3.5			2.4	3.6
10	260	4.8	220	3.8			2.7	3.6
11	270	5.0	230	4.0			2.8	3.5
12	280	5.0	230	4.0			2.9	3.5
13	280	5.2	220	4.0			2.9	3.5
14	270	5.1	230	3.8			2.7	3.5
15	260	5.2	220	3.7			2.6	3.5
16	240	5.1	230	3.7			2.3	3.5
17	230	4.7	210	4.0			2.7	3.0
18	235	4.7	210	4.0			3.6	3.0
19	235	4.6	210	4.0			3.6	3.0
20	235	4.6	215	4.0			3.5	3.0
21	230	4.9	220	3.9			3.0	3.0
22	245	4.6	220	3.7			3.1	3.1
23	245	(4.6)	225	3.4			2.3	3.1

Time:  $0.0^{\circ}$ .

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

\*Average values except  $\text{f}_0\text{F}2$  and  $\text{f}_{\text{Es}}$ , which are median values.

Table 37

De Bilt, Holland (52.1°N, 5.2°E)							May 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEe	(M3000)F2
00	260	3.4						3.0
01	260	3.2						3.0
02	(260)	3.0						3.0
03	(270)	2.9						3.0
04	<260	3.2	--	--				3.05
05	310	3.7	240	3.2	120	2.0	2.2	3.05
06	340	4.2	240	3.7	120	2.2	2.9	3.1
07	380	4.2	235	3.8	120	2.5	3.2	3.0
08	360	4.6	225	4.0	115	2.7	3.4	3.05
09	340	4.8	220	4.1	115	2.9	3.5	3.2
10	350	5.0	220	4.2	115	3.0	3.7	3.15
11	340	5.0	220	4.2	120	3.0	3.6	3.05
12	340	5.0	210	4.2	115	3.0	3.3	3.1
13	360	4.9	220	4.2	115	3.0	3.2	3.0
14	355	4.9	220	4.1	120	3.0	3.2	3.0
15	350	4.8	240	4.0	115	2.9	3.2	3.1
16	340	4.9	240	3.9	120	2.6	3.6	3.1
17	310	4.8	240	3.6	120	2.4	3.5	3.1
18	280	4.8	240	3.2	120	1.9	3.2	3.2
19	260	5.2	--	--				2.5
20	240	5.2						2.4
21	240	5.0						3.25
22	240	4.6						3.2
23	(240)	3.6						3.05

Time: 0.0°.

Sweep: 1.4 Mc to 11.2 Mc in 6 minutes, automatic operation.

Table 39\*

Slough, England (51.5°N, 0.6°W)							May 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEe	(M3000)F2
00	265	3.6						2.6
01	275	3.4						2.95
02	270	3.1						2.95
03	265	3.0						3.0
04	275	3.0	(270)	(2.2)				3.0
05	290	3.7	245	3.0	125	1.7	3.5	3.15
06	350	4.1	230	3.4	120	2.1	4.4	3.1
07	360	4.3	225	3.7	115	2.4	4.5	3.1
08	365	4.5	225	3.9	115	2.7	4.8	3.1
09	355	4.7	230	4.0	115	2.9	4.7	3.15
10	350	4.9	225	4.1	115	3.0	5.0	3.1
11	335	5.0	220	4.2	115	3.0	5.0	3.2
12	375	4.9	220	4.2	115	3.1	4.9	3.05
13	395	4.8	225	4.2	115	3.0	4.9	3.1
14	350	4.9	230	4.2	115	3.0	4.8	3.1
15	365	4.8	235	4.1	115	2.9	4.7	3.05
16	345	4.9	245	3.9	115	2.7	4.5	3.1
17	315	5.0	240	3.7	115	2.5	4.2	3.1
18	300	4.9	235	3.5	120	2.1	3.7	3.1
19	275	5.3	260	3.0	130	1.7	3.1	3.15
20	250	5.7						2.6
21	240	5.5						3.15
22	245	5.0						3.2
23	250	4.3						2.4

Time: 0.0°.

Sweep: 0.55 Mc to 16.5 Mc in 5 minutes.

\*Average values except foF2 and fEe, which are median values.

Table 41\*

Singapore, British Malaya (1.3°N, 103.8°E)							May 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEe	(M3000)F2
00	260	3.1						3.9 (3.1)
01	240	2.9						3.4 (3.5)
02	240	2.5						3.1 (3.4)
03	240	2.0						3.0 (3.5)
04	250	1.8						3.1 (3.4)
05	(255)	1.4						3.4
06	250	3.2						3.1
07	255	5.7	235	(3.7)	120	2.2	3.9	3.2
08	300	7.3	220	4.0	115	2.7	5.4	2.9
09	315	8.1	210	4.2	115	3.0	5.6	2.8
10	330	9.0	295	4.3	110	3.2	6.6	2.6
11	335	9.6	200	4.3	110	3.3	6.4	2.5
12	340	9.3	200	4.4	110	3.3	6.0	2.6
13	330	9.5	200	4.3	110	3.3	6.1	2.6
14	320	9.2	200	4.3	110	3.2	5.7	2.7
15	305	9.0	205	4.2	115	3.0	5.1	2.8
16	280	8.9	225	4.0	115	2.7	5.0	2.9
17	255	8.6	230	(3.5)	120	2.2	5.3	3.0
18	235	8.6						(1.5)
19	230	7.6						3.7
20	225	6.6						3.3
21	220	5.5						3.4
22	225	3.6						3.6
23	240	3.0						4.1 (3.1)

Time: 105.0°E.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

\*Average values except foF2 and fEe, which are median values.

Table 42

Table 38

Lindau/Harz, Germany (51.6°N, 10.1°E)							May 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEe	(M3000)F2
00	260	3.6						2.2
01	250	3.6						2.1
02	260	3.2						2.2
03	260	3.0						3.1
04	260	3.0	--	--	--	E	2.2	3.2
05	275	3.4	240	2.7				2.9
06	310	3.9	225	3.3	115	2.0	2.0	3.2
07	310	4.4	225	3.6	110	2.3	3.0	3.3
08	360	4.4	215	3.8	105	2.6	3.8	3.1
09	335	4.8	215	3.9	105	2.8	4.0	3.2
10	320	5.0	210	4.0	105	2.9	4.3	3.25
11	340	5.0	210	4.1	100	3.0	4.2	3.2
12	340	5.0	205	4.2	100	3.0	4.2	3.2
13	335	4.8	210	4.1	100	3.0	4.6	3.2
14	360	4.8	210	4.1	105	3.0	4.2	3.1
15	350	4.8	215	4.0	100	2.9	3.9	3.1
16	320	4.8	225	3.8	105	2.7	3.7	3.25
17	320	4.9	225	3.7	110	2.5	4.2	3.2
18	280	5.0	225	3.4	115	2.2	4.2	3.3
19	260	5.2	230	--	120	1.7	3.4	3.3
20	250	5.4						3.1
21	230	5.6						2.6
22	230	5.0						2.4
23	240	4.3						2.4

Time: 15.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 8 minutes.

Table 40

Formosa, China (25.0°N, 121.5°E)							May 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEe	(M3000)F2
00	300	4.6						3.7
01	270	4.2						3.0
02	240	4.8						3.2
03	250	4.6						2.4
04	240	3.1						3.35
05	240	3.6						3.3
06	240	5.0						3.5
07	240	3.6	230	3.6	110	2.4	7.0	3.7
08	270	5.7	225	4.1	105	2.8	6.0	3.4
09	320	6.0	230	4.3	100	3.1	7.9	3.2
10	350	6.7	200	--	110	3.2	6.0	2.9
11	350	8.2	215	--	110	3.4	6.6	2.9
12	320	9.4	210	(4.5)	110	--	5.4	3.0
13	320	9.7	210	4.4	110	--	5.4	3.1
14	310	10.8	220	4.3	110	3.3	4.8	3.2
15	290	10.7	225	4.2	110	3.1	5.0	3.2
16	280	10.4	240	3.9	110	3.2	4.4	3.3
17	260	9.8	240	3.7	100	2.4	4.6	3.4
18	240	8.0						3.2
19	220	6.6						3.7
20	210	5.2						3.8
21	240	5.2						3.2
22	280	5.0						3.0
23	300	4.2						2.8

Time: 120.0°E.

Sweep: 1.1 Mc to 19.5 Mc in 15 minutes, manual operation.

Table 42

Leopoldville, Belgian Congo (4.3°S, 15.3°E)							May 1954	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEe	(M2000)F2
00	220	--						--
01	(205)	--						3.3
02	(240)	--						--
03	--							3.0
04	--							--
05	240	3.4						2.5
06	250	5.2	220	--</				

Table 43  
Rarotonga I. (21.3°S, 159.8°W)

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	May 1954
00	290	3.2							3.0
01	300	3.0							3.0
02	290	2.9							3.1
03	290	3.1							3.1
04	260	2.9							3.3
05	260	2.7							3.2
06	280	2.5							3.2
07	250	4.5	230	2.6	--	E	2.4		3.5
08	250	5.5	210	3.5	115	2.2	3.0		3.6
09	260	5.7	200	3.9	110	2.6	3.3		3.5
10	260	5.9	200	4.1	105	2.8	3.5		3.6
11	270	5.7	200	4.2	105	3.0	3.9		3.6
12	290	5.8	200	4.3	105	3.1	4.1		3.4
13	270	6.3	200	4.2	105	3.1	4.0		3.5
14	260	6.1	210	4.1	110	3.0	4.1		3.5
15	250	6.1	200	4.0	110	2.8	3.8		3.45
16	260	6.0	220	3.6	--	2.5	4.1		3.4
17	250	6.0	240	3.0	--	1.9	3.8		3.4
18	230	5.9							3.5
19	220	4.7							3.4
20	240	3.8							3.2
21	250	3.4							3.2
22	250	3.2							3.25
23	270	2.9							3.1

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 45

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	May 1954
00	250	3.7							3.2
01	260	3.9							3.1
02	250	4.1							3.1
03	250	4.0							3.2
04	240	3.9							3.3
05	220	3.7							3.2
06	230	3.0							3.3
07	230	4.0							3.4
08	240	4.9	230	2.7	2.4	2.7	3.6		
09	250	5.3	240	3.7	2.7	3.4	3.5		
10	270	6.1	240	4.0	3.2	3.4	3.5		
11	280	6.0	230	4.1	3.3	3.5	3.4		
12	280	5.9	230	4.2	3.2	3.5	3.4		
13	290	6.0	220	4.1	3.0	3.6	3.35		
14	280	6.1	220	4.0	3.1	3.7	3.3		
15	260	6.5	230	3.8	2.8	3.5	3.4		
16	250	5.9	230	3.4	2.5	2.7	3.5		
17	230	4.9			2.0	2.6	3.6		
18	220	3.8							3.5
19	230	3.0							3.25
20	250	3.2							3.2
21	250	3.3							3.2
22	250	3.2							3.15
23	250	3.4							3.2

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 2 minutes.

Table 47

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	May 1954
00	270	3.0	-						3.05
01	270	3.0							3.1
02	270	3.0							3.1
03	270	3.0							3.1
04	260	2.9							3.1
05	250	2.7							3.3
06	240	2.3							3.3
07	240	3.1	--						3.4
08	240	4.1	240	2.6	1.7	2.4	3.5		
09	250	4.5	230	3.3	2.2	3.3	3.5		
10	260	4.6	220	3.6	2.4	3.3	3.5		
11	280	4.8	220	3.8	2.5	3.8	3.4		
12	270	5.2	230	3.8	2.6	4.3	3.4		
13	270	5.0	230	3.8	2.6	4.1	3.4		
14	270	5.1	230	3.7	2.4	3.9	3.4		
15	250	5.4	230	3.3	2.2	3.0	3.5		
16	230	5.1	230	2.4	1.7	2.9	3.5		
17	230	4.4			--	2.9	3.4		
18	250	3.4							3.1
19	250	3.0							3.1
20	250	2.9							3.2
21	270	2.7							3.2
22	270	2.9			2.9	3.1			
23	270	2.9			3.0	3.1			

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 43

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	May 1954
00	290	3.2							3.0
01	300	3.0							3.0
02	290	2.9							3.1
03	290	3.1							3.1
04	260	2.9							3.3
05	260	2.7							3.2
06	280	2.5							3.2
07	250	4.5	230	2.6	--	E	2.4		3.5
08	250	5.5	210	3.5	115	2.2	3.0		3.6
09	260	5.7	200	3.9	110	2.6	3.3		3.5
10	260	5.9	200	4.1	105	3.1	4.0		3.6
11	270	5.7	200	4.2	105	3.0	4.0		3.5
12	290	5.8	200	4.3	105	3.1	4.1		3.4
13	270	6.3	200	4.2	105	3.1	4.0		3.5
14	260	6.1	210	4.1	110	3.0	4.1		3.5
15	250	6.1	200	4.0	110	2.8	3.8		3.45
16	260	6.0	220	3.6	--	2.5	4.1		3.4
17	250	6.0	240	3.0	--	1.9	3.8		3.4
18	230	5.9							3.5
19	220	4.7							3.4
20	240	3.8							3.2
21	250	3.4							3.3
22	250	3.2							3.2
23	270	2.9							3.1

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 45

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	May 1954
00	250	3.7							3.2
01	260	3.9							3.1
02	250	4.1							3.1
03	250	4.0							3.1
04	240	3.9							3.3
05	220	3.7							3.2
06	230	3.0							3.3
07	230	4.0							3.4
08	240	4.9	230	2.7	2.4	2.7	3.6		
09	250	5.3	240	3.7	2.7	3.4	3.5		
10	270	6.1	240	4.0	3.2	3.4	3.5		
11	280	6.0	230	4.1	3.3	3.5	3.4		
12	280	5.9	230	4.2	3.2	3.5	3.4		
13	290	6.0	220	4.1	3.0	3.6	3.35		
14	280	6.1	220	4.0	3.1	3.7	3.3		
15	260	6.5	230	3.8	2.8	3.5	3.4		
16	250	5.9	230	3.4	2.5	3.0	3.5		
17	230	4.9			1.7	2.9	3.5		
18	220	3.8			--	2.9	3.5		
19	230	3.0							3.25
20	250	3.2							3.2
21	250	3.3							3.2
22	250	3.2							3.15
23	250	3.4							3.2

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 2 minutes.

Table 47

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2	May 1954
00	270	3.0	-						3.05
01	270	3.0							3.1
02	270	3.0							3.1
03	270	3.0							3.1
04	260	2.9							3.1
05	250	2.7							3.3
06	240	2.3							3.3
07	240	3.1	--						3.4
08	240	4.1	240	2.6	1.7	2.4	3.5		
09	250	4.5	230	3.3	2.2	3.3	3.5		
10	260	4.6	220	3.6	2.4	3.3	3.5		
11	280	4.8	220	3.8	2.5	3.8	3.4		
12	270	5.2	230	3.8	2.6	4.3	3.4		
13	270	5.0	230	3.8	2.6	4.1	3.4		
14	270	5.1	230	3.7	2.4	3.9	3.4		
15	250	5.4	230	3.3	2.2	3.0	3.5		
16	230	5.1	230	2.4	1.7	2.9	3.5		
17	230	4.4			--	2.9	3.4		
18	250	3.4</td							

Port Lockroy ( $64.8^{\circ}\text{S}$ ,  $63.5^{\circ}\text{W}$ )

Time	Table 49*						April 1954 (M3000)F2	
	h'F2	foF2	h'Fl	foFl	h'E	foE	fEe	
00	295	2.6					2.8	
01	295	2.6			1.2		2.8	
02	305	2.5			1.3		2.8	
03	285	2.6			1.3		2.8	
04	275	2.5			1.4		2.9	
05	260	2.6					3.0	
06	250	2.5			1.0		3.0	
07	230	2.8			1.0		3.3	
08	225	3.4			(2.0)	1.7	3.6	
09	220	4.5			(2.1)	2.6	3.6	
10	220	5.4			(110)	(2.2)	3.2	3.5
11	215	5.5			(105)	2.4	2.8	3.6
12	215	6.0			(105)	2.4	2.7	3.6
13	215	5.8			(105)	2.4	2.7	3.6
14	215	5.4			(110)	2.3	3.7	
15	220	5.6			(110)	2.1	2.4	3.6
16	215	4.9			(115)	(2.0)	1.6	3.5
17	220	4.6			(130)	(1.6)	1.9	3.4
18	225	4.5				1.8	3.4	
19	235	4.0					3.3	
20	240	3.7					3.2	
21	255	3.0					3.1	
22	280	2.8					3.0	
23	290	2.7					2.9	

Time:  $60.0^{\circ}\text{W}$ .

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

\*Average values except foF2 and fEe, which are median values.

Bombay, India ( $19.0^{\circ}\text{N}$ ,  $73.0^{\circ}\text{E}$ )

Time	Table 51						March 1954 (M3000)F2	
	*	foF2	h'Fl	foFl	h'E	foE	fEe	
00								
01								
02								
03								
04								
05								
06:30	270	4.7					3.25	
07	300	5.4					3.1	
08	330	7.1					2.95	
09	330	7.8					2.9	
10	360	8.5					2.8	
11	390	9.7					2.7	
12	390	10.8					2.65	
13	390	11.4					2.65	
14	390	11.7					2.6	
15	420	11.9					2.55	
16	390	11.7					2.55	
17	390	11.2					2.65	
18	390	10.7					2.7	
19	360	9.3					2.8	
20	330	8.3					2.9	
21	300	6.8					3.1	
22	300	5.9					3.15	
23								

Time:  $75.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Tiruchy, India ( $10.8^{\circ}\text{N}$ ,  $78.8^{\circ}\text{E}$ )

Time	Table 53						March 1954 (M3000)F2	
	*	foF2	h'Fl	foFl	h'E	foE	fEe	
00								
01								
02								
03								
04								
05								
06	360	4.3					2.85	
07	420	6.4					2.45	
08	480	7.3					2.35	
09	480	7.1					2.3	
10	500	6.9					2.25	
11	510	7.2					2.25	
12	500	7.5					2.25	
13	510	7.8					2.25	
14	510	8.2					2.25	
15	480	8.6					2.3	
16	480	8.6					2.3	
17	480	>8.8					2.3	
18	450	8.5					2.35	
19	450	8.0					2.4	
20	450	7.4					2.4	
21	420	7.2					2.45	
22								
23								

Time:  $75.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 49\*

April 1954

Table 50

March 1954

Delhi, India ( $28.6^{\circ}\text{N}$ ,  $77.1^{\circ}\text{E}$ )

Time	Table 50						(M3000)F2	
	*	foF2	h'Fl	foFl	h'E	foE	fEe	
00		290	2.8					3.15
01		300	2.6					3.2
02		---	---					3.05
03								
04		270	2.6					3.4
05		260	2.7					3.4
06		260	3.3					3.45
07		240	5.4					3.55
08		260	6.0					3.4
09		260	6.4					3.4
10		260	7.6					3.4
11		260	>8.2					3.4
12		260	>8.3					3.35
13		280	8.6					3.35
14		260	>8.1					3.4
15		240	7.7					3.5
16		240	7.4					3.6
17		240	7.2					3.6
18		240	6.1					3.6
19		220	5.3					3.7
20		240	3.8					3.55
21		260	3.2					3.5
22		260	2.9					3.4
23		280	2.9					3.3

Time:  $75.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 52

March 1954

Madras, India ( $13.0^{\circ}\text{N}$ ,  $80.2^{\circ}\text{E}$ )

Time	Table 52						(M3000)F2	
	*	foF2	h'Fl	foFl	h'E	foE	fEe	
00								
01								
02								
03								
04								
05								
06	340	5.2						2.9
07	380	6.6						2.75
08	420	7.4						2.55
09	420	7.7						2.45
10	450	7.6						2.45
11	450	7.8						2.45
12	450	8.0						2.45
13	450	8.3						2.45
14	450	8.6						2.45
15	450	9.1						2.45
16	450	9.4						2.45
17	420	>9.0						2.45
18	420	9.0						2.5
19	390	>8.0						2.55
20	390	7.4						2.65
21	360	7.0						2.75
22	330	>6.5						2.9
23								

Time:  $75.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 54

March 1954

Townsville, Australia ( $19.3^{\circ}\text{S}$ ,  $146.7^{\circ}\text{E}$ )

Time	Table 54						(M3000)F2	
	*	foF2	h'Fl	foFl	h'E	foE	fEe	
00		4.0						(3.0)
01		3.9						3.1
02		3.7						3.1
03		3.4						3.0
04		3.2						3.2
05		3.0						3.1
06	3.1							3.3
07	4.5							3.5
08	5.5	240	3.9	100	2.4	3.8		3.3
09	5.0	220	4.1	100	2.9	4.3		3.2
10	6.0	200	4.3	100	3.2	4.4		3.2
11	7.0	200	4.3	100	3.2	3.9		3.1
12	7.6	200	4.4	100	3.3	4.6		3.1
13	7.5	200	4.3	100	3.3	4.1		3.2
14	7.4	200	4.3	100	3.2	4.8		3.15
15	7.7	200	4.1	110	3.2	4.5		3.3
16	7.3	230	3.8	100	2.8	5.2		3.3
17	6.6	240	3.5	110	2.4	4.5		3.4
18	5.5	---	---	---	---	4.0		3.4
19	4.6							3.6
20	4.4							3.6
21	4.0							3.0

Table 55

Brisbane, Australia (27.5°S, 153.0°E)								March 1954
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	(300)	(4.1)			(3.6)		(2.9)	
01	(240)	(4.0)			(3.6)		(3.2)	
02	(240)	(4.0)			(2.6)		(3.1)	
03	(260)	(3.6)			(3.3)		(3.3)	
04	(250)	(3.5)					(3.1)	
05	(250)	(3.5)					(3.2)	
06	(240)	(4.0)					(3.55)	
07	(250)	(5.2)	230	---	---	---	(3.8)	(3.5)
08	(270)	5.4	220	4.1	---	---	(4.2)	(3.4)
09	(300)	(5.7)	220	4.3	---	---	(4.1)	(3.3)
10	(300)	(6.1)	---	4.4	---	---	(4.8)	(3.2)
11	(300)	(6.2)	---	---	---	---	(5.3)	(3.2)
12	(230)	(7.0)	---	---	---	---	(3.2)	
13	(280)	(6.7)	---	---	---	---	(5.4)	(3.3)
14	(300)	(6.4)	---	---	---	---	(3.2)	
15	(280)	(6.4)	---	---	---	---	(3.25)	
16	(270)	6.8	---	---	---	---	(4.9)	3.3
17	250	6.2	---	---	---	---	4.2	3.4
18	(240)	5.4	---	---	---	---	(4.2)	3.3
19	240	5.0	---	---	---	---	4.0	3.2
20	(240)	(4.3)	---	---	---	---	(3.2)	(3.3)
21	(280)	(4.1)	---	---	---	---	(3.6)	(3.0)
22	(300)	(4.1)	---	---	---	---	(3.9)	(3.0)
23	(290)	(4.1)	---	---	---	---	(3.8)	(3.1)

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 56

Canberra, Australia (35.3°S, 149.0°E)								March 1954
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	---	---	3.7					3.4
01	---	---	3.5					3.1
02	---	---	(3.4)					3.1
03	---	---	(3.3)					3.0
04	---	---	(3.0)					2.5
05	---	---	(2.8)					3.1
06	240	3.1	---	---	---	---		2.2
07	245	4.0	230	---	(110)	1.9	---	3.1
08	310	4.6	230	3.7	110	2.5	3.1	3.0
09	315	4.8	220	4.0	110	2.7	3.6	3.2
10	345	5.2	210	4.1	100	3.0	3.7	3.1
11	330	5.6	210	4.1	100	3.0	3.8	3.2
12	320	5.8	210	4.2	100	3.1	3.6	3.2
13	310	5.9	210	4.2	100	3.1	3.7	3.2
14	300	5.8	215	4.1	100	3.1	3.6	3.2
15	300	5.6	220	4.0	100	2.9	3.7	3.1
16	290	5.5	230	3.8	110	2.6	3.6	3.3
17	260	5.3	240	(3.5)	110	2.3	3.2	3.3
18	250	5.1	---	---	---	1.8	3.3	3.3
19	240	5.0	---	---	---		3.1	3.1
20	---	4.4	---	---	---		3.4	3.1
21	---	4.0	---	---	---		3.1	3.0
22	---	3.8	---	---	---		3.6	3.0
23	---	3.7	---	---	---		3.6	3.0

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 57

Hobart, Tasmania (42.9°S, 147.3°E)								March 1954
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	260	2.6					2.9	
01	270	2.3					3.0	
02	260	2.2					3.0	
03	250	2.0					3.0	
04	270	2.0					3.0	
05	270	2.0					3.0	
06	250	2.5	---	---	E		3.05	
07	220	3.6	100	2.0			3.1	
08	210	4.1	100	2.4			3.05	
09	380	4.2	200	3.9	100	2.6	2.8	2.8
10	380	4.6	200	4.0	100	2.9	3.1	2.8
11	360	5.0	200	4.0	100	3.0	3.3	2.9
12	350	5.0	200	4.1	100	3.0	3.2	3.0
13	330	5.2	200	4.1	100	3.0	3.0	2.8
14	310	5.3	200	4.0	100	3.0	3.0	2.8
15	300	5.2	700	4.0	100	2.8	3.0	2.8
16	210	5.0	---	---	100	2.6	3.1	2.8
17	220	4.9	---	---	100	2.2	3.1	2.8
18	230	5.0	---	---	100	1.4	2.5	3.1
19	230	4.7	---	---	---		3.1	2.8
20	250	4.5	---	---	---		3.0	2.8
21	250	3.5	---	---	---		3.0	2.8
22	250	3.0	---	---	---		3.0	2.8
23	250	2.7	---	---	---		3.0	2.8

Time: 150.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 58\*

Ibadan, Nigeria (7.4°N, 4.0°E)								January 1954
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	263	4.7	---	---				1.6 (3.3)
01	260	4.4	---	---				1.3
02	261	3.8	---	---				1.0 (3.2)
03	251	3.4	---	---				1.2
04	237	(2.4)	---	---				1.2
05	234	1.9	---	---				1.9
06	256	3.0	---	---				1.9
07	---	5.6	235	---	111	2.0		4.6 3.2
08	300	6.6	219	3.8	108	2.8		6.0 2.9
09	337	6.7	211	4.1	109	3.2		8.2 2.5
10	380	6.4	205	4.2	106	3.3		10.0 2.3
11	407	6.2	204	4.3	108	3.4		10.2 2.4
12	362	6.9	198	4.3	107	3.4		10.0 2.6
13	368	7.0	197	4.3	107	3.4		10.0 2.5
14	369	7.0	204	4.2	108	3.2		8.8 2.3
15	348	7.3	211	4.0	108	3.0		6.4 2.4
16	307	7.6	232	---	111	2.7		5.1 2.5
17	---	7.7	241	---	115	2.0		4.8 2.5
18	272	6.9	---	---	(127)	1.3		2.1 2.6
19	281	6.6	---	---	---			2.0 2.5
20	290	6.7	---	---	---			2.2
21	268	6.0	---	---	---			2.2
22	256	5.4	---	---	---			1.9 3.0
23	251	4.8	---	---	---			1.2

Time: 0.0°E.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

\*Average values except foF2 and fEs, which are median values.

Table 59

Fribourg, Germany (48.1°N, 7.8°E)								December 1953
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	<260	3.2						2.9
01	245	3.2						2.95
02	255	3.0						1.7
03	<260	3.0						1.7
04	245	2.7						3.0
05	<230	2.4						3.2
06	238	2.2						3.2
07	<240	2.3						3.2
08	218	4.3	220	---	<159	1.5	2.0	3.6
09	220	5.3	220	---	121	2.0	2.0	3.65
10	230	5.6	220	---	119	2.2	2.3	3.7
11	228	5.9	230	---	115	2.4	2.3	3.65
12	230	6.0	220	---	119	2.5	2.5	3.65
13	230	5.5	225	(3.4)	119	2.4	2.6	3.6
14	230	5.5	230	---	120	2.2	2.5	3.65
15	220	5.3	230	---	129	2.0	2.3	3.6
16	215	4.7	---	---	---	2.1	3.55	3.5
17	215	3.3	---	---	---	2.2	3.4	3.45
18	232	2.8	---	---	---	2.0	3.25	3.2
19	245	2.9	---	---	---	3.2		2.1
20	240	3.0	---	---	2.3	3.2		3.2
21	235	3.0	---	---	---	3.15		2.0
22	250	3.1	---	---	2.0	3.05		3.15
23	265	3.2	---	---	2.1	3.05		1.8 2.95

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 60

Fribourg, Germany (48.1°N, 7.8°E)								November 1953
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	270	3.2						2.9
01	270	3.2						2.95
02	<265	3.2						1.7
03	<265	3.2						1.7
04	250	2.6						3.05
05	<240	2.3						3.2
06	<240	2.2						3.2
07	230	3.4	218	---	---	---	1.6	3.55
08	225	4.5	230	---	125	1.7	2.4	3.55
09	230	5.0	230	---	119	2.0	2.9	3.55
10	245	5.4	228	---	115	2.4	3.1	3.6
11	250	5.6	220	---	115			

Time	Table 61						(M3000)F2
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	265	6.8			2.4	3.25	
01	240	6.6			2.1	3.35	
02	235	5.6			1.9	3.35	
03	225	4.4			2.4	3.4	
04	230	2.8			2.2	3.25	
05	240	2.5			2.4	3.15	
06	255	3.5	--	--	2.3	3.25	
07	255	6.8	235	3.4	--	2.1	3.3
08	270	8.6	225	4.2	--	2.6	4.3
09	275	10.0	215	4.3	--	3.0	4.0
10	280	11.0	215	4.4	--	3.2	4.2
11	290	11.0	210	4.5	--	3.3	4.1
12	285	11.2	210	4.5	--	3.4	4.0
13	285	10.4	220	4.5	--	3.3	3.7
14	285	10.3	220	4.4	--	3.1	3.7
15	285	10.2	220	4.3	--	2.9	3.6
16	270	10.0	240	4.0	--	2.5	3.6
17	250	10.4	250	--	--	1.8	3.6
18	250	9.9	--	--	--	--	3.5
19	255	9.6			--	--	3.1
20	230	9.2			--	--	3.5
21	240	7.0			--	--	3.4
22	255	8.4			--	--	3.05
23	270	6.8			--	--	3.15

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Time	Table 63						(M3000)F2
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	275	3.3			2.5	2.85	
01	< 280	3.2			2.2	2.85	
02	< 275	3.2			2.0	2.85	
03	275	3.0			1.8	2.85	
04	< 270	3.0			1.8	2.9	
05	< 265	2.6			2.0	3.05	
06	260	3.4	245	--	130	< 1.6	2.6
07	260	4.1	235	3.4	120	2.1	3.1
08	300	5.0	< 230	3.7	115	2.5	3.3
09	310	5.1	230	4.0	111	2.8	3.7
10	300	5.3	210	4.1	111	2.9	3.6
11	290	5.5	230	4.2	111	3.0	3.6
12	305	5.5	215	4.2	111	3.1	3.5
13	305	5.4	225	4.2	110	3.0	3.5
14	310	5.4	220	4.1	111	3.0	3.25
15	290	5.3	230	4.0	111	2.8	3.3
16	295	5.3	240	--	112	2.5	2.9
17	280	5.3	245	--	121	2.1	3.0
18	260	5.9	245	--	--	1.6	3.0
19	240	6.0			--	--	2.5
20	< 250	5.6			--	--	3.15
21	240	5.0			--	--	2.6
22	< 260	4.2			--	--	3.0
23	270	3.4			--	--	2.9

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Time	Table 65						(M3000)F2
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	330	(3.9)					(2.8)
01	< 330	(3.2)					
02	300	(3.6)					(3.0)
03	290	3.5					(3.25)
04	260	3.1					(3.3)
05	260	3.0					3.2
06	245	6.0	240	--	121	2.1	3.4
07	295	7.0	230	--	122	2.6	3.2
08	330	7.6	230	4.4	117	3.2	3.6
09	360	7.5	220	4.5	114	3.3	2.9
10	380	7.2	210	4.6	112	3.4	2.65
11	390	7.2	220	4.4	--	3.5	2.6
12	385	7.6	230	4.5	115	3.6	2.6
13	380	> 7.6	220	4.5	--	3.4	2.65
14	350	8.3	220	4.4	120	3.3	2.7
15	330	8.8	220	4.4	116	3.0	2.8
16	320	9.3	230	4.1	< 122	2.6	2.8
17	< 270	> 9.2	250	--	--	2.2	2.95
18	250	8.9			--	--	3.5
19	250	> 8.0			--	--	3.0
20	260	> 7.0			--	--	2.2
21	290	> 6.0			--	--	(2.95)
22	300	5.1			--	--	(2.85)
23	325	4.5			--	--	(2.7)

Time: 35.6°E.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Time	Table 62						(M3000)F2
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	< 275	3.2					1.9
01	280	3.3					1.8
02	275	3.3					2.9
03	< 275	3.2					2.9
04	< 260	3.1					1.8
05	230	2.7					3.0
06	< 240	2.7					3.25
07	230	4.3	240	--	129	1.7	2.0
08	238	5.2	235	--	120	2.3	2.8
09	250	5.6	230	3.7	113	2.6	3.3
10	260	6.1	220	4.0	111	2.8	3.9
11	255	6.8	220	(4.0)	111	2.8	3.4
12	255	6.3	225	4.0	111	3.0	3.45
13	255	6.2	220	4.0	110	2.9	3.7
14	260	6.2	235	(3.8)	109	2.8	3.9
15	250	6.3	240	--	111	2.5	3.2
16	240	6.0	245	--	110	2.1	3.2
17	235	5.6	--	--	--	1.6	3.1
18	230	5.2			--	--	2.4
19	230	4.8			--	--	3.3
20	235	4.0			--	--	3.2
21	245	3.4			--	--	2.0
22	258	3.3			--	--	1.9
23	265	3.2			--	--	2.95

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Time	Table 63						(M3000)F2
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	275	3.3			2.2	2.85	
01	< 280	3.2			2.0	2.85	
02	< 275	3.2			1.8	2.85	
03	275	3.0			1.8	2.95	
04	< 270	3.0			1.8	3.05	
05	< 265	2.6			2.0	3.05	
06	260	3.4	245	--	130	< 1.6	2.6
07	260	4.1	235	3.4	120	2.1	3.25
08	300	5.0	< 230	3.7	115	2.5	3.3
09	310	5.1	230	4.0	111	2.8	3.25
10	300	5.3	210	4.1	111	2.9	3.25
11	290	5.5	230	4.2	111	3.0	3.25
12	305	5.5	215	4.2	111	3.1	3.25
13	305	5.4	225	4.2	110	3.0	3.25
14	310	5.4	220	4.1	111	3.0	3.25
15	290	5.3	230	4.0	111	2.8	3.25
16	295	5.3	240	--	112	2.5	3.25
17	280	5.3	245	--	121	2.1	3.15
18	260	5.9	245	--	--	1.6	3.0
19	240	6.0			--	--	2.5
20	< 250	5.6			--	--	3.15
21	240	5.0			--	--	2.6
22	< 260	4.2			--	--	3.15
23	270	3.4			--	--	3.05

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Time	Table 64						(M3000)F2
	h'F2	foF2	h'Fl	foFl	h'E	foE	
00	265	4.4					2.7
01	< 270	4.0					2.9
02	< 270	3.8					3.0
03	270	3.4					2.95
04	< 270	3.4					3.05
05	342	4.0	255	--	121	1.8	3.2
06	340	4.6	235	3.6	113	2.3	3.8
07	340	4.7	235	3.9	111	(2.6)	4.8
08	340	5.0	215	4.0	108	2.8	4.8
09	335	5.4	220	4.2	103	3.0	4.7
10	340	5.1	230	4.2	103	3.1	4.8
11	350	7.3	192	4.6	--	3.5	6.5
12	335	7.9	200	4.6	103	3.5	5.8
13	320	8.6	202	4.6	102	3.4	6.0
14	305	9.0	205	4.5	104	3.2	7.7
15	290	9.0	210	4.3	103	3.0	4.8
16	280	9.1	218	--	105	2.6	4.5
17	240	8.8	245	--	--	1.9	3.2
18	248	8.6			--	--	3.3
19	260	7.6			--	--	3.1
20	240	6.7			--	--	3.4
21	230	5.9			--	--	3.0
22	240	5.6			--	--	3.1
23	250	5.2			--	--	3.2

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Time	Table 65						(M3000)F2
h'F2	foF2	h'Fl	foFl	h'E	foE		


<tbl\_r cells="6" ix="2" maxcspan="1" maxrspan="1

Table 67

Djibouti, French Somaliland (11.5°N, 43.1°E)							December 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240	4.7					3.35	
01	240	4.7					3.35	
02	230	4.6					3.6	
03	220	3.3					3.55	
04	220	2.7					3.55	
05	230	2.0					3.45	
06	230	5.1	---	---	153	1.6	2.3	3.45
07	250	7.4	215	---	109	2.4	3.4	3.4
08	275	8.2	205	---	109	2.8	3.6	3.15
09	300	8.6	205	4.5	109	3.2	6.0	2.95
10	320	8.6	205	4.7	103	3.3	5.5	2.9
11	320	8.8	200	4.8	99	3.4	4.5	2.95
12	310	9.1	205	4.7	101	3.4	4.6	2.9
13	305	9.5	205	4.6	105	3.3	4.3	3.05
14	290	9.7	205	4.4	99	3.2	3.5	3.05
15	280	9.6	210	4.2	107	2.9	4.2	3.05
16	(265)	(9.6)	215	---	107	2.4	4.2	3.05
17	240	9.0	---	---	---	1.7	3.3	3.05
18	240	8.6					3.1	3.05
19	250	7.1					2.6	2.95
20	245	(7.5)					3.0	3.2
21	240	6.5					2.5	3.2
22	240	5.7					2.8	3.4
23	235	5.0					3.3	

Time: 35.6°E.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 69

Djibouti, French Somaliland (11.5°N, 43.1°E)							October 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	230	8.2				2.4	3.4	
01	215	8.4					3.5	
02	205	5.8					3.6	
03	215	4.5					3.5	
04	220	3.5					3.4	
05	215	2.8				2.5	3.5	
06	220	6.7	---	---	131	2.0	3.6	3.5
07	250	8.4	215	---	100	2.8	4.0	3.4
08	272	9.6	210	---	109	3.1	4.2	3.2
09	290	>10.0	205	4.7	---	3.3	5.5	2.9
10	300	9.6	190	4.8	107	(3.6)	6.7	2.8
11	300	9.9	190	4.9	109	3.5	6.5	2.8
12	300	9.8	200	4.8	109	(3.6)	6.6	2.8
13	285	11.4	190	4.8	109	3.5	6.3	3.0
14	275	11.5	200	4.5	107	3.2	6.3	3.1
15	265	12.0	205	---	---	3.0	6.5	3.0
16	250	11.7	215	---	109	2.6	4.5	3.1
17	240	11.4	235	---	---	4.4	2.9	
18	260	10.0				3.4	(2.7)	
19	270	9.2					(2.7)	
20	265	8.9				2.3	(2.8)	
21	240	8.4				3.3	(3.0)	
22	242	8.8				3.5	3.3	
23	242	7.8				3.3	(3.2)	

Time: 35.6°E.

Sweep: 1.25 Mc to 30.0 Mc in 10 minutes, automatic operation.

Table 71

Djibouti, French Somaliland (11.5°N, 43.1°E)							August 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	330	(3.9)					1.9	(2.6)
01	350	(3.8)					---	
02	(335)	---					2.8	---
03	(290)	---				2.0	---	
04	< 260	(3.1)					(3.4)	
05	250	2.8					(2.9)	
06	230	5.9	---	---	125	2.1	3.3	(3.4)
07	270	7.1	215	---	109	2.5	4.1	3.4
08	305	7.5	208	4.6	101	3.2	4.4	3.1
09	(345)	8.4	202	4.7	---	5.2	(2.8)	
10	(342)	8.3	200	(4.8)	---	3.5	5.0	2.6
11	380	7.9	202	4.9	---	3.6	6.4	2.6
12	392	8.0	202	4.9	---	3.7	5.2	2.6
13	(375)	8.7	205	(4.8)	---	(3.6)	5.4	2.6
14	348	9.0	205	4.6	---	3.5	4.4	(2.8)
15	(332)	>9.4	215	4.5	---	4.4	< 2.8	
16	(315)	>10.0	225	---	---	4.1	(3.1)	
17	(285)	10.2	242	---	---	4.2	(3.0)	
18	252	10.0				3.6	(2.9)	
19	250	>8.8				3.6	(2.9)	
20	260	7.4				2.8	(3.2)	
21	< 265	5.0				(3.0)		
22	(280)	5.4				---		
23	335	4.5				2.8	(2.5)	

Time: 35.6°E.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 68

Djibouti, French Somaliland (11.5°N, 43.1°E)							November 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240	6.4					2.2	3.3
01	220	6.7						3.5
02	205	> 5.0						3.6
03	205	3.7						3.5
04	220	2.5						3.5
05	240	1.9						3.6
06	230	5.7						3.5
07	245	7.9	215	---	109	2.4	3.5	3.4
08	270	8.9	205	4.4	107	2.9	4.4	3.0
09	290	> 9.1	200	4.5	105	3.3	6.5	2.8
10	300	> 9.0	190	4.7	107	3.4	6.6	2.9
11	300	9.2	190	4.7	---		6.7	2.9
12	300	9.6	195	4.7	99	3.5	5.7	3.0
13	290	10.5	195	4.6	105	3.4	6.8	3.1
14	275	11.0	205	4.5	109	3.2	6.0	3.1
15	265	11.0	212	---	109	2.9	4.6	3.2
16	(250)	11.0	215	---	109	2.4	4.5	3.1
17	240	10.0						3.5
18	255	8.8						3.4
19	265	8.0						3.2
20	250	7.4						3.0
21	240	7.2						3.5
22	240	(7.2)						3.2
23	245	> 5.0						3.2

Time: 35.6°E.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 69

Djibouti, French Somaliland (11.5°N, 43.1°E)							September 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	252	(8.0)					2.2	< 3.2
01	230	8.5						2.1 (3.6)
02	(215)	5.3						1.6 (3.5)
03	(216)	4.5						(3.4)
04	215	3.5						2.2 (3.5)
05	(230)	3.2						2.3 (3.4)
06	(230)	6.8	---	---	---	2.3	3.0 (3.5)	
07	(250)	8.1	210	---	---	2.8	3.5	3.4
08	(310)	8.6	212	---	---	3.2	4.2	3.1
09	(310)	9.2	190	---	---	3.4	6.8	2.7
10	(310)	8.6	205	4.9	---	6.6		2.7
11	310	8.8	190	4.9	---	6.6		2.5
12	(326)	8.9	195	4.8	---	3.6	6.3	2.7
13	315	9.5	192	4.8	---	3.5	4.4	2.7
14	300	10.8	205	4.5	---	7.0		(3.0)
15	280	11.6	208	4.4	---	5.9		(3.1)
16	(262)	11.6	210	---	---	4.3		(3.0)
17	(235)	> 10.0	---	---	---	2.0	3.8	(2.9)
18	245	(9.8)					3.4	(2.8)
19	252	> 9.2					3.1	(2.8)
20	(260)	7.6					2.5	
21	250	8.3					3.4	
22	(250)	8.2					3.7	
23	270	7.5					3.4	

Time: 35.6°E.

Sweep: 1.25 Mc to 30.0 Mc in 10 minutes, automatic operation.

Table 71

Djibouti, French Somaliland (11.5°N, 43.1°E)							July 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	305	(4.8)					2.0	---
01	335	---					3.0	---
02	308	---					3.3	---
03	(208)	---					3.5	---
04	(270)	---					2.5	---
05	245	3.2					2.9	(3.2)
06	230	6.4	226	---	111	2.2	3.3	(3.5)
07	275	7.3	215	---	103	2.8	3.5	3.3
08	310	7.7	210	4.4	101	3.1	4.8	3.2
09	340	7.6	195	4.5	108	3.5	5.3	2.8
10	370							

**TABLE 73**  
 Central Radio Propagation Laboratory, National Bureau of Standards  
**IONOSPHERIC DATA**

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA											
75° W Mean Time											
	Lat 38°7'N, Long 77°1'W										
	(Characteristic)										
Day	00	01	02	03	04	05	06	07	08	09	10
1	330	300	220	220	5	5	260	250	L	460K	590K
2	360K	330	280	S	S	S	240	250	300	280	300
3	330	330	310S	320S	[310]S	300	220	[270]L	280H	360	[390]K
4	270	270	290	290	290	290	260	270	250	310	320
5	340S	330S	320S	320S	320S	320S	270	270	270	[290]L	300
6	370S	360S	350S	350S	350S	350S	270S	270S	270S	270	270
7	320S	320S	310S	310S	310S	310S	270	270	250	250	250
8	300	250	230	270	270	250	230	270	270	300	290
9	270	250S	250	1270L	270	[270]S	230	220	240	270	270
10	280	250	260	260	260	260	250	260	280	270	270
11	290	250	270	250	240	270	230	270	270	270	270
12	270	270	250	270	270	260	230	250	270	260	270
13	270	270	260	260	260	250	240	270	270	290H	270
14	270	260	260	260	260	250	220	230	270	270	270
15	260	260S	260S	260S	260S	260S	230	230	270	270	270
16	250	260S	250	260S	260S	260S	230	250	270	270	270
17	270S	270S	270S	270S	270S	270S	230	230	270	270	270
18	290	320	320A	320A	290	290S	280	250	250L	[300]M	340
19	340S	320	300	320S	320S	320S	250	250	300F	290F	330
20	280	280	270	250S	250S	250S	240	310	290F	370	360
21	310S	340S	330S	320S	320S	320S	240F	260	300	300	300
22	290	290	270	260	300F	280	240	280	260	300	300
23	280	280	240	260	S	S	350	6	[380]S	440K	360K
24	270K	5K	5K	5K	5K	5K	230	240L	270	270	280K
25	E K	E K	E K	E K	E K	E K	240K	240K	250K	250K	250K
26	S	S	S	S	S	S	240	250	270	280	260
27	320S	310S	310S	310S	310S	310S	230	250	260	280	270
28	330S	300	280	270S	270S	270S	230	240L	270	280	270
29	[310]S	5	S	260	[280]S	[280]S	250	250	250	250	250
30	270S	250S	250	250	240	220	220	240	280	270	270
31	280S	280S	250S	250S	240	220	220	240	280	270	270
Median	290	280	280	270	270	270	250	250	280	290	280
Count	30	28	28	28	28	27	26	26	30	31	29

Sweep  Mc 183.0 Mc 1h 823 min

TABLE 74  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

foF<sub>2</sub> - Mc (Unit)      October, 1954

Observed at Washington, D.C.

Lat 38.7°N, Long 77.1°W

**IONOSPHERIC DATA**

National Bureau of Standards  
Scaled by: E.J.W., J.W.P., J.J.S.  
Calculated by: E.J.W., J.W.P., J.J.S.

Day	75°W Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12
1	2.2 F	(2.1) S	(2.1) S	(1.6) S	(1.6) S	2.6 F	3.7	4.0 K	4.1 K	4.3 K	(4.1) S	4.7 K	4.7 K
2	(2.1) F	(2.1) F	(1.8) S	(1.9) S	S	4.3	4.8	5.1	5.6	5.8	5.5	5.3	5.6
3	(2.4) S	(2.3) S	(2.2) S	(2.3) S	(2.1) S	2.9 S	3.7 S	4.1 H	4.2	4.3	4.5 K	4.7 K	4.9 K
4	(2.8) S	2.0 F	1.8 F	(2.6) S	(2.4) S	2.8 F	4.6	5.4	5.4	5.5	5.7	5.9	6.0
5	2.1 F	2.0 F	2.1 F	2.2 F	2.3 S	3.1	4.7	5.2	5.7	5.8	6.0	6.3	6.7
6	2.3 (2.3) S	2.4 (2.4) S	2.4 (2.4) S	2.5 (2.5) S	2.5 (2.5) S	4.0	4.7	5.0	5.3	5.5	5.7	5.7	5.9
7	2.2 F	(2.2) S	(2.3) S	2.3	2.4	2.9 F	4.2	5.2	5.1	5.6	5.5	5.4	5.5
8	2.5 F	2.6 F	2.7 F	2.7	2.7	(2.6) S	3.0	4.3	5.4 H	5.6 H	5.6	6.2	6.2
9	2.9 F	2.9 F	3.0 F	2.8	2.8	2.7 S	3.0	4.2	(5.0) S	5.3	5.6	5.8 H	6.0
10	2.7 F	2.7 F	2.7 F	2.6	(2.8) S	(2.5) S	2.8	4.8	(5.9) S	6.3 H	6.4	6.3 H	6.5
11	2.8 (2.9) S	2.9 (2.9) S	2.9 (2.9) S	2.7	(2.5) S	2.8	4.7 H	5.3	5.8 H	5.7	5.7	5.5	5.4 (5.1) S
12	2.9 F	2.7 (2.7) S	2.3	2.4	2.9 F	4.2	5.2	5.1	5.6	5.5	6.0	6.2	6.1
13	F S	F S	F S	(3.1) S	(2.9) S	2.9	4.8	5.3	5.6	5.7	6.3	6.2	6.7
14	2.9 S	3.4 F	(3.3) F	3.1 S	(3.2) S	2.6 F	(2.5) S	5.1	6.3	6.1	6.2	6.3	6.7 H
15	3.1 S	3.0 S	(3.9) S	3.0 F	3.0 H	2.6	3.0	5.1	5.8	6.2	6.3	6.4	6.7
16	2.6 F	2.5 F	2.4 F	2.4	2.4	2.3	4.2	4.9	5.0	5.6	6.6	7.2	7.0
17	2.8 F	2.9 F	2.9 F	2.8	2.6	2.3	(2.6) S	4.4	5.8	6.1	6.6	7.1	7.5
18	2.9 F	2.7 F	2.8 F	2.9	2.9	2.2	4.1	4.6 H	5.1	5.4	6.3	6.8	7.4
19	(2.0) F	(2.0) F	(2.1) S	(1.9) F	(2.0) S	(2.0) F	4.0	4.5 F	5.1 F	5.2 F	5.6	6.2	6.2
20	(2.4) F	2.9 F	2.8 F	(2.6) S	(2.5) S	2.3	3.6	4.3	(4.5) F	4.5 F	4.6 F	5.0 F	5.4 F
21	(2.3) S	P	(2.3) F	(2.3) P	2.4 S	2.3 S	(2.5) P	3.9 F	4.8 S	4.7	5.1	5.5	5.5
22	(2.7) S	(2.8) S	(3.0) S	(3.0) S	(3.0) S	2.1 F	2.1 F	4.2 F	5.5	5.3	5.4	5.6	5.6
23	3.1 F	3.0 F	2.7 F	2.2	(1.8) S	(1.7) S	(1.9) S	3.2	3.8	< 3.5 G	4.2 H	4.4 K	4.8 K
24	3.2 K	K	(1.9) F	(2.0) F	(1.9) F	(2.0) K	(2.2) S	3.0 K	< 3.3 G	< 3.5 G	(3.9) S	3.5 K	3.2 K
25	< 1.0 K	< 1.0 K	< 1.0 K	< 1.0 K	< 1.0 K	< 1.0 K	E	F K	3.7	4.6 K	5.9 K	6.0	6.9
26	(1.9) S	(1.7) S	1.9 F	1.9 S	A S	F S	(1.8) S	3.8	4.9	5.2	5.6	6.1	7.4
27	1.9 F	1.9 F	1.9 F	2.0	(1.8) S	(1.7) S	4.3	5.2	5.9	5.7	5.7	6.0	6.7
28	(2.0) F	2.3 F	(2.3) F	(2.2) S	(2.2) S	(1.9) F	(1.9) F	3.7	4.1 F	4.9	5.1	5.0	5.6
29	(2.5) S	A S	A S	2.4	(2.3) S	(2.2) S	(2.2) S	C	4.9 F	5.1	5.5	5.6	6.0
30	3.1 F	3.0 F	3.1 F	2.6 F	2.1 S	2.0 S	(1.8) S	4.0	5.2	5.8	6.1	6.2	6.6
31	(2.1) S	2.3	(2.8) S	(3.0) S	(2.9) S	2.3	4.1	5.2	6.0	5.8	6.0	6.7	7.7
Median	2.6	2.3	2.5	2.4	2.3	(2.2)	2.6	4.2	5.0	5.3	5.6	5.7	5.7
Count	30	29	29	29	30	29	30	31	31	31	31	31	31
On	60												

Sweep 1.0 Mc to 5.0 Mc in 25 min  
Manual □ Automatic ☒

GPO 83-46049

On 60

TABLE 75  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.  
IONOSPHERIC DATA

National Bureau of Standards  
Institutional  
Calculated by: E. J. W., J. W. P., J. J. S.

NBS-D-3  
Form adopted June 1946

foF<sub>2</sub> . . . Mc . . . October , 1954

(Characteristic) (Unit) (Month)  
Observed at Washington, D. C.

Lat 38.7°N, Long 77.1°W

Day	75°W Mean Time											
	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130
1	(2.1) <sup>P</sup> (2.1) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>	1.9 <sup>J</sup> (1.9) <sub>S</sub>
2	(2.2) <sub>F</sub> (2.0) <sub>S</sub>	1.9 <sup>F</sup> (1.9) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>									
3	2.3 (2.6) <sup>F</sup> (1.8) <sub>S</sub>	2.1 (1.9) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>
4	1.9 (2.0) <sub>F</sub> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>
5	1.9 (2.0) <sub>F</sub> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>	2.0 <sup>J</sup> (2.0) <sub>S</sub>
6	2.3 (2.2) <sub>F</sub> (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>	2.4 (2.2) <sub>S</sub>
7	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>	2.2 <sup>J</sup> (2.1) <sub>S</sub>
8	(2.6) <sup>J</sup> (2.6) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>
9	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>
10	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>
11	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>
12	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>
13	F <sup>S</sup> (2.4) <sup>F</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>	F <sup>S</sup> (2.4) <sub>S</sub>
14	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>	3.2 <sup>J</sup> (3.2) <sub>S</sub>
15	3.1 <sup>F</sup> (3.1) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>	3.0 <sup>J</sup> (3.0) <sub>S</sub>
16	2.5 <sup>J</sup> (2.5) <sub>S</sub>	2.6 <sup>J</sup> (2.6) <sub>S</sub>	2.5 <sup>J</sup> (2.5) <sub>S</sub>	2.4 <sup>J</sup> (2.4) <sub>S</sub>								
17	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.7 <sup>J</sup> (2.7) <sub>S</sub>	2.4 <sup>J</sup> (2.4) <sub>S</sub>							
18	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.3 <sup>J</sup> (2.3) <sub>S</sub>	2.3 <sup>J</sup> (2.3) <sub>S</sub>	2.2 <sup>J</sup> (2.2) <sub>S</sub>	2.1 <sup>J</sup> (2.1) <sub>S</sub>	3.1 <sup>J</sup> (3.1) <sub>S</sub>	4.0 <sup>J</sup> (4.0) <sub>S</sub>				
19	(2.3) <sup>F</sup> (2.2) <sub>F</sub>	(2.2) <sup>J</sup> (2.2) <sub>F</sub>	(1.9) <sup>F</sup> (1.9) <sub>F</sub>									
20	(3.0) <sup>F</sup> (3.0) <sub>F</sub>	2.8 <sup>F</sup> (2.8) <sub>F</sub>	2.8 <sup>J</sup> (2.8) <sub>S</sub>	2.2 <sup>J</sup> (2.2) <sub>S</sub>	2.2 <sup>J</sup> (2.2) <sub>S</sub>	2.2 <sup>J</sup> (2.2) <sub>S</sub>	3.1 <sup>J</sup> (3.1) <sub>S</sub>	3.9 <sup>J</sup> (3.9) <sub>S</sub>	4.4 <sup>J</sup> (4.4) <sub>S</sub>	5.1 <sup>J</sup> (5.1) <sub>S</sub>	5.6 <sup>J</sup> (5.6) <sub>S</sub>	5.6 <sup>J</sup> (5.6) <sub>S</sub>
21	(2.3) <sup>F</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>	F <sup>S</sup> (2.3) <sub>S</sub>
22	(2.8) <sup>J</sup> (2.8) <sub>S</sub>	(2.9) <sup>J</sup> (2.9) <sub>S</sub>	(2.9) <sup>J</sup> (2.9) <sub>S</sub>	(3.0) <sup>J</sup> (3.0) <sub>S</sub>								
23	3.0 <sup>J</sup> (3.0) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>	2.9 <sup>J</sup> (2.9) <sub>S</sub>
24	2.3 <sup>K</sup> (2.3) <sub>K</sub>	(1.9) <sup>K</sup> (1.9) <sub>K</sub>	(1.9) <sup>K</sup> (1.9) <sub>K</sub>	(1.8) <sup>K</sup> (1.8) <sub>K</sub>								
25	<1.0 <sup>E</sup> (1.0) <sub>E</sub>	<1.0 <sup>E</sup> (1.0) <sub>E</sub>	<1.0 <sup>E</sup> (1.0) <sub>E</sub>	<1.0 <sup>E</sup> (1.0) <sub>E</sub>	<1.0 <sup>E</sup> (1.0) <sub>E</sub>	<1.0 <sup>E</sup> (1.0) <sub>E</sub>	5.3 <sup>K</sup> (5.3) <sub>K</sub>	5.6 <sup>K</sup> (5.6) <sub>K</sub>	6.8 <sup>K</sup> (6.8) <sub>K</sub>	7.0 <sup>K</sup> (7.0) <sub>K</sub>	6.2 <sup>F</sup> (6.2) <sub>F</sub>	5.8 <sup>F</sup> (5.8) <sub>F</sub>
26	(1.9) <sup>F</sup> (1.9) <sub>S</sub>	A <sup>S</sup> (2.2) <sup>S</sup>	A <sup>S</sup> (2.2) <sup>S</sup>	S <sup>S</sup> (2.0) <sup>S</sup>	S <sup>S</sup> (2.0) <sup>S</sup>	S <sup>S</sup> (2.0) <sup>S</sup>	4.5 <sup>F</sup> (4.5) <sub>F</sub>	5.5 <sup>F</sup> (5.5) <sub>F</sub>	5.6 <sup>F</sup> (5.6) <sub>F</sub>	6.9 <sup>F</sup> (6.9) <sub>F</sub>	7.0 <sup>F</sup> (7.0) <sub>F</sub>	6.2 <sup>F</sup> (6.2) <sub>F</sub>
27	2.0 <sup>F</sup> (2.0) <sup>S</sup>	1.9 <sup>F</sup> (1.9) <sub>S</sub>	1.9 <sup>F</sup> (1.9) <sub>S</sub>	2.0 <sup>F</sup> (2.0) <sup>S</sup>	2.0 <sup>F</sup> (2.0) <sup>S</sup>	2.0 <sup>F</sup> (2.0) <sup>S</sup>	4.3 <sup>F</sup> (4.3) <sub>F</sub>	5.4 <sup>F</sup> (5.4) <sub>F</sub>	5.4 <sup>F</sup> (5.4) <sub>F</sub>	6.3 <sup>F</sup> (6.3) <sub>F</sub>	6.3 <sup>F</sup> (6.3) <sub>F</sub>	5.7 <sup>F</sup> (5.7) <sub>F</sub>
28	2.1 <sup>F</sup> (2.1) <sup>S</sup>	2.4 <sup>F</sup> (2.4) <sup>S</sup>	2.4 <sup>F</sup> (2.4) <sup>S</sup>	2.4 <sup>F</sup> (2.4) <sup>S</sup>	2.4 <sup>F</sup> (2.4) <sup>S</sup>	2.4 <sup>F</sup> (2.4) <sup>S</sup>	4.2 <sup>F</sup> (4.2) <sub>F</sub>	5.0 <sup>F</sup> (5.0) <sub>F</sub>	5.0 <sup>F</sup> (5.0) <sub>F</sub>	5.4 <sup>F</sup> (5.4) <sub>F</sub>	5.4 <sup>F</sup> (5.4) <sub>F</sub>	5.4 <sup>F</sup> (5.4) <sub>F</sub>
29	2.4 <sup>J</sup> (2.4) <sub>S</sub>	2.6 <sup>P</sup> (2.6) <sub>S</sub>	2.2 <sup>F</sup> (2.2) <sup>S</sup>	C <sup>S</sup> (2.0) <sup>S</sup>	C <sup>S</sup> (2.0) <sup>S</sup>	C <sup>S</sup> (2.0) <sup>S</sup>	4.7 <sup>F</sup> (4.7) <sub>F</sub>	5.4 <sup>F</sup> (5.4) <sub>F</sub>	5.4 <sup>F</sup> (5.4) <sub>F</sub>	5.8 <sup>F</sup> (5.8) <sub>F</sub>	5.8 <sup>F</sup> (5.8) <sub>F</sub>	5.8 <sup>F</sup> (5.8) <sub>F</sub>
30	3.2 <sup>J</sup> (2.2) <sub>S</sub>	3.0 <sup>F</sup> (2.9) <sub>S</sub>	2.1 <sup>F</sup> (2.0) <sup>F</sup>	3.0 <sup>S</sup> (3.0) <sub>S</sub>	3.0 <sup>S</sup> (3.0) <sub>S</sub>	5.6 <sup>J</sup> (5.6) <sub>S</sub>	6.0 <sup>J</sup> (6.0) <sub>S</sub>					
31	(2.2) <sup>S</sup> (2.0) <sub>S</sub>	2.8 <sup>F</sup> (2.8) <sub>S</sub>	2.3 <sup>J</sup> (3.0) <sub>S</sub>	3.1 <sup>J</sup> (3.0) <sub>S</sub>	3.1 <sup>J</sup> (3.0) <sub>S</sub>	4.3 <sup>J</sup> (4.3) <sub>S</sub>	5.8 <sup>J</sup> (5.8) <sub>S</sub>	6.3 <sup>J</sup> (6.3) <sub>S</sub>	6.9 <sup>J</sup> (6.9) <sub>S</sub>	8.0 <sup>J</sup> (8.0) <sub>S</sub>	8.2 <sup>J</sup> (8.2) <sub>S</sub>	6.9 <sup>J</sup> (6.9) <sub>S</sub>
Median	2.4	2.4	2.3	2.2	2.2	4.7	5.2	5.4	5.5	5.7	6.1	5.8
Count	30	27	29	27	30	31	31	31	31	31	31	29

Calculated by: E. J. W., J. W. P., J. J. S.

Sweep 1-0. Mc to 25.0 Mc in 0.25 min

Manuscript □ Automatic □

04.60

GPO 6-1404

TABLE 76  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

NBS-D-3  
Form adopted June 1946  
National Bureau of Standards  
Scaled by: E.J.W., J.W.P., J.J.S.  
Calculated by: E.J.W., J.W.P., J.J.S.

$h^*_{\text{FL}}$ , Km  
(Characteristic)  
Observed at Washington, D.C.  
Lat 38.7°N, Long 77.1°W

October, 1954  
(Month)

Day	75°W Mean Time											
	00	01	02	03	04	05	06	07	08	09	10	11
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Median	220	220	210	200	190	190	200	210	220	230	240	
Count	12	31	31	31	31	31	31	31	31	31	14	

Sweep 10 Mc to 250 Mc in 0.25 min  
Manual □ Automatic ☒

TABLE 77

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

## IONOSPHERIC DATA

 $\text{fo } F_1$ , Mc  
(Characteristic)  
Observed at Washington, D. C.  
Lat 38.7°N, Long 77.1°W

 $\text{Mc}$ , October, 1954  
(Unit)  
(Month)

National Bureau of Standards

Scaled by: E. J. W., J. W. P., J. J. S.

(Integration)

J. W. P., J. J. S.

Calculated by: E. J. W., J. W. P., J. J. S.

Day	75°W Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	
1	Q	3.5	3.7	3.9	3.9	3.9	K	4.0	K	3.9	K	3.8	K
2	L	4.1	H	4.2	4.2	4.2	H	4.2	H	4.2	H	3.9	K
3	L	3.6	H	3.8	H	4.1	(4.0)K	4.0	K	4.0	K	3.7	K
4	L	3.7	(4.0) L	(4.2) H	(4.2) H	4.2	4.3	H	4.2	H	(4.1) H	(3.8) L	
5	L	(3.5) L	4.0	4.1	4.2	4.1	4.1	(4.0) L	(4.0) L	(3.8) L	L	L	
6	L	(3.4) L	3.6	H	4.0	H	4.1	H	4.2	H	4.0	H	
7	L	3.9	H	4.1	H	4.3	4.2	H	4.2	H	4.1	H	
8	L	(3.6) L	(4.2) L	(4.2) H	(4.2) H	4.2	H	(4.0) L	(4.0) L	3.9	L	L	
9	Q	L	L	3.9	H	4.2	4.3	H	(4.1) H	3.8	H	L	A
10	L	4.1	H	4.2	H	4.3	H	4.1	H	4.2	H	4.2	L
11	Q	3.7	H	4.1	H	4.2	4.3	H	4.2	H	(4.0) L	3.9	L
12	Q	L	L	(4.1) L	(4.2) H	4.2	H	(4.1) L	(4.0) H	(4.0) H	(3.5) H	L	L
13	Q	L	3.8	4.1	H	4.0	H	4.3	4.3	4.2	H	L	L
14	L	L	3.9	4.0	[4.1] A	4.2	A	4.2	4.0	4.0	L	L	Q
15	L	L	4.0	4.1	H	4.2	H	4.2	H	4.2	H	4.2	L
16	L	L	3.8	4.0	4.2	4.3	H	4.2	H	(4.0) L	3.9	L	Q
17	L	L	4.0	H	4.2	4.1	H	[4.1] L	[4.1] L	4.1	H	L	Q
18	Q	L	M	3.9	4.0	4.0	H	4.0	4	4.0	H	3.7	K
19	Q	L	(3.7) L	3.9	F	3.9	F	4.1	F	4.0	K	3.8	L
20	Q	3.7	4	3.5	F	3.7	F	3.9	F	4.0	K	3.8	H
21	Q	L	(3.8) L	3.8	4.0	4.1	H	4.1	H	4.1	H	3.7	K
22	Q	L	(3.7) L	3.9	H	4.1	H	4.0	H	(4.0) H	(3.8) H	3.6	H
23	Q	(3.6) H	3.5	3.7	H	3.8	K	3.8	H	3.8	K	3.5	L
24	Q	3.3	K	3.5	H	3.7	K	3.6	K	3.7	H	3.6	K
25	Q	K	L	3.7	K	3.9	K	3.9	H	3.9	F	L	L
26	Q	L	A	3.9	4.0	H	4.1	4.2	3.9	L	L	L	Q
27	Q	L	3.8	3.8	3.9	4.1	(4.2) H	(4.2) H	3.9	L	L	L	Q
28	Q	L	3.7	3.9	3.9	4.0	4.1	3.8	H	3.8	H	3.5	L
29	Q	L	3.8	3.9	4.0	4.1	(3.9) L	(3.9) L	L	L	L	L	Q
30	Q	L	3.6	4.2	[4.2] L	4.1	H	4.0	H	(3.9) L	L	L	Q
31	Q	L	L	3.8	H	3.8	H	4.1	H	4.0	H	3.9	L
	—	—	3.4	3.8	4.0	4.1	4.1	4.1	3.9	3.7	—	—	—
Median Count	—	10	26	31	31	31	30	29	27	19	4	—	—
Sweep 1.0 Mc to 25.0 Mc in 0.25-min	Manual	□	Automatic	☒									

TABLE 78  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

NBS-D-3  
Form adopted June 1946  
National Bureau of Standards  
Scaled by: E. J. W., J. W. P., J. J. S.  
Calculated by: E. J. W., J. W. P., J. J. S.

Day	75°W Mean Time											
	00	01	02	03	04	05	06	07	08	09	10	11
1	(2.0)S	110H	110K	100K	100K	100K	100K	100K	100K	100K	110K	110K
2	110H	110	110	100	100	100	100	100	100	100	110	120
3	120	100H	110	100	100K	110K	110K	110K	110K	110K	110K	120K
4	110H	110	100	100	100	100	100	100	100	100	110	130
5	120	110H	110H	100	100	100	100	100	100	100	110	(2.0)S
6	(12.0)S	110	(110)A	100	100	110	110	110	110	110	110	(2.0)S
7	120	110	100	100	(100)A	(100)A	100	100	100	100	120	(130)S
8	A	110	110	110H	100	100	110	110	110	110	110	(12.0)S
9	(130)S	110	100	100	100	100	100	100	100	100	110	A
10	S	110	100	100	100	100	100	100	100	100	110	S
11	120	110H	100	100	100	100	100	100	100	100	110	S
12	(12.0)S	110	100	100	100H	100	100	100	100	100	120	S
13	(130)S	110	100	100	100	100	100	100	100	100	110	S
14	S	110	100	100	100	100	100	100	100	100	110	S
15	120	110	100	100	100	100	100	100	100	100	[100]S	(12.0)S
16	S	110	100	100	100	100	100	100	100	100	A	S
17	(100)S	100	110	110	100	100	100	100	100	100	110	120
18	S	110	110H	110	100	100	100	100	100	100	A	S
19	120	110H	110H	(100)A	100	100	100	100	100	100	120	S
20	S	120H	110	110	100	100	100K	100K	100K	100K	120K	S
21	S	100F	100	100	110	100	100	100	100	100	120	S
22	130	100H	100	100	100	100	100H	(100)A	110	110	110	S
23	A	A	A	A	A	A	110K	(110)A	110K	110K	120K	S
24	(12.0)S	120	120K	110	110	110	110	110	110	110	120K	S
25	(12.0)S	110K	110	100	100	100	100	100	100	100	(12.0)S	120K
26	S	(110)A	110	110	(100)A	(100)A	(100)A	100	100	100	120	S
27	S	110	110	100	100	100	100	100	100	100	120	S
28	S	110H	100	100	100	100	100	100H	110	110	C	S
29	S	120	100	100	100	100	100	(12.0)A	100	100	100	S
30	S	110	110	110	110	110	110	(110)A	110	110	110	S
31	S	110	110H	110	110	110	110	110	110	110	120	S
Median	120	110	110	100	100	100	100	100	100	110	(12.0)	
Count	17	30	30	30	31	31	31	31	31	28	8	60

Sweep 1.0 Mc to 25.0 Mc in 0.25 min  
Manual  Automatic

TABLE 79

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

NBS-D-3  
Form adopted June 1946  
National Bureau of Standards  
Scaled by: E, J.W., J.W.P., J.J.S.  
(Instrument) E, J.W., J.W.P., J.J.S.

foE, Mc, October, 1954

(Characteristic) (Unit)

Observed at Washington, D.C.

Lat 38°7'N, Long 77°10'W

Calculated by: E, J.W., J.W.P., J.J.S.

Day	75°W Mean Time												75°W Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									

Sweep 1.0 Mc 635.0 Mc in 0.25 min  
Manual □ Automatic ☒

**TABLE 80**  
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.  
**IONOSPHERIC DATA**

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

E.S.		M.C., Km		October		1954	
(Characteristic)		(Unit)		(Month)			
Observed at		Washington, D.C.		Lot. 38° 7' N, Long. 77° 1' W			
Doy	00	01	02	03	04	05	06
1	2.3 /00	E	3.9 /1.0	E	E	E	E
2	E	4.1 /1.0	E	E	4.6 /2.0	4.5 /2.0	4.5 /2.0
3	1.9 /1.0	E	E	E	2.1 /1.0	E	2.5 /1.0
4	E	4.1 /2.0	4.1 /3.0	E	E	E	2.4 /1.0
5	E	E	3.8 /2.0	E	4.0 /1.0	4.0 /3.0	4.0 /2.0
6	E	E	E	E	E	E	E
7	E	E	E	E	2.2 /1.0	2.3 /1.0	E
8	E	E	E	E	2.4 /1.0	2.4 /1.0	E
9	E	E	E	E	2.4 /1.0	2.4 /1.0	E
10	E	E	E	E	E	E	E
11	E	E	E	E	E	E	E
12	E	E	E	E	3.6 /1.0	E	E
13	2.3 /00	E	E	E	E	3.7 /2.0	3.1 Y /00
14	2.7 /1.00	2.4 /1.00	3.7 /1.00	2.4 /1.00	E	E	7.0 /1.0
15	E	E	E	E	E	E	3.7 /1.20
16	E	E	E	E	E	E	E
17	E	2.3 /1.00	E	E	E	E	4.1 Y /00
18	2.5 /1.00	2.5 /1.00	2.7 /1.00	4.8 /1.00	4.2 /1.00	E	E
19	E	E	E	E	E	7.8 Y /1.20	5.4 /1.0
20	2.9 /1.00Y	E	E	E	E	E	E
21	2.8 Y /1.00	2.4 /1.00	3.7 Y /1.00	3.7 /1.00	2.4 /1.00	2.4 /1.00	2.2 /1.00
22	E	E	E	E	E	E	E
23	3.3 Y /1.00	4.3 Y /1.00	1.9 Y /1.00	2.5 Y /1.00	2.4 Y /1.30	E	7.2 /1.0
24	2.5 /1.40	E	E	E	E	7.0 Y /1.10	4.2 Y /1.00
25	E	E	E	6.6 Y /1.00	E	E	E
26	2.4 /1.00	3.7 /1.00	7.8 /1.00	3.9 /1.00	2.9 /1.00	E	7.2 /1.0
27	2.3 /1.00	E	7.0 /1.20	3.1 Y /1.00	7.2 /1.00	4.7 Y /1.30	(6.9) Y /1.00
28	E	3.1 /1.00	4.1 /1.00	4.4 Y /1.00	4.6 /1.00	3.8 /1.00	3.7 /1.00
29	9.0 /1.00	6.6 Y /1.00	4.0 /1.00	E	E	E	C
30	3.0 /1.00	E	2.5 Y /1.00	3.0 Y /1.00	E	E	4.7 /1.00
31	E	2.8 Y /1.00	E	E	E	E	4.4 Y /1.00
Median	* * *	* * *	* * *	* * *	* * *	* * *	* * *
Count	31	31	31	31	31	31	30

MEDIAN FEES LESS THAN MEDIAN FOR LESS THAN LOWER FREQUENCY LIMIT OF RECORDER

**TABLE 81**  
**IONOSPHERIC DATA**

(M1500) F2, (Unit) Observed at Washington, D.C.

Lat 38°N, Long 77.1°W

Characteristic, 1954  
(Month)

October, 1954

Day 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23

		75°W Mean Time												75°W Mean Time																
		5°W Mean Time												5°W Mean Time																
		5°E Mean Time												5°E Mean Time																
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24					
1	-1.9	F	(2.0) <sup>P</sup>	(2.1) <sup>S</sup>	(2.0) <sup>S</sup>	J	S	J	S	J	K	1.7	K	J	S	1.7	K	1.9	K	2.2	K	2.2	K	2.2	K	2.1	F			
2	(1.8) <sup>F</sup>	(2.1) <sup>S</sup>	(2.2) <sup>F</sup>	J	S	J	S	J	S	J	K	2.4	2.3	2.3	2.3	2.2	2.2	2.3	2.3	2.2	2.2	2.0	2.0	2.0	2.1	(1.9) <sup>S</sup>				
3	(2.0) <sup>S</sup>	2.0	(1.9) <sup>F</sup>	J	S	(2.0) <sup>S</sup>	2.0	S	2.1	2.1	H	2.1	1.9	H	1.9	K	2.0	K	2.2	K	2.3	K	(2.4) <sup>P</sup>	2.0	K	1.9	K			
4	(2.1) <sup>F</sup>	2.3	2.0	F	(2.1) <sup>S</sup>	2.1	F	(2.1) <sup>F</sup>	2.3	F	2.2	2.3	2.5	2.2	2.3	2.1	2.1	2.1	2.3	2.3	2.4	(2.5) <sup>P</sup>	(2.3) <sup>S</sup>	2.1	F	2.1	S			
5	1.9	2.0	2.0	2.1	F	2.2	S	2.3	2.5	2.5	2.3	2.3	2.4	2.4	2.4	2.4	2.4	2.4	2.3	2.3	2.4	2.4	2.3	2.3	(2.1) <sup>P</sup>	2.1	S			
6	2.0	(2.0) <sup>S</sup>	2.1	2.0	(2.1) <sup>S</sup>	2.0	(2.1) <sup>P</sup>	2.1	2.0	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	(1.9) <sup>S</sup>	2.1	F			
7	2.0	2.1	(2.0) <sup>P</sup>	(2.0) <sup>S</sup>	2.2	2.2	2.3	2.3	2.4	2.4	2.4	2.3	2.0	H	2.0	H	2.1	2.2	2.2	2.2	2.3	2.3	2.2	2.1	2.1	2.0	2.0			
8	1.9	2.0	2.0	2.0	2.1	(2.3) <sup>S</sup>	2.3	2.3	2.2	H	2.4	2.3	2.3	2.1	2.2	2.2	2.2	2.4	2.3	2.4	2.3	2.4	2.3	2.2	2.1	2.3	2.0			
9	2.0	2.0	2.0	2.1	2.0	(2.1) <sup>S</sup>	2.3	2.4	(2.5) <sup>S</sup>	2.4	2.4	2.3	2.3	H	2.4	2.4	2.4	2.3	2.3	2.4	2.3	2.3	2.4	2.3	2.2	2.1	2.0			
10	2.1	2.1	2.1	2.2	(2.3) <sup>S</sup>	2.3	(2.3) <sup>P</sup>	2.3	2.6	(2.4) <sup>S</sup>	2.3	2.3	2.0	H	2.4	2.4	2.4	2.3	2.4	(2.5) <sup>P</sup>	(2.3) <sup>S</sup>	2.3	2.2	2.1	2.0	2.0				
11	2.0	(2.1) <sup>S</sup>	2.0	(2.0) <sup>P</sup>	2.2	(2.1) <sup>S</sup>	2.3	2.4	H	2.2	2.3	2.3	2.3	2.4	2.4	2.4	2.3	2.3	(2.4) <sup>S</sup>	2.4	2.4	2.2	2.2	2.1	2.0	2.0				
12	2.0	2.1	(2.3) <sup>S</sup>	2.2	(2.2) <sup>S</sup>	2.3	2.5	2.4	2.4	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.5	(2.5) <sup>P</sup>	(2.3) <sup>S</sup>	(2.0) <sup>P</sup>	F	S				
13	F	S	F	S	F	S	(2.1) <sup>P</sup>	J	F	(2.3) <sup>S</sup>	2.5	2.4	2.5	2.5	2.5	2.3	2.3	2.3	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.2	J	S		
14	2.1	F	2.1	F	(2.1) <sup>S</sup>	2.1	F	J	S	(2.5) <sup>S</sup>	2.5	2.5	2.5	2.5	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.2	F	S	
15	2.1	F	2.0	S	(2.0) <sup>S</sup>	2.1	2.2	H	2.2	2.2	2.3	2.5	2.5	2.5	2.5	2.5	2.3	2.3	2.3	2.4	2.4	2.5	2.2	2.2	2.1	2.1	2.1	S		
16	2.2	2.2	2.1	2.2	2.1	2.1	(2.1) <sup>H</sup>	2.1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	S		
17	2.0	2.1	2.1	2.2	2.3	2.4	(2.3) <sup>P</sup>	2.4	2.1	H	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	F		
18	2.0	1.9	2.1	2.1	2.1	(2.1) <sup>S</sup>	2.1	2.4	2.1	H	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	(2.1) <sup>F</sup>		
19	(2.0) <sup>F</sup>	(2.1) <sup>F</sup>	(2.1) <sup>S</sup>	(2.1) <sup>F</sup>	(2.1) <sup>S</sup>	(2.1) <sup>P</sup>	(2.1) <sup>S</sup>	(2.1) <sup>F</sup>	(2.1) <sup>S</sup>	(2.1) <sup>F</sup>	2.4	2.3	F	2.3	P	2.3	F	2.3	F	2.3	F	2.3	F	2.2	F	2.0				
20	(2.0) <sup>P</sup>	2.1	F	2.1	F	(2.2) <sup>S</sup>	(2.0) <sup>S</sup>	(2.0) <sup>F</sup>	(2.0) <sup>S</sup>	(2.0) <sup>F</sup>	2.1	2.1	F	2.0	F	2.2	K	2.3	K	2.3	K	2.3	K	2.3	K	2.3	K	2.2	S	
21	J	3	J	S	J	S	J	S	J	S	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	(2.2) <sup>S</sup>		
22	J	3	J	S	J	S	J	S	J	S	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	(2.2) <sup>F</sup>		
23	2.2	F	2.0	2.3	2.3	2.3	(2.0) <sup>S</sup>	J	S	J	2.1	H	2.0	H	2.1	K	1.8	K	2.0	K	2.1	K	2.2	K	2.2	K	2.2	K	2.0	
24	2.1	K	J	F	K	(1.9) <sup>P</sup>	(2.0) <sup>F</sup>	2.0	K	(2.2) <sup>F</sup>	P	K	2.3	K	G	K	1.8	H	1.8	K	2.0	K	2.0	K	2.0	K	E	K		
25	E	K	E	K	E	K	E	K	E	K	F	K	2.3	K	2.2	K	2.4	K	2.4	K	2.5	K	2.3	F	(2.3) <sup>F</sup>	(2.1) <sup>S</sup>				
26	F	S	H	S	H	S	H	S	F	S	(2.2) <sup>S</sup>	2.4	2.6	2.3	2.4	2.3	2.3	2.2	2.3	2.2	2.3	2.4	(2.5) <sup>P</sup>	2.5	2.4	2.4	2.4	F		
27	2.2	F	2.1	F	2.2	F	2.1	S	2.0	S	J	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	(2.1) <sup>F</sup>		
28	(2.0) <sup>F</sup>	2.2	F	(2.2) <sup>F</sup>	(2.2) <sup>F</sup>	(2.2) <sup>S</sup>	(2.3) <sup>F</sup>	(2.3) <sup>P</sup>	2.5	F	2.4	2.4	2.4	2.4	2.4	2.4	2.4	C	C	C	C	C	C	C	C	C	C	C		
29	(2.1) <sup>P</sup>	H	S	H	S	H	S	H	S	C	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	
30	2.1	F	2.1	F	2.1	F	2.1	F	2.2	S	(2.1) <sup>S</sup>	2.1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	
31	(2.0) <sup>P</sup>	2.1	(2.0) <sup>P</sup>	(2.0) <sup>P</sup>	(2.0) <sup>P</sup>	(2.0) <sup>S</sup>	(2.2) <sup>S</sup>	(2.3) <sup>S</sup>	2.5	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4		
Median	2.0	2.1	2.1	2.1	2.1	(2.2)	2.3	2.4	2.4	2.4	2.3	2.3	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	
Count	26	25	26	24	23	27	30	31	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Scaled by: E, J, W, J, W, P, J, J, S.

Calculated by: E, J, W, J, W, P, J, J, S.

Form 10250 Mc 10250 Mc in 0.25 min

Manual □ Automatic □

TABLE 82  
IONOSPHERIC DATA(M3000)F2, — (Unit)  
(Characteristic) October , 1954

Observed at Washington, D.C.

Lat. 38.7°N, Long. 77.1°W

Day	75°W. Mean Time																														
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22								
1	2.9 F	(3.0)FS	(3.1)S	(3.0)S	J	S	J	S	3.3 F	3.3 F	2.8	2.7 K	2.4 F	2.6 K	2.8 K	2.9 K	3.2 K	3.5 K	3.2 K	3.2 K	3.0 K	J	S	3.1 F							
2	(2.7)F	(3.1)FS	(3.2)FS	J	S	J	S	3.5	3.4	3.3	3.4	3.3	3.3	3.2	3.2	3.3	3.4	3.4	3.4	3.4	3.2	3.2	3.2	(2.9)S							
3	(3.0)S	(2.8)S	2.9	(2.9)FS	J	S	(3.0)S	3.0 S	3.1 S	3.4 H	3.1	2.9	2.8 H	2.7 K	2.8 K	3.0 K	3.1 K	3.2 K	3.3 K	(3.5)FS	(2.8)FS	2.9 K	2.9 K	2.8 K							
4	(3.1)FS	3.3	3.0	F	(3.1)S	3.1	(3.1)FS	J	S	3.2	3.4	3.6	3.3	3.4	3.2	3.1	3.1	3.4	3.4	3.4	3.5	(3.5)FS	(3.3)S	(3.2)FS	3.1						
5	2.9	3.0	3.0	3.0	3.1	J	S	3.2	S	3.3	3.4	3.3	3.4	3.5	3.4	3.2	H	3.2	3.3	3.3	3.4	3.5	3.3	(3.1)S	3.1						
6	3.0	(2.9)S	3.1	3.0	(3.0)FS	J	S	(3.5)S	(3.5)S	3.5	3.5	3.1	3.3	3.0	4	3.0	4	3.1	3.1	3.1	3.4	(3.4)S	3.4	3.1	(2.9)S						
7	3.0	3.1	(3.0)FS	(3.0)S	3.2	J	S	3.2 F	3.2 F	3.4	3.4	3.4	3.4	3.5 H	3.4	3.2	3.2	3.2	3.2	3.3	3.4	3.3	3.3	3.1	3.1	3.0					
8	2.9	3.0	3.0	3.0	3.1	J	S	(3.3)S	3.3	3.4	3.2	3.2	3.3	3.3	3.3	3.2	3.2	3.5	3.3	3.5	3.3	3.2	3.1	3.1	3.0						
9	3.0	2.9	3.0	3.0	3.1	J	S	(3.1)S	(3.1)S	3.5	3.5	(3.6)S	3.5	3.4	3.4	3.4	3.4	3.4	3.3	3.3	3.5	3.4	3.3	3.2	3.1	3.0					
10	3.1	3.1	3.1	3.2	(3.3)S	J	S	(3.3)FS	(3.3)FS	3.7	(3.5)S	3.5	3.4 H	3.4	3.0	4	3.5	3.1	3.2	3.3	3.4	3.5	(3.4)PS	3.4	3.2	3.0					
11	3.0	(3.1)S	3.0	(3.0)FS	3.3	J	S	(3.1)SP	(3.1)S	3.4	3.4 H	3.3	3.3	3.3	3.3	3.3	3.4	3.4	3.4	3.5	3.5	3.5	(3.5)S	3.5	3.4	3.0					
12	3.0	3.1	(3.3)S	3.2	J	S	(3.1)S	(3.2)S	3.3	3.6	3.5	3.6	3.5	3.5	3.4	3.3	3.3	3.3	3.4	3.5	3.5	3.5	(3.6)PS	(3.3)PS	(3.0)P	F	S				
13	FS	F	9	F	S	(3.1)PF	J	F	(3.3)FS	3.6	3.5	3.6	3.5	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.5	3.5	3.3					
14	3.1 FS	3.1 F	(3.1)S	3.1 F	J	S	(3.1)FS	(3.1)FS	3.6	3.6	3.5	3.5	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.5	3.5	3.5	3.5	3.5	3.2	J	S			
15	3.1 FS	3.0 FS	3.0 FS	3.1	J	S	3.2 H	3.3	3.5	(3.3)S	3.4	3.5	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6			
16	3.2	3.2	3.2	3.2	3.2	J	S	(3.1)SH	3.5	3.4	3.5	3.5	3.4	3.4	3.3	3.3	3.1	3.1	3.2	3.2	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.1			
17	3.0	3.1	3.1	3.3	3.4	J	S	(3.3)PS	3.5	3.5	3.1 H	3.2	3.4	3.4	3.3	3.2	H	3.3	3.3	3.5	3.4	3.4	3.3	3.3	3.0	(3.0)S	3.0	2.8			
18	2.9	2.9	3.1	3.1	3.1	J	S	(3.1)S	3.1	3.5	3.1	M	3.0	3.0	2.9	3.1	3.3	3.3	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	(3.3)F		
19	(3.0)F	(3.1)F	(3.2)FS	(3.2)FS	J	S	(3.2)FS	(3.2)FS	3.5	3.2 F	3.4 F	3.4 F	3.3 F	3.2 F	3.2 F	3.2 F	3.2 F	3.3 F	3.3 F	3.3 F	3.3 F	3.3 F	3.3 F	3.3 F	3.3 F	3.3 F	3.3 F				
20	(3.0)PF	3.1 F	3.1 F	(3.1)FS	(3.2)FS	J	S	(3.0)FS	(3.0)FS	3.2	3.1	(3.4)F	3.1 F	3.0 F	3.3 F	3.1 F	3.1 F	3.3 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F			
21	J	S	(2.8)PF	F	S	(3.1)PF	J	S	3.1 S	3.1 S	(3.1)FS	3.4 F	3.5 F	3.4 F	3.4	3.2	3.3	3.3	3.3	3.5	3.4	3.5	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
22	J	S	J	S	J	S	J	S	3.3 F	3.4 F	3.4	3.3	3.3	3.3	3.3	3.3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2		
23	3.2 F	3.0	3.4 F	3.0	3.2	J	S	(3.0)S	(3.0)S	3.4	3.2	G	3.0 H	2.8 K	3.0 K	2.8 K	3.0 K	3.0 K	3.1 K	3.1 K	3.1 K	3.1 K	3.1 K	3.1 K	3.1 K	3.1 K	3.1 K	3.1 K			
24	3.1 K	J	K	(2.9)PF	(3.0)PF	J	S	(3.0)K	(3.0)K	3.4 F	P	S	G	K	J	S	G	K	2.8 H	2.7 K	2.7 K	2.7 K	2.7 K	2.7 K							
25	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K	E	K			
26	F	S	A	S	2.8 FS	A	S	F	S	(3.2)FS	3.5	3.7	3.4	3.5	3.4	3.4	3.2	3.3	3.5	(3.6)PS	3.6	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5		
27	3.2 F	3.1 F	3.2 F	3.1 F	3.0	S	J	S	J	S	3.5	3.5	3.6	3.5	3.6	3.5	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	
28	(3.0)FS	3.2 F	(3.2)FS	(3.3)FS	J	S	(3.2)FS	(3.3)FS	3.6	3.6 F	3.5	3.5	3.4	3.4	3.3	3.4	3.4	3.4	C	C	C	C	C	C	C	C	C	C	C		
29	(3.1)FS	A	S	A	S	3.2 F	J	S	(3.1)S	(3.2)S	G	C	3.6	3.5	3.6	3.5	3.6	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4		
30	3.1 FS	J	S	3.2 FS	3.2 FS	3.4 FS	J	S	3.3 S	3.3 S	3.5	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6		
31	(3.0)FS	J	S	(3.0)FS	(3.0)FS	J	S	(3.3)FS	(3.3)FS	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F	3.4 F			
Median	3.0	3.1	3.1	3.1	3.1	J	S	(3.2)S	(3.2)S	3.3	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4		
Count	26	25	26	26	24	24	23	27	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Sweep—10 Mc to 25.0 Mc in 0.25 min  
Manual □ Automatic □

04, 60

TABLE 83  
IONOSPHERIC DATA

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

(M 3000) FI      October, 1954

(Characteristic)      (Month)

Observed at Washington, D. C.  
Lat 38.7°N Long 77.1°W

National Bureau of Standards  
Scal'd by \_\_\_\_\_  
(Institution)  
E. J. W., J. W. P., J. J. S.

Day	75°W Mean Time																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
	—	3.6	3.8	3.8	3.9	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	
	10	2.6	3.1	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	

Median  
Count

04.00

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Manual  Automatic

TABLE 84  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.  
IONOSPHERIC DATA  
(Month)  
Observed at Washington, D. C.  
Lat. 38.7°N, Long. 77.1°W

(M1500) E (Characteristic)	October is 54											
	00	01	02	03	04	05	06	07	08	09	10	11
75°W Mean Time												
Day	00	01	02	03	04	05	06	07	08	09	10	11
1	4.4	4.2 H	4.4 K	4.4 K	4.4 K	A K	A K	4.3 H	4.4 K	4.4 K	4.5 K	S K
2	4.4 H	(4.4) P	(4.4) P	4.5	A	A	A	4.4	(4.4) S	(4.3) S	4.4	
3	(4.3) P	4.4 H	4.5	4.4	4.4 H	4.2 H	4.3 K	4.4 K	4.3 K	4.4 K		
4	4.4 H	(4.4) S	(4.6) A	4.2	4.3	A	4.4 H	(4.5) S	4.2 H	4.1 H		
5	4.4 H	4.4 H	4.4 H	A	(4.3) H	4.3 H	4.2	4.2	4.2	4.2	4.3	
6	4.2 H	(4.2) S	4.4	4.4	(4.4) P	(4.4) P	(4.3) P	4.3	4.4	(4.4) S	4.5	
7	4.5	4.3 H	4.4	(4.4) P	4.5	(4.4) P	4.4 H	4.2 H	4.2	4.3	(4.4) S	
8	A	4.4	4.3	4.4	(4.4) H	4.3	4.3	4.4 H	4.3	(4.3) P	(4.3) A	
9	(4.2) H	4.2	A	4.5	4.2 H	4.3	4.3	4.2	4.2	4.2 H	A	
10	S	A	4.5	4.4	4.5	4.5 H	4.4 H	4.5	4.4	4.4	S	
11	(4.4) H	A	A	4.6	(4.5) P	(4.5) P	(4.4) H	4.4	4.5 H	4.5	S	
12	(4.5) H	(4.4) S	(4.5) S	4.5	4.5 H	4.3	4.5	4.4 H	4.2	4.2	S	
13	(4.2) A	(4.2) S	4.3	4.5	(4.5) P	A	(4.4) A	4.4	4.4 H	4.4	S	
14	S	(4.5) P	A	A	4.6	(4.5) P	(4.5) H	4.4 H	4.5 H	4.5	S	
15	(4.3) S	(4.5) S	4.4	4.5	4.5	A	4.4	4.5	C	4.4	(4.5) S	
16	S	4.4	A	A	4.5	(4.3) A	(4.3) A	(4.3) A	4.3	A	S	
17	S	(4.3) A	4.4	4.5	4.5	4.4 H	4.5	4.4	4.3	4.4	S	
18	S	4.4	M	4.3	4.5	4.5	4.5	4.5	4.4	(4.4) P	A	S
19	4.3	4.4 H	4.4 H	(4.5) H	(4.2) A	A	(4.2) P	4.3 F	4.3	4.2	S	
20	S	(4.2) H	4.4	(4.6) A	(4.5) A	4.5 H	A K	A K	A K	4.3 K	S K	
21	S	A	(4.4) A	(4.4) A	4.3	4.2	4.2	A	A	4.5	S	
22	4.3	(4.3) P	4.4	4.4	(4.5) A	4.2 H	A	4.3	4.3	4.3	S	
23	A	A	A	A	(4.4) A	4.2 K	A K	4.4 K	4.2 K	4.2 K	S K	
24	(4.4) S	4.5 K	4.5 K	4.4 H	(4.5) S	4.3 K	4.3 K	(4.5) K	4.3 K	4.4 K	S K	
25	(4.3) S	4.4 K	4.5 K	4.5 K	A K	4.5	4.3	4.3	4.3	4.3 K	S	
26	S	A	(4.5) P	(4.4) P	A	A	A	4.4	4.4	4.5	S	
27	S	4.5	(4.4) P	(4.4) P	4.4 H	4.4 H	4.4	4.3	A	(4.5) P	S	
28	S	(4.5) P	A	A	A	4.2 H	4.2 H	4.2	4.3	C	S	
29	S	4.3	A	A	4.2	4.2	4.3	4.4	(4.3) P	A	S	
30	S	4.5	A	A	A	4.3	4.3	(4.3) P	4.3	A	S	
31	S	S	4.5 H	4.4	4.3	4.4	4.3	(4.4) P	4.4 H	(4.4) P	S	
Median	4.4	4.4	4.4	4.4	4.5	4.3	4.3	4.4	4.3	4.3	4.4	
Count	16	25	22	24	23	24	25	29	27	26	9	

NBS-D-3  
Form adopted June 1946  
National Bureau of Standards  
Scaled by: E. J. W., J. W. P., J. J. S.  
(Instrument)  
Calculated by: E. J. W., J. W. P., J. J. S.  
Sweep 1.0 Mc to 25.0 Mc in 0.25 min  
Manual □ Automatic □

Table 85

Ionospheric Storminess at Washington, D. C.October 1954

Day	Ionospheric character*		Principal storms		Geomagnetic character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
1	2	5	0900	----	5	3
2	3	2		0000	2	1
3	3	4	1100	2300	5	3
4	1	1			4	2
5	3	1			2	2
6	2	3			3	3
7	2	1			2	2
8	2	1			3	3
9	1	2			2	1
10	1	1			2	1
11	2	2			2	1
12	1	1			0	0
13	1	3			1	1
14	0	3			1	2
15	0	3			3	1
16	1	1			1	2
17	1	1			2	2
18	2	3			5	3
19	3	3			3	3
20	1	4	1200	2300	3	2
21	3	3			2	1
22	1	2			2	3
23	1	5	1100	----	3	3
24	4	6	----	----	5	4
25	7	1	----	1100	4	2
26	3	1			3	2
27	3	1			3	2
28	3	3			2	1
29	2	1			1	1
30	1	1			3	2
31	1	3			2	3

\*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D. C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

\*\*Average for 12 hours of Cheltenham, Maryland, geomagnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

----Dashes indicate continuing storm.

Table 86

## Radio Propagation Quality Figures

(Including Comparisons with Short-Term and Advance Forecasts)

September 1954

Day	North Pacific 9-hourly quality figures			Short-term fore- casts issued at			whole day quality index	Advance forecasts (Jp reports) for whole day; issued in advance by:		
	03	09	18	02	09	18		1-4 days	4-7 days	8-25 days
	to 12	to 18	to 03							
1	6	5	6	6	6	6	6	6	6	
2	6	6	6	5	5	6	6	5	5	
3	5	5	5	5	5	6	5	5	5	
4	6	5	5	5	5	6	5	5	6	
5	5	5	5	6	5	6	5	5	6	
6	5	5	5	5	5	6	5	6	6	
7	5	5	6	5	5	6	5	6	6	
8	6	5	6	5	6	6	5	5	6	
9	5	5	6	6	5	6	5	6	6	
10	5	5	6	6	5	6	6	6	6	
11	6	5	6	6	5	6	5	6	6	
12	6	5	6	5	5	6	6	5	5	
13	6	6	6	6	5	7	6	5	5	
14	5	5	5	6	5	6	5	6	6	
15	5	5	5	5	5	6	5	6	6	
16	6	6	6	5	5	6	6	6	6	
17	5	5	6	6	5	7	6	6	6	
18	6	6	6	5	5	6	6	6	6	
19	6	6	5	6	6	7	6	6	6	
20	5	(4)	(4)	6	5	(4)	(4)	5	5	
21	(4)	(4)	5	(4)	(3)	5	(4)	5	5	
22	5	(4)	5	5	(4)	6	(4)	5	6	
23	6	5	5	5	5	6	5	6	6	
24	5	5	5	5	5	6	5	6	6	
25	6	5	5	5	5	6	5	6	5	
26	6	5	6	5	5	6	5	6	5	
27	6	5	6	6	5	6	6	6	6	
28	5	5	6	5	5	6	5	5	6	
29	5	5	5	5	5	5	5	(4)	(4)	X
30	5	5	6	5	(4)	6	5	(4)	(4)	X

## Score:

Quiet Periods	P	14	20	16	12	10
	S	15	7	12	15	17
	S	0	0	1	0	0
	F	0	0	0	0	0

Disturbed Periods	P	1	1	1	0	0
	S	0	2	0	3	2
	U	0	0	0	0	0
	F	0	0	0	0	1

## Scales:

- Q-scale of Radio Propagation Quality  
 (1) - useless  
 (2) - very poor  
 (3) - poor  
 (4) - poor to fair  
 5 - fair  
 6 - fair to good  
 7 - good  
 8 - very good  
 9 - excellent

## Scoring: (beginning October 1952)

- P - Perfect: forecast quality equal to observed  
 S - Satisfactory: (beginning October 1952)  
     forecast quality one grade different  
     from observed  
 U - Unsatisfactory: forecast quality two or more  
     grades different from observed when both  
     forecast and observed were  $\geq 5$ , or both  $\leq 5$   
 F - Failure: other times when forecast quality  
     two or more grades different from observed

## Symbols:

- X - probable disturbed date

Note: All times are UT (Universal Time or GCT)

Table 87a

## Radio Propagation Quality Figures

(Including Comparisons with Short-Term and Advance Forecasts)

September 1954

Day	North Atlantic 6-hourly quality figures				Short-term forecasts issued about one hour in advance of:				Whole day quality index	Advance forecasts (J-reports) for whole day; issued in advance by:			Geomag- netic $K_{CH}$
	00	06	12	18	00	06	12	18		1-4	4-7	8-25	
	to 06	to 12	to 18	to 24	days	days	days	days		days	days	days	Half day (1) (2)
1	6	6	7	6	6	5	7	7	6	6	7	7	3 (4)
2	5	(4)	7	6	5	(3)	6	6	6	6	6	6	(5) 2
3	(4)	(4)	6	6	5	(4)	6	6	5	5	6	6	3 (4)
4	5	(3)	7	6	5	(3)	6	6	5	6	6	6	(4) 3
5	5	(4)	6	7	5	(4)	6	7	5	6	6	6	(4) 2
6	6	5	7	6	6	5	7	7	6	6	6	6	3 3
7	(4)	(4)	6	6	5	(3)	5	6	5	6	6	6	3 3
8	(4)	5	6	6	5	(3)	6	6	5	6	6	6	2 2
9	5	(4)	7	6	5	(4)	6	6	6	6	6	6	3 2
10	5	(4)	7	7	6	(4)	7	7	6	5	7	7	3 2
11	6	5	7	7	6	(4)	7	7	6	6	7	7	3 2
12	5	5	7	7	6	(4)	7	6	6	6	6	6	2 1
13	6	(4)	7	7	6	5	7	7	6	6	6	6	2 2
14	5	(4)	6	5	5	(4)	6	6	5	6	6	6	(4) 3
15	(4)	(3)	7	7	(4)	(3)	6	6	5	6	6	6	3 3
16	6	(4)	6	6	5	(4)	7	7	5	6	6	6	(4) 2
17	6	5	7	7	6	5	7	7	6	6	6	6	3 2
18	5	5	6	7	6	6	7	7	6	6	6	6	3 2
19	(4)	5	7	7	6	(4)	7	6	6	6	6	6	2 2
20	5	5	6	5	5	(4)	6	5	5	(4)	(4)	X	(4) (5)
21	(2)	(3)	6	5	(4)	(3)	(4)	5	(3)	(4)	(4)	X	(4) 3
22	5	5	6	7	(4)	(4)	6	6	6	(4)	5	2	2 2
23	6	5	7	6	5	5	6	7	6	5	5	5	3 1
24	6	5	7	7	6	5	6	7	6	6	5	5	2 2
25	6	(4)	7	6	5	(4)	6	5	6	(4)	(4)	X	3 3
26	5	(4)	7	7	5	(4)	6	6	6	(4)	(4)	X	3 2
27	5	5	7	7	6	(4)	7	7	6	5	5	5	2 3
28	5	5	6	6	6	(4)	6	6	5	6	5	5	(4) 2
29	5	5	6	6	5	(4)	6	6	6	(4)	(4)	X	(4) 3
30	5	(4)	7	6	(4)	(3)	6	6	6	(4)	(4)	X	3 2

Score:  

P	14	4	17	19		12	9
Quiet Periods	S	10	10	12	11	12	16
	U	0	1	0	0	0	0
	F	0	0	1	0	5	4

Disturbed Periods	P	1	11	0	0	0	0
	S	3	4	0	0	1	1
	U	1	0	0	0	0	0
	F	1	0	0	0	0	0

## Scales:

## Q-scale of Radio Propagation Quality

- (1) - useless
- (2) - very poor
- (3) - poor
- (4) - poor to fair
- 5 - fair
- 6 - fair to good
- 7 - good
- 8 - very good
- 9 - excellent

## K-scale of Geomagnetic Activity

0 to 9, 9 representing the greatest disturbance;  $K_{CH} \geq 4$  indicates significant disturbance, enclosed in (' ) for emphasis

## Scoring: (beginning October 1952)

- P - Perfect: forecast quality equal to observed
- S - Satisfactory: (beginning October 1952)  
forecast quality one grade different  
from observed
- U - Unsatisfactory: forecast quality two or more  
grades different from observed when both  
forecast and observed were  $\geq 5$ , or both  $\leq 5$
- F - Failure: other times when forecast quality  
two or more grades different from observed

## Symbols:

X - probable disturbed date


Note: All times are UT (Universal Time or GCT)

Table 87bShort-Term Forecasts --- September 1954

—forecast

x CRPL observation (not in consensus)

- individual reports of quality  
(adjusted to CRPL scale)



## Outcome of Advance Forecasts (1 to 4 days ahead) --- September 1954




Table 88a  
Coronal observations at Climax, Colorado, (5303A), east limb

Date UT	Degrees north of the solar equator															0°	Degrees south of the solar equator																												
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90											
1954																0°																													
Oct 1.6	-	-	-	-	-	5	5	5	4	4	6	20	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
2.6a	X	X	X	-	-	3	4	4	3	3	8	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	X												
3.x																																													
4.6	-	-	-	-	-	3	4	3	4	4	4	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
5.6	-	-	-	-	-	2	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
6.7	-	-	-	-	-	2	2	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
7.7a	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
9.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
9.8a	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	X	X									
10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
11.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	1	-	-	-	-	-	-	-	-	-	-	1	1	1										
12.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-									
13.x																																													
14.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
15.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
16.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
18.x																																													
19.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-									
20.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X								
21.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
22.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
23.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
24.x																																													
25.x																																													
26.x																																													
27.7	-	-	-	-	-	1	2	3	4	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
28.7a	-	-	-	-	-	1	2	2	7	10	14	12	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1										
29.7	-	-	-	-	-	1	1	1	2	2	3	12	19	13	11	3	2	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
30.7	-	-	-	-	-	-	-	-	-	-	-	1	2	3	12	8	7	3	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
31.7	-	-	-	-	-	-	-	-	-	-	-	1	2	9	16	14	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Table 89a  
Coronal observations at Climax, Colorado, (6374A), east limb

Date UT	Degrees north of the solar equator															0°	Degrees south of the solar equator																													
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90												
1954																0°																														
Oct 1.6	2	2	2	2	1	1	1	1	3	7	18	24	5	4	4	5	6	6	6	5	5	4	3	3	2	2	2	2	1	1	1	2	3	2												
2.6a	X	X	X	-	-	-	-	-	-	14	10	3	2	3	3	3	2	2	2	2	1	1	1	X	1	1	1	1	1	1	1	1	1	1												
3.x																																														
4.6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1											
5.6	1	1	1	1	1	2	2	1	1	1	2	3	3	4	3	2	5	6	5	4	3	3	5	5	4	4	4	2	1	1	1	1	1	1	1											
6.7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1											
7.7a	1	1	1	1	1	1	1	1	1	1	1	1	2	2	3	4	3	3	3	3	3	3	4	3	2	1	1	1	1	1	1	1	1	1	1											
9.0	2	1	1	1	1	1	1	1	1	1	2	2	2	2	3	3	5	7	8	5	6	4	3	3	2	1	1	1	1	1	1	1	1	1	1											
9.8a	3	3	2	1	1	1	1	2	2	2	2	2	3	4	5	5	16	20	10	5	3	3	3	3	3	3	3	3	3	3	3	3	3	X												
10.7	1	2	2	3	2	1	1	1	1	1	3	3	2	2	2	2	4	12	14	6	3	3	3	4	4	3	1	1	1	1	1	1	1	1	1	1										
11.6	1	1	1	1	2	1	1	1	1	2	4	5	3	2	4	11	12	9	7	6	7	8	9	9	8	8	7	6	6	5	3	2	1	1	1											
11.6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1											
12.9	1	2	1	1	1	1	1	1	1	1	1	2	3	3	4	5	5	6	8	9	7	6	6	5	4	3	2	2	2	1	1	1	1	1	1											
13.x																																														
14.6	1	1	1	1	1	1	1	1	1	1	1	3	3	3	3	3	4	4	5	8	9	9	5	5	6	6	4	4	1	1	1	1	1	1	1	1	1	1	1							
15.7	2	2	2	2	1	1	1	2	3	4	4	4	3	3	4	11	12	12	11	10	10	9	7	5	5	3	2	1	1	1	1	1	1	1	1	1	1	1								
16.6	1	2	1	1	1	1</td																																								

Table 88b

Coronal observations at Climax, Colorado, (5303A), west limb

Date UT	Degrees south of the solar equator										0°	Degrees north of the solar equator																					
	90	85	80	75	70	65	60	55	50	45		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90				
1954	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Oct 1.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2.6a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	X	X	X	X	X	X	X	X	
3.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	1	-	-	-	-	-	
5.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9.0	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-		
9.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	
12.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	
13.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	7	3	2	2	1	-	-
15.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	9	6	3	3	4	1
17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1
18.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1
19.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	2	3	1	2	-	-
20.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1
22.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-
23.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	8	1	-	-	-	-	-	-
24.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	2	1	1	1	1	1	1
30.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	1	1	1	1
31.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1

Table 89b

Coronal observations at Climax, Colorado, (6374A), west limb

Date UT	Degrees south of the solar equator										0°	Degrees north of the solar equator																						
	90	85	80	75	70	65	60	55	50	45		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90					
1954	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Oct 1.6	2	1	1	1	1	1	1	2	2	2	2	3	3	3	3	4	5	5	4	4	4	4	3	2	1	1	1	1	1	2	2	2		
2.6a	1	1	1	1	1	1	1	1	1	2	3	3	4	4	4	5	5	4	2	2	3	3	2	2	X	X	X	X	X	X	X	X		
3.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.6	1	1	1	1	1	1	1	1	1	1	1	1	3	6	5	5	6	6	6	6	5	3	4	5	1	1	1	1	1	1	1	1		
5.6	1	2	2	2	2	2	2	2	3	3	3	3	3	4	4	6	6	5	5	5	4	4	4	3	3	2	1	1	1	2	2	1		
6.7	3	2	2	1	1	1	1	1	2	2	2	2	3	4	3	5	5	5	3	4	3	1	2	3	2	2	1	1	1	1	1	1		
7.7	2	2	1	1	1	1	2	2	2	1	1	2	6	5	4	3	4	4	4	4	4	3	3	2	2	2	1	1	1	1	1	1		
9.0	2	1	1	1	1	1	2	2	3	5	4	4	5	5	4	3	4	5	4	3	3	2	2	2	2	2	1	1	1	1	1	1		
9.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
10.7	2	2	1	1	1	1	1	1	1	4	5	2	1	2	4	4	2	4	5	4	3	2	1	1	1	1	1	1	1	1	1	1		
11.6	1	1	2	1	1	1	1	2	2	1	2	6	1	5	5	5	5	5	5	5	3	3	2	1	1	2	2	2	1	1	1	1		
12.9	1	1	1	1	1	1	1	1	1	1	3	2	2	3	5	5	6	6	6	6	3	3	1	1	1	2	1	1	1	1	1	1		
13.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	6	3	3	1	1	1	1	1	1
14.6	1	1	1	1	1	1	1	2	2	2	2	2	3	3	3	3	5	6	5	5	5	4	6	16	6	1	1	1	1	1	1	2	1	
15.7	3	2	1	1	1	1	2	2	2	2	3	4	4	5	5	6	6	6	7	7	6	5	6	26	17	4	3	2	1	1	1	2	2	2
16.6	2	2	2	1	1	1	2	2	2	2	3	4	4	5	6	9	7	8	8	13	8	6	6	5	17	31	10	1	1	1	2	2	2	1
17.7	2	2	1	1	2	1	1	2	2	2	2	3	2	3	4	2	2	2	5	6	6	5	4	3	1	1	1	1	1	1	1	1	1	
18.x	1	1	1	1	1	1	1	1	1	6	6	6	3	3	3	3	3	3	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	
19.7a	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
20.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
21.7	1	1	1	1	1	1	1	1	1	1	4	5	2	2	2	3	1	2	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	
22.7	2	2	1	1	1	1	1	1	2	2	2	2	3	2	3	4	2	2	5</td															

Table 90a

Coronal observations at Climax, Colorado, (6702A), east limb

Date UT	Degrees north of the solar equator										0°	Degrees south of the solar equator																		
	90	85	80	75	70	65	60	55	50	45		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1954																														
Oct	1.6	-	-	-	-	-	-	-	1	3	3	4	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-			
	2.6a	X	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	14.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	15.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	16.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17.7	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	18.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	19.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	20.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	
	21.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	22.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	23.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	24.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	25.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	26.x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	27.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	28.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	29.7	-	-	-	-	-	-	-	-	1	1	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	30.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	31.7	-	-	-	-	-	-	-	1	2	1	1	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	

Table 91a

Coronal observations at Sacramento Peak, New Mexico, (5303A), east limb

Date UT	Degrees north of the solar equator										0°	Degrees south of the solar equator																						
	90	85	80	75	70	65	60	55	50	45		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90					
1954																																		
Oct	1.7	-	-	-	-	-	-	-	-	2	10	16	17	16	14	15	19	47	32	5	4	2	2	-	-	-	-	-	-					
	2.x	-	-	-	-	-	-	-	-	2	12	17	14	13	11	13	39	38	18	8	5	3	2	2	-	-	-	-	-	-				
	3.7	-	-	-	-	-	-	-	-	2	12	17	14	13	11	13	39	38	18	8	5	3	2	2	-	-	-	-	-	-				
	4.x	-	-	-	-	-	-	-	-	2	12	17	14	13	11	13	39	38	18	8	5	3	2	2	-	-	-	-	-	-				
	5.x	-	-	-	-	-	-	-	-	2	12	17	14	13	11	13	39	38	18	8	5	3	2	2	-	-	-	-	-	-				
	6.x	-	-	-	-	-	-	-	-	2	12	17	14	13	11	13	39	38	18	8	5	3	2	2	-	-	-	-	-	-				
	7.x	-	-	-	-	-	-	-	-	2	12	17	14	13	11	13	39	38	18	8	5	3	2	2	-	-	-	-	-	-				
	8.x	-	-	-	-	-	-	-	-	2	12	17	14	13	11	13	39	38	18	8	5	3	2	2	-	-	-	-	-	-				
	9.7	-	-	-	-	-	-	-	-	2	2	2	2	2	3	3	2	2	2	3	5	11	23	7	2	-	-	-	-	-	-			
	10.7	-	-	-	-	-	-	-	-	2	2	3	2	2	3	2	3	5	16	28	16	5	3	-	-	2	3	4	4	3	2	-	-	
	11.7	-	-	-	-	-	-	-	-	2	3	3	3	4	3	2	3	8	10	19	3	2	-	-	2	3	2	2	2	-	-	-	-	
	12.7	-	-	-	-	-	-	-	-	2	2	3	2	3	3	3	4	3	3	5	4	3	3	2	2	3	2	2	2	-	-	-	-	
	13.8a	-	-	-	-	-	-	-	-	2	3	3	2	4	5	7	5	3	3	2	2	2	2	2	2	2	2	2	3	3	4	3	2	
	14.7a	-	-	-	-	-	-	-	-	2	3	4	4	3	3	3	2	2	2	2	3	4	2	2	2	2	2	2	3	2	2	-	-	
	15.6	-	-	-	-	-	-	-	-	2	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	-	-	
	16.6	-	-	-	-	-	-	-	-	2	3	3	2	4	5	7	5	3	3	2	2	2	2	2	2	2	2	2	3	2	2	-	-	
	17.7	-	-	-	-	-	-	-	-	2	3	3	5	14	12	4	3	2	2	2	3	2	2	2	2	2	3	3	3	2	-	-		
	18.7	-	-	-	-	-	-	-	-	2	3	3	4	14	15	4	3	2	2	2	2	2	2	2	2	2	3	3	2	2	-	-		
	19.7	-	-	-	-	-	-	-	-	2	3	2	2	5	11	5	4	3	2	2	2	2	2	2	2	2	3	2	-	-	-	-	-	
	20.6	-	-	-	-	-	-	-	-	2	3	4	4	4	3	2	2	2	2	2	2	2	2	2	2	2	2	3	3	2	2	-	-	
	21.7	-	-	-	-	-	-	-	-	2	3	3	2	2	3	3	2	2	2	2	3	2	2	2	2	2	3	3	2	3	2	-	-	
	22.7a	-	-	-	-	-	-	-	-	2	3	3	2	3	3	2	3	2	2	2	2	3	2	2	2	2	3	3	2	3	2	-	-	
	23.7a	-	-	-	-	-	-	-	-	2	3	4	4	3	3	2	3	3	2	2	2	2	3	4	5	4	4	3	3	2	-	-	-	
	24.7a	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	3	4	5	7	8	7	4	2	2	2	-	-	-	
	25.x	-	-	-	-	-	-	-	-	2	2	3	3	2	3	4	5	5	5	6	5	4	3	2	-	-	-	-	-	-	-	-	-	-
	26.7	-	-	-	-	-	-	-	-	2	2	3	3	2	3	4	5	5	5	6	5	4	3	2	-	-	-	-	-	-	-	-	-	-
	27.x	-	-	-	-																													

Table 90b

### Coronal observations at Climax, Colorado, (6702A), west limb

Table 91b

Coronal observations at Sacramento Peak, New Mexico, (5303A), west limb

Coronal observations at Sacramento Peak, New Mexico, (6374A), east limb

Date UT	Degrees north of the solar equator															0°	Degrees south of the solar equator																				
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1954																																					
Oct 1.7	3	4	4	4	3	3	5	6	5	3	8	14	39	40	14	11	12	14	15	14	11	11	10	7	6	7	5	7	6	5	4	3	2	2	3	4	4
2.x																																					
3.7	4	5	4	4	3	3	4	4	3	3	2	5	35	44	23	24	14	20	21	17	16	15	14	13	14	13	11	7	8	5	3	4	2	4	3	4	5
4.x																																					
5.x																																					
6.x																																					
7.x																																					
8..																																					
9.7	4	5	4	4	4	3	2	3	4	3	4	5	7	10	8	11	20	28	18	11	12	10	9	11	10	7	4	5	4	3	2	2	4	5	3	4	4
10.7	5	4	5	4	3	2	4	4	5	4	9	11	11	10	14	18	32	20	10	11	12	13	14	12	11	4	5	4	3	2	3	2	3	4	5		
11.7	4	3	4	4	3	2	3	3	4	5	6	7	7	8	11	20	13	10	8	6	6	7	8	7	6	4	5	3	2	3	2	3	4	4			
12.7	4	4	4	5	4	2	3	3	5	7	8	8	11	10	14	16	28	30	23	20	16	14	13	12	11	12	8	4	5	4	3	4	3	4	5		
13.8a	4	5	4	4	3	2	3	4	5	8	7	6	8	11	13	14	15	14	14	15	14	13	11	11	12	11	8	4	2	3	3	2	-	4	3		
14.7a	5	5	4	4	3	3	5	6	6	8	13	12	11	11	12	14	16	16	15	15	14	13	11	12	13	10	8	5	4	3	4	4	5	3	4		
15.6	3	3	3	4	3	2	2	2	-	2	3	5	7	7	8	7	8	12	14	11	10	11	10	10	8	7	6	5	5	3	2	2	2	3	2	2	4
16.6	3	4	4	3	3	3	2	3	4	5	6	8	14	16	6	5	7	11	12	11	12	12	14	13	11	10	6	5	4	4	3	2	3	4	4	4	
17.7	3	3	3	4	4	3	3	2	4	5	5	7	28	16	14	12	9	11	14	13	12	11	10	8	9	9	11	8	6	4	3	3	2	3	7	6	
18.7	4	3	3	4	4	3	2	3	4	5	6	7	19	18	15	14	14	15	16	15	13	12	14	13	12	14	13	11	5	3	2	2	3	4	3	2	5
19.7	5	4	4	5	5	4	5	4	3	5	8	10	14	15	16	13	13	14	13	13	14	15	14	14	13	10	8	5	3	2	2	4	3	3	5	5	
20.6	3	3	2	3	4	2	3	2	2	3	5	5	7	8	10	11	12	13	13	11	12	11	11	11	10	8	6	4	3	2	-	2	3	2	3		
21.7	3	4	4	2	3	3	4	2	2	4	5	6	7	7	8	8	11	12	13	11	12	11	10	9	8	5	4	5	3	3	2	2	4	3	3	4	
22.7a	4	5	5	4	5	4	5	4	2	2	5	6	6	7	7	8	9	10	12	14	13	13	12	11	11	11	10	7	8	5	4	3	2	3	4	4	5
23.7a	3	4	3	4	5	3	3	2	3	3	4	5	4	4	5	7	8	11	12	11	10	9	8	5	6	5	6	3	4	3	2	2	3	2	2	3	
24.7a	3	4	4	4	2	3	4	3	5	4	5	X	X	8	9	10	8	10	12	11	11	10	7	6	5	8	5	5	6	5	3	3	4	4	3	4	
25.x																																					
26.7	3	4	4	4	5	3	4	3	4	4	3	3	5	5	8	8	7	11	11	9	8	7	6	4	3	2	3	3	4	2	2	2	3	3	4	4	
27.x																																					
28.7	5	4	4	4	4	3	4	2	3	4	5	7	15	11	10	9	8	11	15	13	11	11	10	8	6	5	6	5	5	3	2	2	3	3	5	4	
29.x																																					
30.7	3	2	3	4	3	4	3	2	4	3	4	9	20	13	11	13	14	15	15	14	12	12	13	13	12	11	7	6	5	3	2	2	3	2	3	3	
31.7	3	-	2	3	2	2	3	3	2	2	3	11	12	8	7	11	12	13	12	12	11	10	7	8	8	7	6	4	3	3	3	2	2	3	3	2	

For  $\beta \perp \gamma$ ,  $\beta \perp \gamma$

Coronal observations at Sacramento Peak, New Mexico (6702A) east limb

Table 92L

Coronal observations at Sacramento Peak, New Mexico, (6374A), west limb

Date UT	Degrees south of the solar equator														0°	Degrees north of the solar equator																							
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90			
1954																																							
Oct	1.7	4	4	4	6	5	4	3	4	3	4	4	5	5	6	8	12	9	11	13	12	12	11	10	8	11	8	7	5	4	3	3	4	2	2	3	3	3	3
	2.x																																						
	3.7a	5	5	4	5	4	3	4	4	4	5	9	10	10	8	14	13	13	14	14	13	14	15	13	11	11	10	8	6	7	4	3	3	2	3	5	4	4	4
	4.x																																						
	5.x																																						
	6.x																																						
	7.x																																						
	8.x																																						
	9.7	4	3	3	4	3	4	4	3	4	5	6	7	8	14	8	5	8	12	11	10	11	10	9	8	4	3	4	5	7	6	4	3	3	4	4	4	4	
	10.7	5	5	4	4	3	4	3	5	5	4	5	13	12	7	8	11	12	11	12	12	11	12	11	8	6	3	2	3	5	6	8	4	4	2	4	3	4	5
	11.7	4	3	3	2	3	3	2	3	4	5	4	2	4	8	4	5	11	12	12	11	10	8	7	5	4	3	3	2	3	5	2	2	2	2	3	4	4	
	12.7	4	4	4	3	3	3	4	4	5	6	7	5	6	8	7	8	16	17	18	16	15	14	11	12	14	20	9	8	5	6	5	4	3	4	5	5	4	
	13.8a	3	2	3	3	4	3	4	4	4	5	5	4	4	4	4	5	8	12	14	12	12	11	10	8	11	14	15	10	5	4	4	4	5	4	4	5		
	14.7a	4	4	4	3	3	4	3	4	3	5	6	7	8	8	7	8	9	11	13	14	15	15	15	14	14	18	36	28	12	6	4	4	5	4	4	5		
	15.6	4	3	2	3	3	2	2	-	-	2	3	4	5	5	4	5	7	9	8	9	9	10	11	7	6	26	20	16	4	3	2	2	2	3	3	3		
	16.6	4	4	5	4	3	2	3	4	4	4	5	6	7	8	7	8	12	14	15	14	16	18	13	11	11	20	34	14	4	4	3	4	2	2	2	3	3	
	17.7	6	5	4	5	4	3	3	4	5	6	8	10	11	13	12	13	14	15	16	17	17	14	13	11	18	36	16	6	3	4	5	4	4	3	3	5	4	
	18.7	5	6	4	5	4	3	4	2	5	6	7	14	16	15	14	15	16	14	15	14	13	13	14	15	13	13	25	20	8	5	4	3	3	5	4	5		
	19.7	5	5	4	5	4	3	2	3	5	7	8	8	15	16	14	14	13	14	13	11	11	12	13	14	14	13	14	14	10	5	4	3	4	5	4	4		
	20.6	3	2	3	2	3	3	2	2	5	6	2	5	11	16	11	11	10	10	13	10	8	5	6	5	5	4	6	5	4	4	3	3	3	2	2	3		
	21.7	4	4	4	3	3	2	2	3	4	5	4	5	10	13	10	9	10	11	10	12	10	9	8	8	9	10	9	5	4	5	3	2	4	5	3	2	2	3
	22.7a	4	4	3	3	2	2	4	3	3	2	7	7	6	7	8	9	8	11	13	13	14	16	19	14	15	11	5	6	5	6	4	3	2	3	4	4	3	
	23.7a	3	4	3	3	3	2	2	2	2	5	4	4	4	5	7	8	7	8	7	6	9	25	11	10	8	7	4	4	4	3	2	2	2	3	4	4	3	
	24.7a	4	5	4	4	3	2	3	3	4	4	4	3	5	11	12	13	14	15	11	10	23	20	8	8	7	5	4	4	3	3	2	2	3	4	4	3		
	25.x																																						
	26.7	4	4	3	3	3	2	3	2	3	3	4	5	6	7	8	9	11	12	14	13	10	9	10	9	8	7	7	5	4	3	3	2	2	2	3	3		
	27.x																																						
	28.7	4	3	4	3	2	3	2	3	3	3	4	5	4	5	8	10	11	12	13	12	12	11	10	8	6	5	6	4	4	2	3	2	3	4	4	5		
	29.x																																						
	30.7	3	2	3	3	2	3	2	-	2	3	5	4	4	5	8	11	14	13	13	12	12	10	7	8	7	5	7	5	4	3	2	2	3	2	3			
	31.7	3	3	2	2	3	3	2	2	3	4	5	4	3	6	9	9	11	11	12	12	11	5	5	8	7	4	4	4	3	2	-	-	3	2	3	2		

Table 950

Coronal observations at Sacramento Peak, New Mexico, (6702A), west limb

Table 94  
Zürich Provisional Relative Sunspot Numbers  
October 1954

Date	R <sub>Z</sub> *	Date	R <sub>Z</sub> *
1	0	17	22
2	7	18	7
3	14	19	8
4	8	20	14
5	7	21	8
6	0	22	8
7	0	23	14
8	0	24	8
9	0	25	8
10	0	26	7
11	0	27	0
12	7	28	0
13	7	29	0
14	15	30	0
15	17	31	0
16	24	Mean:	6.8

\* Dependent on observations at Zürich Observatory and its stations at Locarno and Arosa.

Table 95  
American Relative Sunspot Numbers  
September 1954

Date	R <sub>A'</sub>	Date	R <sub>A'</sub>
1	0	17	0
2	0	18	0
3	0	19	0
4	2	20	0
5	2	21	0
6	1	22	0
7	0	23	0
8	0	24	0
9	0	25	0
10	0	26	0
11	0	27	0
12	0	28	0
13	0	29	0
14	1	30	1
15	1	Mean:	0.3
16	0		

Table 96Solar Flares, October 1954

---

No solar flares were reported for the month of October.

---

Table 97

## Indices of Geomagnetic Activity for September 1954

Preliminary values of international character-figures, C;  
Geomagnetic planetary three-hour-range indices, K<sub>p</sub>;  
Magnetically selected quiet and disturbed days

Table 98


Sudden Ionosphere Disturbances Observed at Washington, D. C.October 1954

No sudden ionosphere disturbances were observed during the month of October.

Note: Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado; Attention: Mr. Vaughn Agy.

## ERRATUM

Graph superseding corresponding graph in fig. 40,  
p. 61, CRPL-F122



## GRAPHS OF IONOSPHERIC DATA




Fig. 1. WASHINGTON, D. C.  
38.7°N, 77.1°W OCTOBER 1954




Fig. 2. WASHINGTON, D. C. OCTOBER 1954




Fig. 3. FAIRBANKS, ALASKA  
64.9°N, 147.8°W SEPTEMBER 1954















Fig. 4. FAIRBANKS, ALASKA SEPTEMBER 1954










Fig. 17. GUAM I.  
13.6°N, 144.9°E      SEPTEMBER 1954




Fig. 18. GUAM I.      SEPTEMBER 1954




Fig. 19. PANAMA CANAL ZONE  
9.4°N, 79.9°W      SEPTEMBER 1954








Fig. 20. PANAMA CANAL ZONE      SEPTEMBER 1954






Fig. 25. ANCHORAGE, ALASKA  
61.2°N, 149.9°W AUGUST 1954




Fig. 26. ANCHORAGE, ALASKA AUGUST 1954




Fig. 27. NARSARSSUAK, GREENLAND  
61.2°N, 45.4°W AUGUST 1954




Fig. 28. NARSARSSUAK, GREENLAND AUGUST 1954




Fig. 29. ADAK, ALASKA  
51.9°N, 176.6°W AUGUST 1954




Fig. 30. ADAK, ALASKA AUGUST 1954




Fig. 31. WHITE SANDS, NEW MEXICO  
32.3°N, 106.5°W AUGUST 1954




Fig. 32. WHITE SANDS, NEW MEXICO AUGUST 1954




Fig. 33. POINT BARROW, ALASKA  
71.3°N, 156.8°W JULY 1954




Fig. 34. POINT BARROW, ALASKA JULY 1954




Fig. 35. REYKJAVIK, ICELAND  
64.1°N, 21.8°W JULY 1954




Fig. 36. REYKJAVIK, ICELAND JULY 1954




Fig. 37. NARSARSSUAK, GREENLAND  
61.2°N, 45.4°W JULY 1954




Fig. 38. NARSARSSUAK, GREENLAND JULY 1954




Fig. 39 PANAMA CANAL ZONE  
9.4°N, 79.9°W JULY 1954








Fig. 40. PANAMA CANAL ZONE JULY 1954






Fig. 45. BAKER LAKE, CANADA  
64.3°N, 96.0°W JUNE 1954




Fig. 46. BAKER LAKE, CANADA JUNE 1954




Fig. 47. CHURCHILL, CANADA  
58.8°N, 94.2°W JUNE 1954




Fig. 48. CHURCHILL, CANADA JUNE 1954




Fig. 49. FORT CHIMO, CANADA  
58.1°N, 68.3°W JUNE 1954




Fig. 50. FORT CHIMO, CANADA JUNE 1954




Fig. 51. ST. JOHN'S, NEWFOUNDLAND  
47.6°N, 52.7°W JUNE 1954












Fig. 52. ST. JOHN'S, NEWFOUNDLAND JUNE 1954








Fig. 61. TOKYO, JAPAN  
35.7°N, 139.5°E JUNE 1954




Fig. 62. TOKYO, JAPAN JUNE 1954




Fig. 63. YAMAGAWA, JAPAN  
31.2°N, 130.6°E JUNE 1954








Fig. 64. YAMAGAWA, JAPAN JUNE 1954






Fig. 69. UPSALA, SWEDEN  
59.8°N, 17.6°E MAY 1954




Fig. 70. UPSALA, SWEDEN MAY 1954




Fig. 71. INVERNESS, SCOTLAND  
57.4°N, 4.2°W MAY 1954




Fig. 72. INVERNESS, SCOTLAND MAY 1954




Fig. 73. De BILT, HOLLAND  
52.1°N, 5.2°E MAY 1954




Fig. 74. De BILT, HOLLAND MAY 1954




Fig. 75. LINDAU/HARZ, GERMANY  
51.6°N, 10.1°E MAY 1954




Fig. 76. LINDAU/HARZ, GERMANY MAY 1954




Fig. 77. SLOUGH, ENGLAND

51.5°N, 0.6°W

MAY 1954




Fig. 78. SLOUGH, ENGLAND

MAY 1954




Fig. 79. FORMOSA, CHINA

25.0°N, 121.5°E

MAY 1954




Fig. 80. FORMOSA, CHINA

MAY 1954




Fig. 81. SINGAPORE, BRITISH MALAYA  
1.3°N, 103.8°E MAY 1954




Fig. 82. SINGAPORE, BRITISH MALAYA




Fig. 83. LEOPOLDVILLE, BELGIAN CONGO  
4.3°S, 15.3°E MAY 1954




Fig. 84. LEOPOLDVILLE, BELGIAN CONGO




Fig. 85. RAROTONGA I.  
21.3°S, 159.8°W MAY 1954




Fig. 86. RAROTONGA I. MAY 1954




Fig. 87. JOHANNESBURG, UNION OF S. AFRICA  
26.2°S, 28.1°E MAY 1954
















Fig. 88. JOHANNESBURG, UNION OF S. AFRICA  
MAY 1954










Fig. 101. BOMBAY, INDIA  
19.0°N, 73.0°E

MARCH 1954




Fig. 102. BOMBAY, INDIA

MARCH 1954




Fig. 103. MADRAS, INDIA  
13.0°N, 80.2°E

MARCH 1954




Fig. 104. MADRAS, INDIA

MARCH 1954




Fig. 105. TIRUCHY, INDIA  
10.8°N, 78.8°E MARCH 1954




Fig. 106. TIRUCHY, INDIA MARCH 1954




Fig. 107. TOWNSVILLE, AUSTRALIA  
19.3°S, 146.7°E MARCH 1954





Fig. 108. TOWNSVILLE, AUSTRALIA MARCH 1954

Fig. 109. BRISBANE, AUSTRALIA  
27.5°S, 153°E

MARCH 1954





Fig. 110. BRISBANE, AUSTRALIA

MARCH 1954

Fig. III. CANBERRA, AUSTRALIA  
35.3°S, 149.0°E

MARCH 1954












Fig. 112. CANBERRA, AUSTRALIA

MARCH 1954








Fig. I21. DAKAR, FRENCH W. AFRICA  
14. 6°N, 17. 4°W NOVEMBER 1953




Fig. I22. DAKAR, FRENCH W. AFRICA NOVEMBER 1953




Fig. I23. FRIBOURG, GERMANY  
48. 1°N, 7. 8°E OCTOBER 1953




Fig. I24. FRIBOURG, GERMANY OCTOBER 1953




Fig. 125. FRIROURG, GERMANY  
48.1°N, 7.8°E SEPTEMBER 1953






Fig. 127. FRIROURG, GERMANY  
48.1°N, 7.8°E JUNE 1953






Fig. 129. DJIBOUTI, FRENCH SOMALILAND  
II.5°N, 43.1°E MAY 1953




Fig. 130. DJIBOUTI, FRENCH SOMALILAND




Fig. 131. DJIBOUTI, FRENCH SOMALILAND  
II.5°N, 43.1°E JANUARY 1953







Fig. 132. DJIBOUTI, FRENCH SOMALILAND






Fig. 137. DJIBOUTI, FRENCH SOMALILAND  
11.5°N, 43.1°E OCTOBER 1952




Fig. 138. DJIBOUTI, FRENCH SOMALILAND OCTOBER 1952




Fig. 139. DJIBOUTI, FRENCH SOMALILAND  
11.5°N, 43.1°E SEPTEMBER 1952




Fig. 140. DJIBOUTI, FRENCH SOMALILAND SEPTEMBER 1952




Fig 141. DJIBOUTI, FRENCH SOMALILAND  
11.5°N, 43.1°E AUGUST 1952




Fig 142. DJIBOUTI, FRENCH SOMALILAND AUGUST 1952




Fig 143. DJIBOUTI, FRENCH SOMALILAND  
11.5°N, 43.1°E JULY 1952




Fig 144. DJIBOUTI, FRENCH SOMALILAND JULY 1952

Index of Tables and Graphs of Ionospheric Data  
in CRPL-F123

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
September 1954 . . . . .	12	52
August 1954 . . . . .	14	58
Akita, Japan		
June 1954 . . . . .	16	65
Anchorage, Alaska		
August 1954 . . . . .	14	57
Baker Lake, Canada		
June 1954 . . . . .	15	62
Bombay, India		
March 1954 . . . . .	20	76
Brisbane, Australia		
March 1954 . . . . .	21	78
Canberra, Australia		
March 1954 . . . . .	21	78
Capetown, Union of S. Africa		
May 1954 . . . . .	19	73
Christchurch, New Zealand		
May 1954 . . . . .	19	74
Churchill, Canada		
June 1954 . . . . .	15	62
Dakar, French W. Africa		
November 1953 . . . . .	22	81
De Bilt, Holland		
May 1954 . . . . .	18	69
Delhi, India		
March 1954 . . . . .	20	75
Djibouti, French Somaliland		
May 1953 . . . . .	22	83
January 1953 . . . . .	22	83
December 1952 . . . . .	23	84
November 1952 . . . . .	23	84
October 1952 . . . . .	23	85
September 1952 . . . . .	23	85
August 1952 . . . . .	23	86
July 1952 . . . . .	23	86
Fairbanks, Alaska		
September 1954 . . . . .	12	51
August 1954 . . . . .	13	56
Falkland Is.		
April 1954 . . . . .	19	74

Index (CRPL-F123, continued)

	<u>Table page</u>	<u>Figure page</u>
Formosa, China		
May 1954 . . . . .	18	70
Fort Chimo, Canada		
June 1954 . . . . .	16	63
Fribourg, Germany		
December 1953 . . . . .	21	80
November 1953 . . . . .	21	80
October 1953 . . . . .	22	81
September 1953 . . . . .	22	82
June 1953 . . . . .	22	82
Graz, Austria		
June 1954 . . . . .	16	64
Guam I.		
September 1954 . . . . .	13	55
Hobart, Tasmania		
March 1954 . . . . .	21	79
Huancayo, Peru		
June 1954 . . . . .	17	67
Ibadan, Nigeria		
January 1954 . . . . .	21	79
Inverness, Scotland		
May 1954 . . . . .	17	68
Johannesburg, Union of S. Africa		
May 1954 . . . . .	19	72
Leopoldville, Belgian Congo		
May 1954 . . . . .	18	71
Lindau/Harz, Germany		
May 1954 . . . . .	18	69
Madras, India		
March 1954 . . . . .	20	76
Maui, Hawaii		
September 1954 . . . . .	13	54
Narsarssuak, Greenland		
August 1954 . . . . .	14	57
July 1954 . . . . .	15	60
Okinawa I.		
September 1954 . . . . .	12	53
Ottawa, Canada		
June 1954 . . . . .	16	64
Panama Canal Zone		
September 1954 . . . . .	13	55
July 1954 . . . . .	15	60
Point Barrow, Alaska		
July 1954 . . . . .	14	59
June 1954 . . . . .	15	61

Index (CRPL-F123, concluded)

	<u>Table page</u>	<u>Figure page</u>
Port Lockroy		
April 1954 . . . . .	20	75
Puerto Rico, W. I.		
September 1954 . . . . .	13	54
Barotonga I.		
May 1954 . . . . .	19	72
Resolute Bay, Canada		
June 1954 . . . . .	15	61
Reykjavik, Iceland		
August 1954 . . . . .	13	56
July 1954 . . . . .	14	59
St. John's, Newfoundland		
June 1954 . . . . .	16	63
Singapore, British Malaya		
May 1954 . . . . .	18	71
Slough, England		
May 1954 . . . . .	18	70
Tiruchi, India		
March 1954 . . . . .	20	77
Tokyo, Japan		
June 1954 . . . . .	17	66
Townsville, Australia		
March 1954 . . . . .	20	77
Upsala, Sweden		
September 1954 . . . . .	12	52
May 1954 . . . . .	17	68
Wakkanai, Japan		
June 1954 . . . . .	16	65
Washington, D. C.		
October 1954 . . . . .	12	51
Watheroo, W. Australia		
June 1954 . . . . .	17	67
May 1954 . . . . .	19	73
White Sands, New Mexico		
September 1954 . . . . .	12	53
August 1954 . . . . .	14	58
Yamagawa, Japan		
June 1954 . . . . .	17	66



## CRPL Reports

---

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

*Daily:*

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

*Semiweekly:*

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

*Semimonthly:*

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

*Monthly:*

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Navy, DNC 13 ( ) series; Dept. of the Air Force, TO 16-1B-2 series.) On sale by Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address cognizant military office.

CRPL—F. Ionospheric Data. Limited distribution. This publication is in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic or other radio propagation data or in exchange for copies of publications on radio, physics and geophysics for the CRPL library.

*Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:*

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

These circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, unless otherwise indicated.

---

