

CRPL-F136 · PART A

FOR OFFICIAL USE

National Bureau of Standards
Library, N.W. Bldg

Reference book not to be
taken from the Library.

JAN 4 1956

PART A
IONOSPHERIC DATA

ISSUED
DECEMBER 1955

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

CRPL-F 136
PART A

NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

Issued
22 Dec. 1955

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions.	2
Predicted and Observed Sunspot Numbers	4
World-Wide Sources of Ionospheric Data	5
Hourly Ionospheric Data at Washington, D. C. .	7, 11, 21, 33
Ionospheric Storminess at Washington, D. C. .	8
Errata	8
Index of Ionospheric Data Published in 1955 (CRPL-F125 through F134, F135A, and F136A. .	9
Tables of Ionospheric Data	11
Graphs of Ionospheric Data	33
Index of Tables and Graphs of Ionospheric Data in CRPL-F136 (Part A)	63

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in Document No. 626-E referred to above, plus an additional symbol, R: "Scaling of characteristic is influenced or prevented by absorption in the neighborhood of the critical frequency." (May 1955).

a. For all ionospheric characteristics:

Values missing because of A, C, F, L, M, N, Q, R, S, or T are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F2 (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G (and B when applied to the daytime E region only) are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when $foF2$ is less than or equal to $foF1$, leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily, a blank space in the fEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE . Blank spaces at the beginning and end of columns of $h'F1$, $foF1$, $h'E$, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of $h'F1$ and $foF1$ is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.

PREDICTED AND OBSERVED SUNSPOT NUMBERS

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

<u>Month</u>	<u>Predicted Sunspot Number</u>										
	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946
December	42	11	15	33	53	86	108	114	126	85	
November	35	10	16	38	52	87	112	115	124	83	
October	31	10	17	43	52	90	114	116	119	81	
September	30	8	18	46	54	91	115	117	121	79	
August	27	8	18	49	57	96	111	123	122	77	
July	22	8	20	51	60	101	108	125	116	73	
June	18	9	21	52	63	103	108	129	112	67	
May	77	16	10	22	52	68	102	108	130	109	67
April	68	13	10	24	52	74	101	109	133	107	62
March	60	14	11	27	52	78	103	111	133	105	51
February	53	14	12	29	51	82	103	113	133	90	46
January	48	12	14	30	53	85	105	112	130	88	42

The latest available information follows concerning the corresponding observed Zürich numbers (some of which may be subject to minor change) beginning with the minimum of April 1954.

Observed Sunspot Number

<u>Month</u>	<u>Jan.</u>	<u>Feb.</u>	<u>Mar.</u>	<u>Apr.</u>	<u>May</u>	<u>June</u>	<u>July</u>	<u>Aug.</u>	<u>Sept.</u>	<u>Oct.</u>	<u>Nov.</u>	<u>Dec.</u>
1954				3	4	4	5	7	8	8	9	12
1955	14	16	19	23	29							

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 60 and figures 1 to 120 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

República Argentina, Ministerio de Marina:
Buenos Aires, Argentina

Australian Department of Supply and Shipping, Bureau of Mineral Resources, Geology and Geophysics:
Watheroo, Western Australia

University of Graz:
Graz, Austria

Meteorological Service of the Belgian Congo and Ruanda-Urundi:
Elisabethville, Belgian Congo
Leopoldville, Belgian Congo

University of Sao Paulo:
Sao Paulo, Brazil

British Department of Scientific and Industrial Research, Radio
Research Board:
Falkland Is.
Inverness, Scotland
Port Lockroy
Singapore, British Malaya
Slough, England

Defence Research Board, Canada:
Baker Lake, Canada
Churchill, Canada
Ottawa, Canada
Resolute Bay, Canada
Winnipeg, Canada

Radio Wave Research Laboratories, National Taiwan University,
Taipeh, Formosa, China:
Formosa, China

Institute for Ionospheric Research, Lindau Über Northeim,
Hannover, Germany:
Lindau/Harz, Germany

The Royal Netherlands Meteorological Institute:
De Bilt, Holland

Icelandic Post and Telegraph Administration:
Reykjavik, Iceland

Indian Council of Scientific and Industrial Research, Radio Re-
search Committee, New Delhi, India:
Ahmedabad, India (Physical Research Laboratory)
Bombay, India (All India Radio)
Calcutta, India (Institute of Radio Physics and Electronics)
Delhi, India (All India Radio)
Madras, India (All India Radio)
Tiruchi (Tiruchirapalli), India (All India Radio)

Ministry of Postal Services, Radio Research Laboratories, Tokyo,
Japan:

Akita, Japan
Tokyo (Kokubunji), Japan
Wakkanai, Japan
Yamagawa, Japan

Norwegian Defence Research Establishment, Kjeller per Lillestrom,
Norway:

Oslo, Norway
Tromso, Norway

Manila Observatory:

Baguio, P. I.

South African Council for Scientific and Industrial Research:

Capetown, Union of South Africa
Johannesburg, Union of South Africa
Nairobi, Kenya (East African Meteorological Department)

Research Laboratory of Electronics, Chalmers University of
Technology, Gothenburg, Sweden:

Kiruna, Sweden

Research Institute of National Defence, Stockholm, Sweden:
Upsala, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzer-
land:

Schwarzenburg, Switzerland

United States Army Signal Corps:

Adak, Alaska
Ft. Monmouth, New Jersey
Okinawa I.
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Labor-
atory):

Guam I.
Maui, Hawaii
Narsarssuak, Greenland
Panama Canal Zone
Puerto Rico, W. I.
Talara, Peru (Instituto Geofisico de Huancayo)
Washington, D. C.

HOURLY IONOSPHERIC DATA AT WASHINGTON, D. C.

The data given in tables 61 through 72 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols, Terminology, Conventions." Beginning with September 1949, the data are taken at Ft. Belvoir, Virginia.

IONOSPHERIC STORMINESS AT WASHINGTON, D.C.

Publication of ionosphere character figures for Washington, D. C., was discontinued with data for September 1955, published in CRPL-F134. Inquiry concerning ionospheric conditions at Washington should be addressed to North Atlantic Radio Warning Service, Box 178, Ft. Belvoir, Virginia.

ERRATA

1. F135, p. 18, tables 55 and 56: The (M3000)F2 column in table 55 belongs in table 56 and vice versa. A corresponding shift of (M3000)F2 graphs should be made in figs. 109 and 111 in the same issue.
2. F135, p. 56, fig. 99: The readings for foE at 14:46 and 16:46 should be 2.1 and 1.4 respectively.

INDEX OF IONOSPHERIC DATA PUBLISHED IN 1955
(CRPL-F 125 THROUGH F 134, F 135A, AND F 136A)

The following index of tables and graphs of ionospheric data published in the CRPL-F series in 1955 is divided into two parts. Part I is an index of data observed in 1954 and 1955. Part II is an index of data observed prior to 1954.

In general, both table and graphs for a given station for a given month appear in the same issue.

Indexes of ionospheric data published prior to 1955 are in IRPL-F17, CRPL-F28, -F40, -F52, -F64, -F76, -F88, -F100, -F112, and -F124.

The following errata published in 1955 refer to publications prior to 1955:

CRPL-F125, p. 11, Leopoldville, March 1954 and Djibouti, July 1952.

CRPL-F127, p. 12, erratum 1, San Francisco, October 1954, and erratum 2, San Francisco, October 1954.

CRPL-F134, p. 12, erratum 2 (Washington, D. C., detailed tabulations for March, May - July, September and October 1954).

PART I

Index of Tables and Graphs of Ionospheric Data Observed in 1954 and 1955 and Published
in 1955 (CRPL-F125 through F134, F135A, and F136A)

Station	1954							1955																
	J	F	M	A	M	J	Jy	A	S	O	N	D	J	F	M	A	M	J	Jy	A	S	O	N	
Adak, Alaska													125	127					127	128	129	130	131	132
Ahmedabad, India													126	126	126	127	128		133	134	135	136		
Akita, Japan													126	127					129	129	131	132	133	134
Anchorage, Alaska													125	126	126	127	128		128	129	131	132	132	133
Baguio, P. I.													125	126	126	127	128		129	129	130	132	133	134
Baker Lake, Canada													126	126	126	127	127		128	129	130	131	132	134
Bombay, India													125	130	128	129	133	133	133	133	133	135	135	136
Brisbane, Australia													125	125	127	128	128	132	132	133	133	133	133	136
Buenos Aires, Argentina													129	129	129	129	129	129	131	131	131	133	133	134
Calcutta, India													129	129	129	129	129	129	128	132	132	132	132	132
Canberra, Australia													125	127	125	128	128	129	132	132	133	133	133	133
Capetown, Union of S.Africa													131	131	131	131	131	134	134	134	134	134	134	134
Casablanca, Morocco													131	131	131	131	131	134	134	134	134	134	134	134
Christchurch, New Zealand													131	131	131	131	131	131	131	131	131	133	133	134
Churchill, Canada													129	129	129	129	129	129	128	132	132	132	132	132
De Bilt, Holland													125	126	126	126	127	127	128	129	130	131	132	134
Deception I.													125	126	126	131	131	131	131	131	131	133	133	135
Delhi, India													125	130	128	129	133	133	133	133	133	135	135	136
Elisabethville, Belgian Congo													129	129	129	129	129	129	130	131	131	132	134	134
Fairbanks, Alaska													125	125	125	125	125	127	128	129	130	130	131	132
Falkland Is.													128	128	129	129	128	130	132	136	133	133	135	135
Formosa, China													125	126	126	126	126	127	127	128	129	130	131	132
Ft. Monmouth, New Jersey													125	127	125	125	125	132	133	133	133	133	134	134
Godhavn, Greenland													125	125	125	125	126	127	127	133	133	133	133	135
Graz, Austria													125	125	125	125	126	127	127	128	129	130	133	135
Guam I.													125	125	125	125	126	126	127	127	128	129	130	132
Hobart, Tasmania													125	125	125	125	126	126	127	128	129	130	131	134
Huancayo, Peru													125	125	125	125	126	126	127	128	129	130	132	134
Ibadan, Nigeria													125	127	127	127	130	130	132	132	132	132	132	135
Inverness, Scotland													125	127	127	127	129	129	129	132	132	133	133	135
Johannesburg, Union of S.Africa													125	125	125	125	126	126	127	127	128	129	130	132
Kiruna, Sweden													126	126	126	126	127	127	128	129	129	130	131	136
Leopoldville, Belgian Congo													125	125	125	125	126	126	127	127	127	128	130	131
Lindau/Harz, Germany													126	125	125	126	126	127	127	128	130	130	132	134
Lulea, Sweden													126	125	125	126	126	127	127	128	129	130	131	136
Madras, India													125	130	128	129	133	133	133	133	133	135	135	136
Maui, Hawaii													125	126	126	126	126	126	127	128	129	130	131	132
Nairobi, Kenya													126	127	127	128	128	128	129	130	131	132	132	134
Narsarssuak, Greenland													125	126	126	126	126	126	127	128	129	130	131	136
Okinawa I.													126	126	126	126	126	126	127	128	129	130	131	136

PART I (CONTINUED)

Station	1954							1955															
	J	F	M	A	M	J	Jy	A	S	O	N	D	J	F	M	A	M	J	Jy	A	S	O	N
Oslo, Norway					125		126 125 126 126 127 127						127 128 129 130 131 132						134 134 135 136				
Ottawa, Canada							126 126 126 127 127						128 129 130 131 132 134						134 136 136				
Panama Canal Zone							125 126						127 128 129 130 131 132						133 134 135 136				
Point Barrow, Alaska							125 125 130						130 130 130 132 132 132										
Poitiers, France	131	131	131	131	134	134	134 134 134 134 134 134																
Port Lockroy					125	129	127 129 128 130 132						136 135 135 135 ^g										
Puerto Rico, W. I.							125 126						127 128 129 130 131 132						133 134 135 136				
Rarotonga I.							125 126 126 127 128 129						132 132 133 134 134										
Resolute Bay, Canada							125 126 126 126 127						128 129 130 131 132 134						134 136 136				
Reykjavik, Iceland							125 126 126 128						128 130 130 131 132 133						135 136				
San Francisco, California							125 126 ^d						127 128 131 131 132 133						134 135				
Sao Paulo, Brazil					129	129	128 129 129 131 131						136 136 136										
Schwarzenburg, Switzerland							125 125 126 127 127						128 128 130 131 132 134						134 135 136				
Singapore, British Malaya					125		128 127 129 129 128 130						132 136 133 135 135										
Slough, England							125 127 129 129 128 130						132 136 133 134 135										
Talara, Peru													130 130	135 135						136 135 135			
Tiruchi, India					125	130	128 129 133 133 133 133						133 133 135 ^f 136										
Tokyo, Japan							125 126 126 127 128						129 129 131 132 133 134						135 136				
Townsville, Australia					125	125	127	128 128 128 132 132					133 133										
Tromso, Norway							126 129 128 128 129						131 129 130 130 132 133						134 135 135	136			
Upsala, Sweden							125 126	126 127 127					127 128 129 130 131 132						134 134 135 136				
Wakkanai, Japan							125 126	126 127 128					129 129 131 132 133 134						135 136				
Washington, D. C.								125					126 ^e 127 ^e 128 ^e 129 ^e 130 ^e 131 ^e						132 ^e 133 ^e 134 135 136				
Watheroo, W. Australia							126 126	126 127 127					129 129 130 132 133 134						135 136				
White Sands, New Mexico							125 126	126 126					127 128 129 130 131 132						133 134 135 136				
Winnipeg, Canada							126	126 126 126 126 127					128 129 130 131 132 134						134 135 136				
Yamagawa, Japan							125	125 126 126 127 128					129 129 131 132 133 134						135 136				

^aSee Erratum 2 in F135(A), p. 8.^bSee Erratum 3 in F135(A), p. 8.^cSee Erratum in F128, p. 12.^dSee Erratum 1 in F127, p. 12.^eSee Erratum 2 in F134, p. 12.^fSee Erratum 1 in F136(A), p. 8.^gSee Erratum 2 in F136(A), p. 8.

Index of Tables and Graphs of Ionospheric Data Observed Prior to 1954 and Published in
1955 (CRPL-F125 through F134, F135A, and F136A)

Station	1952							1953															
	J	F	M	A	M	J	Jy	A	S	O	N	D	J	F	M	A	M	J	Jy	A	S	O	N
Bombay, India													130 130 130										
Brisbane, Australia																					125		
Canberra, Australia																					125		
Casablanca, Morocco								131 131 131															
Dakar, French W. Africa								131 131 131															
Delhi, India																							
Djibouti, French Somaliland																							
Fribourg, Germany																							
Godhavn, Greenland																							
Hobart, Tasmania																							
Ibadan, Nigeria																							
Leopoldville, Belgian Congo																							
Macquarie I.								125															
Madras, India								128 128 128 128 128															
Poitiers, France									131 131 131														
Sao Paulo, Brazil																							
Tiruchi, India																							
Townsville, Australia																							

^aSee Erratum in F132, p. 12.

125

TABLES OF IONOSPHERIC DATA

11

Table 1

Time	November 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	280	3.5			<1.6	3.0	
01	280	3.6			<1.6	3.0	
02	280	3.6			<1.6	3.0	
03	260	3.6			<1.6	3.1	
04	250	3.4			<1.6	3.1	
05	250	3.1			<1.6	3.1	
06	250	2.9			<1.8	3.05	
07	240	5.0			---	1.7	3.3
08	230	7.4	230	---	110	2.2	3.5
09	230	8.3	220	---	110	2.6	<2.8
10	240	9.0	210	---	110	2.9	3.0
11	250	9.3	210	---	100	3.1	3.3
12	250	9.6	210	---	(110)	3.1	3.2
13	250	9.6	220	---	(110)	3.1	3.3
14	240	9.4	220	---	110	3.0	3.2
15	240	9.4	220	---	110	2.7	3.3
16	220	9.0	---	---	120	2.2	3.4
17	210	7.8			---	2.1	3.3
18	220	6.0			<1.7	3.2	
19	230	5.1			<1.6	3.2	
20	240	4.4			<1.6	3.2	
21	250	3.8			<1.6	3.1	
22	260	3.6			<1.6	3.1	
23	270	3.5			<1.6	3.0	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 3

Time	October 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	(3.2)				3.7	(3.0)
01	(310)	(3.2)				4.1	(3.0)
02	(320)	3.2				4.2	(2.9)
03	300	3.2				4.3	3.0
04	300	2.8				4.0	3.1
05	280	2.3				4.0	3.1
06	280	2.7				4.2	3.15
07	240	4.1	---	---	130	1.6	3.35
08	240	5.2	230	---	120	2.0	3.4
09	250	6.0	220	---	120	2.2	3.4
10	260	7.0	220	3.7	110	2.4	3.4
11	260	7.3	220	3.8	110	2.5	<3.0
12	260	7.0	230	4.0	110	2.5	3.2
13	260	7.0	220	3.9	120	2.5	3.2
14	260	7.0	230	3.7	120	2.4	3.2
15	250	6.3	240	---	120	2.1	2.5
16	250	6.5	250	---	130	1.8	2.6
17	250	5.2			---	3.1	3.2
18	280	4.5			---	4.1	3.1
19	300	4.0			---	4.0	3.0
20	310	3.5			---	4.2	3.05
21	300	(3.3)			---	5.8	(3.0)
22	310	(3.2)			---	4.7	3.0
23	290	(3.3)			---	5.6	(3.1)

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 5

Time	October 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	305	2.8				2.7	2.8
01	310	2.5				2.3	2.8
02	315	2.3				2.4	2.8
03	330	2.3				2.5	2.8
04	320	2.1				3.0	2.8
05	305	2.1			---	2.5	2.8
06	260	3.1			---	E	2.0
07	240	4.7	245	3.0	---	1.6	2.4
08	240	5.6	230	3.2	125	2.0	3.3
09	250	6.5	225	3.6	115	2.3	3.0
10	245	7.0	215	3.8	110	2.5	3.2
11	250	7.5	215	3.9	110	2.5	3.2
12	240	8.0	215	3.9	110	2.6	3.2
13	245	8.1	225	3.8	110	2.5	3.3
14	240	7.9	230	3.6	110	2.4	3.3
15	235	7.3	240	3.5	120	2.1	2.5
16	230	6.7	245	(3.1)	140	1.8	2.5
17	230	6.4			---	E	2.4
18	240	5.8			---	E	2.7
19	240	5.3			---	E	3.1
20	240	4.3					3.2
21	260	3.4				2.2	3.0
22	280	3.1				2.5	2.9
23	300	3.0				2.4	2.8

Time: 15.0°E.

Sweep: 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 2

Time	October 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00					(2.8)		4.3 (2.7)
01		(295)	2.7				3.8 2.8
02		(305)	2.7				3.0 2.7
03		300	3.0				2.6 2.75
04		295	2.8				1.8 2.9
05		280	2.5				2.3 2.9
06		265	3.5				1.8 3.0
07		250	4.5	---	---	---	2.7 3.1
08		240	5.2	240	---	115	1.9 2.3 3.1
09		240	5.7	240	---	120	2.0 2.2 3.25
10		245	6.3	235	---	120	2.0 2.5 3.15
11		245	7.0	240	---	110	2.2 >2.4 <3.15
12		245	7.0	230	---		2.2 <2.6 3.2
13		240	6.7	240	---		2.0 2.7 3.3
14		240	6.4	240	---		1.9 <2.0 3.3
15		240	6.0	---	---		1.7 2.6 3.1
16		235	5.7	---	---		2.9 3.2
17		240	5.5	---	---		2.9 3.1
18		245	5.2	---	---		3.2 3.0
19		250	4.6	---	---		3.2 2.9
20		(245)	4.6	---	---		3.6 (2.95)
21		(250)	(4.3)	---	---		>3.2 (2.9)
22		(290)	(3.5)	---	---		3.2 (2.85)
23		---	(3.2)	---	---		3.8 (2.8)

Time: 15.0°E.

Sweep: 0.7 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 4

Time	October 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00					2.0		<1.3 2.8
01							---
02							---
03							---
04							---
05							---
06		(260)	(2.9)	---	---	---	<1.4 (3.0)
07		(240)	(4.1)	255	---	---	(1.8) (3.25)
08		(240)	(5.2)	240	---	---	(2.0) (3.3)
09		(240)	6.2	230	---	110	(2.2) <2.8 3.35
10		240	6.8	215	---	110	2.6 2.8 3.3
11		245	>7.0	215	---	110	2.6 3.0 3.3
12		245	7.8	215	---	110	2.6 2.9 3.3
13		245	7.9	220	---	110	2.6 2.8 3.3
14		240	7.7	225	---	105	2.4 3.3
15		230	7.5	240	---	110	2.2 3.3
16		230	6.6	245	---	110	1.9 3.3
17		225	6.4	---	---	---	<1.4 3.1
18		230	6.1	---	---	---	<1.4 3.1
19		240	5.4	---	---	---	<1.4 3.15
20		240	4.5	---	---	---	<1.4 3.15
21		250	3.7	---	---	---	<1.4 3.0
22		(255)	3.2	---	---	---	<1.4 2.9
23		---	2.8	---	---	---	<1.4 2.8

Time: 15.0°E.

Sweep: 0.7 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 6

Time	October 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00					3.4		<1.4 2.8
01		300	3.4				<1.6 2.8
02		300	3.4				<1.5 2.8
03		300	3.4				<1.4 2.8
04		300	3.5				<2.0 2.85
05		300	3.4				<1.9 2.8
06		260	4.1		---	---	<1.4 3.1
07		230	5.7	230	---	120	2.0 3.3
08		240	6.6	230	3.8	120	2.4 2.4 3.4
09		250	7.5	220	4.2	110	2.6 3.1 3.3
10		250	8.1	220	4.2	110	2.8 3.1 3.3
11		250	8.6	210	(4.3)	110	2.8 3.6 3.3
12		250	8.4	220	---	110	2.9 3.2 3.3
13		250	8.0	220	4.1	110	2.8 3.0 3.3
14		240	7.7	230	---	110	2.5 2.7 3.4
15		230	7.6	230	---	110	2.4 2.4 3.4
16		220	6.9	---	---	110	2.1 3.4
17		220	5.9	---	---	---	1.4 3.4
18		220	4.9	---	---	---	2.4 3.3
19		230	4.0	---	---	---	2.4 3.3
20		240	3.5	---	---	---	2.

Table 7

Graz, Austria (47.1°N, 15.5°E)							October 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	4.0						
01	300	4.0						
02	300	4.0						
03	300	3.9						
04	300	3.8						
05	250	3.8						
06	250	3.8						
07	230	6.0						
08	220	7.1	---					
09	230	7.3	210	---		3.9		
10	240	8.0	200	(4.0)		4.0		
11	240	8.4	200	(4.1)		3.8		
12	240	8.7	200	(4.3)				
13	240	8.5	200	(4.1)				
14	240	8.4	205	---				
15	240	8.6	230					
16	230	8.4						
17	220	7.6						
18	235	7.0						
19	240	5.6						
20	240	5.0						
21	260	4.2						
22	290	4.1						
23	300	4.0						

Time: 15.0°E.

Sweep: 2.5 Mc to 12.0 Mc in 2 minutes.

Table 9

White Sands, New Mexico (32.3°N, 106.5°W)							October 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	3.8			<2.0	2.9		
01	290	3.8			2.4	2.9		
02	280	3.9			<1.7	2.9		
03	280	3.8			<2.0	2.9		
04	280	3.8			<1.8	2.9		
05	280	3.6			<1.7	2.9		
06	270	4.2	---	---	---	2.4	3.0	
07	240	6.6	---	---	120	2.2	4.0	3.4
08	250	7.8	220	---	110	2.6	4.2	3.3
09	260	8.0	210	4.2	110	2.8	4.9	3.3
10	270	8.4	210	(4.5)	110	(3.1)	6.2	3.2
11	280	9.0	200	(4.6)	110	3.4	4.8	3.0
12	290	9.8	210	(4.6)	110	3.4	4.8	3.0
13	280	10.2	220	4.6	110	3.4	3.2	3.0
14	280	10.0	230	(4.5)	110	3.2	3.4	3.0
15	270	9.8	230	(4.2)	110	2.9	4.0	3.1
16	250	9.5	230	---	120	(2.5)	3.6	3.2
17	230	8.5	---	---	---	3.3	3.3	
18	220	6.7				2.7	3.4	
19	220	4.4				2.5	3.2	
20	260	3.8			<2.3	3.0		
21	280	3.7			<1.8	2.9		
22	290	3.8			<2.0	2.9		
23	290	3.8			<2.0	2.9		

Time: 105.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 11

Formosa, China (25.0°N, 121.5°E)							October 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	7.4			<2.2	2.9		
01	260	6.4			<2.2	3.0		
02	250	5.8			<2.0	3.0		
03	260	5.4			2.4	3.25		
04	230	4.1			<1.8	3.4		
05	260	3.1			1.9	3.1		
06	260	4.9	---	---	<1.8	<1.9	3.1	
07	240	7.6	---	---	120	2.2	2.8	3.55
08	240	8.0	230	4.1	120	2.9	3.6	3.3
09	260	9.7	230	4.3	120	3.2	4.0	3.2
10	280	11.2	230	4.8	120	3.4	4.1	3.2
11	270	11.9	220	4.8	120	3.4	4.9	3.0
12	280	12.7	210	5.0	120	3.5	4.4	2.85
13	290	14.7	220	4.9	120	3.5	<4.2	2.9
14	280	>17.0	240	4.7	120	3.4	4.0	(3.0)
15	280	>17.0	240	4.4	120	3.1	4.2	3.0
16	250	16.7	240	4.2	120	2.8	4.5	3.2
17	240	15.1	240	3.7	---	4.4	3.3	
18	220	14.0				3.7	3.35	
19	220	12.8				2.8	3.3	
20	230	11.3				2.7	3.1	
21	240	9.8				2.7	3.3	
22	240	8.1				2.4	2.9	
23	280	8.6				2.6	2.9	

Time: 120.0°E.

Sweep: 1.1 Mc to 19.5 Mc in 15 minutes, manual operation.

Table 8

Ft. Monmouth, New Jersey (40.3°N, 74.1°W)							October 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	4.2						2.9
01	270	4.0						3.0
02	270	3.8						3.0
03	250	3.4						3.0
04	250	2.9						3.0
05	270	(2.7)						3.1
06	250	3.8						3.2
07	230	6.0	---	---	120	(2.1)		3.5
08	230	7.3	220	---	120	2.6	2.7	3.4
09	250	7.5	210	(4.2)	110	(2.9)	3.0	3.3
10	250	8.0	200	(4.2)	110	(3.1)		3.3
11	260	8.2	200	(4.5)	110	(3.2)	3.2	3.2
12	270	8.6	200	(4.4)	110	(3.2)		3.2
13	270	9.0	220	(4.5)	110	3.1		3.1
14	270	9.1	220	(4.3)	110	(3.0)		3.1
15	250	9.0	230	(3.9)	120	(2.7)	2.7	3.2
16	240	8.7	230	---	120	2.5	2.5	3.3
17	220	8.1	---	---	<1.7	<1.8		3.3
18	220	6.7				<1.7		3.2
19	230	5.8				<1.7		3.1
20	250	5.2				<1.7		3.1
21	260	4.5				<1.7		3.0
22	270	4.4				<1.7		2.9
23	270	4.2				<1.7		3.0

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 10

Okinawa I, (26.3°N, 127.8°E)							October 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	5.9						3.0
01	270	5.2						3.0
02	260	4.8						3.05
03	250	4.7						3.1
04	230	4.1						3.4
05	240	3.6						3.3
06	250	3.4						3.1
07	230	6.6	---	---	130	>1.9		3.6
08	230	7.6	220	---	110	(2.6)	3.0	3.5
09	250	8.4	220	---	110	(3.0)	3.6	3.4
10	270	10.2	220	(5.0)	110	---	3.6	3.2
11	270	11.0	210	(5.0)	---	---	<3.8	3.2
12	290	11.8	210	(5.2)	---	---	3.8	3.1
13	300	12.9	210	(5.3)	---	---	<3.7	3.0
14	290	(13.7)	230	(5.4)	110	---	<3.6	3.1
15	270	13.9	240	(5.3)	110	---	3.6	3.2
16	250	13.4	240	(4.9)	110	>3.0	3.5	3.2
17	240	>12.5	240	(4.0)	110	(2.4)	3.7	3.25
18	230	>12.5	---	---		---	3.2	3.4
19	210	10.0					>3.2	(3.3)
20	230	>9.0					3.8	3.1
21	230	>8.2					2.4	3.05
22	240	7.0					2.4	(3.1)
23	270	6.2					<1.9	(3.1)

Time: 135.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 12

Maui, Hawaii (20.8°N, 156.5°W)							October 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	4.0						3.0
01	250	3.8						3.1
02	240	3.3						3.2
03	240	2.8						3.3
04	260	2.2						2.85
05	310	2.3						2.8
06	300	2.0						2.9
07	250	6.6	240	---	120	2.0	3.1	3.4
08	260	8.8	230	---	110	2.7	4.8	3.3
09	270	9.2	220	---	110	3.1	4.5	3.1
10	290	10.4	210	5.0	110	3.4	5.7	3.0
11	290	11.7	200	5.0	110	3.5	5.7	3.0

Table 13

Puerto Rico, W. I. (18.5°N, 67.2°W)	October 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	270	4.7			<1.9		3.0	
01	250	4.9			<1.8		3.2	
02	240	4.9			<1.8		3.3	
03	220	4.0			<1.8		3.5	
04	240	3.2			<1.7		3.1	
05	280	3.0			<1.7		2.9	
06	270	3.2		---	<1.7	<1.7	3.0	
07	230	6.2	---	---	120	2.0	3.4	
08	250	7.6	230	---	110	2.7	2.8	3.4
09	270	8.7	220	---	110	3.1		3.3
10	270	9.8	220	4.6	110	3.3		3.2
11	280	10.2	230	4.9	110	3.5		3.2
12	280	10.5	230	5.0	110	3.6		3.1
13	280	10.5	230	4.9	110	3.6	4.3	3.1
14	280	10.7	220	4.8	110	3.5	4.9	3.1
15	270	10.7	230	4.5	110	3.2	4.7	3.1
16	250	10.1	230	---	110	2.9	4.4	3.2
17	240	9.3	230	---	110	2.2	4.0	3.2
18	220	8.6			---	<1.7	2.9	3.3
19	230	7.0					3.0	3.2
20	230	5.8					2.8	3.1
21	280	5.0					2.8	2.85
22	290	5.0					2.4	2.85
23	280	4.8					<1.9	3.0

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 15

Panama Canal Zone (9.4°N, 79.9°W)	October 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240	4.5					2.1	3.3
01	230	4.0					2.4	3.5
02	220	3.3					2.3	3.5
03	250	2.5					3.1	3.0
04	270	2.6					2.3	2.9
05	300	2.6					3.1	2.8
06	280	3.7					3.2	2.9
07	240	6.8	240	---	120	2.3	3.9	3.4
08	270	8.8	230	---	110	2.9	4.0	3.2
09	280	9.9	220	4.9	110	3.2	4.0	3.1
10	290	11.2	220	5.0	110	3.5	4.8	3.1
11	300	11.8	210	5.2	110	3.6	5.0	3.0
12	300	12.0	200	5.2	110	3.7	5.2	3.0
13	290	12.7	210	5.0	110	3.7	5.1	3.1
14	280	12.3	220	4.9	110	3.5	5.1	3.1
15	280	11.6	210	(4.7)	110	3.3	5.1	3.0
16	280	12.0	220	(4.8)	110	2.8	5.0	3.0
17	260	11.9	240	---	120	2.4	4.7	3.2
18	230	11.3		---	---	4.4		3.3
19	230	9.6				4.3		3.3
20	220	8.3				3.5		3.4
21	220	6.2				3.1		3.1
22	260	4.9				2.1		2.9
23	260	5.2				<1.6		3.0

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 17

Baker Lake, Canada (64.3°N, 96.0°W)	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	260	3.4			130	1.0	8.0	2.95
01	280	3.3			120	1.1	7.0	3.0
02	280	3.3			120	1.0	6.8	3.0
03	280	2.5			125	1.2	6.0	2.9
04	280	2.5			110	1.3	5.4	2.9
05	280	3.0	---	---	110	1.5	5.0	2.9
06	290	3.1	240	2.5	110	1.9	4.4	3.05
07	300	3.5	240	3.1	110	2.2	3.9	3.1
08	570	3.8	240	3.4	105	2.6	5.1	6
09	420	4.2	250	3.8	105	2.9	3.3	2.7
10	440	4.6	240	3.9	105	3.0	4.0	2.7
11	410	4.6	240	4.0	105	3.0	3.8	2.85
12	380	5.0	230	4.0	100	3.0	3.2	2.8
13	360	5.0	230	4.0	105	3.1	3.2	3.0
14	350	5.4	230	4.0	105	3.0		2.9
15	340	5.3	230	4.0	105	2.9		3.0
16	330	5.2	250	3.9	105	2.8	3.0	3.0
17	290	5.0	250	3.7	110	2.6	5.5	3.1
18	270	4.8	250	3.3	105	2.2	5.0	3.1
19	260	4.5	---	---	105	1.9	6.1	3.1
20	260	4.3	---	---	110	1.5	8.1	3.0
21	260	4.2	---	---	110	1.1	8.0	3.0
22	260	4.1		---		---	9.0	3.0
23	260	3.8		---		7.0		3.0

Time: 90.0°W.

Sweep: 0.6 Mc to 10.0 Mc in 16 seconds.

Table 14

Guam 1, (13.6°N, 144.9°E)	October 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240							2.3
01	240							3.1
02	230							1.7
03	220							3.25
04	220							1.6
05	230							3.45
06	250							1.4
07	240							3.3
08	(260)							2.1
09	(280)							3.3
10	300							3.0
11	300							3.0
12	310							2.5
13	300							2.5
14	300							2.7
15	300							2.6
16	(290)							3.0
17	250							3.0
18	260							2.9
19	290							2.8
20	270							3.0
21	240							3.0
22	240							3.1
23	240							3.1

Time: 150.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 15

Resolute Bay, Canada (74.7°N, 94.9°W)	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240							4.0
01	250							3.1
02	250							3.1
03	240							3.1
04	250							3.0
05	260							3.1
06	250							3.0
07	270							3.1
08	300							3.1
09	300							3.1
10	320							3.1
11	340							3.0
12	320							3.0
13	340							3.0
14	330							3.0
15	330							2.9
16	340							3.0
17	340							2.9
18	360							3.0
19	340							3.0
20	330							3.0
21	300							3.0
22	300							3.0
23	270							3.0

Time: 90.0°W.

Sweep: 0.6 Mc to 10.0 Mc in 16 seconds.

Table 16

Churchill, Canada (58.8°N, 94.2°W)	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280							7.0
01	290							(3.0)
02	300							6.0
03	300							---
04	330							5.4
05	320							(2.8)
06	320							5.0
07	300							4.8
08	320							---
09	340							5.0
10	340							3.1
11	360							2.9
12	360							3.0
13	340							3.0
14	330							3.0
15	330							3.0
16	300							3.0
17	300							3.0
18	300							3.0
19	310		</td					

Table 19

De Bilt, Holland	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	3.5					2.7	
01	300	3.4					2.7	
02	290	3.2					2.6	
03	290	3.2					2.6	
04	280	3.0					2.8	
05	250	3.1					3.0	
06	250	4.0	230	2.7	120	1.8	2.2	3.2
07	260	4.6	220	3.6	115	2.3	2.8	3.2
08	300	5.0	210	4.0	110	2.7	3.2	3.2
09	300	5.3	220	4.2	105	2.9	3.2	3.2
10	300	6.0	210	4.3	105	3.0	3.3	3.2
11	295	5.8	220	4.4	105	3.3	3.4	3.2
12	290	6.0	220	4.4	105	3.2		3.2
13	290	6.0	220	4.4	105	3.0	3.0	3.2
14	275	5.9	215	4.1	105	2.9	3.1	3.25
15	270	6.0	220	4.0	105	2.8	3.1	3.2
16	260	5.9	230	3.7	115	2.5	2.9	3.2
17	250	6.1	230	2.8	120	2.1	2.3	3.2
18	230	6.1				E	2.1	3.2
19	230	5.9					2.0	3.1
20	230	5.2					2.1	3.1
21	240	4.6						3.0
22	250	4.1					2.0	2.9
23	280	3.8					2.0	2.8

Time: 0.0°.

Sweep: 0.8 Mc to 20.0 Mc in 20 seconds.

Table 21

Schwarzenburg, Switzerland	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	4.0					3.2	
01	285	3.6					3.2	
02	280	3.6					3.15	
03	290	3.4					3.2	
04	290	3.4					3.2	
05	250	3.2					3.3	
06	210	3.5					3.6	
07	200	4.4	---	---	100	2.0	3.8	
08	200	5.4	200	4.0	100	2.5	3.8	
09	220	5.6	200	4.1	100	3.0	3.8	
10	220	6.0	200	4.3	100	3.0	3.75	
11	240	6.6	200	4.4	100	3.1	3.8	
12	250	6.6	200	4.4	100	3.2	3.6	
13	260	6.6	200	4.4	100	3.1	3.6	
14	230	6.8	200	4.2	100	3.0	3.6	
15	200	6.5	200	4.4	100	3.0	3.6	
16	200	6.5	200	4.4	100	2.8	3.6	
17	200	6.5			100	2.5	3.6	
18	200	7.0			100	2.2	3.7	
19	200	6.6					3.6	
20	200	6.0					3.6	
21	200	5.4					3.6	
22	210	4.8					3.5	
23	245	4.0					3.4	

Time: 15.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 23

Leopoldville, Belgian Congo	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M2000)F2
00	220	5.1					2.3	
01	225	4.4					2.2	
02	260	4.3					2.3	
03	240	3.7					2.5	
04	230	3.3					2.7	
05	240	5.6			130	2.0	2.6	2.7
06	250	7.1	230	---	120	2.4	3.1	2.8
07	270	7.6	225	---	110	3.0	4.0	2.6
08	290	8.2	220	4.7	110	3.3	4.5	2.45
09	300	8.9	210	4.7	110	3.5	4.9	2.3
10	310	9.3	205	4.8	110	3.6	4.8	2.2
11	320	9.8	200	4.8	110	3.6	4.5	2.1
12	360	10.2	200	4.8	110	3.6	4.6	2.0
13	370	10.8	230	4.8	110	3.5	4.5	2.0
14	350	11.4	240	4.7	110	3.2	4.2	2.1
15	320	12.0	230	---	115	2.8	3.8	2.1
16	300	11.5	245	---	120	2.2	3.4	2.2
17	260	12.7					3.0	2.3
18	260	13.2					2.4	2.3
19	240	>13.5					2.5	
20	210	>13.3					2.6	
21	200	10.2					2.6	
22	205	8.0					2.4	
23	205	6.2					2.55	

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 20

Winnipeg, Canada	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	2.5						3.0
01	(330)	(2.1)						2.8
02	340	(2.2)						2.1
03	320	(2.4)						2.8
04	320	(2.7)						2.8
05	300	2.6						2.9
06	280	2.9						3.0
07	270	3.8	230	3.4	120	2.0		3.1
08	340	4.3	220	3.8	110	2.5		3.1
09	360	4.9	220	4.0	110	2.8		3.0
10	340	5.3	210	4.2	105	3.0	3.1	3.05
11	330	5.4	210	4.2	105	3.2	3.2	3.1
12	340	5.8	200	4.4	100	3.2	3.2	3.1
13	340	5.8	210	4.4	105	3.2	3.3	3.1
14	320	6.0	220	4.3	110	3.2		3.1
15	310	6.0	220	4.1	110	3.0		3.1
16	290	6.0	220	4.0	110	2.8		3.2
17	280	5.9	230	3.9	120	2.4		3.2
18	260	5.0	240	3.2	120	2.0		3.3
19	240	5.5						3.2
20	250	4.8						3.15
21	250	3.9						3.1
22	280	3.0						3.0
23	280	2.8						2.95

Time: 90.0°W.

Sweep: 1.0 Mc to 10.0 Mc in 16 seconds.

Table 22

Ottawa, Canada	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	2.9						2.9
01	300	2.6						3.0
02	300	2.4						2.9
03	340	2.3						2.9
04	320	2.2						3.0
05	300	2.3						3.0
06	250	3.4	250	---	120	1.9		3.3
07	270	4.5	230	3.5	115	2.3		3.3
08	290	5.2	220	3.9	110	2.8		3.3
09	300	5.6	220	4.2	110	3.0	3.1	3.2
10	300	6.0	210	4.3	105	3.2	3.3	3.1
11	320	6.2	210	4.5	105	3.3	3.4	3.05
12	320	6.4	220	4.6	105	3.4	3.4	3.1
13	310	6.4	220	4.6	105	3.3	3.3	3.1
14	310	6.3	220	4.4	105	3.2	3.2	3.1
15	300	6.2	220	4.2	110	3.0		3.2
16	260	6.4	240	3.3	120	2.3		3.2
17	240	6.0						3.1
18	250	5.2						3.0
19	260	4.8						3.0
20	250	3.7						2.9
21	270	3.7						2.9
22	280	3.1						2.6
23	280	3.1						2.6

Table 24

Elisabethville, Belgian Congo	September 1955							
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M2000)F2
00	300	2.4						2.2
01	300	2.5						2.2
02	280	2.6						2.2
03	260	2.7						2.3
04	250	3.8						2.5
05	240	6.6	235	---	115	2.2	2.2	2.7
06	260	7.1	225	---	110	2.8		2.7
07	270	7.7	220	4.6	110	3.2	3.6	2.5
08	280	8.6	215	4.7	105	3.4	4.0	2.4
09	270	8.9	210	4.9	105	3.6	3.8	2.5
10	280	8.2	205	4.8	105	3.6	4.6	2.4
11	300	8.0	200	4.8	105	3.6	4.3	2.3
12	315	8.2	195	4.7	110	3.4	4.5	2.2
13	305	8.4	215	4.6	110	3.2	4.0	2.2
14	300	8.8	230	---	110			

Table 25

Time	September 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	310	4.6					2.9
01	300	4.7					2.9
02	270	5.0					3.0
03	220	5.3					3.4
04	220	3.7					3.2
05	280	3.7					3.0
06	230	4.8					3.4
07	220	5.8	---	---	---	---	3.5
08	250	6.4	220	---	110	2.8	2.8
09	270	6.7	210	---	---	3.3	3.4
10	290	7.6	200	---	---	---	3.1
11	280	8.5	200	4.5	---	4.0	3.2
12	280	9.6	200	---	---	3.9	3.2
13	280	10.7	200	---	---	3.8	3.1
14	270	10.6	200	---	---	3.7	3.3
15	260	9.7	210	---	---	3.6	3.4
16	250	9.2	220	---	---	3.2	3.4
17	230	8.6	---	---	---	---	3.4
18	210	7.1					3.5
19	220	5.5					3.3
20	260	5.4					3.0
21	270	5.2					3.0
22	280	5.0					3.0
23	320	4.5					2.9

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 27

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	295	3.2					3.1
01	295	3.1					3.1
02	295	3.1			<1.8		3.2
03	290	3.2	---	---	---	<1.9	3.1
04	300	3.3	---	---	3.0	---	3.1
05	310	3.8	245	3.2	120	2.0	3.0
06	330	4.0	220	3.3	120	2.3	3.0
07	360	4.2	230	3.7	110	2.7	3.1
08	375	4.8	230	3.8	110	2.8	3.1
09	350	5.1	220	3.9	110	2.9	3.05
10	310	5.0	210	3.9	110	2.9	3.1
11	330	5.0	210	4.0	110	3.0	3.2
12	335	5.0	210	4.0	110	3.0	3.1
13	330	5.0	210	3.9	110	3.0	3.25
14	330	4.9	220	3.9	110	3.0	3.2
15	305	4.8	210	3.8	110	2.8	3.2
16	300	4.9	230	3.5	115	2.7	3.2
17	280	4.8	240	3.3	120	2.2	3.3
18	270	4.8	240	3.2	130	2.0	3.25
19	260	4.8	250	3.1	130	2.0	3.3
20	260	4.5			<1.8		3.2
21	260	4.1			<1.9		3.2
22	280	3.8			<2.2		3.1
23	290	3.4					3.0

Time: 15.0°E.

Sweep: 0.8 Mc to 15.0 Mc in 30 seconds.

Table 29

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	250	4.2					3.0
01	260	4.1					3.0
02	255	3.7					3.0
03	255	3.5	---	---			3.0
04	265	3.2	---	---			3.0
05	255	3.4	250	---	---	E	3.1
06	275	4.2	240	---	110	1.8	3.6
07	300	4.9	215	3.7	100	2.3	4.3
08	300	5.2	205	4.0	100	2.7	4.6
09	300	5.7	205	4.2	100	2.9	4.4
10	300	5.8	200	4.3	100	3.0	4.5
11	300	5.8	195	4.4	100	3.0	4.4
12	315	5.6	200	4.5	100	3.2	4.4
13	305	5.7	200	4.5	100	3.2	4.0
14	325	5.4	200	4.4	100	3.2	4.2
15	325	5.5	200	4.4	100	3.2	4.0
16	300	5.4	205	4.2	100	3.0	3.8
17	300	5.3	215	4.0	100	2.6	4.0
18	290	5.6	230	3.8	100	2.2	4.1
19	265	6.3	240	---	115	1.8	4.6
20	240	7.0					3.1
21	230	6.7					3.2
22	235	5.8					3.2
23	240	5.0					3.15

Time: 15.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 8 minutes.

Table 26

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	270	4.2					3.0
01	270	4.0					3.1
02	270	4.2					3.1
03	270	4.0			270	2.8	1.7
04	280	4.0			250	3.0	1.8
05	310	4.1			240	3.1	2.0
06	320	4.3			240	3.3	2.2
07	330	4.3			230	3.4	2.3
08	360	4.3			230	3.6	2.4
09	380	4.5			230	3.8	2.6
10	400	4.8			220	3.8	2.7
11	430	4.6			220	3.8	2.8
12	400	4.8			220	3.8	2.8
13	390	4.6			220	3.9	2.8
14	410	4.6			210	3.9	2.8
15	370	4.8			220	3.7	2.7
16	380	4.8			220	3.7	2.5
17	350	4.7			220	3.6	2.4
18	330	4.7			220	3.4	2.2
19	300	4.7			230	3.2	2.0
20	280	4.5			240	3.2	2.0
21	270	4.7			230	3.2	2.0
22	270	4.3			260	3.0	1.9
23	270	4.3			240	3.0	1.7

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 28

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(300)	(3.4)					(3.8)
01	(300)	(3.2)					(4.0)
02	(290)	(3.2)					3.9
03	(290)	(2.8)					(2.9)
04	300	2.8					3.0
05	270	3.1	---	---			3.1
06	G	3.7	240	3.4	110	---	3.0
07	360	4.0	220	3.6	100	---	<2.5
08	320	4.4	210	3.9	110	---	3.2
09	350	4.6	210	3.9	100	2.7	3.05
10	340	4.7	200	4.0	100	(2.7)	3.2
11	340	4.9	200	4.0	110	(2.8)	3.1
12	350	4.9	200	4.0	110	---	3.0
13	340	4.9	200	4.1	110	(2.7)	3.1
14	340	4.9	200	4.1	110	(2.7)	3.05
15	340	4.9	200	4.0	100	(2.7)	3.0
16	320	5.0	210	4.0	100	2.6	<3.0
17	320	5.0	220	3.9	110	2.5	<3.2
18	320	4.8	230	3.6	110	---	2.8
19	280	5.0	230	(3.4)	110	---	3.1
20	260	(4.5)					3.15
21	270	(4.4)					3.9
22	300	(4.0)					4.2
23	(300)	(3.8)					4.2

Time: 15.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 16.2 seconds.

Table 30

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	280	3.0					3.0
01	290	2.6					3.0
02	310	2.2					2.95
03	300	2.0					3.0
04	320	2.0					2.9
05	280	2.6	---	---	130	1.8	3.0
06	270	3.6	230	3.2	120	2.0	3.2
07	320	4.4	220	3.6	110	2.6	4.0
08	320	4.8	230	4.0	110	3.0	3.8
09	340	5.0	220	4.2	105	3.2	4.3
10	370	5.2	210	4.3	105	3.3	4.1
11	380	5.2	210	4.4	105	3.5	3.8
12	370	5.2	210	4.4	105	3.6	3.9
13	390	5.2	220	4.4	105	3.5	3.6
14	370	5.3	230	4.4	105	3.3	3.4
15	360	5.2	220	4.3	105	3.2	3.0
16	350	5.3	220	4.1	110	3.0	3.0
17	310	5.5	230	3.8	110	2.7	3.0
18	280	5.6	240	3.2	120	2.2	3.0
19	250	5.9	260	---	135	1.8	2.1
20	240	5.9					3.1
21	240	5.2					2.8
22	250	4.3					3.0
23	270	3.4					3.0

Time:

Table 31

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	280	4.0				4.5	
01	280	4.0				4.0	
02	300	(4.0)				3.6	
03	280	(4.0)				3.5	
04	280	(4.0)				3.5	
05	270	4.3				3.5	
06	290	5.3				5.3	
07	300	5.8				5.9	
08	290	5.8				6.0	
09	300	5.6				6.2	
10	320	5.7				5.8	
11	360	5.6				6.0	
12	350	5.6				6.5	
13	350	5.6				6.0	
14	340	5.5				5.3	
15	340	5.3				4.9	
16	320	5.4				5.3	
17	310	5.6				6.0	
18	300	5.5				5.8	
19	280	6.5				6.4	
20	260	6.6				5.3	
21	260	6.2				5.4	
22	270	5.3				4.8	
23	270	4.5				5.0	

Time: 135.0°E.

Sweep: 1.0 Mc to 22.0 Mc in 1 minute.

Table 32

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	4.2					5.5
01	310	4.2					4.5
02	310	4.2					4.2
03	300	4.0					4.1
04	290	3.8					4.0
05	270	4.0					3.4
06	280	5.1					4.4
07	290	6.0					5.0
08	290	6.0					7.0
09	300	6.2					7.0
10	340	5.6					7.2
11	360	5.8					6.5
12	370	5.8					6.6
13	350	6.0					5.2
14	350	5.9					6.0
15	340	5.8					4.9
16	320	6.0					4.8
17	320	5.7					4.8
18	290	6.0					5.2
19	290	6.7					5.5
20	270	6.6					6.6
21	270	6.2					6.4
22	290	5.4					6.5
23	290	4.5					6.5

Time: 135.0°E.

Sweep: 0.85 Mc to 22.0 Mc in 2 minutes.

Table 33

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	4.6				5.0	2.9
01	300	4.5				4.3	2.9
02	280	4.5				3.6	2.9
03	260	4.4				3.4	3.0
04	260	4.2				3.1	3.1
05	250	4.2				3.5	3.1
06	270	5.4	230	3.6	120	2.0	3.8
07	260	6.4	220	4.0	110	2.6	5.1
08	280	6.2	230	4.2	110	3.0	5.8
09	300	6.2	210	4.4	110	3.0	7.0
10	320	6.0	220	4.5	110	3.3	7.0
11	350	5.8	220	4.6	110	3.3	7.0
12	350	6.2	210	4.6	110	3.4	5.2
13	340	6.2	230	4.5	110	3.5	5.4
14	320	6.5	230	4.5	110	3.4	5.0
15	320	6.2	230	4.4	110	3.2	5.0
16	290	6.5	230	4.2	110	2.8	5.0
17	300	6.2	240	3.9	110	2.4	5.0
18	280	6.3	250	---	---	5.4	3.0
19	260	6.8	---	---	---	5.6	3.1
20	240	6.5	---	---	---	7.0	3.1
21	250	5.9	---	---	---	7.0	3.0
22	260	5.4	---	---	---	6.6	3.0
23	290	4.6	---	---	---	5.0	3.0

Time: 135.0°E.

Sweep: 1.0 Mc to 17.2 Mc in 2 minutes.

Table 34

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	5.0					5.8
01	300	4.5					5.8
02	290	4.6					3.8
03	270	4.8					3.6
04	260	3.8					3.2
05	260	3.4					3.4
06	250	4.8					3.2
07	260	6.0					3.8
08	250	6.4					5.9
09	290	6.2					5.9
10	330	6.1					6.3
11	350	6.2					6.5
12	340	6.5					5.9
13	340	7.2					5.8
14	330	7.3					5.9
15	320	7.5					5.6
16	300	7.4					5.1
17	300	7.1					4.7
18	290	7.5					4.0
19	260	7.8					4.0
20	250	7.3					5.5
21	250	6.4					5.4
22	290	5.5					5.9
23	300	5.3					5.9

Time: 135.0°E.

Sweep: 1.0 Mc to 22.0 Mc in 1 minute.

Table 35

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	310	4.8				2.0	2.9
01	280	4.8				2.0	3.1
02	240	4.5				2.2	3.3
03	220	3.8				2.0	3.3
04	220	3.2				2.1	3.4
05	240	2.8				3.5	3.3
06	230	4.6				3.0	3.3
07	210	6.1	---	---	100	2.3	6.0
08	280	6.8	200	---	100	2.8	7.1
09	340	7.5	200	4.4	100	3.1	7.0
10	370	8.2	190	4.4	100	3.4	7.2
11	400	8.5	190	4.5	100	7.0	2.4
12	400	8.8	190	4.6	100	3.6	2.45
13	380	9.0	200	4.5	100	3.5	6.0
14	370	9.3	200	4.4	100	3.4	5.2
15	340	10.0	200	4.3	100	3.2	5.1
16	310	10.6	200	4.0	100	3.0	5.2
17	280	11.0	220	---	110	2.4	4.7
18	240	10.6	---	---	---	4.9	3.2
19	230	10.0	---	---	---	4.0	3.2
20	230	7.9	---	---	---	3.0	3.1
21	250	6.7	---	---	---	2.5	3.0
22	280	5.8	---	---	---	2.0	2.9
23	320	5.0	---	---	---	2.0	2.8

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 36

Time	August 1955						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M2000)F2
00	215	4.0					2.55
01	250	3.0					1.9
02	260	3.1					2.3
03	260	2.7					2.4
04	240	2.6					2.4
05	250	3.6	---	---	---		2.6
06	255	6.1	230	---	120	2.2	2.9
07	275	7.1	220	4.2	110	2.9	3.8
08	285	7.6	210	4.5	110	3.2	4.1
09	280	8.2	210	4.6	110	3.4	4.5
10	290	8.0	200	4.6	105	3.5	4.3
11	305	8.9	200	4.6	105	3.5	4.6
12	305	9.8	190	4.5	105	3.5	4.3
13	300	10.4	190	4.5	110	3.4	3.9
14	310	10.4	230	4.4	110	3.2	4.0
15	300	10.4	250	4.1	115	2.7	3.5
16	270	10.5	240	---	120	2.2	3.3
17	245	9.5	---	---	---	3.0	2.4
18	235	9.4	---	---	---	3.0	2.6
19	210	9.0	---	---	---	2.6	2.7
20	205	7.5	---	---	---	2.4	2.8
21	200	5.4	---	---	---	1.7	2.65
22	220	4.2	---	---	---	2.4	2.4
23	220	4.6	---	---	---	2.4	2.65

Time: 0.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 37

Elisabethville, Belgian Congo (11.6°S, 27.5°E)							August 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	2.0				2.4	2.45	
01	330	2.0				2.9	2.25	
02	280	2.0				2.0	2.3	
03	265	2.0				1.8	2.5	
04	255	2.4				1.9	2.4	
05	245	5.5	235	---	20	1.9	2.7	
06	255	6.6	220	---	110	2.7	3.4	2.7
07	265	6.9	220	4.2	110	3.0	3.8	2.7
08	270	7.2	210	4.5	110	3.2	4.1	2.6
09	280	7.0	210	4.6	105	3.4	4.2	2.6
10	290	6.9	210	4.7	105	3.5	4.2	2.5
11	280	6.6	205	4.6	105	3.3	4.2	2.6
12	280	6.0	200	4.4	105	3.2	4.2	2.6
13	300	5.9	250	4.1	110	3.0	4.3	2.4
14	295	6.3	220	---	110	2.8	4.0	2.4
15	265	6.4	240	---	115	2.3	3.7	2.4
16	240	6.1				3.2	2.5	
17	240	5.9				3.3	2.4	
18	220	5.5				2.9	2.6	
19	225	3.8				2.3	2.6	
20	235	3.0				2.0	2.6	
21	235	2.8				1.7	2.6	
22	225	2.6				1.4	2.6	
23	250	2.2					2.5	

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 39

Buenos Aires, Argentina (34.5°S, 58.5°W)							August 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	2.8					3.0	
01	300	2.8					3.0	
02	270	3.0					3.1	
03	260	3.0					3.4	
04	220	3.0					3.6	
05	250	2.4					3.3	
06	280	2.5					3.25	
07	220	4.3					3.6	
08	230	5.1	210	---	---	2.8	3.5	
09	260	5.6	210	---	110	(3.0)	3.2	3.5
10	280	6.3	200	---	110	3.2	3.8	3.4
11	270	7.0	200	4.2	100	(3.3)	4.0	3.4
12	260	7.4	(200)	4.2	100	3.3	4.0	3.4
13	260	7.2	200	4.1	110	3.3	4.0	3.4
14	260	7.8	200	4.1	100	3.0	3.6	3.4
15	240	7.4	210	---	---	3.0	3.5	
16	220	6.4	210	---	---	---	3.5	
17	220	6.0					3.5	
18	210	5.2					3.5	
19	220	4.4					3.4	
20	240	4.3					3.3	
21	240	3.6					3.4	
22	260	3.3					3.3	
23	300	3.0					3.0	

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 41

Talara, Peru (4.6°S, 81.3°W)							July 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	220	5.1				<1.5	3.4	
01	220	4.6				<1.4	3.35	
02	240	3.9				<1.3	3.2	
03	240	3.5				<1.2	3.2	
04	240	3.4				<1.2	3.3	
05	240	3.0				<1.3	3.35	
06	250	2.5				<1.6	3.2	
07	240	4.2	---	---	130	1.7	2.3	3.2
08	(220)	5.4	210	---	110	2.5	4.4	3.0
09	400	6.0	200	4.2	110	3.0	4.5	2.6
10	440	6.4	200	4.3	110	3.2	4.7	2.3
11	440	6.8	200	4.4	110	3.4	4.5	2.3
12	450	7.0	190	4.5	110	3.5	4.7	2.2
13	440	7.0	200	4.5	110	3.4	5.0	2.2
14	430	7.0	200	4.4	110	3.3	4.0	2.3
15	420	7.3	200	4.3	110	3.1	4.2	2.4
16	400	7.4	200	4.2	110	2.9	4.0	2.4
17	(340)	7.9	200	---	110	2.5	4.0	2.6
18	240	7.8	230	---	120	---	2.5	2.7
19	250	7.5				<2.1	2.8	
20	270	7.0				<1.8	2.9	
21	260	6.1				<1.6	2.95	
22	260	6.0				<1.6	3.1	
23	230	6.1				<1.5	3.4	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 38

Watheroo, W. Australia (30.3°S, 115.9°E)							August 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250							3.1
01	250							3.1
02	250							3.1
03	240							3.2
04	240							3.2
05	250							3.1
06	240							3.1
07	240							3.4
08	240							3.5
09	260							3.4
10	280							3.4
11	290							3.4
12	290							3.4
13	280							3.3
14	290							3.3
15	290							3.3
16	260							3.4
17	240							3.4
18	230							3.4
19	230							3.3
20	240							3.2
21	250							3.2
22	250							3.1
23	250							3.0

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 45 seconds.

Table 40

Kiruna, Sweden (67.8°N, 20.3°E)							July 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280							3.1
01	295							3.2
02	300							3.15
03	310							3.1
04	335							3.1
05	370							3.0
06	380							2.95
07	400							3.0
08	400							3.0
09	380							3.0
10	390							3.0
11	400							3.0
12	(400)							3.0
13	360							3.0
14	360							2.95
15	(360)							(2.9)
16	370							2.9
17	350							2.85
18	330							2.85
19	310							2.85
20	300							2.85
21	310							2.85
22	310							2.85
23	300							2.85

Time: 15.0°E.

Sweep: 0.8 Mc to 15.0 Mc in 30 seconds.

Table 42

Kiruna, Sweden (67.8°N, 20.3°E)							June 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300							3.0
01	330							2.95
02	320							2.9
03	350							2.9
04	360							2.9
05	360							2.9
06	400							2.85
07	390							2.85
08	400							2.85
09	380							2.85
10	380							2.85
11	(360)							(2.9)
12	360							2.9
13	400							2.9
14	400							2.9
15	380							2.9
16	370							2.9
17	350							2.9
18	330							2.8
19	310							2.8
20	300							2.8
21	310							2.8
22	310							2.8
23								

Table 43

Johannesburg, Union of S. Africa (26.2°S, 28.1°E)							June 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	<240	2.7						3.2
01	---	2.7						3.1
02	<240	2.7						3.1
03	<250	2.7						3.2
04	<230	2.6						3.2
05	---	2.5						3.2
06	<230	2.4						3.2
07	220	4.2						3.45
08	220	5.6	220	3.1	120	2.2		3.5
09	250	6.0	220	3.9	110	2.6		3.45
10	250	6.3	220	4.1	110	3.0	3.6	3.4
11	260	6.4	210	4.3	110	3.1		3.4
12	270	6.3	210	4.4	110	3.2		3.3
13	270	6.6	210	4.3	110	3.1	3.9	3.3
14	260	6.4	210	4.2	110	3.0	3.8	3.3
15	260	6.5	210	3.9	110	2.8	3.6	3.3
16	240	6.3	220	3.3	110	2.4	3.6	3.4
17	220	5.8	---	---	---	2.9		3.4
18	210	4.2				2.8		3.4
19	220	2.8				3.8		3.4
20	<240	2.7				2.1		3.3
21	<230	2.7				2.0		3.2
22	<240	2.9						3.25
23	230	2.9						3.2

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 45

Nairobi, Kenya (1.3°S, 36.8°E)							May 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	4.5						3.0
01	240	4.9						3.2
02	<230	4.5						3.4
03	230	3.6						3.1
04	240	3.0						3.0
05	240	2.9						3.3
06	240	2.6						3.3
07	240	5.9	240	---	120	---	2.8	3.5
08	260	7.5	230	4.1	110	2.6	3.4	3.5
09	260	8.1	220	4.2	110	3.0	3.9	3.4
10	280	7.9	200	4.4	110	3.2	4.0	3.3
11	290	8.5	200	4.5	100	3.4		3.1
12	300	9.8	200	4.5	100	3.4		3.05
13	320	10.0	200	4.6	110	3.5		2.9
14	330	10.4	200	4.5	110	3.4		2.9
15	300	10.3	190	4.4	110	3.2	3.8	3.0
16	280	9.8	200	4.2	110	2.9	3.8	3.1
17	260	9.7	230	---	110	2.4	3.7	3.2
18	250	9.5	---	---	---	3.9		3.2
19	230	9.2				3.2		3.3
20	220	8.7				3.0		3.45
21	210	7.0				2.7		3.5
22	200	5.0						3.4
23	210	4.2						3.0

Time: 45.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 47

Ahmedabad, India (23.0°N, 72.6°E)							April 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	325	3.3						2.0
01	315	3.1						2.9
02	295	3.1						3.1
03	260	3.0						3.3
04	280	2.3						3.1
05	270	2.2						3.2
06	240	4.2						3.45
07	240	6.0	230	3.6	110	2.1	3.9	3.6
08	260	6.6	215	4.0	110	2.7	4.3	3.45
09	300	6.9	210	4.3	110	3.0	4.3	3.1
10	330	8.3	210	4.5	110	3.2	4.0	2.75
11	350	10.2	225	4.6	110	3.3		2.85
12	330	11.8	210	4.6	110	3.4	3.2	2.95
13	310	12.8	240	4.6	110	3.4		3.05
14	290	13.0	230	4.5	110	3.3	3.4	3.15
15	275	13.0	225	4.3	110	3.1		3.2
16	265	12.8	225	4.1	110	2.8	2.7	3.3
17	250	11.7	225	3.8	115	2.3		3.4
18	230	11.2	---	2.8	---	2.4		3.45
19	215	9.4				2.4		3.5
20	210	6.4				2.2		3.45
21	240	4.4						3.0
22	300	3.8						2.8
23	335	3.3						2.1

Time: 75.0°E.

Sweep: 0.6 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 44

Capetown, Union of S. Africa (34.2°S, 18.3°E)							June 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	260	2.6						3.1
01	<270	2.6						3.0
02	270	2.7						3.0
03	<260	2.7						3.1
04	250	2.6						3.1
05	250	2.7						3.1
06	250	2.6						3.1
07	240	2.5						3.2
08	220	4.1						3.4
09	230	5.3	230	---	120	2.1		3.5
10	250	5.7	230	3.6	120	2.6		3.4
11	250	6.2	220	4.0	120	2.8		3.4
12	260	6.2	220	4.1	110	3.0		3.4
13	270	6.4	220	4.1	110	3.0		3.4
14	260	6.4	230	4.0	110	3.0	3.7	3.35
15	260	6.7	230	3.8	120	2.8	3.6	3.3
16	250	6.6	230	3.4	120	2.4	3.3	3.4
17	230	6.0	230	---	130	2.1	2.6	3.5
18	220	4.8						1.8
19	220	3.0						3.4
20	240	2.5						1.6
21	<250	2.6						3.2
22	240	2.5						3.3
23	250	2.5						3.15

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 46

Delhi, India (28.6°N, 77.1°E)							April 1955	
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	3.2						3.1
01	280	3.0						3.25
02	(280)	(2.6)						(3.25)
03								
04	280	2.8						3.25
05	260	3.2						3.4
06	240	5.0						3.6
07	240	6.5						3.6
08	240	6.6						3.6
09	240	6.4						3.6
10	300	7.8						3.0
11	300	8.7						3.1
12	300	>10.0						3.1
13	280	>10.2						3.25
14	280	11.0						3.25
15	260	10.4						3.4
16	260	>10.0						3.4
17	260	8.8						3.4
18	240	8.6						3.6
19	240	7.5						3.6
20	240	4.6						3.6
21	280	3.7						3.25
22	300	3.2						3.1
23	320	3.2						3.0

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 48

Calcutta, India (22.9°N, 88.5°E)							April 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	290	4.5						3.05
01	260	4.3						3.1
02	260	3.8						3.15
03	260	3.2						3.1
04	250	2.7						3.1
05	260	2.6						3.1
06	240	3.8	---	---	---	---	---	3.35
07	230	5.6	---	---	110	2.2		3.4
08	260	7.0	210	3.8	100	2.8		3.3
09	270	8.2	200	4.3	100	3.0		3.1
10	300	9.8	200	4.6	100	3.2	3.5	2.85
11	340	11.3	200	4.6	100	3.4	3.8	2.8
12	350	11.5	200	4.6	100	3.6		2.7
13	330</td							

Table 49

Bombay, India (19.0°N, 73.0°E)		April 1955						
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06:30	270	3.8				3.35		
07	300	4.5				3.1		
08:30	300	5.4				3.1		
09	330	5.7				2.95		
10	330	6.5				2.95		
11	360	7.4				2.8		
12	360	8.8				2.8		
13	390	9.7				2.65		
14	(390)	(9.8)				(2.65)		
15	---	---				---		
16	(390)	(10.6)				(2.65)		
17	390	9.7				2.65		
18	360	8.7				2.8		
19	330	7.5				2.95		
20	330	6.5				2.95		
21	300	5.2				3.1		
22	270	4.3				3.35		
23								

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 51

Tiruchi, India (10.8°N, 70.8°E)		April 1955						
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06	(390)	(5.2)				(2.65)		
07	450	7.2				2.45		
08	510	7.9				2.25		
09	540	7.7				2.15		
10	540	7.5				2.15		
11	540	7.6				2.15		
12	540	8.0				2.15		
13	540	8.5				2.15		
14	510	8.9				2.25		
15	510	9.2				2.25		
16	510	9.3				2.25		
17	480	9.0				2.3		
18	480	9.0				2.3		
19	450	8.6				2.45		
20	450	8.4				2.45		
21	450	7.8				2.45		
22								
23								

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 53

Sao Paulo, Brazil (23.5°S, 46.5°W)		March 1955						
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	260	5.3						3.0
01	260	5.5				2.9		3.1
02	240	6.0				3.2		3.3
03	220	5.6				3.9		3.5
04	240	3.8				2.7		3.3
05	280	2.8				2.4		3.2
06	240	3.6						3.4
07	220	5.7	---	---	120	2.1		3.6
08	260	6.5	220	---	100	2.6		3.4
09	280	7.3	210	4.3	100	3.0		3.3
10	290	7.7	210	4.4	100	3.1		3.2
11	320	8.3	200	4.5	100	---		3.0
12	320	9.2	200	4.5	100	---		3.0
13	320	9.9	200	4.5	100	---		3.05
14	320	10.7	200	4.4	100	3.2		3.1
15	300	11.0	210	4.2	100	3.0		3.1
16	300	11.8	220	---	100	(2.7)		3.2
17	250	11.9	230	---		4.2		3.4
18	240	12.0				4.3		3.4
19	210	10.2				3.9		3.4
20	210	7.8				3.4		
21	220	6.6				3.1		
22	230	5.5				3.1		
23	220	5.8				3.1		

Time: Local.

Sweep: 1.75 Mc to 20.0 Mc in 7 minutes 18 seconds.

Table 50

Madras, India (13.0°N, 80.2°E)		April 1955						
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06		330	5.8					2.95
07		360	7.2					2.8
08		390	7.6					2.65
09		420	7.5					2.55
10		420	7.4					2.55
11		420	7.5					2.55
12		420	7.6					2.55
13		420	8.8					2.55
14		390	9.2					2.65
15		390	10.3					2.65
16		380	11.2					2.8
17		360	11.3					2.8
18		360	10.4					2.8
19		360	8.9					2.8
20		330	7.8					2.95
21		(330)	7.2					(2.95)
22								
23								

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 52

Nairobi, Kenya (1.3°S, 36.8°E)		April 1955						
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	220	6.5						3.2
01	230	>6.7						3.35
02	220	5.4						3.4
03	<240	4.0						3.0
04	250	3.5						2.2
05	240	3.0						3.1
06	230	2.5						3.35
07	240	5.6	230	---	130	---	---	3.6
08	260	7.0	230	3.9	110	2.6	3.5	3.5
09	270	7.9	220	4.2	110	3.0	3.2	3.35
10	280	8.7	210	4.4	110	3.2	3.6	3.25
11	300	8.8	200	4.5	110	3.4	3.6	3.0
12	320	9.6	200	4.6	110	3.4	3.6	2.9
13	320	10.9	190	4.5	110	3.5	3.6	3.0
14	310	11.3	190	4.5	110	3.4	3.7	3.0
15	300	10.8	200	4.4	110	3.2	4.2	3.0
16	300	10.0	210	4.3	110	2.9	4.0	2.9
17	290	10.2	240	---	120	2.6	3.7	2.9
18	250	>11.0	---	---	---	---	---	2.8
19	240	>11.9	---	---	---	---	---	3.4
20	220	>11.3	---	---	---	---	---	3.5
21	210	>9.0	---	---	---	---	---	(3.5)
22	210	>8.6	---	---	---	---	---	3.3
23	210	>8.6	---	---	---	---	---	

Time: 45.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 54*

Inverness, Scotland (57.4°N, 4.2°W)		February 1955						
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	340	1.8						(2.8)
01	340	(1.6)						(2.8)
02	320	1.8						(2.8)
03	300	1.5						2.8
04	300	1.5						(2.8)
05	305	(1.4)						2.9
06	325	1.4						3.2
07	265	2.1						3.4
08	230	3.6						3.5
09	235	4.2	210	2.7	125	1.9	2.4	3.5
10	250	4.6	210	3.2	120	2.2	2.3	3.5
11	260	4.9	205	3.3	115	2.2	2.4	3.4
12	260	5.1	210	3.5	110	2.3	2.3	3.4
13	260	5.3	210	3.5	110	2.3	2.3	3.5
14	260	5.3	210	3.3	115	2.2	2.2	3.5
15	250	5.3	215	3.0	120	2.1	2.4	3.5
16	230	4.9	135	1.9	2.2			3.5
17	230	4.6	(130)	(1.7)				3.3
18	235	4.1						3.2
19	255	3.6						3.2
20	265	2.8						3.1
21	290	2.2						3.0
22	310	1.8						2.9

Table 55*

Slough	England (51.5°N, 0.6°W)						February 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	270	2.6				2.1	2.9	
01	265	2.8				2.4	2.95	
02	270	2.9				2.5	2.9	
03	270	2.9				2.4	2.9	
04	275	2.6				2.5	2.85	
05	280	2.2				2.5	2.85	
06	270	1.9				2.6	3.05	
07	245	2.8			(130)	(1.5)	2.6	3.15
08	230	4.4	220	2.7	130	1.7	2.6	3.4
09	240	5.0	215	3.2	120	2.1	2.6	3.5
10	250	5.4	220	3.6	115	2.4	2.6	3.45
11	255	5.8	215	3.7	115	2.6	3.4	
12	245	5.9	215	3.8	115	2.7		3.45
13	250	5.8	220	3.8	115	2.6		3.4
14	245	5.8	215	3.6	115	2.5	2.6	3.45
15	245	5.8	220	3.5	120	2.0	2.6	3.4
16	235	5.4	225	3.2	125	2.0	2.6	3.45
17	220	5.0			(135)	(1.7)	2.6	3.45
18	225	4.6					2.5	3.25
19	235	4.2						3.2
20	235	3.8						3.15
21	260	3.2						3.05
22	270	2.8						1.9
23	270	2.6						2.95

Time: 0.0°.

Sweep: 0.55 Mc to 16.5 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

Table 57

Sao Paulo, Brazil	Brazil (23.5°S, 46.5°W)						February 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	5.6						3.1
01	260	5.6						3.1
02	240	5.3						3.2
03	250	4.5						3.2
04	260	4.2						3.2
05	240	3.9						3.2
06	210	4.5						3.6
07	220	5.3	---	---	110	2.3		3.6
08	260	5.8	210	---	100	2.8	3.2	3.3
09	310	6.4	200	4.4	100	3.2	3.6	3.1
10	320	7.2	200	4.5	100	3.5		3.0
11	360	7.6	200	4.5	100	3.5	3.8	2.9
12	350	8.4	180	4.5	100	(3.6)	3.8	2.9
13	350	8.6	190	4.5	100	---	3.8	(3.0)
14	340	9.6	180	4.4	100	---	3.6	3.0
15	320	9.9	180	4.4	100	---		3.1
16	300	10.2	200	4.2	100	2.9	3.6	3.15
17	270	10.3	210	---	100	---	3.4	3.2
18	240	10.6	230	---	---	---	3.9	3.2
19	240	10.8					2.6	3.3
20	240	8.8						3.4
21	230	8.4						3.3
22	220	7.4						3.25
23	240	6.0						3.15

Time: Local.

Sweep: 1.75 Mc to 20.0 Mc in 7 minutes 18 seconds.

Table 59*

Falkland Is.	Falkland Is. (51.7°S, 57.8°W)						January 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	285	5.5						3.1
01	285	5.2						2.9
02	280	5.0						(2.9)
03	275	4.6						(2.9)
04	285	4.4	(290)		165	1.4		2.9
05	260	5.1	255		125	1.7	2.9	3.2
06	295	5.2	235	3.7	115	2.2	3.4	3.1
07	315	5.3	(230)	3.9	110	2.4	4.6	3.1
08	345	5.4	(245)	4.1	110	2.7	5.0	3.1
09	375	5.2	(215)	4.2	105	3.0	5.8	3.0
10	375	5.4	(215)	4.3	105	3.2	6.8	(2.9)
11	360	5.9	215	4.3	105	3.3	6.8	2.9
12	320	6.4	210	4.4	105	3.3	6.0	3.0
13	335	5.9	220	4.4	105	3.3	6.0	3.1
14	340	5.6	215	4.4	105	3.3	5.4	3.1
15	345	5.4	220	4.2	105	3.1	5.6	2.9
16	330	5.4	225	4.1	110	2.9	4.8	3.1
17	310	5.7	235	4.0	115	2.7	5.0	3.1
18	290	5.6	(240)	3.7	125	2.3	4.7	3.2
19	270	5.5	(250)	(3.2)	(135)	(1.9)	4.9	3.1
20	265	5.6						3.1
21	290	6.0						2.8
22	290	6.0						2.8
23	290	5.8						3.7

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

Table 56*

Singapore, Brltish Malaya	Singapore, Brltish Malaya (1.3°N, 103.8°E)						February 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	215	3.7						3.3
01	260	3.0						(2.9)
02	265	2.8						2.9
03	270	2.4						3.0
04	290	2.1						2.7
05	295	2.1						2.8
06	275	2.4						2.8
07	245	5.8	235					3.2
08	280	7.5	220					3.0
09	330	7.7	210	4.3	110	3.0	5.3	2.7
10	365	8.4	200	4.5	(110)	3.3	6.0	2.3
11	400	8.6	200	4.5	110	3.5	5.3	2.1
12	400	8.2	200	4.6	110	3.5	5.5	2.1
13	395	8.3	200	4.6	110	3.5	4.3	2.1
14	390	8.4	200	4.5	110	3.4	4.0	2.2
15	360	8.5	205	4.4	110	3.2		2.3
16	(320)	8.8	205		110	2.9	3.7	2.4
17	(255)	8.7	225		115	2.4	3.5	2.5
18	255	8.6			155	1.8	2.8	2.5
19	295	8.2						3.0
20	305	7.4						2.7
21	280	7.4						1.8
22	240	6.1						3.3
23	210	6.6						3.5

Time: 105.0°E.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

Table 59*

Port Lockroy	Port Lockroy (64.0°S, 63.5°W)						January 1955	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	270	7.1						1.3
01	270	6.8						2.3
02	270	6.4						2.4
03	280	6.2	(275)	(2.5)	(120)	(1.4)		2.9
04	300	6.1	255	2.9	110	1.7		2.8
05	305	5.9	240	3.2	105	1.9		2.8
06	300	5.2	230	3.4	105	2.2		3.0
07	300	5.0	230	3.6	100	2.5	4.6	3.2
08	315	4.6	220	3.8	100	2.7	4.6	3.1
09	(320)	4.5	215	3.9	100	2.8	5.2	(3.2)
10	345	4.8	220	4.0	100	2.9	5.2	3.2
11	340	5.0	220	4.1	100	3.0	5.2	3.1
12	345	5.0	215	4.2	100	3.0	5.1	(3.0)
13	360	4.9	215	4.1	100	3.0	5.0	3.1
14	350	4.9	215	4.1	100	3.0	5.0	3.1
15	340	5.0	205	4.1	100	2.9	5.6	3.0
16	325	5.0	205	4.0	100	2.8	5.2	3.1
17	325	5.0	215	3.8	100	2.7	4.2	3.1
18	330	4.9	225	3.7	100	2.4	3.4	3.1
19	315	5.0	235	3.5	105	2.1		3.0
20	300	5.2	250	3.2	105	1.9	3.2	3.1
21	300	5.6	255	(2.8)	125	1.6	3.1	(2.9)
22	290	6.0						2.5
23	280	7.0						1.3

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

h'F₂, Km
(Characteristic) **Km**
(Unit)

November, 1955
(Month)

National Bureau of Standards
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

Observed at **Washington, D.C.**

Lat **38°7'N**

Long **77°10'W**

Mean Time

75°W

Scaled by: **J.J.S., J.W.P., E.J.W.**
(Institution)

Calculated by: **K.D.B., R.C.M., J.M.W.**

TABLE 6
IONOSPHERIC DATA

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	(2.80) ⁵	(3.10) ⁵	2.80	2.90	2.60	(2.80) ⁵	2.60	2.30	2.40	2.50	(2.50) ⁴	2.50	2.50	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50		
2	2.50	(2.80) ⁴	2.50	2.30	2.60	(2.40) ⁵	2.60	2.20	2.30	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50		
3	(2.50) ⁴	2.50	2.50	2.50	2.50	2.40	2.20	2.30	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40		
4	(2.50) ⁵	3.20	2.40	2.40	2.40	<2.50 ⁴	2.20	2.30	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40		
5	2.80	2.50	2.50	2.40	2.70	(2.50) ⁵	3.70 ⁵	2.20	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50		
6	(2.70) ⁴	(2.80) ⁴	2.70	2.50	(2.50) ⁵	2.50	2.20	2.30	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	
7	(3.20) ⁴	2.80	(2.90) ⁴	2.90	2.60	2.50	2.40	2.30	2.30	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
8	2.50	2.70	2.70	2.60	2.80	2.60	2.50	2.20	2.20	2.30	2.40	(2.70) ⁴	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	
9	2.50	2.60	3.20	2.80	2.60	[240] ⁵	2.40 ⁵	2.30	2.20	2.30	2.40	2.50	(2.60) ⁴	2.60	2.50	2.40	2.30	2.20	2.10	2.00	2.00	2.00	2.00	2.00	2.00	2.00
10	2.80	(3.10) ⁴	(3.00) ⁴	2.60	2.60	2.50	2.40	2.20	2.30	2.40	2.50	2.60	2.60	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
11	2.60	3.00	2.60	2.60	2.60	2.40	2.30	2.30	2.40	2.50	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	
12	2.80	2.80	2.80	2.50	2.70	(2.90) ⁵	(2.90) ⁵	2.30	2.30	2.40	2.50	2.60	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	
13	2.70	3.00	2.70	2.40	2.40	2.20	2.30	2.30	2.30	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
14	2.70	2.50	2.50	2.50	2.40	2.40	2.30	2.20	2.30	2.40	2.50	2.60	2.60	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
15	2.70	2.80	2.70	2.60	2.40	2.40	2.30	2.30	2.40	2.50	(2.40) ⁵	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
16	2.70	2.70	2.50	2.50	2.30	2.50	2.50	2.30	2.40	2.50	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	
17	3.20	2.80	2.70	2.20	2.60	2.80	2.70	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	
18	2.60	3.10	(3.10) ⁵	2.80	2.60	2.40	2.40	2.30	2.30	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
19	2.60	2.40	2.40	(2.70) ⁵	(2.80) ⁵	H	<410 F	2.70	2.70	2.70	(540) ⁴	(620) ³	470	L	(310) ⁴	(310) ⁴	2.90	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	
20	2.80	2.90	2.70	(3.00) ⁵	(3.00) ⁴	E	2.50	2.30	2.40	(2.30) ⁴	2.50	2.60	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
21	2.70	2.50	2.50	2.50	2.70	(2.90) ⁵	2.30	2.40	2.20	2.20	2.50	2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30	
22	2.90	2.80	2.60	2.60	2.50	2.80	2.40	2.30	2.40	2.50	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	
23	3.00 F	3.00	3.00	2.60	2.40	(2.60) ⁵	2.30	2.30	2.40	2.40	2.40	(2.50) ⁴	2.50	2.30	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20
24	(2.70) ⁵	(2.80) ⁴	3.10	(2.80) ⁵	(2.80) ⁵	3.10	(2.70) ⁵	2.40	(2.80) ⁵	2.30	(2.90) ⁴	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	
25	(2.70) ⁵	(2.80) ⁵	2.40	2.30	2.50	(2.80) ⁵	2.50	2.20	2.30	2.40	2.40	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
26	2.70	2.80	2.60	2.50	2.70	2.50	2.30	2.40	2.50	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	
27	(2.70) ⁵	2.90	2.90	3.00	2.60	2.50	2.40	2.30	2.40	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
28	2.70	2.90	(2.90) ⁴	2.70	2.50	2.50	2.30	2.40	2.50	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	
29	2.70	2.80	2.90	2.60	2.50	2.40	2.20	2.20	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40	
30	(-3.10) ⁴	(3.00) ⁴	2.70	2.60	2.40	2.40	2.30	2.30	2.40	2.50	(2.30) ⁴	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
31																										

Sweep IQ—Mc 1a250 Mc in 1.35 sec.

Manual □ Automatic ■

TABLE 63
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

National Bureau of Standards
(Institution)

Scaled by: J.J.S., J.W.P., R.C.A., E.J.W.

Calculated by: K.D.B., R.C.A., J.M.W.

IONOSPHERIC DATA

Observed at Lat 38.7°N, Long 77.1°W

to F2, **Mc**
(Characteristic) **November**, 1955
(Month)

Washington, D.C.

Mean Time

75°W

Day	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330		
1	(3.4) ^F	(3.8) ^F	(4.3) ^F	4.7	3.3	2.5	4.3	1.4	8.8	10.0	10.5	10.2	10.2	10.2	10.1	9.9	8.6	(6.7) ^F	6.0	6.2	4.6	4.3	4.3	4.4		
2	4.1	3.9	4.1	3.9	3.4	2.9	4.5	1.4	8.6	7.1	10.0	10.0	10.1	11.3	11.0	10.0	(8.9) ^F	7.0	6.6	5.1	4.9	4.6	4.7	4.6		
3	4.4	4.0	3.7	3.6	3.3	2.9	4.2	1.6	7.8	8.8	9.6	9.6	9.6	10.2	9.6	9.9	9.0	7.2	5.8	4.8	4.4	4.1	4.2	4.2		
4	3.9	3.75	4.1	3.9	3.2	2.3	3.6	1.2	8.2	9.7	10.0	10.2	9.8	10.0	9.2	(9.3) ^F	9.2	8.2	6.6	5.8	4.6	4.3	4.3	3.9		
5	5.6	(3.6) ^F	(3.6) ^F	(3.0) ^F	(2.5) ^F	1.4	3.4	1.5	5.7	7.7	9.3	8.7	9.0	9.8	9.5	9.6	9.2	9.0	7.2	5.4	4.6	4.3	4.0	3.7	3.5	
6	5.6	(4.07) ^F	4.0	3.7	(3.2) ^F	(2.7) ^F	3.7	1.1	7.2	8.0	9.4	9.4	9.8	9.5	9.4	9.2	9.4	9.2	8.5	6.5	5.1	4.5	(3.7) ^F	3.4	(3.2) ^F	
7	3.5	F	3.7	F	(3.5) ^F	(3.0) ^F	(3.9) ^F	1.6	7.4	8.2	8.8	9.3	9.3	9.8	9.4	9.4	9.5	8.5	(5.9) ^F	(5.2) ^F	4.2	(3.6) ^F	3.45	3.4	3.3	
8	(3.1) ^F	3.2	3.3	3.2	3.1	3.8	3.8	1.4	7.6	8.8	9.2	9.6	9.7	10.2	10.4	9.2	8.3	6.4	(5.4) ^F	(4.9) ^F	(5.2) ^F	4.9	[4.3] ^F			
9	(3.7) ^F	(3.4) ^F	(3.4) ^F	3.6	F	2.5	3.2	3.8	1.2	7.6	7.6	9.2	9.6	9.8	9.5	9.2	9.0	7.8	6.2	5.6	4.9	4.1	3.5	3.4	3.2	
10	3.2	3.3	3.4	3.3	3.5	F	3.2	3.7	1.1	7.6	8.2	9.0	9.2	9.8	8.9	8.6	8.6	7.2	6.0	5.6	4.2	3.9	3.3	3.2	3.2	
11	3.6	3.3	3.7	3.7	3.3	2.7	3.7	6.9	8.5	8.7	9.3	9.9	10.1	9.7	9.3	9.0	(8.8) ^F	(7.3) ^F	5.5	4.9	(3.9) ^F	3.2	(3.3) ^F	3.0		
12	3.1	(3.3) ^F	(3.5) ^F	2.8	(2.2) ^F	(2.2) ^F	(3.5) ^F	(6.9) ^F	(7.8) ^F	7.2	(8.9) ^F	10.1	10.0	10.0	10.9	(11.2) ^F	11.0	9.2	7.0	6.0	3.9	3.7	4.2	4.2	4.6	
13	4.8	(3.8) ^F	5.5	5.2	(4.0) ^F	3.4	F	4.1	1.5	6.3	7.7	7.0	9.6	10.1	10.3	9.3	8.9	9.3	9.0	6.8	6.1	4.7	4.2	4.1	3.9	3.7
14	4.2	4.2	4.3	4.3	(4.2) ^F	3.9	(4.0) ^F	6.7	7.8	7.0	9.6	9.2	9.8	8.6	8.6	8.6	7.2	6.1	4.9	4.2	3.6	3.6	3.4			
15	3.4	3.6	F	3.7	3.9	3.7	3.1	(3.5) ^F	6.6	7.1	8.8	9.6	10.5	10.4	10.4	10.7	9.8	10.1	9.1	7.1	5.6	4.1	(3.6) ^F	4.0	4.4	
16	4.6	4.4	(4.2) ^F	(5.7) ^F	3.8	F	(3.1) ^F	3.5	7.2	8.2	8.9	9.4	11.0	10.6	10.0	9.7	9.2	9.0	7.4	6.2	4.4	3.4	3.0	2.8	2.7	
17	(3.5) ^F	4.0	(3.9) ^F	(3.5) ^F	(3.2) ^F	(3.2) ^F	2.9	3.7	1.4	7.4	7.8	9.2	9.5	9.7	9.0	8.2	7.0	6.2	4.7	4.2	(4.2) ^F	(3.5) ^F	(3.6) ^F			
18	(3.5) ^F	(3.1) ^F	(3.6) ^F	(3.6) ^F	(3.6) ^F	(3.6) ^F	(3.4) ^F	3.3	5.8	7.2	8.6	9.2	10.0	9.7	10.4	9.6	10.8	(7.9) ^F	7.4 ^F	(6.6) ^F	3.5	3.5	3.5	3.5	3.4	
19	4.4	(3.1) ^F	(3.5) ^F	(3.5) ^F	(2.2) ^F	(2.2) ^F	(3.0) ^F	(5.1) ^F	(5.1) ^F	(5.2) ^F	(5.6) ^F	(4.7) ^F	(4.8) ^F	4.5	5.0	5.6	5.8	5.1	4.9	4.9	(4.6) ^F	4.9	4.0	3.0		
20	3.2	2.9	2.9	2.9	2.9	2.3	2.3	2.6	F	5.3	7.1	7.8	9.0	9.2	10.2	10.7	11.0	10.5	10.0	8.0	6.4	4.9	4.2	(3.6) ^F	3.85	
21	(3.5) ^F	(3.4) ^F	(3.2) ^F	(3.2) ^F	2.6	2.6	2.5	2.8	1.5	(2.8) ^F	6.0	8.2	8.9	9.0	10.0	9.0	9.8	9.1	8.3	6.8	4.6	4.0	3.7	3.4	2.7	
22	2.6	2.7	F	2.5	2.4	2.3	2.2	2.6	F	5.2	7.0	7.8	8.1	8.2	8.5	8.9	8.4	7.8	7.0	6.8	4.8	4.0	3.2	2.9	2.6	
23	6.6	F	(2.8) ^F	(3.0) ^F	(3.6) ^F	(3.6) ^F	(2.6) ^F	(2.7) ^F	(5.8) ^F	6.2	8.3	8.8	9.2	9.2	9.4	8.8	(8.6) ^F	(6.4) ^F	5.2	4.5	3.9	3.5	3.5	3.2	2.9	
24	2.8	F	2.7	2.7	2.3	2.3	2.6	F	(3.1) ^F	6.2	8.0	9.0	8.8	9.6	9.8	9.6	9.2	8.5	6.8	6.2	4.9	3.95	3.6	3.2	2.7	
25	3.7	F	(3.8) ^F	(3.8) ^F	(3.9) ^F	(3.0) ^F	(3.0) ^F	(3.4) ^F	6.2	7.8	8.2	9.4	9.2	9.5	9.2	9.8	7.4	6.3	4.9	4.1	(3.6) ^F	3.4	3.4	3.3	2.7	
26	3.5	3.8	F	3.5	F	3.4	3.8	F	(6.2) ^F	3.2	6.3	9.0	9.0	9.4	9.0	8.9	8.7	8.6	8.4	8.2	5.2	3.9	3.6	3.4	2.9	
27	2.7	2.9	3.3	3.6	3.6	3.5	3.7	6.2	F	9.4	9.8	9.8	10.0	9.2	9.2	8.6	8.1	7.0	5.6	4.3	3.8	3.4	3.0	2.9		
28	3.2	3.3	3.7	3.9	3.3	3.3	3.5	6.2	7.5	F	9.7	9.9	9.5	9.6	9.8	8.8	8.8	7.5	5.9	4.3	3.7	3.5	3.5	3.9		
29	4.0	3.8	4.2	4.4	4.1	3.3	3.1	5.8	7.4	F	9.4	9.3	9.8	9.8	10.5	9.6	9.8	9.0	6.7	5.0	3.8	3.1	2.9	3.4		
30	3.4	3.6	4.4	4.8	4.5	4.1	4.1	7.1	8.3	9.0	9.95	9.6	10.0	10.0	9.3	8.4	8.2	7.05	5.8	4.3	(4.2) ^F	3.8	3.9	3.7		
31																										

Sweep 10 Mc to 55.0 Mc in 1.5 sec.
Manual Automatic

GPO 8304

h^*F_1 , Km
(Characteristic)
Observed at Washington, D. C.

Lat 38.7°N, Long 77.1°W
(Month)

TABLE 64
IONOSPHERIC DATA

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

November, 1955

Mean Time

75°W

75°W

Calculated by K.D.B., R.C.M., J.M.W.
Scaled by J.J.S., J.W.P., E.J.W.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Median	230	220	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	
Count	8	27	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	

Sweep LO Mc 25.0 Mc in 13.5 sec.
Manual Automatic

Form adopted June 1946

TABLE 65
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

**f_{oF1} , Mc
 (Characteristic)** **$\frac{Mc}{(Unit)}$** **November,
 (Month)**

Observed at Washington, D. C.
Lat 38.7°N, Long 77.1°W

Day	75°W Mean Time																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
2	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
3	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
4	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
5	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
6	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
7	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
8	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q
9	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
10	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	H	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
11	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
12	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	H	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
13	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	H	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
14	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
15	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
16	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
17	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
18	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q
19	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	3.9	3.9	3.9	4.0	(4.4) L	(3.9) H	L	L	Q	Q	Q	Q	Q
20	B	L	L	L	L	L	L	L	L	L	L	L	L	L	L	B	L	L	L	L	L	L	L	L
21	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	H	L	L	L	L	L	L	L	L
22	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	H	L	L	H	L	L	L	L	L	L	L	L	L
23	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	H	L	L	L	L	L	L	L	L
24	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L
25	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	H	L	L	L	L	L	L	L	L	L
26	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	H	L	L	L	L	L	L	L	L	L	L	L	L
27	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	H	L	L	L	L	L	L	L	L	L
28	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	H	L	L	L	L	L	L	L	L	L
29	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	H	L	L	L	L	L	L	L	L	L	L	L
30	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L
31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Median	0	/	/	/	/	/	/	/	/	/	1	1	3	1	/	0	0	0	0	0	0	0	0	0
Count	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sweep LO Mc to 25.0 Mc in 13.5 sec.
 Manual Automatic

TABLE 67
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

f o E , M c , N o v e m b e r , 1 9 5 5

(Characteristic) (Month)

November, 1955

10

Observed at Washington, D. C.
Lat. $38^{\circ} 7' N$; Long. $77^{\circ} 10' W$

Mol 77

๑๖๙

TABLE 68
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

E_{S_r} , Mc Km November, 1955
(Characteristic) (Unit)

Observed at Washington, D. C.
Lat 38.7°N, Long 77.1°W

75°W Mean Time

National Bureau of Standards
(Institution) J.J.S., J.W.P., E.J.W.
Scaled by: K.D.B., R.C.M., J.M.W.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	<1.65 S	<1.55 S	<1.55 S	3.0/2.0	3.7/1.0	3/1.0	<1.65 S	4.6/1.0	7.0/1.0	3.5/1.0	3.0/1.0	3.5/1.0	3.0/1.0	3.5/1.0	3.0/1.0	3.5/1.0	3.0/1.0	3.5/1.0	<1.65 S					
2	2.2/1.00	2.1/1.00	2.0/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	3.7/1.00	2.4/2.0	6	3.6/1.00	6.6/1.00	3.2/1.00	4.5/1.00	3.7/1.00	2.4/1.00	3.2/1.00	2.6/1.00	<1.65 S					
3	3.7/1.00	<1.65 S	<1.65 S	<1.65 S	4.3/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	6	3.8/1.00	4.6/1.00	3.6/1.00	4.5/1.00	4.6/1.00	4.4/1.00	4.5/1.00	4.6/1.00	<1.65 S					
4	<1.75 S	<1.65 S	3.7/1.00	1.7/1.00	1.7/1.00	1.7/1.00	1.7/1.00	1.7/1.00	1.7/1.00	1.7/1.00	1.7/1.00	<1.65 S												
5	<1.65 S	2.7/1.00	4.6/2.0	3.4/1.00	4.7/1.00	4.0/1.00	4.1/1.00	3.3/1.00	3.3/1.00	3.1/1.00	<1.65 S													
6	3.2/1.00	4.8/1.00	4.2/1.00	2.9/1.00	2.7/1.00	3/1.00	<1.65 S	<1.65 S	<1.65 S	2.7/1.00	3.2/1.00	3.2/1.00	3.2/1.00	3.2/1.00	3.2/1.00	3.2/1.00	3.2/1.00	3.2/1.00	<1.65 S					
7	4.9/1.00	3.6/1.00	4.3/1.00	3.7/1.00	2.7/1.00	7.2/1.00	1.7/1.00	4.0/1.00	2.0/1.00	2/1.00	2/1.00	2/1.00	2/1.00	2/1.00	2/1.00	2/1.00	2/1.00	2/1.00	<1.65 S					
8	<1.65 S	6	2.8/1.00	3.2/1.00	2.7/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	<1.65 S													
9	3.2/1.00	4.6/1.00	3.4/1.00	3/1.00	2.9/1.00	2.6/1.00	<1.65 S	<1.65 S	<1.65 S	C	3.6/1.00	2.8/1.00	2.7/1.00	3.2/1.00	3.5/1.00	3.3/1.00	3.1/1.00	3.0/1.00	<1.65 S					
10	4.5/1.00	3.7/1.00	2.9/1.00	2.3/1.00	2.3/1.00	2.3/1.00	<1.65 S	<1.65 S	<1.65 S	6	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	<1.65 S					
11	<1.65 S	2.8/1.00	2.3/1.00	<1.65 S	<1.65 S	4.0/1.00	<1.65 S	<1.65 S	<1.65 S	2.3/1.00	2.3/1.00	2.4/1.00	2.4/1.00	2.4/1.00	2.4/1.00	2.4/1.00	2.4/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S		
12	2.8/1.00	<1.65 S	C	<1.65 S	<1.65 S	8/1.00	8/1.00	8/1.00	8/1.00	8/1.00	8/1.00	8/1.00	8/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S						
13	3.4/1.00	3.8/1.00	2.5/1.00	2.5/1.00	2.5/1.00	2.5/1.00	<1.65 S	<1.65 S	<1.65 S	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S		
14	<1.65 S	1.5/1.00	4.3/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S										
15	<1.65 S	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S										
16	<1.65 S	2.9/1.00	4.2/1.00	4.2/1.00	4.2/1.00	4.2/1.00	4.2/1.00	4.2/1.00	4.2/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S										
17	<1.65 S	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S										
18	3.4/1.00	4.0/1.00	<1.35 S	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	2.9/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S								
19	<1.5/1.00	<1.45 S	4.7/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S									
20	<1.65 S	<1.45 S	2.9/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S									
21	<1.65 S	<1.45 S	E	E	E	E	E	E	E	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	2.1/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S		
22	<1.65 S	<1.45 S	3.6/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S									
23	<1.65 S	2.0/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	2.8/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S										
24	<1.75 S	<1.65 S	2.5/1.00	2.5/1.00	2.5/1.00	2.5/1.00	2.5/1.00	2.5/1.00	2.5/1.00	2.5/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S									
25	<1.65 S	<1.5/1.00	<1.5/1.00	<1.5/1.00	<1.5/1.00	<1.5/1.00	<1.5/1.00	<1.5/1.00	<1.5/1.00	2.1/1.00	2.8/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	3.0/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S		
26	2.9/1.00	1.7/1.00	<1.65 S	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	2.7/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S								
27	<1.65 S	8.0/1.00	<1.65 S	2.8/1.00	4.85/1.00	G	G	G	G	G	G	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S								
28	<1.3/1.00	<1.65 S	2.7/1.00	3.0/1.00	2.8/1.00	3.0/1.00	2.8/1.00	3.0/1.00	2.8/1.00	3.0/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S									
29	<1.65 S	2.2/1.00	3.6/1.00	3.6/1.00	3.6/1.00	3.6/1.00	3.6/1.00	3.6/1.00	3.6/1.00	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S										
30	4.1/1.00	7.8/1.00	<1.65 S	6	3.0/1.00	4.0/1.00	G	G	G	G	G	<1.65 S	<1.65 S	<1.65 S	<1.65 S	<1.65 S								
31																								
Median	<1/6	<1/6	<1/6	<1/6	<1/6	<1/6	<1/6	<1/6	<1/6									<1/6	<1/6	<1/6	<1/6	<1/6		
Count	30	30	30	30	30	29	29	29	29	30	29	29	30	30	30	30	30	26	26	27	27	30	30	

* * MEDIAN FEES LESS THAN MEDIAN fOE, OR LESS THAN LOWER FREQUENCY LIMIT OF RECORDER

Sweep 10 Mc to 25.0 Mc in 135 sec.

Manual □ Automatic ■

CPG 011048

Form adopted June 1946

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

TABLE 69
 Ionospheric DATA
 National Bureau of Standards

(M1500) F2		November 1955		75°W Mean Time	
(Characteristic)	(Unit)	(Month)	(Year)	IONOSPHERIC DATA	
Observed at Washington, D.C.		Lat 38.7°N. Long 77.1°W			
Day	00	01	02	03	04
	05	06	07	08	09
	10	11	12	13	14
	15	16	17	18	19
	20	21	22	23	24
Doy	00	F 5	F 5	(2.2)5	(2.2)5
1	2.0	(1.1)5	(2.2)5	2.1	2.0
2	2.2	2.0	2.1	2.2	2.1
3	2.2	2.1	2.0	2.2	2.1
4	1.9	1.8	2.0	2.2	2.1
5	(2.1)5	(2.0)5	J F	(2.2)5	(2.2)5
6	(2.1)4	(2.0)3	2.0	(2.1)2	(2.2)5
7	(2.0)5	1.9 F	(2.0)4	(2.2)4	(2.2)5
8	2.0	2.1	2.0	2.1	2.1
9	2.2	2.1	1.9 F	2.0 F	C
10	2.1	2.0	2.0	2.0 F	2.2 F
11	2.4	1.9	2.0	2.1	2.1
12	2.0	1.9	(2.0)5	(2.1)5	(2.2)5
13	2.0	J 5	J 5	2.4	2.4
14	2.1	2.1	2.2	2.1 F	(2.1)5
15	2.0	1.9	1.9	2.1	2.1
16	1.8	(2.0)F	(2.1)5	(2.0)5	(2.1)5
17	(1.9)5	(2.0)5	2.1 F	2.3 F	2.1 F
18	2.2	F (2.1)5	(2.0)5	(2.1)5	(2.1)5
19	2.1	J 5	F 5	(2.1)5	2.0 F
20	1.9 F	2.0 F	(2.1)5	2.0 F	(2.1)5
21	2.0 F	(2.0)5	2.1 F	2.0 F	2.0 F
22	2.0 F	2.0 F	2.0 F	2.0 F	2.0 F
23	1.9 F	(2.0)5	(2.3)5	(2.4)5	(2.5)5
24	2.0 F	1.9	1.9	2.1	2.1
25	1.9 F	2.0 F	(2.3)5	2.0 F	2.0 F
26	2.0 F	2.0	2.1	2.0	2.0
27	1.9 F	1.9	1.9	2.0	2.0
28	2.0	1.9	2.0	2.2	2.1
29	2.0	1.9	2.0	2.2	2.1
30	1.9	2.0 F	2.0	2.0	2.0
31					
Median	2.0	2.0	2.0	2.1	2.1
Count	30	27	28	29	30

TABLE 70
 Central Radio Propagation Laboratory, National Bureau of Standards,
IONOSPHERIC DATA

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

(M1500)E, November, 1955

(Characteristic), (Unit)

(Month)

National Bureau of Standards

Institution

J.W.P.





J.J.S., E.J.W.

Calculated by K.D.B., R.C.M., J.M.W.

TABLE 72
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA
Lat 38.7°N, Long 77.0°W

Day	75°W Mean Time											
	00	01	02	03	04	05	06	07	08	09	10	11
1	A	(4.3) S	A	A	A	A	A	(4.3) A	(4.2) S	4.2	4.2	4.2
2	S	A	4.3 /	A	A	A	A	(4.3) A	4.4	4.3	(4.4) P	(4.3) C
3	S	A	A	A	A	A	A	4.2 /	4.2	4.2	4.2	A
4	A	(4.2) S	A	A	A	A	A	4.2	4.3	4.3	4.3	A
5	A	A	A	A	A	A	A	4.3 /	4.2	4.2	4.2	A
6	S	A	4.2 /	A	H	H	H	4.4 /	4.4	4.4	4.4	A
7	A	(4.3) H	4.2 /	A	4.2	4.2	4.2	4.2	4.2	4.2	4.2	A
8	S	(4.2) :	(4.3) A	(4.3) A	A	4.2 /	H	4.3 /	4.3 /	4.4	4.4	(4.3) P
9	A	(4.3) :	4.3	4.3	4.3	4.3	A	A	A	A	A	A
10	S	(4.4) F	4.5 /	4.5 /	4.5 /	4.5 /	4.5 /	4.5 /	4.5 /	4.5 /	4.5 /	4.5 /
11	S	A	A	A	A	(4.4) P	4.4	4.4	4.4	4.4	4.4	4.4
12	S	4.3 /	4.2 /	N	(4.2) P	4.3	4.3	4.3	4.3	4.3	4.3	(4.3) P
13	A	4.2 /	H	4.2 /	H	4.3	4.3	4.4	4.3	4.3	4.3	4.4
14	S	4.3	(4.2) :	(4.3) N	(4.3) H	4.3	4.3	4.3 /	4.3 /	4.3	4.3	4.3
15	S	4.3 :	(4.3) P	C	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
16	S	4.3 /	4.3	A	4.4 /	4.4	4.4	4.4	4.4	4.4	4.4	4.4
17	S	H	A	(4.3) A	4.3	4.3	4.3	4.4	4.4	4.4	4.4	A
18	S	H	A	4.2	A	A	A	(4.2) P	4.2	4.2	4.2	A
19	S	F	(4.3) H	4.2	H	4.3	4.2	4.4	4.4	4.4	4.4	A
20	B	B	B	4.2	4.4 /	(4.3) A	4.4	4.4	4.4	4.4	4.4	B
21	S	A	4.3	4.3	4.4	4.4	4.4	4.5	4.5	4.5	4.5	B
22	S	B	B	4.0	B	4.2	4.2	4.2	4.2	4.2	4.2	A
23	S	S	B	4.3	(4.3) P	4.3	4.4	4.4	4.4	4.4	4.4	A
24	S	B	4.2 /	H	4.0	4.1	4.3	4.3	4.3	4.3	4.3	A
25	S	A	4.4	A	(4.4) P	A	4.4	(4.4) P	(4.4) P	(4.4) P	(4.4) P	A
26	S	A	A	4.2 /	N	4.3	4.4	4.4	4.4	4.4	4.4	B
27	S	R	4.3 /	H	4.1 /	H	4.3	4.3	4.2	4.2	4.2	B
28	B	B	B	A	A	(4.3) H	4.4	4.4	4.2	4.2	4.2	A
29	S	4.3	4.2 /	H	4.4	4.4	4.4	4.4	4.4	4.4	4.4	A
30	S	4.0 /	4.3	4.4 /	H	4.4	4.4	4.4	4.4	4.4	4.4	A
31	—	—	—	—	—	—	—	—	—	—	—	—
Median	—	—	—	—	—	—	—	—	—	—	—	—
Count	0	1.2	1.7	1.9	2.3	2.6	2.8	2.7	2.1	1.4	0	—

Sweep 10 Mc to 250 Mc in 1.35 sec.
Manual □ Automatic ☒






Fig. 5. NARSARSSUAK, GREENLAND
61.2°N, 45.4°W OCTOBER 1955




Fig. 6. NARSARSSUAK, GREENLAND




Fig. 7. OSLO, NORWAY
60.0°N, 11.1°E OCTOBER 1955








Fig. 8. OSLO, NORWAY OCTOBER 1955






Fig. 13. GRAZ, AUSTRIA

47.1°N, 15.5°E

OCTOBER 1955




Fig. 14. GRAZ, AUSTRIA

OCTOBER 1955




Fig. 15. FT. MONMOUTH, NEW JERSEY

40.3°N, 74.1°W

OCTOBER 1955












Fig. 16. FT. MONMOUTH, NEW JERSEY

OCTOBER 1955








Fig. 25. PUERTO RICO, W.I.

18. 5° N, 67.2° W

OCTOBER 1955




Fig. 26. PUERTO RICO, W. I.

OCTOBER 1955




Fig. 27. GUAM I.

13.6°N, 144.9°E

OCTOBER 1955








Fig. 28. GUAM I.

OCTOBER 1955






Fig. 33. BAKER LAKE, CANADA
64.3°N, 96.0°W SEPTEMBER 1955




Fig. 34. BAKER LAKE, CANADA SEPTEMBER 1955




Fig. 35. CHURCHILL, CANADA
58.8°N, 94.2°W SEPTEMBER 1955




Fig. 36. CHURCHILL, CANADA SEPTEMBER 1955




Fig. 37. De BILT, HOLLAND
52.1°N, 5.2°E SEPTEMBER 1955




Fig. 38. De BILT, HOLLAND SEPTEMBER 1955




Fig. 39. WINNIPEG, CANADA
49.9°N, 97.4°W SEPTEMBER 1955




Fig. 40. WINNIPEG, CANADA SEPTEMBER 1955




Fig. 41. SCHWARZENBURG, SWITZERLAND
46.8°N, 7.3°E SEPTEMBER 1955




Fig. 42. SCHWARZENBURG, SWITZERLAND




Fig. 43. OTTAWA, CANADA
45.4°N, 75.9°W SEPTEMBER 1955












Fig. 44. OTTAWA, CANADA SEPTEMBER 1955








Fig. 53. KIRUNA, SWEDEN

67.8°N, 20.3°E

AUGUST 1955




Fig. 54. KIRUNA, SWEDEN

AUGUST 1955




Fig. 55. REYKJAVIK, ICELAND

64.1°N, 21.8°W

AUGUST 1955








Fig. 56. REYKJAVIK, ICELAND

AUGUST 1955






Fig. 61. WAKKANAI, JAPAN
45.4°N, 141.7°E AUGUST 1955




Fig. 62. WAKKANAI, JAPAN AUGUST 1955




Fig. 63. AKITA, JAPAN
39.7°N, 140.1°E AUGUST 1955




















Fig. 64. AKITA, JAPAN AUGUST 1955












Fig. 81. TALARA, PERU
 4.6° S, 81.3° W JULY 1955




Fig. 82. TALARA, PERU JULY 1955




Fig. 83. KIRUNA, SWEDEN
67.8°N, 20.3°E JUNE 1955
















Fig. 84. KIRUNA, SWEDEN JUNE 1955











Fig. 98. BOMBAY, INDIA APRIL 1955




Fig. 99. MADRAS, INDIA
 13.0°N, 80.2°E












Fig. 100. MADRAS, INDIA APRIL 1955








Fig. 109. SLOUGH, ENGLAND
51.5°N, 0.6°W FEBRUARY 1955




Fig. 110. SLOUGH, ENGLAND FEBRUARY 1955




Fig. 111. SINGAPORE, BRITISH MALAYA
1.3°N, 103.8°E FEBRUARY 1955








Fig. 112. SINGAPORE, BRITISH MALAYA FEBRUARY 1955






Fig. II7. FALKLAND IS.

51.7°S, 57.8°W

JANUARY 1955




Fig. II8. FALKLAND IS.

JANUARY 1955




Fig. II9. PORT LOCKROY

64.8°S, 63.5°W

JANUARY 1955




Fig. I20. PORT LOCKROY

JANUARY 1955

Index of Tables and Graphs of Ionospheric Data
in CRPL-F136 (Part A)


	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
October 1955	11	35
Ahmedabad, India		
April 1955	18	56
Akita, Japan		
August 1955.	16	48
Baguio, P. I.		
August 1955.	16	50
Baker Lake, Canada		
September 1955	13	41
Bombay, India		
April 1955	19	57
Buenos Aires, Argentina		
September 1955	15	45
August 1955.	17	52
Calcutta, India		
April 1955	18	56
Capetown, Union of S. Africa		
June 1955	18	54
Churchill, Canada		
September 1955	13	41
De Bilt, Holland		
September 1955	14	42
Delhi, India		
April 1955	18	55
Elisabethville, Belgian Congo		
September 1955	14	44
August 1955.	17	51
Falkland Is.		
January 1955	20	62
Formosa, China		
October 1955	12	38
Ft. Monmouth, New Jersey		
October 1955	12	36
Graz, Austria		
October 1955	12	36
Guam I.		
October 1955	13	39
Inverness, Scotland		
February 1955.	19	59
Johannesburg, Union of S. Africa		
June 1955.	18	54

Index (CRPL-F136 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Kiruna, Sweden		
August 1955.	15	46
July 1955.	17	52
June 1955.	17	53
Leopoldville, Belgian Congo		
September 1955	14	44
August 1955.	16	50
Lindau/Harz, Germany		
August 1955.	15	47
Madras, India		
April 1955	19	57
Maui, Hawaii		
October 1955	12	38
Nairobi, Kenya		
May 1955	18	55
April 1955	19	58
Narsarssuak, Greenland		
October 1955	11	34
Okinawa I.		
October 1955	12	37
Oslo, Norway		
October 1955	11	34
Ottawa, Canada		
September 1955	14	43
August 1955.	15	47
Panama Canal Zone		
October 1955	13	40
Port Lockroy		
January 1955	20	62
Puerto Rico, W. I.		
October 1955	13	39
Resolute Bay, Canada		
September 1955	13	40
August 1955.	15	45
Reykjavik, Iceland		
August 1955.	15	46
Sao Paulo, Brazil		
March 1955	19	59
February 1955.	20	61
January 1955	20	61
Schwarzenburg, Switzerland		
September 1955	14	43
Singapore, British Malaya		
February 1955	20	60
Slough, England		
February 1955	20	60

Index (CRPL-F136 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Talara, Peru July 1955	17	53
Tiruchi, India April 1955.	19	58
Tokyo, Japan August 1955	16	49
Tromso, Norway October 1955.	11	33
Upsala, Sweden October 1955.	11	35
Wakkanai, Japan August 1955	16	48
Washington, D. C. November 1955	11	33
Watheroo, W. Australia August 1955	17	51
White Sands, New Mexico October 1955.	12	37
Winnipeg, Canada September 1955.	14	42
Yamagawa, Japan August 1955	16	49



CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Semiweekly:

CRPL—J. North Atlantic Radic Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499, monthly supplements to TM 11-499; Dept. of the Navy, DNC 13 () series; Dept. of the Air Force, TO 16-1B-2 series.) On sale by Superintendent of Documents, U. S. Government Printing Office, Washington 25. D. C. Members of the Armed Forces should address cognizant military office.

CRPL—F. Ionospheric Data. Limited distribution. This publication is in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic or other radio propagation data or in exchange for copies of publications on radio, physics and geophysics for the CRPL library.

Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

These circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, unless otherwise indicated.

