

CRPL-F 151 PART A

FOR OFFICIAL USE

U. S. Bureau of Standards
Boulder, Colo.

APR 4 1957

Reference is made to the
Circular Planetary Magnetism.

PART A
IONOSPHERIC DATA

ISSUED
MARCH 1957

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

CRPL-F 151
PART A

NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

Issued
22 Mar. 1957

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	2
Predicted and Observed Sunspot Numbers	5
World-Wide Sources of Ionospheric Data	6
Hourly Ionospheric Data at Washington, D. C.	8, 17, 29, 41
Examples of Ionospheric Vertical Soundings Narsarssuak, Greenland; Dec. 25, 1956.	9
Radio Noise Data	11
Tables of Ionospheric Data	17
Graphs of Ionospheric Data	41
Index of Tables and Graphs of Ionospheric Data in CRPL-F151 (Part A)	77

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N, R or S are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G (and B when applied to the daytime E region only) are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

At night B for fEs is counted on the low side when there is a numerical value of foF2; otherwise it is omitted from the median count.

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If the count is four or less, the data are considered insufficient and no median value is computed.

2. For the F2 layer, h'F or foEs, if the count is from five to nine, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as the count is at least five, the median is not considered doubtful. A count of at least 5 is considered sufficient for an h'Es median.

3. For all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when foF2 is less than or equal to foF1, leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.

- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.
- d. The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

PREDICTED AND OBSERVED SUNSPOT NUMBERS

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

Month	Predicted Sunspot Number										
	1957	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947
December	150	42	11	15	33	53	86	108	114	126	
November	147	35	10	16	38	52	87	112	115	124	
October	135	31	10	17	43	52	90	114	116	119	
September	119	30	8	18	46	54	91	115	117	121	
August	150*	105	27	8	18	49	57	96	111	123	122
July	150*	95	22	8	20	51	60	101	108	125	116
June	150*	89	18	9	21	52	63	103	108	129	112
May	150*	77	16	10	22	52	68	102	108	130	109
April	150*	68	13	10	24	52	74	101	109	133	107
March	150*	60	14	11	27	52	78	103	111	133	105
February	150*	53	14	12	29	51	82	103	113	133	90
January	150*	48	12	14	30	53	85	105	112	130	88

*This number is believed representative of solar activity at a maximum portion of the current sunspot cycle.

The latest available information follows concerning the corresponding observed Zürich numbers (some of which may be subject to minor change) beginning with the minimum of April 1954.

Observed Sunspot Number

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1954				3	4	4	5	7	8	8	9	12
1955	14	16	19	23	29	35	40	46	55	64	73	81
1956	89	98	109	119	127	137	145	148				

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 143 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Republica Argentina, Ministerio de Marina:
Buenos Aires, Argentina
Deception I.

Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:
Brisbane, Australia
Canberra, Australia
Hobart, Tasmania
Townsville, Australia

Australian Department of Supply and Shipping, Bureau of Mineral Resources, Geology and Geophysics:
Watheroo, Western Australia

University of Graz:
Graz, Austria

Meteorological Service of the Belgian Congo and Ruanda-Urundi:
Elisabethville, Belgian Congo
Leopoldville, Belgian Congo

Defence Research Board, Canada:
Baker Lake, Canada
Churchill, Canada
Ottawa, Canada
Resolute Bay, Canada
Winnipeg, Canada

Institute for Ionospheric Research, Lindau Über Northeim, Hannover, Germany:
Lindau/Harz, Germany

Indian Council of Scientific and Industrial Research, Radio Research Committee, New Delhi, India:
Ahmedabad (Physical Research Laboratory)
Bombay (All India Radio)
Calcutta (Institute of Radio Physics and Electronics)
Delhi (All India Radio)
Madras (All India Radio)
Tiruchi (All India Radio)
Kodaikanal (India Meteorological Department)

Geophysical and Geodetic Institute, Genoa, Italy:
Monte Capellino, Italy

Ministry of Postal Services, Radio Research Laboratories,
Tokyo, Japan:
Akita, Japan
Tokyo (Kokubunji), Japan
Wakkanai, Japan
Yamagawa, Japan

Christchurch Geophysical Observatory, New Zealand Department
of Scientific and Industrial Research:
Campbell I.
Christchurch, New Zealand
Rarotonga, Cook Is.

Norwegian Defence Research Establishment, Kjeller per
Lillestrom, Norway:
Tromso, Norway

Telecommunication Administration, Oslo, Norway:
Svalbard, Norway

Manila Observatory:
Baguio, P. I.

South African Council for Scientific and Industrial Research:
Capetown, Union of South Africa
Johannesburg, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:
Kiruna, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzerland:
Schwarzenburg, Switzerland

United States Army Signal Corps:
Adak, Alaska
Okinawa I.
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation
Laboratory):
Anchorage, Alaska
Fairbanks, Alaska (Geophysical Institute of the University
of Alaska)
Narsarssuak, Greenland
San Francisco, California (Stanford University)
Talara, Peru (Instituto Geofisico de Huancayo)
Washington, D. C.

HOURLY IONOSPHERIC DATA AT WASHINGTON, D. C.

The data given in tables 73 through 84 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols, Terminology, Conventions." Beginning with September 1949, the data are taken at Ft. Belvoir, Virginia.

The interpretation of a cell is as follows: U F
32

The U is a qualifying symbol meaning doubtful. Other qualifying symbols are I, interpolated, D, greater than, E, less than, J, ordinary component deduced from extraordinary, and T, value determined by a sequence of observations. Absence of a letter in the upper left position means full weight is given to the observation.

Symbols such as F above are given in the upper right position.

There should be no difficulty in the placing of the decimal point. For the time being, a final zero will be found in each value of foF1. Thus at a later date it will be possible to register more closely scaled values of this characteristic, whenever such are reported.

EXAMPLES OF IONOSPHERIC VERTICAL SOUNDINGS
NARSARSSUAK, GREENLAND; DEC. 25, 1956

The following ionograms were obtained at the Narsarssuak, Greenland ionosphere vertical sounding station of the U.S. National Bureau of Standards. They are typical of day and night conditions for December at this geomagnetic latitude (71°N). Ionospheric data are scaled directly from these records onto the daily f-plot, a graph of frequency characteristics vs. time. The f-plot for the day represented by these soundings is found on the following page.




Fig. A. Narsarssuak, Greenland, Dec. 25, 1956, 0000 hour, 45°W time.





Fig. B. Narsarssuak, Greenland, Dec. 25, 1956, 1200 hours, 45°W time.



Radio Noise Data

The results of radio noise measurements are presented in the following graphs and tables. These are based on three parameters of the noise: (1) the mean power, (2) the mean envelope voltage, and (3) the mean logarithm of the envelope voltage. The mean power averaged over a period of several minutes is the basic parameter and is expressed as an effective antenna noise figure, F_a . F_a is defined as the noise power available from an equivalent lossless antenna in db above ktb (the thermal noise power available from a passive resistance) where

$$k = \text{Boltzman's constant } (1.38 \times 10^{-23} \text{ joules per degree Kelvin})$$

$t = \text{Absolute room temperature (taken as } 288^{\circ} \text{ K)}$

$b = \text{Bandwidth in cycles per second.}$

The mean voltage and mean logarithm are expressed as deviations, V_d and L_d respectively, in db below the mean power.


Measurements of these parameters were made with the National Bureau of Standards Radio Noise Recorder, Model ARN-2, which uses a standard 21.75' vertical antenna and provides a 15 minute recording on each frequency each hour. These 15 minute samples were taken as representing the noise conditions for the full hour. The month-hour medians, F_{am} , V_{dm} , and L_{dm} were determined from these hourly values for each of the corresponding parameters and the resulting medians are plotted at the half-hour point on the curves.

The upper and lower decile values of F_a are also reported in the following tabulation to give an indication of the extent of the variation of the noise power from day to day at a given time of day. These are expressed in db above and below the month-hour median, F_{am} , and designated by D_u and D_l respectively.

If it is desirable to convert F_a to an r.m.s. noise field strength, E_n , the nomogram or the equation on the following page may be used.

Information on expected worldwide noise levels and their application to systems problems is presented in NBS Circular 557 (available from the Supt. of Documents, U. S. Govt. Printing Office, Washington 25, D. C.). More recent estimates of radio noise levels are given in CCIR Report No. 65, "Report on Revision of Atmospheric Radio Noise Data", Warsaw, 1956 (available from the International Telecommunication Union, Geneva).

NOMOGRAM FOR TRANSFORMING EFFECTIVE ANTENNA NOISE FIGURE
TO NOISE FIELD STRENGTH AS A FUNCTION OF FREQUENCY



$$E_n = F_a + 20 \log_{10} f_{Mc} - 65.5$$

F_a = Effective Antenna Noise Figure = External Noise Power Relative to ktb Available from an Equivalent Short, Lossless, Vertical Antenna in db Above ktb.

E_n = Equivalent Vertically Polarized Ground Wave R.M.S. Noise Field Strength in db Above $1\mu v/meter$ for a 1kc Bandwidth.

f_{Mc} = Frequency in Megacycles.

RADIO NOISE DATA


Station Bill, Wyoming Lat. 43.2° N Long. 105.2° W Type Recorder ARN-2 Month Dec. 19 56

	Local Mean Time																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
51 kc																								
F _{am}	118	120	120	120	120	120	118	116	114	112	116	*114	*113	*109	*116	*112	116	116	118	118	118	120	120	118
D _u	8	8	10	10	10	10	6	8	10	12	6						6	6	8	12	10	8	10	10
D _f	2	2	2	2	2	4	2	6	4	4	8						10	6	8	6	4	6	4	2
V _{dm}																								
L _{dm}																								
113 kc																								
F _{am}	104	104	106	106	106	104	102	102	100	100	102	*102	*102	*101	*102	*106	104	104	106	106	104	106	104	104
D _u	10	10	6	6	6	8	6	4	6	8	4						4	8	8	10	8	8	10	8
D _f	4	2	6	6	8	6	4	8	4	4	4						8	6	6	8	4	6	4	4
V _{dm}																								
L _{dm}																								
246 kc																								
F _{am}	88	90	90	90	88	88	86	86	86	*88	88	*90	*86	*88	*90	90	90	90	92	94	92	90	92	90
D _u	10	10	8	8	12	12	10	10	10		8					6	6	6	6	4	8	10	8	10
D _f	4	4	4	6	4	4	8	8	8		6					8	8	8	8	10	8	6	8	4
V _{dm}																								
L _{dm}																								
545 kc																								
F _{am}	75	73	75	73	73	73	71	65	71	69	67	*70	*68	*67	*68	69	71	73	77	79	77	79	79	75
D _u	10	8	6	6	6	6	6	10	4	6	6					4	6	14	8	6	10	10	8	10
D _f	6	8	8	6	6	2	4	0	6	4	4					2	6	6	6	8	4	8	2	4
V _{dm}																								
L _{dm}																								
2.5 Mc																								
F _{am}	46	46	46	44	44	44	42	40	24	22	20	22	*22	*19	*22	24	26	38	42	42	44	44	44	44
D _u	12	12	16	16	18	14	8	4	4	4	8	6				12	16	12	14	20	14	14	12	14
D _f	8	6	8	4	6	8	6	8	4	4	2	4				4	4	10	6	2	6	2	4	6
V _{dm}																								
L _{dm}																								
5 Mc																								
F _{am}	48	48	50	48	48	48	46	44	30	26	24	24	*23	*25	*25	28	36	42	48	48	46	48	48	46
D _u	8	8	6	8	10	10	6	4	6	4	6	6				4	8	6	4	6	10	8	8	10
D _f	6	6	6	4	4	4	4	6	8	2	2	0				4	6	6	8	6	4	6	6	6
V _{dm}																								
L _{dm}																								
10 Mc																								
F _{am}	38	40	38	38	38	36	34	34	30	24	22	*23	*22	*25	*28	36	38	38	40	42	40	40	40	40
D _u	2	4	4	6	6	4	3	4	8	4	6					4	8	8	6	4	6	6	6	8
D _f	6	6	6	4	6	6	4	4	6	4	2					8	4	4	4	4	4	4	4	4
V _{dm}																								
L _{dm}																								
20 Mc																								
F _{am}	27	27	27	27	27	27	27	29	31	29	31	*30	*32	*33	*34	31	33	33	33	29	27	27	27	27
D _u	2	2	2	2	2	2	6	4	2	2	2					14	12	18	8	14	6	2	4	6
D _f	2	2	2	2	2	2	0	2	4	2	4					2	2	2	6	2	0	2	2	2
V _{dm}																								
L _{dm}																								

* Average of less than 15 observations.


RADIO NOISE DATA

Station Boulder, Colorado Lat. 40. 1° N Long. 105. 1° W Type Recorder ARN-2 Month Dec. 19 56




BILL, WYOMING

DECEMBER 1956




BOULDER, COLORADO


DECEMBER 1956

51 kc
BOULDER, COLORADO


DECEMBER 1956

113 kc
BOULDER, COLORADO


DECEMBER 1956

246 kc
BOULDER, COLORADO

DECEMBER 1956

545 kc
BOULDER, COLORADO

DECEMBER 1956



TABLES OF IONOSPHERIC DATA

17

Table 1

Washington, D. C. (38.7°N, 77.1°W)		February 1957					
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs (M3000)F2
00	6.0	270				2.80	
01	5.6	270				2.80	
02	5.5	270				2.85	
03	5.5	270				2.80	
04	5.2	270				2.80	
05	5.2	260				2.85	
06	4.8	260			(2.6)	2.90	
07	6.4	240			---	1.80	
08	9.2	235			116	2.45	
09	(240)	11.3	230		115	3.00	
10	240	12.2	230	---	112	3.30	
11	250	12.8	230		115	3.50	
12	250	12.9	225		115	3.60	
13	250	12.6	230		115	3.60	
14	245	12.6	230		115	3.45	
15	250	12.4	235		113	3.20	
16	---	12.0	235		115	2.80	
17		11.9	240		119	2.20	
18		11.4	230			3.00	
19		9.8	225			2.90	
20		8.6	235		(2.4)	2.90	
21		7.6	240			2.90	
22		6.8	250		(2.8)	2.90	
23		6.4	260			2.80	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 2

Graz, Austria (47.1°N, 15.5°E)		January 1957					
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	335		4.3				
01	305		4.3				
02	320		4.2				
03	305		4.3				
04	300		4.1				
05	280		3.8				
06	(300)		3.6				
07	280		4.6				
08	210		8.0				
09	210		11.0				
10	220		D				
11	220		0				
12	230		D				
13	230		0				
14	235		D				
15	230		0				
16	210		11.3				
17	210		8.9				
18	240		7.8				
19	240		6.8				
20	250		5.5				
21	290		4.2				
22	300		4.1				
23	300		4.0				

Time: 15.0°E.

Sweep: 2.5 Mc to 11.5 Mc in 2 minutes.

Table 3

Fairbanks, Alaska (64.9°N, 147.8°W)		December 1956					
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(4.8)				5.1	(2.85)	
01	(4.5)				6.0	(2.70)	
02	(4.8)				5.9	(2.70)	
03	(5.0)				5.4	(2.70)	
04	(4.7)				5.2	(2.70)	
05	(4.7)				5.0	(2.75)	
06	(4.7)				4.3	(2.80)	
07	(4.8)				4.0	(2.80)	
08	(5.0)				3.0	(2.80)	
09	(6.1)				(3.00)		
10	8.2	111	---		3.10		
11	10.0	111	---		3.10		
12	11.5	107	2.1		3.05		
13	12.5	109	---		3.05		
14	12.5	111	---		3.05		
15	11.5				3.00		
16	10.6				3.05		
17	9.0				3.10		
18	(7.2)				3.20		
19	(5.0)				(3.10)		
20	(3.9)				3.4	(2.90)	
21	(3.9)				4.2	(3.00)	
22	(4.2)				5.0	(3.00)	
23	(4.6)						

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 4

Anchorage, Alaska (61.2°N, 149.9°W)		December 1956					
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	3.1						2.55
01	3.1						2.55
02	3.1						2.45
03	3.2						2.50
04	3.3						2.45
05	(3.8)						2.50
06	(3.8)					1.8	(2.55)
07							
08	4.5						2.65
09	6.5				115	(1.8)	2.70
10	9.1				(121)	1.9	2.95
11	10.8				(125)	2.1	3.00
12	12.3				127	2.2	3.00
13	13.0				129	2.2	2.95
14	13.0				(131)	2.0	3.00
15	12.1						2.95
16	11.2						2.90
17	9.6						3.00
18	8.1						2.95
19	5.8						3.00
20	3.8						2.85
21	(3.3)						2.90
22	(3.1)						2.80
23	2.9						2.65

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 5

Narsarssuk, Greenland (61.2°N, 45.4°W)		December 1956					
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	---				4.4	----	
01	---				4.3	----	
02	---				4.5	----	
03	---				4.4	----	
04	---				4.6	----	
05	---				4.4	----	
06	(4.6)				4.0	(2.90)	
07	(4.9)				2.3	(2.80)	
08	(5.0)				(2.85)		
09	(7.2)				(3.05)		
10	(10.1)				3.05		
11	12.5	129	2.3		3.00		
12	13.6	129	2.4		3.05		
13	13.7	132	2.3		3.00		
14	(12.8)	141	2.1		(3.05)		
15	(11.3)	---	---	1.7	(3.10)		
16				2.2	----		
17				3.6	----		
18				3.8	----		
19				4.0	----		
20				4.0	----		
21				4.9	----		
22				4.7	----		
23				4.2	----		

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 6

Adak, Alaska (51.9°N, 176.6°W)		December 1956					
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	330		2.8				(2.55)
01	330		2.8				(2.55)
02	330		2.9				(2.55)
03	<330		2.8				(2.55)
04	<320		2.9				(2.55)
05	300		2.8				2.60
06	280		2.8				1.7
07	250	(4.0)					(2.55)
08	230	7.4					3.10
09	230	10.5					3.15
10	230	12.1					3.10
11	230	13.3	220				3.05
12	230	13.6					3.00
13	230	13.0					3.00
14	230	12.5					2.95
15	230	11.5					2.95
16	<230	10.0					3.00
17	220	8.1					2.95
18	220	6.0					3.05
19	<240	4.4					3.15
20	240	2.8					3.05
21	290	2.6					2.70
22	320	2.6					2.55
23	<330	(2.7)					(2.60)

Time: 180.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 7

San Francisco, California (37.4°N, 122.2°W)

December 1956

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	---	3.3					2.60	
01	---	3.4				(3.0)	2.55	
02	---	3.4				(3.0)	2.50	
03	---	3.4				(3.4)	2.55	
04	---	3.4				(2.8)	2.65	
05	---	3.4				3.2	2.60	
06	---	3.4				(3.2)	2.70	
07	260	5.3				(3.4)	2.80	
08	230	(9.1)			123	>2.5	(3.20)	
09	230	11.5	---	---	115	>2.9	(3.10)	
10	220	(12.5)	225	---	115	>3.4	(3.00)	
11	230	>13.0	220	---	113	>3.6	(2.90)	
12	230	(13.1)	225	---	115	>3.6	(2.80)	
13	300	(12.6)	230	---	115	>3.6	(2.70)	
14	250	(12.5)	230	---	115	>3.4	3.7	(2.70)
15	240	>12.4	230	---	115	3.1	3.8	(2.70)
16	230	>12.0	240	---	---	3.7	(2.80)	
17	230	>11.0	---	---	---	3.7	2.85	
18	230	9.7				(3.6)	2.90	
19	230	>8.0				(3.3)	3.00	
20	230	6.2				(3.6)	3.05	
21	230	4.0				(4.0)	3.10	
22	---	3.5				(3.5)	2.80	
23	---	3.3					2.60	

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 8

White Sands, New Mexico (32.3°N, 106.5°W)

December 1956

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	(270)							
01	(270)							
02	<280							
03	(280)							
04	(280)							
05	(280)							
06	(260)							
07	250	6.5						
08	230	10.3	230	---	---	---	---	3.00
09	240	12.0	230	---	111	(3.2)	3.2	3.15
10	250	12.8	230	---	109	(3.5)	3.7	3.05
11	(280)	13.0	225	---	109	(3.7)	3.9	2.90
12	(310)	13.0	230	---	109	(3.8)	4.2	2.80
13	(290)	12.6	230	---	111	(3.7)	4.0	2.70
14	(300)	12.4	230	---	110	(3.6)	4.4	2.70
15	(290)	12.0	235	---	111	3.2	3.8	2.70
16	240	11.7	230	---	113	2.7	3.3	2.75
17	230	11.0	---	---	---	---	3.1	2.85
18	230	9.8						3.4
19	230	8.4						3.2
20	230	7.2						3.2
21	230	5.3						3.00
22	<250	4.2						3.05
23	(260)	3.9						3.5

Time: 105.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 9

Okinawa I. (26.3°N, 127.8°E)

December 1956

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240	8.0					2.70	
01	260	7.4					2.85	
02	250	7.0					2.90	
03	240	6.3					2.90	
04	240	5.2					2.90	
05	250	4.7					2.80	
06	<260	4.5					2.65	
07	300	6.8					2.80	
08	250	11.4	---	---	119	(2.5)	3.5	3.05
09	240	13.8	250	---	111	(3.2)	4.5	3.10
10	---	14.3	240	---	111	(3.5)	4.5	3.00
11	---	13.8	230	---	111	(3.8)	5.0	2.80
12	---	14.3	230	---	111	(3.8)	4.9	2.65
13	(350)	15.0	230	---	111	(3.8)	5.0	2.60
14	360	15.3	230	---	(111)	(3.7)	4.4	2.60
15	---	15.8	235	---	111	(3.4)	4.8	2.60
16	---	15.6	245	---	115	(3.1)	3.9	2.65
17	250	15.0	---	---	126	(2.5)	3.5	2.70
18	240	14.5					3.0	2.75
19	240	13.2					2.7	2.75
20	250	13.6					2.1	2.75
21	240	13.4					2.85	
22	230	12.5					2.90	
23	230	10.0					2.80	

Time: 135.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 10

Baguio, P. I. (16.4°N, 120.6°E)

December 1956

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	220	11.0						2.95
01	220	10.4						3.00
02	230	9.1						3.05
03	220	7.5						3.05
04	230	6.2						2.95
05	240	5.7						2.90
06	270	6.1						2.80
07	270	9.9						2.85
08	250	13.1					111	3.1
09	240	14.6	---	---	---	---	111	(3.6)
10	---	14.8	230	---	---	---	111	(3.9)
11	---	14.5	220	---	---	---	109	(4.0)
12	---	13.9	215	---	---	---	109	4.0
13	---	13.5	220	---	---	---	109	(4.2)
14	---	13.0	230	---	---	---	109	3.8
15	---	12.9	235	---	---	---	111	3.5
16	250	13.2	250	---	---	---	117	3.0
17	270	13.2					127	2.2
18	300	13.2						3.6
19	320	12.7						2.3
20	310	12.8						3.6
21	270	13.0						2.50
22	250	12.6						3.7
23	230	11.5						2.70

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 11

Anchorage, Alaska (61.2°N, 149.9°W)

November 1956

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00							3.0	(2.60)
01							3.8	(2.45)
02	3.9				4.0		2.35	
03	3.2				4.1		2.45	
04	3.8				3.4		2.45	
05	3.6				3.3		2.50	
06	(3.9)				1.8	(2.40)		
07	(4.6)					(2.60)		
08	5.5		---	---		2.80		
09	7.0		---	---		2.90		
10	8.9		---	---	2.5	2.95		
11	10.8		---	129	2.8	3.00		
12	11.8		---	127	2.7	2.90		
13	12.6		---	2.7		2.90		
14	12.6		---	2.3		2.90		
15	12.5		---	---		2.90		
16	11.7					2.90		
17	10.0					2.90		
18	8.2					2.95		
19	6.3					2.95		
20	4.4					(2.90)		
21	4.2					(2.95)		
22	3.8					(2.85)		
23	(3.4)					(2.70)		

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 12

Narsarssuak, Greenland (61.2°N, 45.4°W)

November 1956

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00								4.5
01								5.0
02								3.8
03								3.9
04								3.7
05								4.0
06								3.4
07								
08								(3.05)
09								(9.1)
10								113
11								2.6
12								3.00
13								3.00
14								2.90
15								(2.90)
16								(11.2)
17								129
18								2.3
19								3.7
20								4.2
21								4.6
22								4.7
23								5.4

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 13

San Francisco, California (37.4°N, 122.2°W)							November 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	<300	4.1					2.60	
01	300	>4.0					2.50	
02	300	(4.0)					(2.60)	
03	300	4.0					2.60	
04	<300	4.0					2.50	
05	---	3.8					2.60	
06	<300	4.0					(3.6)	2.60
07	250	>6.8					(3.8)	2.85
08	230	>10.5					2.6	(3.00)
09	230	(12.2)					121	---
10	230	>12.9	230		(119)	---		(2.95)
11	(230)	>13.5	230		(121)	---	3.5	(2.80)
12	---	(13.6)	230		(119)	>3.6		(2.80)
13	---	(13.4)	230		119	>3.5		(2.75)
14	---	(13.4)	230		(119)	3.4		(2.70)
15	240	13.0	240		(119)	>3.0		(2.75)
16	240	(12.8)	230				(2.8)	(2.70)
17	230	12.2	---				(3.6)	2.75
18	240	>11.0					(3.7)	2.80
19	230	9.4					(3.4)	2.90
20	230	7.6					(3.5)	3.00
21	<240	5.8					(3.0)	2.90
22	<260	5.0					(3.2)	2.80
23	<280	(4.3)						(2.70)

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 15

Resolute Bay, Canada (74.7°N, 94.9°W)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00		6.0			140	1.4	1.4	---
01	5.5		130		1.3		---	
02	5.4		130		1.2		---	
03	5.2		120		1.3	1.3	---	
04	5.3		120		1.6		---	
05	5.4		120		1.7	3.4		
06	5.9	---	120		1.9		(2.95)	
07	6.0	3.8	115		2.3		(2.8)	
08	6.2	3.9	120		2.5		(2.7)	
09	6.6	4.0	110		2.7		(2.8)	
10	6.6	4.1	115		2.9		---	
11	6.6	4.3	110		2.8		(2.7)	
12	6.8	4.3	110		3.0		(2.45)	
13	6.6	4.4	110		3.0		---	
14	6.7	4.2	110		2.9		---	
15	6.8	4.2	115		2.8		(2.45)	
16	6.4	4.0	120		2.7		---	
17	6.7	3.8	120		2.4		(2.7)	
18	7.0	---	130		2.0		2.6	
19	6.5	---	140		1.8		(2.6)	
20	6.2		135		1.7		---	
21	6.0		135		1.5	<1.6	---	
22	6.0		140		1.3	<1.3	---	
23	6.0		140		1.4		---	

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 17

Kiruna, Sweden (67.8°N, 20.3°E)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	310	(5.0)					4.0	2.5
01	340	5.0					4.0	2.55
02	340	(5.0)					4.0	2.6
03	325	4.5					3.5	2.6
04	315	4.3				E	3.0	2.6
05	280	5.2	---	---		E	3.8	2.7
06	255	6.1	260		105	2.0	3.6	2.8
07	255	6.4	250		---	2.3	4.3	2.8
08	260	6.8	245		4.2	---	2.5	3.6
09	(275)	7.8	240		4.6	105	2.9	2.8
10	---	8.3	235		4.8	105	3.0	2.7
11	---	8.8	230		4.9	105	4.2	2.7
12	---	8.6	230		5.0	105	4.3	2.7
13	(315)	8.2	235		4.7	105	3.0	<4.2
14	(240)	8.0	240		---	110	2.9	2.8
15	250	8.0	240		---	110	2.8	2.8
16	250	7.9	250		---	2.4	4.2	2.9
17	260	7.0	260		---	2.0	3.4	2.85
18	270	6.6	250		---	1.3	3.5	2.8
19	255	6.0				E	3.4	2.8
20	260	6.0					3.8	2.8
21	275	5.5						4.0
22	310	5.8						4.3
23	320	5.0						2.5

Time: 15.0°E.

Sweep: 0.8 Mc to 14.0 Mc in 30 seconds.

Table 14

Anchorage, Alaska (61.2°N, 149.9°W)							October 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00							3.2	
01							3.3	
02							(3.4)	
03							(3.1)	
04							(3.8)	
05							3.6	
06							(4.0)	
07							5.8	
08							7.0	
09							7.8	
10							8.8	
11							9.6	
12							9.8	
13							10.6	
14							10.8	
15							10.8	
16							10.6	
17							10.0	
18							9.0	
19							7.4	
20							6.4	
21							4.7	
22							4.2	
23							(3.4)	

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 16

Tromso, Norway (69.7°N, 19.0°E)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00							5.80	
01	(345)						(5.30)	
02	(330)						(5.10)	
03	(310)						(5.00)	
04	300						4.90	
05	280						5.35	
06	260						6.30	
07	255						6.75	
08	(255)						7.30	
09	(280)						8.00	
10	(270)						8.30	
11	(270)						8.50	
12	(290)						8.50	
13	(250)						8.10	
14	(250)						7.90	
15	(250)						7.90	
16	250						7.50	
17	250						6.70	
18	255						6.60	
19	255						6.70	
20	270						7.10	
21	275						(5.50)	
22	(295)						5.40	
23	(345)						(5.85)	

Time: 15.0°E.

Sweep: 0.7 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 18

Baker Lake, Canada (64.3°N, 96.0°W)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00							6.0	
01							5.8	
02							5.3	
03							4.4	
04							4.3	
05							4.6	
06							5.0	
07							5.4	
08							4.4	
09							4.4	
10							6.2	
11							6.5	
12							7.0	
13							7.9	
14							8.0	
15							7.2	
16							4.6	
17							115	
18							7.0	
19							6.5	
20							6.5	
21							120	
22							1.9	
23							6.5	

Time: 90.0°W.

Sweep: 1.0 Mc to 16.0 Mc in 16 seconds.

Table 19

Lindau/Harz, Germany (51.6°N, 10.1°E)							September 1956		
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	300	5.70				2.8	2.50		
01	300	5.50				3.0	2.50		
02	300	5.10				2.5	2.50		
03	300	4.85			---	E	2.8	2.45	
04	300	4.65			---	E	2.6	2.50	
05	290	4.35			---	E	3.0	2.60	
06	260	5.20	---	---	---	E	3.1	2.85	
07	240	6.70	250	---	120	2.35	3.4	3.00	
08	250	7.85	240		110	2.90	3.5	2.95	
09	270	8.55	230	---	110	3.20	3.6	2.85	
10	280	9.05	230	4.70	110	3.40	4.5	2.80	
11	300	9.75	230	5.40	105	3.50	4.4	2.75	
12	320	9.90	225	5.30	110	3.50	4.9	2.70	
13	335	10.25	230	---	110	3.45	4.3	2.70	
14	330	10.10	240	---	110	3.50	4.0	2.70	
15	(315)	9.95	240	---	110	3.35	3.9	2.75	
16	290	9.75	240	---	110	3.10	3.8	2.75	
17	250	9.85	250	---	110	2.70	3.5	2.80	
18	260	9.95	---	---	---	2.10	3.6	2.80	
19	250	9.45			---	E	3.8	2.85	
20	250	8.20			---	E	3.6	2.80	
21	250	7.00			---	E	3.4	2.75	
22	270	6.50				3.1	2.65		
23	300	5.95				3.0	2.55		

Time: 15.0°E.
Sweep: 1.0 Mc to 16.0 Mc in 4 minutes.

Table 21

Graz, Austria (47.1°N, 15.5°E)							September 1956		
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	330	6.6							
01	330	6.0							
02	330	5.7							
03	330	5.3							
04	340	5.0							
05	300	5.0							
06	255	6.2							
07	230	7.0	250	(4.0)					
08	230	7.6	230	(5.2)					
09	250	7.8	230	(5.2)	(3.7)	3.8			
10	250	8.7	220	(5.4)	(3.8)	4.0			
11	260	9.0	220	(5.3)	(3.9)	4.2			
12	280	10.3	220	(5.4)		4.0			
13	280	10.2	220	(5.3)		3.8			
14	275	10.3	220	(5.2)					
15	240	9.9	230						
16	230	9.4							
17	245	(8.8)							
18	250	(8.6)			4.1				
19	250	(6.6)			4.3				
20	250	7.8							
21	270	6.9							
22	300	6.6							
23	300	6.2							

Time: 15.0°E.
Sweep: 2.5 Mc to 11.0 Mc in 2 minutes.

Table 23

Ottawa, Canada (45.4°N, 75.9°W)							September 1956		
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00						<1.6	2.6		
01						<1.6	2.6		
02						<1.6	2.6		
03						<1.6	2.6		
04						<1.6	2.6		
05						<1.6	2.7		
06	5.3		125	2.0			2.9		
07	7.0	---	110	2.7			2.9		
08	7.8	4.8	110	3.2			2.9		
09	8.8	5.2	110	3.5			2.8		
10	9.1	5.2	105	3.8			2.8		
11	9.5	5.3	105	3.9			2.8		
12	9.8	5.3	110	3.9			2.7		
13	10.0	5.3	105	3.9			2.7		
14	10.2	5.3	110	3.8			2.7		
15	10.0	5.1	110	3.5			2.7		
16	9.8	4.9	110	3.2			2.7		
17	9.6	---	115	2.8			2.7		
18	9.2		125	2.0			2.8		
19	8.9	---	---	<1.6			2.8		
20	8.0	---	---	<1.5			2.8		
21	6.8				<1.5		2.75		
22	6.2				<1.5		2.7		
23	5.9				<1.5		2.6		

Time: 75.0°W.
Sweep: 1.0 Mc to 15.0 Mc in 15 seconds.

Table 19

Table 20

Winnipeg, Canada (49.9°N, 97.4°W)							September 1956		
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00						4.5		<1.6	
01						4.5		<1.5	
02						4.2		2.70	
03						4.0		<1.7	
04						4.0		<2.1	
05						3.9		(2.70)	
06						4.5		<1.6	
07						5.7	---	2.80	
08						6.5	130	3.00	
09						7.1	110	3.00	
10						7.8	110	3.4	
11						8.0	110	3.7	
12						8.6	110	3.8	
13						8.8	110	3.7	
14						8.8	110	2.70	
15						9.0	110	3.4	
16						9.3	110	3.0	
17						9.0	120	2.80	
18						8.8	130	2.1	
19						8.4	---	2.90	
20						7.4	---	<1.5	
21						6.8	---	2.80	
22						5.7	---	<1.5	
23						5.1	---	2.80	

Time: 90.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 22

Schwarzenburg, Switzerland (46.8°N, 7.3°E)							September 1956		
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	300	6.0						2.8	
01	300	5.9						2.8	
02	300	5.7						2.8	
03	300	4.9						2.8	
04	300	4.8						2.8	
05	290	4.5						2.8	
06	280	5.0	270	3.2	100	2.2		3.3	
07	260	7.0	240	4.0	100	2.4		3.4	
08	260	8.0	230	4.8	100	2.8		3.4	
09	260	8.6	220	5.1	100	3.2		3.3	
10	260	9.0	220	5.3	100	3.4		3.25	
11	260	9.0	220	5.6	100	3.5	3.9	3.2	
12	270	9.4	210	6.1	100	3.6		3.1	
13	290	9.5	220	6.0	100	3.6		3.2	
14	280	9.4	220	6.0	100	3.4		3.0	
15	270	9.2	220	5.5	100	3.3		3.1	
16	270	8.5	230	5.3	100	3.1		3.2	
17	270	8.7	260	4.8	100	2.4	2.8	(3.2)	
18	250	8.5	---	---	---	---	3.5	(3.3)	
19	240	7.8					3.2	3.2	
20	240	7.0					2.6	3.1	
21	240	6.0						3.0	
22	260	6.3						2.8	
23	280	6.2						2.9	

Time: 15.0°E.
Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 24

Wakkanai, Japan (45.4°N, 141.7°E)							September 1956		
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	280	6.8						1.8	
01	290	6.5						2.2	
02	300	6.1						2.2	
03	280	6.0						2.2	
04	280	5.8							
05	270	6.1							
06	230	7.9							
07	240	9.2							
08	250	10.6							
09	260	10.8							
10	250	11.2							
11	280	11.6							
12	300	11.2							
13	320	11.2							
14	300	11.0							
15	270	10.8							
16	250	10.5							
17	240	10.5							
18	230	10.0						3.0	
19	240	8.8						3.2	
20	250	8.3						2.4	
21	260	7.5							

Table 25

Monte Capellino, Italy (44.6°N, 9.0°E)							September 1956
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00		6.5					
01		6.2					
02		5.8					
03		5.4					
04		5.1					
05		5.2					
06		6.6		2.0			
07		8.4		2.7			
08		9.4		3.2			
09		10.8		3.4			
10		11.0		3.6			
11		10.8		3.6			
12		10.8		3.7			
13		11.4		3.7			
14		11.2		3.6			
15		11.2		3.5			
16		10.8		3.1			
17		11.0		2.7			
18		10.2		1.7			
19		9.3					
20		8.8					
21		7.1					
22		6.6					
23		6.2					

Time: Local.

Table 27

Tokyo, Japan (35.7°N, 139.5°E)							September 1956
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	7.5			2.4	2.7	
01	300	7.3			1.9	2.6	
02	300	7.0			2.1	2.5	
03	290	6.7			2.0	2.6	
04	280	6.4			2.0	2.6	
05	290	6.5				2.7	
06	250	9.0	---	---	130	2.1	2.8
07	240	11.0	240	---	120	2.9	3.1
08	240	10.9	240	---	120	3.3	3.0
09	250	11.4	230	5.0	120	3.6	3.7
10	250	>11.0	230	5.4	120	3.8	2.8
11	260	12.0	220	5.7	110	3.7	2.7
12	260	11.8	230	5.5	110	3.8	2.7
13	260	12.5	240	5.8	110	3.8	2.7
14	270	11.5	240	6.0	110	3.7	2.7
15	270	11.6	250	---	110	3.4	3.6
16	270	11.3	250	---	120	3.0	2.8
17	260	11.6	---	---	130	2.2	3.6
18	260	10.8				3.5	2.9
19	250	9.2				2.9	2.9
20	260	8.4				2.4	2.6
21	290	8.0				2.3	2.7
22	290	8.0				1.8	2.7
23	300	7.6				2.4	2.7

Time: 135.0°E.

Sweep: 1.0 Mc to 17.2 Mc in 2 minutes.

Table 29

Leopoldville, Belgian Congo (4.4°S, 15.2°E)							September 1956
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	210	11.2					2.6
01	235	10.1					2.6
02	235	9.0					
03	230	7.5			1.4	2.7	
04	220	5.8			2.0	2.9	
05	240	6.9			1.8	3.0	
06	240	9.8	235	---	---	2.8	2.9
07	255	10.6	230	---	120	2.9	3.5
08	275	11.6	220	---	110	3.8	4.5
09	300	12.5	215	---	110	4.0	4.9
10	340	13.2	210	---	105	4.1	4.4
11	410	>13.4	240	---	105	4.1	2.3
12	420	14.0	240	5.2	105	4.1	<2.3
13	425	14.3	240	---	105	4.0	2.2
14	425	>14.4	240	---	105	3.7	3.8
15	405	>14.0	240	---	110	3.2	4.0
16	360	>14.0	260	---	115	2.6	3.5
17	300	>13.4	---	---		3.0	<2.5
18	330	>13.5	---	---		3.0	<2.6
19	270	---				<2.8	
20	220	>14.0				<3.0	
21	210	>14.0				<3.0	
22	210	>14.0				<2.8	
23	215	>13.3				2.6	

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 26

Akita, Japan (39.7°N, 140.1°E)							September 1956
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	290				7.1		2.5
01	300				6.9		2.7
02	290				6.6		3.0
03	290				6.5		2.7
04	290				6.3		3.1
05	300				6.5		2.5
06	250				8.6		3.1
07	240				10.2		3.4
08	240				11.6		
09	250				11.8		
10	240				11.9		
11	250				12.0		
12	250				12.0		
13	250				12.0		
14	250				11.9		
15	260				11.6		
16	250				11.4		
17	260				11.2		3.5
18	250				10.5		3.2
19	250				9.2		3.1
20	260				8.2		3.0
21	280				7.6		2.9
22	290				7.5		3.0
23	290				7.2		2.6

Time: 135.0°E.

Sweep: 0.85 Mc to 22.0 Mc in 2 minutes.

Table 28

Yamagawa, Japan (31.2°N, 130.6°E)							September 1956
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	270				9.2		2.3
01	260				8.7		>2.2
02	280				8.0		>2.2
03	260				7.4		>2.2
04	250				6.8		
05	260				6.4		
06	270				7.2		
07	240				10.5		
08	240				11.6		
09	230				11.8		4.6
10	240				12.2		4.9
11	240				12.8		
12	240				13.5		4.5
13	240				13.5		4.9
14	250				13.5		
15	270				14.0		
06	270				4.6		3.3
07	260				8.7		2.70
08	240				11.2	2.5	3.00
09	---				12.5	3.2	2.95
10	---				13.0	3.2	3.05
11	---				13.0	3.6	
12	---				13.0	4.0	
13	---				13.0	4.2	
14	---				12.8	4.2	
15	---				12.4	4.2	
16	(230)				12.0	4.2	
17	250				11.8	4.2	
18	280				11.6	4.6	
19	360				10.4	4.8	
20	380				10.4	4.8	
21	300				(11.7)	4.8	
22	240				(12.2)	4.8	
23	220				12.0	4.8	

Time: 135.0°E.

Sweep: 1.0 Mc to 22.0 Mc in 1 minute.

Table 30

Talara, Peru (4.6°S, 81.3°W)							September 1956
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	220				11.6		2.7
01	230				10.3		(3.0)
02	240				9.2		(2.2)
03	230				7.6		3.15
04	230				6.2		2.7
05	240				4.8		2.5
06	270				4.6		3.10
07	260				8.7		2.70
08	240				11.2	2.5	3.00
09	---				12.5	3.2	2.80
10	---				13.0	3.2	2.55
11	---				13.0	3.6	2.35
12	---				13.0	4.0	2.30
13	---				13.0	4.2	2.15
14	---				12.8	4.2	2.0
15	---				12.4	4.2	2.15
16	(230)				12.0	4.2	2.20
17	250				11.8	4.2	2.20
18	280				11.6	4.6	2.20
19	360				10.4	4.8	3.2
20	380				10.4	4.8	2.30
21	300				(11.7)	4.8	2.0
22	240				(12.2)	4.8	(2.50)
23	220				12.0	4.8	3.3

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 31

Elisabethville, Belgian Congo (11.6°S, 27.5°E)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	230	7.0				2.5		
01	260	5.9			1.6	2.5		
02	260	5.8				2.7		
03	240	4.8			1.6	2.8		
04	250	6.0	---	---		2.2	2.7	
05	240	9.6	240	---	110	2.7	2.0	3.0
06	250	11.0	230	---	110	3.3	2.8	
07	255	11.2	220	---	110	3.7	2.7	
08	265	11.8	220	---	105	4.0	2.6	
09	270	11.9	220	---	105	4.0	2.5	
10	335	12.0	225	---	105	4.0	2.4	
11	370	12.1	240	6.5	110	4.0	2.4	
12	355	12.4	240	6.1	105	3.8	2.4	
13	355	12.8	240	5.9	105	3.6	3.8	2.3
14	340	12.8	240	---	110	3.3	3.6	2.4
15	320	13.0	250	---	115	2.7	3.3	2.4
16	270	13.4				2.9	2.5	
17	270	13.7				2.6	2.5	
18	260	>14.0				2.7	2.6	
19	230	>13.5				2.4	2.6	
20	220	13.3				2.7		
21	230	12.8				2.7		
22	220	11.1				2.8		
23	215	9.0				2.7		

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 33

Johannesburg, Union of S. Africa (26.2°S, 28.1°E)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	5.7				2.9		
01	250	5.2				2.8		
02	250	5.0				2.9		
03	<250	4.6				2.8		
04	250	4.3				2.8		
05	260	4.0				2.8		
06	260	6.0	---	---	1.8	3.0		
07	230	9.1	---	---	120	2.6	3.3	
08	250	10.9	230	---	110	3.2	3.1	
09	250	12.0	230	5.0	110	3.6	3.0	
10	260	12.4	210	5.1	110	3.9	2.9	
11	260	12.6	210	5.2	110	4.0	2.8	
12	260	12.4	210	5.3	110	4.0	2.8	
13	(250)	12.2	210	5.0	110	4.0	2.7	
14	(250)	12.1	220	---	110	3.9	2.7	
15	--	12.0	230	---	110	3.6	4.2	2.6
16	(250)	12.0	240	---	110	3.3	4.0	2.7
17	250	11.9	250	---	120	2.7	3.2	2.8
18	250	11.8			---	1.9	2.85	
19	240	11.0				2.9		
20	240	10.0				2.9		
21	240	9.1				2.9		
22	240	8.2				3.0		
23	240	6.9				3.0		

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 35

Capetown, Union of S. Africa (34.2°S, 18.3°E)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	5.2				2.9		
01	270	4.6				2.7		
02	290	4.4				2.7		
03	270	4.4				2.8		
04	270	4.0				2.7		
05	280	3.9				2.7		
06	270	4.0				2.7		
07	240	7.0			140	2.1	3.1	
08	240	9.8	240	---	120	2.7	3.2	
09	250	10.9	240	---	120	3.2	3.0	
10	250	12.0	230	---	110	3.6	2.9	
11	250	12.8	230	---	110	3.7	2.8	
12	260	13.0	220	---	110	3.8	2.7	
13	260	13.0	230	---	110	4.0	2.7	
14	260	13.0	240	---	110	3.9	2.6	
15	260	12.8	240	---	110	3.7	2.6	
16	260	12.7	240	---	110	3.4	3.6	2.6
17	250	12.3	240	3.6	120	3.0	3.2	2.7
18	250	12.1			120	2.3	2.8	
19	230	11.4				2.85		
20	230	10.2				2.9		
21	240	9.2				2.9		
22	240	8.0				3.0		
23	240	6.3				3.0		

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 32

Rarotonga I. (21.3°S, 159.8°W)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	260	(8.2)						(2.85)
01	250	8.6						2.95
02	250	8.2						2.75
03	270	7.3						2.7
04	290	7.0						2.7
05	280	6.6						2.7
06	300	7.5						2.7
07	260	(10.5)	250	4.4	120	2.6		2.8
08	260	13.4	250	5.1	115	3.3		3.1
09	260	13.2	250	5.5	110	3.6		3.0
10	270	13.4	240	5.6	110	3.8		2.9
11	280	13.5	220	5.7	110	3.9		2.8
12	280	13.2	220	5.7	110	4.0		2.7
13	340	13.4	230	6.5	110	4.0		2.7
14	340	13.4	230	6.5	110	3.8		2.6
15	350	13.2	240	6.4	110	3.6	4.6	2.7
16	340	13.0	250	6.0	110	3.2	3.9	2.7
17	300	(11.4)	260	6.0	115	2.7	3.1	---
18	300	(11.8)	---	---			2.6	---
19	300	(12.7)					2.6	---
20	290	(10.4)					2.0	(2.9)
21	280	(10.0)					1.7	---
22	270	(9.6)						(3.0)
23	260	(10.6)						(2.9)

Time: 157.5°W.

Sweep: 1.5 Mc to 20.0 Mc in 5 minutes, manual operation.

Table 34

Watheroo, W. Australia (30.3°S, 115.9°E)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	6.7						2.9
01	250	6.0						2.8
02	250	6.0						2.8
03	240	5.4						2.8
04	250	5.4						2.8
05	250	5.2						2.8
06	260	6.0						3.0
07	230	9.2						(3.4)
08	240	10.6	220	4.5				3.3
09	240	11.5	220	5.0				3.1
10	250	11.8	210	5.0				3.1
11	260	12.0	210	5.4				3.0
12	260	12.0	210	5.4				2.9
13	260	12.0	210	5.3				2.8
14	260	11.8	210	5.0				2.8
15	250	11.5	210	4.8				2.8
16	250	11.5	220	4.5				2.8
17	240	10.8	---	---				2.9
18	240	10.7						2.8
19	230	10.0						2.8
20	240	8.8						2.8
21	240	7.7						2.9
22	240	7.0						2.9
23	250	6.9						2.8

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 45 seconds.

Table 36

Buenos Aires, Argentina (34.5°S, 58.5°W)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240	10.6						3.0
01	250	9.8						3.0
02	230	9.0						3.0
03	210	9.0						3.2
04	220	7.2						2.9
05	240	6.8						2.9
06	230	7.3						3.0
07	220	9.7	---	---				3.1
08	210	11.3	210	---				3.3
09	220	12.1	200	---				3.1
10	240	13.0	200	---				3.0
11	270	13.4	200	---				3.0
12	280	13.6	200	---	---	---		3.0
13	280	14.0	200	---				3.0
14	290	13.8	200					

Table 37

Christchurch, New Zealand (43.6°S, 172.8°E)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	6.8			<1.7	2.5		
01	290	6.5			<1.7	2.5		
02	290	6.2			<1.6	2.55		
03	290	5.8			<1.5	2.6		
04	280	5.2			<1.5	2.5		
05	290	4.8			<1.5	2.6		
06	270	5.6			(1.7)	2.8		
07	250	7.3			2.4	3.1		
08	240	8.7	---	---	3.0	3.0		
09	230	9.6	230		3.3	3.0		
10	(260)	10.3	220		3.6	2.9		
11	270	11.0	230	4.7	3.7	2.9		
12	280	10.9	220	5.0	3.8	2.9		
13	(260)	10.8	220	4.8	3.8	2.8		
14	240	10.5	230		3.6	2.8		
15	240	10.4	240		3.3	2.8		
16	250	10.1			3.0	2.8		
17	250	9.5			(2.4)	2.8		
18	250	9.2			(1.6)	2.75		
19	250	8.9			<1.5	2.7		
20	260	8.3			<1.7	2.6		
21	280	7.7			<1.7	2.6		
22	290	7.2			<1.7	2.6		
23	290	7.0			<1.6	2.5		

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 39

Resolute Bay, Canada (74.7°N, 94.9°W)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	6.0	---			110	1.8		(2.80)
01	5.6	---			105	1.8		(2.80)
02	5.8	---			110	1.8		(2.80)
03	5.4	---			105	1.9		(2.70)
04	5.8	---			100	2.0	5.0	(2.90)
05	5.6	---			100	2.3	3.5	(3.00)
06	5.8	---			100	2.5		3.00
07	6.0	---			100	2.8		(2.90)
08	5.6	---			100	3.0		2.90
09	5.8	---			100	3.0		2.80
10	5.7	---			100	3.1		2.55
11	5.9	---			100	3.2		(2.65)
12	5.8	---			100	3.2		(2.80)
13	5.8	---			100	3.2		(2.60)
14	5.9	---			100	3.2		G
15	5.8	---			100	3.1		(2.60)
16	5.8	---			100	3.0		(2.70)
17	6.0	---			100	3.0		(2.70)
18	6.0	---			100	2.8		2.80
19	6.0	---			105	2.6		2.90
20	6.0	---			105	2.3		2.80
21	5.9	---			105	2.0		(2.90)
22	5.8	---			110	1.9		(2.90)
23	5.7	---			110	1.8		(2.90)

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 41

Churchill, Canada (58.8°N, 94.2°W)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	5.0	---			---	6.0	---	
01	5.0	---			---	5.3	---	
02	4.6	---			2.0	5.8		
03	4.2	---			1.8	5.0		
04	4.3	---			125	2.0	4.8	
05	4.6	---			120	2.4	4.2	---
06	5.0	---			110	3.0	4.6	2.7
07	5.0	---			105	3.1	5.0	2.8
08	5.6	---			105	3.2	5.0	2.6
09	6.0	---			100	3.4	4.6	2.6
10	6.3	---			100	3.5	5.0	2.6
11	6.6	---			100	3.6	4.2	2.6
12	6.8	---			100	3.7		2.6
13	7.0	---			105	3.7		2.6
14	7.0	---			100	3.7		2.65
15	7.2	---			100	3.5		2.7
16	7.0	---			110	3.4		2.8
17	7.0	---			105	3.1		2.7
18	6.5	---			110	2.9		2.7
19	6.3	---			120	2.6		2.8
20	5.4	---			120	2.2	4.7	(2.7)
21	5.4	---			130	1.9	6.2	---
22	5.2	---			---	6.1	---	
23	5.3	---			---	6.1	---	

Time: 90.0°W.

Sweep: 1.0 Mc to 16.0 Mc in 16 seconds.

Table 38

Ocepcion 1. (63.0°S, 60.7°W)							September 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	350	4.4						10.0
01	380	4.2						10.0
02	380	3.8						2.8
03	360	3.8						10.0
04	360	3.6						2.8
05	380	3.5						10.0
06	380	3.5						2.9
07	260	4.4						10.0
08	230	6.9						3.4
09	230	8.1						4.6
10	230	9.3						3.7
11	230	10.1						3.6
12	220	10.4						3.6
13	220	10.2						3.6
14	230	10.2						3.7
15	230	10.4						3.6
16	230	9.8						3.55
17	230	9.6						3.6
18	230	8.8						3.6
19	230	7.7						3.6
20	230	7.0						3.45
21	270	5.8						3.3
22	280	5.1						4.6
23	320	4.4						10.0

Time: 60.0°W.

Sweep: 1.5 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 40

Baker Lake, Canada (64.3°N, 96.0°W)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00					5.6	---	E	4.8
01					5.4	---	E	4.5
02					5.3	---	E	4.3
03					4.8	---	(1.3)	3.8
04					4.5	---	E	2.9
05					5.0	---	E	2.0
06					5.0	---	E	2.75
07					5.2	---	E	2.7
08					5.6	4.0	E	2.7
09					5.4	4.7	E	2.5
10					5.2	4.7	E	2.45
11					5.9	4.7	E	2.55
12					6.4	5.0	E	2.65
13					6.8	5.0	E	2.7
14					7.0	4.9	E	2.55
15					6.8	4.9	E	2.7
16					6.8	4.7	E	2.7
17					6.6	4.6	E	2.7
18					6.6	4.1	E	2.8
19					6.4	115	E	2.8
20					6.1	110	E	2.8
21					5.9	120	E	2.75
22					5.6	---	E	2.8
23					5.6	---	E	2.8

Time: 90.0°W.

Sweep: 1.0 Mc to 16.0 Mc in 16 seconds.

Table 42

Lindau/Harz, Germany (51.6°N, 10.1°E)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	290	6.20						3.0
01	300	5.90						2.50
02	300	5.60						2.50
03	300	5.20						2.50
04	300	4.95						2.50
05	285	5.05	285					3.4
06	265	6.10	260			110	2.20	3.6
07	300	7.00	240			110	2.70	4.4
08	315	7.60	240		4.70	105	3.10	5.2
09	310	7.80	225		5.00	100	3.35	4.8
10	340	8.00	215		5.30	100	3.50	5.5
11	350	8.00	215		5.50	100	3.60	5.1
12	350	7.95	220		5.50	100	3.70	5.0
13	360	7.95	215		5.60	100	3.70	4.7
14	360	8.00	225		5.40	100	3.70	4.4
15	350	7.95	220		5.40	100	3.60	4.1
16	340	7.85	230		5.40	105	3.40	3.9
17	315	7.90	240		5.40	105	3.10	4.5
18	280	8.10	250		5.40	110	2.60	4

Table 43

Winnipeg, Canada (49.9°N, 97.4°W)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00					<1.6		2.70	
01					<1.7		2.70	
02					<1.6		2.70	
03					<1.6	(2.65)		
04					<1.7	(2.70)		
05							2.80	
06					---	1.8		
07							2.90	
08					125	2.2		
09					115	2.8		
10					4.0		2.90	
11					5.2			
12					5.9			
13					4.3	3.0		
14					6.1			
15					6.4			
16					6.8			
17					6.0			
18					5.0			
19					5.0			
20					5.1			
21					5.0			
22					5.0			
23					5.0			

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 45

Ottawa, Canada (45.4°N, 75.9°W)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00						<1.5	2.7	
01						<1.5	2.7	
02						<1.5	2.7	
03					---	---	<1.5	2.7
04					---	---	<1.5	2.7
05					120	1.6		2.9
06					3.8	110	2.4	3.0
07					6.0	110	2.9	2.9
08					4.4	105	3.3	2.9
09					6.4	4.9	105	3.3
10					6.7	5.0	105	3.7
11					7.0	5.1	105	3.9
12					7.0	5.4	105	4.0
13					7.2	5.4	105	4.0
14					7.2	5.5	105	4.0
15					7.2	5.3	105	3.9
16					7.6	5.2	105	3.8
17					7.6	5.0	105	3.5
18					7.7	4.7	105	3.0
19					7.7	4.0	110	2.6
20					7.8	115	1.8	2.9
21							<1.6	2.85
22							<1.6	2.8
23							<1.6	2.7

Time: 75.0°W.

Sweep: 1.0 Mc to 15.0 Mc in 15 seconds.

Table 47

Elizabethtown, Belgian Congo (11.6°S, 27.5°E)							August 1956	
Time	h'F2	foF2	b'F1	foF1	h'E	foE	fEs	(M3000)F2
00	230	4.4					2.65	
01	260	3.6					2.55	
02	265	3.0					2.6	
03	270	3.0					2.6	
04	260	4.0					2.7	
05	240	8.6	240	---	120	2.3	2.6	3.0
06	250	10.3	230	---	105	3.1		2.9
07	260	11.0	220	---	105	3.6	2.8	<2.9
08	265	11.0	215	5.0	105	3.8	3.5	2.8
09	280	11.2	220	5.4	105	3.9		2.7
10	300	11.2	210	5.4	105	4.0		2.6
11	310	11.0	220	5.2	100	4.0		2.5
12	345	11.1	240	5.4	100	3.8		2.4
13	340	>11.3	230	---	105	3.6	2.9	2.4
14	330	11.6	235	---	110	3.3	2.5	
15	270	11.7	240	---	110	2.7	3.5	2.5
16	250	11.8			---	3.0	2.6	
17	240	11.6				2.8	2.7	
18	230	11.3				2.5	2.75	
19	220	10.3				2.6	2.7	
20	220	10.0					2.7	
21	225	8.9					2.7	
22	220	7.0					2.7	
23	230	5.7					2.7	

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 44

Schwarzenburg, Switzerland (46.8°N, 7.3°E)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00		300	6.45					3.0
01		300	6.10					3.0
02		300	5.90					3.0
03		300	5.60					3.0
04		300	5.40					2.9
05		290	5.15					3.05
06		230	6.25					3.4
07		200	6.75	---	---	100	2.50	3.5
08		200	7.60	200	4.80	100	3.00	4.2
09		250	8.40	200	5.20	100	3.30	3.3
10		300	8.60	200	5.50	100	3.50	3.2
11		300	8.60	200	5.70	100	3.60	3.2
12		300	9.00	200	5.80	100	3.80	3.1
13		300	8.20	200	5.75	100	3.80	3.2
14		320	8.45	200	5.60	100	3.80	3.1
15		300	8.50	200	5.60	100	3.60	3.2
16		300	8.50	200	5.35	100	3.40	3.2
17		210	8.50	---	---	100	3.20	3.3
18		220	8.50					3.3
19		250	8.50					3.4
20		230	8.60					3.4
21		240	7.70					3.35
22		265	7.00					3.25
23		300	6.80					3.1

Time: 15.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 46

Leopoldville, Belgian Congo (4.4°S, 15.2°E)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00		205	9.8					2.7
01		220	7.1					2.6
02		230	6.0					2.7
03		240	5.3					2.7
04		240	4.2					2.8
05		265	5.7	---	---	---	---	2.7
06		250	9.7	240	---	120	2.6	2.9
07		260	11.5	230	---	110	3.3	3.0
08		275	12.1	220	---	110	3.7	4.5
09		290	12.0	210	---	105	4.0	4.6
10		310	12.4	210	5.4	105	4.0	3.0
11		355	12.7	210	5.5	105	4.1	2.4
12		380	13.0	230	5.2	105	4.1	2.3
13		390	>13.6	245	5.8	105	4.0	2.8
14		380	14.0	240	---	105	3.6	3.0
15		360	14.0	235	---	105	3.2	3.0
16		325	>13.7	245	---	115	2.6	2.4
17		270	>13.5					2.6
18		280	>15.0					3.0
19		275	>13.2					2.9
20		220	>14.0					3.0
21		205	>13.6					2.9
22		215	>14.2					(2.75)
23		210	13.1					2.8

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 48

Rarotonga I., (21.3°S, 159.8°W)							August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00		250	7.0					2.9
01		250	6.7					3.0
02		250	5.4					2.9
03		250	4.7					2.8
04		280	4.5					2.7
05		290	4.0					2.7
06		320	4.2					2.6
07		270	7.6	---	---	(130)	1.9	3.1
08		260	11.0	250	4.5	115	3.0	3.2
09		270	12.6	240	5.0	110	3.4	3.1
10		270	13.5	230	5.4	105	3.6	3.2
11		270	12.1	220	5.5	105	3.8	3.0
12		270	11.6	210	5.5	105	3.8	2.9
13		290	11.6	210	5.5	105	3.8	2.8
14		300	11.4	220	5.5	105	3.7	4.6
15		340	11.2	230	5.6	105	3.5	4.5
16		310	10.6	250	5.5	110	3.2	3.9
17		270	(9.9)	250	4.5	120	2.5	(2.9)
18		270	(9.6)					2.0

Table 49

Watheroo, N. Australia (30.3°S, 115.9°E)								August 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	250	4.2				2.2	2.9		
01	250	4.1				1.3	3.0		
02	240	4.2				2.3	3.0		
03	250	4.2				1.4	3.1		
04	240	4.1					3.1		
05	250	4.0					3.0		
06	240	4.0					3.0		
07	230	6.0							
08	220	8.5	220	3.8		1.8	1.8	3.4	
09	240	9.9	210	4.5		2.6	2.7	3.5	
10	250	10.5	210	4.9		3.5	3.8	3.2	
11	250	11.0	210	5.0		3.6	3.8	3.1	
12	250	11.0	200	5.0		3.7	3.8	3.0	
13	250	11.0	200	5.0		3.7	3.8	3.0	
14	250	10.7	200	4.9		3.6	3.8	3.0	
15	250	10.6	210	4.8		3.4	3.6	3.0	
16	250	10.4	220	4.4		3.0	3.3	3.1	
17	230	9.9	---	---		2.5	2.6	3.1	
18	220	8.4				1.7	2.0	3.3	
19	200	6.9					1.9	3.4	
20	220	6.0						3.2	
21	220	5.2					2.3	3.15	
22	240	5.1					2.1	3.0	
23	240	4.6					2.4	3.0	

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 45 seconds.

Table 51

Svalbard, Norway (78.2°N, 15.5°E)								June 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	(425)	4.60	220	3.65	100	2.35	2.8	(2.70)	
01	(515)	(4.70)	240	3.75	100	2.40	3.1	---	
02	(540)	4.70	250	3.80	100	2.35	3.1	(2.50)	
03	---	4.60	240	3.80	100	2.60	3.4	---	
04	---	4.80	220	3.90	100	2.60	3.1	---	
05	(690)	4.55	220	3.95	100	2.85	3.2	(2.15)	
06	---	(4.70)	250	4.00	100	2.90	4.6	---	
07	(600)	5.00	240	4.35	100	3.15	4.2	(2.30)	
08	455	5.35	230	4.40	100	3.10	4.3	2.50	
09	450	5.65	230	4.60	100	3.20	3.9	2.60	
10	440	5.90	225	4.60	100	3.20	4.0	2.60	
11	(410)	5.65	215	4.65	100	3.10	3.9	2.70	
12	(445)	5.50	215	4.70	100	3.10	3.6	(2.60)	
13	(495)	5.55	210	4.60	100	3.10	3.3	(2.50)	
14	(410)	5.70	210	4.65	100	3.10	4.5	2.70	
15	(465)	5.55	210	4.50	100	3.00	4.0	(2.65)	
16	---	5.55	230	4.70	100	3.00	4.6	---	
17	(410)	5.55	240	4.60	100	2.90	6.0	(2.65)	
18	(430)	5.55	240	4.40	100	2.80	5.9	(2.70)	
19	---	5.55	240	4.40	100	2.65	4.8	(2.65)	
20	(340)	5.35	245	4.40	100	2.60	4.8	(2.85)	
21	(385)	5.30	250	3.90	100	2.50	3.2	(2.70)	
22	(335)	5.05	240	3.85	100	2.40	3.2	(2.75)	
23	(470)	4.55	245	3.75	100	2.40	3.00	(2.60)	

Time: 15.0°E.

Sweep: 0.68 Mc to 24.6 Mc in 5 minutes, automatic operation.

Table 53

Delhi, India (28.6°N, 77.1°E)								February 1956	
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	320	4.0					3.00		
01	300	3.8					3.10		
02	300	4.6					3.10		
03									
04	280	3.8					3.25		
05	280	3.4					3.25		
06	280	3.5					3.25		
07	240	6.9					3.60		
08	240	9.4					3.60		
09	260	10.8					3.40		
10	280	11.0					3.25		
11	280	11.4					3.25		
12	280	11.8					3.25		
13	300	12.2					3.10		
14	280	12.3					3.25		
15	290	11.8					3.20		
16	280	11.9					3.25		
17	280	12.6					3.25		
18	280	11.7					3.25		
19	280	9.5					3.25		
20	280	9.0					3.25		
21	280	7.0					3.25		
22	320	5.5					3.00		
23	320	5.0					3.00		

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 50

Christchurch, New Zealand (43.6°S, 172.8°E)								July 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	300	4.0							2.9
01	290	4.0							2.8
02	300	3.9							2.8
03	290	3.8							2.9
04	280	3.4							3.0
05	270	3.2							3.0
06	260	2.8							3.0
07	250	3.6							3.1
08	230	6.4	---	---	---	---	---	---	3.5
09	230	7.9	---	---	---	---	---	---	3.4
10	240	9.0	240	---	---	---	---	---	3.4
11	250	9.7	230	---	---	---	---	---	3.3
12	250	9.9	240	(4.1)	---	---	---	---	3.3
13	240	9.3	230	---	---	---	---	---	3.2
14	250	9.2	240	---	---	---	---	---	3.2
15	250	9.0	240	---	---	---	---	---	3.2
16	230	8.8	---	---	---	---	---	(2.2)	3.2
17	240	7.4	---	---	---	---	---	---	3.1
18	250	6.5	---	---	---	---	---	3.6	3.1
19	250	5.6	---	---	---	---	---	---	3.1
20	250	4.7	---	---	---	---	---	---	2.95
21	270	4.4	---	---	---	---	---	---	3.0
22	280	4.2	---	---	---	---	---	---	2.9
23	290	4.0	---	---	---	---	---	---	2.8

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 52

Rarotonga I. (21.3°S, 159.8°W)								June 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	260	4.6							2.9
01	260	4.8							2.9
02	270	4.3							2.9
03	270	4.4							3.0
04	260	3.5							2.95
05	270	3.5							2.9
06	290	3.8							2.8
07	260	7.2	---	---	1.4	1.8	1.8	---	3.1
08	260	10.5	250	4.0	120	2.6	2.6	---	3.25
09	260	12.6	240	4.8	110	3.1	3.1	---	3.3
10	250	12.2	240	5.0	110	3.5	3.5	---	3.3
11	260	10.9	230	5.2	110	3.5	3.5	---	3.1
12	270	11.0	230	5.3	110	3.6	3.6	---	3.1
13	280	10.6	240	5.2	105	3.6	3.6	---	3.0
14	270	10.0	240	5.0	110	3.5	3.5	3.5	3.0
15	280	10.4	230	5.0	105	3.6	3.6	3.25	3.25
16	270	14.6	230	4.7	110	3.0	3.5	2.85	2.90
17	260	14.9	250	4.3	115	2.5	2.5	2.85	2.90
18	250	14.3	---	---	---	---	>2.8	3.05	3.05
19	235	12.6	---	---	---	---	2.4	3.00	3.00
20	235	13.2	---	---	---	---	---	2.90	2.90
21	230	12.6	---	---	---	---	---	3.05	3.05
22	220	10.1	---	---	---	---	---	3.15	3.15
23	230	10.8	---	---	---	---	---	2.90	2.90

Time: 157.5°W.

Sweep: 1.5 Mc to 20.0 Mc in 5 minutes, manual operation.

Time: 75.0°E.

Sweep: 0.6 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 55

Calcutta, India (22.9°N, 88.5°E)							February 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	250	5.0						3.3
01	250	4.7						3.3
02	250	4.6						3.35
03	230	4.5				2.0		3.4
04	230	3.7				2.0		3.1
05	260	3.5				2.1		2.95
06	265	3.5				2.0		2.9
07	250	6.6	---	---	120	2.0		3.3
08	250	9.7	240	4.5	110	2.8		3.4
09	270	10.5	235	4.6	105	3.2		3.4
10	285	11.0	220	4.6	100	3.4		3.3
11	290	11.0	200	4.8	100	3.5		3.3
12	300	10.9	---	---	100	3.5		3.2
13	310	11.0	---	---	100	3.5		3.3
14	300	11.0	210	4.6	100	3.5		3.3
15	290	11.0	220	4.6	100	3.2		3.4
16	260	11.0	240	4.4	100	3.0		3.3
17	250	10.7	250	---	110	2.6		3.4
18	250	10.6		---	---	2.1		3.5
19	240	10.2				2.1		3.5
20	230	9.8				2.0		3.5
21	220	9.3						3.5
22	230	8.4				2.0		3.5
23	240	6.2						3.4

Time: 90.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 57

Madras, India (13.0°N, 80.2°E)							February 1956	
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06	260	7.0						3.25
07	320	10.2						3.00
08	340	11.4						2.90
09	380	12.2						2.70
10	400	11.6						2.60
11	440	11.8						2.50
12	440	11.4						2.50
13	480	11.3						2.30
14	480	11.4						2.30
15	480	11.4						2.30
16	470	11.8						2.35
17	440	11.6						2.50
18	460	11.0						2.40
19	440	11.0						2.50
20	400	11.0						2.60
21	(380)	>11.3						(2.70)
22	(360)	>11.6						(2.80)
23								

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 59

Kodaikanal, India (10.2°N, 77.5°E)							February 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	240	9.0						3.10
01	235	8.1						3.20
02	235	6.9						3.10
03	240	5.8						3.10
04	240	5.2						3.10
05	240	3.9						3.20
06	270	4.2						2.90
07	260	8.4	245	---	120	2.5		3.00
08	280	10.5	240	---	110	3.0	8.6	2.80
09	300	11.2	220	---	105	---	10.9	2.60
10	310	10.7	220	---	105	---	12.0	2.40
11	320	10.8	210	4.9	105	---	12.4	2.35
12	340	10.7	205	---	105	---	12.4	2.35
13	345	10.6	205	---	105	---	12.4	2.30
14	(355)	10.7	210	---	105	---	12.3	2.30
15	(350)	10.7	210	---	110	3.4	11.2	2.30
16	240	10.7	235	---	110	---	10.0	2.25
17	260	10.4	---	---	120	---	8.2	2.30
18	300	9.5		---	---			2.30
19	370	8.6						2.20
20	360	9.0						2.30
21	315	(10.1)						(2.55)
22	265	9.6						2.80
23	250	9.0						2.95

Time: 75.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 56

Bombay, India (19.0°N, 73.0°E)							February 1956	
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06								
07		270	4.2					3.35
08:30		300	5.0					3.10
09		330	7.8					2.95
10		360	9.2					2.80
11		390	11.0					2.65
12		390	11.8					2.65
13		420	12.3					2.55
14		420	12.6					2.55
15		420	12.4					2.55
16		420	11.8					2.55
17		390	10.9					2.65
18		360	10.2					2.80
19		360	8.6					2.80
20		--	--					---
21		270	6.1					3.35
22		270	5.0					3.35
23								

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 59

Townsville, Australia (19.3°S, 146.7°E)							February 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	---						3.6
01	250	>7.0						2.9
02	250	>6.4						3.0
03	260	6.0						3.0
04	260	5.5						3.0
05	260	4.8						2.9
06	260	>5.0						3.05
07	250	>6.7	240	---				3.15
08	275	7.8	240	4.6	3.1	3.5		3.2
09	300	>8.4	230	4.9	3.4	4.1		3.1
10	310	>8.4	210	5.1	3.6	5.2		2.8
11	350	(8.6)	210	5.2	3.8	4.8		(2.9)
12	345	>10.1	210	5.6	3.8	5.6		---
13	325	>8.4	225	5.4	3.9	5.3		---
14	330	>8.4	210	5.3	3.8	5.0		---
15	310	>12.0	---	5.2	3.7	5.0		---
16	290	>8.4	230	4.6	3.5	4.3		---
17	280	(8.8)	---	4.3	3.1	5.0		(3.1)
18	260	>7.9	---	---	2.2	4.1		(3.1)
19	255	7.2						3.9
20	295	---						3.5
21	300	---						3.1
22	300	>7.9						3.1
23	305	>7.9						3.7

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 61

Rarotonga 1, (21.3°S, 159.8°W)							February 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	9.1				2.8	2.9	
01	260	(8.9)				3.0	(3.1)	
02	260	7.3				2.3	3.0	
03	290	(7.0)				2.0	(2.8)	
04	310	7.0				1.8	2.8	
05	290	6.5				2.2	2.8	
06	280	6.9				2.4	3.0	
07	250	8.6	250	4.0	115	2.5	3.4	3.2
08	260	9.3	240	4.5	115	3.0	3.5	3.1
09	290	10.0	250	5.0	115	3.4	4.4	2.9
10	310	11.2	240	5.5	115	3.6	3.9	2.8
11	340	12.6	250	5.5	115	3.8	5.2	2.75
12	350	13.9	240	5.5	115	3.8	3.9	2.8
13	340	14.9	240	5.6	115	3.9		2.9
14	330	14.6	250	5.8	115	3.8		2.9
15	310	14.0	250	5.7	115	3.7		2.9
16	310	13.4	250	5.4	115	3.5	3.8	2.9
17	300	12.4	250	5.0	115	3.0	3.8	2.95
18	280	10.9	---	---	120	2.3	3.9	2.8
19	280	9.7				3.5	2.65	
20	300	9.0				3.2	2.7	
21	310	9.0				3.2	2.7	
22	300	(9.3)				3.2	(2.85)	
23	300	(9.4)				3.0	(2.9)	

Time: 157.5°W.

Sweep: 1.5 Mc to 20.0 Mc in 5 minutes, manual operation.

Table 63

Canberra, Australia (35.3°S, 149.0°E)							February 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	---	(6.4)				3.3	(2.7)	
01	---	6.6				3.4	(2.8)	
02	---	5.8				3.2	2.9	
03	(240)	5.1				2.8	2.9	
04	---	4.6				1.6	2.8	
05	250	4.5					2.8	
06	260	4.8					3.0	
07	300	6.2	240	4.0		2.6	3.2	3.05
08	300	6.8	240	4.5		3.1	3.7	3.1
09	320	7.0	230	4.7		3.4	4.3	3.0
10	340	7.1	210	5.0		3.6	4.5	2.9
11	330	8.0	200	5.0		(3.7)	4.6	2.95
12	350	8.1	210	5.0		(3.7)	4.6	2.8
13	340	8.2	210	5.1		--	4.1	2.9
14	340	8.1	210	5.1		(3.7)	4.3	2.9
15	330	8.2	230	5.1		(3.6)		2.9
16	310	8.1	220	4.6		3.4		3.0
17	290	7.6	240	(4.5)		3.0	3.3	3.0
18	260	7.5	250	---		2.4	3.2	3.05
19	250	7.4				3.3	3.05	
20	(250)	7.2				3.5	2.9	
21	---	6.9				3.4	2.8	
22	---	6.8				3.3	2.7	
23	---	(6.8)				3.0	(2.7)	

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 65

Christchurch, New Zealand (43.6°S, 172.8°E)							February 1956	
Time	b'F2	foF2	h'F1	foF1	b'E	foE	fEs	(M3000)F2
00	290	6.4				2.4	2.7	
01	280	6.1				2.2	2.7	
02	280	5.6					2.7	
03	280	5.0					2.7	
04	280	4.8				2.5	2.75	
05	280	4.6					2.9	
06	260	5.4	270	---		1.3		
07	310	6.3	250	4.1		1.9	3.0	
08	300	6.9	240	4.6		3.0	3.05	
09	300	7.5	230	4.8		3.2	3.0	
10	320	7.6	220	4.8		3.4	2.85	
11	340	8.0	220	5.2		3.5	2.9	
12	330	8.0	220	5.3		3.6	2.9	
13	330	8.0	230	5.2		3.6	2.8	
14	340	7.9	230	5.2		3.5	2.9	
15	330	8.1	240	4.9		3.4	2.9	
16	320	8.0	250	4.7		3.3	2.8	
17	300	8.1	260	4.3		2.9	2.9	
18	280	8.2	270	3.7		2.3	2.9	
19	270	8.5	---	---		1.6	3.8	
20	260	8.3					2.9	
21	270	7.7				3.6	2.8	
22	280	7.1				3.4	2.7	
23	280	6.7				3.6	2.6	

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 62

Brisbane, Australia (27.5°S, 153.0°E)							February 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	260		7.5					2.6
01	250		7.0					2.9
02	235		6.4					2.1
03	240		5.5					2.85
04	235		5.4					2.9
05	255		5.2					2.9
06	220		6.2			---	---	(2.0)
07	230		7.4	220		4.5	2.8	4.2
08	260		8.0	210		4.5	3.2	5.0
09	285		8.5	200		5.0	(3.5)	5.6
10	290		9.1	200		5.0	(3.7)	5.5
11	300		9.6	200		5.4	(3.8)	5.4
12	305		9.8	190		5.4	(3.9)	4.8
13	300		10.2	200		5.2	(3.8)	5.1
14	300		10.0	210		5.0	(3.8)	4.6
15	300		10.0	210		4.9	3.7	4.9
16	290		9.5	210		4.6	3.4	4.3
17	255		9.0	220		---	2.8	4.0
18	240		8.5	---		---	E	4.0
19	220		7.8				1.7	2.8
20	255		7.4				2.2	2.8
21	280		7.3				2.9	2.7
22	290		7.3				3.1	2.7
23	280		7.4				3.5	2.8

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 64

Hobart, Tasmania (42.9°S, 147.3°E)							February 1956	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300		5.8					2.8
01	280		5.4					2.9
02	290		4.8					2.9
03	270		4.5					2.8
04	280		3.6					2.8
05	280		3.7					2.9
06	260		4.6					2.0
07	250		5.5	---		---		3.1
08	250		6.3	---		---		3.1
09	300		6.6	220		4.7	3.5	3.0
10	320		6.8	220		4.8	3.6	3.0
11	330		6.9	220		4.9	3.8	3.0
12	340		7.1	220		5.0	3.8	3.0
13	350		7.3	220		5.0	3.7	2.9
14	350		7.1	220		5.1	3.7	2.9
15	310		4.3	230		3.0	2.3	3.2
16	310		4.5	230		3.6	2.6	3.1
17	390		4.5	230		3.8	115	2.8
18	380		4.4	230		3.7	110	2.8
19	350		4.4	230		3.7	110	2.6
20	310		4.4	230		3.4	120	2.4
21	290		4.2	240		3.0	125	2.1
22	250		4.2	240		2.4	---	1.8
23	250		3.6	---				3.0

Time: 150.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 66*

Campbell I, (52.5°S, 169.2°E)							September 1954	
Time	h'F2	foF2	b'F1	foF1	h'E	foE	fEs	(M3000)F2
00								2.85
01								3.1
02								3.3
03								3.2
04								3.1
05								2.85
06	260		2.6				1.6	3.1
07	250		3.5	240		2.5	2.0	3.3
08	260		4.0	230		3.0	2.3	3.2
09	310		4.3	240		3.6	115	2.6
10	400		4.3	230		3.7	115	2.8
11	380		4.5	230		3.8	115	2.8
12	390		4.5	230		3.8	115	2

Table 67*

Time	h^*F2	f_{oF2}	h^*F1	f_{oF1}	h^*E	f_{oE}	f_{Es}	(M3000)F2
00								
01								
02								
03								
04								
05	---	E						
06	---	E						
07	250	2.7	---	---	1.6		---	
08	240	3.6	230	2.6	120	1.9	3.3	
09	260	4.1	230	3.1	115	2.3	3.3	
10	280	4.3	230	3.5	115	2.5	3.2	
11	310	4.5	240	3.6	115	2.7	3.1	
12	300	4.6	230	3.7	110	2.6	3.2	
13	310	4.6	230	3.6	120	2.6	3.1	
14	290	4.5	220	3.4	120	2.5	2.2	
15	270	4.5	230	3.2	120	2.2	3.3	
16	250	4.2	230	2.6	---	1.8	3.2	
17	240	3.8		---	1.3		3.1	
18	250	3.2					3.0	
19	---	2.8					2.8	
20	---	2.4					2.8	
21	---	1.8					2.75	
22	---	E					---	
23	---	E					---	

Time: 165.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 5 minutes, manual operation.

*Observations taken on a 19-hour working schedule.

Table 69*

Time	h^*F2	f_{oF2}	h^*F1	f_{oF1}	h^*E	f_{oE}	f_{Es}	(M3000)F2
00								
01								
02								
03								
04								
05	320	1.8				2.0	(2.7)	
06								
07	300	2.7	---	---	130	1.7	1.9	2.9
08	270	3.6	260	---	130	1.7	1.9	3.2
09	280	4.3	260	3.0	130	2.1		3.2
10	280	4.7	250	3.1	130	2.3		3.2
11	280	4.8	240	3.3	130	2.5		3.2
12	290	5.2	250	3.4	130	2.5		3.15
13	280	5.2	240	3.3	130	2.4		3.2
14	280	5.4	250	3.0	130	2.2		3.1
15	270	5.2	250	2.9	140	1.8		3.2
16	250	4.8		---	---	1.4		3.1
17	260	4.2						2.9
18	280	3.4						2.9
19	310	3.2						2.7
20								
21	340	2.4						2.8
22								
23	370	3.0				2.0	2.7	

Time: 165.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 5 minutes, manual operation.

*Observations taken on a 16-hour working schedule.

Table 71*

Time	h^*F2	f_{oF2}	h^*F1	f_{oF1}	h^*E	f_{oE}	f_{Es}	(M3000)F2
00								
01								
02								
03								
04								
05	270	4.0	220	---	120	2.2		3.1
06								
07	320	5.0	240	4.1	130	2.8	3.0	3.0
08	330	5.5	240	4.2	130	3.0	3.1	2.9
09	350	5.7	240	4.3	130	3.1	3.2	2.8
10	340	5.8	240	4.4	125	3.2	3.2	2.9
11	360	6.0	240	4.5	120	3.3		2.9
12	360	6.0	240	4.5	120	3.4		2.85
13	360	6.1	240	4.5	120	3.3		2.9
14	350	6.1	240	4.4	120	3.2		2.8
15	350	6.3	250	4.2	120	3.1		2.9
16	320	6.4	250	4.0	130	2.9		2.9
17	320	6.4	260	3.9	130	2.6		2.9
18	280	6.4	---	---	130	2.2		2.8
19	280	6.3		---	---	2.0		2.9
20								
21	300	5.5						2.6
22								
23	320	5.0				3.0	2.6	

Time: 165.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 5 minutes, manual operation.

*Observations taken on a 16-hour working schedule.

Table 68*

Table 68*

Time	h^*F2	f_{oF2}	h^*F1	f_{oF1}	h^*E	f_{oE}	f_{Es}	(M3000)F2
00								
01								
02								
03								
04								
05	---	E						1.5
06	---	1.5						1.8
07	250	2.8						2.9
08	250	3.5	220	---	---	120	1.4	3.15
09	250	4.0	230	3.3	110	2.3		3.3
10	280	4.1	220	3.4	110	2.5		3.2
11	310	4.2	220	3.6	110	2.5		3.2
12	310	4.4	230	3.6	110	2.6		3.2
13	300	4.5	230	3.6	110	2.6		3.2
14	290	4.7	230	3.4	110	2.4		3.1
15	280	4.8	240	3.2	120	2.1		3.2
16	250	4.4	240	2.4	130	1.7		3.2
17	240	3.8						3.1
18	250	3.1						3.0
19	260	2.6						2.8
20	400	2.3						2.9
21	---	2.2						2.85
22	---	1.8						2.0
23	---	E						2.0

Time: 165.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 5 minutes, manual operation.

*Observations taken on a 19-hour working schedule.

Table 72*

Time	h^*F2	f_{oF2}	h^*F1	f_{oF1}	h^*E	f_{oE}	f_{Es}	(M3000)F2
00	300	6.2						2.2
01	295	6.1						2.2
02	285	5.8						2.7
03	270	5.6						2.8
04	270	5.3						2.8
05	290	5.2						2.0
06	230	7.2	---	---	---	2.1		2.8
07	230	8.8	210	---	100	2.7		3.4
08	230	9.2	210	4.5	100	3.0		3.3
09	250	9.5	200	4.8	100	3.4		3.2
10	250	9.6	190	5.0	100	3.6		3.2
11	260	10.2	200	5.2	100	3.8		3.1
12	280	10.6	190	5.6	100	3.8		3.0
13	285	10.4	200	5.4	100	3.8		3.0
14	270	10.3	200	5.2	100	3.7		3.1
15	255	10.2	210	4.8	100	3.4		3.2
16	245	9.7	210	4.4	100	3.0		3.2
17	250	9.2	240	---	110	2.5		3.6
18	240	9.0	---	---	---	---		3.3
19	230	7.8						3.1
20	240	6.8						2.8
21	270	6.6						2.7
22	290	6.5						3.0
23	300	6.3						2.7

Time: 135.0°E.

Sweep: Lower limit of frequency 2.0 Mc, manual operation.

*Observations taken on a 16-hour working schedule.

TABLE 73
IONOSPHERIC DATA

foF2, 0.1 Mc, Feb. 1957

Station Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 2.50 Mc in 13.5 sec.

75° W Mean Time

Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	51	48	51	54	48	43	45	58	95	116	137	133	130	124	120	118	115	113	107	89	74	68	66	56	
02	55	54	58	55	48	44	39	53	90	108	123	128	132	120	120	124	124	123	112	91	91	76	72	68	
03	60	56	55	58	51	52	49	63	94	120	125	130	126	120	121	123	120	120	116	97	86	78	74	71	
																									U F
04	64	59	58	58	60	59	53	56	79	105	120	125	128	130	132	126	120	124	116	106	94	86	68	66	
	U F	U F	U F	U F	U F	U F	U F	F																	
05	49	44	45	45	42	40	44	30	54	96	102	115	126	130	130	126	120	120	116	98	90	68	62	53	
	F	F	F	F	F	F	F																		
06	49	40	39	43	46	47	48	58	80	98	112	130	129	133	131	131	125	116	110	92	86	76	70	64	
	F	F	F	F	F	F	F	F																	
07	58	54	53	55	48	46	46	58	90	107	122	129	129	129	125	122	120	116	112	95	78	70	63	68	
	F	F	F	F	U F	F											I C								
08	64	64	65	58	52	54	49	58	92	113	125	132	128	126	119	123	116	114	106	89	86	78	72	66	
	F																								
09	68	69	65	59	56	55	50	59	90	113	125	130	130	123	125	124	125	120	113	100	83	71	66	67	
	F																								
10	68	67	55	62	60	54	46	55	80	113	122	125	124	118	120	119	116	115	105	96	86	86	69	65	
	F	F	U F	F	F																				
11	52	65	62	59	58	56	55	68	94	113	128	135	131	128	131	130	125	117	117	102	82	80	71	62	
	F	U F	F	U F	F			U F									I C								
12	59	60	62	58	62	62	56	68	89	118	132	132	132	129	126	124	120	118	118	92	82	80	72	70	
	F							F	F	F															
13	60	54	49	60	63	62	48	51	73	82	90	105	119	123	119	115	126	127	122	100	82	72	62	60	
	U F	U F	U F	U F	U F	U F	U F	U F																	
14	60	57	57	56	56	57	56	67	94	117	126	139	137	135	131	126	126	117	110	94	90	75	64	56	
	U F	U F	U F	U F	U F	U F	U F	U F																	F
15	52	54	56	55	52	48	54	74	100	114	122	132	130	130	127	124	121	115	115	100	93	84	66	58	
	F	F	U F	U F	U F	U F	U F	F																	
16	54	55	52	52	54	56	54	66	94	118	126	132	133	132	126	130	130	123	115	99	81	73	70	68	
	F	F																							
17	67	61	60	59	57	57	55	65	92	112	120	125	129	131	127	130	125	125	117	108	92	88	82	72	
	F	F	F	F	F	F																			F
18	70	70	71	72	72	69	64	76	104	118	130	139	140	140	138	139	137	135	134	112	99	86	75	66	
	F	F	U F	U F	U F	U F	U F																		
19	60	54	46	48	48	54	62	82	108	118	127	139	144	142	141	140	140	142	116	84	83	73	46	49	
	F	U F	U F	U F	U F	F	U F	U F																	
20	56	64	39	46	54	53	49	70	91	114	129	132	130	128	130	129	128	125	116	101	81	69	58	58	
	F																								F
21	58	65	55	53	40	44	50	62	81	90	102	118	119	125	130	126	118	113	97	98	87	78	67	64	
	F	U F	U F	U F	U F	U F	F	F																	
22	61	50	40	52	57	57	55	66	98	106	120	127	124	125	125	126	124	121	118	100	95	72	62	58	
	F	F	U F	U F	U F	U F	U F	F															J F	J F	I F
23	56	57	53	47	39	39	44	100	119	126	127	126	125	126	125	120	132	120	92	79	60	31	31		
	F	U F	U F	U F	U F	U F	U F	F																	
24	49	29	29	20	30	36	38	54	72	86	98	109	106	107	109	108	108	107	100	90	68	57	52	48	
	F	F	F	F	F	F	F																		
25	40	50	46	42	35	31	32	56	80	90	94	106	110	116	115	115	117	112	102	90	74	67	61	59	
	F																								
26	55	55	55	53	52	50	47	70	90	103	110	117	120	122	119	120	115	114	110	94	84	76	68	65	
	F							F	F																
27	67	67	62	57	52	46	46	74	100	115	120	120	123	122	121	119	115	115	112	102	86	73	70	66	
	F							F	F																
28	44	58	52	40	44	44	44	74	98	109	111	124	125	126	120	127	126	122	113	110	92	82	68	66	
MED	60	56	56	55	52	52	40	44	92	112	122	128	120	126	126	124	120	119	114	98	96	76	68	64	
NO	27	29	29	20	29	28	20	28	29	28	28	28	29	28	29	29	28	28	28	28	28	28	28	28	

TABLE 74
IONOSPHERIC DATA

foF2, O.I Mc, Feb. 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec.

Manual Automatic

	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330
01	48	50	54	54	46	43	47	79	105	130	135	133	126	121	117	116	113	108	105	78	67	68	59	56
02	55	55	57	51	44	40	38	70	96	122	128	131	126	119	122	125	125	120	101	89	79	73	68	63
03	60	56	57	54	49	48	52	80	102	121	126	130	124	120	124	122	119	120	107	90	78	76	69	68
04	63	57	59	61	60	58	48	67	95	112	125	130	132	130	126	124	118	118	111	100	91	83	67	56
05	46	42	49	66	56	36	39	66	100	110	120	128	130	130	123	120	123	116	113	88	83	67	56	53
06	47	40	40	45	45	49	50	63	84	103	120	130	127	135	134	127	120	115	102	90	82	71	66	62
07	55	59	60	48	47	48	48	72	104	116	127	130	130	126	124	121	118	115	99	86	74	64	63	68
08	62	64	61	56	49	53	49	75	102	122	132	130	126	121	120	117	114	111	96	89	82	74	70	66
09	67	67	62	59	56	54	50	76	102	120	128	132	122	124	123	126	125	116	107	88	76	66	68	68
10	67	67	62	61	58	50	43	73	103	120	125	125	120	120	120	120	114	109	100	90	81	72	67	64
11	62	64	58	57	58	58	58	83	105	121	132	130	127	130	132	127	122	117	111	84	82	76	66	61
12	57	60	62	58	62	60	54	79	103	130	112	132	130	128	126	123	120	119	104	86	86	80	68	62
13	56	53	59	62	62	56	43	62	72	80	100	111	123	120	111	121	124	126	110	90	75	68	61	60
14	59	58	55	56	56	57	55	82	104	126	133	140	138	134	127	123	123	115	102	90	84	67	60	55
15	54	52	52	48	50	61	86	108	120	128	134	135	132	125	123	118	116	107	95	90	74	58	56	
16	56	52	54	56	56	57	82	106	123	128	132	135	130	132	130	128	120	107	87	77	71	68	67	
17	65	62	61	57	56	56	55	82	101	115	124	128	128	132	130	130	125	125	109	103	92	89	78	70
18	68	72	71	72	71	67	68	91	113	125	137	140	141	142	137	139	132	137	118	102	95	80	67	60
19	58	50	45	48	56	58	68	100	113	125	131	142	144	141	140	138	143	132	102	78	77	64	47	53
20	50	41	42	54	52	48	53	83	105	123	133	131	128	128	131	129	129	121	106	90	78	62	57	58
21	62	63	50	43	41	48	54	73	90	96	110	117	121	128	127	124	117	110	102	95	83	70	65	63
22	57	43	43	56	56	55	57	82	106	112	122	130	122	125	126	123	122	122	110	91	81	62	62	58
23	58	55	48	42	40	40	45	84	114	120	126	129	126	128	125	123	132	128	110	84	71	56	30	34
24	26	29	30	30	31	31	41	66	85	92	102	108	107	110	108	110	107	104	90	72	64	54	50	47
25	48	49	44	38	31	31	41	70	88	91	102	109	115	115	117	114	109	99	82	72	65	60	57	
26	56	55	55	53	52	50	52	86	98	107	114	120	122	120	119	118	114	115	103	90	78	74	66	64
27	68	64	61	55	49	43	56	90	105	118	120	121	122	118	119	120	114	115	112	94	80	74	69	66
28	62	56	52	48	45	44	58	90	107	112	117	128	127	128	126	127	125	120	113	98	86	74	66	63
MED	58	56	56	54	52	50	52	80	103	120	126	130	126	128	125	123	121	116	106	90	80	71	66	62
NO	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28

TABLE 75
IONOSPHERIC DATA

foF1, 0.1 Mc, Feb, 1957

Station Washington, D.C. Lat. 38°7'N Lang. 77.1°W Sweep 1.0 Mc ta 2.50 Mc in 13.5 sec. 75° W Mean Time

Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01											L	L	L	L	L	L	L							
02												L	L	L										
03											L	L	L	L	L	L	L	L	L					
04												L	L	L	L	L	L	L	L					
05												L	L	L	L	L	L	L	L					
06													L	L	L	L	L	L	L					
07													L	L	L	L	L	L	L	C				
08													L	L	L	L	L	L	L	L	L			
09													L	L	L	L	L	L	L	L	L	L		
10													L	L	L	L	L	L	L	L				
11													L	L	L	L	L	L	L					
12													L	L	C	L	L	L	L	L				
13													L	L	L	L	L	L	L	L				
14														L	L	L	L	L	L					
15														L	L	L	L	A						
16														L	L	L	L	L	L	L				
17														L	L	L	L	L	L	L				
18														L	L	L	L	L	L	L				
19														L	L	L	L	L	L	L				
20														L	L	L	L	L	L	L				
21														L	L	37	L	L	L	L	L			
22														L	L	L	L	L	L	L				
23														L	L	R	L	L	L					
24														L	L	L	L	L	L	L				
25														L	L	L	L	L	L	L				
26														L	L	L	L	L	L	L				
27														L	L	L	L	L	L	L				
28														L	L	L	L	L	L	L				
MED																								
NO																								

TABLE 76
IONOSPHERIC DATA

foE, 0.05 Mc, Feb. 1957

Station: Washington, D.C. Lat. 38°7'N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual Automatic

75° W Mean Time

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
									A	A															
01											320	345	360	350	325	300	270								
02									215	275	330	355	355	350	335	310	255								
03									U E	H	H U B	U B	U B	U S		B	A								
04									215	290	325	345	340	325	310		B	B	B	B					
05									225	295	320	340			U B		U B								
06									B	U B															
07									275	305	320	340	350	340	320	275									
08									215	275	320		B	B	B	H	H								
09									245	305	340	355	365	360	350	325	275	210							
10									235	300	335	365	370	370	330	320	290	195							
11									195	290	330	340	260	270	355	220	270	205							
12									H	H					U A	I A	U H								
13									235	295	325	350	355	365	340	320	265								
14									B																
15									300	340	350	360	360	355	360	320	290								
16									290	330	340	350	350	355	360	325	275								
17									B	B					I B		J A	?							
18									270	320	340	340	345	340	320	295									
19									U E	U R	H	H U A	H												
20									250	300	330	360	360	370	350	320	270								
21									U B	U A															
22									250	305	340	360	370	375	375	345	330	310	220						
23									S	U R	U R	H U R	I R	U R	R	R	R								
24									260	310	330	350	380	370	360										
25									U R	U R	U R	I R													
26									210	250	295	320	345	360	360	340	320	270	220						
27									A	H	A	A	A	U R	U R	H	H								
28									255																
MED									175	240	300	320	335	350	360	345	320	280	220						
NO									180	245	300	330	350	360	360	345	320	280	220						
									6	23	26	26	25	25	25	27	25	25	16						

TABLE 77
IONOSPHERIC DATA

foEs, O.I Mc, Feb. 1957

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec.

75° W Mean Time

Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	S	S	S	E	S	S	S	35	66	57	G	G	G	G	G	29	22	B	B	S	S	S	B	
02	S	S	S	S	B	S	S	S	G				G	G	G	G	B	S	B	S	S	B	B	
03		S	S	S	S	S	S	B	G	G	G	35	34	33	30	26	B	B	S		35	25	S	
04	S	S	S	S	B	B	B	G	G	G		35	B	35	31	31	B	B	S		S	S	S	
05	S	S	S	S	S	S	S	S	B		29	32	34	B	B	35	33	28	B	B	S	B	S	
06		S		S	S	S	S	S	G		28	G	B	B	33	G	G	G	G	S	S	S	S	
07	S	S	E	E	S		S	S	G	G	G	G	G	G	G	G	G	S	B	S	S	S	36	
08	S	S	S	S	S	S	S	S	G	G	G	G	G	G	35	G	C	G	S	B	S	S	30	
09	S	S	S	S	S	S	S	B	B	G	G	G	G	G	G	G	G	B	S	S	S	S	S	
10	S	S	S	S	S	S	S	S	B		45	G	G	G	39	42	34	30	22	B	S	S	S	S
11	S	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	B	S	S	B	S	S	
12	S	S	S	S		S	S	S	B	G	G	C	G	G	G	G	29	B	B	B	B	S	S	
13	S	B	S	S		B	B	B	B	G	G	G	G	39	40	38	31	B	B	B	B		37	43
14	S	B		S	S		S	S	G	G	G	G	37	B	G	G	29	B	B	B	S	S	26	30
15	S	S	S	S	S	S	S	B	B	G	G	G	G	39	43	36	38	B	B	B	S	S	S	S
16	S	S	S	S	S	S	S	B	B	G	G	G	G	31	30	34		17	S	S		29	31	S
17	S	S	S	S	S	J	S	S	G		22	G	20	G	G	G	G	32	49	41	36	31	S	S
18	B	S	E	S		S	S		G	G	G	G		36	36	34		29	35	31	30	S	S	S
19	S	S		S	S	S	S	G	G		33	G	G	39	60	40	35	G	S	S	S	S	S	S
20	S	S	S	S	S	S	S		G	G	G	G	29	26	29	23	G	49	34	S		24	S	S
21	S	S	S	S	S	S	S	G	G	G	G	G	54	42	27	G	G	B	S	S	S	S	S	
22	S	S	S	S	S	S	S	G	G	G	G	G	36	G	G	25	B	S	S	S	S	S	S	
23	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	G	B	S	S	S	S	S	
24	37	S	S	S	E	E	S	S		51	24	41	35	34	G	S	S	S	26	23	S	S	S	S
25	S	S	S	S	S	S	S	B	G	B	G	G	G	G	G	G	G	G	17	S	S	S	S	
26	S	S	S	S	S	S	S																	
27	S	S	S	S	E	S	S	B	G	G	G	G	G	B	G	G	G	G	S	S	S	S	S	
28	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	26	S	S	S	S	S	S	
MED								U ₂₆											U ₂₄		U ₂₈			
NO	3	3	4	4	7	4	7	19	27	27	27	26	28	27	27	27	26	28	19	10	9	3	6	7

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.

TABLE 78
IONOSPHERIC DATA

fMIN, O.I Mc, Feb. 1957

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual Automatic

75° W Mean Time

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23													
01	E S	E S	E S	E E	S E	E S	E S	E S	E S	E S	16	16	16	15	16	16	17	21	16	21	25	21	21	26	23	23	23	20	20	17	E S	E S	E S				
02	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	16	17	16	16	16	22	23	27	27	26	28	29	23	23	23	16	17	16	16	16	16	17	17	17	
03	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	13	13	13	13	13	17	25	25	26	27	28	32	28	27	23	25	17	16	16	16	16	16	16	16	16
04	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	12	13	12	20	17	16	17	20	24	26	29	39	33	30	30	35	26	22	16	16	13	16	16	16	16	16
05	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	11	12	13	13	16	16	24	26	29	35	35	35	32	28	25	23	17	16	17	13	16	16	18	18	
06	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	13	13	16	16	15	16	16	17	23	29	38	39	31	28	25	20	16	16	16	16	16	16	16	16	16	
07	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	11	13	15	16	16	20	23	25	26	25	26	23	23	18	16	16	17	16	16	16	16	16	16	16	
08	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	13	13	13	16	16	17	18	20	23	31	28	26	22	18	16	16	17	16	16	20	18	18			
09	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	16	16	16	13	17	17	24	22	22	26	27	30	23	24	26	17	17	16	16	16	16	16	16	16	
10	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	16	11	16	14	13	16	19	22	23	25	27	23	24	23	19	16	17	16	16	16	16	16	16	16	
11	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	13	13	13	12	16	16	16	26	17	22	23	24	27	23	27	20	20	16	16	16	20	16	16	16	16	16
12	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	13	13	14	16	13	16	16	25	23	26	26	26	27	30	23	22	26	23	18	18	16	16	16	16	16	16
13	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	17	13	12	21	21	17	22	24	24	26	26	39	36	26	26	25	26	17	21	16	15	16	18	18		
14	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	17	13	13	12	11	16	16	23	28	23	24	25	27	28	26	25	26	19	17	16	13	17	16	16	16	
15	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	13	13	13	13	13	16	16	19	19	24	24	24	25	26	26	27	24	22	22	21	19	17	16	16	16	16	16
16	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	13	13	11	14	14	18	18	20	23	26	27	31	23	25	16	16	16	16	16	16	16	15	15			
17	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	11	13	11	13	11	16	16	17	23	18	26	25	22	22	20	16	16	16	16	16	16	16	16	16	16	
18	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	17	14	11	11	16	16	16	16	19	26	30	28	26	29	23	21	16	16	16	16	16	16	16	16	16	16	
19	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	13	13	16	16	16	16	16	18	20	28	25	27	20	20	16	16	16	16	16	16	16	16	16	16	
20	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	13	16	13	13	16	16	16	18	17	18	17	16	18	17	16	16	16	16	16	16	16	16	16	16	
21	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	13	13	16	16	16	16	17	17	18	16	19	17	17	16	23	16	16	16	16	16	16	16	16	16	
22	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	14	13	13	13	16	17	17	16	19	23	25	26	20	21	16	17	19	16	16	16	16	16	16	16	16	
23	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	16	13	16	16	16	16	23	23	34	28	25	23	18	16	16	16	16	16	16	16	16	16	16		
24	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	15	16	16	13	16	13	15	16	16	22	20	27	30	25	26	20	16	17	13	16	16	16	16	16	16	16	
25	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	11	12	13	16	16	16	16	17	22	25	24	25	25	21	22	16	16	16	16	15	15	16	16	16	16	
26	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	15	16	16	17	15	15	18	16	38	21	26	26	32	37	24	23	18	16	16	16	16	17	16	16	16	
27	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	16	15	13	16	21	16	21	19	22	22	38	27	26	25	25	16	16	16	16	16	16	16	16	16	
28	E S	E S	E S	E S	E S	E S	E S	E S	E S	E S	16	16	13	16	16	16	16	16	16	18	17	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	
MED																																					
NO																																					

TABLE 79
IONOSPHERIC DATA

HF2, Km, Feb. 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23										
01									L	L			250	L	L	L	L																	
02										L			L	L																				
03									225	240	250	250	H	U L	L	L	L	L																
04										L	L	L	240	L	L	L	L																	
05										L		L	260		L	L	L	L																
06										240	260	250	245		240	240	240	240																
07										L	250	245	240	260	245	250	250	250	250															
08										240	245	250	245		260	260	260	260	C															
09										L	L	L	L	L	L	L	L	L	L	L	L	L	L	L										
10										245	240	240	245	250		L	L	L	L															
11										250		260	240	240		L	L	L	L															
12										L	L	C	L	L	L	L	L	L																
13										L	L	L	U L	L	L	L	L	L																
14										230	250	250	240	240	240	240	240	240																
15										U L	250	250	250	240	240	240	240	240																
16										230	240	240	U L	L	L	L	L	L																
17										L	L	L	L	L	L	L	L	L																
18										L	L	L	L	L	L	L	L	L																
19										240		L	250		L	250	L	L	L															
20										245	250	260	260		L	L	L	L	250															
21										245	240	235	240	240	240	245	245	245	245	245														
22										240	230	245	250	250	250	255	255	250	235															
23										U L	240	240	240	255	260	260	255																	
24										U L	U L	270	270	265	270	265	260	260	255															
25										245	275	250	250		240	250		L																
26										U L	235	250	250	250	250	260	260	260	L															
27										U L	240	240	240	240	240	280	280	L	L															
28										U L	225	260	250	U L	L	L	L	L																
MED										U	240	240	250	250	250	245	250																	
NO										2	8	17	18	22	12	12	12	12	3															

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.

TABLE 80
IONOSPHERIC DATA

h'F, Km, Feb. 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38.7°N Lang. 77.1°W Sweep 1.0 Mc ta 25.0 Mc in 13.5 sec. Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
									U A																
01	245	275	275	245	260	260	275	275	245	220	235	230	225	230	230	235	245	240	230	210	240	265	250	260	
02	270	270	270	260	240	260	260	270	230	240	230	235	235	220	240	240	230	230	220	225	225	250	240	250	
03	240	250	260	250	250	270	270	240	220	230	215	215	235	215	230	240	240	245	220	220	240	240	260	245	
04	235	250	280	280	290	250	225	240	230	240	225	240	215	230	230	240	240	240	240	230	270	260	275	290	
05	340	350	315	300	270	260	300	250	250	230	225	235	225	230	235	235	240	240	235	210	240	230	230	250	
									F																
										U A															
06	250	300	290	330	290	305	280	250	245	235	230	235	220	230	225	230	230	230	225	220	230	230	245	240	
07	240	245	250	260	270	270	265	240	240	230	230	230	230	240	230	235	235	240	235	230	230	240	260	300	
08	265	260	265	260	270	270	250	245	235	235	230	225	220	230	200	220	230	235	230	235	250	240	260	270	
09	270	265	260	255	260	250	250	240	230	230	230	240	215	225	220	240	240	230	230	220	240	225	245	250	
10	250	250	250	250	260	250	225	240	225	235	230	230	225	215	220	235	230	240	235	230	230	240	250	250	
11	280	280	265	265	280	250	240	240	230	220	230	225	230	220	230	230	235	235	240	220	250	250	240	250	
12	270	320	280	290	270	255	245	245	230	230	230	230	230	230	220	230	230	245	240	235	225	250	240	230	240
13	270	320	340	325	320	250	260	290	250	240	245	230	230	225	235	245	240	240	225	225	240	260	260	265	
14	270	270	270	280	270	270	250	235	225	230	225	215	225	220	230	235	230	230	225	230	230	225	235	260	
15	260	280	290	280	270	310	300	240	235	230	225	225	220	230	230	235	240	230	230	235	230	230	230	260	
16	260	280	290	280	300	280	260	240	230	225	220	220	220	225	230	235	235	225	230	225	230	250	245	260	
17	250	240	260	250	260	270	240	230	225	230	230	230	230	230	235	230	240	240	250	230	245	235	240	250	
18	250	275	265	265	275	260	250	240	230	230	225	225	240	215	240	240	235	240	235	230	220	220	240	240	
19	270	270	265	300	315	285	260	245	240	235	230	225	220	240	235	235	245	235	220	230	245	265	270	300	
20	275	245	270	290	255	250	250	255	235	235	230	220	225	225	235	235	240	230	235	220	245	235	280	315	
21	340	295	285	310	335	330	290	260	240	220	205	210	215	220	230	230	235	245	240	250	250	245	255	270	
22	260	255	320	290	270	265	240	230	245	230	225	230	230	230	225	235	235	235	235	220	235	240	250	260	
23	270	290	300	275	280	290	260	250	235	240	230	210	220	230	230	240	240	230	245	240	240	330	450	450	
24	F	F	F	F	F	F	F	F	E S								I R							E S U F	
25	430	440	410	380	330	330	280	250	235	240	240	235	235	235	235	235	240	240	235	230	235	250	260	285	
	E S								S															U S U S	
26	270	275	275	270	260	250	245	240	240	240	220	220	230	240	225	235	230	230	240	225	230	260	260	260	
27	290	260	245	245	240	260	290	250	230	225	220	225	225	220	220	230	240	240	235	220	225	235	250	250	
28	240	250	240	250	260	260	260	235	230	220	205	230	235	225	225	225	235	230	220	225	220	230	240	250	
MED	270	270	270	270	270	260	260	240	235	230	230	230	225	230	230	235	235	240	230	225	235	240	250	260	
NO	26	28	28	28	28	28	27	28	28	28	28	28	28	28	27	28	28	28	28	28	28	27	28		

TABLE 8I
IONOSPHERIC DATA

H.E. Km. Feb. 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38°7'N Long. 77°1'W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual Automatic

TABLE 82
IONOSPHERIC DATA

h'Es, Km, Feb. 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38.7°N Lang. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	S	S	S	E	S	S	S	109	109	109	G	G	G	G	G	129	115	B	B	S	S	S	B	
02	S	S	S	S	B	S	S	S	G	150	135	139	139	G	G	G	B	S	B	S	S	B	B	
03	109	S	S	S	S	S	S	B	G	G	125	G	G	115	119	111	115	B	B	S	S	130	111	
04	S	S	S	S	B	B	B	119	G	G	G	130	B	115	115	119	B	B	B	S	121	S	S	S
05	S	S	S	S	S	S	S	B	119	119	129	B	B	119	119	119	B	B	S	B	S	S	S	B
06	S	125	S	113	S	S	S	S	G	125	G	B	B	119	G	G	G	S	S	S	S	S	S	
07	S	S	E	E	S	S	S	S	G	G	G	G	G	G	G	G	G	S	B	S	S	S	105	
08	S	S	S	S	S	S	S	S	G	G	G	G	G	G	G	119	C	G	S	B	S	S	103	
09	S	S	S	S	S	S	S	B	B	G	G	G	G	G	G	G	G	G	B	S	S	S	S	
10	S	S	S	S	S	S	S	B	105	G	G	G	G	121	115	125	119	111	B	S	S	S	S	
11	S	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	B	S	S	B	S	S	
12	S	S	S	S	115	S	S	S	B	G	G	C	G	G	G	139	B	B	B	B	S	S	S	
13	S	B	S	S	119	B	B	B	B	G	G	G	G	129	119	113	115	B	B	B	109	105	105	
14	S	B	109	S	S	S	111	110	G	G	G	G	105	B	G	G	119	B	B	B	S	S	107	103
15	S	S	S	S	S	S	S	B	G	119	G	G	G	115	111		G	B	B	B	S	S	S	
16	S	S	S	S	S	S	B	B	G	G	G	G	G	101	101	101	G	G	S	S	109	103	S	
17	S	S	S	S	S	S	S	S	G	103	103	G	G	G	G	G	131	119	115	109	111	S	S	S
18	B	S	E	S	119	S	S	S	G	111	G	G	G	115	119	135	G	119	109	109	109	S	S	S
19	S	S	150	S	S	S	S	G	135	G	G	117	115	119	G	129	G	S	S	S	S	S	S	
20	S	S	S	S	S	S	S	119	119	G	G	109	103	101	101	101	G	113	111	S	111	S	S	S
21	S	S	S	S	S	S	S	G	G	G	G	G	101	101	101		G	G	B	S	S	S	S	S
22	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	119	G	G	B	S	S	S	S	
23	S	S	S	S	S	S	S	111	G	G	G	G	G	G	G	G	G	G	S	S	S	S	S	
24	130	S	S	S	S	S	S	S	S	S	S	S	S	G	G	G	G	G	B	S	S	S	S	
25	S	S	S	E	E	S	S	109	109	107	109	109	S	S	S	S	131	117	S	S	S	S	S	
26	S	S	S	S	S	S	S	B	G	B	G	G	G	G	G	G	G	G	S	S	S	S	S	
27	S	S	S	S	E	S	S	B	G	G	G	G	G	B	G	G	G	G	S	S	S	S	S	
28	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	119	S	S	S	S	S	S	
MED								110		119	119	129		115	119	113	119	119	115		111		105	
NO	2	1	2	1	3	2	4	5	3	8	5	5	4	11	13	9	9	9	6	2	5	3	5	2

TABLE 83
IONOSPHERIC DATA

(M3000)F2, Feb. 1957

Station Washington, D.C. Lat. 38.7°N Lang. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. 75° W Mean Time

Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	295	280	285	320	300	295	285	300	280	305	315	300	295	290	285	285	290	295	300	300	290	280	300	280	
02	280	285	295	290	300	280	280	290	330	320	310	305	295	285	280	280	285	285	295	285	285	280	290	290	
03	300	290	300	290	270	290	290	295	330	320	310	305	285	290	285	290	280	295	290	295	280	280	280	280	
04	290	285	275	270	270	285	310	290	300	310	295	290	295	280	285	280	275	290	290	280	280	275	260	260	
05	260	260	270	250	260	280	280	290	315	310	300	295	295	295	290	290	290	300	295	300	315	300	285		
06	290	290	270	280	270	270	270	270	300	320	305	310	300	300	300	295	300	295	300	300	295	300	305	300	
07	295	290	295	290	290	290	295	320	335	330	320	310	305	300	290	290	290	295	305	300	295	295	280	275	
08	285	295	280	295	295	300	310	310	325	315	305	305	300	295	290	290	290	290	300	295	290	290	295	270	
09	275	280	285	280	280	285	310	300	330	310	295	305	300	285	285	280	290	295	295	300	285	280	270	270	
10	280	295	295	285	295	305	320	310	320	320	320	315	300	300	290	290	290	295	300	300	290	300	295	270	
11	270	270	280	280	275	280	290	320	330	315	310	295	290	280	285	285	290	295	300	315	290	300	290	275	
12	260	250	265	265	270	280	300	295	320	310	310	C	295	285	280	280	285	295	300	300	290	270	300	305	275
13	275	250	260	250	265	300	290	290	310	320	300	285	280	290	280	270	280	290	300	295	290	280	275	275	
14	280	275	280	280	275	280	290	300	325	320	320	310	305	295	300	295	295	310	310	305	310	310	290	295	
15	290	285	290	280	290	280	270	315	320	320	300	305	300	290	290	285	290	290	305	300	300	315	300	300	
16	290	280	290	280	270	280	300	330	330	325	310	300	295	285	285	285	295	295	300	300	290	290	275	280	
17	300	280	290	300	280	285	300	310	325	320	300	290	285	280	280	275	280	285	290	290	295	290	290	280	
18	275	280	275	260	270	270	280	310	310	315	300	300	295	290	285	285	285	290	295	300	300	290	300	280	
19	290	280	290	265	275	265	270	310	330	315	315	300	290	290	290	290	285	290	315	300	290	290	310	285	
20	305	320	290	300	285	285	310	340	320	315	305	305	300	295	285	290	295	300	305	305	295	290	280	250	
21	255	270	290	255	245	245	260	300	320	310	305	295	290	285	290	290	295	285	285	275	285	270	290	280	
22	290	300	285	295	285	315	295	320	320	305	305	295	305	295	295	290	295	305	305	300	300	320	280	285	
23	270	265	270	300	315	290	290	320	320	320	320	300	295	295	280	275	270	290	280	290	255	255	J F F F		
24	230	230	240	250	250	260	300	300	315	300	295	295	295	290	290	300	290	290	300	300	290	285	280	280	
25	270	290	285	290	280	280	315	315	320	310	305	290	295	290	290	295	300	300	310	295	295	285	285	285	
26	275	285	280	285	295	295	305	320	330	325	310	300	295	290	290	290	295	295	300	310	300	290	290	265	
27	270	290	290	300	290	300	295	330	320	315	315	300	290	290	295	290	290	295	300	310	305	300	300	295	
28	295	300	300	300	295	290	305	330	325	320	310	300	290	290	290	290	290	290	290	290	290	290	290	285	
MED	280	280	285	280	280	285	290	310	320	315	310	300	295	290	290	290	290	295	300	290	290	290	290	280	
NO	27	28	28	28	28	28	28	28	28	28	28	27	28	28	28	28	27	28	28	28	28	27	27	27	





TABLE 84
IONOSPHERIC DATA





(M3000)FI, Feb. 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01											L	L	L	L	L	L	L							
02												L	L	L										
03									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
04									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
05									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
06									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
07									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
08									L	L	L	L	L	L	L	L	L	L	C	L	L	L	L	
09									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
10									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
11									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
12									L	L	C	L	L	L	L	L	L	L	L	L	L	L	L	
13									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
14									L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
15										L	L	L	A	L	L	L	L	L	L	L	L	L	L	
16										L	L	L	L	L	L	L	L	L	L	L	L	L	L	
17										L	L	L	L	L	L	L	L	L	L	L	L	L	L	
18										L	L	L	L	L	L	L	L	L	L	L	L	L	L	
19										L	L	L	L	L	L	L	L	L	L	L	L	L	L	
20										L	L	L	L	L	L	L	L	L	L	L	L	L	L	
21											425	L	L	L	L	L	L	L	L	L	L	L	L	
22											L	L	L	L	L	L	L	L	L	L	L	L	L	
23											L	L	R	L	L	L	L							
24											L	L	L	L	L	L	L	L	L	L	L	L	L	
25											L	L	L	L	L	L	L	L	L	L	L	L	L	
26											L	L	L	L	L	L	L	L	L	L	L	L	L	
27											L	L	L	L	L	L	L	L	L	L	L	L	L	
28											L	L	L	L	L	L	L	L	L	L	L	L	L	
MED																								
NO																								








Fig. 9. NARSARSSUAK, GREENLAND
61.2°N, 45.4°W DECEMBER 1956




Fig. 10. NARSARSSUAK, GREENLAND




Fig. 11. ADAK, ALASKA
51.9°N, 176.6°W DECEMBER 1956




Fig. 12. ADAK, ALASKA DECEMBER 1956

NBS 490




Fig. 13. SAN FRANCISCO, CALIFORNIA
 37. 4°N, 122. 2°W DECEMBER 1956




Fig. 14. SAN FRANCISCO, CALIFORNIA




Fig. 15. WHITE SANDS, NEW MEXICO
32°3'N, 106.5°W DECEMBER 1956
























Fig. 16. WHITE SANDS, NEW MEXICO
































Fig. 49. MONTE CAPELLINO, ITALY
44.6°N, 9.0°E SEPTEMBER 1956




Fig. 50. AKITA, JAPAN
39.7°N, 140.1°E SEPTEMBER 1956








Fig. 51. AKITA, JAPAN SEPTEMBER 1956






Fig. 56. LEOPOLDVILLE, BELGIAN CONGO
4.4°S, 15.2°E SEPTEMBER 1956




Fig. 57. LEOPOLDVILLE, BELGIAN CONGO SEPTEMBER 1956




Fig. 58. TALARA, PERU
4.6°S, 81.3°W SEPTEMBER 1956




Fig. 59. TALARA, PERU SEPTEMBER 1956




Fig. 60. ELISABETHVILLE, BELGIAN CONGO
II. 6° S, 27.5° E SEPTEMBER 1956




Fig. 61. ELISABETHVILLE, BELGIAN CONGO SEPTEMBER 1956




Fig. 62. RAROTONGA I.
21.3 $^{\circ}$ S, 159.8 $^{\circ}$ W SEPTEMBER 1956




Fig. 63. RAROTONGA I. SEPTEMBER 1956





Fig. 64. JOHANNESBURG, UNION OF S. AFRICA
26.2°S, 28.1°E SEPTEMBER 1956



SEPTEMBER 1956

Fig. 65. JOHANNESBURG, UNION OF S. AFRICA





Fig. 66. WATHEROO, W. AUSTRALIA
30.3°S, 115.9°E SEPTEMBER 1956



SEPTEMBER 1956

Fig. 67. WATHEROO, W. AUSTRALIA




Fig. 68. CAPE TOWN, UNION OF S. AFRICA
34.2°S, 18.3°E SEPTEMBER 1956




Fig. 69. CAPE TOWN, UNION OF S. AFRICA SEPTEMBER 1956




Fig. 70. BUENOS AIRES, ARGENTINA
34.5°S, 58.5°W SEPTEMBER 1956








Fig. 71. BUENOS AIRES, ARGENTINA SEPTEMBER 1956

NBS 490






Fig. 76. RESOLUTE BAY, CANADA
74.7°N, 94.9°W AUGUST 1956




Fig. 77. RESOLUTE BAY, CANADA AUGUST 1956




Fig. 78. BAKER LAKE, CANADA
64.3°N, 96.0°W AUGUST 1956




Fig. 79. BAKER LAKE, CANADA AUGUST 1956




Fig. 80. CHURCHILL, CANADA
58.8°N, 94.2°W AUGUST 1956




Fig. 81. CHURCHILL, CANADA AUGUST 1956




Fig. 82. LINDAU / HARZ, GERMANY
 51.6°N, 10.1°E AUGUST 1956








Fig. 83. LINDAU / HARZ, GERMANY AUGUST 1956









Fig. 90. LEOPOLDVILLE, BELGIAN CONGO
4.4°S, 15.2°E AUGUST 1956

NBS 503

Fig. 91. LEOPOLDVILLE, BELGIAN CONGO AUGUST 1956

NBS 490




Fig. 92. ELISABETHVILLE, BELGIAN CONGO
II. 6° S, 27.5° E AUGUST 1956

NBS 503




Fig. 93. ELISABETHVILLE, BELGIAN CONGO

U. S. GOVERNMENT PRINTING OFFICE 11507

AUGUST 1956

NBS 490




Fig. 94. RAROTONGA I.
21.3 $^{\circ}$ S, 159.8 $^{\circ}$ W AUGUST 1956

NBS 503












Fig. 95. RAROTONGA I.

AUGUST 1956

NBS 490

U. S. GOVERNMENT PRINTING OFFICE 11507








Fig. 104. DELHI, INDIA
28.6°N, 77.1°E FEBRUARY 1956




Fig. 105. DELHI, INDIA FEBRUARY 1956




Fig. 106. AHMEDABAD, INDIA
23.0°N, 72.6°E FEBRUARY 1956




Fig. 107. AHMEDABAD, INDIA FEBRUARY 1956




Fig. 108. CALCUTTA, INDIA
22.9°N, 88.5°E FEBRUARY 1956




Fig. 109. CALCUTTA, INDIA FEBRUARY 1956




Fig. 110. BOMBAY, INDIA
19.0°N, 73.0°E FEBRUARY 1956




Fig. 111. BOMBAY, INDIA FEBRUARY 1956




Fig. 112. MADRAS, INDIA
13.0°N, 80.2°E FEBRUARY 1956




Fig. 113. MADRAS, INDIA FEBRUARY 1956




Fig. 114. TIRUCHY, INDIA
10.8°N, 78.8°E FEBRUARY 1956








Fig. 115. TIRUCHY, INDIA FEBRUARY 1956



NBS 503



NBS 490

U. S. GOVERNMENT PRINTING OFFICE 50-1077







Fig. 122. BRISBANE, AUSTRALIA
27.5°S, 153.0°E FEBRUARY 1956

NBS 503

NBS 490




Fig. I24. CANBERRA, AUSTRALIA
35.3°S, 149.0°E FEBRUARY 1956




Fig. I25. CANBERRA, AUSTRALIA FEBRUARY 1956




Fig. I26. HOBART, TASMANIA
42.9°S, 147.3°E FEBRUARY 1956




Fig. I27. HOBART, TASMANIA FEBRUARY 1956





Fig. 128. CHRISTCHURCH, NEW ZEALAND
43.6°S, 172.8°E FEBRUARY 1956



FEBRUARY 1956

Fig. 129. CHRISTCHURCH, NEW ZEALAND





Fig. 130. CAMPBELL I.
52.5°S, 169.2°E SEPTEMBER 1954



SEPTEMBER 1954

NBS 490




Fig. 132. CAMPBELL I.
52.5°S, 169.2°E AUGUST 1954




Fig. 133. CAMPBELL I. AUGUST 1954




Fig. 134. CAMPBELL I.
52.5°S, 169.2°E AUGUST 1953








Fig. 135. CAMPBELL I. AUGUST 1953






Fig. 140. CAMPBELL I.
52.5° S, 169.2° E FEBRUARY 1952




Fig. 141. CAMPBELL I. FEBRUARY 1952

NBS 490




Fig. 142. TOKYO, JAPAN
35.7° N, 139.5° E SEPTEMBER 1946




Fig. 143. TOKYO, JAPAN SEPTEMBER 1946

NBS 503

U. S. GOVERNMENT PRINTING OFFICE 12507

Index of Tables and Graphs of Ionospheric Data
in CRPL-F151 (Part A)


	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
December 1956	17	43
Ahmedabad, India		
February 1956	25	67
Akita, Japan		
September 1956.	21	53
Anchorage, Alaska		
December 1956	17	42
November 1956	18	46
October 1956.	19	47
Baguio, P. I.		
December 1956	18	45
Baker Lake, Canada		
September 1956.	19	49
August 1956	23	60
Bombay, India		
February 1956	26	68
Brisbane, Australia		
February 1956	27	71
Buenos Aires, Argentina		
September 1956.	22	58
Calcutta, India		
February 1956	26	68
Campbell I.		
September 1954.	27	73
August 1954	28	74
August 1953	28	74
July 1952	28	75
June 1952	28	75
February 1952	28	76
Canberra, Australia		
February 1956	27	72
Capetown, Union of S. Africa		
September 1956.	22	58
Christchurch, New Zealand		
September 1956.	23	59
July 1956	25	65
February 1956	27	73
Churchill, Canada		
August 1956	23	61
Deception I.		
September 1956.	23	59
Delhi, India		
February 1956	25	67

Index (CRPL-F151 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Elisabethville, Belgian Congo		
September 1956.	22	56
August 1956	24	64
Fairbanks, Alaska		
December 1956	17	42
Graz, Austria		
January 1957	17	41
September 1956.	20	51
Hobart, Tasmania		
February 1956	27	72
Johannesburg, Union of S. Africa		
September 1956.	22	57
Kiruna, Sweden		
September 1956.	19	49
Kodaikanal, India		
February 1956	26	70
Leopoldville, Belgian Congo		
September 1956.	21	55
August 1956	24	63
Lindau/Harz, Germany		
September 1956.	20	50
August 1956	23	61
Madras, India		
February 1956	26	69
Monte Capellino, Italy		
September 1956.	21	53
Narsarssuak, Greenland		
December 1956	17	43
November 1956	18	46
Okinawa I.		
December 1956	18	45
Ottawa, Canada		
September 1956.	20	52
August 1956	24	63
Rarotonga I.		
September 1956.	22	56
August 1956	24	64
June 1956	25	66
February 1956	27	71
Resolute Bay, Canada		
September 1956.	19	48
August 1956	23	60
San Francisco, California		
December 1956	18	44
November 1956	19	47

Index (CRPL-F151 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Schwarzenburg, Switzerland		
September 1956.	20	51
August 1956	24	62
Svalbard, Norway		
June 1956	25	66
Talara, Peru		
September 1956.	21	55
Tiruchi, India		
February 1956	26	69
Tokyo, Japan		
September 1956.	21	54
September 1946.	28	76
Townsville, Australia		
February 1956	26	70
Tromso, Norway		
September 1956.	19	48
Wakkanaï, Japan		
September 1956.	20	52
Washington, D. C.		
February 1957	17	41
Watheroo, W. Australia		
September 1956.	22	57
August 1956	25	65
White Sands, New Mexico		
December 1956	18	44
Winnipeg, Canada		
September 1956.	20	50
August 1956	24	62
Yamagawa, Japan		
September 1956.	21	54



CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Semiweekly:

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Air Force, TO 31-3-28 series). On sale by Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.

(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic or other radio propagation data or in exchange for copies of publications on radio, physics, and geophysics for the CRPL library.

Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 Megacycles.

These circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, unless otherwise indicated.

