

CRPL-F 152 PART A

FOR OFFICIAL USE

copy 1

MAY 7 1957

PART A  
IONOSPHERIC DATA

ISSUED  
APRIL 1957

U. S. DEPARTMENT OF COMMERCE  
NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO



CRPL-F 152  
PART A

NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO

Issued  
22 Apr. 1957

## IONOSPHERIC DATA

### CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions . . . . .	2
Predicted and Observed Sunspot Numbers. . . . .	5
World-Wide Sources of Ionospheric Data. . . . .	6
Hourly Ionospheric Data at Washington, D. C. . . . .	8, 15, 27, 39
Examples of Ionospheric Vertical Soundings Ft. Monmouth, New Jersey; Jan. 25, 1957 . . . . .	9
Radio Noise Data. . . . . . . . . . . . . . . . .	11
Tables of Ionospheric Data. . . . . . . . . . . . .	15
Graphs of Ionospheric Data. . . . . . . . . . . . .	39
Index of Tables and Graphs of Ionospheric Data in CRPL-F152 (Part A). . . . . . . . . . . .	75

## SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N, R or S are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G (and B when applied to the daytime E region only) are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

At night B for fEs is counted on the low side when there is a numerical value of foF2; otherwise it is omitted from the median count.

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If the count is four or less, the data are considered insufficient and no median value is computed.
2. For the F2 layer, h'F or foEs, if the count is from five to nine, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as the count is at least five, the median is not considered doubtful. A count of at least 5 is considered sufficient for an h'Es median.
3. For all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when  $f_{oF2}$  is less than or equal to  $f_{oF1}$ , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily, a blank space in the  $f_E$ s or  $f_{oE}$ s column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of  $f_{oE}$ . Blank spaces at the beginning and end of columns of  $h'F2$  or  $h'F1$ ,  $f_{oF1}$ ,  $h'E$ , and  $f_{oE}$  are usually the result of diurnal variation in these characteristics. Complete absence of medians of  $h'F1$  and  $f_{oF1}$  is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.

- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.
- d. The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

### PREDICTED AND OBSERVED SUNSPOT NUMBERS

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

Month	Predicted Sunspot Number										
	1957	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947
December	150	42	11	15	33	53	86	108	114	126	
November	147	35	10	16	38	52	87	112	115	124	
October	135	31	10	17	43	52	90	114	116	119	
September	150*	119	30	8	18	46	54	91	115	117	121
August	150*	105	27	8	18	49	57	96	111	123	122
July	150*	95	22	8	20	51	60	101	108	125	116
June	150*	89	18	9	21	52	63	103	108	129	112
May	150*	77	16	10	22	52	68	102	108	130	109
April	150*	68	13	10	24	52	74	101	109	133	107
March	150*	60	14	11	27	52	78	103	111	133	105
February	150*	53	14	12	29	51	82	103	113	133	90
January	150*	48	12	14	30	53	85	105	112	130	88

\*This number is believed representative of solar activity at a maximum portion of the current sunspot cycle.

The latest available information follows concerning the corresponding observed Zürich numbers (some of which may be subject to minor change) beginning with the minimum of April 1954.

### Observed Sunspot Number

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1954				3	4	4	5	7	8	8	9	12
1955	14	16	19	23	29	35	40	46	55	64	73	81
1956	89	98	109	119	127	137	145	148	149			

## WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 144 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Republica Argentina, Ministerio de Marina:  
Buenos Aires, Argentina  
Deception I.

Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:  
Brisbane, Australia  
Canberra, Australia  
Hobart, Tasmania  
Townsville, Australia

University of Graz:  
Graz, Austria

British Department of Scientific and Industrial Research, Radio Research Board:  
Falkland Is.  
Ibadan, Nigeria (University College of Ibadan)  
Inverness, Scotland  
Port Lockroy  
Singapore, British Malaya  
Slough, England

Defence Research Board, Canada:  
Baker Lake, Canada  
Churchill, Canada

National Laboratory of Radio-Electricity (French Ionospheric Bureau):  
Casablanca, Morocco  
Poitiers, France

The Royal Netherlands Meteorological Institute:  
De Bilt, Holland

Central Institute of Meteorology, Budapest, Hungary:  
Budapest, Hungary

Icelandic Post and Telegraph Administration:  
Reykjavik, Iceland

Christchurch Geophysical Observatory, New Zealand Department  
of Scientific and Industrial Research:

Campbell I.  
Rarotonga, Cook Is.

Norwegian Defence Research Establishment, Kjeller per  
Lillestrom, Norway:  
Oslo, Norway

Manila Observatory:  
Baguio, P. I.

South African Council for Scientific and Industrial Research:  
Capetown, Union of South Africa  
Johannesburg, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:  
Kiruna, Sweden  
Upsala, Sweden  
Lycksele, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzerland:  
Schwarzenburg, Switzerland

United States Army Signal Corps:  
Ft. Monmouth, New Jersey  
Okinawa I.  
Thule, Greenland  
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Laboratory):  
Anchorage, Alaska  
Fairbanks, Alaska (Geophysical Institute of the  
University of Alaska)  
Maui, Hawaii  
Narsarssuak, Greenland  
Point Barrow, Alaska  
Puerto Rico, W. I.  
San Francisco, California (Stanford University)  
Washington, D. C.

## HOURLY IONOSPHERIC DATA AT WASHINGTON, D. C.

The data given in tables 73 through 84 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols, Terminology, Conventions." Beginning with September 1949, the data are taken at Ft. Belvoir, Virginia.

The interpretation of a cell is as follows: U F  
32

The U is a qualifying symbol meaning doubtful. Other qualifying symbols are I, interpolated, D, greater than, E, less than, J, ordinary component deduced from extraordinary, and T, value determined by a sequence of observations. Absence of a letter in the upper left position means full weight is given to the observation.

Symbols such as F above are given in the upper right position.

There should be no difficulty in the placing of the decimal point. For the time being, a final zero will be found in each value of  $f_0F1$ . Thus at a later date it will be possible to register more closely scaled values of this characteristic, whenever such are reported.

EXAMPLES OF IONOSPHERIC VERTICAL SOUNDINGS  
 FT. MONMOUTH, N. J.; JAN. 25, 1957  
 (Geomagnetic Latitude 51°N)

The following ionograms were obtained at the Signal Corps Ft. Monmouth, N.J. vertical sounding station. They are typical of day and night conditions for January at this geomagnetic latitude. Ionospheric data are scaled directly from these records onto the daily f-plot, a graph of frequency characteristics vs. time. The f-plot for the day represented by these soundings is found on the following page. Medians as found in the Tables of Ionospheric Data are calculated using hourly values taken from the f-plot (where prepared daily) or directly from the ionogram.




Fig. A. Ft. Monmouth, N.J., Jan. 25, 1957, 0000 hours, 75°W time.





Fig. B. Ft. Monmouth, N.J., Jan. 25, 1957, 1200 hours, 75°W time.

STATION IONEM

f - PLOT OF IONOSPHERIC DATA

DATE 25 JAN 57SCALED BY RPL/CWN

CRPL FORM 7-L3 10-5-56

### Radio Noise Data

The results of radio noise measurements are presented in the following graphs and tables. These are based on three parameters of the noise: (1) the mean power, (2) the mean envelope voltage, and (3) the mean logarithm of the envelope voltage. The mean power averaged over a period of several minutes is the basic parameter and is expressed as an effective antenna noise figure,  $F_a$ .  $F_a$  is defined as the noise power available from an equivalent lossless antenna in db above ktb (the thermal noise power available from a passive resistance) where

$$k = \text{Boltzman's constant } (1.38 \times 10^{-23} \text{ joules per degree Kelvin})$$

$t = \text{Absolute room temperature (taken as } 288^{\circ} \text{ K)}$

$b = \text{Bandwidth in cycles per second.}$

The mean voltage and mean logarithm are expressed as deviations,  $V_d$  and  $L_d$  respectively, in db below the mean power.


Measurements of these parameters were made with the National Bureau of Standards Radio Noise Recorder, Model ARN-2, which has an effective noise bandwidth of 280 cycles per second and uses a standard 21.75' vertical antenna. A 15 minute recording is made on each frequency each hour, and these 15 minute samples are taken as representing the noise conditions for the full hour. The month-hour medians,  $F_{am}$ ,  $V_{dm}$ , and  $L_{dm}$  are determined from these hourly values for each of the corresponding parameters and the resulting medians are plotted at the half-hour point on the curves.

The upper and lower decile values of  $F_a$  are also reported in the following tabulation to give an indication of the extent of the variation of the noise power from day to day at a given time of day. These are expressed in db above and below the month-hour median,  $F_{am}$ , and designated by  $D_u$  and  $D_l$  respectively.

If it is desirable to convert  $F_a$  to an r. m. s. noise field strength,  $E_n$ , the nomogram or the equation on the following page may be used.

Information on expected worldwide noise levels and their application to systems problems is presented in NBS Circular 557 (available from the Supt. of Documents, U. S. Govt. Printing Office, Washington 25, D. C.). More recent estimates of radio noise levels are given in CCIR Report No. 65, "Report on Revision of Atmospheric Radio Noise Data", Warsaw, 1956 (available from the International Telecommunication Union, Geneva).

NOMOGRAM FOR TRANSFORMING EFFECTIVE ANTENNA NOISE FIGURE  
TO NOISE FIELD STRENGTH AS A FUNCTION OF FREQUENCY



$$E_n = F_a + 20 \log_{10} f_{Mc} - 65.5$$


$F_a$  = Effective Antenna Noise Figure = External Noise Power Relative to ktb Available from an Equivalent Short, Lossless, Vertical Antenna in db Above ktb.

$E_n$  = Equivalent Vertically Polarized Ground Wave R.M.S. Noise Field Strength in db Above  $1\mu\text{v}/\text{meter}$  for a 1kc Bandwidth.

$f_{Mc}$  = Frequency in Megacycles.




## GRAPHS OF RADIO NOISE DATA



BOULDER, COLORADO

JANUARY 1957


DN-2



51 kc

BOULDER, COLORADO

JANUARY 1957




113 kc

BOULDER, COLORADO

JANUARY 1957


RN-2



246 kc

BOULDER, COLORADO

JANUARY 1957



545 kc

BOULDER, COLORADO

JANUARY 1957

RN-2

























TABLE 73  
IONOSPHERIC DATA

f<sub>0</sub>F2, 01 Mc, Mar. 1957

Station Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual  Automatic

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	62	62	60	61	58	54	53	76	105	117	118	128	130	127	129	130	130	124	115	98	91	88	92	71	
02	58	39	B		F	U	F	F	F	E	G	G	F	U	F	F	F	U	F	F	U	F	F	35	
03	J	F	U	F	U	F	U	F	U	F	F	F	F	F	F	F	F	F	F	F	F	F	F		
04	33	31	31	34	27	27	26	55	70	73	72	70	73	76	82	83	84	83	82	82	74	64	62	62	
05	68	68	66	58	54	48	42	64	88	103	115	124	128	123	122	118	117	115	107	96	83	72	74	68	
06	70	62	64	60	54	48	47	71	107	120	127	132	134	130	130	132	135	130	124	105	96	74	72	74	
07	61	51	42	38	38	41	44	70	100	107	120	127	137	135	135	131	127	127	120	112	98	87	76	69	
08	68	72	71		C	J	S	U	F	48	48	74	104	118	118	129	130	131	129	126	120	120	115	105	
09	65	59	52	49	51	54	62	84	113	107	125	135	138	140	135	130	125	122	117	103	80	74	72	69	
10	70	68	57	60	62	62	58	82	111	122	132	130	135	135	132	130	125	120	118	110	93	84	75	69	
11	66	66	68	54	39	44	50	58	61	58	54	45	45	45	44	55	66	73	80	70	62	55	54	50	
12	49	49	46	36	27	26	34	52	59	60	66	78	96	101	103	105	106	105	97	88	81	74	69	65	
13	62	63	60	58	54	54	60	82	103	120	127	133	134	130	129	123	123	122	115	98	91	88	81	74	
14	79	73	70	66	61	58	62	96	116	131	125	130	131	130	127	124	124	117	112	105	99	93	86	81	
15	76	74	72	67	66	63	65	89	111	127	135	135	132	132	128	128	129	126	119	110	101	91	85	88	
16	84	83	77	70	68	68	72	92	112	119	128	130	130	127	120	117	122	126	125	116	98	78	66	60	
17	62	56	54	54	52	48	55	92	116	128	135	132	132	126	127	125	123	118	112	107	92	88	85	78	
18	70	70	65	60	61	56	59	80	94	95	105	120	127	118	120	126	115	115	113	100	92	83	75	76	
19	74	69	65	58	47	43	46	74	83	83	92	93	98	102	102	103	100	102	92	89	82	72	67	68	
20	67	67	64	54	54	57	64	87	103	114	120	125	124	120	122	118	114	114	109	98	94	91	95	78	
21	71	72	74	64	59	54	56	80	102	115	117	122	120	125	125	122	124	122	115	104	90	86	90	78	
22	U	S	74	60	64	62	56	52	62	83	98	102	110	111	119	120	120	125	122	117	107	97	88	76	72
23	70	68	62	58	56	46	52	78	98	108	116	122	126	123	125	123	119	116	108	102	92	82	78	76	
24	J	S	J	S	J	S	J	S	J	J	S	S	J	J	S	J	J	S	J	J	S	J	S		
25	76	72	67	67	57	52	62	87	110	117	124	127	126	124	120	117	115	112	114	107	95	86	76	67	
26	U	F	U	F	J	F	U	F	U	F	F	F	F	F	F	F	F	F	F	F	F	F	F		
27	58	57	64	63	46	43	52	69	92	91	100	114	112	107	103	104	104	105	104	94	83	80	77	73	
28	70	68	66	62	58	57	58	80	93	100	112	112	118	122	122	119	117	113	111	102	90	88	83	76	
29	70	62	55	54	51	45	50	63	72	74	78	96	91	108	100	91	86	88	82	94	83	78	68	77	
30	71	70	57	54	46	41	42	62	78	92	107	115	115	115	114	115	110	110	109	102	90	84	80	76	
31	74	63	62	58	58	56	60	70	76	77	79	80	83	84	88	88	86	82	86	85	82	79	77	72	
MED	70	66	64	58	U	54	48	55	76	98	107	116	122	126	123	122	119	117	115	111	100	90	82	76	72
NO	31	31	30	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	30	31	

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.



TABLE 75  
IONOSPHERIC DATA

foFl, O.I Mc, Mar 1957

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec.

75° W Mean Time

Manual  Automatic 

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01											L	L	L	L	L	L	L	L						
02											430	440	450	490		L	L	L	L					
03											L	L	H				L	L						
04											510	540	550	550	540	550								
05											L	L	L	L	L	L								
06											L	L	L	L	L	L	L	L						
07											L	L	L	L	L	L	L	L						
08											L	L	L	L	L	L	L	L						
09											L	L	L	L	L	L	L	L	L					
10											450	450	450	460	460	460	440							
11											H	L	L	L	L	L	L	L						
12											520													
13											L	L	L	L	L	L	L	L						
14											L	L	L	L	L	C	L	L						
15											L	L	L	L	L	L	L	L						
16											L	L	L	L	L	L	L	L						
17											L	L	L	L	L	L	L	L						
18											L	L	L	L	L	L	L	L						
19											H		H	U	H		L	L	L					
20											520	560			640									
21											L	L	L	L	L	L	L	L						
22											L	L	L	L	L	L	L	L						
23											L	L	L	L	L	L	L	L						
24											L	L	L	L	L	L	L	L						
25											L	L	L	L	L	L	L	L						
26											L	L	L	L	L	L	L	L						
27											L	L	L	L	L	L	L	L						
28											L	L	L	L	L	L	L	L						
29											L	L	L		640	630	660	H	L	L	L			
30											L	L	L	L	L	L	L	L						
31											H	H	H	H					L	L				
MED											380	530	570	580	580	560	580	570	560					
NO											1	1	5	4	5	5	5	4	2					

TABLE 76  
IONOSPHERIC DATA

foE, 0.05 Mc, Mar. 1957

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual  Automatic 

75° W Mean Time

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
01									180	260	300	310	335	340	355	350	330	295	220											
02										H	A	R																		
03									220	290	290			330	325	330	325	280	220											
04										H	H		H		H	H														
05									200	260	300	325	340	345	340	345	325	285	235											
06										B	H																			
07									265	310	330	340	365	370	370	350	330	300	250											
08										I A	U H U H	H																		
09									185	270	315	340	350	365	370	350	330	300	240											
10										A	H		U R	U R I	U R															
11									265	310	330	350	360	360	360	360	330	300	225											
12										195	280	320	340	350	350	360	340	325	310	255										
13									195	265	320	345	360	370	370	350	345	315	245											
14										U B																				
15									190	260	320	340	370	365	370	360	340	310	250											
16										U R																				
17									220	280	315	340	350	345	350	340	330	300	250											
18										210	275	300	310	350	380	380	360	360	340	300	255									
19										H	H	H	I R																	
20										210	280	320	330	350	360	380	370	345	305	260										
21										215	265	305	340	360	360	370	345	320	255											
22										H	H																			
23									220	290	310	340	365	375	375	365	350	320	255	180										
24										A	H																			
25									290	300	310	350	380	380	360	350	320	260	175											
26										H	H	H																		
27									230	285	315	350	370	380	380	370	340	320	260	165										
28										H	H	H	U R	H																
29										230	275	300	350	350	370	370	370	350	330	265	190									
30										H	H	H	U R	H																
31										240	285	300	320	350	370	370	375	370	330	265	175									
MED																														
NO											1	27	31	31	28	27	28	28	29	31	31	30	13							

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.

TABLE 77  
IONOSPHERIC DATA

foEs, 0.1 Mc, Mar. 1957

Station Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec.

75° W Mean Time  
Manual  Automatic 

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	S	S	S	S	S	S	G	G	G	G	32	35	G	G	G	G	G	B	S	S	S	S	S		
02	S	F	B	B	28	S	S	G	G	G	33	G	G	G	G	G	G	S	S	S	S	S	S		
03	S	S	S	S	S	S	S	21	G	G	G	6	6	G	G	G	G	B	S	S	J	S	S		
04	S	S	E	E	E	E	S	B	J	G	B	B	B	B	B	G	50	G	S	S	S	S	S		
05	S	S	S	S	S	S	S	G	J	J	G	G	G	G	G	G	G	B	S	S	S	S	S		
06	S	S	S	S	S	S	S	J	26	28	G	G	G	G	G	G	G	B	S	S	S	S	S		
07	S	S	S	C	C	S	S	G	J	26	G	G	G	G	G	32	27	B	S	S	S	S	S		
08	S	S	S	S	S	S	S	G	G	G	G	G	G	G	35	35	29	S	S	S	S	S	S		
09	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	27	S	S	S	S	S	S	S		
10	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	G	B	B	S	S	S	36		
11	S	S	S	19	17	22	23	22	29	G	33	G	G	G	G	G	29	19	S	S	S	S	S	S	
12	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	29	B	S	S	S	S	S	S	S	
13	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	37	34	28	B	S	S	S	S	S	
14	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	C	G	S	S	S	S	S	S	S	
15	S	S	S	S	S	S	S	G	28	32	G	G	40	G	G	G	G	B	S	S	S	S	S	S	
16	S	S	S	S	S	S	S	G	G	G	33	G	G	G	G	G	G	S	S	S	S	S	S	S	
17	S	S	S	S	S	S	S	22	G	32	33	32	H	G	G	G	G	19	19	S	S	S	S	S	S
18	S	S	S	S	S	S	S	G	28	32	33	G	G	G	G	G	G	S	S	J	23	S	S	S	
19	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	G	G	S	S	S	S	S	S	
20	S	S	S	S	S	S	S	G	29	32	33	G	G	G	G	G	G	G	S	S	S	S	S	S	
21	S	S	S	S	S	S	S	G	G	33	G	G	G	G	G	G	G	21	S	S	S	B	B	B	
22	S	S	S	S	S	S	B	G	29	32	33	G	G	40	37	35	G	G	G	B	S	S	S	S	S
23	S	S	J	34	B	S	S	S	G	G	34	34	34	G	G	G	G	G	S	S	S	S	S	S	
24	S	S	S	S	S	S	B	G	G	G	33	G	G	G	G	G	G	G	S	S	S	S	S	S	
25	S	S	S	S	S	S	J	G	G	G	G	G	G	G	G	G	G	G	S	S	S	S	S	S	
26	S	S	S	S	S	S	S	B	G	G	G	G	G	G	38	37	G	G	G	S	S	S	S	S	S
27	S	S	S	S	S	S	S	G	G	G	34	G	B	B	G	G	G	G	S	S	U	S	22	S	
28	S	S	S	S	S	S	B	G	G	G	G	B	B	B	G	38	G	G	G	S	S	S	S	S	S
29	S	S	S	S	S	S	B	G	33	34	32	G	G	G	B	G	G	G	G	S	S	S	S	S	S
30	S	S	S	S	S	S	S	B	26	32	33	G	G	B	G	G	G	G	G	S	S	S	S	S	S
31	S	S	S	S	S	S	S	14	G	G	G	G	B	B	G	G	G	G	S	S	S	S	S	S	

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.

TABLE 78  
IONOSPHERIC DATA

fMIN, OIMC, Mar. 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual  Automatic 

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	16	16	16	18	E	S	E	S	
02	E	S	E	S	B	U	B	E	S	E	S	16	16	16	16	16	16	16	16	16	E	S	E	S	
03	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	17	17	17	19	20	25	16	16	16	
04	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	16	16	16	16	16	16	16	16	
05	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	17	17	18	18	20	17	24	16	
06	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	17	18	18	23	24	27	27	16	
07	E	S	E	S	C	C	E	S	E	S	E	16	16	11	13	14	16	16	19	19	18	20	23	21	18
08	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	16	17	17	22	21	19	23	17	16
09	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	20	19	21	19	22	20	25	20	17
10	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	19	29	16	18	24	29	22	22	19
11	E	S	E	S	E	S	E	S	E	S	E	16	16	15	15	12	11	16	16	16	17	23	26	22	28
12	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	17	16	16	17	23	22	21	21	17
13	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	16	17	21	20	19	19	22	20	19
14	E	S	E	S	E	S	E	S	E	S	E	13	13	16	15	16	16	16	17	20	22	24	27	27	25
15	E	S	E	S	E	S	E	S	E	S	E	16	16	13	11	13	16	15	16	16	18	17	22	22	20
16	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	16	16	16	16	16	16	16	16	16
17	E	S	E	S	F	S	E	S	E	S	E	16	16	16	16	16	13	16	17	23	26	23	23	20	16
18	E	S	E	S	E	S	E	S	E	S	E	16	16	16	14	12	16	16	16	17	21	25	25	28	22
19	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	17	17	18	16	17	22	23	22	24	22
20	E	S	E	S	E	S	E	S	E	S	E	16	15	16	14	16	16	16	16	20	22	27	26	25	24
21	E	S	E	S	E	S	E	S	E	S	E	16	16	16	12	16	16	16	16	16	17	20			
22	E	S	E	S	E	S	E	S	E	S	E	17	16	17	16	17	18	17	21	22	31	28	32	29	26
23	E	S	E	S	E	S	E	S	E	S	E	16	16	16	17	16	17	20	24	25	32	30	27	39	30
24	E	S	E	S	E	S	E	S	E	S	E	17	16	16	16	16	17	17	17	18	23	22	26	16	17
25	E	S	E	S	E	S	E	S	E	S	E	16	17	16	16	16	16	18	17	18	22	22	20	16	16
26	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	16	16	16	16	20	24	25	28	23
27	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	17	16	16	16	16	21	22	16	16
28	E	S	E	S	E	S	E	S	E	S	E	16	16	16	15	16	17	16	17	18	24	39	41	40	28
29	E	S	E	S	E	S	E	S	E	S	E	16	16	16	16	16	19	16	16	21	21	23	20	30	27
30	E	S	E	S	E	S	E	S	E	S	E	16	16	15	15	13	18	16	18	23	25	40	40	30	24
31	E	S	E	S	E	S	E	S	E	S	E	16	15	16	13	13	16	13	18	19	25	31	40	40	30
MED																									
NO																									

TABLE 79  
IONOSPHERIC DATA

h'F2, Km, Mar. 1957

Station Washington, D.C. Lat. 38.7°N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual  Automatic 

75° W Mean Time

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
01											L	240	250	260	L	245	245	L								
02													575	405	420	330	360	265	L	L	L					
03											270	300	370	400	415	420	360									
04											240	240	245	250	UL	L	L									
05											235	240			240											
06												230	230	235		L	L	240	245	240						
07												245				L	L	L	L	L						
08												240				L	L	L	L	L						
09											250		220	240		L	L	240	250	L	L					
10																		640	540	L						
11												400				L	L	L	L	L						
12												UL	UL	UL	UL	UL	UL	L	L	L						
13											225	230			250		L	L								
14												245	235					L	L	C	L	L				
15											230	240					L	L	L	L						
16												UL	UL	L	UL	L	L	UL	L	L						
17												230	235		240		370									
18												275		270	240	260		L	L	L	L	L				
19												245	240					L	L	UL	250					
20													290	350	300		340									
21													225	250			UL	UL	L	L	L					
22														250	320	350										
23													240	240	260		L	L	L	L	250	240				
24													255	245	L	250	265	250	L	250	L	250				
25													L	L			250	285	255	270	260					
26													270		250	260		L	L	L	L	L				
27													240	265	300		UL	L	L	L	L	L				
28													250		240	255	295	L	UH	L	250	255	250	L		
29														270		L	L	L	L	L	L	L	L			
30														L	L	L	L	L	L	L	L	L	L			
31													280	350	400	420	430	450	450	430	400	L	L			
MED													U	255	240	250	250	260	265	U	260	255	U	255	U	250
NO													2	9	17	20	15	16	10	9	10	7	5			

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.





TABLE 82  
IONOSPHERIC DATA

h'Es, Km, Mar 1957

75° W Mean Time

Station: Washington, D.C. Lat. 38°7'N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual  Automatic 

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
	S	S	S	S	S	S	S	G	G	G	G	125	150	G	G	G	G	G	B	S	S	S	S	
01	S	F	B	B		S	S	G	G	G	G		G	G	G	G	G	S	S	S	S	S	S	
02		115			111							121												
03	S	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	B	S	S	S	S	S	
04	S	S	E	E	E	E	S	B	109	G	B	B	B	B	B	G	109	G	S	S	S	S	S	
05	S	S	S	S	S	S	S	G	111	109	107	G	G	G	G	G	G	B	S	S	S	S	S	
06	S	S	S	S	S	S	S	S	111	109	G	G	G	G	G	G	G	G	B	S	S	S	S	
07	S	S	S	C	C	S	S	G	101	G	G	G	G	G	G	G	145	149	B	S	S	S	S	
08	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	149	121	121	S	S	S	S	S	
09	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	129		S	S	S	S	S	
10	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	G	B	B	S	S	S	135	
11	S	S	S	121	131	121	109	140	131	G	115	G	G	G	G	G	125	119	S	S	S	S	S	
12	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	111	B	S	S	S	S	S	
13	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	125	119	117	B	S	S	S	S	
14	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	C	G	S	S	S	S	S	S	
15	S	S	S	S	S	S	S	G	111	109	G	129	G	G	G	G	G	B	S	S	S	S	S	
16	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	G	S	S	S	S	S	S	
17	S	S	S	S	S	S	S	111	111	109	101	H	G	G	G	G	G	135	109	S	S	S	S	S
18	S	S	S	S	S	S	S	G	109	129	115	G	G	G	G	G	G	G	S	S	S	S	S	
19	S	S	S	S	S	S	S	G	G	G	G	G	G	G	G	G	G	G	S	S	S	111	S	
20	S	S	S	S	S	S	S	G	139	115	107	G	G	G	G	G	G	G	G	S	S	S	S	
21	S	S	S	S	S	S	S	G	G	109	G	G	G	G	G	G	125		S	S	S	B	B	
22	S	S	S	S	S	S	B	G	121	125	111	G	G	121	119	109	G	G	B	S	S	S	S	S
23	S	S	S	S	S	S	S	G	119	119	113	G	G	G	G	G	G	G	S	S	S	S	S	
24	S	S	S	S	S	S	S	G	G	G	119	G	G	G	G	G	G	G	S	S	S	S	S	
25	S	S	S	S	S	S	S	165	G	G	G	G	G	G	G	G	G	G	S	S	S	S	S	
26	S	S	S	S	S	S	B	G	G	G	G	G	G	G	G	135	135	G	G	S	S	S	S	
27	S	S	S	S	S	S	S	G	G	G	109	G	B	B	G	G	G	G	S	S	U	S	S	
28	S	270	S	S	S	S	S	B	G	G	G	B	B	B	B	131	G	G	G	S	S	S	S	
29	S	S	S	S	S	S	S	B	131	119	109	G	G	G	G	G	G	G	G	S	S	S	S	
30	S	S	S	S	S	S	S	B	139	119	115	G	G	G	B	G	G	G	G	S	S	S	S	
31	S	S	S	S	S	S	S	G	G	G	G	G	B	B	G	G	G	G	S	S	S	S	S	
MED								U	119	111	115	111						U						
NO	2	1	1	2	1	3	5	11	10	13	2	2	1	3	4	4	6	4	1	3	1			

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.

TABLE 83  
IONOSPHERIC DATA

(M3000)F2, Mar. 1957

75° W Mean Time

Station Washington, D.C. Lat. 38°7'N Long. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual  Automatic 

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
01	285	280	280	280	300	285	290	320	330	315	305	305	290	280	280	290	290	280	275	265	260	265	265	F	
02	250	230	B	F	U	U	U	F	U	U	F	F	G	G	235	260	255	275	260	270	290	265	265	F	U
03	290	290	250	250	260	280	300	310	305	290	280	265	260	255	260	270	270	280	280	280	280	280	280	280	
04	255	270	265	275	275	280	270	310	315	310	305	300	295	290	290	285	285	290	300	285	285	285	285	285	
05	280	280	275	275	280	270	275	315	320	315	300	300	300	280	280	285	285	295	290	290	280	280	280	300	
06	290	270	270	260	250	265	295	320	325	320	300	285	295	290	290	285	285	285	295	295	290	295	290	270	
07	270	280	280	C	C	J S	U	F	290	300	325	315	320	300	290	285	285	280	280	285	290	285	285	290	285
08	290	285	270	260	255	265	300	330	340	300	300	295	290	280	270	280	280	285	290	290	275	260	260	265	
09	270	260	245	240	240	265	260	280	320	315	305	300	280	275	275	275	275	280	285	290	285	290	285	260	
10	255	240	260	250	250	260	255	260	280	315	290	G	G	G	G	220	225	250	270	285	250	265	275	F	
11	290	270	265	270	260	260	250	290	280	270	270	275	280	280	285	285	280	295	290	280	290	290	300	275	
12	265	270	255	260	255	255	305	310	315	300	295	290	295	290	285	285	280	285	290	305	285	280	295	295	305
13	290	280	275	280	290	290	295	320	325	310	295	290	285	275	270	270	280	285	285	280	285	295	290	290	
14	280	275	275	275	260	270	280	320	305	310	285	285	280	270	270	270	270	280	285	280	280	290	280	275	
15	275	270	280	270	260	280	290	310	305	310	300	290	280	275	270	265	275	275	280	280	275	275	260	260	
16	270	275	270	250	245	250	260	310	305	305	290	285	280	275	265	265	255	260	275	290	280	295	285	260	250
17	250	270	260	265	260	270	275	325	325	300	295	280	280	265	270	270	270	270	285	285	285	290	285	295	280
18	280	275	260	250	250	280	285	310	320	305	290	280	280	280	275	270	270	280	280	290	280	280	270	280	
19	280	280	285	295	280	280	280	300	300	295	295	285	275	260	260	260	265	280	295	285	270	270	265	270	
20	270	260	250	250	250	270	285	310	300	290	280	280	275	270	265	270	270	280	280	275	275	275	280	280	
21	U F	U F	F	U F	U F	U F	U F	F	310	300	315	290	295	280	270	260	260	255	265	270	285	275	270	280	290
22	U S	275	255	265	260	265	260	290	310	305	290	275	270	270	260	270	270	270	280	275	270	260	240	250	
23	260	270	260	265	270	270	315	320	325	305	290	280	280	275	270	270	280	280	290	295	285	280	275	285	
24	J S	J S	J S	J S	J S	J S	J S	310	320	305	290	280	280	280	275	270	270	280	290	295	285	280	275	285	
25	270	300	290	290	265	265	295	305	310	295	290	285	280	270	270	265	265	275	280	280	285	285	270	250	
26	U F	U F	S U	F U	U F	U F	F	260	270	260	270	275	280	285	280	275	275	280	280	275	270	260	270	270	
27	255	255	260	260	265	265	290	325	300	280	280	275	260	275	270	255	265	260	265	270	240	285	240	275	
28	U F	U F	U F	J F	U F	U F	U F	250	275	280	290	290	275	265	270	275	275	285	280	290	295	280	280	275	
29	250	250	235	245	250	250	280	280	270	260	260	250	240	250	240	245	250	255	240	260	255	260	230	260	
30	250	255	250	250	255	250	280	290	300	285	295	290	275	270	275	275	270	270	290	280	285	280	265	260	
31	260	250	255	250	260	270	275	290	290	275	265	260	250	245	240	250	245	250	260	280	270	255	260	265	
MED	270	270	265	265	U	260	270	285	310	310	300	290	280	280	275	270	270	275	280	280	280	280	275	270	
NO	30	31	29	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	30	

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.

TABLE 84  
IONOSPHERIC DATA





(M3000) Fi, Mar. 1957





75° W Mean Time

Station: Washington, D.C. Lat. 38°7'N Lang. 77.1°W Sweep 1.0 Mc to 25.0 Mc in 13.5 sec. Manual  Automatic 

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01											L	L	L	L	L	L	L	L						
02											335	335	360	330		L	L	L	L					
03											L	L	H				L	L						
04											335	330	320	320	330	330								
05											L	L	L	L	L	L	L	L						
06											L	L	L	L	L	L	L	L	L					
07											L	L	L	L	L	L	L	L	L					
08											L	L	L	L	L	L	L	L	L					
09											L	L	L	L	L	L	L	L	L	L				
10											350	350	345	355	345	335			L					
11											H	L	L	L	L	L	L	L	L					
12											330													
13											L	L	L	L	L	L	L	L	L					
14											L	L	L	L	L	C	L	L						
15											L	L	L	L	L	L	L	L	L					
16											L	L	L	L	L	L	L	L	L					
17											L	L	L	L	L	L	L	L	L					
18											L	L	L	L	L	L	L	L	L					
19											H	380	H	345	L	U	H	L	L	L				
20											L	L	L	L	L	L	L	L	L					
21											L	L	L	L	L	L	L	L	L					
22											L	L	L	L	L	L	L	L	L					
23											L	L	L	L	L	L	L	L	L					
24											L	L	L	L	L	L	L	L	L					
25											L	L	L	L	L	L	L	L	L					
26											L	L	L	L	L	L	L	L	L					
27											L	L	L	L	L	L	L	L	L					
28											L	L	L											
29											L	L	L		325	310	310	H	L	L	L			
30											L	L	L	L	L	L	L	L	L					
31											H	H	H	H	320	330	315	310	310	L	L			
MED											385	335	320	320	335	345	330	330						
NO											1	1	5	4	5	5	5	4	2					

CENTRAL RADIO PROPAGATION LABORATORY, NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.








Fig. 9. OSLO, NORWAY  
60.0°N, 11.1°E      FEBRUARY 1957




Fig. 10. OSLO, NORWAY      FEBRUARY 1957




Fig. 11. UPSALA, SWEDEN  
59.8°N, 17.6°E      FEBRUARY 1957




Fig. 12. UPSALA, SWEDEN      FEBRUARY 1957




Fig. 13. GRAZ, AUSTRIA  
47.1°N, 15.5°E FEBRUARY 1957




Fig. 14. GRAZ, AUSTRIA FEBRUARY 1957

NBS 490




Fig. 15. MAUI, HAWAII  
20.8°N, 156.5°W FEBRUARY 1957






Fig. 16. MAUI, HAWAII FEBRUARY 1957



NBS 490



NBS 503



NBS 490



NBS 490




Fig. 21. POINT BARROW, ALASKA  
71.3°N, 156.8°W JANUARY 1957




Fig. 22. POINT BARROW, ALASKA

NBS 490




Fig. 23. FAIRBANKS, ALASKA  
64.9°N, 147.8°W JANUARY 1957




Fig. 24. FAIRBANKS, ALASKA

NBS 490




Fig. 25. LYCKSELE, SWEDEN  
64.6°N, 18.8°E      JANUARY 1957




Fig. 26. LYCKSELE, SWEDEN      JANUARY 1957




Fig. 27. ANCHORAGE, ALASKA  
61.2°N, 149.9°W      JANUARY 1957




Fig. 28. ANCHORAGE, ALASKA      JANUARY 1957





Fig. 29. NARSARSSUAK, GREENLAND  
61.2°N, 45.4°W JANUARY 1957



JANUARY 1957  
Fig. 30. NARSARSSUAK, GREENLAND

NBS 490





Fig. 31. OSLO, NORWAY  
60.0°N, 11.1°E JANUARY 1957



JANUARY 1957  
Fig. 32. OSLO, NORWAY

NBS 490




Fig. 33. FT. MONMOUTH, NEW JERSEY  
40.3°N, 74.1°W JANUARY 1957




Fig. 34. FT. MONMOUTH, NEW JERSEY




Fig. 35. SAN FRANCISCO, CALIFORNIA  
37.4°N, 122.2°W JANUARY 1957




Fig. 36. SAN FRANCISCO, CALIFORNIA





Fig. 37. WHITE SANDS, NEW MEXICO  
32.3°N, 106.5°W JANUARY 1957



JANUARY 1957  
NBS 490













Fig. 39. OKINAWA I.  
26.3°N, 127.8°E JANUARY 1957



JANUARY 1957  
NBS 490








Fig. 49. BAGUIO, P. I.  
16.4°N, 120.6°E NOVEMBER 1956




Fig. 50. BAGUIO, P. I. NOVEMBER 1956




Fig. 51. KIRUNA, SWEDEN  
67.8°N, 20.3°E OCTOBER 1956




Fig. 52. KIRUNA, SWEDEN OCTOBER 1956




Fig. 53. BAKER LAKE, CANADA  
64.3°N, 96.0°W OCTOBER 1956




Fig. 54. BAKER LAKE, CANADA OCTOBER 1956




Fig. 55. De BILT, HOLLAND  
52.1°N, 5.2°E OCTOBER 1956




Fig. 56. De BILT, HOLLAND OCTOBER 1956





Fig. 57. SCHWARZENBURG, SWITZERLAND  
46.8°N, 7.3°E OCTOBER 1956



OCTOBER 1956  
Fig. 58. SCHWARZENBURG, SWITZERLAND











Fig. 59. JOHANNESBURG, UNION OF S. AFRICA  
26.2°S, 28.1°E OCTOBER 1956





OCTOBER 1956  
Fig. 60. JOHANNESBURG, UNION OF S. AFRICA













NBS 490



NBS 490








Fig. 77. INVERNESS, SCOTLAND  
57.4°N, 4.2°W JULY 1956




Fig. 78. INVERNESS, SCOTLAND JULY 1956




Fig. 79. SINGAPORE, BRITISH MALAYA  
1.3°N, 103.8°E JULY 1956
















Fig. 80. SINGAPORE, BRITISH MALAYA JULY 1956










Fig. 93. BUDAPEST, HUNGARY  
47.6°N, 19.0°E JUNE 1956




Fig. 94. BUDAPEST, HUNGARY JUNE 1956




Fig. 95. SINGAPORE, BRITISH MALAYA  
1.3°N, 103.8°E JUNE 1956




Fig. 96. SINGAPORE, BRITISH MALAYA JUNE 1956




Fig. 97. FALKLAND IS.  
51.7°S, 57.8°W

JUNE 1956




Fig. 98. FALKLAND IS.

JUNE 1956




Fig. 99. PORT LOCKROY  
64.8°S, 63.5°W

JUNE 1956




Fig. 100. PORT LOCKROY

JUNE 1956




Fig. 101. INVERNESS, SCOTLAND  
57.4°N, 4.2°W MAY 1956




Fig. 102. INVERNESS, SCOTLAND MAY 1956




Fig. 103. SLOUGH, ENGLAND  
51.5°N, 0.6°W MAY 1956








Fig. 104. SLOUGH, ENGLAND MAY 1956






Fig. 109. PORT LOCKROY  
64.8°S, 63.5°W MAY 1956




Fig. 110. PORT LOCKROY MAY 1956




Fig. III. BUDAPEST, HUNGARY  
47.6°N, 19.0°E APRIL 1956




Fig. II2. BUDAPEST, HUNGARY APRIL 1956




Fig. II3. PORT LOCKROY  
64.8°S, 63.5°W APRIL 1956




Fig. II4. PORT LOCKROY APRIL 1956




Fig. II5. RAROTONGA I.  
21.3°S, 159.8°W MARCH 1956




Fig. II6. RAROTONGA I. MARCH 1956




Fig. 117. IBADAN, NIGERIA  
7.4°N, 4.0°E FEBRUARY 1956




Fig. 118. IBADAN, NIGERIA FEBRUARY 1956




Fig. 119. IBADAN, NIGERIA  
7.4°N, 4.0°E JANUARY 1956
















Fig. 120. IBADAN, NIGERIA JANUARY 1956










Fig. 133. CAMPBELL I.  
52.5°S, 169.2°E      SEPTEMBER 1953




Fig. 134. CAMPBELL I.      SEPTEMBER 1953




Fig. 135. CAMPBELL I.  
52.5°S, 169.2°E      MARCH 1953












Fig. 136. CAMPBELL I.      MARCH 1953





Index of Tables and Graphs of Ionospheric Data  
in CRPL-F152 (Part A)


	<u>Table page</u>	<u>Figure page</u>
<b>Anchorage, Alaska</b>		
February 1957 . . . . .	15	40
January 1957. . . . .	17	45
<b>Baguio, P. I.</b>		
November 1956 . . . . .	19	51
<b>Baker Lake, Canada</b>		
October 1956. . . . .	19	52
<b>Brisbane, Australia</b>		
August 1956 . . . . .	20	56
July 1956 . . . . .	21	59
<b>Budapest, Hungary</b>		
June 1956 . . . . .	22	62
April 1956. . . . .	24	66
<b>Buenos Aires, Argentina</b>		
October 1956. . . . .	20	54
<b>Campbell I.</b>		
October 1954. . . . .	25	70
March 1954. . . . .	25	71
February 1954 . . . . .	25	71
September 1953. . . . .	26	72
March 1953. . . . .	26	72
February 1953 . . . . .	26	73
September 1952. . . . .	26	73
April 1952. . . . .	26	74
March 1952. . . . .	26	74
<b>Canberra, Australia</b>		
August 1956 . . . . .	21	57
July 1956 . . . . .	22	60
<b>Capetown, Union of S. Africa</b>		
October 1956. . . . .	20	54
<b>Casablanca, Morocco</b>		
September 1955. . . . .	25	70
<b>Churchill, Canada</b>		
September 1956. . . . .	20	55
<b>De Bilt, Holland</b>		
October 1956. . . . .	19	52
<b>Deception I.</b>		
October 1956. . . . .	20	55
<b>Fairbanks, Alaska</b>		
January 1957. . . . .	16	44
<b>Falkland Is.</b>		
June 1956 . . . . .	23	63
May 1956 . . . . .	23	65

Index (CRPL-F152 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Ft. Monmouth, New Jersey		
January 1957. . . . .	17	47
Graz, Austria		
February 1957 . . . . .	16	42
Hobart, Tasmania		
August 1956 . . . . .	21	57
July 1956 . . . . .	22	60
Ibadan, Nigeria		
February 1956 . . . . .	24	68
January 1956. . . . .	24	68
Inverness, Scotland		
July 1956 . . . . .	21	58
June 1956 . . . . .	22	61
May 1956. . . . .	23	64
Johannesburg, Union of S. Africa		
October 1956. . . . .	19	53
Kiruna, Sweden		
October 1956. . . . .	19	51
Lycksele, Sweden		
February 1957 . . . . .	15	40
January 1957. . . . .	17	45
Maui, Hawaii		
February 1957 . . . . .	16	42
January 1957. . . . .	18	49
Narsarssuak, Greenland		
January 1957. . . . .	17	46
Okinawa I.		
January 1957. . . . .	18	48
Oslo, Norway		
February 1957 . . . . .	15	41
January 1957. . . . .	17	46
Point Barrow, Alaska		
February 1957 . . . . .	15	39
January 1957. . . . .	16	44
Poitiers, France		
September 1955. . . . .	25	69
Port Lockroy		
June 1956 . . . . .	23	63
May 1956. . . . .	24	66
April 1956. . . . .	24	67
Puerto Rico, W. I.		
February 1957 . . . . .	16	43
January 1957. . . . .	18	49
Rarotonga I.		
March 1956. . . . .	24	67
December 1955 . . . . .	25	69

Index (CRPL-F152 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Reykjavik, Iceland		
December 1956 . . . . .	18	50
November 1956 . . . . .	18	50
San Francisco, California		
January 1957. . . . .	17	47
Schwarzenburg, Switzerland		
October 1956. . . . .	19	53
Singapore, British Malaya		
July 1956 . . . . .	21	58
June 1956 . . . . .	22	62
May 1956. . . . .	23	65
Slough, England		
June 1956 . . . . .	22	61
May 1956. . . . .	23	64
Thule, Greenland		
January 1957. . . . .	16	43
Townsville, Australia		
August 1956 . . . . .	20	56
July 1956 . . . . .	21	59
Upsala, Sweden		
February 1957 . . . . .	15	41
Washington, D. C.		
March 1957. . . . .	15	39
White Sands, New Mexico		
January 1957. . . . .	18	48



---

## CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

*Daily:*

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

*Semiweekly:*

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

*Semimonthly:*

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

*Monthly:*

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Air Force, TO 31-3-28 series). On sale by Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.

(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic or other radio propagation data or in exchange for copies of publications on radio, physics, and geophysics for the CRPL library.

*Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:*

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 Megacycles.

These circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

---

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, unless otherwise indicated.

