

IRPL-F16

National Bureau of Standards

AUG 21 1947

IONOSPHERIC DATA

ISSUED

DECEMBER, 1945

PREPARED BY INTERSERVICE RADIO PROPAGATION LABORATORY
National Bureau of Standards
Washington, D.C.



Organized under Joint U.S. Communications Board

IONOSPHERIC DATA

CONTENTS

TERMINOLOGY AND SCALING PRACTICES	Page 4
MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA	Page 6

Provisional data (received by telephone or telegraph)

November 1945

Fairbanks, Alaska (Median values)	Table 1
Prince Rupert, Canada (Median values)	Table 2
Boston, Massachusetts (Median values)	Table 3
San Francisco, California (Median values)	Table 4
Baton Rouge, Louisiana (Median values)	Table 5
Maui, Hawaii (Median values)	Table 6
Trinidad, Brit. West Indies (Median values)	Table 7
Christmas I. (Median values)	Table 8

October 1945

Clyde, Baffin I. (Median values)	Table 9
Purghead, Scotland (Average values)	Table 10
Chungking, China (Median values)	Table 11
Delhi, India (Average values)	Table 12
Leyte, Philippine Is. (Median values)	Table 13
Colombo, Ceylon (Average values)	Table 14
Christmas I. (Median values)	Table 15
Cape York, Australia (Median values)	Table 16
Rarotonga I. (Median values)	Table 17
Pitoairn I. (Median values)	Table 18
Brisbane, Australia (Median values)	Table 19
Kermadec Is. (Median values)	Table 20
Watherco, W. Australia (Median values)	Table 21
Capetown (Simonstown), Union of S. Africa (Average values)	Table 22
Canberra (Mt. Stromlo), Australia (Median values)	Table 23
Campbell I. (Median values)	Table 24

September 1945

Delhi, India (Average values)	Table 25
---	----------

Final Data

November 1945

Washington, D.C. (Median values)	Table 26 Figs. 1 and 2
--	---------------------------

Final DataOctober 1945

Churchill, Canada (Median values)	Table 27
	Figs. 3 and 4
Prince Rupert, Canada (Median values)	Table 28
	Figs. 5 and 6
Great Baddow, England (Median values)	Table 29
	Figs. 7 and 8
Ottawa, Canada (Median values)	Table 30
	Figs. 9 and 10
Boston, Massachusetts (Median values)	Table 31
	Figs. 11 and 12
San Francisco, California (Median values)	Table 32
	Figs. 13 and 14
Baton Rouge, Louisiana (Median values)	Table 33
	Figs. 15 and 16
Maui, Hawaii (Median values)	Table 34
	Figs. 17 and 18
San Juan, Puerto Rico (Median values)	Table 35
	Figs. 19 and 20
Trinidad, Brit. West Indies (Median values)	Table 36
	Figs. 21 and 22
Huancayo, Peru (Median values)	Table 37
	Figs. 23 and 24
Christchurch, N.Z. (Median values)	Table 38
	Figs. 25 and 26

September 1945

Oslo, Norway (Median values)	Table 39
	Figs. 27 and 28
Chungking, China (Median values)	Table 40
	Figs. 29 and 30
Maui, Hawaii (Median values)	Table 41
	Figs. 31 and 32
Leyte, Philippine Is. (Median values)	Table 42
	Figs. 33 and 34
Christmas I. (Median values)	Table 43
	Figs. 35 and 36
Watheroo, W. Australia (Median values)	Table 44
	Figs. 37 and 38
Christchurch, N.Z. (Median values)	Table 45
	Figs. 39 and 40

August 1945

Peshawar, India (Average values)	Table 46
	Fig. 41
Delhi, India (Average values)	Table 47
	Fig. 42
Bombay, India (Average values)	Table 48
	Fig. 43
Madras, India (Average values)	Table 49
	Fig. 44

Final Data

<u>July 1945</u>	<u>Delhi, India (Average values)</u>	Table 50 Fig. 45
<u>June 1945</u>	<u>Delhi, India (Average values)</u>	Table 51 Fig. 46
<u>January through May 1945</u>	<u>Delhi, India, F2-M3000 (Average values)</u>	Table 52
IONOSPHERIC DATA FOR EVERY DAY AND HOUR		Page 8
<u>November 1945</u>		
<u>Washington, D.C.</u>		
h'F2		Table 53
f°F2		Tables 54 and 55
h'F1		Table 56
f°F1		Table 57
h'E		Table 58
f°E		Table 59
Es		Table 60
F2-M1500		Table 61
F2-M3000		Table 62
F1-M3000		Table 63
E-M1500		Table 64
IONOSPHERE DISTURBANCES		Page 8
<u>Ionospheric Storminess</u>		Table 65
<u>Ionospheric character and principal storms observed at Washington, D.C., November 1945.</u>		
<u>Radio Propagation Quality Figures, Compared with IRPL and ISIB Warnings, and IRPL A-Zone Forecasts.</u>		
<u>North Atlantic and North Pacific quality figures, October 1945, provisional</u>		Table 66
SEASONAL VARIATIONS IN F2-LAYER CRITICAL FREQUENCIES		Page 8
Variation of ratio of monthly-average to yearly-average f°F2, with latitude, ---		
0000 local time, June . . .		Fig. 47
1200 local time, June . . .		Fig. 48
0000 local time, September		Fig. 49
1200 local time, September		Fig. 50
0000 local time, December.		Fig. 51
1200 local time, December.		Fig. 52

World-wide variation of ratio of monthly- average to yearly-average $f^{\circ}F2$, ---	W zone, June	Fig. 53
	I zone, June	Fig. 54
	E zone, June	Fig. 55
	W zone, September . . .	Fig. 56
	I zone, September . . .	Fig. 57
	E zone, September . . .	Fig. 58
	W zone, December . . .	Fig. 59
	I zone, December . . .	Fig. 60
	E zone, December . . .	Fig. 61

ERRATA Page 10

TERMINOLOGY AND SCALING PRACTICES

The symbols and terminology used in this report are those adopted by the International Radio Propagation Conference, and given in detail on pages 24 to 26 of the report IRPL-C61, "Report of International Radio Propagation Conference," and in the Section on "Terminology", in reports IRPL-F1, 2, 3, 4, 5.

Beginning with data reported for September, a new symbol, L, defined as follows, is adopted for use in detailed tabulations of hourly values of ionosphere characteristics observed at Washington:

L or 1 = critical frequency, muf, or muf factor for F1 layer omitted because no definite and abrupt change in slope of the h'f curve occurs either for the first reflection or for any of the multiples. (See "Report of International Radio Propagation Conference," IRPL-C61, June 1944, VI 3c, p.37).

In the past, ionospheric conditions were summarized on a monthly basis by using average or mean values, for each hour of the day, for each month. However, following the recommendations of the International Radio Propagation Conference, held in Washington 17 April to 5 May 1944, beginning with data for 1 Jan. 1945, median values were used by IRPL wherever possible. Thus, median values are given for Washington, for all stations reporting directly to the IRPL, for the Canadian stations, and for all others sending in detailed tabulations to the IRPL, from which medians can be computed.

Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data existed.

The monthly median values used here are the values equalled or exceeded on half the days of the month at the given hour. The following conventions are used in determining the medians for hours when no measured values are given, because of equipment limitations and ionospheric irregularities. Symbols used are those given in the report referred to above, IRFL-C61.

a. For all ionospheric characteristics:

Values missing because of A, B, C or F (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values missing because of E are counted as equal to or less than the lower limit of the recorder.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For f_{oF2} , as equal to or less than f^oF1 .

2. For h^oF2 , as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing because of G are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of f^oE s missing because no Es reflections appeared, the equipment functioning normally otherwise, are counted as equal to or less than the lower limit of the recorder.

Values of f^oE s missing for any other reason, and values of h^oE s missing for any reason at all, are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D.C., are indicated by a parenthesis, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, no median value is computed, the data being considered insufficient.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful.

The E and F1 layers are so regular in their characteristics that, so long as there are at least five values, the median is not considered as doubtful.

3. If more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

It is expected that this practice will be of assistance in evaluating the monthly median Washington data.

MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA

The ionospheric data given here in graphical and tabular form were assembled by the Interservice Radio Propagation Laboratory for analysis and correlation, incidental to IRPL predictions of radio propagation conditions. The following are the sources of the data:

Australian Council for Scientific and Industrial Research,
Radio Research Board, Australia:

Brisbane, Australia
Canberra, Australia
Cape York, Australia

British National Physical Laboratory, and Inter-Services Ionosphere Bureau;
Slough, England
Great Baddow, England
Burghead, Scotland
Delhi, India
Capetown, Union of S. Africa
Colombo, Ceylon

Canadian Radio Wave Propagation Committee;
Churchill, Canada
Ottawa, Canada
St. John's, Newfoundland
Prince Rupert, Canada
Clyde, Baffin I.

New Zealand Radio Research Committee;
Kermadec Is.
Christchurch (Canterbury University College Observatory)
Campbell I.
Pitcairn I.
Rarotonga I.

Interdepartment Ionosphere Bureau, U.S.S.R. Scientific Experimental
Institute of Terrestrial Magnetism, Moscow, U.S.S.R.;
Bukhta Tikhaya, U.S.S.R.
Tomsk, U.S.S.R.
Sverdlovsk, U.S.S.R.
Moscow, U.S.S.R.
Leningrad, U.S.S.R.
Alma Ata, U.S.S.R.

Carnegie Institution of Washington (Department of Terrestrial Magnetism);
Christmas I.
Fairbanks, Alaska (University of Alaska, College, Alaska)
Maui, Hawaii
Trinidad, Brit. West Indies
Huancayo, Peru
Watheroo, W. Australia

United States Army Signal Corps;
Leyte, Philippine Is.

National Bureau of Standards;
Washington, D.C.

Stanford University;
San Francisco, California

Louisiana State University;
Baton Rouge, Louisiana

University of Puerto Rico;
San Juan, P.R.

Harvard University;
Boston, Massachusetts

The tables of "provisional data" give values as reported to the IRPL by telephone or telegraph. Any errors in these values will be corrected in later issues of the F-series reports. In final data tabulations, any omission of values previously given in provisional tabulations is indicated by a dash.

The tables and graphs of "final data" are correct for the values reported to the IRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of these errors are due to:

- a. Differences in scaling records where spread echoes are present.
- b. Omission of values where f^oF2 is less than or equal to f^oF1 , leading to erroneously high values of monthly average or median values.
- c. Omission of values where critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series reports, IRPL-F1, 2, 3, 4, and 5. Discrepancies between predicted and observed values are often ascribable to these effects.

IONOSPHERIC DATA FOR EVERY DAY AND HOUR

These data, observed at Washington, D.C., follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given under "Terminology and Scaling Practices" above.

IONOSPHERE DISTURBANCES

Table 65 presents ionosphere character figures for Washington, D.C., during November 1945, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess", together with American magnetic K-figures which are usually covariant with them.

Table 66 gives provisional radio propagation quality figures for North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, October 1945, compared with the IRPL daily radio disturbance warnings, and ISIB daily warnings, the IRPL semiweekly radio propagation forecasts for the A-zone, and the half-day American geomagnetic K-figures.

The radio propagation quality figures were prepared from radio traffic data, reported to IRPL, in the manner described in detail in report IRPL-R13, "Ionospheric and Radio Propagation Disturbances, October 1943 through February 1945," issued 24 May 1945.

SEASONAL VARIATIONS IN F2-LAYER CRITICAL FREQUENCIES

The complexity of variations in F2-layer critical frequencies, which are manifest with changes in solar activity, geographical location, season, and time of day (Cf. IRPL-R4, "Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies") is such that their analysis is best effected by the separate consideration of each of these types of covariance. In the previous issue of this report, IRPL-F15, a preliminary survey was presented of geographical-diurnal variations of yearly-average f^0F2 at a constant value of solar activity. World-wide distribution of purely seasonal variations, expressed by ratios of monthly-average f^0F2 to the corresponding yearly-average values, is presented herewith for the months of June, September, and December, as a survey of conditions typical of summer solstice, equinox, and winter solstice.

The ratio of monthly-average to yearly-average f^0F2 for any hour, at any given location, is nearly constant, although there sometimes appears a slight variation in this ratio with solar activity. (IRPL-R4, "Methods Used

by IRPL for the Prediction of Ionospheric Characteristics and Maximum Usable Frequencies"; IRPL-R11, "A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.") In the present report this slight change with solar activity is not considered, the ratios of monthly-average to yearly-average f^0F2 given being the mean values of these ratios for all available data.

Figs. 47 through 52 present variations of the ratios of monthly-average to yearly-average f^0F2 , at noon and midnight, for the months of June, September, and December. The reliability of the points plotted on these curves is considerably less than that of the yearly-average values, plotted in similar fashion, which were presented in the previous issue of this report, IRPL-F15, since these represent averages of one-twelfth as many measurements, and, in some cases, solar activity variations in the ratio are apparent.

As in the case of the yearly-average values of f^0F2 , there is pronounced variation with longitude, as shown by the difference in variation between the series of values for ionosphere stations in the W, I, and E zones of the IRPL-D series prediction charts. There is likewise a difference between northern and southern hemisphere values, apart from that due to change in solar declination, as is shown by the discrepancy between the series of values for the given month in any zone, and the values plotted at reverse latitude for opposite season, (the month six months later or earlier).

Because of constant sunlight on the north pole during June, and on the south pole during December, values of the ratio of monthly-average to yearly-average f^0F2 are higher than unity in these cases, and less than unity during opposite seasons. Midnight values are particularly high in the southern hemisphere during December, and in the northern hemisphere during June, with equinox values approximating unity in both hemispheres. In September, the average solar declination is 30° north of the equator, and therefore northern-hemisphere values of the ratio are slightly greater than unity, southern-hemisphere values slightly less than unity. In all cases, there appear slightly increased values of the ratio near the subsolar point. These variations in midnight values of the ratio are principally because of the great delay in ionic recombination at F2-layer heights, probably caused by solar heating of the atmosphere.

Midday variations in the ratio are far more complex, since they entail both this change in recombination rate, and the appearance of F1-layer ionization, the former tending to increase the ratio with increasing amount of sunlight, the latter tending to decrease it. In general, less departure from yearly-average values of f^0F2 is shown for midday. The values of the ratio more nearly approximate unity during all seasons, being generally low during June and high during December.

Figs. 54 through 61 present world-wide variations of the ratio of monthly-average to yearly-average f^0F2 for W, I and E zones, during June, September, and December, in the form of contour charts on a latitude versus local-time grid, where the contour lines represent values of the ratio.

These charts were prepared by drawing, for each hour, latitude-variation curves of the type shown in Figs. 47 through 52, plotting these values as contour points, and smoothing to obtain general consistency among them, then multiplying the smoothed values by smoothed yearly-average values for a constant sunspot number obtained in similar fashion from curves of the type shown in Figs. 83 through 88 of IRPL-F15, thus reproducing typical diurnal curves for each 10° of latitude, correcting these curves where necessary (very little correction being needed, in general) to agree with actual data, as a check on smoothing estimation, and finally replotted the corrected values.

The relatively low gradients shown by the contour lines for September indicate, as might be expected, that values of $f^{\circ}F2$ during the equinox season approximate yearly-average values. The generally high equatorial values during night hours may be due to the terrestrial temperature lag behind seasonal variations of solar radiation.

The contour lines for the solstice months of June and December show that the most important variation of the ratio of monthly-average to yearly-average $f^{\circ}F2$ is associated with the seasonal change of sunrise and sunset times at ionosphere heights. It is of interest that the contours of this ratio for these seasons are roughly similar to the contours of $f^{\circ}F2$ for the opposite season, as may be seen by comparison of these charts with corresponding prediction charts of $f^{\circ}F2$, issued in reports of the IRPL-D series.

Reasons for certain seasonal variations, shown by these contour charts, are not readily apparent. It is possible that some of these are not significant, inasmuch as there are as yet insufficient data for making precise estimates of seasonal variation for certain regions. Further acquisition of ionospheric data should, however, establish their significance, and further study of these seasonal variations, especially where significant departures from regular variation with solar declination are manifest, should afford information concerning upper-atmospheric circulation and possibly concerning the effects of solar-corpuscular ionization.

ERRATA

1. In F11 (issued July 1945), Table 29, Baton Rouge, Louisiana, May 1945, $f^{\circ}F2$ at 1700 should have been 7.6 instead of 9.6.

2. In F13 (issued September 1945), Table 39, Slough, England, June 1945, $f^{\circ}F2$ at 0300 should have been 4.7 instead of 4.6.

Table 1 (Provisional Data)

Fairbanks, Alaska (64.9°N, 147.8°W)							November 1945													
Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ E	f ₁ E	1 ₁ B	1 ₂ -M5000	Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ E	f ₁ E	1 ₁ B	1 ₂ -M5000			
00	300	1.6			3.2	2.9			00	00			2.0				3.3			
01	320	1.4			3.3	2.3			01	01			2.0				3.2			
02	340	1.4			3.2	2.7			02	02			2.1				3.0			
03	340	1.4			3.3	2.7			03	03			2.0				3.1			
04	330	1.2			3.5	2.8			04	04			2.1				3.0			
05	310	1.3			0.9	3.2			05	05			2.0				3.0			
06	300	1.5			3.1	2.9			06	06			2.4				3.1			
07	270	2.0			1.2	3.1			07	07			2.7				3.1			
08	250	3.3			2.1	3.0			08	08			4.0				3.5			
09	240	5.4			1.5	3.0			09	09			5.8				3.6			
10	230	7.0			1.7	3.0			10	10			7.5				3.6			
11	230	7.7			2.0	3.0			11	11			8.7				3.6			
12	230	8.4			2.0	3.0			12	12			9.0				3.6			
13	220	8.0			1.9	3.0			13	13			9.0				3.6			
14	220	9.0			1.6	3.0			14	14			9.1				3.6			
15	220	6.5			1.3	3.0			15	15			8.7				3.6			
16	220	5.3			1.3	3.0			16	16			8.0				3.7			
17	240	4.1			1.1	3.0			17	17			6.4				3.6			
18	230	2.9			1.3	2.9			18	18			5.2				3.6			
19	250	2.3			1.3	3.0			19	19			3.9				3.6			
20	260	2.2			1.3	3.0			20	20			2.9				3.6			
21	270	1.9			1.3	3.0			21	21			2.5				3.5			
22	260	1.9			1.3	3.0			22	22			2.4				3.4			
23	280	1.8			1.3	3.0			23	23			2.1				3.5			

Time, 150.0°W.
Length of time sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.
Median values.

Table 3 (Provisional Data)

Boston, Massachusetts (42.4°N, 71.2°W)							November 1945													
Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ E	f ₁ E	1 ₁ B	1 ₂ -M5000	Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ E	f ₁ E	1 ₁ B	1 ₂ -M5000			
00	3.3		2.9		2.8		2.9		00	3.2		2.9		2.8		2.9				
01	3.4		3.4		2.8		3.0		01	3.4		3.4		2.8		2.8				
02	3.4		3.5		2.8		3.4		02	3.4		3.4		2.9		2.9				
03			3.5		2.9		3.4		03	3.4		3.4		2.8		2.8				
04			3.5		2.9		3.4		04	3.4		3.4		2.9		2.9				
05			3.3		3.0		3.0		05	3.4		3.4		2.9		2.9				
06			3.2		3.0		3.0		06	3.4		3.4		2.9		2.9				
07			5.6		3.2		3.2		07	5.6		5.6		3.2		3.2				
08			7.4		3.4		3.4		08	8.0		8.4		3.2		3.2				
09			8.1		3.5		3.5		09	8.4		8.4		3.2		3.2				
10			8.7		3.2		3.2		10	9.0		9.0		3.2		3.2				
11			9.1		3.1		3.1		11	9.1		9.1		3.1		3.1				
12			9.7		3.2		3.2		12	9.3		9.3		3.0		3.0				
13			9.2		3.0		3.0		13	9.4		9.4		3.1		3.1				
14			9.3		3.1		3.1		14	9.4		9.4		3.1		3.1				
15			9.3		3.2		3.2		15	9.0		9.0		3.2		3.2				
16			9.0		3.2		3.2		16	8.2		8.2		3.2		3.2				
17			7.5		3.1		3.1		17	6.6		6.6		3.1		3.1				
18			6.4		3.0		3.0		18	4.4		4.4		3.2		3.2				
19			5.2		3.0		3.0		19	3.6		3.6		3.1		3.1				
20			4.4		2.9		2.9		20	3.0		3.0		3.0		3.0				
21			3.6		2.8		2.8		21	2.7		2.7		2.8		2.8				
22			3.6		2.8		2.8		22	2.9		2.9		2.8		2.8				
23			3.4		2.8		2.8		23	3.1		3.1		2.8		2.8				

Time, 150.0°W.
Length of time sweep: Manual operation.
Median values.

Table 4 (Provisional Data)

San Francisco, California (37.4°N, 122.2°W)							November 1945													
Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ E	f ₁ E	1 ₁ B	1 ₂ -M5000	Time	h ₁ F2	f ₁ F2	h ₁ F1	f ₁ F1	h ₁ E	f ₁ E	1 ₁ B	1 ₂ -M5000			
00	3.3		2.9		2.8		2.9		00	3.2		3.0		2.8		2.9				
01	3.4		3.4		2.8		3.4		01	3.4		3.4		2.8		2.8				
02	3.4		3.5		2.8		3.4		02	3.4		3.4		2.9		2.9				
03			3.5		2.9		3.4		03	3.4		3.4		2.8		2.8				
04			3.5		2.9		3.4		04	3.4		3.4		2.9		2.9				
05			3.3		2.9		3.0		05	3.4		3.4		2.9		2.9				
06			3.2		3.0		3.0		06	3.4		3.4		2.9		2.9				
07			5.6		3.2		3.2		07	5.6		5.6		3.2		3.2				
08			7.4		3.4		3.4		08	8.0		8.4		3.2		3.2				
09			8.1		3.5		3.5		09	8.4		8.4		3.2		3.2				
10			8.7		3.2		3.2		10	9.0		9.0		3.2		3.2				
11			9.1		3.1		3.1		11	9.1		9.1		3.1		3.1				
12			9.7		3.2		3.2		12	9.3		9.3		3.0		3.0				
13			9.2		3.0		3.0		13	9.4		9.4		3.1		3.1				
14			9.3		3.1		3.1		14	9.4		9.4		3.1		3.1				
15			9.3		3.2		3.2		15	9.0		9.0		3.2		3.2				
16			9.0		3.2		3.2		16	8.2		8.2		3.2		3.2				
17			7.5		3.1		3.1		17	6.6		6.6		3.1		3.1				
18			6.4		3.0		3.0		18	4.4		4.4		3.2		3.2				
19			5.2		3.0		3.0		19	3.6		3.6		3.1		3.1				
20			4.4		2.9		2.9		20	3.0		3.0		3.0		3.0				
21			3.6		2.8		2.8		21	2.7		2.7		2.8		2.8				
22			3.6		2.8		2.8		22	2.9		2.9		2.8		2.8				
23			3.4		2.8		2.8		23	3.1		3.1		2.8		2.8				

Time, 120.0°W.
Length of time sweep: 0.8 Mc to 12 Mc in six minutes.
Median values.

Time: 75.0°W.
Length of time sweep:
Median values.

Time: 120.0°W.
Length of time sweep: 0.8 Mc to 12 Mc in six minutes.
Record centered on the hour.
Median values.

Table 5 (Provisional Data)

Batten Range, Lorraine (30°5'N, 91.2°W)							November 1945							
Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	
00	3.5		3.0		2.40		00	4.2		3.6		2.40		3.2
01	3.5		3.0		2.50		01	3.6		2.8		2.50		3.2
02	3.6		3.0		2.50		02	3.6		2.8		2.50		3.2
03	3.9		3.0		2.50		03	3.6		2.8		2.50		3.2
04	3.7		3.1		2.00		04	2.0		2.2		2.00		2.7
05	3.4		3.1		2.00		05	2.1		2.1		2.00		2.6
06	3.1		3.1		2.00		06	2.1		2.1		2.00		2.6
07	2.8		3.4		2.50		07	2.5		2.4		2.50		2.6
08	2.0		3.4		2.40		08	2.6		2.4		2.40		2.6
09	9.2		3.4		2.80		09	10.2		2.50		2.80		3.2
10	9.6		3.2		2.80		10	12.0		2.20		2.80		3.1
11	9.6		3.2		2.80		11	12.9		2.10		2.80		3.0
12	9.4		3.1		2.90		12	13.7		2.00		2.90		3.0
13	9.7		3.1		2.80		13	13.7		2.00		2.80		3.0
14	9.7		3.2		2.70		14	14.1		2.20		2.70		3.0
15	9.5		3.2		2.60		15	14.2		2.20		2.60		3.1
16	8.6		3.2		2.70		16	13.0		2.30		2.70		3.2
17	7.4		3.3		2.70		17	10.5		2.20		2.70		3.1
18	5.0		3.3		2.20		18	8.3		2.10		2.20		3.6
19	4.3		3.2		2.10		19	5.6		2.20		2.10		3.4
20	3.6		3.2		2.20		20	5.0		2.20		2.20		3.0
21	3.4		3.1		2.20		21	5.7		2.40		2.20		2.9
22	3.5		3.1		2.40		22	5.7		2.40		2.40		3.2
23	3.0		3.0		2.40		23	4.6		2.40		2.40		3.2

Time: 90.0°W.
Length of time sweep: 1.9 Mc to 9.8 Mc in three minutes, thirty seconds.
Median values.

Table 7 (Provisional Data)

Trinidad, West Indies (10.6°N, 61.2°W)							November 1945							
Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	
00	2.60	4.6	3.2	3.0	2.40		00	8.0		6.6		2.40		3.1
01	2.40	4.5	3.2	3.0	2.50		01	6.4		5.4		2.50		3.2
02	2.40	4.0	3.2	3.0	2.50		02	5.0		5.0		2.50		3.3
03	2.30	3.2	2.6	2.4	2.80		03	4.7		4.7		2.80		3.2
04	2.80	2.8	2.6	2.4	2.80		04	2.5		2.4		2.80		2.4
05	2.60	3.0	2.6	2.6	2.80		05	2.4		2.4		2.80		2.4
06	2.50	5.0	2.3	2.0	2.80		06	4.5		4.5		2.80		2.7
07	2.40	7.0	2.2	2.0	2.80		07	7.0		7.0		2.80		3.1
08	2.40	6.1	4.4	2.9	2.80		08	9.0		9.0		2.80		3.1
09	2.60	9.6	4.6	3.5	2.80		09	9.7		220		2.80		2.8
10	2.80	10.3	4.9	3.5	2.80		10	300		9.2		2.80		2.5
11	2.50	10.5	5.0	4.1	2.80		11	120		9.1		200		2.5
12	2.60	10.6	5.0	4.2	2.80		12	120		9.3		200		2.5
13	2.80	9.8	2.0	1.9	2.80		13	310		9.3		210		2.6
14	2.60	9.8	2.0	1.9	2.80		14	300		10.2		200		2.6
15	2.80	9.4	2.0	1.9	2.80		15	16		280		11.4		2.5
16	2.50	9.6	2.0	1.9	2.80		16	220		11.7		220		2.5
17	2.40	6.8	2.0	1.7	2.80		17	240		11.9		250		2.7
18	2.20	7.4	2.0	1.7	2.80		18	17		250		11.7		2.9
19	2.30	6.4	2.0	1.6	2.80		19	21		250		11.3		2.9
20	2.40	5.2	2.0	1.6	2.80		20	280		10.4		280		2.7
21	2.70	4.8	2.5	2.0	2.80		21	250		10.0		250		2.7
22	2.70	4.8	2.9	2.5	2.80		22	250		9.5		250		2.9
23	2.60	4.9	2.6	2.0	2.80		23	220		8.5		220		3.2

Time: 60.0°W.
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.
Median values.

Table 7 (Provisional Data)

Christmas I. (1.9°N, 157.3°W)							November 1945							
Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	
00	3.2	3.2	3.2	3.2	2.40		00	8.0		6.6		2.40		3.1
01	3.2	3.2	3.2	3.2	2.50		01	6.4		5.4		2.50		3.2
02	2.80	2.8	2.8	2.8	2.50		02	5.0		5.0		2.50		3.2
03	2.60	3.0	2.6	2.6	2.80		03	4.7		4.7		2.80		3.2
04	2.80	2.8	2.6	2.4	2.80		04	2.5		2.4		2.80		2.4
05	2.60	3.0	2.6	2.6	2.80		05	2.4		2.4		2.80		2.4
06	2.50	5.0	2.3	2.0	2.80		06	4.5		4.5		2.80		2.7
07	2.40	7.0	2.2	2.0	2.80		07	7.0		7.0		2.80		3.1
08	2.40	6.1	4.4	3.4	2.80		08	9.0		9.0		2.80		3.1
09	2.60	9.6	4.6	3.5	2.80		09	9.7		220		2.80		2.5
10	2.80	10.3	4.9	3.5	2.80		10	300		9.2		220		2.5
11	2.50	10.5	5.0	4.1	2.80		11	120		9.1		200		2.5
12	2.60	10.6	5.0	4.2	2.80		12	120		9.3		200		2.5
13	2.80	9.8	2.0	1.9	2.80		13	310		9.3		210		2.6
14	2.60	9.8	2.0	1.9	2.80		14	300		10.2		200		2.6
15	2.80	9.4	2.0	1.9	2.80		15	16		280		11.4		2.5
16	2.50	9.6	2.0	1.9	2.80		16	220		11.7		220		2.5
17	2.40	6.8	2.0	1.7	2.80		17	240		11.9		250		2.7
18	2.20	7.4	2.0	1.7	2.80		18	17		250		11.7		2.9
19	2.30	6.4	2.0	1.6	2.80		19	21		250		11.3		2.9
20	2.40	5.2	2.0	1.6	2.80		20	280		10.4		280		2.7
21	2.70	4.8	2.5	2.0	2.80		21	250		10.0		250		2.7
22	2.70	4.8	2.9	2.5	2.80		22	250		9.5		250		2.9
23	2.60	4.9	2.6	2.0	2.80		23	220		8.5		220		3.2

Time: 60.0°W.
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.
Median values.

Table 8 (Provisional Data)

Maui, Hawaii (20.8°N, 156.5°W)							November 1945							
Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	Time	h ^h Y ₂	f ₀ F ₂	h ^h Y ₁	f ₀ F ₁	h ^h Y ₀	f ₀ F ₀	
00	3.2	3.2	3.2	3.2	2.40		00	8.0		6.6		2.40		3.1
01	3.2	3.2	3.2	3.2	2.50		01	6.4		5.4		2.50		3.2
02	2.80	2.8	2.8	2.8	2.50		02	5.0		5.0		2.50		3.2
03	2.60	3.0	2.8	2.6	2.80		03	4.7		4.7		2.80		3.2
04	2.80	2.8	2.6	2.4	2.80									

Table 9 (Provisional Data)

Clyde, Baffin I. (70°5'N, 68.6°W)

Time	h ¹ 72	f ⁰ 72	h ¹ 71	f ⁰ 71	h ¹ 70	f ⁰ 70	h ¹ 69	f ⁰ 69	h ¹ 68	f ⁰ 68	h ¹ 67	f ⁰ 67	h ¹ 66	f ⁰ 66
00	2.7		2.5		2.8									
01														
02														
03														
04														
05														
06														
07														
08														
09														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Time: 75.0°W
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 11 (Provisional Data)

Chungking, China (29°40'N, 106.8°E)

Time	h ¹ 72	f ⁰ 72	h ¹ 71	f ⁰ 71	h ¹ 70	f ⁰ 70	h ¹ 69	f ⁰ 69	h ¹ 68	f ⁰ 68	h ¹ 67	f ⁰ 67	h ¹ 66	f ⁰ 66
00	307	5.3												
01														
02														
03														
04														
05														
06														
07														
08														
09														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Time: 75.0°W
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 11 (Provisional Data)

Time	h ¹ 72	f ⁰ 72	h ¹ 71	f ⁰ 71	h ¹ 70	f ⁰ 70	h ¹ 69	f ⁰ 69	h ¹ 68	f ⁰ 68	h ¹ 67	f ⁰ 67	h ¹ 66	f ⁰ 66
00	307	5.3												
01														
02														
03														
04														
05														
06														
07														
08														
09														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Time: 75.0°W
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 11 (Provisional Data)

Time	h ¹ 72	f ⁰ 72	h ¹ 71	f ⁰ 71	h ¹ 70	f ⁰ 70	h ¹ 69	f ⁰ 69	h ¹ 68	f ⁰ 68	h ¹ 67	f ⁰ 67	h ¹ 66	f ⁰ 66
00	307	5.3												
01														
02														
03														
04														
05														
06														
07														
08														
09														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Time: 75.0°W
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 11 (Provisional Data)

Time	h ¹ 72	f ⁰ 72	h ¹ 71	f ⁰ 71	h ¹ 70	f ⁰ 70	h ¹ 69	f ⁰ 69	h ¹ 68	f ⁰ 68	h ¹ 67	f ⁰ 67	h ¹ 66	f ⁰ 66
00	307	5.3												
01														
02														
03														
04														
05														
06														
07														
08														
09														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Time: 75.0°W
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 11 (Provisional Data)

Time</

Table 13 (Provisional Data)

Leyte, Philippines Is. (11.0°N, 125.0°E)		October 1945					
Time	h ¹ F2	f ² F2	h ¹ F1	f ² F1	h ¹ E	f ² E	f ² -M5000
00	9.2	3.8	2.7	3.5	2.5	3.2	3.1
01	9.3	3.5	2.7	3.4	2.5	3.2	3.2
02	7.9	2.7	3.4	3.4	2.5	5.8	3.3
03	5.7	2.5	3.4	3.4	2.5	4.6	3.4
04	4.5	2.7	3.2	3.2	2.4	3.9	3.5
05	3.6	3.0	3.2	3.2	0.5	4.9	3.2
06	3.6	3.0	3.2	3.1	0.6	8.2	3.2
07	7.3	2.5	4.2	3.2	0.7	9.6	2.9
08	9.2	2.6	4.3	3.1	0.8	9.7	2.5
09	10.6	4.3	3.1	3.5	0.9	9.7	2.6
10	10.4	4.8	3.5	6.6	1.0	9.2	2.6
11	9.7	5.0	3.7	6.6	1.1	9.1	2.5
12	9.1	5.2	3.8	6.4	1.2	9.4	2.5
13	9.7	5.2	3.8	6.2	2.5	9.9	2.5
14	10.8	5.1	3.7	6.5	1.4	10.4	2.6
15	11.4	4.9	3.5	6.0	2.6	10.8	2.6
16	11.8	4.9	3.2	6.0	2.6	10.9	2.5
17	11.8	3.7	2.7	5.8	1.7	10.8	2.5
18	11.5	3.7	1.9	5.3	2.6	10.6	2.5
19	10.6	4.9	4.4	2.5	1.9	9.9	2.3
20	9.6	3.4	2.4	2.4	2.0	9.6	2.5
21	9.4	3.0	2.8	2.8	2.1	9.3	2.6
22	9.2	3.5	3.0	2.8	2.2	9.1	2.9
23	9.2	3.8	3.1	2.4	2.3	8.4	3.2

Time: 135.0°W.
Length of time sweep: Manual operation.
Median values.

Table 15 (Provisional Data)

Christmas I. (11.9°N, 157.3°W)		October 1945					
Time	h ¹ F2	f ² F2	h ¹ F1	f ² F1	h ¹ E	f ² E	f ² -M5000
00	220	9.5	3.3	3.4	2.5	3.2	3.2
01	220	7.8	3.3	3.4	2.5	6.6	3.1
02	220	6.2	2.7	3.4	2.6	5.8	2.9
03	230	5.5	2.7	3.4	0.3	5.2	2.9
04	230	4.8	3.0	3.4	0.4	4.5	2.9
05	230	4.0	3.2	3.4	0.5	4.7	3.0
06	250	4.0	3.2	3.0	0.6	5.9	3.1
07	250	7.2	2.4	3.6	2.1	0.7	3.1
08	230	9.2	3.1	6.8	2.7	0.8	3.2
09	290	9.6	4.6	3.4	7.1	2.5	0.9
10	310	9.2	210	4.9	3.7	2.5	10
11	320	9.1	210	5.1	3.7	2.5	11
12	330	9.5	210	5.1	9.6	2.5	12
13	310	10.0	210	5.1	8.6	2.5	13
14	300	10.5	200	5.0	3.7	2.4	14
15	300	10.8	210	4.8	3.5	2.5	15
16	290	11.5	220	4.3	3.2	2.7	16
17	240	11.8	210	2.7	6.3	2.7	17
18	270	11.8	210	2.1	3.8	2.7	18
19	300	10.8	300	2.1	3.2	2.6	19
20	300	10.0	300	2.1	2.4	2.4	20
21	300	10.3	300	2.3	2.5	2.5	21
22	250	10.3	300	3.3	2.9	2.2	22
23	220	10.2	300	3.4	3.1	2.3	23

Time: Local.
Length of time sweep: 2Mo to 16 Mc in one minute.
Average values.

Table 15 (Provisional Data)

Colombo, Ceylon (6.6°N, 80.0°E)		October 1945					
Time	h ¹ F2	f ² F2	h ¹ F1	f ² F1	h ¹ E	f ² E	f ² -M5000
00	9.2	3.8	2.7	3.5	0.0	8.0	3.2
01	9.3	3.5	2.7	3.4	0.1	6.6	3.1
02	7.9	2.7	3.4	3.4	0.2	5.8	2.9
03	5.7	2.5	3.4	3.4	0.3	5.2	2.9
04	4.5	2.7	3.2	3.2	0.4	4.5	2.9
05	3.6	3.0	3.2	3.2	0.5	4.7	3.0
06	3.6	3.0	3.2	3.0	0.6	5.9	3.1
07	7.3	2.5	3.1	3.1	0.7	3.1	3.1
08	5.7	2.7	3.1	3.1	0.8	3.1	3.1
09	5.3	2.5	3.1	3.1	0.9	3.1	3.1
10	5.0	2.5	3.1	3.1	1.0	3.1	3.1
11	5.1	2.5	3.1	3.1	1.1	3.1	3.1
12	5.5	2.5	3.1	3.1	1.2	3.1	3.1
13	5.0	2.5	3.1	3.1	1.3	3.1	3.1
14	5.5	2.5	3.1	3.1	1.4	3.1	3.1
15	5.3	2.5	3.1	3.1	1.5	3.1	3.1
16	5.0	2.5	3.1	3.1	1.6	3.1	3.1
17	5.7	2.5	3.1	3.1	1.7	3.1	3.1
18	5.0	2.5	3.1	3.1	1.8	3.1	3.1
19	5.3	2.5	3.1	3.1	1.9	3.1	3.1
20	5.0	2.5	3.1	3.1	2.0	3.1	3.1
21	5.3	2.5	3.1	3.1	2.1	3.1	3.1
22	5.0	2.5	3.1	3.1	2.2	3.1	3.1
23	5.2	2.5	3.1	3.1	2.3	3.1	3.1

Table 16 (Provisional Data)

Cape York, Australia (11.0°S, 142.4°E)		October 1945					
Time	h ¹ F2	f ² F2	h ¹ F1	f ² F1	h ¹ E	f ² E	f ² -M5000
00	220	9.5	3.3	3.4	2.5	3.2	3.2
01	220	7.8	3.3	3.4	2.5	6.6	3.1
02	220	6.2	2.7	3.4	2.6	5.8	2.9
03	230	5.5	2.7	3.4	2.6	5.2	2.9
04	230	4.8	3.0	3.4	2.7	4.5	2.9
05	230	4.0	3.2	3.4	2.7	4.7	3.0
06	250	4.0	3.2	3.0	2.8	5.9	3.1
07	250	7.2	2.4	3.6	2.1	0.7	3.1
08	230	9.2	3.1	6.8	2.7	0.8	3.2
09	290	9.6	4.6	3.4	7.1	2.5	0.9
10	310	9.2	210	4.9	3.7	2.5	10
11	320	9.1	210	5.1	3.7	2.5	11
12	330	9.5	210	5.1	9.6	2.5	12
13	310	10.0	210	5.1	8.6	2.5	13
14	300	10.5	200	5.0	3.7	2.4	14
15	300	10.8	210	4.8	3.5	2.5	15
16	290	11.5	220	4.3	3.2	2.7	16
17	240	11.8	210	2.7	6.3	2.7	17
18	270	11.8	210	2.1	2.7	2.7	18
19	300	10.8	300	2.1	3.2	2.6	19
20	300	10.0	300	2.1	2.4	2.4	20
21	300	10.3	300	2.3	2.5	2.5	21
22	250	10.3	300	3.3	2.9	2.2	22
23	220	10.2	300	3.4	3.1	2.3	23

Time: 150.0°W.
Length of time sweep: 1.6 Mc to 12.5 Mc in 2 minutes.
Median values.

Time: Local
Length of time sweep: 1.0 Mc to 13.0 Mc in one minute.
Median values.

Table 17 (Provisional Data)

Barrowings I. (21.1°S., 159.6°W.)							October 1945							
Time	h _{E2}	f _{E2}	h _{F1}	f _{F1}	h _{F2}	f _{F2}	h _{E3}	f _{E3}	h _{F3}	f _{F3}	h _{E4}	f _{E4}	h _{F4}	f _{F4}
00							3.1							
01		9.1	8.4				3.2							
02		6.5					3.1							
03		5.7					2.8							
04		5.6					2.9							
05		5.5					3.0							
06		6.8					3.1							
07	21.5	8.8					3.2							
08	27.5	9.6	4.7				3.3							
09	28.0	10.2	5.0				3.2							
10	29.5	11.1	5.1				3.2							
11	31.0	11.8	5.2				3.0							
12	32.0	12.2	5.2				3.0							
13	30.5	12.0	5.2				3.0							
14	31.5	11.5	5.2				3.0							
15	30.0	11.6	5.2				2.9							
16	30.0	11.3	4.7				3.0							
17	28.0	11.2					3.1							
18	27.0	11.4					3.1							
19	26.0	10.5					3.0							
20		10.0					3.0							
21		9.2					3.0							
22		9.0					3.0							
23		9.0					3.0							

Time: 157.5°W.
Length of time sweep: 2.0 Mc to 16.0 Mc. Manual operation.
Median values.

Table 19 (Provisional Data)

Brisbane, Australia (27.5°S., 153.0°E.)							October 1945							
Time	h _{E2}	f _{E2}	h _{F1}	f _{F1}	h _{F2}	f _{F2}	h _{E3}	f _{E3}	h _{F3}	f _{F3}	h _{E4}	f _{E4}	h _{F4}	f _{F4}
00	265	6.3					3.0							
01	250	5.9					3.1							
02	24.5	5.2					3.0							
03	26.5	4.6					3.0							
04	27.5	4.4					3.0							
05	26.0	4.3					3.1							
06	23.0	6.0					3.4							
07	23.0	7.3	21.5				2.7							
08	23.0	8.0	20.5	4.7	11.0	3.0	3.1							
09	23.5	8.6	20.0	4.9	11.0	3.3	3.6							
10	23.0	8.8	20.0	5.1	11.0	3.5	4.0							
11	23.0	9.4	19.0	5.1	10.5	3.5	3.1							
12	23.0	9.2	20.0	5.2	10.5	3.6	3.1							
13	23.0	9.3	20.0	5.1	10.5	3.6	3.1							
14	23.0	9.2	20.0	5.0	11.0	3.5	3.1							
15	23.0	9.0	21.0	4.7	11.0	3.2	3.1							
16	23.0	8.7	22.0	4.5	11.0	3.2	3.2							
17	23.0	8.5					2.9							
18	23.0	8.2					3.2							
19	23.5	7.4					3.2							
20	23.0	6.9					3.0							
21	23.5	6.9					2.9							
22	23.5	6.6					2.9							
23	23.0	6.5					3.0							

Time: 150.0°E.
Length of time sweep: 2.2 Mc to 12.5 Mc in two minutes, thirty seconds.
Median values.

Table 18 (Provisional Data)

Pitcairn Is. (25.0°S., 130.0°W.)							October 1945							
Time	h _{E2}	f _{E2}	h _{F1}	f _{F1}	h _{F2}	f _{F2}	h _{E3}	f _{E3}	h _{F3}	f _{F3}	h _{E4}	f _{E4}	h _{F4}	f _{F4}
00	0000						3.1							
01	0100						3.1							
02	0200						2.8							
03	0300						2.9							
04	0400						3.0							
05	0500						3.0							
06	0600						3.1							
07	0700						3.2							
08	0800						3.3							
09	0930						3.2							
10	1000						3.2							
11	1130						3.0							
12	1200						3.0							
13	1330						3.0							
14	1400						3.0							
15	1530						3.0							
16	1600						3.0							
17	1700						3.1							
18	1800						3.1							
19	1930						3.1							
20	2000						3.1							
21	2100						3.1							
22	2230						3.1							
23	2300						3.1							

Time: 127.5°W.
Length of time sweep: 1.0 Mc to 13.0 Mc. Manual operation.
Median values.

Table 20 (Provisional Data)

Kermadec Is. (29.2°S., 117.9°W.)							October 1945							
Time	h _{E2}	f _{E2}	h _{F1}	f _{F1}	h _{F2}	f _{F2}	h _{E3}	f _{E3}	h _{F3}	f _{F3}	h _{E4}	f _{E4}	h _{F4}	f _{F4}
00	00						6.5							
01	275						6.1							
02	250						5.4							
03	260						4.7							
04	290						4.4							
05	275						4.4							
06	250						6.6							
07	250						7.6							
08	275						8.4							
09	290						8.6							
10	300						9.0							
11	315						9.2							
12	315						9.2							
13	315						9.1							
14	315						9.0							
15	315						9.0							
16	295						9.0							
17	275						8.9							
18	255						8.4							
19	250						7.8							
20	265						7.4							
21	285						7.2							
22	300						7.1							
23	280						7.0							

Time: 180.0°E.
Length of time sweep: 1.8 Mc to 12.0 Mc. Manual operation.
Median values.

Table 21 (Provisional Data)

Wetheroo, Australia (30°30'S, 115.9°E) October 1945								
Time	h ₁ P2	f ₁ P2	h ₁ P1	f ₁ P1	h ₂	f ₂	h ₃	f ₃
00	4.7	2.8	0.0	0.0	3.7	2.8	2.8	2.8
01	4.6	2.9	0.1	0.1	3.7	2.8	2.8	2.8
02	4.2	2.9	0.2	0.2	3.7	2.8	2.8	2.8
03	3.8	2.9	0.3	0.3	3.7	2.9	2.9	2.9
04	3.7	2.9	0.4	0.4	3.0	3.0	3.0	3.0
05	3.9	0.5	0.5	0.5	4.2	3.1	3.1	3.1
06	5.5	0.5	0.6	0.6	4.2	3.1	3.1	3.1
07	6.3	0.5	0.7	0.7	7.1	7.1	7.1	7.1
08	6.8	0.6	0.8	0.8	7.5	7.5	7.5	7.5
09	7.4	0.6	0.9	0.9	8.8	8.8	8.8	8.8
10	8.0	0.6	1.0	1.0	9.4	9.4	9.4	9.4
11	8.6	0.6	1.1	1.1	9.9	9.9	9.9	9.9
12	8.9	0.6	1.2	1.2	10.4	10.4	10.4	10.4
13	8.8	0.6	1.3	1.3	10.6	10.6	10.6	10.6
14	8.6	0.6	1.4	1.4	10.7	10.7	10.7	10.7
15	8.3	0.6	1.5	1.5	10.3	10.3	10.3	10.3
16	8.0	0.6	1.6	1.6	9.6	9.6	9.6	9.6
17	7.9	0.6	1.7	1.7	9.1	9.1	9.1	9.1
18	7.8	0.6	1.8	1.8	8.3	8.3	8.3	8.3
19	6.9	0.6	1.9	1.9	6.9	6.9	6.9	6.9
20	6.0	0.6	2.0	2.0	5.3	5.3	5.3	5.3
21	5.4	0.6	2.1	2.1	4.5	4.5	4.5	4.5
22	5.1	0.6	2.2	2.2	3.9	3.9	3.9	3.9
23	4.9	0.6	2.3	2.3	3.8	3.8	3.8	3.8

Time Local.
Length of time sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.
Median values.

Table 23 (Provisional Data)

Canberra, Australia (35°39'S, 149.0°E) October 1945								
Time	h ₁ P2	f ₁ P2	h ₁ P1	f ₁ P1	h ₂	f ₂	h ₃	f ₃
00	280	5.2	0.0	0.0	2.8	2.8	2.8	2.8
01	280	4.8	0.1	0.1	2.8	2.8	2.8	2.8
02	270	4.5	0.2	0.2	2.9	2.9	2.9	2.9
03	270	4.1	0.3	0.3	2.9	2.9	2.9	2.9
04	275	3.7	0.4	0.4	2.9	2.9	2.9	2.9
05	280	3.7	0.5	0.5	2.9	2.9	2.9	2.9
06	250	5.1	0.6	0.6	2.0	2.0	2.0	2.0
07	260	5.9	240	240	110	110	110	110
08	290	6.8	225	1.3	3.0	3.0	3.0	3.0
09	300	7.1	220	1.5	110	1.2	1.2	1.2
10	300	7.6	210	1.5	110	1.4	1.4	1.4
11	310	8.1	210	1.6	110	1.5	1.5	1.5
12	305	8.1	205	1.6	110	1.5	1.5	1.5
13	300	8.2	210	1.7	110	1.5	1.5	1.5
14	300	7.9	210	1.6	110	1.5	1.5	1.5
15	300	7.8	220	4.5	110	1.5	1.5	1.5
16	295	7.6	220	4.1	110	1.5	1.5	1.5
17	260	7.2	245	3.6	120	2.5	2.5	2.5
18	250	7.1	0.0	0.0	18	18	18	18
19	250	7.1	0.0	0.0	19	19	19	19
20	250	6.2	0.0	0.0	20	20	20	20
21	265	5.7	2.4	2.4	21	22	22	22
22	280	5.5	2.4	2.4	22	23	23	23
23	280	5.5	2.4	2.4	23	23	23	23

Time: 15.0°X.
Length of time sweep: 2 Mc to 16 Mc in one minute.
Average values.

Table 24 (Provisional Data)

Campbell I. (52°5' S, 169.0°E) October 1945								
Time	h ₁ P2	f ₁ P2	h ₁ P1	f ₁ P1	h ₂	f ₂	h ₃	f ₃
00	0	0	0	0	0	0	0	0
01	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
02	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
03	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
04	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
05	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
06	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
07	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
08	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
09	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
10	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
11	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
12	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
13	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
14	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
15	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
16	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
17	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
18	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
19	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
20	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
21	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
22	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
23	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3

Time: 15.0°X.
Length of time sweep: 2 Mc to 16 Mc in two minutes.
Median values.

Time: 165.0°X.
Length of time sweep: 1.0 Mc to 12.5 Mc in two minutes.
Median values.

Table 22 (Provisional Data)

Capetown (Simonsstown), Union of South Africa October 1945								
Time	h ₁ P2	f ₁ P2	h ₁ P1	f ₁ P1	h ₂	f ₂	h ₃	f ₃
00	0.0	0.0	0.0	0.0	3.7	3.7	3.7	3.7
01	0.1	0.1	0.1	0.1	3.7	3.7	3.7	3.7
02	0.2	0.2	0.2	0.2	3.7	3.7	3.7	3.7
03	0.3	0.3	0.3	0.3	3.7	3.7	3.7	3.7
04	0.4	0.4	0.4	0.4	3.0	3.0	3.0	3.0
05	0.5	0.5	0.5	0.5	3.0	3.0	3.0	3.0
06	0.6	0.6	0.6	0.6	3.0	3.0	3.0	3.0
07	0.7	0.7	0.7	0.7	3.0	3.0	3.0	3.0
08	0.8	0.8	0.8	0.8	3.0	3.0	3.0	3.0
09	0.9	0.9	0.9	0.9	3.0	3.0	3.0	3.0
10	1.0	1.0	1.0	1.0	3.0	3.0	3.0	3.0
11	1.1	1.1	1.1	1.1	3.0	3.0	3.0	3.0
12	1.2	1.2	1.2	1.2	3.0	3.0	3.0	3.0
13	1.3	1.3	1.3	1.3	3.0	3.0	3.0	3.0
14	1.4	1.4	1.4	1.4	3.0	3.0	3.0	3.0
15	1.5	1.5	1.5	1.5	3.0	3.0	3.0	3.0
16	1.6	1.6	1.6	1.6	3.0	3.0	3.0	3.0
17	1.7	1.7	1.7	1.7	3.0	3.0	3.0	3.0
18	1.8	1.8	1.8	1.8	3.0	3.0	3.0	3.0
19	1.9	1.9	1.9	1.9	3.0	3.0	3.0	3.0
20	2.0	2.0	2.0	2.0	3.0	3.0	3.0	3.0
21	2.1	2.1	2.1	2.1	3.0	3.0	3.0	3.0
22	2.2	2.2	2.2	2.2	3.0	3.0	3.0	3.0
23	2.3	2.3	2.3	2.3	3.0	3.0	3.0	3.0

Time: 165.0°X.
Length of time sweep: 1.0 Mc to 15.0 Mc. Manual operation.
Median values.

Table 25 (Provisional Data)

Delhi, India (28°0'N, 77°20'E)							September 1945						
Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ E	f ₀ E	h ₁ N	f ₀ N	h ₁ S	f ₀ S	h ₁ M	f ₀ M	
00	4.4												
01	4.4												
02	3.9												
03	1.7												
04	3.4												
05	3.3												
06	4.4												
07	6.4												
08	7.5												
09	7.9												
10	8.5												
11	9.7												
12	10.5												
13	10.9												
14	11.2												
15	11.2												
16	11.0												
17	9.4												
18	8.0												
19	7.1												
20	6.1												
21	5.2												
22	4.8												
23	4.5												

Time: 75.0°W.
Length of time sweep: Manual operation.
Average values.

Table 26

Washington, D. C. (39°0'N, 77.5°W)							November 1945						
Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ E	f ₀ E	h ₁ N	f ₀ N	h ₁ S	f ₀ S	h ₁ M	f ₀ M	
00	270												
01	260												
02	260												
03	260												
04	250												
05	240												
06	240												
07	225												
08	220												
09	230												
10	240												
11	240												
12	245												
13	250												
14	250												
15	230												
16	230												
17	230												
18	215												
19	220												
20	250												
21	250												
22	260												
23	270												

Time: 75.0°W.
Length of time sweep: 0.75 Mc to 11.5 Mc in 3.4 minutes supplemented by 0.8 Mc to 14.0 Mc in two minutes.
Median values.

Table 27

(Corrections and additions to previously published provisional data)						
Churchill, Canada (58°8'N, 91°20'W)						
October 1945						
Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ E	f ₀ E
00	5.1					
01	1.1					
02	3.9					
03	3.8					
04	3.7					
05	3.6					
06	3.5					
07	3.6					
08	220	3.3				
09	220	3.8	120			
10	230	1.0	120	2.9		
11	250	1.2	110	2.9		
12	210	1.3	120	3.0		
13	210	1.0	120	2.8		
14	240	1.0	120	2.7		
15	250	3.8	120	2.8		
16	260	3.5	130	2.9		
17	270		135	2.8		
18	270			2.8		
19	290			3.4		
20	315			3.7		
21	290	1.1		3.8		
22	320			3.8		
23	320	3.6		3.9		

Time: 75.0°W.
Length of time sweep: Manual operation.
Average values.

Table 28

(Corrections and additions to previously published provisional data)													
Prince Rupert, Canada (54°3'N, 130°3'W)													
October 1945													
Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ E	f ₀ E	h ₁ N	f ₀ N	h ₁ S	f ₀ S	h ₁ M	f ₀ M	
00	270												
01	305												
02	300												
03	315												
04	310												
05	300												
06	280												
07	230												
08	210												
09	220												
10	220												
11	220												
12	230												
13	230												
14	220												
15	210												
16	200												
17	200												
18	200												
19	200												
20	200												
21	210												
22	220												
23	220	3.6											

Time: 90.0°W.
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

(Corrections and additions to previously published provisional data)													
Prince Rupert, Canada (54°3'N, 130°3'W)													
October 1945													
Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ E	f ₀ E	h ₁ N	f ₀ N	h ₁ S	f ₀ S	h ₁ M	f ₀ M	
00	270												
01	260												
02	260												
03	260												
04	250												
05	240												
06	240												
07	225												
08	220												
09	220												
10	220												
11	220												
12	220												
13	220												
14	220												
15	220												
16	220												
17	220												
18	220												
19	220												
20	220												
21	220												
22	220												
23	220	3.6											

Time: 90.0°W.
Length of time sweep: Manual operation.
Median values.

(Corrections and additions to previously published provisional data)						
Prince Rupert, Canada (54°3'N, 130°3'W)						
October 1945						

Table 29

Table 29

(Corrections and additions to previously published provisional data)

Great Baddow, England (51° 7' N., 0° 5' E.)

October 1945

Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ F0	f ₀ F0	Time
00	3.6				2.7		00
01	3.5				2.8		295
02	3.4				2.8	01	300
03	3.2				2.8	02	300
04	2.9				2.9	03	3.0
05	2.6				3.0	04	320
06	3.2				3.0	05	320
07	5.6				3.1	06	3.4
08	6.8				3.4	07	230
09	7.5				3.4	08	220
10	8.2				3.6	09	210
11	8.3				3.6	10	200
12	8.3				3.5	11	245
13	8.2				3.5	12	265
14	8.4				3.5	13	270
15	8.2				3.2	14	260
16	8.1				3.2	15	255
17	7.5				3.2	16	255
18	7.2				3.2	17	239
19	6.0				3.2	18	230
20	4.9				3.2	19	240
21	4.4				2.2	20	250
22	3.8				2.2	21	260
23	3.7				2.8	22	270

Time: 0.0°
Length of time sweep: Manual operation.
Median values.

Table 31

(Corrections and additions to previously published provisional data)

Boston, Massachusetts (42° 48' N., 71° 20' W.)

October 1945

Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ F0	f ₀ F0	Time
00	275				270		00
01	270				270		01
02	270	3.1			270		02
03	262				270		03
04	260	2.6			270		04
05	250				260		05
06	250				260		06
07	240				230		07
08	240				230		08
09	240				230		09
10	240				230		10
11	250	4.4			230		11
12	242	225			230		12
13	250	4.6			230		13
14	250	222			230		14
15	245	7.8			230		15
16	245	215			230		16
17	240				230		17
18	235	6.8			230		18
19	245				230		19
20	250				220		20
21	260	4.7			230		21
22	262				230		22
23	270				230		23

Time: 75° 0' W.
Length of time sweep: 0.8 Mc to 13.75 Mc in one minute.
Median values.

Table 31

(Corrections and additions to previously published provisional data)

San Francisco, California (37° 48' N., 122° 20' W.)

October 1945

Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ F0	f ₀ F0	Time
00	270				270		00
01	270				270		01
02	270	3.1			270		02
03	270				270		03
04	262				270		04
05	260	2.6			270		05
06	250				260		06
07	240				230		07
08	240				230		08
09	240				230		09
10	240				230		10
11	250	4.4			230		11
12	242	225			230		12
13	250	4.6			230		13
14	250	222			230		14
15	245	7.8			230		15
16	245	215			230		16
17	240				230		17
18	235	6.8			230		18
19	245				230		19
20	250				220		20
21	260	4.7			230		21
22	262				230		22
23	270				230		23

Time: 75° 0' W.
Length of time sweep: 0.8 Mc to 12.0 Mc in six minutes. Record
Median values.

Table 32

(Corrections and additions to previously published provisional data)

Ottawa, Canada (45° 50' N., 75° 48' W.)

October 1945

Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ F0	f ₀ F0	Time
00	295				220		00
01	300				210		295
02	300				200		300
03	300				215		300
04	300				210		300
05	300				210		300
06	300				210		300
07	300				210		300
08	300				210		300
09	300				210		300
10	300				210		300
11	300				210		300
12	300				210		300
13	300				210		300
14	300				210		300
15	300				210		300
16	300				210		300
17	300				210		300
18	300				210		300
19	300				210		300
20	300				210		300
21	300				210		300
22	300				210		300
23	300				210		300

Time: 75° 0' W.
Length of time sweep: 0.8 Mc to 12.0 Mc in six minutes. Record
Median values.

Table 32

(Corrections and additions to previously published provisional data)

San Francisco, California (37° 48' N., 122° 20' W.)

October 1945

Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ F0	f ₀ F0	Time
00	270				220		00
01	270				210		270
02	270	3.1			210		3.1
03	270				210		3.2
04	262				210		3.2
05	260	2.6			210		3.3
06	250				210		3.3
07	240				210		3.4
08	240				210		3.4
09	240				210		3.4
10	240				210		3.4
11	250	4.4			210		3.4
12	242	225			210		3.4
13	250	4.6			210		3.4
14	250	222			210		3.4
15	245	7.8			210		3.4
16	245	215			210		3.4
17	240				210		3.4
18	235	6.8			210		3.4
19	245				210		3.4
20	250				210		3.4
21	260	4.7			210		3.4
22	262				210		3.4
23	270				210		3.4

Time: 75° 0' W.
Length of time sweep: 0.8 Mc to 12.0 Mc in six minutes. Record
Median values.

Table 32

(Corrections and additions to previously published provisional data)

Ottawa, Canada (45° 50' N., 75° 48' W.)

October 1945

Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ F0	f ₀ F0	Time
00	295				220		00
01	300				210		295
02	300				200		300
03	300				215		300
04	300				210		300
05	300				210		300
06	300				210		300
07	300				210		300
08	300				210		300
09	300				210		300
10	300				210		300
11	300				210		300
12	300				210		300
13	300				210		300
14	300				210		300
15	300				210		300
16	300				210		300
17	300				210		300
18	300				210		300
19	300				210		300
20	300				210		300
21	300				210		300
22	300				210		300
23	300				210		300

Time: 75° 0' W.
Length of time sweep: 0.8 Mc to 12.0 Mc in six minutes. Record
Median values.

Table 32

(Corrections and additions to previously published provisional data)

Ottawa, Canada (45° 50' N., 75° 48' W.)

October 1945

Time	h ₁ F2	f ₀ F2	h ₁ F1	f ₀ F1	h ₁ F0	f ₀ F0	Time
00	295				220		00
01	300				210		295
02	300				200		

Table 31

(Corrections and additions to previously published provisional data)

	Baton Rouge, Louisiana (30.5°N, 91.2°W)			October 1945		
Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E
00	300					
01	290					
02	280					
03	280					
04	280					
05	270					
06	250					
07	250	2.2	130	2.6		
08	240	3.7	130	2.6		
09	230	4.2	120	2.9		
10	220	4.4	120	3.1		
11	220	4.5	120	3.1		
12	240	4.5	120	3.2		
13	240	4.6	120	3.2		
14	240	4.5	120	3.2		
15	240	4.2	120	3.0		
16	260	3.4	120	2.6		
17	250		130	2.4	3.0	
18	240	5.0				
19	240					
20	250					
21	260					
22	300					
23	300					

Time: 90.0°W.
Length of time sweep: 1.9 Mc to 9.8 Mc in three minutes, thirty seconds.
Median values.

Table 35

	San Juan, Puerto Rico (13.4°N, 66.1°W)			October 1945		
Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E
00	4.5					
01	4.8					
02	4.6					
03	4.0					
04	3.5					
05	3.0					
06	3.5					
07	230	6.4				
08	260	7.9				
09	290	8.7	220	4.1	3.0	
10	290	9.6	220	4.7	3.2	
11	300	10.1	220	4.7	3.4	
12	300	10.1	220	4.8	3.4	
13	300	10.5	220	4.8	3.4	
14	290	11.1	220	4.6	3.3	
15	290	10.3	220	4.3	3.2	
16	260	10.0	220	3.9	3.0	
17	210	9.4				
18	230	8.5				
19	240	6.4				
20						
21						
22						
23						

Time: 60.0°W.
Length of time sweep: Record centered on the hour.
Median values.

Table 34

	Maui, Hawaii (20.8°N, 156.5°W)			October 1945		
Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E
00	250					
01	250					
02	240					
03	230					
04	230					
05	262					
06	250					
07	250	6.4				
08	250	4.4				
09	235	3.5				
10	280	10.8				
11	300	12.4				
12	300	13.1				
13	300	14.2				
14	210	5.0				
15	212	5.1				
16	215	5.0				
17	215	10.8				
18	210	7.0				
19	225	6.6				
20	240	5.9				
21	255	5.2				
22	260	2.6				
23	260	4.5				

Time: 150.0°W.
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 36

	Trinidad, Brit. West Indies (10.6°N, 61.2°W)			October 1945		
Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E
00	3.1					
01	3.1					
02	3.2					
03	3.2					
04	3.1					
05	280					
06	295					
07	245					
08	3.0					
09	3.1					
10	3.1					
11	3.0					
12	3.0					
13	3.0					
14	3.1					
15	3.1					
16	3.1					
17	3.2					
18	3.2					
19	3.2					
20	3.0					
21	2.8					
22	2.9					
23	3.0					

(Corrections and additions to previously published provisional data)

Time: 60.0°W.
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

(Corrections and additions to previously published provisional data)

Table 37

Huancayo, Peru (120°S, 75.3°W) October 1945

Name	h ₇₂	f ₉₂	h ₇₁	f ₉₁	h ₇₀	f ₉₀	h ₇₉	f ₈₉	h ₇₈	f ₈₈	h ₇₇	f ₈₇	h ₇₆	f ₈₆	h ₇₅	f ₈₅	h ₇₄	f ₈₄	h ₇₃	f ₈₃	h ₇₂	f ₈₂	
00	230																						
01	230																						
02	240																						
03	250																						
04	250																						
05	260																						
06	250																						
07	240																						
08	240																						
09	230																						
10	230																						
11	240																						
12	240																						
13	230																						
14	230																						
15	230																						
16	230																						
17	260																						
18	290																						
19	340																						
20	330																						
21	290																						
22	270																						
23	250																						

Time: 75.0%
Length of time sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.
Median values.

Time: 172.5%
Length of time sweep: 1.0 Mc to 11.0 Mc. Automatic.
Median values.

Table 39

Name	h ₇₂	f ₉₂	h ₇₁	f ₉₁	h ₇₀	f ₉₀	h ₇₉	f ₈₉	h ₇₈	f ₈₈	h ₇₇	f ₈₇	h ₇₆	f ₈₆	h ₇₅	f ₈₅	h ₇₄	f ₈₄	h ₇₃	f ₈₃	h ₇₂	f ₈₂	
00		4.1					2.3																
01		5.6					2.2																
02		3.5					2.5																
03		3.2					3.0																
04		3.0					2.8																
05		3.1					2.3																
06		3.7					1.5																
07		4.4					2.0																
08		5.0					2.3																
09		5.1					2.7																
10		5.2					3.0																
11		4.1					3.0																
12		5.4					4.2																
13		5.3					4.2																
14		5.4					4.0																
15		5.3					4.0																
16		5.4					4.1																
17		5.5					4.2																
18		5.4					4.9																
19		5.4					2.1																
20		5.2					2.5																
21		4.9					2.1																
22		4.8					2.5																
23		4.5					2.1																

Time: 15.0%
Length of time sweep: 16.0 Mc to 1.63 Mc in ten minutes.
Median values.

(Corrections and additions to previously published provisional data)
Chungking, China (29.4°N, 106.8°E)
September 1945

Name	h ₇₂	f ₉₂	h ₇₁	f ₉₁	h ₇₀	f ₉₀	h ₇₉	f ₈₉	h ₇₈	f ₈₈	h ₇₇	f ₈₇	h ₇₆	f ₈₆	h ₇₅	f ₈₅	h ₇₄	f ₈₄	h ₇₃	f ₈₃	h ₇₂	f ₈₂	
00		0.1					2.3																
01		0.6					2.2																
02		3.5					2.5																
03		3.2					3.0																
04		3.0					2.8																
05		3.1					2.3																
06		3.7					2.0																
07		4.4					2.3																
08		5.0					2.7																
09		5.1					3.0																
10		5.2					4.0																
11		5.3					4.1																
12		5.4					4.2																
13		5.3					4.2																
14		5.4					4.0																
15		5.3					4.0																
16		5.4					4.1																
17		5.5					4.2																
18		5.4					4.9																
19		5.4					2.1																
20		5.2					2.5																
21		4.9					2.1																
22		4.8					2.5																
23		4.5					2.1																

Time: 105.0%
Length of time sweep: 3.3 Mc to 12.3 Mc in thirteen minutes.
Median values.

Christchurch, N. Z. (43.5°S, 172.6°E)
October 1945

Name	h ₇₂	f ₉₂	h ₇₁	f ₉₁	h ₇₀	f ₉₀	h ₇₉	f ₈₉	h ₇₈	f ₈₈	h ₇₇	f ₈₇	h ₇₆	f ₈₆	h ₇₅	f ₈₅	h ₇₄	f ₈₄	h ₇₃	f ₈₃	h ₇₂	f ₈₂	
00		280					5.2																
01		270					4.8																
02		260					4.5																
03		250					3.6																

(Corrections and additions to previously published provisional data)

Mani, Hawaii (20.8°N, 156.5°W)

Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E	Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E
00	280				2.9		00	7.6				3.2	
01	270	4.5			3.0	0.1	01	7.4				3.6	3.2
02	250	4.6			3.1	0.2	02	6.4				3.9	3.3
03	220	4.0					03	5.7				3.1	3.4
04	225						04	4.2				2.6	3.4
05							05	3.4				2.8	3.4
06	235	5.8			100		06	3.1				2.9	3.3
07							07	0.7				4.4	3.3
08	250				110		08	0.9				5.0	3.2
09							09	7.7				5.7	2.9
10	315	215			110		10	10				4.5	6.1
11							11	8.6				5.9	2.6
12	332				110		12	8.2				5.1	3.9
13							13	8.0				5.1	3.8
14	315	215			100		14	9.1				5.1	5.3
15							15	9.8				5.6	2.6
16	15	225			100		16	10.6				4.7	4.8
17							17	11.0				5.2	2.8
18	225				100		18	10.5				3.1	4.7
19							19	9.7				1.6	2.8
20	215	7.5					20	9.0				3.2	2.7
21							21	8.4				2.5	2.7
22	290						22	8.2				3.6	2.7
23							23	8.2				4.0	3.0

Time: 156.0°W.
Length of time sweep: 2 Mc to 16 Mc in one minute.
Median values.

Table 43

Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E	Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E
00					3.1	0.0	00	240				2.8	
01					3.3	0.1	01	235				2.8	
02					3.4	0.2	02	225				2.9	
03					3.4	0.3	03	210				2.9	
04					3.4	0.4	04	200				2.8	
05					3.3	0.5	05	195				3.0	
06					3.2	0.6	06	190				3.1	
07					3.1	0.7	07	185				3.2	
08					3.0	0.8	08	180				3.3	
09					2.6	0.9	09	225				3.7	
10					2.6	1.0	10	225				3.6	
11					2.7	1.1	11	300				3.1	
12	375				2.7	1.2	12	295				3.1	3.7
13	365				2.7	1.3	13	295				3.8	3.3
14	355				2.5	1.4	14	285				3.1	3.5
15					2.5	1.5	15	280				3.0	3.5
16					2.7	1.6	16	260				2.7	
17					2.7	1.7	17	230				2.1	3.4
18	245				2.7	1.8	18	225				2.8	
19					2.7	1.9	19	220				2.4	3.2
20					2.5	2.0	20	210				2.4	3.1
21	265				2.7	2.1	21	210				2.6	
22					2.6	2.2	22	215				2.6	
23					2.5	2.3	23	210				2.8	3.0

Time: 150°W.
Length of time sweep: 2 Mc to 16 Mc in two minutes.
Median values.

Table 42

Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E	Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E
00	280				2.9		00	7.6				3.2	
01	270	4.5			3.0	0.1	01	7.4				3.6	3.2
02	250	4.6			3.1	0.2	02	6.4				3.9	3.4
03	220	4.0					03	5.7				3.1	3.4
04	225						04	4.2				2.6	3.4
05							05	3.4				2.8	3.4
06	235	5.8			100		06	3.1				2.9	3.3
07							07	0.7				4.4	3.3
08	250				110		08	0.9				5.0	3.2
09							09	1.1				5.7	2.9
10	315	215			110		10	1.2				4.5	3.0
11							11	1.2				4.5	3.1
12	332				100		12	1.2				4.5	3.1
13							13	1.2				4.5	3.1
14	315						14	1.2				4.5	3.1
15							15	1.2				4.5	3.1
16	215						16	1.2				4.5	3.1
17							17	1.2				4.5	3.1
18	215						18	1.2				4.5	3.1
19							19	1.2				4.5	3.1
20	20						20	1.2				4.5	3.1
21	22						21	1.2				4.5	3.1
22							22	1.2				4.5	3.1
23	23						23	1.2				4.5	3.1

Time: 135.0°E.
Length of time sweep: Manual operation.
Median values.

Table 44

Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E	Time	h ¹ F2	f ⁰ F2	h ¹ F1	f ⁰ F1	h ¹ E	f ⁰ E
00					3.1	0.0	00	240				2.8	
01					3.3	0.1	01	235				2.8	
02					3.4	0.2	02	225				2.9	
03					3.4	0.3	03	210				2.9	
04					3.3	0.4	04	200				2.8	
05					3.2	0.5	05	195				3.0	
06					3.1	0.6	06	190				3.1	
07					3.0	0.7	07	185				3.1	
08					2.9	0.8	08	180				3.1	
09					2.6	0.9	09	225				3.7	
10					2.6	1.0	10	225				3.6	
11					2.7	1.1	11	300				3.1	
12	375				2.7	1.2	12	295				3.1	3.7
13	365				2.7	1.3	13	295				3.8	3.3
14	355				2.5	1.4	14	285				3.1	3.8
15					2.5	1.5	15	280				3.0	3.5
16					2.7	1.6	16	260				2.7	
17					2.7	1.7	17	230				2.1	3.4
18	245				2.7	1.8	18	210				2.8	
19					2.7	1.9	19	220				2.4	3.2
20					2.5	2.0	20	210				2.4	3.1
21	265				2.7	2.1	21	210				2.4	
22					2.6	2.2	22	215				2.6	
23					2.5	2.3	23	210				2.8	3.0

Time: 120.0°E.
Length of time sweep: 16 Mc to 0.5 Mc in fifteen minutes.
Median values.

Table 45
(Corrections and additions to previously published provisional data)

(Corrections and additions to previously published provisional data)

Christchurch, New Zealand (173°50'S, 172°50'E)		September 1945	
Time	h ₁₂	h ₁₂	h ₁₂
00	00	00	00
01	-	-	-
02	-	-	-
03	-	-	-
04	-	-	-
05	-	-	-
06	-	-	-
07	2.5	2.5	2.5
08	0.9	0.9	0.9
09	-	-	-
10	-	-	-
11	-	-	-
12	-	-	-
13	-	-	-
14	-	-	-
15	-	-	-
16	-	-	-
17	-	-	-
18	-	-	-
19	-	-	-
20	-	-	-
21	-	-	-
22	-	-	-
23	-	-	-

Time: 172.5⁰E.
Length of time sweep: 1.0 Mc to 13 Mc. Automatic.
Median values.

147

(Corrections and additions to previously published provisional data)

Time: 75^o.
Length of time sweep: Manual operation.
Average values.

Table 46

Bogotá. Indio (34.000m., 71°50'E). August 1945

THE JOURNAL OF CLIMATE

Time: 75.0^oM.
Length of time sweep: Manual operation.
Average values.

Document 1015

SCHÄFER, WILHELM: *Die Entwicklung der Pflanzengesellschaften im Bereich des unteren Donau-Main-Tals*

Time: 15.00. Manual operation.
Length of time sweep: Average values.

Table 50

(Corrections and additions to previously published provisional data)

Madras, India (13.0°N, 80.2°E)							August 1945															
Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y	Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y	Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y		
00	5.3				2.7		00	0.0		0.1		2.6		00	0.0		0.1		2.6		00	
01							01	0.2		0.3		2.8		01	0.2		0.3		2.8		01	
02							02	0.4		0.5		2.8		02	0.4		0.5		2.8		02	
03							03	0.4		0.5		2.8		03	0.4		0.5		2.8		03	
04							04	0.4		0.5		2.8		04	0.4		0.5		2.8		04	
05							05	0.4		0.5		2.8		05	0.4		0.5		2.8		05	
06							06	0.4		0.5		2.8		06	0.4		0.5		2.8		06	
07							07	0.4		0.5		2.8		07	0.4		0.5		2.8		07	
08							08	0.4		0.5		2.8		08	0.4		0.5		2.8		08	
09							09	0.4		0.5		2.8		09	0.4		0.5		2.8		09	
10							10	0.4		0.5		2.8		10	0.4		0.5		2.8		10	
11							11	0.4		0.5		2.8		11	0.4		0.5		2.8		11	
12							12	0.4		0.5		2.8		12	0.4		0.5		2.8		12	
13							13	0.4		0.5		2.8		13	0.4		0.5		2.8		13	
14							14	0.4		0.5		2.8		14	0.4		0.5		2.8		14	
15							15	0.4		0.5		2.8		15	0.4		0.5		2.8		15	
16							16	0.4		0.5		2.8		16	0.4		0.5		2.8		16	
17							17	0.4		0.5		2.8		17	0.4		0.5		2.8		17	
18							18	0.4		0.5		2.8		18	0.4		0.5		2.8		18	
19							19	0.4		0.5		2.8		19	0.4		0.5		2.8		19	
20							20	0.4		0.5		2.8		20	0.4		0.5		2.8		20	
21							21	0.4		0.5		2.8		21	0.4		0.5		2.8		21	
22							22	0.4		0.5		2.8		22	0.4		0.5		2.8		22	
23							23	0.4		0.5		2.8		23	0.4		0.5		2.8		23	

Time: 97.5°E.
Length of time sweep: Manual operation.
Average values.

(Corrections and additions to previously published provisional data)

Delhi, India (28.6°N, 77.2°E)
June 1945

Delhi, India (28.6°N, 77.2°E)							June 1945															
Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y	Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y	Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y		
00	5.6				2.7		00	0.0		0.1		2.9		00	0.0		0.1		2.9		00	
01							01	0.2		0.3		2.9		01	0.2		0.3		2.9		01	
02							02	0.4		0.5		2.9		02	0.4		0.5		2.9		02	
03							03	0.4		0.5		2.9		03	0.4		0.5		2.9		03	
04							04	0.4		0.5		2.9		04	0.4		0.5		2.9		04	
05							05	0.4		0.5		2.9		05	0.4		0.5		2.9		05	
06							06	0.4		0.5		2.9		06	0.4		0.5		2.9		06	
07							07	0.4		0.5		2.9		07	0.4		0.5		2.9		07	
08							08	0.4		0.5		2.9		08	0.4		0.5		2.9		08	
09							09	0.4		0.5		2.9		09	0.4		0.5		2.9		09	
10							10	0.4		0.5		2.9		10	0.4		0.5		2.9		10	
11							11	0.4		0.5		2.9		11	0.4		0.5		2.9		11	
12							12	0.4		0.5		2.9		12	0.4		0.5		2.9		12	
13							13	0.4		0.5		2.9		13	0.4		0.5		2.9		13	
14							14	0.4		0.5		2.9		14	0.4		0.5		2.9		14	
15							15	0.4		0.5		2.9		15	0.4		0.5		2.9		15	
16							16	0.4		0.5		2.9		16	0.4		0.5		2.9		16	
17							17	0.4		0.5		2.9		17	0.4		0.5		2.9		17	
18							18	0.4		0.5		2.9		18	0.4		0.5		2.9		18	
19							19	0.4		0.5		2.9		19	0.4		0.5		2.9		19	
20							20	0.4		0.5		2.9		20	0.4		0.5		2.9		20	
21							21	0.4		0.5		2.9		21	0.4		0.5		2.9		21	
22							22	0.4		0.5		2.9		22	0.4		0.5		2.9		22	
23							23	0.4		0.5		2.9		23	0.4		0.5		2.9		23	

Time: 75°E.
Length of time sweep: Manual operation.
Average values.

*Average of f_{Y2} and f_{Y1}.

Time: 75°E.
Length of time sweep: Manual operation.
Average values.

(Corrections and additions to previously published provisional data)

Delhi, India (28.6°N, 77.2°E)

Delhi, India (28.6°N, 77.2°E)							July 1945															
Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y	Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y	Time	h _{Y2}	f _{Y2}	h _{Y1}	f _{Y1}	h _Y	f _Y		
00	5.6				2.7		00	0.0		0.1		2.9		00	0.0		0.1		2.9		00	
01							01	0.2		0.3		2.9		01	0.2		0.3		2.9		01	
02							02	0.4		0.5		2.9		02	0.4		0.5		2.9		02	
03							03	0.4		0.5		2.9		03	0.4		0.5		2.9		03	
04							04	0.4		0.5		2.9		04	0.4		0.5		2.9		04	
05							05	0.4		0.5		2.9		05	0.4		0.5		2.9		05	
06							06	0.4		0.5		2.9		06	0.4		0.5		2.9		06	
07							07	0.4		0.5		2.9		07	0.4		0.5		2.9		07	
08							08	0.4		0.5		2.9		08	0.4		0.5		2.9		08	
09							09	0.4		0.5		2.9		09	0.4		0.5		2.9		09	
10							10	0.4		0.5		2.9		10	0.4		0.5		2.9		10	
11							11	0.4		0.5		2.9		11	0.4		0.5		2.9		11	
12							12	0.4		0.5		2.9		12	0.4		0.5		2.9		12	
13							13	0.4		0.5		2.9		13	0.4		0.5		2.9		13	
14							14	0.4		0.5		2.9		14	0.4		0.5		2.9		14	
15							15	0.4		0.5		2.9		15	0.4		0.5		2.9		15	
16							16	0.4		0.5		2.9		16	0.4		0.5		2.9		16	
17							17	0.4</td														

TABLE 53

Washington, D. C.

Ionosphere Station

IONOSPHERE DATA - I

National Bureau Of Standards

(Institution)

TIME: 75° W MERIDIAN

Hourly values of h_{F_2} in km for November 1945
(Month)Records measured by: J. M. C.
K. W. S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	260	260	270	270	250	240	230	220	230	230	240	240	230	230	230	230	230	230	230	230	240	260	260	260		
2	260	260	260	270	280	240	230	220	220	230	240	250	260	240	240	220	220	230	230	230	230	240	250	250	250	
3	280	280	280	280	240	230	220	220	220	230	240	230	250	250	250	250	250	250	250	250	250	240	250	250	250	
4	270	260	260	260	240	230	220	220	230	240	240	250	250	250	250	250	250	250	250	250	250	250	250	250	250	
5	280	260	260	260	230	240	230	200	230	220	240	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
6	250	260	260	260	240	240	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	
7	260	280	270	270	250	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	
8	270	260	260	260	250	250	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	
9	260	240	230	230	290	240	240	250	280	280	260	280	300	290	290	290	290	290	290	290	290	290	290	290	290	
10	300	280	260	280	260	240	240	230	240	240	230	250	250	250	250	250	250	250	250	250	250	250	250	250	250	
11	310	300	290	290	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	
12	330	310	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	
13	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	(300)	
14	270	280	280	280	260	250	230	230	240	240	230	240	240	250	250	250	250	250	250	250	250	250	250	250	250	
15	(270)	280	260	270	270	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
16	(270)	260	250	260	270	270	260	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	
17	250	250	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	
18	(270)	280	270	270	260	240	240	230	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	
19	270	260	270	260	260	240	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	
20	280	270	260	260	260	240	230	230	240	240	230	250	250	250	250	250	250	250	250	250	250	250	250	250	250	
21	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
22	280	250	240	240	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	
23	260	250	250	260	260	240	240	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	
24	270	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
25	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
26	260	260	260	270	270	240	240	230	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	
27	290	290	280	270	270	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
28	270	280	270	270	270	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
29	(270)	250	270	270	280	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
30	250	270	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	
31																										
Sum	270	260	260	260	260	250	240	240	235	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	
Median	270	260	260	260	260	250	240	240	240	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

270

TABLE 54
IONOSPHERE DATA-2
Washington, D.C.

(Location) Ionosphere Station

National Bureau Of Standards

(Institution)

TIME: 75°W MERIDIAN

Hourly values of $f_0 F_2$ for November 1945
(Month)

Records measured by: J.M.G.
K.W.S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	3.8 ^F	3.5 ^F	3.5 ^F	3.4 ^F	3.3 ^F	3.2 ^F	3.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9						
2	(3.8) ^F	(3.5) ^F	(3.5)	(3.5)	(3.5)	(3.5)	(3.5)	(3.5)	(3.5)	(3.5)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)	(7.1)		
3	3.4	3.4	3.6 ^F	3.7	3.8	3.6	3.5	6.0	7.6	8.4	8.8	9.0	9.2	(8.8)	9.0	9.3	9.0	(7.1)	(6.0)	(5.3)	(4.9)	4.2	3.6	3.5	
4	3.6	3.5	3.6	3.4	3.2	3.0	3.0	(6.0)	(8.0)	(8.3)	8.2	8.0	9.3	9.8	9.2	9.2	8.6	(7.6)	(7.0)	(5.3)	(4.8)	(5.0)	4.7	4.7	
5	5.0	5.0	4.8	4.2	3.5	3.1	2.4	5.1 ^H	7.2	8.5	9.2	9.6	9.4	9.6	10.0	9.6	8.4	6.0	4.8	4.1	(3.5)	3.6	3.6		
6	3.4	(3.4)	3.3	(3.1)	(3.1)	3.2	2.9	5.4	7.3	8.0	(8.0)	(9.4)	(9.7)	(9.4)	(9.4)	[8.9] ^C	8.8	8.8	7.6	5.9	(5.2)	(3.9)	3.3	2.8	3.0
7	2.9	2.9	3.1	3.1	3.1	3.0	2.7	4.9	(6.2)	8.0	8.8	(8.2)	8.7	8.6	9.3	9.2	8.2	(7.2)	5.2	5.3	4.1	3.3	3.2	3.4	
8	(3.3)	3.2	3.2	3.3	3.1	3.0	(5.2)	6.6	7.2	8.4	8.7	9.0	9.8	9.8	(11.0)	10.1	9.0	7.0	(6.3)	(4.9)	4.8	4.8	4.9	4.9	
9	5.0	4.9	4.5	3.5	(3.2) ^F	(1.7) ^F	1.9 ^F	3.7 ^F	4.8	5.8	6.6 ^F	7.8	8.3	9.6	9.9	9.2	9.4	7.3	(6.4)	4.4	(2.8) ^F	2.5 ^F	2.2 ^F		
10	2.4 ^F	2.6	(2.1)	2.3	2.2	2.0	(1.9) ^F	4.9	6.6	7.6	(7.7)	8.5	8.8	8.6	9.0	9.2	7.6	5.8	5.3	4.6	3.3	2.7	3.3	(2.6)	
11	(2.6) ^F	2.7 ^F	(2.7) ^F	(2.6) ^F	2.2 ^F	2.0 ^F	(2.1) ^F	5.1	7.0	7.6	9.2	9.0	10.2	9.6	(9.6)	8.6	7.4	6.0	5.5	3.9	(3.1)	2.6	2.4 ^F		
12	2.5	2.4 ^F	2.2 ^F	2.1 ^F	2.1 ^F	1.7	1.9 ^F	4.9	(6.4)	7.2	8.2	8.5	8.2	8.6	8.8	9.8	8.4	7.6	5.8	(4.9)	(3.6)	3.3	3.3	2.8	
13	2.5	2.6	2.7	2.7	2.9	2.7	2.6	5.2	7.0	7.2	8.9	8.8	(9.0)	9.4	10.1	9.5	8.6	6.6	5.6	5.1	4.4	3.7	(3.3)	(3.3)	
14	(3.0)	(3.2)	3.3	3.4	3.3	2.9	2.7	5.8	7.4	7.8	8.8	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	(8.6)	
15	2.4 ^F	2.4 ^F	(2.4) ^F	(2.4) ^F	(2.4) ^F	(2.4) ^F	(2.4) ^F	(2.4) ^F	(2.5) ^F	(2.5) ^F	(5.7)	7.4	9.0	9.1	9.3	9.2	9.2	9.4	10.0	9.6	8.8	(6.9)	5.3	4.0	3.7
16	3.7	3.6	3.5	3.3 ^F	3.0	3.1	3.0	5.0	6.6	8.4	8.8	(10.4)	(8.8) ^C	10.0	10.2	10.1	9.3	8.2	7.4	5.6	4.4	4.2	3.9	3.9	3.9
17	3.7	3.6	3.6	3.3	(3.4)	(3.5) ^F	(3.8)	3.1	5.2	8.0	8.4	10.0	10.2	9.4	10.2	9.6	8.2	9.4	8.2	6.0	4.8	3.7	3.2	3.0	
18	3.0	(3.2)	3.5	3.6	3.9	3.7	3.5	5.2	7.2	7.8	8.9	10.0	9.2	9.7	9.3	(8.8)	8.8	8.8	8.5	5.7	4.3	3.5	2.7	3.0	
19	3.1	(3.2)	3.2	3.3	3.5	(3.6)	5.4	7.6	7.8	9.2	8.8	9.6	(9.2)	9.6	(9.0)	9.0	(18.0)	6.2	5.2	(4.0)	3.7	3.2	3.4		
20	3.5	3.8	4.2	4.3	4.4	4.3	3.4	5.3	6.7	(8.2)	9.2	(8.2)	(8.4)	9.0	(8.8)	8.0	8.4	9.0	5.6	4.9	(3.8)	3.2	(3.0)	3.8	
21	3.8	3.8	4.0	4.1	4.1	3.9	5.0	7.6	7.4	8.4	8.6	9.2	9.6	9.4	(9.4)	(9.6)	8.0	6.3	5.2	4.6	(4.3)	4.0	4.4		
22	4.9	[4.6] ^C	4.5	4.6	4.5	4.0	3.6	5.0	7.4	7.8	9.4	8.6	9.0	9.4	9.3	9.1	9.0	7.0	5.5	4.7	4.3	3.6	3.8	3.7	
23	3.6	3.6	3.4	3.7	3.8	4.0	3.8	5.0	7.4	8.8	7.8	8.3	10.0	10.0	9.6	9.8	7.2	5.4	4.8	3.8	3.7	3.4	3.5		
24	3.6	3.6	3.9	4.0	4.1	4.0	3.2	5.1	7.3	7.6	8.6	9.6	9.6	9.8	9.0	8.6	7.0	5.7	4.6	4.1	3.7	3.2	3.3		
25	(3.6)	3.3	3.4	3.6	3.7	3.6	3.5	5.0	7.2	8.2	9.4	8.6	9.8	9.1	9.4	9.4	8.6	8.0	6.2	5.6	4.7	(3.7)	3.7	4.1	
26	4.1	4.0	4.1	4.7	4.8	4.5	4.1	5.4	(8.0)	7.2	(8.8)	8.6	9.0	9.2	9.0	9.2	7.6	6.0	5.5	(14.4)	(3.5)	(3.3)			
27	3.6	3.4	4.0 ^F	4.6	4.9	5.0	3.6 ^F	4.9	7.0	(7.4)	8.4	(9.5)	9.0	(9.4)	9.6	8.8	8.0	6.2	5.8	4.7	3.3 ^F	3.4	3.2		
28	3.0	3.3 ^F	4.0 ^F	4.5	4.9	4.9	4.2 ^F	5.5	7.1	7.4	8.2	9.8	9.0	9.4	9.0	8.8	8.2	6.6	5.0	4.5	3.7	(3.4) ^A	3.2		
29	3.1	3.4 ^F	3.9 ^F	4.0 ^F	3.9 ^F	(3.4) ^F	(3.5) ^F	4.1	7.2	8.8	8.8	10.6	10.1	10.7	9.7	9.8	10.0	8.8	(6.7)	(5.9)	4.8	3.8 ^F	3.8	3.4 ^F	
30	3.5	3.6 ^F	(4.0)	4.0 ^F	(3.8) ^F	(3.8) ^F	(4.0) ^F	(5.3)	7.2	9.0	8.6	9.8	8.4	9.0	9.2	(7.9)	6.7	5.0	(4.6)	3.9	3.0 ^F	(2.3) ^F			
31																									
Median	3.5	3.4	3.5	3.5	3.5	3.4	3.2	5.2	7.2	7.9	8.8	8.6	9.2	9.4	9.5	9.2	9.0	8.0	6.0	5.2	4.1	3.6	3.4		

TABLE 55

Washington, D.C. Ionosphere Station

IONOSPHERE DATA - 3

(Institution) National Bureau Of Standards

TIME: 75°W MERIDIAN
Half hourly values of $f_0 F_2$ and τ_{NO} for November 1945
(Month)Record measured by J.M.C.
K.W.S.

Day	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330			
1	3.7 ^F	3.4 ^F	3.4 ^F	3.3 ^F	3.3 ^F	3.3 ^F	3.3 ^F	3.3 ^F	3.3 ^F	3.3 ^F	3.0	9.0	9.2	9.0	9.8	9.4	9.8	7.8	6.6	5.7	5.1	4.6	4.5 ^J	4.2 ^J			
2	3.6 ^J	(3.5)	(3.7)	(3.6)	(3.7)	(3.6)	(3.7)	3.6	3.6	3.6	2.9	2.8	8.4	8.2	9.2	9.4	10.0	4.8	1.7	7.0	6.4	5.6	4.5	3.8	3.5		
3	3.4	3.4	3.6 ^F	3.8	3.6	3.6	3.6	3.6	3.6	3.6	2.9	4.1	2.2	8.7	9.4	7.0	9.0	9.0	18.7	1.7	5.7	5.1	4.5	3.7	3.5		
4	3.5	3.6	3.6	3.4	3.4	3.2	3.2	3.2	3.2	3.2	2.9	4.1	2.2	8.7	9.4	7.0	9.0	9.0	18.7	1.7	5.7	5.1	4.5	3.7	3.5		
5	5.0	4.9	4.7	3.6	3.0	3.0	3.0	3.0	3.0	3.0	3.9	6.3	8.0	8.0	9.8	9.5	9.7	9.2	7.6	14.4	2.0	6.0	5.2	4.8	4.8		
6	3.4	(3.2)	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.0	4.0	(6.9)	7.6	8.6	9.7	9.7	9.2	7.6	14.4	2.0	5.8	4.3	3.7	3.5		
7	2.9	3.0	3.2	3.2	3.1	3.1	2.7	3.7	6.2	7.5	8.4	8.0	2.8	[8.2]	9.6	7.2	8.8	7.2	8.8	7.8	6.1	5.5	4.8	3.7	3.2	3.1	
8	3.3	3.2	3.2	3.3	3.2	3.2	3.2	3.2	3.0	3.0	3.8	6.3	2.2	7.8	(8.6)	9.4	9.1	(9.6)	10.6	11.2	2.5	8.2	6.4	6.0	4.8	4.7	
9	5.1	4.8	3.7	(3.3) ^F	[2.0] ^F	(1.9) ^F	(2.0) ^F	(1.9) ^F	(1.9) ^F	(1.9) ^F	4.1	5.5	6.1	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
10	(2.4)	2.3 ^F	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	1.8	3.8	5.8	7.0	7.5	8.0	8.6	8.6	8.4	9.1	8.4	6.8	5.9	5.1	4.3	2.7	
11	(2.7)	2.5 ^F	2.2	2.2	2.3 ^F	1.8 ^F	3.6 ^F	6.0	6.8	8.0	8.4	9.2	10.0	10.0	9.6	9.0	8.0	6.4	(5.3)	4.3	3.8						
12	2.6 ^F	2.3	2.1 ^F	2.1 ^F	2.2	2.0	1.7	(3.3)	6.0	7.2	2.4	2.7	8.4	9.0	8.8	9.3	8.4	7.7	(5.8)	(4.9)	4.1	(3.5)	3.2 ^F	2.8	2.5 ^F		
13	2.5	2.6	3.0	2.8	2.9	2.7	4.0	6.3	7.2	7.8	8.6	9.2	9.4	9.4	10.0	12.4	1.7	6.1	5.8	4.8	4.4	(3.5)	(2.3)	(3.2)	2.7		
14	(3.4)	3.3	3.5	3.5	3.2	3.2	2.7	4.2	7.0	7.6	(18.0)	(8.4)	9.6	8.8	9.7	(10.2)	(9.4)	9.1	(7.2)	5.6	4.2	3.5	2.9	2.8	(2.8)		
15	(2.7)	2.4 ^F	(2.5)	(2.5)	2.4 ^F	3.9	6.6	8.4	[9.1] ^C	9.0	9.0	9.0	9.4	9.5	9.4	18.4	2.6	6.0	4.4	(4.0)	3.9	3.8					
16	3.7	3.5	3.3	(3.4) ^F	3.0	3.0	3.0	3.0	3.0	3.0	3.5 ^F	6.6	8.2	8.4	8.5	10.1 ^C	9.8	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
17	(3.7)	(3.4)	(3.2)	(3.3)	(3.6) ^F	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	6.6	8.4	10.0	9.6	9.4	9.4	10.0	10.0	9.0	8.8	8.8	9.0	8.6	5.6	4.3	3.0	
18	3.2	3.3	3.6	3.7	3.8 ^F	3.7	3.7	3.7	6.6	7.7	8.8	9.6	9.6	9.4	9.2	8.8	8.8	8.8	7.0	7.3	5.1	3.6	(3.1) ^J	2.7	2.7		
19	(3.2)	(3.1)	3.2	3.2	3.2	3.4 ^F	3.5	3.9	(7.2)	8.0	8.2	9.2	(9.0)	9.4	7.4	7.4	8.8	8.8	8.6	2.1	6.0	4.3	3.7	(3.5)	(3.3)	3.6	
20	3.7	4.0	4.1	4.3	4.4	3.9	3.5	6.5	8.2	8.5 ^F	8.2	8.8	(9.0)	(8.8)	8.8	8.8	8.2	8.2	9.2	6.6	5.2	7.2	3.5	(3.6)	3.5	3.9	
21	3.8	3.9	3.9	4.3	4.3	4.1	(4.1)	3.8	6.2	7.8	7.8	(8.8)	9.4	9.2	9.8	9.6	(9.0)	(6.5)	5.7	4.6	4.4	4.1	4.1	4.1	4.5 ^F		
22	4.7	4.6	4.7	4.5	4.3	4.3	3.6	3.8	(6.4)	7.8	8.8	8.8	9.4	9.2	8.8	8.2	8.2	8.2	6.6	5.5	4.6	4.0	3.5	3.8	3.5 ^F		
23	3.6 ^F	3.5	3.8	4.0	3.8	4.0	4.1	6.8	8.4	8.4	8.6	[9.4] ^C	9.4	9.8	10.2	9.2	10.2	9.3	18.7	6.3	5.5	(4.4)	3.8	3.4	3.5	3.4	
24	3.7	3.8	3.9	4.0	4.0	4.0	3.6	3.3	7.0	2.4	7.4	9.2	9.0	10.0	9.5	9.6	(8.7)	7.8	5.9	(5.3)	6.4	4.0	3.3	3.2	3.4		
25	3.4	3.4	3.5	3.6	3.8	(3.6)	3.8 ^F	6.2	7.6	8.3	8.9	9.0	(9.4)	9.4	9.4	9.4	9.0	8.7	7.4	6.0	5.4	4.2	3.6	3.7	4.1		
26	3.9	4.0	4.0	4.3	4.8	4.4	3.9	6.7	(7.4)	8.0	8.6	9.0	9.0	9.2	8.8	9.2	8.8	8.8	(7.4)	5.5	4.7	3.7	3.2	3.2	3.6		
27	3.4	3.6 ^F	3.8 ^F	(4.6)	5.0	4.4	3.8	6.2	7.0	8.2	8.2	9.0	9.1	8.9	8.8	8.4	8.5	6.8	5.9	5.1	3.9	3.4 ^F	(3.2)	3.1			
28	(3.1) ^J	(3.5) ^F	4.1 ^F	4.8	5.2	4.7 ^F	4.1	6.4	7.6	7.4	9.4	9.8	9.3	(9.0)	9.0	8.6	8.4	7.4	6.6	5.2	3.9	(3.3)	3.4	3.1			
29	3.2 ^F	(3.5) ^F	4.0 ^F	4.3 ^F	3.9 ^F	(2.7) ^F	(2.5) ^F	6.0	7.4	9.1	9.7	10.6	10.3	9.8	10.2	9.9	(9.8)	(2.0)	(6.6)	4.6	4.6	4.6	3.8 ^F	3.8 ^F	3.5 ^F		
30	3.6 ^F	3.8 ^F	(4.2)	(3.5) ^F	(3.8) ^F	(3.5) ^F	(5.2)	6.6	7.6	9.4	8.6	9.4	8.9	9.1	9.2	9.0	8.0	2.8	(5.2)	4.3	3.2	2.9	2.9	2.9	(2.4) ^F		
31																											
Mean	3.4	3.6	3.5	3.5	3.2	3.8	6.6	7.6	8.4	8.6	9.4	9.4	9.1	8.6	6.7	5.6	4.5	3.8	3.4	3.4	3.4	3.4	3.4	3.4			

TABLE 57
IONOSPHERE DATA-5
Washington, D.C. Ionosphere Station
(Location)
National Bureau Of Standards
(Institution)

TIME: 75° W MERIDIAN

B hourly values of $f_0^{\circ} F_1$, in [No] for November 1945
(Month)

Records measured by: J.M.C.
K.W.S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1											L	L	L	L	L	L	L	L	L	L	L	L	L	
2											L	L	L	L	L	L	L	L	L	L	L	L	L	
3											L	L	L	L	L	L	L	L	L	L	L	L	L	
4											L	L	L	L	L	L	L	L	L	L	L	L	L	
5											L	L	L	L	L	L	L	L	L	L	L	L	L	
6											L	L	L	L	L	L	L	L	L	L	L	L	L	
7											L	L	L	L	L	L	L	L	L	L	L	L	L	
8											L	L	L	L	L	L	L	L	L	L	L	L	L	
9											L	L	L	L	L	L	L	L	L	L	L	L	L	
10											L	L	L	L	L	L	L	L	L	L	L	L	L	
11											L	L	L	L	L	L	L	L	L	L	L	L	L	
12											L	L	L	L	L	L	L	L	L	L	L	L	L	
13											L	L	L	L	L	L	L	L	L	L	L	L	L	
14											L	L	L	L	L	L	L	L	L	L	L	L	L	
15											L	L	L	L	L	L	L	L	L	L	L	L	L	
16											L	L	L	L	L	L	L	L	L	L	L	L	L	
17											L	L	L	L	L	L	L	L	L	L	L	L	L	
18											L	L	L	L	L	L	L	L	L	L	L	L	L	
19											L	L	L	L	L	L	L	L	L	L	L	L	L	
20											A	A	A	A	A	A	A	A	A	A	A	A	A	
21											L	L	L	L	L	L	L	L	L	L	L	L	L	
22											L	L	L	L	L	L	L	L	L	L	L	L	L	
23											L	L	L	L	L	L	L	L	L	L	L	L	L	
24											L	L	L	L	L	L	L	L	L	L	L	L	L	
25											L	L	L	L	L	L	L	L	L	L	L	L	L	
26											L	L	L	L	L	L	L	L	L	L	L	L	L	
27											L	L	L	L	L	L	L	L	L	L	L	L	L	
28											L	L	L	L	L	L	L	L	L	L	L	L	L	
29											A	A	A	A	A	A	A	A	A	A	A	A	A	
30											L	L	L	L	L	L	L	L	L	L	L	L	L	
31											L	L	L	L	L	L	L	L	L	L	L	L	L	

Sum
Median

TABLE 58

Ionosphere Station
Washington, D.C.
(Location)

National Bureau Of Standards

Hourly values of H_E for November 1945
Recorded measured by: J.M.C. K.W.S.

TABLE 61

Washington, D.C. Ionosphere Station

IONOSPHERE DATA-9

(Institution) National Bureau of Standards

TIME: 75° W MERIDIAN

Hourly values of F2-M1500 for November 1945
(Month)Records measured by J.M.C.
K.W.S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	(2.1) ^f	(2.2) ^f	2.0 ^f	2.1 ^f	(2.1) ^f	(2.1) ^f	2.5	2.3	2.4	2.4	2.1 ^f	2.2	2.2	2.6	2.2	2.3	2.3	2.2	2.1	2.1	2.0	2	2	
2	(2.1) ^f	C	(2.1)	(2.1)	(2.0)	C	(2.4)	(2.4)	2.4	2.4	2.3	2.3	2.2	2.1	2.2	2.3	2.3	2.2	2.3	2.3	2.1	2.0	1.9	
3	2.0	2.0	(1.9) ^f	2.0	2.1	2.1	2.3	2.0	2.5	2.4	2.3	2.3	2.2	2.3	2.3	2.3	2.3	2.2	2.1	2.1	2.1	2.0	1.9	
4	2.0	2.0	2.0	2.1	2.1	2.1	2.2	2.2	2.6	2.6	2.4	2.3	2.1	2.3	2.3	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.8	
5	1.9	2.0	2.2	2.3	2.2	2.0	2.0	2.2	2.4 ^f	2.3	2.4	2.4	2.3	2.3	2.3	2.3	2.3	2.2	2.2	2.0	2.0	1.9	1.8	
6	2.	2.1	2.1	(2.0)	(2.1)	2.2	2.2	2.4	2.4	2.5	2.4	2.5	2.3	2.3	2.3	2.3	2.4	2.5	2.5	2.4	2.3	2.2	2.1	2.1
7	2.0	2.0	1.9	2.1	2.1	2.2	2.3	2.3	2.5	2.4	2.3	2.3	2.2	2.3	2.3	2.3	2.4	2.5	2.5	2.4	2.3	2.1	2.0	2.0
8	(2.0)	2.0	2.0	2.1	2.1	2.1	2.2	2.0	2.5	2.4	2.4	2.4	2.2	2.3	2.2	2.3	2.4	2.4	2.3	2.2	2.2	2.1	1.9	1.9
9	1.9	2.1	1.9	1.9	1.9	(2.2) ^f	(2.0) ^f	(2.0) ^f	2.0	2.1	2.1	2.0	1.9	1.9	1.9	2.0	2.1	2.1	2.1	2.2	2.2	1.9	1.8	1.8
10	(2.3) ^f	(2.3)	(2.3)	2.0	2.1	2.0	2.0	2.0	2.3	2.4	2.3	2.3	2.2	2.1	2.2	2.4	2.3	2.2	2.2	2.2	2.2	2.0	2.0	2.0
11	(1.8) ^f	(2.0) ^f	C	J	C	J	(1.9) ^f	(1.9) ^f	2.4	2.3	2.2	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.2	2.2	2.4	2.1	2.0	1.9
12	(1.9) ^f	(2.1) ^f	1.9 ^f	2.0 ^f	2.0 ^f	2.0	2.0	2.0	2.3	2.3	2.4	2.3	2.3	2.1	2.2	2.2	2.3	2.4	2.4	2.2	2.2	2.0	2.0	1.9
13	1.8	1.8	2.0	2.0	2.0	2.0	2.0	2.2	2.2	2.4	2.4	2.3	2.2	2.2	2.2	2.2	2.3	2.3	2.2	2.2	2.1	2.0	2.0	1.9
14	(1.9)	(1.8)	(1.8)	2.0	2.0	2.0	2.0	2.0	2.2	2.2	2.4	2.4	2.4	2.2	2.2	2.2	2.2	2.3	2.5	2.5	2.2	2.2	2.1	1.9
15	(2.1) ^f	(2.1) ^f	(2.1) ^f	(1.9) ^f	(2.1) ^f	(2.1) ^f	(2.1) ^f	(2.1) ^f	1.9	2.5	2.3	2.3	2.3	2.3	2.3	2.3	2.4	2.4	2.4	2.4	2.1	2.0	2.0	
16	2.0	2.0	2.1	2.0	2.0	2.0	2.0	2.0	2.2	2.4	2.4	2.5	2.4	2.4	2.3	2.3	2.3	2.2	2.2	2.1	2.3	2.0	2.1	2.1
17	2.0	2.0	1.9	2.0	2.0	2.0	2.0	2.0	2.4	2.5	2.4	2.4	2.2	2.2	2.3	2.4	2.4	2.4	2.4	2.4	2.3	2.0	2.0	2.0
18	1.9	(2.0)	2.3	2.0	2.1	2.0	2.0	2.1	2.3	2.4	2.5	2.5	2.3	2.1	2.3	2.3	2.4	2.4	2.5	2.4	2.3	2.2	2.1	1.9
19	2.0	(2.1)	(2.0)	2.0	2.0	2.0	2.1	2.1	2.4	2.5	2.4	2.3	2.4	2.4	2.2	2.2	2.3	2.4	2.4	2.4	2.3	2.2	2.2	2.2
20	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.2	2.2	2.4	(2.3)	2.2	2.3	2.4	(2.4)	2.2	2.2	2.5	2.2	2.2	2.0	2.0	2.0
21	2.0	2.0	2.0	2.0	2.1	2.1	2.2	2.2	2.3	2.5	2.6	2.4	2.3	2.3	2.3	(2.4)	2.3	2.4	2.1	2.3	2.1	(2.0)	2.0	2.1
22	2.0	2.0	2.0	2.1	2.1	2.1	2.2	2.3	2.5	2.4	2.6	2.3	2.3	2.1	2.2	2.2	2.3	2.3	2.2	2.2	2.2	2.0	2.1	2.1
23	2.0	2.1	2.0	2.0	2.0	2.0	2.0	2.1	2.5	2.5	2.5	C	2.4	2.2	2.2	2.2	2.3	2.3	2.3	2.2	2.2	2.2	2.0	2.0
24	2.0	2.0	2.0	2.0	2.1	2.1	2.1	2.3	2.3	2.5	2.4	2.4	2.3	2.1	2.2	2.2	2.3	2.4	2.4	2.2	2.2	2.1	2.0	2.0
25	(2.2)	2.0	2.0	2.0	2.0	2.1	2.1	2.1	2.4	2.5	2.5	2.3	2.3	2.2	2.2	2.3	2.3	2.4	2.3	2.3	2.1	2.1	2.0	2.0
26	2.0	1.9	2.0	1.9	2.0	2.0	2.0	2.1	2.1	2.5	2.5	2.5	C	2.4	2.2	2.2	2.2	2.3	2.3	2.2	2.2	2.2	2.0	2.0
27	2.0	1.9	(2.0) ^f	2.0	2.1	2.1	2.4	2.3	2.5	2.5	2.4	2.4	2.2	(2.3)	2.2	2.3	2.3	2.4	2.4	2.4	2.3	2.1	2.1	2.1
28	2.0	1.9 ^f	(1.8) ^f	2.0	2.1	2.1	2.4	2.3	2.4	2.5	2.4	2.4	2.3	2.1	2.3	2.2	2.2	(2.5)	2.3	2.3	2.0	A	2.0	2.0
29	2.0	(2.0) ^f	(1.9) ^f	(1.9) ^f	(2.0) ^f	(2.0) ^f	(2.0) ^f	(2.0) ^f	2.3	2.5	2.6	2.2	2.2	2.1	2.3	2.2	(2.4)	(2.2)	2.4	2.4	2.1	2.1	2.1	2.1
30	2.2	2.2	2.2	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.0)	2.5	2.5	2.5	(2.3)	2.4	2.4	2.4	2.5	(2.5)	2.4	2.4	2.2	2.2	2.2	2.2
31																								
	Median	2.0	2.0	2.0	2.0	2.0	2.1	2.1	2.2	2.4	2.4	2.4	2.3	2.3	2.2	2.2	2.3	2.3	2.2	2.2	2.0	2.0	2.0	2.0

TABLE 62
IONOSPHERE DATA-10

Ionosphere Station
Washington, D.C.

Washington, D.C.
(Location) National Bureau Of Standards

Ionosphere Station

National Bureau Of Standards

IONOSPHERE DATA - 10

Records measured by: J.M.C.
K.W.S.

TIME: 75°W MERIDIAN

20 W MERIDIAN

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	(3.1) ^F	(3.2) ^F	3.0 ^F	(3.1) ^F	(3.1) ^F	(3.1) ^F	(3.1) ^F	3.5	3.3	3.4	3.4	3.1 ^F	3.2	3.0	3.2	3.3	3.2	3.2	3.2	3.1	3.1	3.0	2.9			
2	(3.1) ^F	C	(3.1)	(3.1)	(3.0)	C	(3.4)	3.6	3.5	3.4	3.3	3.3	3.2	3.1	3.2	3.3	3.3	3.2	3.3	3.3	3.1	3.0	2.9			
3	3.0	3.0	(2.9) ^F	3.0	3.1	3.1	3.3	3.6	3.4	3.5	3.4	3.3	3.3	(3.2)	3.2	3.3	3.3	(3.5)	(3.2)	3.2	(3.2)	3.1	3.0	2.9		
4	3.0	3.0	3.0	3.0	3.1	3.1	3.2	(3.6)	(3.6)	3.6	3.6	3.1	3.3	3.1	3.3	3.3	3.3	3.1	3.2	(3.4)	(3.2)	3.1	3.0	2.8		
5	2.9	3.0	3.2	3.4	3.2	3.0	3.2	3.4 ^H	(3.4)	3.3	3.4	3.4	3.3	3.3	3.2	3.2	3.3	3.5	3.3	3.3	3.0	(3.2)	3.0	3.1		
6	3.1	(3.1)	3.1	(3.0)	(3.0)	3.2	3.2	3.4	3.5	3.4	(3.5)	(3.3)	(3.2)	3.3	C	3.3	3.4	3.5	3.3	(3.4)	(3.2)	3.3	3.1	(3.1)		
7	2.9	3.0	2.8	3.1	3.2	3.3	3.3	3.5	(3.4)	3.3	3.4	(3.4)	3.3	3.3	3.2	3.4	3.5	3.4	3.2	3.3	3.3	3.1	3.0	(3.0)		
8	(3.0)	3.0	3.0	3.1	3.1	3.2	3.2	(3.6)	(3.5)	3.4	3.4	3.2	3.3	3.1	3.1	(3.2)	3.4	3.3	3.2	(3.2)	(3.1)	3.0	2.8	2.8		
9	2.9	3.1	2.9	2.8	(3.2) ^F	(2.9) ^F	(3.1) ^F	3.2	3.3	3.1 ^F	3.0	2.9	2.9	2.9	3.2	3.1	(3.3)	3.2	(3.1)	3.3	(2.9) ^F	(2.8) ^F	(2.6) ^F	(2.7) ^F		
10	(3.0) ^F	(3.0)	3.0	3.1	3.0	(3.0) ^F	(3.0)	3.3	3.3	3.4	(3.3)	3.3	3.2	3.1	3.2	3.4	3.3	3.2	3.2	3.2	3.0	2.9	(3.0) ^F			
11	(2.8) ^F	(2.9) ^F	C	J	C	J	(3.1) ^F	(2.8) ^F	(3.0) ^F	(3.4)	3.3	3.2	3.3	3.2	3.3	3.2	3.3	3.2	3.2	3.2	3.4	3.1	(3.0)	2.9	(2.9) ^F	
12	(2.9) ^F	(3.1) ^F	2.8 ^F	3.0 ^F	(3.0)	(2.9) ^F	(3.3)	(3.4)	3.3	3.4	3.4	3.3	3.1	3.0	3.2	3.3	3.3	3.4	3.0	(3.4)	(3.1)	3.0	3.0	3.0		
13	2.8	2.8	2.8	3.0	3.0	3.2	3.2	3.4	3.4	3.4	3.3	3.2	3.2	(3.2)	3.0	3.2	3.3	3.2	3.4	3.1	3.2	3.1	3.0	(3.0)	(2.9)	
14	(2.9)	(2.7)	(2.9)	3.0	3.0	3.2	3.2	3.4	3.4	3.4	3.4	3.4	3.4	3.2	(3.2)	(3.3)	3.2	(3.4)	3.5	3.3	3.2	(3.6)	(3.4)	(3.2)	2.9	3.0
15	(3.1) ^F	(3.1) ^F	(3.1) ^F	(2.9) ^F	(2.9) ^F	(3.1) ^F	(3.1) ^F	(2.9) ^F	(3.1) ^F	2.9	3.5	3.3	3.3	3.3	3.2	3.2	3.1	3.4	3.3	(3.3)	3.1	3.1	3.0	3.0		
16	2.9	3.0	3.1	3.0 ^F	3.0	3.1	3.1	3.4	3.5	3.5	3.5	(3.3)	C	3.1	3.2	3.3	3.2	3.1	3.3	3.3	3.0	3.1	3.1	3.1	3.0	
17	3.0	3.0	2.9	(3.0)	(3.0)	(2.9)	3.0	3.4	3.5	(3.4)	3.5	3.4	3.2	3.3	3.4	3.4	3.2	3.4	(3.1)	3.3	3.2	3.0	3.0	2.9		
18	2.9	(3.0)	3.3	3.0	3.1	3.0	3.1	3.3	3.4	3.5	3.5	3.3	3.1	3.3	(3.4)	3.3	3.5	3.4	3.3	3.2	3.1	2.9	2.9	2.9		
19	3.0	(3.1)	(3.0)	3.0	3.0	3.1	(3.1)	(3.5)	(3.5)	3.4	3.3	3.4	3.2	(3.3)	3.2	(3.3)	3.4	(3.4)	3.2	(3.3)	(3.1)	3.2	3.0	3.0		
20	3.0	3.0	2.9	3.0	3.0	3.2	(3.2)	3.2	3.4	(3.3)	3.2	3.3	(3.4)	3.4	(3.4)	3.2	3.2	3.5	3.2	3.2	(2.9)	(3.0)	2.9	2.9		
21	3.0	3.0	3.0	3.1	3.2	3.2	3.3	3.5	3.6	3.7	3.4	3.3	(3.4)	3.3	(3.2)	(3.3)	3.4	3.1	3.3	3.1	(3.0)	3.0	3.1	3.1		
22	3.1	C	3.0	3.1	3.1	3.2	3.3	3.6	3.3	3.4	3.6	3.3	3.1	3.2	3.2	3.3	3.2	3.2	3.2	3.3	3.2	3.0	3.1	3.0		
23	3.1	3.1	3.0	3.0	3.1	3.1	3.3	3.1	3.4	3.5	3.5	3.4	3.3	3.3	3.2	3.2	3.3	3.3	3.3	3.2	3.2	3.0	3.0	3.0		
24	3.0	3.0	3.0	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.2	3.2	3.2	3.2	3.4	3.2	3.3	3.2	3.2	3.2	3.2		
25	(3.2)	3.0	3.0	3.0	3.1	3.1	3.1	3.1	3.1	3.3	(3.3)	3.0	(3.5)	3.4	3.3	3.2	3.3	3.2	3.4	3.3	3.3	3.2	(3.2)	2.9		
26	3.0	2.9	2.9	2.8	3.0	3.2	3.1	3.1	3.3	(3.3)	3.3	3.4	3.3	3.2	3.2	3.3	3.4	(3.4)	3.3	3.3	3.2	(3.3)	A	(3.0)		
27	3.0	2.9	(2.9) ^F	2.9	3.1	3.4	3.3 ^F	3.3	3.5	(3.4)	3.2	(3.3)	3.2	(3.2)	3.3	3.4	3.1	3.3	3.4	3.1	3.3	3.1	3.1	3.1		
28	3.0	2.9	(2.8) ^F	3.0	3.1	3.4	3.4 ^F	3.4	3.5	3.4	3.4	3.4	3.3	3.3	3.2	3.2	3.2	(3.5)	3.3	3.3	3.0	A	3.0	3.0		
29	3.0	(3.0) ^F	(2.9) ^F	(2.9) ^F	(3.2) ^F	(3.0) ^F	(3.0) ^F	(3.2)	(3.0)	3.4	3.6	3.6	3.2	3.2	3.3	3.1	3.3	(3.4)	(3.2)	3.4	3.1	3.1	3.1	3.1		
30	3.2	3.0 ^F	(3.1)	(3.1) ^F	(3.0) ^F	(3.1) ^F	(3.1) ^F	(3.6)	3.5	(3.5)	(3.3)	3.4	3.2	3.2	3.4	3.4	(3.5)	3.4	3.3	(3.1)	3.2	3.2 ^F	(3.1) ^F			
31																										
Sum																										
Middleman	3.0	3.0	3.0	3.0	3.1	3.1	3.1	3.4	3.4	3.4	3.4	3.3	3.3	3.2	3.2	3.2	3.2	3.3	3.3	3.3	3.3	3.3	3.0	3.0		

TABLE 63

Washington, D.C. Ionosphere station

Washington, D.C.

Atmosphere Section

TABLE 64

Washington, D.C. Ionsphere Station
(Location) National Bureau Of Standards

TIME: 75° W MERIDIAN

<u>Washington, D.C.</u> <small>(Location)</small>	<u>National Bureau Of Standards</u> <small>(Institution)</small>
<u>Ionosphere Station</u>	
<u>Hourly values of E-M1500 for November 194</u> <small>(Month)</small>	

IONOSPHERE DATA-12

Table 65
Ionospheric Storminess, November 1945

Day	Ionospheric Character*		Principal Storms, Beginning GCT		Geomagnetic Character**	
	00-12 GCT	12-24 GCT	End GCT	00-12 GCT	12-24 GCT	
November						
1	1	1			1	0
2	1	2			0	1
3	2	2			1	0
4	1	2			0	2
5	1	2			2	1
6	1	1			0	0
7	2	2			0	1
8	1	1			0	2
9	3	3			4	3
10	3	3			3	3
11	3	1			3	3
12	3	2			2	2
13	3	2			2	2
14	2	2			2	1
15	2	1			2	2
16	1	1			2	2
17	1	1			2	1
18	2	1			1	1
19	2	2			1	1
20	1	3			1	0
21	1	2			0	1
22	1	2			1	1
23	1	1			1	0
24	1	2			0	1
25	1	2			0	1
26	1	2			1	1
27	2	2			1	1
28	1	2			2	1
29	1	1			1	2
30	1	1			1	0

*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D.C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of American magnetic K-figure, determined by a number of observatories, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

No major storms were observed at Washington during November 1945.

Table 66

Provisional Radio Propagation Quality Figures
October 1945
Compared with IRPL and ISIB Warnings and IRPL A-Zone Forecasts.

Day	North Atlantic		North Pacific		Geo-magnetic Forecast KA	Quality Figure	A-Zone Warning	Geo-magnetic Forecast KA	Quality Figure	A-Zone Warning	Geo-magnetic Forecast KA	Quality Figure	A-Zone Warning	Geo-magnetic Forecast KA	
	IRPL	ISIB	IRPL	ISIB											
1	6	7	X	X		5	1	1	6	7	X	X	5	1	1
2	6	7	X	X		5	1	1	7	8	X	X	5	1	1
3	6	7	X	X		(4)	2	2	7	8	(4)	(4)	5	0	1
4	7	7				5	0	1	7	7	5	0	1	2	2
5	7	7				5	1	2	6	5	5	0	1	1	2
6	6	7				5	2	1	6	5	5	2	1	2	2
7	6	7				5	5	2	2	6	7	5	2	1	2
8	6	7				6	0	0	7	7	6	0	0	0	0
9	6	7				6	0	0	0	0	6	0	0	0	0
10	6	7				6	0	0	7	7	6	0	0	0	0
11	6	7				6	0	0	7	7	6	0	0	0	0
12	6	6				6	2	4	6	6	X	6	2	4	2
13	5	6				6	2	4	5	3	X	5	1	2	2
14	5	6				5	1	2	7	6	X	(4)	1	2	2
15	5	7				(4)	2	2	6	7	X	(4)	2	2	2
16	5	7				5	2	2	6	6	5	2	2	2	2
17	5	7				5	1	2	6	6	5	1	2	2	2
18	5	7				5	2	2	6	7	5	1	2	2	2
19	6	7				5	1	2	6	7	5	1	2	2	2
20	6	7				6	1	2	6	7	6	1	2	2	2
21	6	7				5	0	1	6	7	5	0	1	2	2
22	6	7				(4)	1	2	6	7	(4)	1	2	2	2
23	6	7				(4)	1	2	7	7	(4)	1	2	2	2
24	5	6				5	4	5	6	7	5	4	5	4	5
25	(4)	(4)				X	X	X	6	5	6	6	4	3	4
26	(4)	6				X	X	X	6	1	0	6	1	0	1
27	6	6				X	X	X	6	1	0	6	1	3	1
28	5	6				X	X	X	7	3	5	6	7	3	3
29	6	6				X	X	X	7	2	2	6	7	2	2
30	6	6				X	X	X	6	1	2	7	6	1	1
31	7								5	1	1	6	5	1	1

Score:

H	2
M	0
G	22
(S)	5
S	4

H	2
M	0
G	24
(S)	3
S	2

H	0
M	0
G	22
(S)	0
S	0

H	0
M	0
G	26
(S)	9
S	5





Quality Figure and Forecast Scale:

1 = Useless
2 = Very poor
3 = Poor
4 = Fair to fair
5 = Fair
6 = Fair to good
7 = Good
8 = Very good
9 = Excellent

Symbols:

X = Warning given.
H = Quality 4 or worse on day or half-day following warning.
M = Quality 4 or worse on day or half-day following no warning.
(S) = Quality 5 on day following warning.
S = Quality 6 or better on day following warning.
() = Quality or forecast better on day following warning.

G = Magnetic KA on the standard scale of 0 to 9, 9 representing the greatest disturbance.






Fig. 5. PRINCE RUPERT, CANADA
54.3°N, 130.3°W OCTOBER, 1945.




Fig. 6. PRINCE RUPERT, CANADA OCTOBER, 1945.




Fig. 7. GREAT BADDO, ENGLAND
51.7°N, 0.5°E OCTOBER, 1945.




Fig. 8. GREAT BADDO, ENGLAND OCTOBER, 1945.




Fig. 9. OTTAWA, CANADA
45.5° N, 75.8° W OCTOBER, 1945.










Fig. 11. BOSTON, MASSACHUSETTS
42.4° N, 71.2° W OCTOBER, 1945.








Fig. 17. MAUI, HAWAII
20.8° N, 156.5° W

OCTOBER, 1945.




Fig. 18. MAUI, HAWAII OCTOBER, 1945.




Fig. 19. SAN JUAN, PUERTO RICO
18.4° N, 66.1° W

OCTOBER, 1945.




Fig. 20. SAN JUAN, PUERTO RICO OCTOBER, 1945.




Fig. 21. TRINIDAD, BRIT. WEST INDIES
10.6°N, 61.2°W OCTOBER, 1945.




Fig. 22. TRINIDAD, BRIT. WEST INDIES OCTOBER, 1945.




Fig. 23. HUANCAYO, PERU
12.0°S, 75.3°W OCTOBER, 1945.




Fig. 24. HUANCAYO, PERU OCTOBER, 1945.




Fig. 25. CHRISTCHURCH, N.Z.

43.5°S, 172.6°E

OCTOBER, 1945.




Fig. 26. CHRISTCHURCH, N.Z.

OCTOBER, 1945.




Fig. 27. OSLO, NORWAY

59.9°N, 11.0°E

SEPTEMBER, 1945.




Fig. 28. OSLO, NORWAY

SEPTEMBER, 1945.




Fig. 29. CHUNGKING, CHINA
29.4°N, 106.8°E

SEPTEMBER, 1945.




Fig. 30. CHUNGKING, CHINA

SEPTEMBER, 1945.




Fig. 31. MAUI, HAWAII
20.8°N, 156.5°W

SEPTEMBER, 1945.








Fig. 32. MAUI, HAWAII

SEPTEMBER, 1945.






Fig. 37. WATHEROO, W. AUSTRALIA
30.3°S, 115.9°E SEPTEMBER, 1945.




Fig. 38 WATHEROO, W. AUSTRALIA SEPTEMBER, 1945.




Fig. 39. CHRISTCHURCH, N.Z.
43.5°S, 172.6°E SEPTEMBER, 1945.




Fig. 40. CHRISTCHURCH, N.Z. SEPTEMBER, 1945.




Fig. 41. PESHAWAR, INDIA

34.0° N, 71.5° E

AUGUST, 1945.




Fig. 42. DELHI, INDIA

28.6° N, 77.2° E

AUGUST, 1945.

Fig. 43. BOMBAY, INDIA

19.0° N, 73.0° E

AUGUST, 1945.




Fig. 44. MADRAS, INDIA
13° N, 80.2° E
AUGUST, 1945.




Fig. 45. DELHI, INDIA
28.6° N, 77.2° E
JULY, 1945




Fig. 46. DELHI, INDIA
28.6° N, 77.2° E
JUNE, 1945.




Fig. 47. VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE f_0F_2 , WITH LATITUDE,
0000 LOCAL TIME, JUNE.




Fig. 48. VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f°F_2$, WITH LATITUDE,
1200 LOCAL TIME, JUNE.




Fig. 49. VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE f_2 , WITH LATITUDE,
 0000 LOCAL TIME, SEPTEMBER.




Fig. 50. VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f^{\circ}F_2$, WITH LATITUDE,
1200 LOCAL TIME, SEPTEMBER.




Fig. 51. VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE F_2 , WITH LATITUDE,
 0000 LOCAL TIME, DECEMBER.




Fig. 52. VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f^{\circ}\text{F}2$, WITH LATITUDE,
 1200 LOCAL TIME, DECEMBER.




Fig. 53. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f^{\circ}F_2$, W ZONE, JUNE.




Fig. 54. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE F_2 , 1 ZONE, JUNE.




Fig. 55. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f_0 F_2$, E ZONE, JUNE.




Fig. 56. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f_0 F_2$, W ZONE, SEPTEMBER.




Fig. 57.

WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f°F_2$, 1 ZONE, SEPTEMBER.




Fig. 58. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f^{\circ}F_2$, E ZONE, SEPTEMBER




Fig. 59. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f^{\circ}F_2$, W ZONE, DECEMBER.




Fig. 60. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE $f^{\circ}F_2$, I ZONE, DECEMBER.




Fig. 61. WORLD-WIDE VARIATION OF RATIO OF MONTHLY-AVERAGE TO YEARLY-AVERAGE f_0F_2 , E ZONE, DECEMBER.

Daily:

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data from various places.
Radio disturbance warnings

Semiweekly:

IRPL-J. Radio Propagation Forecast.

Semimonthly:

IRPL-Ja. Semimonthly Frequency Revision Factors for IRPL Basic Radio Propagation Prediction Reports (issued with IRPL-J series from 4 to 7 days in advance).

Monthly:

IRPL-D. Basic Radio Propagation Predictions - Three months in advance. War Dept. TB 11-499-, monthly supplements to TM 11-499; Navy Dept. (DNC-13-1), monthly supplements to DNC-13-1.)
IRPL-F. Ionospheric Data.

Bimonthly:

IRPL-G. Correlation of D. F. Errors With Ionospheric Conditions.

Quarterly:

*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.
IRPL-B. Recommended Frequency Bands for Submarines in the Pacific.
*IRPL-H. Frequency Guide for Operating Personnel.
**IRPL-M. Frequency Guide for Merchant Ships.

Special Reports, etc.:

IRPL Radio Propagation Handbook, Part 1. (War Dept. TM 11-499; Navy Dept. DNC-13-1.)
IRPL-C1 through C61. Reports and papers of the International Radio Propagation Conference, 17 April to 5 May 1944.
IRPL-R. Unscheduled reports:
 R1. Maximum Usable Frequency Graph paper.
 R2 and R3. Obsolete.
 R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.
 R5. Criteria for Ionospheric Storminess.
 R6. Experimental studies of ionospheric propagation as applied to a navigation system.
 R7. Further studies of ionospheric propagation as applied to a navigation system.
 R8. The Prediction of Usable Frequencies Over a Path of Short or Medium Length, Including the Effects of E_s .
 R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.
 R10. A method for study of the ionosphere.
 R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.
 R12. Ionospheric variations.
 R13. Ionospheric and Radio Propagation Disturbances, October 1943 through February 1945.
 R14. A Graphical Method for Calculating Ground Reflection Coefficients.
 R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle.
 R16. Predicted F2-layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season.
 R17. Japanese Ionospheric Data - 1943.
 R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures - October 1943 through May 1945.
 R19. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for June.
 R20. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for September.
 R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)
 R22. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for December.
 R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.
 R24. Effect of certain equipment characteristics on the usefulness of a navigation system.
 R25. The Prediction of Solar Activity as a Basis for Predictions of Radio Propagation Phenomena.
 R26. The Ionosphere as a Measure of Solar Activity.

IRPL-T. Reports on Tropospheric Propagation.

T1. Radar Operation and Weather. (Superseded by JANP 101.)
T2. Radar coverage and weather. (Superseded by JANP 102.)

*Items bearing this symbol are distributed only by U.S. Navy in NONREGISTERED PUBLICATIONS MEMORANDA (NRPM).

**Distributed only by U.S. Navy.

Jewell