

CT 1016  
CRPL-F169 PART A

FOR OFFICIAL USE

PART A  
IONOSPHERIC DATA

ISSUED  
SEPTEMBER 1958

U. S. DEPARTMENT OF COMMERCE  
NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO



CRPL-F169  
PART A

NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO

Issued  
22 Sept. 1958

## IONOSPHERIC DATA

### CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions . . . . .	ii
Predicted and Observed Sunspot Numbers. . . . .	v
World-Wide Sources of Ionospheric Data. . . . .	vi
Errata. .	viii
Tables of Ionospheric Data. . . . . . . . . . . . .	1
Graphs of Ionospheric Data. . . . . . . . . . . . .	13
Index of Tables and Graphs of Ionospheric Data in CRPL-F169 (Part A). . . . . . . . . . .	49

## SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

In the Second Report of the Special Committee on World-Wide Ionospheric Soundings of the URSI/AGI Committee, May 1957, a new descriptive letter was introduced:

M Measurement questionable because the ordinary and extraordinary components are not distinguishable.

There was an expansion in meaning of the following:

Z (1) (qualifying letter) Measurement deduced from the third magnetoionic component.  
(2) (descriptive letter) Third magnetoionic component present.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N or R are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

B for fEs is counted on the low side when there is a numerical value of a higher layer critical frequency; otherwise it is omitted from the median count.

S for fEs is counted on the low side at night; during the day it is omitted from the median count (beginning with data for November 1957).

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D.C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If the count is four or less, the data are considered insufficient and no median value is computed.
  2. For the F2 layer, h'F or foEs, if the count is from five to nine, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as the count is at least five, the median is not considered doubtful. A count of at least 5 is considered sufficient for an h'Es median.
  3. For all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is considered doubtful.
- The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.
- Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.
- The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:
- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
  - b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
  - c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.
  - d. The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

## PREDICTED AND OBSERVED SUNSPOT NUMBERS

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

Month	Predicted Sunspot Number										
	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950	1949
December	150*	150*	150	42	11	15	33	53	86	108	
November	150*	150*	147	35	10	16	38	52	87	112	
October	150*	150*	135	31	10	17	43	52	90	114	
September	150*	150*	119	30	8	18	46	54	91	115	
August	150*	150*	105	27	8	18	49	57	96	111	
July	150*	150*	95	22	8	20	51	60	101	108	
June	150*	150*	89	18	9	21	52	63	103	108	
May	150*	150*	77	16	10	22	52	68	102	108	
April	150*	150*	68	13	10	24	52	74	101	109	
March	150*	150*	60	14	11	27	52	78	103	111	
February	150*	150*	150*	53	14	12	29	51	82	103	113
January	150*	150*	150*	48	12	14	30	53	85	105	112

\*This number is believed representative of solar activity at a maximum portion of the current sunspot cycle.

The latest available information follows concerning the corresponding observed Zürich numbers beginning with the minimum of April 1954. Final numbers are listed through June 1957.

### Observed Sunspot Number

## WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 144 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

**Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:**

Brisbane, Australia  
Canberra, Australia  
Hobart, Tasmania  
Townsville, Australia

**Australian Department of Supply and Shipping, Bureau of Mineral Resources, Geology and Geophysics:**

Watheroo, Western Australia

**Meteorological Service of the Belgian Congo and Ruanda-Urundi:**

Bunia, Belgian Congo  
Elisabethville, Belgian Congo  
Leopoldville, Belgian Congo

**British Department of Scientific and Industrial Research, Radio Research Board:**

Falkland Is.  
Ibadan, Nigeria (University College of Ibadan)  
Slough, England

**Defence Research Board, Canada:**

Churchill, Canada  
Victoria, Canada

**Radio Wave Research Laboratories, National Taiwan University,**

Taipeh, Formosa, China:  
Formosa, China

**Danish National Committee of URSI:**

Narsarssuak, Greenland

**The Royal Netherlands Meteorological Institute:**

De Bilt, Holland  
Paramaribo, Surinam

**Central Institute of Meteorology, Budapest, Hungary:**

Budapest, Hungary

Indian Council of Scientific and Industrial Research, Radio  
Research Committee, New Delhi, India:  
    Bombay (All India Radio)  
    Delhi (All India Radio)  
    Tiruchi (All India Radio)

National Institute of Geophysics, City University, Rome, Italy:  
    Rome, Italy

Ministry of Postal Services, Radio Research Laboratories,  
    Tokyo, Japan:  
        Tokyo (Kokubunji), Japan

Christchurch Geophysical Observatory, New Zealand Department of  
    Scientific and Industrial Research:  
        Cape Hallett (Adare)  
        Rarotonga, Cook Is.  
        Scott Base

Manila Observatory:  
    Baguio, P. I.

Institute of Terrestrial Magnetism, Ionosphere and Radio  
    Propagation, Moscow, U.S.S.R.:  
        Moscow

South African Council for Scientific and Industrial Research:  
    Capetown, Union of South Africa  
    Johannesburg, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:  
    Kiruna, Sweden  
    Upsala, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzerland:  
    Schwarzenburg, Switzerland

United States Army Signal Corps:  
    Adak, Alaska  
    Fletchers Ice I.  
    Ft. Monmouth, New Jersey  
    Grand Bahama I.  
    Okinawa I.  
    St. John's, Newfoundland

National Bureau of Standards (Central Radio Propagation  
    Laboratory):  
        Anchorage, Alaska  
        Chiclayo, Peru

National Bureau of Standards (Central Radio Propagation Laboratory) continued:

Chimbote, Peru

Fairbanks (College), Alaska (Geophysical Institute of the University of Alaska)

Huancayo, Peru (Instituto Geofisico de Huancayo)

Maui, Hawaii

Panama Canal Zone

Point Barrow, Alaska

Puerto Rico, W. I.

San Francisco, California (Stanford University)

Washington, D. C.

## ERRATA

1. CRPL-F168(A), p. 4, table 20, and p. 22, fig. 40: Column heading "h'F" should read "h'F1" and the corresponding change should be made in curve label on the graph.
2. CRPL-F168(A), p. 34, fig. 85: The >5.9 reading on the foF2 curve occurred at 21 hour instead of 18 hour.

# TABLES OF IONOSPHERIC DATA

June 1958 - February 1957

Table 1

Washington, D. C. (38.7°N, 77.1°W)							June 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	7.0	300						2.55
01	6.5	310						2.50
02	6.2	310						2.50
03	5.55	305						2.50
04	5.3	<310						2.55
05	5.5	290			117	1,80		2.72
06	(485)	6.0	250	---	111	2.58	3.0	2.72
07	390	6.15	230	4.6	109	3.12	3.4	2.52
08	460	6.7	220	5.1	107	3.50	3.8	2.52
09	515	6.9	210	5.3	105	3.75	4.0	2.42
10	470	6.9	210	5.5	103	3.90	4.1	2.48
11	480	6.9	200	5.6	102	4.00	4.3	2.45
12	520	7.1	205	5.6	103	4.00	>4.2	2.35
13	500	7.1	220	5.6	105	4.05		2.40
14	480	7.15	220	5.6	105	4.00		2.45
15	490	7.2	220	5.5	105	3.95	4.0	2.45
16	450	7.3	225	5.4	109	3.65		2.50
17	420	7.35	230	5.0	109	3.30		2.55
18	360	7.6	250	---	111	2.80		2.60
19	---	7.6	275		119	2.00		2.62
20	7.95	290						2.65
21	8.0	<290						2.60
22	7.7	295						2.60
23	7.35	300						2.60

Time: 75.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 3

Point Barrow, Alaska (71.3°N, 156.8°W)							May 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(6.3)	320		---	---	5.0	(2.55)	
01	(6.2)	325	---	---	---	3.8	2.58	
02	(6.05)	<325	---	---	---	3.2	2.50	
03	(6.1)	305	---	---	119	2.02	2.8	2.55
04	(425)	6.4	295	---	115	2.22	2.6	2.45
05	445	6.05	275	4.0	114	2.52		2.42
06	460	6.3	265	4.2	111	2.90		2.40
07	500	6.45	250	4.4	111	3.05		2.35
08	500	6.8	250	4.8	108	3.22		2.30
09	500	6.6	250	5.0	107	(3.30)		2.35
10	480	6.85	240	5.1	105	3.45		2.35
11	510	6.8	230	5.0	111	(3.55)		2.35
12	520	6.6	235	5.0	111	3.60		2.30
13	545	6.7	240	5.1	113	3.52		2.35
14	500	6.85	230	5.1	114	3.45		2.35
15	500	6.8	235	5.0	111	3.35		2.35
16	475	6.8	(240)	4.8	109	3.20		2.30
17	475	6.7	245	4.8	109	3.08		2.40
18	445	6.3	(260)	4.5	111	3.00		2.45
19	(450)	6.2	270	4.1	113	2.80		2.50
20	---	5.95	290	---	114	2.72		2.60
21	---	6.0	315	---	114	2.90	3.1	2.60
22	---	5.9	300	---	131	2.40	2.9	2.70
23	---	>6.0	310	---	<133	(2,45)	3.8	2.52

Time: 150.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 5

Anchorage, Alaska (61.2°N, 149.9°W)							May 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(5.2)					2.5	(2.40)	
01	(5.4)					2.7	(2.40)	
02	(5.4)					1.8	(2.45)	
03	(5.65)			---	---	2.3	(2.40)	
04	(6.0)		(3.6)	117	1.98			2.45
05	(6.6)		4.0	111	2.40			2.40
06	6.95		4.4	109	2.80			2.35
07	6.9		4.7	107	3.12			2.35
08	6.9		4.9	105	3.35			2.30
09	7.0		5.0	105	3.50			2.30
10	6.95		5.2	105	3.60			2.30
11	6.8		5.3	105	3.70			2.32
12	7.0		5.3	105	3.70			2.30
13	6.8		5.3	105	3.70			2.30
14	7.0		5.3	105	3.60			2.35
15	6.8		5.3	105	3.50			2.40
16	6.9		5.2	107	3.30			2.40
17	6.8		(4.8)	109	3.08			2.50
18	6.8		4.6	109	2.75	3.0		2.60
19	6.7		---	115	2.42	2.6		2.65
20	6.5		130	---	2.2	2.75		
21	6.1		---	---	1.6	2.70		
22	(5.0)		---	---	2.8	2.60		
23	(4.8)				2.0	(2.42)		

Time: 150.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 2

Maui, Hawaii (20.6°N, 156.5°W)							June 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			8.8		300			2.4
01			8.5		290			3.0
02			7.85		280			2.2
03			7.45		<290			2.60
04			7.15		310			2.55
05			6.8		320			2.50
06			---		280	---	125	2.00
07			7.7		245	---	109	2.52
08			(475)		230	5.4	107	3.42
09			520		230	6.2	107	3.8
10			450		215	6.3	107	2.25
11			440		215	6.2	111	4.10
12			430		220	6.3	<113	4.20
13			425		220	6.4	111	4.20
14			405		109	4.0		2.45
15			395		225	6.0	109	4.20
16			370		225	6.0	109	2.60
17			340		240	---	109	3.68
18			335		255	115	2.65	4.0
19			11,8		<290	---	---	3.6
20			10,65		310	---	4.2	2.60
21			10,2		310	---	3.0	2.55
22			9,3		315	---	2.4	2.55
23			9,1		<315	---	1.8	2.60

Time: 150.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 4

Fairbanks, Alaska (64.9°N, 147.8°W)							May 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			---					4.6
01			(6.1)					4.2
02			(6.0)					4.0
03			(6.1)					(2.50)
04			(6.6)					(2.48)
05			(7.0)					(2.48)
06			6.8					2.42
07			4.4					2.45
08			7.15					2.40
09			6.65					2.40
10			6.7					2.40
11			5.2					2.40
12			6.6					2.40
13			5.2					2.35
14			6.7					2.38
15			6.8					2.40
16			5.2					2.40
17			6.6					2.50
18			4.4					2.50
19			6.4					2.68
20			6.4					2.60
21			6.3					2.72
22			(6.0)					3.7
23			(5.8)					4.0

Time: 150.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 6

Narsarssuak, Greenland (61.2°N, 45.4°W)							May 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			(5.3)		350			3.3
01			(5.2)		360			2.6
02			(5.0)		395			2.2
03			(4.65)		390	---		3.1
04			(4.0)		390	(3.3)	121	2.35
05			<600	(4.95)	300	3.8	100	2.72
06			550	5.4	270	4.3	105	3.05
07			575	5.8	265	4.7	103	3.30
08			550	6.15	245	4.9	105	3.50
09			540	6.5	230	5.1	104	3.60
10			540	6.8	235	5.4	105	4.0
11			500	7.1	225	5.5	103	3.78
12			500	7.15	220	5.6	101	3.70
13								

Table 7

Adak, Alaska (51.9°N, 176.6°W)							May 1958	
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	6.4	<320						2.45
01	6.1	<330						2.40
02	5.85	(330)						2.35
03	6.0	(350)			135	----		2.35
04	(490)	5.8	315	---	<132	----	1.8	2.30
05	485	6.85	290	4.0	111	2.30	2.6	2.40
06	480	7.8	250	4.4	105	2.88	3.2	2.40
07	475	8.2	240	4.9	101	3.20	3.8	2.35
08	440	8.3	230	5.1	101	3.50	4.4	2.40
09	445	8.4	(220)	5.5	101	3.75	4.5	2.40
10	470	8.2	<230	5.4	99	3.85	4.7	2.40
11	490	8.0	(220)	5.7	101	3.90	4.6	2.35
12	475	0.0	(225)	5.7	99	(3.95)	4.5	2.45
13	475	8.1	220	5.6	101	3.85	4.2	2.42
14	460	7.85	230	5.6	105	3.72	4.0	2.45
15	455	7.9	<235	5.5	105	3.62		2.50
16	(450)	7.8	240	4.9	109	3.40	3.6	2.55
17	(490)	7.9	<250	---	109	(3.02)	3.5	2.60
18	---	7.75	260	---	111	(2.60)	3.4	2.70
19		7.9	260		<127	----	2.8	2.75
20		7.8	260				2.8	2.70
21		7.7	(280)				2.7	2.60
22		7.3	(300)				2.4	2.50
23		7.0	(295)					2.50

Time: 180.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 9

Ft. Monmouth, New Jersey (40.4°N, 74.1°W)							May 1958	
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	7.0	310						2.45
01	6.6	<315						2.40
02	6.3	320						2.45
03	6.0	315						2.55
04	5.6	<320						2.50
05	---	6.0	290		121	----		2.75
06	---	6.65	250	---	115	2.60		2.68
07	450	7.0	235	4.0	111	3.10	3.2	2.70
08	480	7.4	225	5.0	109	3.55	3.7	2.45
09	510	7.5	220	5.6	109	3.00		2.45
10	480	7.6	210	5.7	109	4.05		2.45
11	460	0.0	205	5.8	109	(4.00)		2.45
12	470	8.0	220	6.0	109	4.10		2.42
13	450	0.2	220	6.0	109	4.08		2.45
14	440	8.4	230	5.8	109	3.90		2.45
15	425	0.6	230	5.6	109	3.80		2.50
16	400	0.6	235	5.3	109	3.50		2.55
17	410	8.5	250	4.6	113	3.20		2.55
18	---	8.35	270		120	2.50		2.55
19		8.5	280					2.65
20		8.2	280					2.55
21		8.0	295					2.50
22		7.0	300					2.50
23		7.4	305					2.45

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 11

Okinawa I. (26.3°N, 127.8°E)							May 1958	
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	14.8	295				3.2		2.75
01	14.1	290				3.3		2.85
02	12.2	260				2.9		2.85
03	9.8	250				2.9		2.80
04	0.7	260			>2.0			2.70
05	8.15	280				2.0		2.65
06	8.75	260				2.4		2.75
07	9.85	240			113	2.90	3.4	2.95
08	---	10.2	235		111	(3.45)	5.0	2.00
09	---	10.5	235		110	3.80	5.8	2.55
10	---	11.6	230		109	(4.00)	6.1	2.45
11	400	12.6	235	---	109	(4.12)	6.5	2.45
12	410	13.45	230	---	109	(4.20)	5.4	2.50
13	400	14.5	235	(6.6)	109	(4.25)	5.0	2.50
14	390	14.8	235	6.7	111	4.20	4.8	2.55
15	400	14.2	235	---	111	4.00	4.8	2.55
16	385	14.4	235	(6.6)	111	3.80	4.2	2.55
17	365	14.2	250		111	3.35	4.3	2.60
18	<340	14.1	260		117	(2.75)	3.4	2.65
19		13.6	290			3.5		2.65
20		>13.2	315			3.7		2.55
21		>13.2	330			3.2	(2.50)	
22		>13.2	325			3.1		2.55
23		>14.0	315			3.0		2.65

Time: 135.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 8

St. John's, Newfoundland (47.6°N, 52.7°W)							May 1958	
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2
00								2.42
01								2.42
02								2.45
03								2.50
04								2.70
05								2.80
06								2.80
07	(510)	6.8	240					2.72
08	500	7.0	230					2.70
09	490	7.4	220					2.70
10	470	7.6	215					2.52
11	495	8.0	220					2.50
12	490	7.9	220					2.50
13	450	8.3	220					2.50
14	430	8.6	230					2.55
15	405	8.7	230					2.55
16	430	8.8	240					2.55
17	---	8.9	250					2.60
18	---	9.0	275					2.60
19		8.7	290					2.60
20		8.3	295					2.55
21		7.9	290					2.50
22		7.7	300					2.50
23		7.0	320					2.50

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 10

Washington, D. C. (38.7°N, 77.1°W)							May 1958	
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2
00								2.45
01								2.45
02								2.45
03								2.45
04								2.50
05								2.65
06								2.65
07								2.70
08								2.75
09								2.65
10								2.65
11								2.65
12								2.70
13								2.70
14								2.75
15								2.75
16								2.75
17								2.75
18								2.75
19								2.75
20								2.75
21								2.75
22								2.75
23								2.75

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 12

Puerto Rico, W.I. (18.5°N, 67.2°W)							May 1958	
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2
00								2.70
01								2.70
02								2.65
03								2.65
04								2.70
05								2.70
06								2.70
07								2.75
08								2.75
09								2.70
10								2.70
11								2.70
12								2.70
13								2.70
14								2.75
15								2.75
16								2.75
17								2.75
18								2.75
19								2.75
20			</td					

Table 13

Baguio, P.I. (16.4°N, 120.6°E)							May 1950	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	13.0	290				2.05		
01	12.45	260				2.90		
02	10.6	245				2.65		
03	9.5	250				2.70		
04	8.2	250			1.7	2.70		
05	7.4	260			2.3	2.60		
06	0.95	290	129	2.42	3.2	2.72		
07	10.4	260	119	(3.00)	6.0	2.65		
08	11.2	250	115	(3.60)	7.8	2.40		
09	12.0	240	111	3.90	7.0	2.20		
10	12.5	230	117	4.05	6.6	2.15		
11	---	13.0 (230)	117	4.15	5.0	2.05		
12	---	13.0 (230)	---	118	4.20	4.6	2.05	
13	---	13.0	---	119	4.20	4.2	2.05	
14	---	12.7	240	---	117	4.05	2.00	
15	---	12.9	245	---	117	3.02	2.05	
16	---	13.1	255		119	3.45	3.8	2.05
17	13.0	270	119	2.90	3.9	2.10		
18	12.5	300	(141)	2.08	2.9	2.05		
19	(12.0)	365			2.2	(2.05)		
20	(12.0)	430				(2.05)		
21	(12.0)	410			1.9	(2.15)		
22	(12.5)	370			2.0	(2.35)		
23	12.9	320			2.7	2.60		

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 15

Huancayo, Peru (12.0°S, 75.3°W)							May 1950	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	8.6	225			3.2	2.95		
01	8.25	225				3.00		
02	7.65	230				3.00		
03	6.5	230				3.00		
04	5.9	235				3.00		
05	5.4	240			3.1	3.00		
06	6.15	275	---	1.40		2.82		
07	9.75	255	121	2.55	6.0	2.95		
08	12.15	240	113	3.20	7.8	2.80		
09	13.0	230	111	3.65	8.4	2.55		
10	13.0	220	---	(4.00)	9.0	2.30		
11	12.6	215	---	---	9.0	2.25		
12	12.3	210	---	---	9.0	2.15		
13	11.05	210	---	---	9.0	2.15		
14	11.9	205	---	---	8.8	2.10		
15	11.45	220	---	---	8.4	2.10		
16	11.2	245	---	(3.20)	8.0	2.10		
17	10.7	270	---	(2.50)	7.0	2.20		
18	10.4	325	---	(1.45)	3.8	2.20		
19	9.2	360				2.15		
20	8.8	340				2.25		
21	8.65	270			3.2	2.50		
22	8.55	240			3.2	2.72		
23	8.5	230			3.5	2.85		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 17

Ft. Monmouth, New Jersey (40.4°N, 74.1°W)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	7.2	310				2.35		
01	7.0	<330				2.35		
02	6.8	<330				2.45		
03	6.45	(310)				2.45		
04	6.0	(305)				2.45		
05	5.9	<310				2.55		
06	7.0	260	121	2.40		2.80		
07	8.0	240	116	2.95		2.75		
08	8.75	235	109	3.30	>3.1	2.65		
09	530	9.6	225	5.3	109	3.60		
10	525	10.0	220	5.6	109	3.90		
11	530	10.6	220	5.8	109	4.00		
12	510	10.8	230	5.8	109	4.00		
13	510	10.6	230	5.8	109	4.00		
14	490	10.75	230	5.6	109	3.90		
15	490	10.4	240	5.5	111	3.70		
16	(485)	10.4	240	5.4	111	3.40		
17	---	10.1	250	---	116	2.88		
18	---	10.0	270	(121)	2.50	2.55		
19	9.7	270				2.55		
20	9.1	265				2.55		
21	8.6	<280				2.45		
22	8.0	<295				2.45		
23	7.65	<315				2.40		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 14

Panama Canal Zone (9.4°N, 79.9°W)							May 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			10.3	290				2.55
01			10.0	280				2.60
02			9.9	280				2.62
03			9.55	270				2.72
04			8.35	250				2.75
05			7.25	250				2.50
06			7.45	295	<199	1.85	3.4	2.58
07			8.75	260	113	2.80	4.3	2.72
08			10.25	245	109	3.38	4.9	2.62
09			11.45	235	109	3.80	5.0	2.50
10			11.95	235	111	4.10	4.7	2.38
11			12.6	230	109	4.20	4.6	2.35
12		(425)	13.0	230	110	4.30	5.0	2.35
13		440	13.0	235	---	4.30	4.8	2.35
14		435	13.5	(235)	7.0	111	4.20	5.0
15		420	13.4	(235)	---	109	4.00	4.8
16		410	13.0	(250)	111	3.55	4.8	2.40
17		---	12.15	260	112	3.00	3.8	2.40
18		---	11.8	<285	125	2.35	3.3	2.40
19		11.3	325				3.5	2.45
20		11.25	330				2.4	2.40
21		11.6	320				2.48	
22		11.4	295				2.60	
23		10.95	290				2.65	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 16

Fletchers Ice I. (80.0°N, 113.0°W)*							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			6.8	<300	115	1.90		2.45
01			6.8	290	115	1.70		2.50
02			6.7	290	119	1.65		2.50
03			6.5	295	---	119	1.60	2.50
04			6.4	290	---	119	1.70	2.50
05			6.8	290	---	119	1.90	2.50
06			6.8	290	---	115	2.05	2.58
07			7.0	275	---	115	2.30	2.50
08		(425)	6.2	270	4.0	110	2.45	2.50
09		(440)	6.35	265	4.0	109	2.55	2.60
10		505	6.4	<260	4.3	109	2.70	2.50
11		480	6.4	250	4.5	109	2.00	2.50
12		500	6.15	(250)	4.5	109	2.90	2.38
13		520	6.0	250	4.5	109	3.00	2.30
14		525	5.7	240	4.6	109	3.00	2.30
15		500	5.9	250	4.3	109	3.00	2.30
16		500	5.85	250	4.3	109	3.00	2.30
17		570	5.6	260	4.5	109	2.90	2.22
18		650	5.3	265	4.3	109	2.80	2.20
19		550	5.95	275	4.4	109	2.70	2.30
20		450	6.6	275	4.2	109	2.60	2.30
21		(450)	5.8	290	3.9	111	2.42	2.35
22		---	6.6	290	---	115	2.15	2.30
23		---	6.6	290	---	119	2.00	2.42

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 18

Puerto Rico, W.I. (18.5°N, 67.2°W)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			10.3	280				2.70
01			9.95	280				2.68
02			9.4	270				2.70
03			8.8	260				2.70
04			8.35	270				2.65
05			7.75	255				2.60
06			7.9	290				2.60
07			9.85	240	(117)	2.40		2.90
08			11.8	230	109	3.20		2.85
09			12.95	220	109	3.60		2.80
10			13.4	225				

Table 19

Huancayo, Peru (12.0°S, 75.3°W)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		9.7	230			4.5	2.75	
01		9.55	230			4.1	2.85	
02		8.55	245			4.0	2.80	
03		8.1	250				2.85	
04		7.65	240			3.4	2.90	
05		6.95	235				3.02	
06		7.6	260		---	4.0	2.85	
07		11.2	255	121	2.70	4.6	2.95	
08		13.6	240	117	3.35	7.0	2.80	
09		15.0	230	113	(3.80)	8.4	2.55	
10		15.5	225	---	(4.00)	9.0	2.35	
11		15.2	220	---	---	9.0	2.15	
12		14.2	220	---	---	9.0	2.10	
13		14.05	215	---	---	9.0	2.10	
14		13.5	210	---	(4.00)	9.0	2.10	
15		13.5	220	---	(3.65)	8.8	2.05	
16		13.2	250	---	(3.32)	8.3	2.05	
17		12.55	265	---	(2.70)	7.5	2.05	
18		11.5	320	(157)	1.60	4.7	2.05	
19		9.65	415	---	E		2.00	
20		9.5	370				2.15	
21		9.5	285				2.42	
22		9.3	250			3.2	2.60	
23		9.5	235			4.5	2.70	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 21

Uppsala, Sweden (59.8°N, 17.6°E)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.1	345			2.2	2.4	
01		4.1	350			2.6	2.3	
02		4.3	340			3.1	2.3	
03		3.6	340			3.0	2.4	
04		4.0	315			2.7	2.4	
05		4.2	300	---	E	3.1	2.5	
06		5.1	270	---	1.55	3.1	2.7	
07		6.2	250	120	2.30	3.3	2.8	
08	(345)	7.2	245	(4.80)	115	2.65	3.6	2.8
09	390	8.1	240	5.10	110	3.00		2.8
10	340	9.0	240	5.30	110	3.20		2.7
11	340	9.6	240	5.50	110	3.30		2.7
12	315	10.5	240	5.35	110	3.30		2.7
13	320	10.7	240	5.60	110	3.25		2.7
14	(315)	11.1	240	5.25	110	3.20		2.7
15	---	10.8	240	---	110	3.00		2.7
16	---	10.4	240	---	115	2.65		2.8
17	9.8	240			125	2.30		2.8
18	9.3	240			---	1.50		2.8
19	7.6	240			---	E		2.7
20	6.4	260			---	---		2.6
21	4.9	270						2.5
22	4.5	320						2.4
23	(4.3)	340				2.2		2.4

Time: 15.0°E.

Sweep: 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 23

Slough, England (51.5°N, 0.6°W)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		6.0	320			<1.3	2.30	
01		5.5	310			<1.4	2.30	
02		5.0	330			(1.2)	2.30	
03		5.1	335			(1.3)	2.30	
04		4.6	315			<1.4	2.40	
05		4.1	300			<1.4	2.40	
06		4.9	285	130	1.80		2.70	
07		6.6	250	115	2.25		2.95	
08		8.2	240	110	2.80		2.90	
09	---	9.9	235	110	3.20		2.85	
10	335	10.8	230	---	105	3.40		2.80
11	(365)	12.2	225		105	3.60		2.65
12	---	12.6	230	---	105	3.70		2.70
13	---	12.6	230		105	3.65		2.70
14	12.4	235			105	3.55		2.70
15	11.9	235			110	3.30		2.75
16	11.9	240			110	3.00		2.75
17	11.3	245			115	2.50		2.80
18	11.0	240			125	1.95		(2.75)
19	(10.0)	230			<1.6	---		
20		9.7	230		<1.6	---		
21	(7.6)	240			<1.6	(2.40)		
22	(6.9)	270			<1.6	2.35		
23	6.5	305			<1.6	2.25		

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 20

Kiruna, Sweden (67.8°N, 20.3°E)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			6.0		(395)			4.0
01			(5.0)		(305)			4.8
02			6.2		(375)			(2.4)
03			5.5		(355)			3.5
04			5.0		(340)			2.4
05			5.2		295			2.5
06			5.8		(280)			2.6
07			6.0		285			2.6
08	---		6.7		(265)			2.7
09	---		7.3		260			2.65
10			8.8		250			2.6
11			9.6		255			2.6
12			9.2		250			2.6
13			9.6		255			2.6
14			10.0		250			2.7
15			8.6		260			2.65
16			7.2		270			2.8
17			6.6		275			2.65
18			6.0		310			2.6
19			6.0		(295)			3.8
20			5.5		340			2.5
21			6.0		350			3.8
22			(6.0)		365			2.4
23			5.6		(385)			5.0

Time: 15.0°E.

Sweep: 0.8 Mc to 14.0 Mc in 30 seconds.

Table 22

Churchill, Canada (58.8°N, 94.2°W)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			6.0		310			4.8
01			6.2		300			4.4
02			5.4		320			3.6
03			5.2		320			4.4
04			4.8		330			4.4
05			4.7		360			4.1
06			4.6		360			3.8
07	---		5.4		320			4.3
08	---		5.8		290			3.2
09	---		6.4		280			4.0
10	(440)		6.8		280	4.6	115	3.9
11	(460)		7.2		260	4.8	115	3.8
12	410		8.2		250	5.0	120	3.3
13	400		9.4		250	5.0	120	3.3
14	400		10.0		250	4.9	120	3.2
15	400		9.4		260	4.6	120	3.1
16	(390)		7.6		270	4.2	120	2.9
17	---		7.2		290	---	120	2.6
18	---		7.0		310	---	120	2.8
19	6.0		6.0		310	---	2.0	4.4
20	5.7		320		130	2.2	3.8	
21	5.8		320		120	2.2	5.0	
22	5.6		330		125	2.4	4.0	
23	5.9		320		---	---	4.8	

Time: 90.0°W.

Sweep: 1.0 Mc to 17.0 Mc in 16 seconds.

Table 24

Schwarzenburg, Switzerland (46.8°N, 7.3°E)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			6.0		6.9			2.8
01			5.0		6.7			2.7
02			5.2		6.2			2.7
03			3.30		5.7			2.7
04			3.20		5.3			2.7
05			3.10		5.3			2.7
06			3.00		5.1			2.9
07			2.60		6.3			3.3
08			2.40		8.4			3.4
09			2.30		9.5			3.3
10			2.20		11.5			3.2
11			2.20		12.4			3.1
12			2.20		13.2			3.1
13			2.20		13.2			3.0
14			2.20		12.8			3.0
15			2.30		12.4			3.0
16			2.40		12.0			3.0
17			2.40		11.6			

Table 25

Grand Bahama I. (26.6°N, 70.2°W)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	8.2	270				2.72		
01	8.1	(270)				2.75		
02	7.6	265				2.70		
03	6.9	(270)				2.62		
04	6.7	<275				2.65		
05	6.75	(270)				2.60		
06	7.1	<280				2.68		
07	9.5	235	<121	(2.30)		3.05		
08	11.8	230	109	3.00		3.00		
09	13.15	220	109	3.45		2.90		
10	13.7	220	109	3.75		2.88		
11	14.15	215	109	3.95		2.70		
12	14.1	220	106	4.00		2.70		
13	14.0	225	107	(4.00)		2.70		
14	13.9	230	109	4.00		2.65		
15	13.7	230	111	(3.80)	3.8	2.65		
16	13.35	235	111	3.50	3.5	2.65		
17	12.9	240	112	2.95	3.2	2.70		
18	12.3	240	(117)	---	2.3	2.75		
19	11.5	230				2.00		
20	10.0	240				2.75		
21	9.3	260				2.70		
22	8.8	270				2.70		
23	8.5	(280)				2.70		

Time: 75.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 27

Chiclayo, Peru (6.8°S, 75.8°W)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	10.9	235				4.4		2.65
01	10.25	240				5.0		2.80
02	9.6	250				2.6		2.90
03	9.0	240				3.3		2.92
04	8.05	230				3.2		3.00
05	7.3	245				1.8		3.10
06	6.55	250	---	----		3.00		
07	9.9	265	127	2.50		3.00		
08	12.95	250	120	3.28		2.90		
09	14.45	<240	117	3.80		2.65		
10	14.55	230	115	4.05		2.42		
11	14.7	(230)	113	4.28		2.15		
12	>13.95	(225)	115	4.42		2.10		
13	13.35	<25	115	----		2.12		
14	>13.0	(230)	111	----		2.10		
15	13.0	<230	113	4.00	4.2	2.05		
16	>12.85	240	111	3.60	>3.6	2.05		
17	12.35	255	111	3.15	4.2	2.05		
18	11.0	280	---	2.50	5.0	2.12		
19	>11.4	350			2.5	2.12		
20	(11.15)	410				2.05		
21	(11.3)	340			2.0	2.25		
22	11.4	255			3.7	2.50		
23	11.1	230			3.8	2.62		

Time: 75.0°W.  
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.  
Note: Around equinox, height scale was expanded.

Table 29

Hobart, Tasmania (42.9°S, 147.2°E)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.8	280				2.50		
01	5.5	300				2.45		
02	4.8	300				2.40		
03	4.2	300				2.40		
04	(4.0)	300				2.40		
05	3.7	300				2.50		
06	4.4	300	---	----		2.70		
07	5.8	250	110	2.50		2.90		
08	6.5	230	100	3.00		2.00		
09	7.0	230	100	3.35		2.75		
10	(510)	7.6	230	100	3.70	2.70		
11	(500)	8.2	220	100	3.85	2.75		
12	500	8.8	220	100	3.80	2.65		
13	470	9.2	220	100	3.85	2.65		
14	470	9.4	230	100	3.75	2.65		
15	(480)	9.0	230	100	3.65	2.65		
16	---	9.4	230	100	3.35	2.65		
17	---	>9.0	240	100	2.90	2.70		
18	9.2	250	---	----		2.00		
19	>9.0	250				2.00		
20	>7.6	260				2.65		
21	7.1	260				2.55		
22	6.8	280				2.55		
23	6.4	290				2.40		

Time: 150.0°E.  
Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 26

Formosa, China (25.0°N, 121.5°E)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(N3000)F2
00			15.8	240				2.90
01			13.3	240				2.95
02			11.7	240				2.95
03			9.7	230				3.00
04			7.1	240				2.85
05			6.1	<280				2.70
06			7.8	280				2.80
07			11.7	240				3.00
08			14.1	240				3.10
09			15.2	230				2.90
10			15.6	230				2.75
11			16.1	230				2.70
12			16.6	230				2.70
13			>16.8	<240				2.65
14			17.0	<240				2.70
15			17.2	(230)				2.65
16			17.0	240				2.70
17			16.8	250				2.70
18			>17.0	270				2.70
19			>17.2	290				2.70
20			(17.5)	280				2.70
21			(17.4)	<260				(2.75)
22			>17.5	260				(2.90)
23			16.6	240				2.90

Time: 120.0°E.  
Sweep: 1.1 Mc to 19.5 Mc in 15 minutes, manual operation.

Table 20

Canberra, Australia (35.3°S, 149.0°E)							March 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			7.7	270				2.60
01			7.2	260				2.60
02			7.0	265				2.65
03			6.6	265				2.55
04			6.5	270				2.60
05			6.2	275				2.60
06			>6.4	260				2.90
07			7.8	230				2.95
08			8.6	220				3.05
09			(440)	>9.1	210	5.3	100	3.55
10			(410)	10.6	200	5.7	100	3.75
11			(425)	11.2	200	5.8	100	4.00
12			(410)	11.3	200	6.0	100	4.00
13			(425)	11.6	210	6.0	100	4.00
14			(420)	11.8	210	5.8	95	3.90
15			---	11.0	210	---	95	2.75
16			---	10.4	215	---	95	2.80
17			10.3	225	---	100	2.90	2.85
18			(10.0)	240		110	2.10	2.95
19			>9.4	230			---	2.80
20			>8.5	240			---	(2.70)
21			>8.0	250			---	(2.70)
22			7.8	260				2.60
23			7.8	270				2.50

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 30

Moscow, U.S.S.R. (55.5°N, 37.3°E)							February 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			335	4.0				2.40
01			340	4.0				2.40
02			330	3.9				2.40
03			310	3.9				2.45
04			300	3.5				2.50
05			290	3.4				2.55
06			275	3.6				2.65
07			260	5.8				2.90
08			245	8.4				3.00
09			240	10.4				2.95
10			235	12.0				2.90
11			230	12.5				2.90
12			235	13.1				2.85
13			235	12.9				2.85
14			235	12.8				2.85
15			235	12.6				2.85
16			230	12.3				2.85
17			225	11.0				2.90
18			220					

Table 31

Oe Bilt, Holland (52.1°N, 5.2°E)							February 1958
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	<305	4.3				2.60	
01	<320	4.2				2.60	
02	<330	4.0				2.55	
03	<340	3.6				2.60	
04	<310	3.6				2.70	
05	<300	3.3				2.70	
06	<300	3.6				2.70	
07	240	6.2				3.10	
08	225	9.2				3.20	
09	215	11.4	120	2.4		3.20	
10	215	12.3	115	3.1		3.10	
11	215	>12.6	115	3.2		3.10	
12	215	13.0	115	3.3		3.00	
13	220	13.0	115	3.2		3.00	
14	215	13.1	115	3.1		3.00	
15	215	13.0	120	2.8		3.00	
16	210	12.2	---	2.5		3.10	
17	210	11.3				3.10	
18	210	9.0				3.10	
19	220	7.2				3.05	
20	250	6.2				2.95	
21	(280)	5.4				2.80	
22	<300	4.6				2.70	
23	(300)	4.5				2.60	

Time: 0.0°.

Sweep: 1.4 Mc to 16.0 Mc in 40 seconds.

Table 33

Formosa, China (25.0°N, 121.5°E)							February 1958
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	10.0	240				3.00	
01	9.4	230				3.10	
02	8.5	240				3.00	
03	6.9	230				3.00	
04	5.4	240				2.95	
05	4.7	(280)				2.70	
06	5.4	240				2.70	
07	10.2	260	---			3.10	
08	13.0	240	3.0	3.2		3.15	
09	>14.0	230	3.6	3.7		3.00	
10	15.2	230	3.9	4.2		2.90	
11	16.5	220	(4.1)	4.4		2.75	
12	16.5	<230	4.1	>4.4		2.70	
13	>17.0	<230	4.2	4.4		2.70	
14	17.0	<230	---	(4.1)	4.3	2.70	
15	17.2	230	---	---	4.0	2.65	
16	16.8	240	(3.4)	4.0		2.70	
17	16.0	<250	2.6	3.4		2.80	
18	16.2	260		2.2		2.80	
19	16.8	260		2.0		2.80	
20	>17.0	240				2.05	
21	15.8	240				2.95	
22	>14.0	240				2.90	
23	13.1	240				3.00	

Time: 120.0°E.

Sweep: 1.1 Mc to 19.5 Mc in 15 minutes, manual operation.

Table 35

Chiclayo, Peru (6.0°S, 79.8°W)							February 1958
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	>11.55	240			4.3	2.70	
01	10.9	240			3.4	2.80	
02	9.6	245			4.3	2.90	
03	9.1	245			3.7	2.92	
04	0.45	235			3.7	3.05	
05	7.4	230			3.2	3.10	
06	6.55	240			2.8	2.90	
07	10.0	260	119	2.40	2.8	2.90	
08	12.65	240	111	3.20	3.5	2.80	
09	14.05	230	111	3.70	4.0	2.60	
10	14.6	220	109	4.00		2.40	
11	14.4	215	111	4.20		2.20	
12	14.3	205	111	4.30		2.10	
13	13.0	205	---	110	4.25	2.10	
14	13.2	200	---	111	4.15	2.10	
15	13.35	220	---	110	4.00	2.10	
16	13.1	230	111	3.62		2.15	
17	12.65	250	110	3.20		2.20	
18	12.9	270	121	2.50	2.7	2.20	
19	>11.9	300				2.20	
20	(11.9)	370				2.20	
21	>12.15	320			1.8	(2.48)	
22	12.45	270			2.4	2.50	
23	>12.0	250			4.0	2.70	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 32

Tokyo, Japan (35.7°N, 139.5°E)							February 1958
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00					6.5	275	2.75
01					5.9	275	2.70
02					5.6	290	2.65
03					5.4	295	2.65
04					5.0	300	2.55
05					5.0	310	2.60
06					5.5	280	2.80
07					9.2	240	2.80
08					12.0	230	3.15
09					13.8	230	3.15
10					14.2	230	3.05
11					14.2	225	2.95
12					14.3	230	2.85
13					14.0	230	2.80
14					13.4	235	2.75
15					13.3	240	2.75
16					12.4	245	2.80
17					11.9	250	2.85
18					11.1	245	2.85
19					9.6	240	2.95
20					8.6	240	2.85
21					7.6	255	2.80
22					7.3	260	2.80
23					6.8	270	2.75

Time: 135.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 20 seconds.

Table 34

Leopoldville, Belgian Congo (4.4°S, 15.2°E)							February 1958
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	245	11.1					2.44
01	250	9.4					2.48
02	245	9.0					2.55
03	230	8.4					2.67
04	220	7.0					2.78
05	240	6.2					2.63
06	250	9.2	240	---	115	2.7	2.80
07	255	10.7	230	---	110	3.4	2.61
08	290	11.6	220	---	110	3.8	2.36
09	(340)	12.4	220	---	110	4.0	2.24
10	(390)	13.2	220	---	110	4.1	2.20
11	410	14.3	240	---	105	4.1	2.19
12	420	14.4	240	---	105	4.2	2.17
13	420	15.0	230	---	110	4.1	2.16
14	415	15.0	230	---	110	4.0	2.15
15	395	15.0	240	---	110	3.6	2.19
16	390	15.0	250	---	110	3.0	2.21
17	365	15.0	280	---	---	2.1	2.22
18	330	15.6					2.21
19	310	17.0					2.0
20	250	17.0					2.52
21	220	15.4					2.54
22	220	14.4					2.52
23	230	12.6					2.45

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 36

Elisabethville, Belgian Congo (11.6°S, 27.5°E)							February 1958
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	250	8.0					1.7
01	260	7.0					1.5
02	260	6.4					1.7
03	260	5.9					1.6
04	270	6.0	---	---	---		2.0
05	250	9.0	250	---	110	2.5	2.78
06	250	10.7	230	---	110	3.2	2.70
07	265	11.5	225	---	105	3.7	2.58
08	(285)	12.0	225	---	105	3.9	2.43
09	340	12.6	220	---	105	4.1	2.40
10	350	13.0	225	---	105	4.2	2.32
11	360	13.4	220	---	105	4.1	2.30
12	375	13.5	225	---	105	4.0	2.25
13	375	13.2	230	---	110	3.9	2.24
14	370	13.1	240	---	110	3.7	2.26
15	350	12.9	250	---	110	3.1	2.28
16	310	13.2	265	---	115	2.3	2.35
17	280	13.2					1.8
18	270	13.0					2.52
19	255	13.0					2.52
20	240	11.8					1.6
21	240	10.8					2.46
22	250	9.8					2.46
23	245	8.8					2.50

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 37

Johannesburg, Union of S. Africa (26.29°S, 28.0°E)							February 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.6	270			3.0	2.65		
01	6.0	275			2.2	2.70		
02	5.4	<270			<2.1	2.60		
03	5.1	(230)			<1.9	2.60		
04	4.8	290			<1.8	2.55		
05	4.6	<305			<1.7	2.50		
06	6.2	270	(2.0)		2.0	2.05		
07	8.6	245	---		2.8	2.95		
08	10.1	235	---		3.4	2.90		
09	11.0	225	---		3.8	2.75		
10	11.7	220	---		4.0	4.2		
11	375	12.0	210	---		2.55		
12	(390)	12.4	205	---		4.4	2.50	
13	390	12.4	(205)	---		4.6	2.50	
14	305	12.1	225	---		4.5	2.50	
15	385	11.9	220	---		3.9	4.2	
16	(385)	11.5	235	---		3.7	4.0	
17	---	11.0	245	---		3.2	3.8	
18	---	11.0	250	---		2.6	3.0	
19	10.9	250		<2.0		2.3	2.75	
20	9.0	250				2.2	2.75	
21	0.0	255				2.2	2.75	
22	7.0	260				<2.1	2.75	
23	7.1	270				2.5	2.65	

Time: 30.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 39

Watheroo, W. Australia (30.39°S, 115.99°E)							February 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.8	295			3.1	2.95		
01	6.4	280			1.7	2.95		
02	6.5	295				2.90		
03	5.9	295				1.2		
04	(5.6)	300				1.5	2.80	
05	5.3	300					2.90	
06	---	6.0	280	---	120	1.80		3.10
07	---	7.1	250	---	105	2.65	3.0	3.25
08	(430)	8.5	245	4.8	100	3.25	3.6	3.20
09	400	>8.2	225	5.8	100	3.65	4.0	3.00
10	435	8.5	(220)	6.0	100	3.80	4.1	2.80
11	420	>8.5	(225)	6.0	100	3.85	3.8	(2.70)
12	450	>8.5	---	6.0	100	3.85	>4.2	2.70
13	450	>8.5	(250)	6.0	100	3.90		2.65
14	450	>8.5	(250)	6.0	100	3.90		2.60
15	425	>8.5	235	6.0	105	3.85	4.0	2.70
16	440	8.2	235	5.8	100	3.70	3.7	2.75
17	(440)	8.4	245	5.4	100	3.30	3.6	2.80
18	(360)	7.8	250	---	110	2.65	3.1	2.95
19	7.6	260	---	130	1.75	2.0	3.05	
20	6.0	270				1.6	2.95	
21	6.9	295				1.7	(2.85)	
22	(7.2)	300				3.0	2.85	
23	6.8	300				>3.3	2.90	

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 45 seconds.

Table 41

Canberra, Australia (35.3°S, 149.0°E)							February 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			>7.6	280		3.3	2.55	
01			7.4	275		2.2	2.55	
02			7.0	<280		1.7	2.50	
03			>6.6	280		2.2	2.55	
04			6.5	290		1.6	2.55	
05			>6.1	<290	120	1.35	2.55	
06			---	6.8	255	---	100	2.10
07			---	7.1	230	---	100	2.85
08			(450)	7.6	210	4.8	100	3.35
09			(380)	>8.6	200	5.8	100	3.60
10			420	>8.8	200	6.0	100	3.90
11			390	>9.1	200	5.8	100	4.00
12			420	>9.2	200	6.2	100	4.10
13			400	>8.8	200	6.1	100	4.20
14			395	8.8	200	6.1	100	4.20
15			450	8.7	210	5.9	100	3.85
16			440	8.7	205	5.7	100	3.65
17			(390)	8.8	220	---	100	3.20
18			---	>8.7	240	---	105	2.55
19			8.6	250	---	110	<1.60	2.2
20			>8.1	250	---	3.2	(2.55)	
21			>7.7	280	---	3.8	(2.55)	
22			>7.9	<290	---	3.4	(2.55)	
23			>7.7	275	---	3.4	(2.50)	

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 38

Brisbane, Australia (27.5°S, 152.9°E)							February 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00						8.4	285	
01						7.9	280	
02						7.5	290	
03						7.4	280	
04						7.2	300	
05						7.1	300	
06						7.7	260	
07						---	---	
08						8.8	240	
09						(520)	10.8	
10						(460)	11.0	
11						(440)	11.2	
12						(400)	11.8	
13						(420)	11.2	
14						(400)	11.4	
15						(390)	10.8	
16						(390)	11.2	
17						(480)	10.9	
18						(480)	10.4	
19						(480)	10.0	
20						(480)	9.6	
21						(480)	8.0	
22						(480)	7.2	
23						(480)	7.2	

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 40

Capetown, Union of S. Africa (34.1°S, 18.3°E)							February 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00						5.7	(275)	
01						5.2	<300	
02						5.0	<300	
03						4.8	<295	
04						4.6	<305	
05						4.2	<350	
06						4.5	310	
07						7.1	260	
08						8.7	245	
09						10.4	240	
10						10.8	225	
11						(410)	11.3	
12						(400)	11.6	
13						(400)	11.9	
14						(400)	12.0	
15						(390)	11.5	
16						(390)	11.2	
17						(480)	10.9	
18						(480)	10.4	
19						(500)	10.0	
20						(500)	9.6	
21						(500)	8.0	
22						(480)	7.2	
23						(480)	7.2	

Time: 30.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 7 seconds.

Table 42

Hobart, Tasmania (42.9°S, 147.2°E)							February 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00						6.8	300	
01						6.0	300	
02						5.6	300	
03						>4.8	300	
04						4.3	310	
05						4.2	310	
06						---	---	2.8
07						5.6	250	
08						6.3	240	
09						470	7.0	
10						480	7.6	
11						480	8.0	
12						500	>8.0	
13						480	8.2	
14						500	8.2	
15						500	7.8	
16						(500)	7.8	
17						(480)	7.6	
18						(480)	7.8	
19						(480)	8.4	
20						(480)	8.5	
21						(480)	7.8	</td

Table 43

Falkland Is. (51.7°S, 57.0°W)		February 1950							
Time		h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		8.4	350				3.8	2.30	
01		8.2	335				3.1	2.30	
02		7.7	330				3.4	2.35	
03		7.4	350				3.0	2.35	
04		7.0	355		200	----		2.30	
05	480	7.5	315	---	180	1.70	1.0	2.20	
06	460	8.3	255	---	120	2.45	3.0	2.30	
07	520	9.8	250	---	115	3.00	3.8	2.50	
00	520	10.4	250	5.4	110	3.35	4.5	2.45	
09	450	11.3	245	5.6	110	3.60	4.8	2.50	
10	440	12.0	250	6.3	105	3.80	5.2	2.50	
11	455	12.3	235	--	105	3.90	5.4	2.50	
12	400	12.4	250	6.4	110	3.80	5.5	2.60	
13	400	11.6	235	6.4	110	3.80	5.0	2.65	
14	400	10.3	240	5.9	110	3.70	4.6	2.60	
15	390	10.1	240	--	110	3.65	4.2	2.70	
16	400	9.4	250	---	110	3.50	4.0	2.70	
17		9.2	250		110	3.10	3.4	2.70	
18		9.2	250		120	2.60	3.0	2.70	
19		8.9	260		140	1.90	4.1	2.75	
20		8.4	285				3.6	2.55	
21		8.4	300				3.6	2.40	
22		8.4	310				3.4	2.30	
23		0.5	340				3.9	2.30	

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 45

Bunia, Belgian Congo (11.5°N, 30.2°E)		January 1950							
Time		h'F2	foF2	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00		260	10.1					2.48	
01		260	9.3					2.48	
02		250	9.0				1.7	2.55	
03		230	7.0				1.9	2.71	
04		260	6.0				2.4	2.59	
05		260	9.0	255	---	115	2.6	2.66	
06		260	10.6	240	---	110	3.5	3.9	2.47
07	---	11.2	230	---	110	3.9	4.1	2.10	
08	---	12.0	230	---	110	4.0	4.4	1.99	
09	490	12.8	230	---	105	4.2	4.2	2.02	
10	520	12.9	220	6.6	110	4.4		1.95	
11	575	12.4	220	---	105	4.2		1.92	
12	600	12.7	230	6.4	110	4.1		1.88	
13	560	12.7	230	6.0	110	4.0		1.91	
14	530	13.0	245	---	110	3.6	3.6	1.92	
15	565	12.6	265	---	115	3.0	3.9	1.92	
16	585	11.8	315	---	---	---	3.0	1.86	
17	430	(12.0)	---				2.2	1.74	
18	430	---					2.0	(1.80)	
19	360	(11.8)					2.4	(2.02)	
20	295	11.8					2.2	2.21	
21	275	12.8					2.0	2.34	
22	275	11.7					1.6	2.48	
23	270	10.7						2.46	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 47

Elisabethville, Belgian Congo (11.6°S, 27.5°E)		January 1950							
Time		h'F2	foF2	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00		290	0.1				1.9	2.38	
01		260	7.0				2.0	2.32	
02		260	6.7				1.6	2.24	
03		290	5.9				2.0	2.22	
04		300	6.4				1.6	2.41	
05		250	8.6	250	---	110	2.9	2.53	
06		260	10.0	240	---	105	3.6	2.42	
07		350	10.8	230	---	100	4.0	4.9	2.30
08		425	10.8	230	---	105	4.1	4.8	2.11
09		465	11.6	225	6.6	100	4.3	4.6	2.00
10		460	12.0	225	6.4	100	4.5		2.09
11		460	11.8	225	6.4	105	4.5	5.0	2.08
12		475	11.3	230	6.0	100	4.3	4.7	2.04
13		490	11.3	230	6.0	105	4.0	4.7	2.01
14		465	11.4	230	5.6	105	3.0	4.1	2.04
15		420	10.9	250	---	105	3.2	3.8	2.10
16		370	10.9	260	---	120	2.5	3.3	2.14
17		320	(10.6)	---			3.2	(2.14)	
18		325	---				2.5	----	
19		300	10.6					2.36	
20		280	9.8				2.4	2.27	
21		275	10.0				2.5	2.33	
22		270	9.0				2.9	2.28	
23		280	8.7				2.3	2.33	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 44

San Francisco, California (37.4°N, 122.2°W)		January 1950							
Time		h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00							4.7	260	
01							4.5	260	
02							4.3	260	
03							4.2	270	
04							3.9	<295	
05							3.8	<310	
06							3.8	280	
07							5.3	260	
00							9.3	230	
09							12.6	225	
10							14.0	225	
11							14.15	225	
12							13.95	220	
13							13.4	220	
14							13.4	225	
15							13.0	230	
16							12.4	230	
17							12.0	235	
18							11.35	225	
19							9.55	220	
20							8.2	230	
21							7.0	(230)	
22							5.85	(240)	
23							5.0	(255)	

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 46

Chiclayo, Peru (6.8°S, 79.0°W)		January 1950							
Time		h'F2	foF2	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00							11.4	<310	
01							11.1	300	
02							10.3	270	
03							9.5	250	
04							8.1	235	
05							6.0	240	
06							6.4	270	
07							10.0	270	
00							12.55	250	
09							13.6	230	
10							14.0	220	
11							13.5	220	
12							12.8	215	
13							(500)	210	
14							(590)	215	
15							(570)	225	
16							(525)	250	
17							13.45	265	
18							13.1	285	
19							12.3	325	
20							(11.6)	390	
21							11.6	375	
22							>11.65	350	
23							>11.6	310	

Time: 75.0°W.

Sweep: 1.0 Mc to 20.0 Mc in 1 minute 55 seconds.

Table 48

Townsville, Australia (19.3°S, 146.7°E)		January 1950							
Time		h'F2	foF2	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00							>7.5	360	
01							>7.5	355	
02							>7.0	350	
03							>6.9	(340)	
04							>7.0	340	
05							>6.5	360</td	

Table 49

Brisbane, Australia (27.5°S, 152.9°E)								January 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	8.0	330				2.40			
01	7.8	330				>2.5			
02	7.6	330				2.40			
03	7.5	320				2.40			
04	7.0	320				2.4			
05	6.8	320				2.45			
06	7.3	260	---		E	2.55	3.0	2.50	
07	(470)	8.0	250	5.0	120	3.30	4.1	2.45	
08	500	>8.4	<250	5.8	120	3.75	4.5	2.40	
09	400	>8.5	240	6.2	120	(3.90)	5.5	2.40	
10	460	>9.0	<240	6.5	120	4.15	5.3	2.40	
11	450	10.1	230	6.5	120	>4.00	5.0	2.40	
12	450	10.1	240	6.5	120	>3.95	5.0	2.40	
13	440	10.4	240	6.4	120	>4.00	5.2	2.45	
14	450	9.6	230	6.3	120	>3.90	4.8	2.40	
15	450	9.0	240	6.2	120	>3.80	4.8	2.40	
16	460	>8.6	250	5.8	120	(3.70)	4.8	2.40	
17	---	8.6	250	---	120	3.30	4.0	2.40	
18	---	8.4	290		130	<2.40	3.9	2.40	
19		>8.4	330				3.1	2.40	
20		8.5	350				2.45		
21		8.6	340				3.2	2.45	
22		8.7	330				2.8	2.45	
23		8.4	330				3.5	2.45	

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 51

Falkland Is. (51.7°S, 57.8°W)								January 1950	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	9.5	350				3.1	2.20		
01	9.2	350				3.1	2.15		
02	8.8	350				2.2	2.10		
03	8.5	385				2.0	2.05		
04	8.8	340	---		230	1.65	2.4	2.00	
05	555	9.6	280	---	130	2.40	2.6	2.05	
06	495	10.2	255	5.4	115	3.00	3.8	2.00	
07	500	10.5	250	5.6	105	3.40	5.3	2.10	
08	450	10.6	250	6.3	105	3.70	5.3	2.10	
09	485	10.8	245	6.3	105	3.90	5.9	2.10	
10	475	11.0	240	6.4	105	4.10	5.8	2.15	
11	455	11.3	240	6.4	100	4.20	5.4	2.20	
12	450	11.4	230	6.4	100	4.20	5.2	2.20	
13	450	10.8	245	6.4	100	4.20	5.4	2.30	
14	450	10.0	250	6.3	100	4.20	5.0	2.30	
15	450	9.3	250	6.1	105	4.00	5.0	2.30	
16	450	0.8	250	6.0	105	3.80	5.7	2.35	
17	425	0.3	250	5.8	105	3.40	6.0	2.45	
18	8.2	255			115	2.90	6.3	2.45	
19	8.0	290			120	2.10	5.4	2.35	
20	8.3	300	---			4.5	2.30		
21	8.0	355				4.0	2.20		
22	9.1	350				3.8	2.15		
23	9.2	350				3.4	2.15		

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 53

Budapest, Hungary (47.4°N, 19.2°E)								December 1957	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00	3.40	5.2				2.74			
01	345	5.2				2.72			
02	320	5.2				2.84			
03	310	4.9				2.90			
04	300	4.5				2.95			
05	300	4.2				2.95			
06	300	4.0				2.95			
07	270	5.4	---			3.16			
08	240	9.3	210	2.4	155	2.2	3.34		
09	240	12.7	210	2.9	130	2.6	3.34		
10	240	13.8	---		125	3.0	3.38		
11	240	14.2	---		125	3.2	3.34		
12	235	14.2	---		125	3.2	3.38		
13	240	13.8	---		125	3.2	3.34		
14	250	13.6	---		130	3.0	3.26		
15	245	13.0			135	2.6	3.30		
16	250	11.8				3.26			
17	240	10.9				3.34			
18	250	9.6				3.26			
19	250	8.7				3.26			
20	260	7.0				3.19			
21	300	5.7				2.95			
22	325	5.6				2.81			
23	320	5.2				2.84			

Time: Local.

Sweep: 1.0 Mc to 20.0 Mc in 35 seconds.

Table 50

Canberra, Australia (35.3°S, 149.0°E)								January 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00			7.4		290				3.4
01			>7.1		290				3.4
02			7.0	(320)					3.2
03			6.5	<310					2.40
04			6.3	300					2.40
05			6.0	300					2.55
06			6.5	240					2.60
07			480	7.0	215	5.0	100	3.30	2.50
09			470	>7.6	210	6.0	100	4.00	2.45
10			485	>7.7	210	6.3	100	4.15	2.35
11			470	7.7	210	6.2	100	4.25	2.40
12			450	8.6	210	6.4	100	4.25	2.45
13			475	>8.6	210	6.4	100	4.30	2.40
14			465	>8.2	215	6.3	100	4.25	2.45
15			450	8.5	210	6.0	100	4.10	2.45
16			445	8.2	210	5.8	100	3.80	2.50
17			430	>7.8	220	(5.6)	100	3.50	2.50
18			---	>7.8	240	---	100	2.90	2.55
19			7.6	280			110	1.80	2.55
20			>7.6	300					3.6
21			>7.7	(310)					(2.50)
22			>7.6	300					3.7
23			>7.7	290					(2.45)

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 52

Slough, England (51.5°N, 0.6°W)								December 1957	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00			5.2		305				2.35
01			4.9		310				2.35
02			4.5		305				2.50
03			4.2		300				2.45
04			3.9		290				2.40
05			3.6		290				2.50
06			3.4		250				2.45
07			(4.4)		245				2.45
08			8.1		245	165	1.85	2.5	2.85
09			>12.2		235	130	2.55	3.0	2.90
10			14.1		230	120	2.85	3.1	3.00
11			(14.8)		230	120	3.05	3.3	(2.95)
12			>14.6		230	120	3.10	3.3	(2.90)
13			>14.6		235	120	3.05	3.1	(2.85)
14			>14.6		235	120	2.85	3.1	2.80
15			14.3		240	130	2.50	2.5	2.85
16			13.0		235	150	1.90	2.1	2.85
17			11.4		215				2.80
18			9.2		215				2.75
19			>7.0		240				2.75
20			6.1		245				2.60
21			5.6		260				2.50
22			5.4		260				2.35
23			5.2		300				2.35

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 54

Rome, Italy (41.8°N, 12.5°E)								December 1957	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fo		

Table 55

Ibadan, Nigeria (7.4°N, 3.9°E)

December 1957

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(9.0)	295				0.9	2.35	
01	(9.3)	285				1.0	(2.50)	
02	(10.1)	260					(2.65)	
03	(9.3)	250					2.80	
04	8.7	230					2.90	
05	(7.7)	220					---	
06	8.2	285	---	140	2.00	2.5	2.70	
07	>10.1	250	---	110	3.00	6.7	(2.70)	
08	11.5	240	---	105	3.60	7.0	2.40	
09	12.3	230	---	105	4.00	7.6	2.20	
10	(12.5)	220	---	105	4.20	9.7	(2.00)	
11	12.7	215	---	105	4.30	8.8	2.05	
12	13.2	215	---	105	4.30	8.7	2.05	
13	13.0	215	6.4	105	4.25	8.8	2.00	
14	>12.5	225	(6.6)	105	4.05	9.7	1.95	
15	12.1	240	(4.2)	105	3.75	8.9	1.95	
16	>11.5	255	---	105	3.30	7.0	(1.90)	
17	10.9	290	---	110	2.40	>5.6	(1.95)	
18	(10.1)	385	<200	(1.35)			(1.90)	
19	(8.5)	480	---				(1.90)	
20	(8.5)	465					(1.95)	
21	>8.4	410					---	
22	(8.4)	350					(2.25)	
23	<8.6	310					(2.25)	

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 57

Brisbane, Australia (27.5°S, 152.9°E)

December 1957

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	8.4	320				3.0	2.40	
01	8.0	330				2.8	2.35	
02	8.0	<345				2.2	2.30	
03	7.6	<345				2.5	2.35	
04	7.5	330	---	E		2.40		
05	7.2	300	---	E		2.45		
06	(460)	7.6	250	4.4	125	2.80	3.4	2.45
07	485	8.0	250	5.4	120	3.45	4.2	2.35
08	490	8.4	240	6.0	120	>3.80	5.0	2.35
09	485	>8.5	230	6.4	120	(3.85)	5.0	2.35
10	460	>9.0	230	6.4	115	(4.10)	5.4	2.40
11	460	9.4	230	6.5	---	---	2.35	
12	465	9.6	240	6.5	---	---	2.35	
13	460	9.5	<245	6.4	110	(4.30)	2.35	
14	460	9.4	250	6.4	120	>4.20	2.35	
15	460	9.2	240	6.0	120	>4.00	4.6	2.35
16	450	8.9	250	5.8	120	(3.70)	4.4	2.40
17	---	8.5	<260	---	130	3.25	4.5	2.40
18	8.4	305			130	>2.30	4.8	2.40
19	8.4	340	---	E		3.6	2.35	
20	0.5	360				3.2	2.35	
21	8.7	360				3.0	2.40	
22	8.9	350				3.4	2.45	
23	8.9	330				3.2	2.45	

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 59

Budapest, Hungary (47.4°N, 19.2°E)

November 1957

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	320	6.3					2.84	
01	315	6.2					2.86	
02	310	6.0					2.90	
03	300	6.0					2.95	
04	290	5.8					3.06	
05	270	5.0					3.13	
06	285	5.0					3.04	
07	260	7.8	---	---			3.19	
08	240	11.2	220	2.5	140	2.5	3.34	
09	235	13.2	---	---	125	2.9	3.38	
10	235	13.9			120	3.1	3.38	
11	240	14.2			120	3.2	3.34	
12	240	14.2			120	3.4	3.38	
13	240	14.3			120	3.2	3.34	
14	245	13.6			125	3.1	3.30	
15	245	13.0			130	2.7	3.30	
16	250	12.4			140	2.5	3.20	
17	250	11.2					3.26	
18	250	10.0					3.26	
19	250	9.2					3.26	
20	265	8.2					3.16	
21	300	7.0					2.95	
22	300	6.6					2.95	
23	320	6.2					2.84	

Time: Local.

Sweep: 1.0 Mc to 20.0 Mc in 35 seconds.

Table 56

Chimbote, Peru (9.1°S, 78.6°W)

December 1957

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			9.0		350			3.6 2.30
01			8.85		330			4.2 2.40
02			>9.0		310			4.4 2.50
03			8.85		<275			4.4 2.72
04			8.2		250			4.4 2.90
05			7.2		240			4.0 2.90
06			8.6		300	(121)	2.00	4.0 2.70
07			11.4		260	119	3.05	4.7 2.60
08			13.35		250	115	3.60	4.4 2.50
09			14.0		240	115	4.10	4.5 2.40
10			14.15		230	113	4.40	2.25
11			13.9		220	7.0	113	4.50 2.10
12			(13.6)		220	6.8	115	4.50 2.02
13			13.5		220	6.5	115	4.60 2.00
14			(650)		12.8	<225	6.4	113 (4.30) 7.4 2.00
15			12.5		230	6.1	112	4.15 7.0 2.00
16			12.45		245	112	3.70	6.9 2.00
17			12.0		270	119	3.25	5.8 2.00
18			11.7		300	137	2.50	4.7 2.05
19			>11.5		345			3.1 2.10
20			(11.5)		395			(2.10)
21			>11.1		375			(2.10)
22			10.4		365			2.12
23			9.2		360			4.2 2.20

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 58

Victoria, Canada (48.4°N, 123.4°E)

November 1957

Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			5.2		250			
01			5.2		280			
02			5.2		280			
03			5.2		290			
04			5.2		290			
05			4.9		260			
06			4.6		270			
07			5.9		250			
08			9.2		220			
09			11.4		210	100	2.9	
10			13.6		200	100	3.2	
11			14.3		210	100	3.3	
12			14.2		200	100	3.5	
13			14.1		210	100	3.4	
14			14.2		210	100	3.1	
15			14.0		210	105	2.8	
16			13.8		210			
17			13.1		200			
18			11.3		200			
19			9.5		200			
20			7.8		200			
21			6.6		220			
22			6.1		220			
23			5.6		240			

Time: 120.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 60

Chimbote, Peru (9.1°S, 78.6°W)

November 1957

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			9.4		300			
01			9.5		290			
02			9.6		260			
03			9.9		250			
04			8.05		235			
05			6.75		240			
06			8.75		290			
07			11.95		260	119	3.05	5.2 2.65
08			13.9		245	119	3.65	4.0 2.50
09			14.7		235	117	4.05	6.0 2.30
10			14.0		230	117	4.30	7.0 2.15
11			14.4		225	115	4.42	7.3 2.05
12			13.7		220	<113 (4.50)	6.8	2.00
13			13.05		220	<115	4.40	7.2 2.00
14			12.8		220	115	4.25	8.3 2.00
15			12.55		230	116	4.00	8.0 2.00
16			11.9		250	115	3.60	8.0 2.00
17			11.65		270	119	3.00	6.6 (2.00)
18			>11.4		310			
19			(11.1)		305			
20			(9.3)		430			
21			(9.8)		400			</

Table 61

Time	November 1957						
	h'F2	foF2	h'F	foF1	h'E	foE	foEs (M3000)F2
00	(670)	(4.9)	320	(3.0)	100	(1.8)	2.25
01	---	4.5	320	--	107	1.9	2.30
02	(800)	4.5	310	3.4	109	(2.2)	2.25
03	(750)	(4.6)	290	3.6	107	(2.5)	2.20
04	750	(4.9)	270	3.9	105	(2.6)	2.10
05	610	(5.4)	260	4.2	102	(2.8)	2.25
06	540	(5.6)	245	(4.3)	101	(3.0)	2.20
07	510	6.6	210	4.8	101	(3.3)	2.25
08	505	6.8	230	5.0	101	(3.4)	2.25
09	570	6.7	230	4.9	101	(3.5)	2.20
10	615	(6.1)	230	4.9	101	(3.6)	2.15
11	545	6.2	230	5.1	101	(3.6)	2.20
12	550	6.6	215	5.0	101	(3.6)	2.20
13	620	6.3	215	5.0	101	3.5	2.15
14	610	6.1	220	5.0	101	3.4	2.15
15	550	6.4	230	4.9	101	3.4	2.20
16	535	6.4	240	4.6	101	(3.3)	2.25
17	530	7.0	250	4.5	101	3.0	2.20
18	545	6.4	260	4.2	103	2.9	2.25
19	470	6.6	275	3.9	107	2.7	2.30
20	440	6.4	300	(3.7)	109	2.4	2.30
21	(510)	6.0	310	(3.4)	109	2.2	2.25
22	(545)	5.4	315	(3.4)	100	2.0	2.25
23	---	4.8	325	(3.2)	107	2.0	2.20

Time: 165.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 63

Time	October 1957						
	h'F2	foF2	h'F	foF1	h'E	foE	foEs (M3000)F2
00	5.9	330					2.45
01	5.3	330					2.40
02	5.3	320					2.45
03	5.2	310					2.50
04	4.8	280	E	1.6	2.50		
05	4.7	270	E	<1.4	2.50		
06	6.7	255	1.8		2.80		
07	9.5	245	2.4	2.5	2.90		
08	11.8	240	2.8	3.1	2.90		
09	280	13.7	240	3.1	3.6	2.85	
10	260	14.1	235	5.40	3.3	3.6	2.80
11	330	14.2	240	5.90	3.4	3.6	2.75
12	310	14.1	230	5.85	3.4	3.5	2.70
13	370	14.0	240	6.45	3.3		2.70
14	320	14.0	240	6.40	3.0		2.70
15	280	13.8	240	2.6	2.6	2.70	
16	13.2	240	2.0	2.3	2.70		
17	12.2	240	1.3	2.0	2.70		
18	11.1	240	E	<1.8	2.75		
19	9.5	240	E	2.2	2.70		
20	8.3	250	E	<1.7	2.70		
21	7.3	270		<1.5	2.50		
22	6.5	290			2.45		
23	6.2	305			2.40		

Time: 30.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 30 seconds.

Table 65

Time	September 1957						
	h'F2	foF2	h'F	foF1	h'E	foE	foEs (M3000)F2
00	(5.25)	370			4.0	----	
01	(4.6)	365			3.8	(2.52)	
02	4.05	390			3.7	(2.40)	
03	4.2	390			4.3	2.55	
04	(4.6)	<400			3.8	2.48	
05	4.55	340	----	----	3.9	2.62	
06	5.8	280	----	----		2.88	
07	6.3	265	113	2.65		2.95	
08	7.4	245	----	<120	3.00	2.92	
09	7.45	250	----	119	3.32	2.80	
10	(500)	0.1	240	----	<115	3.40	2.70
11	(620)	0.5	235	----	111	(3.50)	2.65
12	(585)	0.8	240	4.7	111	3.50	2.70
13	(550)	8.65	240	4.4	111	3.45	2.68
14	(535)	8.3	240	4.6	111	3.30	2.65
15	(415)	8.6	250	----	115	3.05	2.70
16	---	8.3	265	4.4	119	2.98	2.68
17	---	6.8	280	----	121	2.58	2.75
18	7.45	305	----	129	2.60	3.0	2.75
19	(6.35)	325			3.0	(2.65)	
20	(5.9)	320			4.2	----	
21	(5.3)	330			4.3	(2.35)	
22	(5.5)	330			4.6	(2.42)	
23	(5.6)	335			4.0	----	

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 62

Time	November 1957						
	h'F2	foF2	h'F	foF1	h'E	foE	foEs (M3000)F2
00	540	5.1	300	3.6	(110)	2.4	2.50
01	(630)	5.0	300	3.7	115	2.4	2.60
02	>520	5.1	290	3.9	110	2.6	2.40
03	590	5.3	280	4.0	105	2.7	2.50
04	548	5.7	280	4.0	100	2.8	2.40
05	500	6.3	280	4.2	100	2.9	2.40
06	520	6.0	270	4.4	100	(3.0)	2.50
07	490	6.6	250	4.6	100	3.1	2.50
08	540	6.4	250	4.7	100	3.3	2.50
09	>550	6.2	240	4.9	100	3.4	2.45
10	550	6.2	240	5.0	100	3.4	2.40
11	540	6.6	240	5.2	100	3.5	2.40
12	540	6.8	240	5.0	100	3.5	2.40
13	540	7.0	250	5.0	100	3.4	2.40
14	530	6.8	240	4.9	100	3.4	2.40
15	530	6.9	250	4.9	100	3.3	2.40
16	540	6.6	250	4.7	100	3.2	2.40
17	500	7.0	260	4.7	100	3.2	2.50
18	540	7.0	260	4.4	100	3.0	2.40
19	470	7.0	260	4.2	100	2.9	2.45
20	490	6.3	280	4.2	100	2.7	2.45
21	520	6.0	290	4.0	105	2.6	2.50
22	540	5.9	290	3.9	110	2.5	2.70
23	540	5.5	290	3.8	110	2.5	2.40

Time: 165.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 63

Time	October 1957						
	h'F2	foF2	h'F	foF1	h'E	foE	foEs (M3000)F2
00	5.55	<290					2.50
01	5.4	<300					2.55
02	5.4	300					2.50
03	5.35	<300					2.50
04	5.3	<290					2.50
05	5.15	290					2.50
06	6.05	290					2.60
07	9.3	240					3.05
08	---	11.8	225				3.05
09	---	13.0	225				2.95
10	---	13.6	220				2.85
11	---	13.6	220				2.70
12	---	13.6	220				2.65
13	---	13.4	230				2.60
14	13.2	230					2.60
15	13.0	235					2.62
16	12.6	240					2.72
17	12.15	240					2.72
18	11.2	230					2.75
19	9.65	(230)					2.75
20	8.7	(240)					2.75
21	7.6	(250)					2.75
22	6.75	<260					2.70
23	6.0	(270)					2.65

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 64

Time	October 1957						
	h'F2	foF2	h'F	foF1	h'E	foE	foEs (M3000)F2
00	5.7	315					2.45
01	5.0	320					2.50
02	4.6	320					2.45
03	4.6	300					2.50
04	4.2	305					2.50
05	330	4.8	300	3.3			2.70
06	320	6.1	260	4.0			2.90
07	430	7.4	250	4.2			2.80
08	420	8.2	250	4.9			2.70
09	370	9.0	240	5.0			2.70
10	370	9.6	240	4.8			2.60
11	370	9.6	240	5.2			2.65
12	370	10.0	240	5.5			2.65
13	360	9.8	240	5.4			2.60
14	340	9.4	240	5.2			2.65
15	335	9.2	250	5.1			2.70
16	315	8.8	250	4.2			2.70
17	335	8.4	260	----			2.80
18	335	8.8	260	----			2.80
19	7.2	265					2.75
20	6.8	270					2.70
21	6.6	270					

Table 67  
Paramaribo, Surinam (5.8°N, 55.2°W)

Time	September 1957							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	17.0			3.2	2.55		
01	270	17.0			3.2	2.60		
02	260	16.7			3.2	2.70		
03	255	16.0			3.0	2.60		
04	240	14.0			3.0	3.00		
05	220	11.0			3.0	2.95		
06	230	9.0			2.4	2.85		
07	250	8.7			2.6	2.60		
08	240	7.3			3.0	2.75		
09	250	6.8			3.0	2.65		
10	245	9.6			2.4	4.2	3.00	
11	230	11.5	---	---	100	3.3	4.3	2.95
12	(220)	13.2	230	---	100	3.8		2.85
13	---	13.8	220	---	100	4.1		2.80
14	(310)	14.0	220	---	100	4.4		2.70
15	(305)	13.9	230	---	105	4.5		2.65
16	400	14.2	240	7.2	100	4.5		2.45
17	390	14.8	230	7.0	100	4.4		2.50
18	390	14.0	225	7.0	100	4.2	5.0	2.50
19	405	13.5	230	6.6	100	3.8	5.1	2.45
20	---	13.0	235	---	100	3.3	4.8	2.40
21	(200)	12.8	265	---	100	2.5	4.7	2.45
22	310	13.0				4.3		2.40
23	345	14.0				4.2		2.40

Time: 0.0°.

Sweep: 1.4 Mc to 20.0 Mc in 40 seconds.

Table 69

Time	June 1957							
	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06	300	8.0				3.10		
07	320	8.9				3.00		
08	380	10.0				2.70		
09	420	10.5				2.55		
10	440	>11.3				2.50		
11	470	12.0				2.35		
12	480	12.6				2.30		
13	500	>13.0				2.25		
14	(500)	>13.5				(2.25)		
15	---	>13.7				----		
16	---	>13.7				----		
17	(500)	(12.9)				(2.25)		
18	480	12.1				2.30		
19	440	11.6				2.50		
20	---	----				----		
21	370	9.8				2.75		
22	360	9.3				2.60		
23								

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

Table 71

Time	February 1957							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	3.9						2.50
01	320	3.7						2.55
02	320	3.7						2.50
03	310	3.5			---			2.52
04	290	3.3			---			2.32
05	280	2.9			---			2.61
06	280	3.2			---	(1.3)		2.72
07	260	5.7			120	1.7		2.99
08	250	8.4			120	2.3		3.04
09	240	10.1			120	2.6		3.03
10	240	11.4			120	3.0		2.98
11	240	12.9			120	3.0		2.99
12	230	13.0			120	3.0		2.94
13	240	13.2			120	3.0		2.94
14	240	12.8			120	2.8		2.96
15	230	12.3			120	2.5		2.97
16	230	11.4			130	2.0		3.00
17	230	10.6			130	1.4		3.04
18	220	8.7			---	E		3.00
19	230	6.8			---	---		2.95
20	250	5.5						2.81
21	260	4.5						2.64
22	300	4.3						2.56
23	300	4.0						2.51

Time: 30.0°E.

Sweep: 0.5 Mc to 20.0 Mc in 10 to 30 seconds.





Table 72

Time	February 1957							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	---						1.8
01	(260)	(9.6)						2.5
02	<290	---						---
03	(200)	---						---
04	290	---						---
05	(290)	(8.4)						2.3
06	300	(8.8)			---	---	---	2.8
07	250	(10.8)			---	---	---	(2.90)
08	250	12.4	245	---	104	3.2		2.85
09	260	13.0	225	---	108	3.6	3.8	2.75
10	340	13.5	220	---	104	(4.0)		2.70
11	360	14.2	220	6.5	102	(4.1)		2.60
12	360	15.2	210	7.0	105	(4.2)		2.60
13	360	15.1	220	7.3	104	4.1		2.60
14	370	14.8	220	7.2	105	(4.2)		2.60
15	380	13.4	230	7.0	105	(4.0)		2.55
16	380	13.5	250	6.8	110	(3.6)	4.0	2.50
17	360	12.8	250	---	110	(3.2)	3.7	2.60
18	340	(12.4)	270	---	---	---	3.7	(2.60)
19	300	(12.2)	---					3.0
20	320	(10.2)	---					3.1
21	<330	---						1.7
22	(310)	---						1.7
23	300	---						---

Time: 157.5°W.

Sweep: 1.5 Mc to 20.0 Mc in 5 minutes, manual operation.

USCOMM-NBS-8L






Fig. 5. POINT BARROW, ALASKA

71.3°N, 156.8°W

MAY 1958




Fig. 6. POINT BARROW, ALASKA

MAY 1958




Fig. 7. FAIRBANKS, ALASKA

64.9°N, 147.8°W

MAY 1958




Fig. 8. FAIRBANKS, ALASKA

MAY 1958




Fig. 9. ANCHORAGE, ALASKA  
61.2°N, 149.9°W MAY 1958




Fig. 10. ANCHORAGE, ALASKA MAY 1958




Fig. 11. NARSARSSUAK, GREENLAND  
61.2°N, 45.4°W MAY 1958




Fig. 12. NARSARSSUAK, GREENLAND MAY 1958




Fig. 13. ADAK, ALASKA  
51.9°N, 176.6°W MAY 1958




Fig. 14. ADAK, ALASKA MAY 1958




Fig. 15. ST. JOHN'S, NEWFOUNDLAND  
47.6°N, 52.7°W MAY 1958












Fig. 16. ST. JOHN'S, NEWFOUNDLAND MAY 1958








Fig. 25. BAGUIO, P. I.  
16.4°N, 120.6°E

MAY 1958




Fig. 26. BAGUIO, P. I.

MAY 1958




Fig. 27. PANAMA CANAL ZONE  
9.4°N, 79.9°W

MAY 1958




Fig. 28. PANAMA CANAL ZONE

MAY 1958




Fig. 29. HUANCAYO, PERU  
12.0°S, 75.3°W MAY 1958




Fig. 30. HUANCAYO, PERU MAY 1958




Fig. 31. FLETCHERS ICE I.  
80.0°N, 113.0°W APRIL 1958




Fig. 32. FLETCHERS ICE I. APRIL 1958




Fig. 33. FT. MONMOUTH, NEW JERSEY  
40.4°N, 74.1°W APRIL 1958




Fig. 34. FT. MONMOUTH, NEW JERSEY APRIL 1958




Fig. 35. PUERTO RICO, W.I.  
18.5°N, 67.2°W APRIL 1958
























Fig. 36. PUERTO RICO, W.I. APRIL 1958














Fig. 57. HOBART, TASMANIA

42.9°S, 147.2°E

MARCH 1958




Fig. 58. HOBART, TASMANIA

MARCH 1958




Fig. 59. MOSCOW, U.S.S.R.

55.5°N, 37.3°E

FEBRUARY 1958




Fig. 60. MOSCOW, U.S.S.R.

FEBRUARY 1958




Fig. 61. De BILT, HOLLAND

52.1°N, 5.2°E

FEBRUARY 1958




Fig. 62. De BILT, HOLLAND

FEBRUARY 1958




Fig. 63. TOKYO, JAPAN

35.7°N, 139.5°E

FEBRUARY 1958




Fig. 64. TOKYO, JAPAN

FEBRUARY 1958




Fig. 65. FORMOSA, CHINA  
25.0°N, 121.5°E FEBRUARY 1958




Fig. 66. FORMOSA, CHINA FEBRUARY 1958




Fig. 67. LEOPOLDVILLE, BELGIAN CONGO  
4.4°S, 15.2°E FEBRUARY 1958








Fig. 68. LEOPOLDVILLE, BELGIAN CONGO FEBRUARY 1958






Fig. 73. JOHANNESBURG, UNION OF S. AFRICA  
26.2°S, 28.0°E FEBRUARY 1958




Fig. 74. JOHANNESBURG, UNION OF S. AFRICA FEBRUARY 1958




Fig. 75. BRISBANE, AUSTRALIA  
27.5°S, 152.9°E FEBRUARY 1958




Fig. 76. BRISBANE, AUSTRALIA FEBRUARY 1958





Fig. 77. WATHEROO, W. AUSTRALIA  
30.3°S, 115.9°E FEBRUARY 1958



FEBRUARY 1958





Fig. 79. CAPETOWN, UNION OF S. AFRICA  
34.1°S, 18.3°E FEBRUARY 1958



FEBRUARY 1958




Fig. 81. CANBERRA, AUSTRALIA  
35.3°S, 149.0°E FEBRUARY 1958




Fig. 82. CANBERRA, AUSTRALIA FEBRUARY 1958




Fig. 83. HOBART, TASMANIA  
42.9°S, 147.2°E FEBRUARY 1958




Fig. 84. HOBART, TASMANIA FEBRUARY 1958




Fig. 85. FALKLAND IS.  
51.7°S, 57.8°W      FEBRUARY 1958




Fig. 86. FALKLAND IS.      FEBRUARY 1958





Fig. 87. SAN FRANCISCO, CALIFORNIA  
37.4°N, 122.2°W      JANUARY 1958



JANUARY 1958  
Fig. 88. SAN FRANCISCO, CALIFORNIA




Fig. 89. BUNIA, BELGIAN CONGO

1.5°N, 30.2°E

JANUARY 1958




Fig. 90. BUNIA, BELGIAN CONGO JANUARY 1958




Fig. 91. CHICLAYO, PERU

6.8°S, 79.8°W

JANUARY 1958




Fig. 92. CHICLAYO, PERU JANUARY 1958

NBS 490




Fig. 93. ELISABETHVILLE, BELGIAN CONGO  
II.  $6^{\circ}$ S,  $27.5^{\circ}$ E JANUARY 1958




Fig. 94. ELISABETHVILLE, BELGIAN CONGO JANUARY 1958




Fig. 95. TOWNSVILLE, AUSTRALIA  
I9.3 $^{\circ}$ S, 146.7 $^{\circ}$ E JANUARY 1958




Fig. 96. TOWNSVILLE, AUSTRALIA JANUARY 1958




Fig. 97. BRISBANE, AUSTRALIA  
27.5°S, 152.9°E JANUARY 1958




Fig. 98. BRISBANE, AUSTRALIA JANUARY 1958




Fig. 99. CANBERRA, AUSTRALIA  
35.3°S, 149.0°E JANUARY 1958




Fig. 100. CANBERRA, AUSTRALIA JANUARY 1958




Fig. 101. FALKLAND IS.  
51.7°S, 57.8°W JANUARY 1958




Fig. 102. FALKLAND IS. JANUARY 1958




Fig. 103. SLOUGH, ENGLAND  
51.5°N, 0.6°W DECEMBER 1957




Fig. 104. SLOUGH, ENGLAND DECEMBER 1957




Fig. 105. BUDAPEST, HUNGARY  
47.4°N, 19.2°E DECEMBER 1957




Fig. 106. BUDAPEST, HUNGARY DECEMBER 1957




Fig. 107. ROME, ITALY  
41.8°N, 12.5°E DECEMBER 1957








Fig. 108. ROME, ITALY DECEMBER 1957






Fig. 113. BRISBANE, AUSTRALIA  
27.5°S, 152.9°E DECEMBER 1957




Fig. 114. BRISBANE, AUSTRALIA DECEMBER 1957




Fig. 115. VICTORIA, CANADA  
48.4°N, 123.4°W NOVEMBER 1957




Fig. 116. VICTORIA, CANADA NOVEMBER 1957




Fig. II7. BUDAPEST, HUNGARY  
47.4°N, 19.2°E NOVEMBER 1957




Fig. II8. BUDAPEST, HUNGARY NOVEMBER 1957




Fig. II9. CHIMBOTE, PERU  
9.1°S, 78.6°W NOVEMBER 1957




Fig. II10. CHIMBOTE, PERU NOVEMBER 1957




Fig. 121. CAPE HALLETT  
72.3°S, 170.3°E NOVEMBER 1957




Fig. 122. CAPE HALLETT NOVEMBER 1957




Fig. 123. SCOTT BASE  
77.8°S, 166.8°E NOVEMBER 1957












Fig. 124. SCOTT BASE NOVEMBER 1957








Fig. 133. PARAMARIBO, SURINAM  
5.8°N , 55.2°W      SEPTEMBER 1957




Fig. 134. PARAMARIBO, SURINAM   SEPTEMBER 1957




Fig. 135. DELHI, INDIA  
28.6°N , 77.1°E      JUNE 1957




Fig. 136. DELHI, INDIA   JUNE 1957




Fig. 137. BOMBAY, INDIA  
19.0°N, 73.0°E JUNE 1957




Fig. 138. BOMBAY, INDIA JUNE 1957




Fig. 139. TIRUCHY, INDIA  
10.8°N, 78.8°E JUNE 1957








Fig. 140. TIRUCHY, INDIA JUNE 1957



Index of Tables and Graphs of Ionospheric Data

in CRPL-F169 (Part A)

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
May 1958. . . . .	2	16
Anchorage, Alaska		
May 1958. . . . .	1	15
Baguio, P. I.		
May 1958. . . . .	3	19
Bombay, India		
June 1957 . . . . .	12	47
Brisbane, Australia		
February 1958 . . . . .	7	31
January 1958. . . . .	9	37
December 1957 . . . . .	10	41
Budapest, Hungary		
December 1957 . . . . .	9	39
November 1957 . . . . .	10	42
Bunia, Belgian Congo		
January 1958. . . . .	8	35
Canberra, Australia		
March 1958. . . . .	5	26
February 1958 . . . . .	7	33
January 1958. . . . .	9	37
Cape Hallett		
November 1957 . . . . .	11	43
Capetown, Union of S. Africa		
February 1958 . . . . .	7	32
Chiclayo, Peru		
March 1958. . . . .	5	26
February 1958 . . . . .	6	30
January 1958. . . . .	8	35
Chimbote, Peru		
December 1957 . . . . .	10	40
November 1957 . . . . .	10	42
Churchill, Canada		
March 1958. . . . .	4	23
De Bilt, Holland		
February 1958 . . . . .	6	28
Delhi, India		
June 1957 . . . . .	12	46
Elisabethville, Belgian Congo		
February 1958 . . . . .	6	30
January 1958. . . . .	8	36
Fairbanks, Alaska		
May 1958. . . . .	1	14

Index (CRPL-F169 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Falkland Is.		
February 1958 . . . . .	8	34
January 1958. . . . .	9	38
Fletchers Ice I.		
April 1958. . . . .	3	20
Formosa, China		
March 1958. . . . .	5	25
February 1958 . . . . .	6	29
Ft. Monmouth, New Jersey		
May 1958. . . . .	2	17
April 1958. . . . .	3	21
Grand Bahama I.		
March 1958. . . . .	5	25
Hobart, Tasmania		
March 1958. . . . .	5	27
February 1958 . . . . .	7	33
Huancayo, Peru		
May 1958. . . . .	3	20
April 1958. . . . .	4	22
Ibadan, Nigeria		
December 1957 . . . . .	10	40
Johannesburg, Union of S. Africa		
February 1958 . . . . .	7	31
Kiruna, Sweden		
March 1958. . . . .	4	22
Leopoldville, Belgian Congo		
February 1958 . . . . .	6	29
Maui, Hawaii		
June 1958 . . . . .	1	13
Moscow, U.S.S.R.		
February 1958 . . . . .	5	27
October 1957. . . . .	11	44
September 1957. . . . .	11	45
February 1957 . . . . .	12	48
Narsarssuak, Greenland		
May 1958. . . . .	1	15
September 1957. . . . .	11	45
Okinawa I.		
May 1958. . . . .	2	18
Panama Canal Zone		
May 1958. . . . .	3	19
Paramaribo, Surinam		
September 1957. . . . .	12	46
Point Barrow, Alaska		
May 1958. . . . .	1	14

Index (CRPL-F169 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Puerto Rico, W. I.		
May 1958. . . . .	2	18
April 1958. . . . .	3	21
Rarotonga I.		
February 1957 . . . . .	12	48
Rome, Italy		
December 1957 . . . . .	9	39
St. John's, Newfoundland		
May 1958. . . . .	2	16
San Francisco, California		
January 1958. . . . .	8	34
October 1957. . . . .	11	44
Schwarzenburg, Switzerland		
March 1958. . . . .	4	24
Scott Base		
November 1957 . . . . .	11	43
Slough, England		
March 1958. . . . .	4	24
December 1957 . . . . .	9	38
Tiruchy, India		
June 1957 . . . . .	12	47
Tokyo, Japan		
February 1958 . . . . .	6	28
Townsville, Australia		
January 1958. . . . .	8	36
Upsala, Sweden		
March 1958. . . . .	4	23
Victoria, Canada		
November 1957 . . . . .	10	41
Washington, D. C.		
June 1958 . . . . .	1	13
May 1958. . . . .	2	17
Watheroo, W. Australia		
February 1958 . . . . .	7	32



---

## CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

*Daily:*

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

*Semiweekly:*

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

*Semimonthly:*

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

*Monthly:*

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Air Force, TO 31-3-28 series). On sale by Superintendent of Documents.\* Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.

(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic or other radio propagation data.

*Catalog of Data:*

A catalog of records and data on file at the U.S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder Laboratories, Boulder, Colorado, unless otherwise indicated. Please note that the F series is not generally available.

---

*Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:*

NBS Circular 462. Ionospheric Radio Propagation. \$1.25.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions. 30 cents.

NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 Megacycles. 30 cents.

NBS Circular 582. Worldwide Occurrence of Sporadic E. \$3.25.

These Circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

---

\* For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C. Price 10 cents (single copy). Subscription Price: \$1.00 a year; 25 cents additional for foreign mailing.

