

IRPL-F17

National Bureau of Standards

AUG 21 1947

## IONOSPHERIC DATA

ISSUED

JANUARY, 1946

PREPARED BY INTERSERVICE RADIO PROPAGATION LABORATORY  
National Bureau of Standards  
Washington, D.C.

National Bureau of Standards

MAY 9 1951

71285

UNPUBLISHED  
DATA  
VALIDATED  
VALIDITY

Organized under Joint U.S. Communications Board

## IONOSPHERIC DATA

### CONTENTS

TERMINOLOGY AND SCALING PRACTICES . . . . .	Page 4
MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA . . . . .	Page 6

#### Provisional data (received by telephone or telegraph)

##### December 1945

Clyde, Baffin I. (Median values) . . . . .	Table 1
Churchill, Canada (Median values) . . . . .	Table 2
St. John's, Newfoundland (Median values) . . . . .	Table 3
Ottawa, Canada (Median values) . . . . .	Table 4
Boston, Massachusetts (Median values) . . . . .	Table 5
San Francisco, California (Median values) . . . . .	Table 6
Baton Rouge, Louisiana (Median values) . . . . .	Table 7
Maui, Hawaii (Median values) . . . . .	Table 8
Trinidad, Brit. West Indies (Median values) . . . . .	Table 9
Huancayo, Peru (Median values) . . . . .	Table 10

##### November 1945

Clyde, Baffin I. (Median values) . . . . .	Table 11
Burghead, Scotland (Average values) . . . . .	Table 12
Great Baddow, England (Average values) . . . . .	Table 13
St. John's, Newfoundland (Median values) . . . . .	Table 14
Colombo, Ceylon (Average values) . . . . .	Table 15
Cape York, Australia (Median values) . . . . .	Table 16
Huancayo, Peru (Median values) . . . . .	Table 17
Rarotonga I. (Median values) . . . . .	Table 18
Brisbane, Australia (Median values) . . . . .	Table 19
Watheroo, W. Australia (Median values) . . . . .	Table 20
Capetown (Simonstown), Union of S.Africa (Average values) . . . . .	Table 21
Canberra, Australia (Median values) . . . . .	Table 22
Christchurch, N.Z. (Median values) . . . . .	Table 23
Campbell I. (Median values) . . . . .	Table 24

##### Final data

##### December 1945

Washington, D.C. (Median values) . . . . .	Table 25
	Figs. 1 and 2

Final dataNovember 1945

Churchill, Canada (Median values) . . . . .	Table 26
	Figs. 3 and 4
Prince Rupert, Canada (Median values) . . . . .	Table 27
	Figs. 5 and 6
Ottawa, Canada (Median values) . . . . .	Table 28
	Figs. 7 and 8
Boston, Massachusetts (Median values) . . . . .	Table 29
	Figs. 9 and 10
San Francisco, California (Median values) . . . . .	Table 30
	Figs. 11 and 12
Baton Rouge, Louisiana (Median values) . . . . .	Table 31
	Figs. 13 and 14
Chungking, China (Median values) . . . . .	Table 32
	Figs. 15 and 16
San Juan, Puerto Rico (Median values) . . . . .	Table 33
	Figs. 17 and 18
Trinidad, Brit. West Indies (Median values) . . . . .	Table 34
	Figs. 19 and 20

October 1945

Fairbanks, Alaska (Median values) . . . . .	Table 35
	Figs. 21 and 22
Oslo, Norway (Median values) . . . . .	Table 36
	Figs. 23 and 24
Chungking, China (Median values) . . . . .	Table 37
	Figs. 25 and 26
Christmas I. (Median values) . . . . .	Table 38
	Figs. 27 and 28
Cape York, Australia (Median values) . . . . .	Table 39
	Figs. 29 and 30
Brisbane, Australia (Median values) . . . . .	Table 40
	Figs. 31 and 32
Canberra, Australia (Median values) . . . . .	Table 41
	Figs. 33 and 34

September 1945

Peshawar, India (Average values) . . . . .	Table 42
	Figs. 35 and 36
Delhi, India (Average values) . . . . .	Table 43
	Figs. 37 and 38
Bombay, India (Average values) . . . . .	Table 44
	Figs. 39 and 40
Madras, India (Average values) . . . . .	Table 45
	Figs. 41 and 42
Colombo, Ceylon (Median values) . . . . .	Table 46
	Figs. 43 and 44
Cape York, Australia (Median values) . . . . .	Table 47
	Figs. 45 and 46

Final dataSeptember 1945 (continued)

Brisbane, Australia (Median values) . . . . . Table 48

Figs. 47 and 48

Canberra, Australia (Median values) . . . . . Table 49

Figs. 49 and 50

IONOSPHERIC DATA FOR EVERY DAY AND HOUR . . . . . Page 8

December 1945Washington, D.C.

h'F2	• •	Table 50
f°F2	• •	Tables 51 and 52
h'F1	• •	Table 53
f°F1	• •	Table 54
h'E	• •	Table 55
f°E	• •	Table 56
Es	• •	Table 57
F2-M1500	• •	Table 58
F2-M3000	• •	Table 59
F1-M3000	• •	Table 60
E-M1500	• •	Table 61

IONOSPHERE DISTURBANCES . . . . . Page 8

Ionospheric Storminess . . . . . Table 62Ionospheric character and principal storms observed  
at Washington, D.C., December 1945.Sudden Ionosphere Disturbances

None observed at Washington, D.C., during December 1945.

Radio Propagation Quality Figures, Compared with IRPL and ISIB  
Warnings, and IRPL A-Zone Forecasts.

North Atlantic and North Pacific quality figures,

November 1945, provisional . . . . . Table 63

VARIATION OF F2-LAYER CRITICAL FREQUENCIES WITH SOLAR ACTIVITY . . . Page 8

Variation of f°F2, at sunspot number

= 100, with latitude, ---

0000 local time	• .	Fig. 51
0400 local time	• .	Fig. 52
0800 local time	• .	Fig. 53
1200 local time	• .	Fig. 54
1600 local time	• .	Fig. 55
2000 local time	• .	Fig. 56

World-wide variation of yearly average $f^{\circ}F2$ , ---	sunspot number = 0, - W zone . . . . . Fig. 57
	sunspot number = 100, - W zone . . . . . Fig. 58
	sunspot number = 0, - I zone . . . . . Fig. 59
	sunspot number = 100, - I zone . . . . . Fig. 60
	sunspot number = 0, - E zone . . . . . Fig. 61
	sunspot number = 100, - E zone . . . . . Fig. 62
Nomograms for obtaining yearly-average $f^{\circ}F2$ throughout the solar cycle, ---	W zone - Figs. 63 through 79
Nomograms for obtaining yearly-average $f^{\circ}F2$ throughout the solar cycle, ---	I zone - Figs. 79 through 95
Nomograms for obtaining yearly-average $f^{\circ}F2$ throughout the solar cycle, ---	E zone - Figs. 95 through 111
ERRATA . . . . .	Page 11
INDEXES OF IONOSPHERIC DATA SINCE 1943 . . . . .	Page 11

## TERMINOLOGY AND SCALING PRACTICES

The symbols and terminology used in this report are those adopted by the International Radio Propagation Conference, and given in detail on pages 24 to 26 of the report IRPL-C61, "Report of International Radio Propagation Conference," and in the Section on "Terminology", in reports IRPL-F1, 2, 3, 4, 5.

Beginning with data reported for September, a new symbol, L, defined as follows, is adopted for use in detailed tabulations of hourly values of ionosphere characteristics observed at Washington:

L or  $l$  = critical frequency, muf, or muf factor for F1 layer omitted because no definite and abrupt change in slope of the  $h^{\circ}f$  curve occurs either for the first reflection or for any of the multiples. (See "Report of International Radio Propagation Conference," IRPL-C61, June 1944, VI 3c, p.37).

In the past, ionospheric conditions were summarized on a monthly basis by using average or mean values, for each hour of the day, for each month. However, following the recommendations of the International Radio Propagation Conference, held in Washington 17 April to 5 May 1944, beginning with data for 1 Jan. 1945, median values were used by IRPL wherever possible. Thus, median values are given for Washington, for all stations reporting directly to the IRPL, for the Canadian stations, and for all others sending in detailed tabulations to the IRPL, from which medians can be computed.

Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data existed.

The monthly median values used here are the values equalled or exceeded on half the days of the month at the given hour. The following conventions are used in determining the medians for hours when no measured values are given, because of equipment limitations and ionospheric irregularities. Symbols used are those given in the report referred to above, IAU-C61.

a. For all ionospheric characteristics:

Values missing because of A, B, C or F (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values missing because of E are counted as equal to or less than the lower limit of the recorder.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For  $f^oF2$ , as equal to or less than  $f^oF1$ .

2. For  $h'F2$ , as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing because of G are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because no Es reflections appeared, the equipment functioning normally otherwise, are counted as equal to or less than the lower limit of the recorder.

Values of fEs missing for any other reason, and values of hEs missing for any reason at all, are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D.C., are indicated by a parenthesis, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, no median value is computed, the data being considered insufficient.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, so long as there are at least five values, the median is not considered as doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

It is expected that this practice will be of assistance in evaluating the monthly median Washington data.

## MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA

The ionospheric data given here in graphical and tabular form were assembled by the Interservice Radio Propagation Laboratory for analysis and correlation, incidental to IRPL predictions of radio propagation conditions. The following are the sources of the data:

Australian Council for Scientific and Industrial Research,  
Radio Research Board, Australia:

Brisbane, Australia  
Canberra, Australia  
Cape York, Australia

British National Physical Laboratory, and Inter-Services Ionosphere Bureau:  
Slough, England  
Great Baddow, England  
Burghead, Scotland  
Delhi, India  
Capetown, Union of S. Africa  
Colombo, Ceylon

Canadian Radio Wave Propagation Committee:  
Churchill, Canada  
Ottawa, Canada  
St. John's, Newfoundland  
Prince Rupert, Canada  
Clyde, Baffin I.

New Zealand Radio Research Committee:  
Kermadec Is.  
Christchurch (Canterbury University College Observatory)  
Campbell I.  
Pitcairn I.  
Rarotonga I.

Interdepartment Ionosphere Bureau, U.S.S.R. Scientific Experimental  
Institute of Terrestrial Magnetism, Moscow, U.S.S.R.:  
Bukhta Tikhaya, U.S.S.R.  
Tomsk, U.S.S.R.  
Sverdlovsk, U.S.S.R.  
Moscow, U.S.S.R.  
Leningrad, U.S.S.R.  
Alma Ata, U.S.S.R.

Carnegie Institution of Washington (Department of Terrestrial Magnetism);  
Christmas I.  
Fairbanks, Alaska (University of Alaska, College, Alaska)  
Maui, Hawaii  
Trinidad, Brit. West Indies  
Huancayo, Peru  
Watheroo, W. Australia

United States Army Signal Corps;  
Leyte, Philippine Is.

National Bureau of Standards;  
Washington, D.C.

Stanford University;  
San Francisco, California

Louisiana State University;  
Baton Rouge, Louisiana

University of Puerto Rico;  
San Juan, P.R.

Harvard University;  
Boston, Massachusetts

The tables of "provisional data" give values as reported to the IRPL by telephone or telegraph. Any errors in these values will be corrected in later issues of the F-series reports. In final data tabulations, any omission of values previously given in provisional tabulations is indicated by a dash.

The tables and graphs of "final data" are correct for the values reported to the IRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of these errors are due to:

- a. Differences in scaling records where spread echoes are present.
- b. Omission of values where  $f^{\circ}F2$  is less than or equal to  $f^{\circ}F1$ , leading to erroneously high values of monthly average or median values.
- c. Omission of values where critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series reports, IRPL-F1, 2, 3, 4, and 5. Discrepancies between predicted and observed values are often ascribable to these effects.

## IONOSPHERIC DATA FOR EVERY DAY AND HOUR

These data, observed at Washington, D.C., follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given under "Terminology and Scaling Practices" above.

### IONOSPHERE DISTURBANCES

Table 62 presents ionosphere character figures for Washington, D.C., during December 1945, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess", together with American magnetic K-figures which are usually covariant with them.

Table 63 gives provisional radio propagation quality figures for North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, November 1945, compared with the IRPL daily radio disturbance warnings, and ISIB daily warnings, the IRPL semiweekly radio propagation forecasts for the A-zone, and the half-day American geomagnetic K-figures.

The radio propagation quality figures were prepared from radio traffic data, reported to IRPL, in the manner described in detail in report IRPL-R13, "Ionospheric and Radio Propagation Disturbances, October 1943 through February 1945," issued 24 May 1945.

### VARIATION IN F2-LAYER CRITICAL FREQUENCIES WITH SOLAR ACTIVITY

A total survey of the variation in F2-layer critical frequencies may be conveniently presented by (a) the variation with solar activity of the yearly-average  $f^oF2$ , for all locations and times of day, (b) the variation of the ratio of seasonal-average to yearly-average  $f^oF2$  with location and time of day, and (c) the variation of the distribution of daily values of  $f^oF2$  about the seasonal-average value, with location, season, and time of day, if it may be assumed that the latter two variations do not change with solar activity.

In the two immediately preceding issues of this report, discussion was presented concerning the geographic and diurnal variations in F2-layer critical frequencies (IRPL-F15, p.9, Fig. 83, et seq.) and seasonal variations in F2-layer critical frequencies (IRPL-F16, p.8, Fig. 47, et seq.). It is the purpose of the present discussion to complete the survey of average  $f^oF2$  variations by presenting their variation with solar activity [(a), above].

The variation of critical frequency with solar activity, for any regular ionospheric layer, is such that an approximately linear relationship seems to exist between the critical frequency, for any given time of day, season, and location, and the smoothed sunspot number for the corresponding time. (Cf. IRPL-R4, "Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies," IRPL-R26, "The Ionosphere as a Measure of Solar Activity."). For most locations and times of day, the slopes of the curves relating critical frequency and sunspot number are steepest for the F2 layer.

The approximate linearity of the above relationship facilitates presentation of F2-layer solar-activity variations of critical frequency in that it is completely described, for most practical purposes, by the diurnal-geographical array of yearly-average  $f^0F2$  values taken at any two convenient values of sunspot number. In the report IRPL-F15, loc. cit., latitude-variation curves were presented of  $f^0F2$  at a sunspot number of zero, obtained by extrapolation of the linear curves described above, for several hours of the day, and their principal features discussed. In similar fashion, Figs. 51 through 56 present latitude variation curves of yearly-average  $f^0F2$  for a sunspot number of 100, in which it may be noted that all of the chief features of variation noted in the corresponding curves for zero sunspot number are maintained (i.e., latitude variations due to solar altitude, longitude variations due to geomagnetic latitude variation with geographic latitude, northern and southern hemisphere differences, and maintenance of higher values in the afternoon than occur during morning hours at equal solar altitudes).

Although the estimation of values of  $f^0F2$  for zero sunspot number always involves extrapolation of the linear trend curves with sunspot number, whereas, in several cases, the values for a sunspot number of 100 may be read off the curves, the accuracy of the estimation for sunspot numbers near sunspot-maximum values, such as 100, are somewhat less than for the value of zero. This chiefly results from the reasons that (a) data from more ionospheric observing stations have been available near the recent period of low solar activity, and (b) greater uniformity in the interpretation of ionospheric records has been attained during recent years. Mimate comparison of the latitude variation curves, for corresponding hours, at sunspot numbers of zero and 100, therefore, is of doubtful significance.

Figs. 57 through 62 present the geographical-diurnal array of these values at all locations and local times of day, at sunspot numbers of zero and 100, for the three geographical zones used for the prediction charts issued in the IRPL-D series. The greatly retarded rate of decay of ionization, particularly in equatorial regions, during the afternoon, the depression of critical frequencies, particularly at night, in the auroral zones, the extremely rapid rise in ionization beginning with sunrise at ionospheric heights, and the unusual diurnal characteristics associated with locations near the geomagnetic equator, are readily seen on these charts.

It has been shown (IRPL-R11, "A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics") that the relationship between critical frequency and solar activity, measured in sunspot

numbers, is such that it may be given even more concise and vivid presentation by means of nomograms, such as those of Figs. 63 through 111, where this variation is expressed, for each zone, for every ten degrees of latitude. As previously discussed (IRPL-F11, "Ionospheric Thresholds of Solar Activity," p.8, Fig. 50 et seq.), the form of the central curve of the nomogram, being in most cases a nearly-collapsed loop, indicates fairly close approximation to the simple relationship

$$(f^{\circ}F2 - B) = f(t)(S + A)$$

where  $B$  is for most locations a small number, frequently zero,  $f(t)$  a function representing a diurnal variation,  $S$  the relative smoothed sunspot number, and  $A$  ordinarily a fairly large number, of the order of magnitude  $10^2$ , representing a threshold of solar activity in terms of (negative) sunspot numbers necessary for the formation of appreciable  $F2$ -layer ionization. Near the geomagnetic equator, there is appreciable deviation from this simple relationship. In such cases the central curve of the nomogram approximates a "figure-8" form, where the portions which show nearly straight-line characteristics may each be represented by the above relationships, but with widely varying values of  $B$  and  $A$ .

Considerable practical use may be made of this set of nomograms, if ionospheric measurements are available for any location at any time for a period of as little as a few weeks, and the corresponding smoothed sunspot number known. The yearly-average value for this sunspot number may be determined by using the appropriate nomogram, by interpolating between values determined from two adjacent nomograms, or, more accurately, by constructing a nomogram for the appropriate location from the charts, Figs. 57 through 62, after the manner described in the report IRPL-R16, "Predicted  $F2$ -layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season." If the ratio between the average observed value of  $f^{\circ}F2$  at any hour, for the month under consideration, and the yearly-average value of  $f^{\circ}F2$  for this hour, for the same smoothed sunspot number, is determined, this ratio is approximately constant throughout the solar cycle. Thus, by estimating a predicted sunspot number for any future time (Cf. IRPL-R25, "The Prediction of Solar Activity as a Basis for Predictions of Radio Propagation Phenomena") a fair prediction may easily be made for that time, if appropriate seasonal data are available, as indicated above. The yearly-average value may be predicted by means of the nomograms, then the predicted yearly-average value for each hour may be multiplied by the ratio of the monthly average to yearly average  $f^{\circ}F2$ , for the same smoothed sunspot number, obtained as described above. The result will be a reasonably good prediction of  $f^{\circ}F2$  for the time under consideration. If data covering several years' observations are available, and the average of such ratios of monthly-average to yearly-average  $f^{\circ}F2$  used, much greater accuracy may be attained.

An additional use of such nomograms, in estimating solar activity, is described in the report, IRPL-R26, "The Ionosphere as a Measure of Solar Activity."

## ERRATA

1. In the report IRPL-F16, Table 49 and Fig. 44, the time on which the Madras data for August 1945 were reported should have been given as local time instead of 97.5°E meridian time.
2. In the report IRPL-F16, it should have been noted that there were no sudden ionospheric disturbances observed at Washington, D.C., during November 1945.

## INDEXES OF IONOSPHERIC DATA SINCE 1943

The following indexes are the first of a projected series to be published in each January issue of these reports. They are designed to make possible a quick survey of any ionospheric data published in these reports or in their predecessors, since August 1943.

Previous to the issuance of these reports, tabulations were presented in the predecessor series, "Ionospheric Data", and are indicated in the index by months.

Where provisional data were published, such data have been indexed. Final data for the same month are nearly always to be found in the same issue of these reports as the graphs, and may be found quickly through the graph index. Where no provisional data were published, index numbers refer to final data.

Previous to the numbered IRPL-F series, ionospheric data graphs were presented in a supplement to the IRPL Handbook, "Radio Propagation Conditions," and are indexed by months as are the early tabulations in "Ionospheric Data."

Attention is called to the fact that errata in the tables and graphs of any issue of the F series were, when found, corrected in the "Errata" section of subsequent issues.

Index of Tabulations of Ionospheric Data for 1944-1945

Index of Graphs of Ionospheric Data for 1943-1945\*

	1943				1944												1945													
	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	
Adak, Alaska																		12	6	7	8	10	11	14	14					
Alma Ata, U.S.S.R.																								13	14	15	16			
Baton Rouge, Louisiana																								16						
Bombay, India																														
Boston, Massachusetts																														
Brisbane, Australia																														
Bukhara Tikhaya, U.S.S.R.																														
Burghhead, Scotland																														
Campbell I.																														
Canberra, Australia																														
Capetown, Union of S.Africa																			5	6										
Cape York, Australia																														
Christchurch, N.Z.																														
Christmas I.																														
Chungking, China																														
Churchill, Canada																														
Clyde, Baffin I.																														
Colombo, Ceylon																														
Delhi, India																														
Fairbanks, Alaska																														
Great Baddow, England																														
Guam I.																														
Huancayo, Peru																														
Kermadec Is.																														
Kochel, Germany																														
Kwajalein Atoll																														
Leningrad, U.S.S.R.																														
Leyte, Philippine Is.																														
Madras, India																														
Maui, Hawaii																														
Moscow, U.S.S.R.																														
Oslo, Norway																														
Ottawa, Canada																														
Peshawar, India																														
Pitcairn I.																														
Prince Rupert, Canada																														
Marotonga I.																														
Reykjavik, Iceland																														
St.John's, Newfoundland																														
San Francisco, California																														
San Juan, Puerto Rico																														
Slough, England																														
Snaithon, England																														
Spitsbergen, Norway																														
Sverdlovsk, U.S.S.R.																														
Tomsk, U.S.S.R.																														
Trinidad, Brit.W. Indies																														
Tromso, Norway																														
Victoria Beach, Canada																														
Washington, D.C.																														
Watheroo, Australia																														

\*Where more than one graph has been published, that of the F2 critical frequency has been indexed.

Table 1 (Provisional Data)

Clyde, Baffin I. (70°5'N, 68°6'W)

Time	h <sub>1</sub>	h <sub>2</sub>	20f <sub>2</sub>	h <sub>3</sub>	f <sub>1</sub>	f <sub>2</sub>	f <sub>3</sub>	R <sub>2</sub> -5000
00	2.6							
01	2.5							
02	2.3							
03	2.5							
04	2.5							
05	2.4							
06	2.6							
07	2.0							
08	3.0							
09	3.5							
10	3.6							
11	4.4							
12	4.4							
13	4.1							
14	4.3							
15	4.2							
16	3.8							
17	3.6							
18	3.2							
19	3.0							
20	2.8							
21	2.7							
22	2.6							
23	2.6							

Time: 75.0%  
Length of time sweep: 2.0 Ms to 16.0 Ms in one minute.  
Median values.

Table 3 (Provisional Data)

St. John's, Newfoundland (47°7'N, 52°7'W)

Time	h <sub>1</sub>	h <sub>2</sub>	20f <sub>2</sub>	h <sub>3</sub>	f <sub>1</sub>	f <sub>2</sub>	f <sub>3</sub>	R <sub>2</sub> -5000
00	2.4							
01	2.3							
02	2.5							
03	2.5							
04	2.5							
05	2.3							
06	2.3							
07	2.0							
08	4.7							
09	6.1							
10	7.4							
11	7.5							
12	8.7							
13	9.1							
14	8.0							
15	3.0							
16	7.2							
17	6.2							
18	5.3							
19	4.5							
20	3.9							
21	3.4							
22	2.6							
23	2.4							

Time: 52.5%  
Length of time sweep: Manual operation.  
Median values.

Table 2 (Provisional Data)

Churchill, Canada (58°8'N, 94.2'W)

Time	h <sub>1</sub>	h <sub>2</sub>	20f <sub>2</sub>	h <sub>3</sub>	f <sub>1</sub>	f <sub>2</sub>	f <sub>3</sub>	R <sub>2</sub> -5000
00	3.1							
01	3.1							
02	3.1							
03	3.1							
04	3.4							
05	3.2							
06	3.2							
07	3.1							
08	3.2							
09	3.0							
10	3.4							
11	3.4							
12	3.4							
13	3.5							
14	3.6							
15	3.4							
16	3.4							
17	3.5							
18	3.5							
19	3.4							
20	3.5							
21	3.4							
22	3.6							
23	3.3							

Time: 90.0%  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 3 (Provisional Data)

Ottawa, Canada (45.5'N, 75.8'W)

Time	h <sub>1</sub>	h <sub>2</sub>	20f <sub>2</sub>	h <sub>3</sub>	f <sub>1</sub>	f <sub>2</sub>	f <sub>3</sub>	R <sub>2</sub> -5000
00	3.2							
01	3.1							
02	3.3							
03	3.3							
04	3.5							
05	3.3							
06	3.4							
07	3.2							
08	3.4							
09	3.6							
10	3.5							
11	3.4							
12	3.4							
13	3.5							
14	3.6							
15	3.4							
16	3.4							
17	3.5							
18	3.5							
19	3.4							
20	3.5							
21	3.4							
22	3.6							
23	3.3							

Time: 90.0%  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 4 (Provisional Data)

December 1945

Time	h <sub>1</sub>	h <sub>2</sub>	20f <sub>2</sub>	h <sub>3</sub>	f <sub>1</sub>	f <sub>2</sub>	f <sub>3</sub>	R <sub>2</sub> -5000
00	2.4							
01	2.4							
02	2.4							
03	2.5							
04	2.5							
05	2.5							
06	2.6							
07	2.5							
08	2.7							
09	6.1							
10	7.4							
11	7.5							
12	8.7							
13	9.1							
14	8.0							
15	3.0							
16	7.2							
17	6.2							
18	5.3							
19	4.5							
20	3.9							
21	3.4							
22	2.6							
23	2.4							

Time: 75.0%  
Length of time sweep: Manual operation.  
Median values.

Time: 75.0%  
Length of time sweep: 1.93 Mc to 13.5 Mc. Manual operation.  
Median values.

**Table 5** (Provisional Data)

Boston, Massachusetts (42.4°N, 71.2°W) December 1945

**Table 6** (Provisional Data)

Time: 75.0%  
Length of time sweep: 0.85 Mc to 13.75 Mc in one minute.  
Median values.

Table 7 (continued)

Time	h <sup>1</sup> H2	20 <sup>2</sup>	h <sup>1</sup> P1	f <sup>0</sup> P1	h <sup>1</sup> E	f <sup>0</sup> E	72-53000
00	3.0						
01	3.5						
02	3.5						
03	3.5						
04	3.5						
05	3.0						
06	3.1						
07	5.2						
08	7.1						
09	7.4						
10	7.8						
11	8.0						
12	8.4						
13	8.3						
14	8.5						
15	8.3						
16	7.6						
17	6.5						
18	4.7						
19	3.9						
20	2.5						
21	3.2						
22	3.4						
23	3.1						

Time: 90.0<sup>0</sup> M.  
Length of time sweep: 1.9 Mc to 9.6 Mc in three minutes, thirty  
seconds.

San Francisco, California (37°42'N. 122.2°W)  
December, 1945

Time	h'F2	f'F1	h'F1	f'F2	Time	h'F2	f'F1	h'F1	f'F2
00	3.2				00	3.0			
01	3.1				01	2.9			
02	3.1				02	2.8			
03	3.4				03	2.9			
04					04	2.9			
05	3.3				05	2.8			
06	3.2				06	2.8			
07	3.1				07	2.9			
08	4.1				08	3.1			
09	6.6				09	3.4			
10	7.6				10	3.3			
11	7.7				11	3.3			
12	8.4				12	3.2			
13	8.7				13	3.2			
14	8.7				14	3.1			
15	8.2				15	3.1			
16	7.6				16	3.0			
17	7.5				17	3.0			
18	6.2				18	3.0			
19	4.2				19	3.0			
20	3.5				20	3.0			
21	2.8				21	3.0			
22	2.6				22	3.0			
23	3.0				23	2.9			

Time: 120.0%  
Length of time sweep: 0.8 Mc to 12.0 Mc in six minutes. Record centered on hour.

**Table 8** (Provisional Data)

Time	h <sup>1</sup> F2	F2	h <sup>1</sup> F1	F1	h <sup>1</sup>	F1	RMS	Y2-45000
00	250	3.5					3.0	3.1
01	250	3.5					3.1	3.1
02	240	3.5					3.2	3.2
03	220	2.8					3.3	3.3
04	210	2.6					3.0	3.0
05	200	2.0					3.0	3.0
06		2.0					3.1	3.1
07	250	4.4					3.2	3.2
08	250	7.1					3.1	3.1
09	250	9.0					3.2	3.2
10	280	10.4	230	4.7	3.2	3.1	3.1	3.1
11	270	11.2	230	4.8	3.3	3.3	3.1	3.1
12	280	11.4	210	4.9	3.3	3.3	2.9	2.9
13	300	12.6	220	5.0	3.4	3.4	3.0	3.0
14	270	12.7	230	4.9	3.3	3.3	3.0	3.0
15	260	12.4	220	4.5	3.0	3.0	3.2	3.2
16	250	10.6					4.0	4.0
17	230	8.2					2.8	2.8
18	200	6.0					3.8	3.8
19	210	4.2					3.4	3.4
20	250	3.6					3.9	3.9
21	250	4.4					3.4	3.4
22	240	4.1					3.8	3.8
23	240	3.6					3.1	3.1

Time 1 150.00%.  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 9 (Provisional Data)

Trinidad, Brit. West Indies (10.6°N, 61.2°W)						December 1945						
Time	h <sup>1</sup> F2	f <sup>2</sup> F2	h <sup>1</sup> V1	f <sup>2</sup> V1	h <sup>1</sup> E	f <sup>2</sup> E	h <sup>1</sup> S	f <sup>2</sup> S	h <sup>1</sup> T	f <sup>2</sup> T	h <sup>1</sup> M	f <sup>2</sup> M
00	260	4.2			2.8	3.1			00	7.0		
01	240	4.1			2.7	3.3	01		5.6		2.8	
02	230	3.8			2.7	3.2	02		4.4		3.0	
03	240	3.0			3.0	3.0	03		3.4		3.1	
04	260	2.9			2.7	2.8	04		4.0		3.2	
05	270	3.0			2.6	3.0	05		3.3		3.1	
06	250	3.9			2.6	3.1	06		6.6		3.1	
07	240	5.4			2.0	2.8	07		8.6		3.0	
08	250	7.6			2.7	3.5	08		9.8		2.8	
09	270	8.6			2.7	3.7	09		10.1		2.6	
10	270	9.2			2.7	3.3	10		10.0		2.4	
11	270	9.3			4.1	3.3	11		9.9		2.3	
12	280	8.9			4.9	3.5	12		9.4		2.4	
13	260	9.9			4.9	3.5	13		9.6		2.4	
14	280	9.6			220	4.8	14		10.0		2.4	
15	280	8.3			220	4.5	15		10.2		2.4	
16	270	7.8			40	3.8	16		10.3		2.5	
17	250	7.0			2.3	4.0	17		10.3		2.5	
18	230	7.0			2.3	3.7	18		10.4		2.5	
19	220	4.9			2.3	3.4	19		10.0		2.6	
20	240	4.0			2.0	3.4	20		9.2		2.4	
21	220	4.0			2.1	3.1	21		8.7		2.6	
22	280	4.1			2.7	3.0	22		8.0		2.7	
23	260	4.0			4.0	3.1	23		7.7		2.7	

Time: 60.00%  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 11 (Provisional Data)

Clyde, Baffin I (70.5°N, 68.6°W)						November, 1945						
Time	h <sup>1</sup> F2	f <sup>2</sup> F2	h <sup>1</sup> V1	f <sup>2</sup> V1	h <sup>1</sup> E	f <sup>2</sup> E	h <sup>1</sup> S	f <sup>2</sup> S	h <sup>1</sup> T	f <sup>2</sup> T	h <sup>1</sup> M	f <sup>2</sup> M
00		3.0			3.2	3.0	00		3.2		3.0	
01		3.0			3.0	3.1	01		3.0		3.0	
02		3.0			2.9	3.2	02		3.0		3.2	
03							03		3.5		3.5	
04					2.9	3.1	04		3.5		3.1	
05					3.0	3.2	05		3.5		2.9	
06					3.2	3.2	06		3.3		3.3	
07					3.4	3.2	07		3.3		3.0	
08					3.8	3.3	08		3.0		5.6	
09					4.8	3.2	09		5.6		5.6	
10					5.7	3.4	10		7.5		7.5	
11					5.6	3.3	11		7.9		7.9	
12					5.6	3.3	12		8.1		8.1	
13					5.8	3.3	13		7.8		7.8	
14					5.8	3.3	14		7.8		7.8	
15					5.4	3.3	15		7.5		7.5	
16					5.0	3.2	16		6.9		6.9	
17					5.6	3.2	17		6.5		6.5	
18					4.7	3.2	18		5.5		5.5	
19					3.8	3.2	19		4.3		4.3	
20					4.0	3.2	20		3.4		3.4	
21					3.7	3.2	21		3.0		3.0	
22					3.2	3.2	22		3.0		2.9	
23					2.9	3.1	23		2.9		2.9	

Time: 60.00%  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 11 (Provisional Data)

Burghead, Scotland (57.7°N, 3.5°W)						November, 1945						
Time	h <sup>1</sup> F2	f <sup>2</sup> F2	h <sup>1</sup> V1	f <sup>2</sup> V1	h <sup>1</sup> E	f <sup>2</sup> E	h <sup>1</sup> S	f <sup>2</sup> S	h <sup>1</sup> T	f <sup>2</sup> T	h <sup>1</sup> M	f <sup>2</sup> M
00		3.0			3.2	3.0	00		3.2		3.0	
01		3.0			3.0	3.1	01		3.0		3.0	
02		3.0			2.9	3.2	02		3.2		3.2	
03							03		3.5		3.5	
04					2.9	3.1	04		3.5		3.5	
05					3.0	3.2	05		3.5		3.5	
06					3.2	3.2	06		3.3		3.3	
07					3.4	3.2	07		3.3		3.3	
08					3.8	3.3	08		3.0		3.0	
09					4.8	3.2	09		5.6		5.6	
10					5.7	3.4	10		7.5		7.5	
11					5.6	3.3	11		7.9		7.9	
12					5.8	3.3	12		8.1		8.1	
13					5.8	3.3	13		7.8		7.8	
14					5.8	3.3	14		7.8		7.8	
15					5.4	3.3	15		7.5		7.5	
16					5.0	3.2	16		6.9		6.9	
17					5.6	3.2	17		6.5		6.5	
18					4.7	3.2	18		5.5		5.5	
19					3.8	3.2	19		4.3		4.3	
20					4.0	3.2	20		3.4		3.4	
21					3.7	3.2	21		3.0		3.0	
22					3.2	3.2	22		3.0		3.0	
23					2.9	3.1	23		2.9		2.9	

Time: 75.00%  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 12 (Provisional Data)

Huancayo, Peru (12.0°S, 75.3°W)						December, 1945						
Time	h <sup>1</sup> F2	f <sup>2</sup> F2	h <sup>1</sup> V1	f <sup>2</sup> V1	h <sup>1</sup> E	f <sup>2</sup> E	h <sup>1</sup> S	f <sup>2</sup> S	h <sup>1</sup> T	f <sup>2</sup> T	h <sup>1</sup> M	f <sup>2</sup> M
00		3.0			3.2	3.0	00		3.2		3.0	
01		3.0			3.0	3.1	01		3.0		3.0	
02		3.0			2.9	3.2	02		3.2		3.2	
03							03		3.5		3.5	
04					2.9	3.1	04		3.5		3.5	
05					3.0	3.2	05		3.5		3.5	
06					3.2	3.2	06		3.3		3.3	
07					3.4	3.2	07		3.3		3.3	
08					3.8	3.3	08		3.0		3.0	
09					4.8	3.2	09		5.6		5.6	
10					5.7	3.4	10		7.5		7.5	
11					5.6	3.3	11		7.9		7.9	
12					5.6	3.3	12		8.1		8.1	
13					5.8	3.3	13		7.8		7.8	
14					5.8	3.3	14		7.8		7.8	
15					5.4	3.3	15		7.5		7.5	
16					5.0	3.2	16		6.9		6.9	
17					5.6	3.2	17		6.5		6.5	
18					4.7	3.2	18		5.5		5.5	
19					3.8	3.2	19		4.3		4.3	
20					4.0	3.2	20		3.4		3.4	
21					3.7	3.2	21		3.0		3.0	
22					3.2	3.2	22		3.0		3.0	
23					2.9	3.1	23		2.9		2.9	

Time: 0.00%  
Length of time sweep: 1.0 Mc to 13.0 Mc. Manual operation.  
Average values.

Table 12 (Provisional Data)

Huancayo, Peru (12.0°S, 75.3°W)						November, 1945						
Time	h <sup>1</sup> F2	f <sup>2</sup> F2	h <sup>1</sup> V1	f <sup>2</sup> V1	h <sup>1</sup> E	f <sup>2</sup> E	h <sup>1</sup> S	f <sup>2</sup> S	h <sup>1</sup> T	f <sup>2</sup> T	h <sup>1</sup> M	f <sup>2</sup> M
00		3.0			3.2	3.0	00		3.2		3.0	
01		3.0			3.0	3.1	01		3.0		3.0	
02		3.0			2.9	3.2	02		3.2		3.2	
03							0					

Table 11 (Provisional Data)

Great Barrier, England (51.7°N, 0.5°E)								November, 1945				
Time	h'72	2072	h'71	2071	h'70	2070	h'69	2069	h'68	2068	h'67	2067
00	3.1	2.8	3.1	2.7	3.4	3.4	3.3	3.2	3.2	3.2	3.2	3.2
01	3.3	2.7	3.1	2.8	3.2	3.2	3.3	3.4	3.4	3.4	3.4	3.4
02	3.0	2.9	2.9	2.8	3.0	3.0	2.9	2.9	2.9	2.9	2.9	2.9
03	2.7	2.5	2.7	2.6	2.6	2.6	2.5	2.5	2.5	2.5	2.5	2.5
04	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
05	2.7	2.5	2.5	2.6	2.6	2.6	2.5	2.5	2.5	2.5	2.5	2.5
06	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
07	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
08	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
09	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1
10	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7
11	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3
12	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3
13	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9
14	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8
15	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
16	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8
17	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9
18	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1
19	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1
20	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
21	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
22	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
23	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1

Time: 0.0°.  
Length of time sweep: Manual operation.  
Average values.

Table 15 (Provisional Data)

Colombo, Ceylon (6.6°S, 80.0°E)								November, 1945				
Time	h'72	2072	h'71	2071	h'70	2070	h'69	2069	h'68	2068	h'67	2067
00	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1
01	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
02	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
03	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5
04	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
05	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
06	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
07	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6
08	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
09	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
10	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9
11	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1
12	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
13	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
14	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4
15	10.6	10.6	10.6	10.6	10.6	10.6	10.6	10.6	10.6	10.6	10.6	10.6
16	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
17	10.1	10.1	10.1	10.1	10.1	10.1	10.1	10.1	10.1	10.1	10.1	10.1
18	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
19	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
20	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
21	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
22	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6
23	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1

Time: Local.  
Length of time sweep: 2.0 Ms to 16.0 Mc in one minute.  
Average values.

Table 16 (Provisional Data)

Cape York, Australia (11.0°S, 142.4°E)								November, 1945				
Time	h'72	2072	h'71	2071	h'70	2070	h'69	2069	h'68	2068	h'67	2067
00	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
01	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1
02	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
03	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
04	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
05	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
06	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
07	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
08	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
09	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
10	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
11	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
12	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
13	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
14	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
15	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
16	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
17	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
18	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
19	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
20	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
21	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
22	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
23	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5

Time: 0.0°.  
Length of time sweep: Manual operation.  
Median values.

Time: Local.  
Length of time sweep: 2.0 Ms to 16.0 Mc in one minute.  
Average values.

Time: Local.  
Length of time sweep: 1.0 Ms to 13.0 Mc in one minute.  
Median values.

Huancayo, Peru (12°S, 75°W)

November, 1945

Sarotonga I. (21°S, 152°E)

November, 1945

Time	h <sup>1</sup> F2	f <sup>0</sup> F2	h <sup>1</sup> F1	f <sup>0</sup> F1	h <sup>1</sup> S	f <sup>0</sup> S	h <sup>1</sup> E	f <sup>0</sup> E	h <sup>1</sup> W	f <sup>0</sup> W	F2-M5000
00	5.4		2.2		0.1		10.7		9.8		
01	5.8		3.2		0.2		7.8		7.4		
02	4.5		2.0		0.3		7.0		7.4		
03	3.6		1.3		0.1		6.1		6.0		
04	3.6		1.1		0.5		6.1		6.0		
05	7.2		3.1		0.6		6.0		6.0		
06	9.3		3.1		0.7		9.3		9.3		
07	10.7		2.8		0.8		9.8		9.8		
08	11.0		2.6		0.9		10.9		11.6		
09	11.0		2.1		1.0		11.6		12.2		
10	10.2		2.1		1.1		12.2		12.3		
11	10.1		1.7		1.2		12.3		13.0		
12	-		-		1.3		13.0		13.2		
13	-		-		1.3		13.2		13.2		
14	-		-		1.1		13.2		13.2		
15	10.0		1.1		1.1		12.2		12.2		
16	9.3		1.1		1.5		12.2		12.2		
17	10.2		1.5		1.6		12.0		11.6		
18	10.5		1.5		1.7		11.6		11.2		
19	9.7		1.1		1.8		11.2		10.9		
20	9.8		1.5		1.9		10.9		10.9		
21	9.8		2.1		2.0		10.2		10.5		
22	7.9		2.1		2.2		10.5		10.5		
23	7.9		2.6		2.3		10.7		10.7		

Time: 75.0°W.  
Length of time sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Table 19 (Provisional Data)

Brisbane, Australia (27.5°S, 153.0°E)

November, 1945

Time	h <sup>1</sup> F2	f <sup>0</sup> F2	h <sup>1</sup> F1	f <sup>0</sup> F1	h <sup>1</sup> S	f <sup>0</sup> S	h <sup>1</sup> E	f <sup>0</sup> E	h <sup>1</sup> W	f <sup>0</sup> W	F2-M5000
00	7.9		3.0		0.0		5.9		5.6		2.8
01	7.5		3.1		0.1		5.6		5.2		2.9
02	6.8		2.1		0.2		4.9		4.9		2.9
03	6.3		2.0		0.3		4.6		4.6		2.9
04	6.0		3.0		0.4		5.0		5.0		3.1
05	5.9		3.2		0.5		5.8		5.8		3.1
06	6.6		3.3		0.6		6.4		6.4		3.1
07	7.2		3.2		0.7		6.9		6.9		3.0
08	7.5		3.1		0.8		7.4		7.4		3.0
09	8.7		3.0		0.9		8.0		8.0		2.9
10	9.5		3.0		1.0		8.7		8.7		2.8
11	9.9		3.0		1.1		9.2		9.2		2.8
12	10.2		3.0		1.2		9.4		9.4		2.9
13	10.2		3.0		1.3		9.4		9.4		2.9
14	9.9		3.0		1.4		9.2		9.2		2.9
15	9.7		3.1		1.5		9.0		9.0		2.9
16	9.3		3.0		1.6		8.8		8.8		2.9
17	8.9		3.1		1.7		8.6		8.6		3.0
18	9.0		3.1		1.8		8.4		8.4		3.0
19	8.6		3.0		1.9		8.0		8.0		3.0
20	8.4		2.9		2.0		7.1		7.1		2.9
21	8.2		2.9		2.1		6.1		6.1		2.8
22	8.2		2.9		2.2		6.1		6.1		2.8
23	8.2		2.9		2.3		6.0		6.0		2.8

Time: Local.  
Length of time ave: 16.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Table 20 (Provisional Data)

Matharoo, W. Australia (30.0°S, 115.0°E)

November, 1945

Time	h <sup>1</sup> F2	f <sup>0</sup> F2	h <sup>1</sup> F1	f <sup>0</sup> F1	h <sup>1</sup> S	f <sup>0</sup> S	h <sup>1</sup> E	f <sup>0</sup> E	h <sup>1</sup> W	f <sup>0</sup> W	F2-M5000
00	5.9		5.6		0.0		5.9		5.6		2.8
01	5.6		5.2		0.1		5.6		5.2		2.9
02	5.3		4.9		0.2		5.6		5.2		2.9
03	6.0		5.0		0.3		5.6		5.6		3.1
04	6.0		5.0		0.4		5.6		5.6		3.1
05	5.9		5.0		0.5		5.6		5.6		3.1
06	6.6		5.8		0.6		6.4		6.4		3.1
07	7.2		6.4		0.7		6.9		6.9		3.1
08	7.5		6.9		0.8		7.4		7.4		3.0
09	8.7		7.4		0.9		8.0		8.0		2.9
10	9.5		8.0		1.0		8.7		8.7		2.8
11	9.9		8.7		1.1		9.2		9.2		2.8
12	10.2		9.2		1.2		9.7		9.7		2.8
13	10.2		9.2		1.3		9.7		9.7		2.8
14	9.9		9.0		1.4		9.2		9.2		2.9
15	9.7		9.1		1.5		9.0		9.0		2.9
16	9.3		9.0		1.6		8.8		8.8		2.9
17	8.9		9.1		1.7		8.6		8.6		3.0
18	9.0		9.1		1.8		8.4		8.4		3.0
19	8.6		9.0		1.9		8.0		8.0		3.0
20	8.4		8.9		2.0		7.1		7.1		2.9
21	8.2		8.9		2.1		6.9		6.9		2.9
22	8.2		8.9		2.2		6.9		6.9		2.8
23	8.2		8.9		2.3		6.0		6.0		2.8

Time: Local.  
Length of time ave: 16.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Cape Town (Simonstown), Union of S. Africa

(33°59' S 18°07' E)

Time h<sub>1/2</sub> f<sub>0.2</sub> h<sub>1/2</sub> f<sub>0.1</sub> h<sub>1/2</sub> f<sub>0.0</sub> h<sub>1/2</sub> f<sub>0.0</sub>

Time	h <sub>1/2</sub>	f <sub>0.2</sub>	h <sub>1/2</sub>	f <sub>0.1</sub>	h <sub>1/2</sub>	f <sub>0.0</sub>	h <sub>1/2</sub>	f <sub>0.0</sub>
00	4.5		2.7		0.0		6.3	2.9
01	4.4		2.8		0.1		6.3	2.9
02	4.3		2.8		0.2		5.4	3.0
03	4.1		2.8		0.3		4.8	3.0
04	4.0		2.8		0.4		4.2	5.9
05	5.3		2.8		0.5		4.6	3.0
06	6.5		3.0		0.6		5.5	3.0
07	7.4		2.9		0.7		6.4	
08	8.3		2.7		0.8		6.7	
09	8.8		2.6		0.9		7.6	
10	8.5		2.6		1.0		7.8	2.9
11	10.4		2.7		1.1		8.0	2.9
12	12.4		2.7		1.2		8.1	2.9
13	10.3		2.7		1.3		8.2	2.9
14	10.2		2.7		1.4		8.0	2.9
15	9.9		2.8		1.5		8.1	2.9
16	9.4		2.8		1.6		8.0	2.9
17	9.1		2.9		1.7		8.0	2.9
18	8.6		2.9		1.8		7.8	2.9
19	7.6		2.9		1.9		7.5	3.0
20	6.6		3.0		2.0		7.1	3.0
21	5.4		2.9		2.1		6.8	2.9
22	4.8		2.8		2.2		6.8	2.9
23	4.6		2.7		2.3		6.7	3.0

Time: 15<sup>0</sup>E.  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Average values.

Table 23 (Provisional Data)

Time	h <sub>1/2</sub>	f <sub>0.2</sub>	h <sub>1/2</sub>	f <sub>0.1</sub>	h <sub>1/2</sub>	f <sub>0.0</sub>	h <sub>1/2</sub>	f <sub>0.0</sub>
00	2.0	6.5	6.5	1.6	0.0			
01	2.0	6.5	6.5	0.5	0.0			
02	2.0	5.9	2.0	4.3	0.2			
03	2.0	5.3	2.0	4.6	0.3			
04	2.0	5.0	2.0	4.9	0.4			
05	2.0	5.0	2.0	5.0	0.5			5.2
06	2.0	5.9	2.0	5.9	0.6			5.0
07	2.0	6.7	2.0	4.3	0.7			3.0
08	3.0	7.4	2.0	4.6	0.8			6.6
09	3.0	7.7	2.0	4.9	0.9			3.0
10	3.0	8.0	2.0	5.0	1.0			1.9
11	3.0	7.8	2.0	4.3	1.1			7.4
12	3.0	7.9	2.0	5.1	1.2			7.3
13	3.0	7.7	2.0	5.0	1.3			7.5
14	3.0	7.6	2.0	5.0	1.4			7.3
15	3.0	7.8	2.0	4.8	1.5			2.9
16	3.0	7.7	2.0	4.5	1.6			7.3
17	2.9	7.7	2.0	4.2	1.7			7.6
18	2.9	7.9	2.0	4.2	1.8			2.8
19	2.9	8.2	2.0	3.7	1.9			8.0
20	2.9	8.4	2.0	2.2	2.0			2.8
21	2.9	7.8	2.0	3.1	2.1			2.7
22	2.9	7.4	2.0	2.8	2.2			2.9
23	2.9	7.0	2.0	2.7	2.3			2.7

Time: Local.  
Length of time sweep: 1.6 Mc to 12.5 Mc in two minutes.  
Median values.

Table 24 (Provisional Data)

Time	h <sub>1/2</sub>	f <sub>0.2</sub>	h <sub>1/2</sub>	f <sub>0.1</sub>	h <sub>1/2</sub>	f <sub>0.0</sub>	h <sub>1/2</sub>	f <sub>0.0</sub>
00	0.0							
01	0.1							
02	0.2							
03	0.3							
04	0.4							
05	0.5							
06	2.0	6.5	6.5	2.3	0.6			
07	2.0	6.5	6.5	2.8	0.7			
08	3.0	7.4	2.0	4.6	0.8			
09	3.0	7.7	2.0	4.9	0.9			
10	3.0	8.0	2.0	5.0	1.0			
11	3.0	7.8	2.0	4.3	1.1			
12	3.0	7.9	2.0	5.1	1.2			
13	3.0	7.7	2.0	5.0	1.3			
14	3.0	7.6	2.0	5.0	1.4			
15	3.0	7.8	2.0	4.8	1.5			
16	3.0	7.7	2.0	4.5	1.6			
17	2.9	7.7	2.0	4.2	1.7			
18	2.9	7.9	2.0	4.2	1.8			
19	2.9	8.2	2.0	3.7	1.9			
20	2.9	8.4	2.0	2.2	2.0			
21	2.9	7.8	2.0	3.1	2.1			
22	2.9	7.4	2.0	2.8	2.2			
23	2.9	7.0	2.0	2.7	2.3			

Time: 172.5<sup>0</sup>E.  
Length of time sweep: 1.0 Mc to 13.0 Mc. Automatic.  
Median values.

Time: 165.0<sup>0</sup>E.  
Length of time sweep: 1.0 Mc to 15.0 Mc. Manual operation.  
Median values.

Table 25

Washington, D. C.						
Time	h 182	2052	h 171	2051	h 18	2050
00	280	2.6				
01	280	3.0	2.7	3.0	3.0	3.0
02	270	3.0	2.7	3.0	3.0	3.0
03	260	3.2	2.5	3.0	3.0	3.0
04	250	3.2	2.4	3.0	3.0	3.0
05	240	3.0	2.4	3.0	3.0	3.0
06	250	2.7	2.6	3.0	3.0	3.0
07	240	2.6	2.6	3.0	3.0	3.0
08	220	6.2	110	(1.9)	4.0	3.2
09	230	6.9	210	(3.4)	110	(2.4)
10	230	7.4	210	(3.8)	110	(2.8)
11	240	6.9	210	(4.0)	110	(3.0)
12	250	8.6	210	(4.1)	110	(3.1)
13	240	8.4	220	(4.0)	110	(3.0)
14	240	6.0	230	(3.8)	110	(2.8)
15	240	7.9	220	110	2.4	110
16	230	7.7	220	110	2.4	110
17	210	6.6				
18	220	5.5				
19	230	4.8				
20	240	3.8				
21	250	3.2				
22	260	2.8				
23	260	2.6				

Planet 75°W.  
Length of time sweep: 0.75 Mc to 11.5 Mc in 3.4 minutes supplemented  
by 0.8 Mc to 11.0 Mc in two minutes.  
Median values.

Table 27

(Corrections and additions to previously published provisional data)

Prince Rupert, Canada (54°3'N, 130°3'W) November 1945

Time	h 182	2052	h 171	2051	h 18	2050
00	270					
01	280	2.0				
02	280					
03	300					
04	290					
05	285					
06	270					
07	250					
08	210	2.6				
09	190	3.2				
10	200	7.4	160	3.3	100	2.2
11	200	160	3.4	100	2.5	2.0
12	200	180	3.8	100	2.6	2.1
13	200	180	3.7	100	2.6	2.1
14	200	180	3.9	100	2.4	2.0
15	200	190	4.0	100	2.4	2.1
16	190	180	170	170	7.9	7.9
17	180	170	170	170	7.9	7.9
18	190	170	18	230	6.8	6.8
19	190	190			19	5.5
20	200	3.0			20	4.6
21	220	2.6			21	3.9
22	250	2.6			22	3.3
23	250	2.0			23	2.9

Time 120.0°A.  
Length of time sweep: Manual operation.  
Median values.

Table 26

Churchill, Canada (56°8'N, 94°2'W)						
Time	h 182	2052	h 171	2051	h 18	2050
00	290	1.4	0.0			
01	290	4.0	0.2			
02	300	4.0	0.3			
03	300	3.0	0.4			
04	310	3.6	0.5			
05	320	3.5	0.6			
06	300	3.5	0.7			
07	290	3.5	0.8			
08	250	4.6	0.9			
09	250	7.2	1.0			
10	250	8.2	1.1			
11	240	9.0	1.2			
12	250	9.4	1.3			
13	240	9.6	1.4			
14	240	9.6	1.5			
15	230	9.6	1.6			
16	240	8.6	1.7			
17	240	7.4	1.8			
18	240	6.6	1.9			
19	240	5.7	2.0			
20	240	4.7	2.1			
21	250	2.9	2.2			
22	260	2.4	2.3			
23	260	2.0	2.1			

Time 90.0°W.  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 28

Ottawa, Canada (45°5'N, 75.8'W)						
Time	h 182	2052	h 171	2051	h 18	2050
00	290	3.0	0.0			
01	280	2.9	0.1			
02	300	2.8	0.2			
03	320	3.0	0.3			
04	280	2.9	0.4			
05	280	2.8	0.5			
06	270	2.5	0.6			
07	260	2.2	0.7			
08	230	6.4	0.8			
09	220	7.8	0.9			
10	220	8.4	1.0			
11	210	9.0	1.1			
12	210	9.6	1.2			
13	220	9.4	1.3			
14	230	9.5	1.4			
15	230	9.2	1.5			
16	230	8.8	1.6			
17	220	7.9	1.7			
18	230	6.8	1.8			
19	240	5.5	1.9			
20	250	4.6	2.0			
21	260	3.9	2.1			
22	275	3.3	2.2			
23	280	3.1	2.3			

Time 75.0°W.  
Length of time sweep: Manual operation.  
Median values.

Time 120.0°A.  
Length of time sweep: Manual operation.  
Median values.

(Corrections and additions to previously published provisional data)

Baton Rouge, Louisiana (30°59' N, 91°20' W)

November 1945

Time	h <sub>Y2</sub>	f <sub>Y2</sub>	h <sup>Y1</sup>	f <sub>Y1</sub>	h <sup>Y</sup>	f <sub>Y</sub>	h <sup>0</sup>	f <sub>0</sub>	F2-M5000
00	265								
01	270								
02	262								
03	260								
04	250								
05	240								
06	235								
07	230								
08	225								
09	230								
10	230								
11	240	9.6							
12	245								
13	240								
14	240								
15	240								
16	225								
17	215								
18	225								
19	240								
20	250								
21	250								
22	275								
23	270								

Time: 75°0'W.  
Length of time sweep: 0.85 Mc to 13.75 Mc in one minute.  
Median values.

Table 31

(Corrections and additions to previously published provisional data)

Baton Rouge, Louisiana (30°59' N, 91°20' W)

November 1945

Time	h <sub>Y2</sub>	f <sub>Y2</sub>	h <sup>Y1</sup>	f <sub>Y1</sub>	h <sup>Y</sup>	f <sub>Y</sub>	h <sup>0</sup>	f <sub>0</sub>	F2-M5000
00	280								
01	280	3.6							
02	280	3.7							
03	260								
04	260								
05	260								
06	250								
07	250								
08	240								
09	230								
10	250								
11	255								
12	255								
13	270								
14	260								
15	250								
16	240								
17	230	7.5							
18	210								
19	210								
20	250								
21	255								
22	260								
23	260								

Time: 75°0'W.  
Length of time sweep: 0.85 Mc to 13.75 Mc in one minute.  
Median values.

Table 32

Chungking, China (29°4' N, 106°8' E)

November, 1945

Time	h <sub>Y2</sub>	f <sub>Y2</sub>	h <sup>Y1</sup>	f <sub>Y1</sub>	h <sup>Y</sup>	f <sub>Y</sub>	h <sup>0</sup>	f <sub>0</sub>	F2-M5000
00	314								
01	314	1.5							
02	314	1.5							
03	314	1.5							
04	314	1.5							
05	314	1.5							
06	314	1.5							
07	314	1.5							
08	314	1.5							
09	314	1.5							
10	314	1.5							
11	314	1.5							
12	314	1.5							
13	314	1.5							
14	314	1.5							
15	314	1.5							
16	314	1.5							
17	314	1.5							
18	314	1.5							
19	314	1.5							
20	314	1.5							
21	314	1.5							
22	314	1.5							
23	314	1.5							

Time: 120°0'W.  
Length of time sweep: C-S Mc to 12 Mc in six minutes. Record centered  
on the hour.  
Median values.

Time: 90°0'W.  
Length of time sweep: 1.49 Mc to 9.8 Mc in three minutes, thirty seconds.  
Median values.

Time: 105°0' E.  
Length of time sweep: 3.3 Mc to 12.3 Mc in fifteen minutes.  
Median values.

Table 24

Table 33 San Juan, Puerto Rico ( $18^{\circ}40'N$ , $66^{\circ}10'W$ )							
September, 1945							
Time	h <sub>1</sub> F2	f <sub>1</sub> F2	h <sub>1</sub> V1	f <sub>1</sub> V1	h <sub>1</sub> E	f <sub>1</sub> E	h <sub>1</sub> G
00	4.3	3.0	3.0	3.0	00	00	00
01	4.5	3.1	3.1	3.1	01	01	01
02	4.5	3.2	3.2	3.2	02	02	02
03	4.0	3.2	3.2	3.2	03	03	03
04	3.4	3.0	3.0	3.0	04	04	04
05	3.5	2.9	2.9	2.9	05	05	05
06	3.5	2.9	2.9	2.9	06	06	06
07	2.0	2.3	2.3	2.3	07	07	07
08	2.0	2.3	2.3	2.3	08	08	08
09	250	3.6	200	3.9	09	09	09
10	270	3.7	200	3.9	10	10	10
11	270	3.5	200	3.2	11	11	11
12	270	3.6	200	3.2	12	12	12
13	260	3.4	210	3.7	13	13	13
14	270	3.2	200	3.4	14	14	14
15	255	3.0	195	4.2	15	15	15
16	230	8.6	210	3.9	16	16	16
17	210	8.1	—	—	17	17	17
18	210	7.0	—	—	18	18	18
19	220	5.0	—	—	19	19	19
20	5.2	—	—	—	20	20	20
21	4.2	—	—	—	21	21	21
22	4.2	—	—	—	22	22	22
23	4.2	—	—	—	23	23	23

Time:  $60^{\circ}0'W$ .  
Length of time sweep: Record centered on the hour.  
Median values.

Table 25

Table 34 Fairbanks, Alaska ( $64^{\circ}5'N$ , $147^{\circ}48'W$ )							
October, 1945							
Time	h <sub>1</sub> F2	f <sub>1</sub> F2	h <sub>1</sub> V1	f <sub>1</sub> V1	h <sub>1</sub> E	f <sub>1</sub> E	h <sub>1</sub> G
00	3.9	—	5.1	5.1	00	3.8	3.8
01	—	—	4.9	4.9	01	3.4	3.3
02	—	—	—	—	02	3.3	3.3
03	—	—	3.8	3.8	03	3.3	3.3
04	—	—	—	—	04	3.1	3.1
05	3.2	—	3.7	3.7	05	2.6	2.6
06	—	—	—	—	06	2.2	2.2
07	—	—	—	—	07	4.3	4.3
08	2.5	225	—	—	08	5.2	5.2
09	6.0	225	—	—	09	5.6	5.6
10	6.3	225	—	—	10	6.0	6.0
11	2.7	—	—	—	11	7.3	7.3
12	2.8	—	—	—	12	7.0	7.0
13	2.8	6.7	—	—	13	7.0	7.0
14	2.5	—	—	—	14	7.4	7.4
15	—	—	—	—	15	7.5	7.5
16	—	—	—	—	16	6.0	6.0
17	—	—	—	—	17	6.4	6.4
18	—	—	—	—	18	5.8	5.8
19	2.5	—	—	—	19	5.2	5.2
20	2.5	—	—	—	20	4.8	4.8
21	2.5	—	—	—	21	4.3	4.3
22	2.5	—	—	—	22	3.8	3.8
23	2.5	—	—	—	23	3.4	3.4

Time:  $147^{\circ}48'W$ .  
Length of time sweep: 16 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Table 26 Trinidad, Brit. West Indies ( $10^{\circ}6'N$ , $61^{\circ}2'W$ )							
November, 1945							
Time	h <sub>1</sub> F2	f <sub>1</sub> F2	h <sub>1</sub> V1	f <sub>1</sub> V1	h <sub>1</sub> E	f <sub>1</sub> E	h <sub>1</sub> G
00	3.0	3.1	3.1	3.1	00	01	01
01	3.0	3.2	3.2	3.2	01	02	02
02	3.0	3.2	3.2	3.2	02	03	03
03	3.4	3.2	3.2	3.2	03	04	04
04	3.4	3.2	3.2	3.2	04	05	05
05	3.5	2.9	2.9	2.9	05	06	06
06	3.5	2.9	2.9	2.9	06	07	07
07	2.0	3.3	3.3	3.3	07	08	08
08	2.0	3.3	3.3	3.3	08	09	09
09	250	3.7	200	3.9	09	10	10
10	270	3.5	200	3.2	10	11	11
11	270	3.6	200	3.2	11	12	12
12	270	3.6	200	3.2	12	13	13
13	270	3.7	200	3.2	13	14	14
14	270	3.6	200	3.2	14	15	15
15	270	3.6	200	3.2	15	16	16
16	270	3.6	200	3.2	16	17	17
17	270	3.6	200	3.2	17	18	18
18	270	3.6	200	3.2	18	19	19
19	270	3.6	200	3.2	19	20	20
20	270	3.6	200	3.2	20	21	21
21	270	3.6	200	3.2	21	22	22
22	270	3.6	200	3.2	22	23	23
23	270	3.6	200	3.2	23	—	—

Time:  $50^{\circ}0'W$ .  
Length of time sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Table 27

Table 27 Oslo, Norway ( $59.9^{\circ}N$ , $11.0^{\circ}E$ )							
October, 1945							
Time	h <sub>1</sub> F2	f <sub>1</sub> F2	h <sub>1</sub> V1	f <sub>1</sub> V1	h <sub>1</sub> E	f <sub>1</sub> E	h <sub>1</sub> G
00	3.9	—	5.1	5.1	00	3.8	3.8
01	—	—	4.9	4.9	01	3.4	3.3
02	—	—	—	—	02	3.3	3.3
03	—	—	3.8	3.8	03	3.1	3.1
04	—	—	—	—	04	2.6	2.6
05	—	—	—	—	05	2.2	2.2
06	—	—	—	—	06	4.3	4.3
07	—	—	—	—	07	5.2	5.2
08	2.5	225	—	—	08	5.6	5.6
09	6.0	225	—	—	09	6.0	6.0
10	6.3	225	—	—	10	6.0	6.0
11	2.7	—	—	—	11	7.3	7.3
12	2.8	—	—	—	12	7.0	7.0
13	2.8	6.7	—	—	13	7.0	7.0
14	2.5	—	—	—	14	7.4	7.4
15	—	—	—	—	15	7.5	7.5
16	—	—	—	—	16	6.0	6.0
17	—	—	—	—	17	6.4	6.4
18	—	—	—	—	18	5.8	5.8
19	2.5	—	—	—	19	5.2	5.2
20	2.5	—	—	—	20	4.8	4.8
21	2.5	—	—	—	21	4.3	4.3
22	2.5	—	—	—	22	3.8	3.8
23	2.5	—	—	—	23	3.4	3.4

Time:  $15.0^{\circ}E$ .  
Length of time sweep: 16.0 Mc to 1.63 Mc in ten minutes.  
Median values.

Table 37

(Corrections and additions to previously published provisional data)

October 1945						
Time	h <sup>0</sup> 22	f <sup>0</sup> 22	h <sup>1</sup> 22	f <sup>1</sup> 22	h <sup>2</sup> 22	f <sup>2</sup> 22
00	5.2					
01						
02						
03						
04						
C5						
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						

Time: 150°0'W.  
Length of time sweep: 2.3 Mc to 12.3 Mc in fifteen minutes.  
Median values.

Table 39

October 1945						
Time	h <sup>0</sup> 22	f <sup>0</sup> 22	h <sup>1</sup> 22	f <sup>1</sup> 22	h <sup>2</sup> 22	f <sup>2</sup> 22
00	250	8.6				
01	225	7.2				
02	225	6.0				
03	258	5.7				
04	260	4.7				
05	275	4.7				
06	275	4.9				
07	250	7.2				
08	275	9.5				
09	290	9.4	232	4.5	3.0	2.6
10	308	10.1	225	5.0	3.4	3.2
11	325	10.5	220	5.0	3.5	3.2
12	310	200	200	5.2	3.9	3.2
13	300	200	200	5.1	3.8	3.0
14	310	10.5	202	5.0	3.8	3.0
15	300	10.2	220	5.0	3.5	3.0
16	300	10.4	230	4.6	108	3.3
17	285	9.5	260	9.0	2.7	2.1
18	260	9.0	260	9.0	2.8	2.1
19	280	8.7	280	8.7	2.5	1.9
20	290	8.6	290	8.6	3.0	2.8
21	270	8.5	270	8.5	3.0	2.1
22	255	8.5	255	8.5	2.8	2.1
23	250	9.8	250	9.8	2.4	1.7

Time: 150°0'W.  
Length of time sweep: 1.0 Mc to 13.0 Mc in one minute, fifty-five seconds.  
Median values.

Table 39

October 1945						
Time	h <sup>0</sup> 22	f <sup>0</sup> 22	h <sup>1</sup> 22	f <sup>1</sup> 22	h <sup>2</sup> 22	f <sup>2</sup> 22
Christians I. (11.0°N, 157.5°W)						
Time	h <sup>0</sup> 22	f <sup>0</sup> 22	h <sup>1</sup> 22	f <sup>1</sup> 22	h <sup>2</sup> 22	f <sup>2</sup> 22
00	00	00	00	00	00	00
01	01	01	01	01	01	01
02	02	02	02	02	02	02
03	03	03	03	03	03	03
04	04	04	04	04	04	04
C5						
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						

Time: 150°0'W.  
Length of time sweep: 1.6 Mc to 12.5 Mc in 2 minutes.  
Median values.

October 1945						
Time	h <sup>0</sup> 22	f <sup>0</sup> 22	h <sup>1</sup> 22	f <sup>1</sup> 22	h <sup>2</sup> 22	f <sup>2</sup> 22
Brisbane, Australia (27.5°S, 153.0°E)						
Time	h <sup>0</sup> 22	f <sup>0</sup> 22	h <sup>1</sup> 22	f <sup>1</sup> 22	h <sup>2</sup> 22	f <sup>2</sup> 22
00	00	260	00	260	00	260
01	01	225	01	225	01	225
02	02	225	02	225	02	225
03	03	258	03	258	03	258
04	04	260	04	260	04	260
05	05	275	05	275	05	275
06	06	275	06	275	06	275
07	07	250	07	250	07	250
08	08	275	08	275	08	275
09	09	290	09	290	09	290
10	10	308	10	308	10	308
11	11	325	11	325	11	325
12	12	310	12	310	12	310
13	13	300	13	300	13	300
14	14	310	14	310	14	310
15	15	300	15	300	15	300
16	16	300	16	300	16	300
17	17	285	17	285	17	285
18	18	260	18	260	18	260
19	19	280	19	280	19	280
20	20	290	20	290	20	290
21	21	270	21	270	21	270
22	22	255	22	255	22	255
23	23	250	23	250	23	250

Time: 150°0'W.  
Length of time sweep: 2.2 Mc to 12.5 Mc in two minutes, thirty seconds.  
Median values.Time: 150°0'W.  
Length of time sweep: 1.0 Mc to 13.0 Mc in one minute, fifty-five seconds.  
Median values.Time: 150°0'W.  
Length of time sweep: 1.0 Mc to 13.0 Mc in one minute, fifty-five seconds.  
Median values.

Table 41

(Corrections and additions to previously published provisional data)  
Canberra, Australia ( $35^{\circ}3' S$ ,  $149^{\circ}0' E$ )  
October 1945

Time	h <sub>1</sub> F2	f <sub>0</sub> F2	h <sub>1</sub> F1	f <sub>0</sub> F1	h <sub>1</sub> F3	f <sub>0</sub> F3	h <sub>2</sub> -F3000
00	0.0						
01	0.5	4.0					
02	0.5						
04	280						
05	0.5						
06	6.0						
07	6.9	220					
08	7.2						
09	7.7						
10	7.2						
11	8.0						
12	300						
13	8.2	200					
13	8.1						
14							
15	7.7						
16	7.7						
17							
18							
19							
20	260						
21							
22							
23							

Time: 150.00<sup>a</sup>.  
Length of time sweep: 1.6 sec to 12.5 sec in two minutes.  
Medium velocity.  
Provisional values.

Table 43

(Corrections and additions to previously published provisional data)

Time	h <sub>1</sub> F2	f <sub>0</sub> F2	h <sub>1</sub> F1	f <sub>0</sub> F1	h <sub>1</sub> F3	f <sub>0</sub> F3	h <sub>2</sub> -F3000
00	342	4.4					
01	325	4.4					
02	318	3.9					
03	315	3.7					
04	318	3.4					
05	300	2.7					
06	325	4.6					
07	336	6.3					
08	362	7.5					
09	372	7.9					
10	406	8.4					
11	416	9.7					
12	406	10.5					
13	406	10.9					
14	412	11.1					
15	406	11.2					
16	388	11.0					
17	367	9.3					
18	360	8.1					
19	365	7.1					
20							
21	377	6.0					
22	375	5.0					
23	363	4.6					
23	355	4.5					

Time Local.  
Length of time sweep: Manual operation.  
Average values.  
Height at 0.85 f<sub>0</sub>F2.

Table 42

Peshawar, India ( $34.00^{\circ} N$ ,  $71.50^{\circ} E$ )  
September 1945

Time	h <sub>1</sub> F2	f <sub>0</sub> F2	h <sub>1</sub> F1	f <sub>0</sub> F1	h <sub>1</sub> F3	f <sub>0</sub> F3	h <sub>2</sub> -F3000
00	0.1						
01	0.2						
04	280						
05	0.5						
06	6.0						
07	6.9	220					
08	7.2						
09	7.7						
10	7.2						
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							

Table 44

Bombay, India ( $19.00^{\circ} N$ ,  $73.00^{\circ} E$ )  
September 1945

Time	h <sub>1</sub> F2	f <sub>0</sub> F2	h <sub>1</sub> F1	f <sub>0</sub> F1	h <sub>1</sub> F3	f <sub>0</sub> F3	h <sub>2</sub> -F3000
00	0.0						
01	0.1						
02	0.2						
03	0.3						
04	0.4						
05	0.5						
06	0.6						
07	0.7						
08	0.8						
09	0.9						
10	1.0						
11	1.04						
12	1.03						
13	1.02						
14	1.01						
15	1.00						
16	1.04						
17	1.07						
18	1.04						
19	1.03						
20	1.02						
21	1.01						
22	1.00						
23	0.97						

Time Local.  
Length of time sweep: Manual operation.  
Average values.  
Height at 0.85 f<sub>0</sub>F2.

Time Local.  
Length of time sweep: Manual operation.  
Average values.  
Height at 0.85 f<sub>0</sub>F2.

Time Local.  
Length of time sweep: Manual operation.  
Average values.  
Height at 0.85 f<sub>0</sub>F2.

Table 45

Madras, India ( $13.0^{\circ}\text{N}$ ,  $80.2^{\circ}\text{E}$ )

September 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}E_8$	$F2-W3000$
00		7.6				2.9		
01								
02								
03								
04		3.1						
05								
06	253	5.0						
07	307	7.4						
08	367	8.2	3.2					
09	428	8.3	3.5		2.9			
10	446	8.3	4.1					
11	452	8.2	4.2					
12	496	8.4	4.8					
13	458	8.9	7.0		2.4			
14	436	9.2	4.5					
15	410	9.6	4.3					
16	376	10.2	4.3		2.7			
17	370	10.6	4.4					
18	367	10.7						
19	347	10.3						
20	329	9.8			2.7			
21	310	9.4						
22	302	9.3						
23								

Time: Local

Length of time sweep: Manual operation.

Average values.

\*Height at 0.33  $f^{\circ}F2$ .

(Corrections and additions to previously published provisional data)

Cape York, Q., Australia ( $11.0^{\circ}\text{S}$ ,  $142.4^{\circ}\text{E}$ )

September 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}E_8$	$F2-W3000$
00	220	6.1				2.7	3.3	
01	205	4.5				2.7	3.5	
02	250	2.6				2.1	3.0	
03	290	2.4				1.8	3.0	
04	285	2.5				2.5	2.9	
05	275	2.6				2.0	3.0	
06	290	2.7				2.5	3.0	
07	250	6.0				2.1	2.9	3.3
08	275	7.6	240	4.4		2.8	3.5	3.3
09	290	9.0	225	4.6		3.2	3.8	3.2
10	300	9.4	205	4.7		3.5	3.6	3.2
11	305	9.5	200	4.8		3.5	3.8	3.0
12	300	9.7	200	4.9		3.6	4.5	3.0
13	312	9.5	200	4.8	100	3.5	4.0	3.0
14	300	9.2	190	4.8	100	3.5	3.8	3.0
15	300	8.8	200	4.8	105	3.4	3.5	3.1
16	290	8.2	210	4.4		3.1	3.7	3.1
17	275	7.9	225	4.0	110	2.7	3.1	3.1
18	260	7.5				2.0	2.9	3.0
19	250	7.3					2.7	3.0
20	260	7.5					2.8	3.0
21	250	7.5					3.0	3.1
22	250	6.9					3.0	3.0
23	250	7.0					2.2	3.2

Time:  $150^{\circ}\text{E}$ .

Length of time sweep: 1.0 Mc to 13.0 Mc in one minute, fifty-five seconds.

Median values.

Table 46

(Corrections and additions to previously published provisional data)

Colombo, Ceylon ( $6.6^{\circ}\text{N}$ ,  $80^{\circ}\text{E}$ )

September 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}E_8$	$F2-W3000$
00					5.4			
01					4.3			
02					3.5			
03					3.0			
04					2.3			
05					4.1			
06					7.3			
07					8.6			
08					8.6			
09					7.7			
10					4.7			
11					4.3			
12					7.8			
13					8.2			
14					9.2			
15					9.8			
16					10.0			
17					10.2			
18					9.1			
19					9.8			
20					8.8			
21					7.7			
22								
23								

Time: Local.

Length of time sweep: 2 Mc to 16 Mc in one minute.

Median values.

Table 47

(Corrections and additions to previously published provisional data)

Cape York, Q., Australia ( $11.0^{\circ}\text{S}$ ,  $142.4^{\circ}\text{E}$ )

September 1945

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}E_8$	$F2-W3000$
00	220	6.1			2.7	3.3		
01	205	4.5			2.7	3.5		
02	250	2.6			2.1	3.0		
03	290	2.4			1.8	3.0		
04	285	2.5			2.5	2.9		
05	275	2.6			2.0	3.0		
06	290	2.7			2.5	3.0		
07	250	6.0			2.1	2.9	3.3	
08	275	7.6	240	4.4	2.8	3.5	3.3	
09	290	9.0	225	4.6	3.2	3.8	3.2	
10	300	9.4	205	4.7	3.5	3.6	3.2	
11	305	9.5	200	4.8	3.5	3.8	3.0	
12	300	9.7	200	4.9	3.6	4.5	3.0	
13	312	9.5	200	4.8	100	3.5	4.0	3.0
14	300	9.2	190	4.8	100	3.5	3.8	3.0
15	300	8.8	200	4.8	105	3.4	3.5	3.1
16	290	8.2	210	4.4		3.1	3.7	3.1
17	275	7.9	225	4.0	110	2.7	3.1	3.1
18	260	7.5				2.0	2.9	3.0
19	250	7.3					2.7	3.0
20	260	7.5					2.8	3.0
21	250	7.5					3.0	3.1
22	250	6.9					3.0	3.0
23	250	7.0					2.2	3.2

Table 4g

(Corrections and additions to previously published provisional data)

September, 1945

Brisbane, Q., Australia (27.5°S, 153.0°E)

September, 1945

Time h<sup>1</sup> M<sup>2</sup> f<sup>1</sup> P<sup>2</sup> h<sup>1</sup> E<sup>2</sup> f<sup>1</sup> X<sup>2</sup> f<sup>1</sup> S<sup>2</sup> f<sup>1</sup> G<sup>2</sup> f<sup>1</sup> O<sup>2</sup>

Time	h <sup>1</sup> M <sup>2</sup>	f <sup>1</sup> P <sup>2</sup>	h <sup>1</sup> E <sup>2</sup>	f <sup>1</sup> X <sup>2</sup>	f <sup>1</sup> S <sup>2</sup>	f <sup>1</sup> G <sup>2</sup>	f <sup>1</sup> O <sup>2</sup>
00	270						
01					4.1		
02					4.0		
03					3.9		
04					3.5		
05					3.3		
06					3.0		
07					3.5		
08					3.6		
09					5.7		
10					270		
11	290	7.5	112	3.7	290	6.2	220
12	290	7.5			290	6.6	210
13					12	7.0	210
14					12	300	210
15					13	7.1	210
16					14	290	210
17					14	7.1	210
18					15	290	210
19					15	6.9	210
20					16	6.7	210
21					16	6.1	210
22					17	5.8	210
23					18	250	210
					19	5.5	210
					20	250	210
					21	4.6	210
					22	4.6	210
					23	260	210

Table 4g

(Corrections and additions to previously published provisional data)

September, 1945

Canberra, Australia (35.2°S, 149.0°E)

September, 1945

Time	h <sup>1</sup> P <sup>2</sup>	f <sup>1</sup> P <sup>2</sup>	h <sup>1</sup> E <sup>2</sup>	f <sup>1</sup> E <sup>2</sup>	h <sup>1</sup> X <sup>2</sup>	f <sup>1</sup> X <sup>2</sup>	h <sup>1</sup> S <sup>2</sup>	f <sup>1</sup> S <sup>2</sup>	h <sup>1</sup> G <sup>2</sup>	f <sup>1</sup> G <sup>2</sup>	h <sup>1</sup> O <sup>2</sup>	f <sup>1</sup> O <sup>2</sup>
00	270											
01					270	4.0						
02					260	3.9						
03					250	3.5						
04					260	3.3						
05					270	3.0						
06					260	3.5						
07					260	4.6						
08					270	5.7						
09					290	6.2						
10					290	6.6						
11					290	7.0						
12					300	7.1						
13					290	7.1						
14					290	6.9						
15					270	6.7						
16					270	6.1						
17					260	5.8						
18					250	5.5						
19					250	4.9						
20					260	4.6						
21					270	4.6						
22					260	4.3						
23					260	4.4						

Time 150.0°.  
Length of time sweep: 2.2 Mc to 12.5 Mc in two minutes, thirty seconds.  
Median values.

Time 150.0°.  
Length of time sweep: 1.6 Mc to 12.5 Mc in two minutes.  
Median values.

Time: 150.0°.  
Length of time sweep: 1.6 Mc to 12.5 Mc in two minutes.  
Median values.

**Washington, D. C.**  
 Ionosphere Station

**TABLE 50**  
**IONOSPHERE DATA—1**

National Bureau Of Standards  
 (Institution)

TABLE 50  
 IONOSPHERE DATA—1  
 for December 1945  
 (Month)

Records measured by: J.M.C.  
 J.J.H.

Hourly values of  $\text{hF}_{2, \text{mid}}$  for December 1945  
 (Month)

**TIME: 75° W MERIDIAN**

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	270	260	260	260	230	230	220	230	230	230	230	230	240	230	250	230	230	230	230	230	230	230	240	260	
2	280	270	270	260	240	230	220	230	230	230	230	230	230	230	240	230	230	230	230	230	230	230	230	280	
3	270	280	270	270	260	230	220	230	210	230	240	240	230	230	240	240	250	220	210	210	240	240	270	270	
4	280	250	250	260	240	240	220	230	210	220	220	230	230	230	240	230	230	220	210	210	240	250	260	280	
5	280	280	270	260	230	230	220	220	220	230	240	220	230	230	250	250	240	230	230	230	230	230	250	250	
6	240	240	270	260	260	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	270	
7	250	250	250	240	250	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	
8	(270)	270	270	260	260	220	220	(250)	210	240	230	240	230	240	240	240	240	240	240	240	240	240	240	280	
9	290	260	250	240	220	230	230	240	250	230	220	240	240	240	240	240	230	220	220	230	230	240	260	270	
10	300	(280)	280	260	240	240	240	260	240	240	220	240	240	240	240	240	240	240	240	240	240	240	240	270	
11	(290)	290	260	240	230	230	250	230	230	230	230	240	240	240	250	250	230	230	230	230	230	230	230	280	
12	(280)	250	250	240	240	220	220	240	230	230	230	240	230	230	240	240	230	230	230	230	230	230	230	270	
13	270	280	270	240	250	220	220	250	240	240	230	230	230	230	230	230	230	230	230	230	230	230	230	270	
14	340	340	340	310	310	280	280	320	290	310	280	310	280	310	360	450	550	520	380	340	260	250	250	290	(290)
15	(320)	300	300	270	270	250	250	250	270	240	240	260	260	260	260	260	260	260	260	260	260	260	260	280	
16	300	280	280	280	250	240	240	(240)	260	220	220	240	240	240	240	240	230	220	220	220	220	220	220	300	
17	280	300	300	260	240	250	240	260	250	230	230	240	240	240	240	240	230	230	230	230	230	230	230	260	
18	240	280	270	260	250	250	240	240	230	210	220	240	240	230	250	250	230	230	230	230	230	230	230	280	
19	A	280	260	260	260	270	270	250	240	220	230	220	230	(270)	240	250	240	240	240	240	(270)	300	(310)	280	
20	250	280	290	300	310	300	280	280	260	260	280	280	270	280	270	280	270	280	270	280	270	280	300	300	
21	340	340	290	290	280	(280)	300	290	270	280	270	270	250	260	250	240	230	230	240	240	240	240	240	260	
22	280	270	270	260	250	240	250	240	230	230	240	260	250	240	240	240	220	210	210	210	210	210	210	280	
23	280	280	270	270	270	270	270	230	230	220	220	240	240	240	250	250	230	230	230	230	230	230	230	(300)	
24	290	270	260	260	260	(280)	290	(300)	(280)	250	250	270	260	250	250	240	230	230	230	230	230	230	230	300	
25	280	280	260	250	240	240	250	250	230	220	240	240	240	240	240	250	250	220	210	210	210	210	210	270	
26	270	250	280	280	230	230	280	260	260	240	240	240	240	240	240	250	250	220	230	230	230	230	230	300	
27	(280)	(270)	280	260	260	(250)	240	(260)	(240)	220	220	230	240	240	240	240	240	220	220	220	220	220	220	280	
28	290	(290)	270	260	240	220	240	250	230	240	230	240	230	240	240	240	230	210	210	210	210	210	210	(270)	
29	(290)	280	260	250	260	200	(250)	280	220	230	210	250	240	230	220	220	210	210	210	210	210	210	210	(260)	
30	(280)	(280)	260	250	230	(230)	(280)	250	210	230	220	230	250	240	230	220	220	200	240	230	230	230	230	230	(280)
31	[280]	(280)	260	230	230	240	260	220	230	270	270	(240)	230	240	220	220	220	210	210	210	210	210	210	[290]	
Sum	280	280	270	260	250	240	240	250	220	230	230	240	240	240	250	250	230	210	210	210	210	210	210	280	
Median	280	280	270	260	250	240	240	250	220	230	230	240	240	240	250	250	230	210	210	210	210	210	210	280	

**Washington, D. C.** Ionosphere Station

**TABLE 51**  
**IONOSPHERE DATA—2**

(Location) **National Bureau Of Standards**

(Institution)

Hourly values of  $F_2$  in  $\text{m}$  for December 1945  
(Month)

Records measured by: J.M.C.  
J.J.H.

**TIME: 75°W MERIDIAN**

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	(3.2) <sup>f</sup>	3.3 <sup>f</sup>	(3.4) <sup>f</sup>	3.8 <sup>f</sup>	3.9 <sup>f</sup>	3.8	5.1	7.0	7.8	8.2	8.1	8.3	8.4	8.0	7.6	(7.0)	5.7	4.8	4.0	3.2	3.1	(2.9) <sup>f</sup>		
2	3.2	3.5	3.7	3.8	4.0	3.7	3.4	4.6	7.2	(8.5)	8.3	(8.8)	8.0	8.6	8.4	8.0	7.6	8.2	7.0	.5.8	5.2	3.8	2.9	
3	3.1	3.3 <sup>f</sup>	3.7 <sup>f</sup>	4.0	4.2	4.1	3.6	4.3	6.2	7.5	7.8	9.6	7.9	8.4	8.0	8.4	7.6	7.2	.5.4	4.5	3.8	3.2	2.9	
4	3.4	3.7	3.9	4.0	4.2	4.4	4.6	4.8	6.6	(8.2)	7.6	(8.3)	(8.6)	7.4 <sup>f</sup>	8.0	7.2	6.8	7.0	.5.1	3.8	3.4	(3.5) <sup>f</sup>	2.7	
5	2.7	3.1	3.4	3.6	3.7 <sup>f</sup>	3.4	2.7	(3.7) <sup>f</sup>	6.4	7.2	7.2	6.6	7.4	7.8	7.4	(6.4)	(5.6)	5.0	4.5	3.7	3.5	3.7		
6	3.4 <sup>f</sup>	3.7	(4.0)	[4.4] <sup>f</sup>	[4.1] <sup>c</sup>	4.0	4.3	5.0	7.2	8.0	8.2	8.6	9.8	8.8	8.5	(8.8)	7.4	(6.8)	.5.6	(5.0)	4.5	3.3	3.2	
7	3.7 <sup>f</sup>	3.8	3.8	3.7	3.7	3.5	3.3 <sup>f</sup>	3.8 <sup>f</sup>	6.2	6.8	8.6	8.6	8.4	8.1	8.8	8.2	(8.0)	6.2	4.7	4.4	3.8	3.1	2.8	
8	3.2	3.4	3.8	4.0	4.4	4.2	3.6	4.2	6.1	7.6	8.4	8.6	9.0	8.8	9.0	8.3	7.8	6.6	5.8	5.2	4.1	(3.3)	3.0	
9	3.0	3.6 <sup>f</sup>	4.0	4.0	3.8	3.6	3.6	4.2	6.6	6.8	8.6	8.6	(8.6)	8.8	8.6	8.4	7.5	6.0	5.1	4.9	3.8	3.3 <sup>f</sup>	3.3 <sup>f</sup>	
10	(2.5) <sup>f</sup>	(2.6) <sup>f</sup>	(2.8) <sup>f</sup>	(2.9) <sup>f</sup>	(2.7) <sup>f</sup>	(2.7) <sup>f</sup>	(2.7) <sup>f</sup>	(2.7) <sup>f</sup>	6.7	7.0	7.6	8.4	9.3	8.2	8.4	7.9	7.2	(6.2)	.5.5	4.6	3.1 <sup>f</sup>	2.2 <sup>f</sup>	2.0 <sup>f</sup>	
11	(2.4) <sup>f</sup>	(3.0) <sup>f</sup>	(3.0) <sup>f</sup>	(3.0) <sup>f</sup>	(2.9) <sup>f</sup>	(2.6) <sup>f</sup>	(2.6) <sup>f</sup>	(2.6) <sup>f</sup>	6.2	(7.1)	7.0	(6.8)	8.2	8.2	8.4	8.0	7.4	6.6	6.0	4.3	4.0	3.0	(2.7)	
12	(2.3) <sup>f</sup>	2.3 <sup>f</sup>	2.9 <sup>f</sup>	(3.4) <sup>f</sup>	(3.4) <sup>f</sup>	(3.5) <sup>f</sup>	3.2 <sup>f</sup>	3.0	3.7 <sup>f</sup>	5.9	6.8	7.2	(6.4)	8.0	8.4	7.6	6.9	(7.4)	(6.1)	5.1	(4.3)	3.3 <sup>f</sup>	2.7	
13	2.5 <sup>f</sup>	3.0 <sup>f</sup>	(2.9) <sup>f</sup>	3.2 <sup>f</sup>	3.2 <sup>f</sup>	3.1 <sup>f</sup>	3.0 <sup>f</sup>	2.7 <sup>f</sup>	3.5 <sup>f</sup>	6.4	6.8	6.6	7.9	9.2	7.8	8.4	8.8	8.6 <sup>x</sup>	9.4 <sup>x</sup>	(9.0) <sup>x</sup>	7.0 <sup>x</sup>	4.5 <sup>x</sup>	(3.4) <sup>f</sup>	
14	(2.7) <sup>f</sup>	2.4 <sup>f</sup>	(2.6) <sup>f</sup>	2.7 <sup>f</sup>	2.7 <sup>f</sup>	2.2 <sup>f</sup>	2.3 <sup>f</sup>	(2.1) <sup>f</sup>	2.6 <sup>f</sup>	4.2 <sup>f</sup>	4.8 <sup>f</sup>	4.4 <sup>f</sup>	4.3 <sup>x</sup>	4.1 <sup>x</sup>	4.1 <sup>x</sup>	4.7 <sup>x</sup>	4.8 <sup>x</sup>	5.0 <sup>x</sup>	4.8 <sup>x</sup>	4.1 <sup>x</sup>	3.4 <sup>f</sup>	2.6 <sup>f</sup>		
15	1.9 <sup>f</sup>	1.9 <sup>f</sup>	2.1 <sup>f</sup>	2.6 <sup>f</sup>	2.5 <sup>f</sup>	2.5 <sup>f</sup>	2.2 <sup>f</sup>	(3.1) <sup>f</sup>	5.2	6.6	(7.0)	7.3	7.7	7.7	8.4	7.6	(7.9)	7.8	6.6	6.0	4.3	(3.1)	(2.7)	
16	2.4 <sup>f</sup>	(2.4) <sup>f</sup>	(2.8) <sup>f</sup>	(3.0) <sup>f</sup>	(3.1) <sup>f</sup>	(3.1) <sup>f</sup>	(3.2) <sup>f</sup>	(3.2) <sup>f</sup>	6.4	6.8	7.6	8.0	9.2	8.8	7.4	7.3	8.0	7.6	(6.3)	5.1	4.3	(3.5)	3.1 <sup>f</sup>	
17	3.7 <sup>f</sup>	3.7 <sup>f</sup>	3.9 <sup>f</sup>	4.0 <sup>f</sup>	3.7 <sup>f</sup>	3.7 <sup>f</sup>	3.7 <sup>f</sup>	2.7 <sup>f</sup>	(3.7) <sup>f</sup>	6.6	7.8	8.3	9.4	9.2	8.4	(9.0)	8.4	(8.0)	6.8	6.4	(5.6)	4.8	3.7	
18	2.8 <sup>f</sup>	2.3 <sup>f</sup>	2.7 <sup>f</sup>	2.9	2.8 <sup>f</sup>	2.7 <sup>f</sup>	(3.2)	3.6 <sup>f</sup>	6.6	(6.9)	7.6 <sup>f</sup>	8.6	9.2	8.9	(8.0)	9.2	8.4	(8.0)	5.5	4.4	4.3	3.3	A A	
19	A	3.6 <sup>f</sup>	3.3 <sup>f</sup>	3.1 <sup>f</sup>	2.9 <sup>f</sup>	3.0	3.8 <sup>f</sup>	3.8 <sup>f</sup>	6.2	8.4	(8.5)	8.2	9.2	8.6	8.6	8.9	8.2	(7.8)	(6.0)	5.4	5.6	5.3	4.9	
20	(4.3)	3.7 <sup>f</sup>	3.1 <sup>f</sup>	(3.2) <sup>f</sup>	(3.2) <sup>f</sup>	(3.2) <sup>f</sup>	3.8	3.4 <sup>f</sup>	4.7	5.6	6.4	7.2	7.2	8.0	8.0	8.5	7.8	7.6	7.1	6.8	5.9	(5.0)	3.7 <sup>f</sup> (3.0)	
21	(2.0) <sup>f</sup>	2.2 <sup>f</sup>	(2.8) <sup>f</sup>	(2.9) <sup>f</sup>	(2.7) <sup>f</sup>	2.9	3.1	4.3	4.9	6.4	7.7	7.2	7.5	6.8	7.0	6.3	6.0	4.9	4.5	3.8	2.6	2.2	2.3	
22	2.3	2.7	2.7 <sup>f</sup>	3.1 <sup>f</sup>	3.2 <sup>f</sup>	3.2 <sup>f</sup>	(2.9)	(3.6) <sup>f</sup>	6.2	6.8	7.2	9.0	8.6	8.6	(8.0)	7.4	6.6	6.0	5.2	3.9	3.5	3.0	2.9	
23	2.6	2.7	2.7	2.6	2.7	2.7	3.6	(5.9)	7.2	(7.3)	(8.4)	8.6	7.5	9.0	8.1	8.3	(8.4)	7.6	7.2	5.1	3.2	3.6	3.5 <sup>f</sup>	
24	3.6	3.7	3.7	3.4 <sup>f</sup>	2.9 <sup>f</sup>	2.9 <sup>f</sup>	2.6 <sup>f</sup>	2.3 <sup>f</sup>	(2.7) <sup>f</sup>	4.5	(5.8)	(6.6)	(7.0)	8.6	7.6	(8.2)	7.6	7.7	6.6	5.2	4.2	3.3 <sup>f</sup>	2.7	
25	2.7	2.8 <sup>f</sup>	3.2 <sup>f</sup>	3.2 <sup>f</sup>	3.2 <sup>f</sup>	3.2 <sup>f</sup>	2.3 <sup>f</sup>	2.0 <sup>f</sup>	2.7 <sup>f</sup>	5.1	(6.6)	(7.6)	8.0	8.6	9.0	(9.8)	9.2	8.3	7.0	5.7	3.4	3.0 <sup>f</sup>	3.4 <sup>f</sup>	
26	2.4 <sup>f</sup>	3.3 <sup>f</sup>	3.2 <sup>f</sup>	3.9	4.0	(3.4) <sup>f</sup>	(2.1) <sup>f</sup>	5.4 <sup>f</sup>	6.5	7.1	8.2	8.4	8.4	8.0	8.5	8.4	6.7	5.4 <sup>f</sup>	(3.0)	2.5	2.4			
27	2.4 <sup>f</sup>	(2.8) <sup>f</sup>	(2.8) <sup>f</sup>	(2.8) <sup>f</sup>	(2.8) <sup>f</sup>	2.6 <sup>f</sup>	2.4 <sup>f</sup>	2.3 <sup>f</sup>	2.9 <sup>f</sup>	(5.6)	(6.9)	7.4	7.8 <sup>f</sup>	(8.2)	8.0	(8.4)	8.6	6.0	5.8	4.5	3.7	3.2	2.3	
28	2.3	2.3 <sup>f</sup>	2.4 <sup>f</sup>	2.9 <sup>f</sup>	2.6 <sup>f</sup>	2.6 <sup>f</sup>	2.7	(3.0) <sup>f</sup>	6.0	7.5	7.2	7.8	8.6	9.0	(8.2)	7.6	(7.8)	6.0	4.7	5.0	4.5	2.7	2.3 <sup>f</sup>	
29	2.1 <sup>f</sup>	2.4 <sup>f</sup>	(2.6) <sup>f</sup>	3.0 <sup>f</sup>	(3.0) <sup>f</sup>	(3.5) <sup>f</sup>	2.0 <sup>f</sup>	(2.9) <sup>f</sup>	5.8	7.6	8.6	(7.4)	7.8	8.3	(8.6)	7.2	5.6	5.3	3.5 <sup>f</sup>	(3.3)	3.2	2.2 <sup>f</sup>	2.2 <sup>f</sup>	
30	2.2	2.4	2.3 <sup>f</sup>	2.5 <sup>f</sup>	(3.1) <sup>f</sup>	2.8	2.4 <sup>f</sup>	3.0 <sup>f</sup>	5.2	6.8	6.6	5.6	8.6	8.0	(8.6)	7.2	7.6	5.8	4.9	3.8	3.2	2.6 <sup>f</sup>	2.7 <sup>f</sup>	
31	2.1 <sup>f</sup>	2.2 <sup>f</sup>	(2.8) <sup>f</sup>	(3.0) <sup>f</sup>	(2.9) <sup>f</sup>	(2.6) <sup>f</sup>	(3.1)	5.2	6.4	(6.9)	(7.0)	(8.2)	(7.2)	(7.2)	(7.2)	(7.2)	(7.2)	6.9	6.6	6.4	(5.4)	3.5	3.6	
	<b>Mean</b>	2.6	3.0	3.0	3.2	3.2	3.0	2.7	3.6	6.2	6.9	7.4	8.0	8.4	8.6	8.0	7.9	7.7	6.6	5.5	4.8	3.8	3.2	2.8

TABLE 52  
IONOSPHERE DATA-3

Washington, D.C. Ionosphere Station

(Location) National Bureau Of Standards

(Institution) Half hourly values of  $F_2$  for December 1945  
(Month)

Day	TIME: 75° W MERIDIAN												Records measured by: J.M.C. J.J.H.												
	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330	
1	3.4°	3.4°	3.6°	3.9°	3.9°	3.9°	3.9°	3.8	6.1	7.8	8.4	8.4	8.0	8.8	8.2	7.8	7.5	6.3	5.1	4.4	3.6	3.0	3.0	3.1	
2	3.3	3.5	3.8	3.8	3.6	3.5	6.2	7.7	7.6	6.8	8.6	8.0	8.5	8.8	8.4	8.2	5.9	5.5	4.5	3.2	3.0	2.7	2.7	2.9	
3	3.2	3.5	3.8	4.1	4.2	4.0	(3.2)	5.5	6.8	7.0	8.8	9.1	8.2	8.4	8.0	8.0	7.6	6.4	5.0	4.2	3.5	3.0	2.7	3.3	
4	3.6	3.8	3.8	4.2	4.3	4.7	4.9	6.0	7.4	8.0	7.0	8.6	8.2	(7.6)	7.3	7.2	(7.2)	6.2	4.4	3.6	3.2	2.9	2.6	2.6	
5	2.9	3.1	3.4	3.9	3.8	(3.0)	2.6	5.3	7.0	6.9	6.8	8.2	8.0	7.5	8.2	8.3	6.8	(6.3)	5.2	4.9	3.8	3.3	3.6	3.6	
6	3.7	(3.0)	4.4	4.1	[4.7]e	4.2	4.3	6.4	[7.3]e	7.2	8.4	(9.4)	9.0	9.1	8.4	(8.0)	6.6	6.6	(4.9)	4.9	3.8	3.0	3.5	(4.0)	
7	3.9	3.8	3.8	3.5	3.3	3.3	(3.2)	4.8	6.8	7.9	7.4	8.8	(8.5)	9.0	[8.7]e	7.5	(7.2)	4.8	5.0	(4.2)	3.8	2.9	2.9	2.9	
8	3.5	3.5	3.8	4.1	4.5	4.1	3.2	6.2	6.8	7.9	8.8	9.7	9.2	9.0	8.4	8.5	7.1	6.4	6.0	4.8	3.7	3.1	3.0	2.9	
9	4.0	3.9	4.1	4.0	3.9	3.6	3.6	5.5	(7.4)	8.0	(8.4)	8.5	9.5	9.4	9.0	7.4	6.9	5.5	5.2	4.3	3.4	3.3	3.3	3.6	
10	(2.7)†	(2.7)†	2.8°	2.9	2.8°	(2.8)†	5.0	6.4	6.8	8.2	9.0	(8.7)	8.3	8.2	(7.9)	(7.4)	5.9	5.7	3.8†	2.4†	2.1†	(2.0)†	2.0†	2.0†	
11	(2.9)†	(3.0)†	(3.0)†	(2.9)†	(2.9)†	(3.1)†	5.2	6.6	7.0	7.3	7.4	8.9	8.4	8.0	(8.0)	6.8	(6.0)	4.8	3.4	2.7	2.6†	2.2†	2.2†	2.2†	
12	2.5°	(2.6)†	(3.0)†	3.4°	3.4°	3.8°	(2.7)†	4.9	6.6	6.4	(6.8)	7.6"	8.4	7.4	7.4	7.2	(7.1)	5.7	4.5	3.7	3.1	2.7	2.6	2.5	
13	2.6°	2.5°	3.1°	3.1°	3.1°	3.0°	2.7°	5.0	6.8	(6.6)	7.6	8.5	9.6	9.6	9.5	9.8	9.8	(9.0)†	4.4°	4.5°	(3.2)†	(3.1)†	(3.1)†	(3.1)†	
14	(2.5)†	(3.0)†	(2.6)†	2.5°	(1.9)†	2.4°	2.4°	3.4°	4.4°	4.1†	4.2°	4.1†	4.1†	4.3°	4.4°	5.0°	5.0°	5.0°	4.5°	3.9°	2.9°	2.2°	1.9°	1.8°	1.8°
15	1.9.5	2.1.5	2.3.5	2.6.5	(2.6)†	2.3.5	2.3.5	2.2	4.5	6.4	6.6	7.6	7.0	8.0	8.3	6.8	7.5	6.9	6.2	5.4	(3.3)	(3.0)	2.4	2.6°	2.3°
16	2.4.5	(2.6)†	2.8°	(3.1)†	(3.0)†	(3.3)†	2.6°	4.7	7.4	6.6	7.2	9.0	9.6	9.6	7.8	7.8	8.3	6.5	5.8	5.0	3.4°	3.4°	3.1°	3.5°	
17	3.5°	4.0	4.0	3.8°	(3.5)†	3.0°	(2.9)†	4.8°	6.8	8.6	9.0	9.6	9.2	9.8	8.4	(8.0)	8.4	(6.4)	6.0	5.2	4.2	3.3	3.2	3.0	
18	2.5°	2.5°	2.9	2.9	2.7	3.0	(3.0)	4.9	(7.4)	7.4	9.6	9.0	9.1	8.8	9.6	9.4	7.6	(6.6)	5.0	4.5†	3.8	(3.3)	A	A	
19	(3.4)†	3.3°	3.2°	2.9°	3.0°	2.9°	3.0°	(5.2)	7.6	8.2	8.4	8.6	9.0	9.0	8.4	8.6	8.2	(7.2)	5.5	5.7	5.6	5.2	4.8	4.7	
20	(3.8)	3.2°	3.0°	3.0°	(3.2)†	3.5°	4.2°	4.0°	3.5°	4.0	5.2	6.0	6.6	7.4	7.8	7.6	7.8	7.4	6.8	5.6	4.2	3.1†	(3.8)†		
21	2.0.0°	(2.4)†	(2.5)†	(2.5)†	(3.1)†	2.7	3.8	4.5	5.7	6.7	(7.6)	7.2	7.0	7.3	6.4	5.2	4.6	4.2	3.0	2.3	2.2	2.2	2.3		
22	2.6	2.7	3.1°	3.2°	3.0°	2.7°	3.0	2.7	5.0	6.8	6.6	7.7	9.0	(7.8)	7.4	7.6	6.4	(5.8)	4.7	4.0	3.2	3.0	2.9	2.6	
23	2.7	2.7	2.7	2.7	2.7	2.6	2.7	2.9	4.7	7.2	7.6	7.3	9.8	8.4	8.2	8.8	7.8	(8.6)	6.0	4.1	(3.9)	3.6°	3.6°	3.6°	
24	3.7	3.5°	3.5°	3.5°	3.5°	3.7°	3.7°	3.3°	3.8	5.7	5.5	7.0	8.0	9.2	(8.4)	7.8	7.3	5.8	5.3	4.9	3.8°	3.0	2.8°	2.6	
25	2.9°	3.0°	3.2°	3.2°	3.2°	3.2°	3.2°	3.2°	4.3°	6.9	(7.4)	6.0°	9.4	9.3	9.2	9.0	(9.0)	7.6	(6.4)	4.1	3.2	3.3	3.2°	2.3°	
26	2.9°	3.2°	3.4°	3.4°	3.8	3.8	3.8	2.5°	(2.0)†	4.2°	7.3	6.9	8.2	(7.9)	8.2	8.8	8.1	7.0	5.7	4.4	(3.1)	2.6°	2.4	2.7°	
27	(2.9)†	(2.8)†	(2.9)†	(2.9)†	(2.9)†	2.4°	2.4°	2.2°	(2.2)†	4.2°	7.2	(7.0)	(7.4)	(8.5)	8.4	(8.4)	(7.4)	5.5	(5.4)	3.9	3.2	3.1	2.4	2.3	
28	2.3°	2.3°	2.5°	2.5°	2.5°	2.5°	2.5°	2.5°	4.5	6.9	(7.8)	7.0	7.6	9.0	(9.0)	7.5	7.2	5.6	(5.4)	5.1	3.5	2.3°	2.3°	2.0	
29	2.1°	2.5°	(2.8)†	(3.2)†	(3.2)†	(3.2)†	(3.2)†	(3.2)†	4.0	6.6	7.7	(8.2)	6.8	(8.6)	8.3	6.9	(6.0)	5.0	5.2	3.1°	(3.3)	2.6°	2.2	2.2	
30	2.3	2.3°	2.4°	2.4°	3.1°	3.2°	3.2°	2.6°	2.4°	4.6	5.8	6.9	(6.2)	7.2	8.6	(8.2)	8.1	(6.0)	(5.1)	4.1	(3.9)	2.7	2.5°	2.1°	
31	(2.9)†	(2.4)†	(3.0)†	(3.0)†	(2.6)†	(2.8)†	(2.8)†	2.3°	4.5	(6.1)	(6.6)	7.8	(9.0)	7.2	6.8	7.1	(6.6)	6.5	(4.4)	3.0	2.5	2.2	(2.1)		
	Middle	2.8	3.0	3.1	3.2	3.2	2.9	2.7	4.8	6.8	7.0	7.6	8.5	8.3	8.3	7.8	7.2	6.2	5.2	4.3	3.4	3.0	2.7	2.6	

Washington, D.C. Ionosphere Station

TABLE 53  
IONOSPHERE DATA-4

National Bureau Of Standards  
(Institution)

Hourly values of  $h^i F_{1m}$  for December 1945  
(Month)

TIME: 75° W MERIDIAN

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1										210	220	210	190 <sup>A</sup>	220	230											
2										220	(200)	[210] <sup>A</sup>	210	220	220											
3										[210] <sup>A</sup>	210	210	210	230	220											
4										200	190	200	220	210	210											
5										A	210	200	210	230	230											
6										210	220	210	220	220	220											
7										A	[210] <sup>A</sup>	210	200	220	220	220										
8										230	200	(200)	220	220	220	220										
9										210	(220)	230	210	200	230											
10										210	230	210	230	230	(230)	230										
11										210	(230)	(230)	210	220	220	220										
12										220	210	220	230	200	230	[220] <sup>A</sup>										
13										(220)	210	220	220	210	220											
14										300 <sup>K</sup>	270 <sup>K</sup>	250 <sup>K</sup>	(260) <sup>K</sup>	230 <sup>K</sup>	270 <sup>K</sup>	250 <sup>K</sup>	260 <sup>K</sup>									
15										A	250	240	230	220	220	240										
16										180	(230) <sup>A</sup>	[230] <sup>A</sup>	240	220	220	220	A									
17										210	230	[220] <sup>A</sup>	[220] <sup>A</sup>	[230] <sup>A</sup>	[230] <sup>A</sup>	240	A									
18											220	[220] <sup>A</sup>	[220] <sup>A</sup>	[220] <sup>A</sup>	A	A										
19										210	A	A	A	210	220											
20										210	(250)	220	220	250	250	C										
21										240	220 <sup>H</sup>	220 <sup>H</sup>	220	230	220											
22										A	190 <sup>H</sup>	200	210 <sup>H</sup>	220	210	220										
23											220	240	200 <sup>H</sup>	220	250	220										
24											230	240	200	210	220											
25											200 <sup>H</sup>	200	220	200 <sup>H</sup>	240											
26												240	200	230												
27												200	210 <sup>H</sup>	[210] <sup>A</sup>	220	210	220									
28												220	210	210	190 <sup>H</sup>	190 <sup>H</sup>	220	210								
29												210	200	190	230	220										
30													210	200	230	230										
31													A	210	[210] <sup>A</sup>	[220] <sup>A</sup>	230	A								
													210	210	220	220	230									

Sum  
Median

Records measured by J.M.C.  
J.J.H.

**TABLE 54**  
**IONOSPHERE DATA-5**

## Washington, D. C.

---

# National Bureau Of Standards (Institution)

◎ 中国古典文学名著

TIME: 75°W MERIDIAN

Hourly values of F<sub>1</sub> in Mo for December 1945 (Month)

Records measured by: J.M.C.  
J.J.H.

**Washington D.C.**

National Social Security Act (1935)

TABLE 55  
IONOSPHERE DATA-6

Washington, D.C.  
 (Location)  
 National Bureau Of Standards  
 (Institution)

TABLE 56  
 IONOSPHERE DATA - 7

TIME: 75°W MERIDIAN  
 IONOSPHERE Station  
 f<sup>o</sup>E<sub>1410</sub> for December 1945  
 (month)

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23							
1									2.0"	(2.6)	2.9	3.1	3.1	3.1"	2.8	2.5	1.8														
2									[2.8]"	(2.5)"	[2.0]A	[3.0]A	(3.1)	3.0	2.9	2.5	1.8"														
3									2.1	2.6	[3.0]A	[3.1]A	3.2	(3.1)	2.8	2.5	A														
4									(1.8)	2.4	2.9	(3.0)	(3.0)'	(3.0)'	2.8	A	A														
5									2.0"	A	A	(3.0)	(3.1)	(3.0)'	[2.7]A	[2.5]A	A														
6									(2.2)	[2.5]A	2.8	(3.0)	(3.2)	[3.0]A	2.8	2.5	A	A													
7									A	A	[2.9]A	(3.0)	(3.1)	(3.0)	2.5"	(2.3)	1.8	(1.7)													
8									(1.8)	[3.5]A	2.9	(3.1)	(3.1)	(3.0)	2.9	2.4	A														
9									A	A	(3.0)	(3.0)	(3.2)	(3.0)	(2.9)	(2.5)	(1.9)														
10									[2.9]A	2.5	2.9	(3.0)	(3.1)	(3.0)	2.8	(2.5)	A														
11									[2.7]A	(3.5)	(2.8)	[2.9]A	3.2	3.0	[2.9]A	2.4	1.9"														
12									1.9"	(2.5)	(3.0)	3.0"	3.0"	3.0	(2.9)	2.2	1.7"														
13									(2.0)	2.5	(2.7)	(3.0)	(3.2)	2.9	2.7	2.5	A														
14									(2.0)'	2.4"	(2.5)X	(2.6)X	(2.9)X	(2.8)X	2.7X	2.4"	1.8"														
15									1.7"	2.3"	(2.8)	(3.0)	(3.2)	2.8	(2.8)	(2.4)	A														
16									A	(2.4)	(2.7)	[3.0]A	(3.1)	2.9	2.7	2.4	A														
17									1.8	(2.4)	(2.8)	[2.9]A	(2.9)	[2.9]A	2.7	2.3"	A														
18									(1.9)M	2.5"	2.8	3.0	[3.0]A	(2.9)	2.8	2.5	A														
19									A	A	A	A	A	(3.0)	A	A	A														
20									(1.9)M	2.3	A	A	A	A	A	C	A														
21									(2.0)	(2.5)	(2.8)	3.0	[3.0]A	3.0	2.8	2.3	(1.9)														
22									A	A	(2.7)	2.8	3.0	(2.9)	2.7	2.4	(1.8)M	A													
23									1.7"	(2.4)	2.7	(3.0)	3.0	(2.9)	2.8	(2.4)	(2.2)														
24									A	(2.3)	A	A	(3.0)	(2.7)	2.3"	A															
25									(2.0)	2.3	2.7	2.9	(3.1)	A	A	A	A														
26									A	[2.5]A	[2.7]A	3.0	(3.0)	(3.0)	(2.6)	A															
27									A	A	2.5	2.8	[3.0]A	2.9	(2.7)	2.3"	A														
28									(1.9)	2.2	[2.6]A	2.7	(3.0)	(3.7)	2.4"	2.1"	(2.0)														
29									(1.9)	(2.3)F	(2.7)	(2.8)	(2.9)	[2.9]A	[2.9]A	2.4	A														
30									A	2.3	(2.8)	(2.8)	(3.0)	(2.7)	(2.3)	[2.7]A	(2.0)														
31									1.9"	A	A	A	A	A	A	A	(2.2)														
Sus.									(1.9)	(2.4)	(2.8)	(3.0)	(3.1)	(3.0)	2.8	2.4	(1.9)														
Median																															

Records measured by: J. M. C.  
 J. J. H.

Washington, D.C.      Ionosphere Station

TABLE 57  
IONOSPHERE DATA - 8

National Bureau Of Standards

(Institution)

TIME: 75° W MERIDIAN  
Hourly values of  $E_S$  in  $\text{m}$  for December 1945  
(Month)

Records measured by J.M.C.  
J.J.H.

Day	03	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	2.4	1.00	2.4	0.00		1.3	1.00	2.3	1.20	3.7	1.00	5.0	1.00	3.7	1.30	3.3	1.50	6.4	1.10	3.2	1.50	3.6	1.00	2.4	1.00
2	2.8	1.10	3.8	1.10	2.7	1.10	2.4	1.10	2.7	1.10	3.6	1.00	4.9	1.00	3.8	1.00	5.5	1.00	4.1	1.00	3.8	1.00	2.7	1.00	
3	4.0	1.10	3.6	1.10	2.9	1.10	2.4	1.10	2.9	1.00	4.0	1.00	4.7	1.10	6.5	1.20	4.0	1.00	4.4	1.00	3.8	1.00	2.8	1.00	
4	2.7	1.10	2.7	1.00	2.7	1.00	2.3	1.10	3.3	1.10	3.0	1.60	3.9	1.00	3.2	1.40	3.8	1.00	4.3	1.00	3.8	1.00	5.4	1.00	
5	2.3	1.00	2.3	1.00	2.3	1.10	2.3	1.10	2.3	1.00	5.0	1.00	4.2	1.00	4.0	1.00	3.8	1.00	4.2	1.00	3.8	1.00	5.0	1.00	
6	2.3	1.00	2.3	1.00	2.8	1.10	4.0	1.10	5.2	1.00	5.2	1.00	5.0	1.00	4.2	1.00	4.9	1.10	3.7	1.00	3.7	1.00	2.7	1.00	
7	2.4	1.00	2.3	1.00	2.3	1.00	2.9	1.00	4.3	1.00	4.0	1.10	4.1	1.10	4.2	1.00	4.2	1.00	3.0	1.00	3.0	1.00	4.0	1.00	
8	4.0	1.10	4.9	1.10	2.4	1.00	2.4	1.00	2.4	1.00	4.0	1.10	4.1	1.10	4.2	1.00	4.2	1.00	4.1	1.00	4.1	1.00	4.1	1.00	
9	4.0	1.10	3.9	1.00	2.4	1.00	2.4	1.00	2.4	1.00	4.0	1.20	6.5	1.00	4.7	1.00	4.0	1.10	3.9	1.00	4.2	1.00	4.0	1.00	
10	4.1	1.00	3.9	1.00	3.9	1.10	4.1	1.00	4.0	1.00	5.1	1.10	3.9	1.00	3.8	1.00	4.1	1.00	3.9	1.00	4.0	1.00	4.1	1.00	
11	4.1	1.10	4.1	1.00	4.6	1.00	4.1	1.00	3.9	1.00	4.0	1.00	4.0	1.00	5.8	1.20	4.2	1.10	3.7	1.00	3.7	1.00	2.3	1.00	
12	2.3	1.00	4.1	1.00	(3.8)	1.00	4.1	1.00	3.9	1.00	4.0	1.00	4.0	1.00	3.8	1.00	3.8	1.00	3.7	1.00	3.7	1.00	4.1	1.00	
13	2.4	1.00	2.7	1.00	2.3	1.00	2.3	1.00	2.3	1.00	5.3	1.20	3.9	1.00	3.8	1.00	3.1	1.00	4.1	1.00	3.9	1.00	3.8	1.00	
14	3.7	1.00	3.7	1.00	3.7	1.00	2.3	1.00	2.2	1.00	4.2	1.00	4.2	1.00	4.2	1.00	3.9	1.00	3.7	1.00	3.7	1.00	(4.4)	1.00	
15	4.1	1.00	4.1	1.00	4.2	1.10	4.2	1.10	4.2	1.10	4.0	1.00	4.0	1.00	3.8	1.00	3.7	1.00	3.7	1.00	3.7	1.00	3.9	1.00	
16	3.8	1.00	3.8	1.00	2.5	1.10	4.8	1.10	2.5	1.20	4.4	1.00	4.3	1.10	4.7	1.00	5.0	1.10	5.3	1.00	4.4	1.00	2.4	1.00	
17	6.6	1.00	5.5	1.00	3.9	1.00	4.0	1.00	3.8	1.10	4.0	1.10	5.3	1.20	4.0	1.00	3.8	1.20	4.2	1.20	4.0	1.10	5.3	1.10	
18	5.5	1.00	3.7	1.00	2.3	1.10			4.0	1.00	2.4	2.0	2.7	1.60	3.1	1.20	4.0	1.10	3.8	1.00	4.0	1.00	7.3	1.00	
19	2.4	1.10	3.7	1.00	2.3	1.10			(2.3)	1.00	3.8	1.10	4.2	1.00	5.3	1.10	6.5	1.00	6.4	1.00	6.6	1.00	5.2	1.00	
20	2.0	1.10	3.0	1.00	4.3	1.10	3.0	1.00	3.0	1.10	4.2	1.00	5.2	1.10	3.9	1.10	4.2	1.00	4.0	1.00	3.7	1.00	2.4	1.00	
21	2.2	1.00	(3.7)	1.00	5.1	1.10	3.8	1.10	5.1	1.20	4.4	1.20	5.4	1.00	4.2	1.20	3.8	1.20	(2.3)	1.10	3.8	1.10	2.4	1.00	
22	2.4	1.00	2.8	1.00	2.7	1.10	3.9	1.00	4.0	1.00	4.5	1.10	3.9	1.10	4.0	1.10	3.8	1.00	4.2	1.10	4.0	1.00	2.3	1.00	
23	2.4	1.00	2.4	1.00	2.7	1.10	3.9	1.00	3.9	1.00	3.9	1.00	4.1	1.10	3.9	1.10	3.8	1.00	3.7	1.00	3.7	1.00	3.8	1.00	
24	3.8	1.10	2.7	1.00	3.8	1.00	3.2	1.00	6.2	1.00	3.7	1.10	4.2	1.10	4.0	1.00	3.9	1.00	4.2	1.00	4.0	1.00	3.9	1.00	
25	2.7	1.10	3.8	1.10	4.1	1.10	(3.8)	1.10	3.9	1.10	2.5	1.30	3.9	1.10	(4.7)	1.00	4.1	1.10	3.7	1.00	4.1	1.10	4.6	1.10	
26	5.1	1.10	7.4	1.10	5.5	1.10	4.9	1.10	4.1	1.10	3.7	1.10	4.4	1.10	4.5	1.10	4.6	1.10	4.2	1.10	4.2	1.10	2.5	1.10	
27	3.8	1.10	2.4	1.00	2.5	1.10	3.9	1.10	3.9	1.10	5.3	1.10	4.8	1.10	6.4	1.20	3.9	1.10	3.8	1.00	3.8	1.00	4.3	1.10	
28	3.8	1.10	3.8	1.10	(1.7)	1.10	(2.1)	1.10	(1.7)	1.10	2.3	1.10	3.8	1.00	(3.7)	1.10	3.8	1.00	3.8	1.00	3.8	1.00	2.8	1.00	
29	5.1	1.00	2.9	1.10	2.2	1.10	2.2	1.10	2.4	1.20	3.8	1.10	3.8	1.10	3.8	1.00	3.8	1.10	2.3	1.10	2.2	1.10	2.3	1.10	
30	3.2	1.10	(1.2)	1.0	3.8	1.10	3.8	1.10	5.0	1.10	4.4	1.10	3.7	1.10	(5.0)	1.10	4.0	1.10	5.4	1.10	5.3	1.00	4.0	1.00	
31	3.8	1.00									2.9	1.10	5.5	1.10	8.4	1.10	5.3	1.10	6.6	1.00	5.2	1.00	4.0	1.00	
Sum	2.7	2.7	2.3	2.2	2.4	3.0	3.8	4.0	4.1	3.9	3.9	4.0	4.1	3.9	3.9	4.0	3.7	3.7	3.8	3.8	3.7	3.7	2.7	2.4	
Median	2.7	2.7	2.3	2.2	2.4	3.0	3.8	4.0	4.1	3.9	3.9	4.0	4.1	3.9	3.9	4.0	3.7	3.7	3.8	3.8	3.7	3.7	2.7	2.4	

**TABLE 58**  
**IONOSPHERE DATA-9**

Washington, D. C.  
Ionosphere Station

National Bureau Of Standards  
(Institution)

TIME: 75°W MERIDIAN  
Hourly values of F2-M1500 for December 1945  
(Month)

Records measured by: J.M.G.  
J.J.H.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	(2.0) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.0) <sup>f</sup>	2.2 <sup>f</sup>	(2.3) <sup>f</sup>	2.2	2.3	2.4	2.6	2.5	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.2	2.0	(2.0) <sup>f</sup>			
2	2.0	2.0	2.0	2.0	2.2	2.2	2.2	2.2	2.3	2.5	(2.6)	2.4	2.4	2.4	2.4	2.3	2.3	2.3	2.3	2.3	2.2	2.1	2.0	2.0		
3	2.0	2.0	2.0	2.0	2.1	2.3	2.4	2.3	2.6	2.5	2.4	2.4	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.2	2.2	2.0	2.0		
4	2.1	2.1	2.1	2.1	2.1	2.2	2.2	2.2	2.4	2.5	(2.7)	2.7	(2.4)	(2.5)	(2.2) <sup>f</sup>	2.5	2.3	2.3	2.4	2.2	2.2	2.1	A	2.0		
5	1.9	2.0	1.9	2.1	2.1	2.2 <sup>f</sup>	2.4	2.3	2.1	2.5	2.4	2.3	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.2	2.1	1.9	2.2		
6	(2.3) <sup>f</sup>	(2.4)	(2.0)	(2.4)	(2.0)	C	2.0	2.3	2.4	2.4	2.1	2.3	2.2	2.4	2.4	(2.3)	2.5	(2.4)	2.3	(2.2)	2.3	2.0	1.9	2.0		
7	2.0 <sup>f</sup>	2.1	2.0	2.1	2.1	2.1	1.9	2.3 <sup>f</sup>	(2.4) <sup>f</sup>	2.3	2.5	2.6	2.5	2.4	2.5	2.3	2.5	(2.5)	2.5	2.1	2.1	2.2	2.0	(2.1)		
8	1.9	1.9	2.0	2.0	2.0	2.0	2.3	2.3	2.3	2.4	2.5	2.3	2.3	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.1	1.9	(2.0) <sup>f</sup>	
9	2.1	2.0 <sup>f</sup>	2.1	2.2	2.2	2.1	2.0	2.0	2.3	2.4	2.3	2.3	2.3	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.3	2.3	2.0 <sup>f</sup>	(2.1) <sup>f</sup>	(2.0) <sup>f</sup>	
10	(1.9) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.3) <sup>f</sup>	3.6	2.3	2.4	2.3	2.3	2.3	2.5	(2.5)	2.4	2.4	(2.5)	2.3	2.5 <sup>f</sup>	(3.4) <sup>f</sup>	(2.2) <sup>f</sup>					
11	(2.0) <sup>f</sup>	(1.9) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.1) <sup>f</sup>	(2.0) <sup>f</sup>	(2.3) <sup>f</sup>	(2.3) <sup>f</sup>	2.6	(2.5)	2.5	(2.4)	2.2	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.1	(2.1) <sup>f</sup>	(2.0) <sup>f</sup>	
12	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.1) <sup>f</sup>	(2.3) <sup>f</sup>	(2.4) <sup>f</sup>	2.2	2.4	2.6	2.6	2.5	2.4	2.4	2.5	2.4	2.4	2.4	2.4	2.4	(2.2)	2.4	2.2	2.0	2.0 <sup>f</sup>	
13	(2.1) <sup>f</sup>	2.0 <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	2.1 <sup>f</sup>	(2.0) <sup>f</sup>	2.3 <sup>f</sup>	(2.2) <sup>f</sup>	2.5	2.6	2.5	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.1 <sup>f</sup>	2.1 <sup>f</sup>	1.8 <sup>f</sup>	(2.0) <sup>f</sup>		
14	(1.7) <sup>f</sup>	(1.9) <sup>f</sup>	(1.7) <sup>f</sup>	(1.9) <sup>f</sup>	(1.9) <sup>f</sup>	(1.9) <sup>f</sup>	(1.9) <sup>f</sup>	1.7 <sup>f</sup>	1.8 <sup>f</sup>	1.6 <sup>f</sup>	1.6 <sup>f</sup>	1.6 <sup>f</sup>	1.6 <sup>f</sup>	1.6 <sup>f</sup>	1.6 <sup>f</sup>	1.6 <sup>f</sup>	(2.1) <sup>f</sup>									
15	2.0 <sup>f</sup>	(1.9) <sup>f</sup>	2.0 <sup>f</sup>	2.0 <sup>f</sup>	2.0 <sup>f</sup>	2.0 <sup>f</sup>	2.0 <sup>f</sup>	2.0 <sup>f</sup>	2.1 <sup>f</sup>	(2.0)	2.4	2.5	(2.5)	(2.3)	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	(2.1)		
16	(1.9) <sup>f</sup>	(1.9) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	2.5	2.5	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.3	2.3	2.2	1.9 <sup>f</sup>		
17	1.9 <sup>f</sup>	1.8 <sup>f</sup>	2.0 <sup>f</sup>	2.0 <sup>f</sup>	2.1 <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.3)	(2.4)	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.2	2.1		
18	2.2 <sup>f</sup>	(2.2) <sup>f</sup>	2.0 <sup>f</sup>	2.0 <sup>f</sup>	(2.2) <sup>f</sup>	2.0 <sup>f</sup>	(2.1)	(2.3) <sup>f</sup>	2.3	(2.5)	(2.5)	2.5	2.5	2.3	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.1	A	A		
19	A	2.2 <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	2.0	2.4	2.7	(2.3)	2.4	2.3	2.3	2.3	2.3	2.3	(2.1)	1.7	1.9	2.0		
20	(2.2)	(2.1) <sup>f</sup>	(1.8) <sup>f</sup>	(1.9) <sup>f</sup>	1.9	2.2 <sup>f</sup>	2.2	2.2	2.1	2.0	2.2	2.1	2.1	2.1	2.0	1.8	(2.0)	(1.8) <sup>f</sup>	(2.0) <sup>f</sup>							
21	(1.8) <sup>f</sup>	(1.9) <sup>f</sup>	J	1.7	1.9	2.2	2.1	2.0	2.0	2.3	2.3	2.3	2.4	2.4	2.4	2.4	2.3	2.2	2.3	2.1	2.0					
22	2.1	2.0	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	2.1 <sup>f</sup>	2.1 <sup>f</sup>	2.1 <sup>f</sup>	(2.0)	(2.0) <sup>f</sup>	(2.1) <sup>f</sup>	2.4	2.5	2.3	2.4	2.3	2.3	2.4	2.4	(2.2)	2.2	2.2	2.1	2.1	1.9	2.0	
23	2.0	2.0	2.1	2.1	2.0	2.1	2.1	2.0	2.1	2.0	(2.3)	2.4	(2.5)	(2.1)	2.4	2.4	2.1	2.3	2.1	(2.3)	2.3	2.3	2.2	2.1	2.0	2.0 <sup>f</sup>
24	1.9	1.9	2.0	2.0	2.0	2.0 <sup>f</sup>	(2.0) <sup>f</sup>	(1.9) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	2.0	(2.3)	(2.1)	2.2	2.4	2.2	2.5	2.3	2.2	2.3	2.3	2.3	2.2	2.2	2.0	
25	2.0	(2.0) <sup>f</sup>	(2.0)	(2.1)	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	2.5	(2.6)	(2.3)	2.1	2.2	2.1	2.0	(2.1)	2.3	2.4	(2.2)	2.5	2.1	(1.8) <sup>f</sup>	(2.0) <sup>f</sup>	
26	(2.0) <sup>f</sup>	(2.1) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.0) <sup>f</sup>	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.5)	2.4	2.5	2.2	2.2	2.1	2.2	2.2	2.2	2.2	(2.1) <sup>f</sup>	2.4	(2.4) <sup>f</sup>	(2.1)		
27	(2.0) <sup>f</sup>	A	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	(2.0) <sup>f</sup>	(2.4)	(2.6)	(2.5)	(2.4)	(2.5)	2.3	(2.3)	2.3	2.3	2.3	2.2	2.2	2.1	(2.0)						
28	2.1	(2.0) <sup>f</sup>	2.2 <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.2) <sup>f</sup>	(2.5)	2.4	2.5	(2.3)	2.4	2.4	(2.3)	2.4	2.4	2.4	2.4	2.4	2.4	2.2 <sup>f</sup>		
29	(2.3) <sup>f</sup>	2.2 <sup>f</sup>	2.2 <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.1) <sup>f</sup>	(2.3)	2.3	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.0 <sup>f</sup>		
30	2.1	2.1	2.1 <sup>f</sup>	(2.1) <sup>f</sup>	(2.2) <sup>f</sup>	(2.1) <sup>f</sup>	(2.4)	2.5	2.6	(2.7)	2.6	2.6	(2.7)	2.6	2.6	2.6	2.6	2.6	2.6	2.1						
31	A	(2.0) <sup>f</sup>	(2.2) <sup>f</sup>	(2.1) <sup>f</sup>	(2.5)	(2.3)	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	A								
	<b>Median</b>	2.0	2.0	(2.0)	2.0	(2.1)	2.0	(2.1)	2.1	(2.2)	2.4	2.5	2.4	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.2	2.2	2.0	2.0	

**Washington, D.C.**  
 (Location) Ionosphere Station

**TABLE 59**  
 IONOSPHERE DATA-10

National Bureau Of Standards  
 (Institution)

Hourly values of F2-M3000 for December 1945  
 (Month)

TIME: 75° W MERIDIAN

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
1	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	(3.1) <sup>F</sup>	(3.0) <sup>F</sup>	(3.2) <sup>F</sup>	(3.3) <sup>F</sup>	3.2	3.3	3.5	3.6	3.5	3.3	3.4	3.3	3.3	3.3	(3.4)	3.3	3.4	3.3	3.3	3.2	3.0	(3.0) <sup>F</sup>			
2	3.0	3.0	3.0	3.0	3.2	3.2	3.2	3.4	3.5	(3.6)	3.5	(3.2)	3.5	3.3	3.3	3.3	3.3	3.2	3.2	3.3	3.3	3.1	3.0	3.0			
3	3.0	3.0 <sup>F</sup>	3.0	3.1	3.3	3.4	3.3	3.6	3.5	3.5	3.4	3.3	3.3	3.3	3.4	3.4	3.3	3.2	3.2	3.2	3.2	3.2	3.0	3.0			
4	3.1	3.1	3.1	3.1	3.2	3.2	3.2	3.4	3.5	(3.7)	3.8	(3.4)	(3.5)	(3.2) <sup>H</sup>	3.5	3.3	3.3	3.4	3.4	3.4	3.2	3.1	A	3.2	2.9		
5	2.9	2.9	2.9	3.1	3.2 <sup>F</sup>	3.5	3.3	(3.1) <sup>F</sup>	3.6	3.5	3.4	3.3	3.4	3.4	3.4	3.4	(3.5)	(3.3)	3.2	3.2	3.0	2.8	3.2				
6	(3.3) <sup>F</sup>	(3.4)	(3.0)	C	C	3.0	3.3	3.4	3.4	3.4	3.1	3.3	3.2	3.4	3.4	(3.3)	3.5	(3.4)	3.3	(3.2)	3.3	3.0	2.9	3.0			
7	3.0 <sup>F</sup>	3.1	3.0	3.1	3.1	2.9	3.3	(3.4) <sup>F</sup>	3.3	3.5	3.6	3.5	3.4	3.5	3.3	3.5	(3.5)	3.5	3.1	3.1	3.2	3.0	(3.0)	(3.1)			
8	2.8	2.9	3.0	3.0	3.0	3.3	3.3	3.3	3.6	3.4	3.5	3.3	3.2	3.2	3.2	3.2	(3.4)	3.1	3.5	3.2	3.3	3.3	(3.1)	2.9	(3.0)		
9	3.1	3.0 <sup>F</sup>	3.1	3.2	3.2	3.1	3.0	3.3	3.4	3.4	3.3	3.3	(3.4)	3.2	3.3	3.5	3.4	3.5	3.2	3.4	3.3	3.3	3.0 <sup>F</sup>	(3.1) <sup>F</sup>	(3.0) <sup>F</sup>		
10	(2.8) <sup>F</sup>	(2.8) <sup>F</sup>	(2.8) <sup>F</sup>	(3.1) <sup>F</sup>																							
11	(3.0) <sup>F</sup>	(2.9) <sup>F</sup>	(2.9) <sup>F</sup>	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>																				
12	(3.0) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.1) <sup>F</sup>	(3.3) <sup>F</sup>	(3.4) <sup>F</sup>	(3.2)	(3.3) <sup>F</sup>	3.4	3.6	3.7	(3.4)	3.4	3.5	3.5	3.5	3.3	(3.7)	(3.5)	3.4	(3.2)	3.3	3.2	3.0			
13	(3.) <sup>F</sup>	3.0 <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	3.5	3.6	3.5	3.2	3.3	3.2	3.2	3.2	3.2	3.1	K	(3.2) <sup>K</sup>	3.1	K	2.7	K	(2.8) <sup>K</sup>	(3.0) <sup>K</sup>	
14	(2.7) <sup>F</sup>	(2.6) <sup>F</sup>	(2.6) <sup>F</sup>	(2.6) <sup>F</sup>	(2.9) <sup>K</sup>	(2.9) <sup>K</sup>	(2.9) <sup>K</sup>	(2.6) <sup>K</sup>	2.7	K	2.7	K	(2.6) <sup>K</sup>	(2.7)	K	3.0	K	3.1	K	3.1	K	2.9	K				
15	(3.0) <sup>F</sup>	(2.9) <sup>F</sup>	(3.0) <sup>K</sup>	(3.0)	(3.1)	(3.2)	(3.2)	(3.2)	(3.2)	(2.9) <sup>F</sup>	(2.8) <sup>F</sup>																
16	(2.9) <sup>F</sup>	(2.8) <sup>F</sup>	(3.0)	(3.1)	(3.2)	(3.2)	(3.2)	(3.2)	(2.9)	(2.8) <sup>F</sup>																	
17	2.9 <sup>F</sup>	2.8 <sup>F</sup>	2.8 <sup>F</sup>	3.0 <sup>F</sup>	3.0 <sup>F</sup>	3.1 <sup>F</sup>	(3.1) <sup>F</sup>	(3.0) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.4)	3.4	3.2	3.3	3.3	(3.6)	3.2	(3.3)	3.4	(3.4)	(3.3)	3.4	A	3.2	3.1	
18	3.2 <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	(3.1) <sup>F</sup>	(3.3)	3.3	3.4	3.4	3.3	3.2	(3.2)	(3.2)	3.3	(3.4)	3.3	3.3	3.1	A	A	A	
19	A	3.2 <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(3.1)	(2.9)	2.6	2.9	2.9	3.0	2.9	3.0		
20	(3.2)	(3.1) <sup>F</sup>	(2.8) <sup>F</sup>	(2.7)	3.1	3.1	3.0	2.8	2.9	(3.0)	(2.8) <sup>F</sup>	(3.0)															
21	(2.7) <sup>F</sup>	(2.7) <sup>F</sup>	(2.7) <sup>F</sup>	(2.8) <sup>F</sup>	J	2.6	2.9	3.2	3.1	3.0	3.3	3.3	3.3	3.4	3.3	3.4	3.3	3.2	3.3	3.1	2.9	3.0					
22	3.0	3.0	(3.1) <sup>F</sup>	(3.0)	(3.0)	(3.0)	(3.0)	(3.0)	(3.0)	(3.0)	(3.0)	(3.0)	(3.0)	(3.2)	3.4	3.4	(3.2)	3.2	3.5	3.3	3.0	3.1					
23	3.0	3.0	3.1	3.0	3.1	3.1	3.0	3.1	3.1	3.1	3.0	3.1	(3.3)	3.5	(3.5)	(3.1)	3.4	3.2	3.1	3.3	(3.3)	3.3	3.5	3.0	2.8	3.0	
24	2.9	2.9	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	(3.0)	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
25	3.0	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.3)	3.1	3.2	3.2	3.2	3.2	3.2	3.2	3.2												
26	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	(2.9) <sup>F</sup>	3.1	3.2	(3.3) <sup>F</sup>	(3.3) <sup>F</sup>	(3.2)	3.5	3.2	3.2	3.2	3.2	3.2	3.2	3.2											
27	(3.0) <sup>F</sup>	A	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.3)	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2													
28	3.1	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	(3.1) <sup>F</sup>	(3.3)	3.4	(3.4)	3.4	(3.4)	3.4	(3.4)	3.4	(3.4)														
29	(3.2) <sup>F</sup>	3.2	(3.1) <sup>F</sup>	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>F</sup>	(3.3)	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6												
30	3.1	3.0	3.1 <sup>F</sup>	(3.1) <sup>F</sup>	(3.2)	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6														
31	A	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	(3.1)	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4															
Sum	Median	3.0	(3.0)	3.0	(3.1)	3.2	3.1	(3.2)	3.4	3.5	3.5	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	

Records measured by J.M.C.  
 J.J.H.

TABLE 60  
IONOSPHERE DATA - II

Washington, D. C.      Ionosphere Station

National Bureau Of Standards  
(Institution)

**National Bureau Of Standards**

---

Hourly values of FI-M3000 for December 1941

Records measured by: J.M.C.

Washington, D.C. Ionosphere Station  
 (Location) National Bureau Of Standards  
 (Institution)

TABLE 61  
 IONOSPHERE DATA-12

TABLE 61  
 IONOSPHERE DATA-12  
 (Month)

Hourly values of E-M1500 for December 1945

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1									(4.4) <sup>H</sup>	(4.2)	4.2	4.2	4.2	(4.2) <sup>H</sup>	4.3	4.1	4.3									
2									A	(4.2) <sup>H</sup>	A	A	A	(4.1)	4.2	(4.0)	4.4	(4.2) <sup>H</sup>								
3									4.2	4.1	A	A	A	(4.2)	4.3	4.3	A									
4									(4.3)	4.2	4.3	(4.1)	(4.1)	(4.3) <sup>H</sup>	(4.2)	A	A	A								
5									(4.9)A	A	A	(4.4)	(4.1)	(4.2)	A	A	A	A								
6									(4.3)	A	4.3	(4.1)	(4.1)	A	4.4	(3.9)	A	A	A							
7									A	A	A	(4.1)	(4.0)	(4.2)	(4.6) <sup>H</sup>	(4.4)	4.3	(4.6)								
8									(4.5)	A	(3.9)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	A							
9									A	A	(4.1)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)						
10									A	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	(4.0)	A						
11									A	(4.1)	(4.2)	A	4.2	4.2	A.	4.5	(4.4) <sup>H</sup>									
12									(4.0)	(4.3)	(4.0)	(4.3) <sup>H</sup>	(4.2) <sup>H</sup>	4.3	(4.1)	(4.5)	(4.5) <sup>H</sup>									
13									(4.0)	4.3	(4.4)	(4.1)	(4.1)	(4.1)	4.3	4.2	4.1	A	K	K						
14									(4.3)K	(3.9)K	(4.2)K	(4.2)K	(3.9)K	(4.1)K	(4.2)K	(4.2)K	(4.2)K	(4.2)K	K							
15									(4.4) <sup>H</sup>	(4.1)H	(3.6)	(3.9)	(3.7)	4.2	(3.8)	(4.0)	A									
16									A	(3.8)	A	A	(4.0)	4.2	4.3	4.2	4.1	A	K	K						
17									(4.2)	(3.9)	(4.1)	A	(4.0)	(4.0)	A	4.3	(4.3) <sup>H</sup>	(4.2)K								
18									(3.8)H	(4.2)H	4.3	(4.0)	A	(4.2)	(4.1)	4.3	A									
19									A	A	A	A	A	A	(4.3)	A	A	A	A							
20									(4.3)H	(4.4)	A	A	A	A	A	A	C	A								
21									(4.0)	(4.1)	(4.1)	4.5	A	(4.0)	(4.1)	4.1	4.1	(4.1)								
22									A	(4.3)	4.2	(4.0)	(4.0)	(4.1)	4.2	4.0	(4.1)	4.3	A							
23									(4.4)H	(4.3)	4.3	(4.0)	4.1	(4.0)	(4.2)	(4.2)	(4.2)	(3.8)								
24									A	(4.2)	A	A	A	(4.1)	(4.3)	(4.3)H	A									
25									(3.8)	4.2	4.4	4.1	(4.2)	A	A	A	A	A	A	A	A	A	A	A	A	A
26									A	A	A	(4.0)	(4.2)	(4.2)	(4.0)	(4.2)	A									
27									A	A	4.2	4.2	4.1	A	(4.3)	(4.3)	(4.5)H	A								
28									(3.7)	(4.0)	A	4.3	#44	(4.5)	(4.5)H	(4.4)H	(4.4)H									
29									(3.7)	(4.1)F	A	(4.3)	(4.3)	A	A	4.2	A									
30									A	4.2	(4.3)	(4.3)	(4.4)	(4.4)	(4.6)	A	(4.1)H									
31									(4.0)H	A	A	A	A	A	A	A	(3.8)									
Sum.									(4.2)	(4.2)	(4.2)	(4.1)	(4.1)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	(4.2)	
Median																										

Recorded measured by: J.M.C.  
 J.J.H.

Table 62  
Ionospheric Storminess, December 1945

Day	Ionospheric Character*		Principal Storms		Geomagnetic Character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
<b>December</b>						
1	2	1			0	0
2	2	1			1	1
3	2	1			0	0
4	1	2			0	0
5	2	3			1	2
6	1	1			2	3
7	1	2			2	1
8	1	1			3	2
9	1	1			2	2
10	3	1			2	1
11	2	2			1	0
12	2	2			0	1
13	2	1	2100		6	4
14	4	7	—	—	6	3
15	4	3	—	1130	2	2
16	2	1			1	2
17	1	0			3	2
18	1	0			1	1
19	1	1			1	3
20	1	3			4	3
21	3	3			4	1
22	2	1			0	0
23	2	1			0	3
24	1	2			3	2
25	2	2			2	4
26	2	1			4	3
27	2	1			3	3
28	2	1			3	3
29	2	2			3	2
30	2	1			2	1
31	2	2			2	2

\*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D.C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

\*\*Average for 12 hours of American magnetic K-figure, determined by a number of observatories, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

/Dashes indicate continuing storm.

Table 61

Provisional Radio Propagation Quality Pictures  
November 1965  
Compared with IRIPL and ISIB Warnings and IRIPL A-Zone Forecasts.

Day	North Atlantic				North Pacific				Geo-magnetic K	Geo-magnetic A	Quality Figure and Forecast Scale:
	IRIPL	ISIB	A-Zone	Geo-magnetic Forecast	IRIPL	A-Zone	Geo-magnetic Forecast	Geo-magnetic Forecast			
1	6	7	7	7	6	6	6	6	5	5	1
2	6	6	6	6	6	6	6	6	5	5	1
3	7	7	7	7	7	7	7	7	6	6	2
4	7	7	7	7	7	7	7	7	6	6	2
5	7	7	7	7	7	7	7	7	6	6	2
6	7	7	7	7	7	7	7	7	6	6	2
7	7	7	7	7	7	7	7	7	6	6	2
8	7	7	7	7	7	7	7	7	6	6	2
9	(4)	5	5	5	X	X	X	X	5	5	2
10	(3)	5	5	5	X	X	X	X	5	5	2
11	(4)	5	5	5	X	X	X	X	5	5	2
12	(4)	5	5	5	X	X	X	X	5	5	2
13	(4)	5	5	5	X	X	X	X	5	5	2
14	5	5	5	5	X	X	X	X	5	5	2
15	5	5	5	5	X	X	X	X	5	5	2
16	5	5	5	5	X	X	X	X	5	5	2
17	5	5	5	5	X	X	X	X	5	5	2
18	5	5	5	5	X	X	X	X	5	5	2
19	5	5	5	5	X	X	X	X	5	5	2
20	5	5	5	5	X	X	X	X	5	5	2
21	5	5	5	5	X	X	X	X	5	5	2
22	5	5	5	5	X	X	X	X	5	5	2
23	5	5	5	5	X	X	X	X	5	5	2
24	5	5	5	5	X	X	X	X	5	5	2
25	5	5	5	5	X	X	X	X	5	5	2
26	5	5	5	5	X	X	X	X	5	5	2
27	5	5	5	5	X	X	X	X	5	5	2
28	5	5	5	5	X	X	X	X	5	5	2
29	5	5	5	5	X	X	X	X	5	5	2
30	5	5	5	5	X	X	X	X	5	5	2

Score:  
 X 5  
 X 0  
 X 0  
 (S) 8

Symbol:  
 X = Warning given.  
 H = Quality 1 or worse on day or half-day of warning.  
 M = Quality 4 or worse on day or half-day of no warning.  
 G = Quality 5 or better on day of no warning.  
 (S) = Quality 5 on day of warning.  
 S = Quality 6 or better on day of warning.  
 ( ) = Quality or forecast 1 or worse (disturbed)





Geometric mean on the standard scale of 0 to 9, 9 representing the greatest disturbance.

0 2 2 25 0 3

2 0 0 23 4 1

0 5 22 1 2

5 0 23 2 0






Fig. 5. PRINCE RUPERT, CANADA  
54.3°N, 130.3°W

NOVEMBER, 1945.




Fig. 6. PRINCE RUPERT, CANADA NOVEMBER, 1945.




Fig. 7. OTTAWA, CANADA  
45.5°N, 75.8°W

NOVEMBER, 1945.




Fig. 8. OTTAWA, CANADA NOVEMBER, 1945.




Fig. 9. BOSTON, MASSACHUSETTS  
42.4°N, 71.2°W NOVEMBER, 1945.




Fig. 10. BOSTON, MASSACHUSETTS NOVEMBER, 1945.




Fig. II. SAN FRANCISCO, CALIFORNIA  
37.4°N, 122.2°W NOVEMBER, 1945.




Fig. 12. SAN FRANCISCO, CALIFORNIA NOVEMBER, 1945




Fig. 13. BATON ROUGE, LOUISIANA

30.5°N, 91.2°W

NOVEMBER, 1945.




Fig. 14. BATON ROUGE, LOUISIANA

NOVEMBER, 1945.




Fig. 15. CHUNGKING, CHINA

29.4°N, 106.8°E

NOVEMBER, 1945.




Fig. 16. CHUNGKING, CHINA

NOVEMBER, 1945.




Fig. 17. SAN JUAN, PUERTO RICO  
18.4°N, 66.1°W NOVEMBER, 1945.




Fig. 18. SAN JUAN, PUERTO RICO NOVEMBER, 1945.




Fig. 19. TRINIDAD, BRIT. WEST INDIES  
10.6°N, 61.2°W NOVEMBER, 1945.




Fig. 20. TRINIDAD, BRIT. WEST INDIES NOVEMBER, 1945.




Fig 21. FAIRBANKS, ALASKA  
64.9°N, 147.8°W

OCTOBER, 1945.




Fig 22. FAIRBANKS, ALASKA

OCTOBER, 1945.




Fig 23 OSLO, NORWAY  
59.9°N, 11.0°E

OCTOBER, 1945.




Fig 24. OSLO, NORWAY

OCTOBER, 1945.




Fig. 25. CHUNGKING, CHINA  
29.4°N, 106.8°E

OCTOBER, 1945.




Fig. 26. CHUNGKING, CHINA OCTOBER, 1945.




Fig. 27. CHRISTMAS I.  
1.9°N, 157.3°W

OCTOBER, 1945.




Fig. 28. CHRISTMAS I. OCTOBER, 1945.




Fig. 29 CAPE YORK, AUSTRALIA  
11.0°S, 142.4°E OCTOBER, 1945.




Fig. 30. CAPE YORK, AUSTRALIA OCTOBER, 1945.




Fig. 31. BRISBANE, AUSTRALIA  
27.5°S, 153.0°E OCTOBER 1945.




Fig. 32. BRISBANE, AUSTRALIA OCTOBER, 1945.




Fig. 33. CANBERRA, AUSTRALIA  
35°3'S, 149°0'E OCTOBER, 1945.




Fig. 34. CANBERRA, AUSTRALIA OCTOBER, 1945.




Fig. 35. PESHAWAR, INDIA  
34.0°N, 71.5°E SEPTEMBER, 1945.




Fig. 36. PESHAWAR, INDIA SEPTEMBER, 1945.




Fig. 37. DELHI, INDIA

28.6°N, 77.2°E

SEPTEMBER, 1945.




Fig. 38. DELHI, INDIA

SEPTEMBER, 1945




Fig. 39. BOMBAY, INDIA

19.0°N, 73°E

SEPTEMBER, 1945.




Fig. 40. BOMBAY, INDIA

SEPTEMBER, 1945.




Fig. 41. MADRAS, INDIA  
13.0°N, 80.2°E

SEPTEMBER, 1945.




Fig. 42. MADRAS, INDIA SEPTEMBER, 1945.




Fig. 43. COLOMBO, CEYLON  
6.6°N, 80.0°E

SEPTEMBER, 1945.




Fig. 44. COLOMBO, CEYLON SEPTEMBER, 1945.




Fig. 45. CAPE YORK, AUSTRALIA

11.0°S, 142.4°E

SEPTEMBER, 1945.




Fig. 46. CAPE YORK, AUSTRALIA

SEPTEMBER, 1945.




Fig. 47. BRISBANE, AUSTRALIA

27.5°S, 153.0°E

SEPTEMBER, 1945.




Fig. 48. BRISBANE, AUSTRALIA

SEPTEMBER, 1945.




Fig. 49. CANBERRA, AUSTRALIA  
 $35.3^{\circ}\text{S}$ ,  $149.0^{\circ}\text{E}$  SEPTEMBER, 1945

Fri. '45 (ANE) M(A), AUSTRALIA SEPTEMBER, 1945.




Fig. 51. VARIATION OF  $f_2$  AT SUNSPOT NUMBER = 100, WITH LATITUDE, 0000 LOCAL TIME.




Fig. 52. VARIATION OF  $f_0F2$ , AT SUNSPOT NUMBER = 100, WITH LATITUDE, 0400 LOCAL TIME.




Fig. 53 VARIATION OF  $f^{\circ}F_2$ , AT SUNSPOT NUMBER = 100, WITH LATITUDE, 0800 LOCAL TIME.




Fig. 54. VARIATION OF  $f_0F_2$ , AT SUNSPOT NUMBER = 100, WITH LATITUDE, 1200 LOCAL TIME.




Fig. 55. VARIATION OF  $F_2$  AT SUNSPOT NUMBER = 100, WITH LATITUDE, 1600 LOCAL TIME.




Fig. 56. VARIATION OF  $F_2$ , AT SUNSPOT NUMBER = 100, WITH LATITUDE, 2000 LOCAL TIME.




FIG. 57




Fig. 58.

WORLD-WIDE VARIATION OF YEARLY-AVERAGE  $f^{\circ}F_2$ , SUNSPOT NUMBER=100 W ZONE




Fig. 59.

WORLD-WIDE VARIATION OF YEARLY-AVERAGE  $f_0 F_2$ , SUNSPOT NUMBER = 0, I ZONE




Fig. 60.

WORLD-WIDE VARIATION OF YEARLY-AVERAGE  $f^{\circ}F2$ , SUNSPOT NUMBER = 100, I ZONE




Fig. 61.

WORLD-WIDE VARIATION OF YEARLY-AVERAGE  $f^{\circ}F2$  SUNSPOT NUMBER=0, E ZONE




Fig. 62.

WORLD-WIDE VARIATION OF YEARLY-AVERAGE  $f'F_2$ , SUNSPOT NUMBER=100, E ZONE




Fig. 63.

Fig. 64.




Fig. 66.




Fig. 68.




Fig. 67.

Fig. 69.




Fig. 70




Fig. 72.





Fig. 71..






Fig. 73.




Fig. 74.





Fig. 75.

Fig. 76.







Fig. 77

Fig. 78.


70° S

Fig. 80.



80° S

Fig. 79






Fig. 82.







Fig. 81.




50° S

Fig. 82.



60° S

Fig. 81.






Fig. 83.





Fig. 84.






Fig. 86.




Fig. 85.




Fig. 88.




Fig. 87.

Fig. 90.





Fig. 89.






Fig. 94.





Fig. 93.






Fig. 95.





Fig. 96.


50° N

Fig. 98



60° N

Fig. 97







Fig. 99.

Fig. 100.

Fig. 102.





Fig. 101.







Fig 106.









Fig 105.







70° S

Fig. 110.

E ZONE

60° S

Fig. 109.

E ZONE




Fig. III.

Daily:

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data from various places.  
Radio disturbance warnings.

Semiseekly:

IRPL-J. Radio Propagation Forecast.

Semimonthly:

IRPL-Ja. Semimonthly Frequency Revision Factors for IRPL Basic Radio Propagation Prediction Reports (issued with IRPL-J series from 4 to 7 days in advance).

Monthly:

IRPL-D. Basic Radio Propagation Predictions - Three months in advance. War Dept. TB 11-499-, monthly supplements to TM 11-499; Navy Dept. (DNG-13-1), monthly supplements to DNG-13-1.)

IRPL-J. Ionospheric Data.

Binonthly:

IRPL-G. Correlation of D. F. Errors With Ionospheric Conditions.

Quarterly:

\*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

IRPL-B. Recommended Frequency Bands for Submarines in the Pacific.

\*IRPL-H. Frequency Guide for Operating Personnel.

\*\*IRPL-M. Frequency Guide for Merchant Ships.

Special Reports, etc.:

IRPL Radio Propagation Handbook, Part 1. (War Dept. TM 11-499; Navy Dept. DNG-13-1.)

IRPL-O1 through O61. Reports and papers of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-R. Unscheduled reports:

- R1. Maximum Usable Frequency Graph paper.
- R2 and R3. Obsolets.
- R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.
- R5. Criteria for Ionospheric Storminess.
- R6. Experimental studies of ionospheric propagation as applied to a navigation system.
- R7. Further studies of ionospheric propagation as applied to a navigation system.
- R8. The Prediction of Usable Frequencies Over a Path of Short or Medium Length, Including the Effects of Es.
- R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.
- R10. A method for study of the ionosphere.
- R11. A Homographic Method for Both Prediction and Observation Correlation of Ionospheric Characteristics.
- R12. Ionospheric variations.
- R13. Ionospheric and Radio Propagation Disturbances, October 1943 through February 1945.
- R14. A Graphical Method for Calculating Ground Reflection Coefficients.
- R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle.
- R16. Predicted F2-layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season.
- R17. Japanese Ionospheric Data - 1943.
- R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures - October 1943 through May 1945.
- R19. Homographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for June.
- R20. Homographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for September.
- R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 8000 km.)
- R22. Homographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for December.
- R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.
- R24. Effect of certain equipment characteristics on the usefulness of a navigation system.
- R25. The Prediction of Solar Activity as a Basis for Predictions of Radio Propagation Phenomena.
- R26. The Ionosphere as a Measure of Solar Activity.
- R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance from Center of Disc.
- R28. Homographic Predictions of F2-layer Frequencies Throughout the Solar Cycle for January.

IRPL-T. Reports on Tropospheric Propagation.

T1. Radar Operation and Weather. (Superseded by JAMP 101.)

T2. Radar coverage and weather. (Superseded by JAMP 102.)

\*Items bearing this symbol are distributed only by U.S. Navy in NONREGISTERED PUBLICATIONS MEMORANDA (NPM).

\*\*Distributed only by U.S. Navy.

