

JUN 5

CRPL-F177 PART A

FOR OFFICIAL USE

*Radio data taken from E6
taken from the library.*

PART A
IONOSPHERIC DATA

ISSUED
MAY 1959

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

CRPL-F 177
PART A

NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

Issued
22 May 1959

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	ii
Predicted and Observed Sunspot Numbers.	v
World-Wide Sources of Ionospheric Data.	vi
Tabulations of Electron Density	ix
Tables of Ionospheric Data.	1
Graphs of Ionospheric Data.	13
Index of Tables and Graphs of Ionospheric Data in CRPL-F177 (Part A).	49

SYMBOLS, TERMINOLOGY. CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

In the Second Report of the Special Committee on World-Wide Ionospheric Soundings of the URSI/AGI Committee, May 1957, a new descriptive letter was introduced:

M Measurement questionable because the ordinary and extraordinary components are not distinguishable.

There was an expansion in meaning of the following:

Z (1) (qualifying letter) Measurement deduced from the third magnetoionic component.
(2) (descriptive letter) Third magnetoionic component present.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N or R are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

B for fEs is counted on the low side when there is a numerical value of a higher layer characteristic; otherwise it is omitted from the median count.

S for fEs is counted on the low side at night; during the day it is omitted from the median count (beginning with data for November 1957).

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D.C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If the count is four or less, the data are considered insufficient and no median value is computed.
 2. For the F2 layer, h'F or foEs, if the count is from five to nine, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as the count is at least five, the median is not considered doubtful. A count of at least 5 is considered sufficient for an h'Es median.
 3. For all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is considered doubtful.
- The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.
- Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.
- The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:
- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
 - b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
 - c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.
 - d. The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

PREDICTED AND OBSERVED SUNSPOT NUMBERS

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

Month	Predicted Sunspot Number										
	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950	1949
December	150*	150*	150	42	11	15	33	53	86	108	
November	150*	150*	147	35	10	16	38	52	87	112	
October	139	150*	150*	135	31	10	17	43	52	90	114
September	141	150*	150*	119	30	8	18	46	54	91	115
August	142	150*	150*	105	27	8	18	49	57	96	111
July	141	150*	150*	95	22	8	20	51	60	101	108
June	143	150*	150*	89	18	9	21	52	63	103	108
May	146	150*	150*	77	16	10	22	52	68	102	108
April	150*	150*	150*	68	13	10	24	52	74	101	109
March	150*	150*	150*	60	14	11	27	52	78	103	111
February	150*	150*	150*	53	14	12	29	51	82	103	113
January	150*	150*	150*	48	12	14	30	53	85	105	112

*This number is believed representative of solar activity at a maximum portion of the current sunspot cycle.

The latest available information follows concerning the corresponding observed Zürich numbers beginning with the minimum of April 1954. Final numbers are listed through June 1958.

Observed Sunspot Number

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1954				3	4	4	5	7	8	8	9	12
1955	14	16	19	23	29	35	40	46	55	64	73	81
1956	89	98	109	119	127	137	146	150	151	156	160	164
1957	170	172	174	181	186	188	191	194	197	200	201	200
1958	199	201	201	197	191	187	185	184	183	181		

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 143 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Republica Argentina, Ministerio de Marina:
Decepcion I.
Tucuman, Argentina

Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:
Brisbane, Australia
Canberra, Australia
Townsville, Australia

Commonwealth of Australia, Department of the Interior:
Macquarie I.

Meteorological Service of the Belgian Congo and Ruanda-Urundi:
Bunia, Belgian Congo
Elisabethville, Belgian Congo
Leopoldville, Belgian Congo

Escola Politecnica, University of Sao Paulo:
Sao Paulo, Brazil

British Department of Scientific and Industrial Research, Radio Research Board:
Port Lockroy

Defence Research Board, Canada:
Baker Lake, Canada
Ottawa, Canada
Winnipeg, Canada

Danish National Committee of URSI:
Godhavn, Greenland

General Direction of Posts and Telegraphs, Helsinki, Finland:
Nurmijarvi, Finland

French National Center for Telecommunications Studies:
Dakar, French West Africa
Djibouti, French Somaliland
Tananarive, Madagascar

Institute for Ionospheric Research, Lindau Uber Northeim, Hannover, Germany:
Lindau/Harz, Germany

Icelandic Post and Telegraph Administration:
Reykjavik, Iceland

Indian Council of Scientific and Industrial Research, Radio Research Committee, New Delhi, India:
Ahmedabad (Physical Research Laboratory)
Bombay (All India Radio)
Calcutta (Institute of Radio Physics and Electronics)
Delhi (All India Radio)
Kodaikanal (India Meteorological Department)
Madras (All India Radio)
Tiruchi (All India Radio)
Trivandrum (All India Radio)

Geophysical and Geodetic Institute, Genoa, Italy:
Monte Capellino, Italy

Christchurch Geophysical Observatory, New Zealand Department of Scientific and Industrial Research:
Campbell I.
Cape Hallett (Adare), Antarctica
Christchurch, New Zealand
Rarotonga, Cook Is.
Scott Base, Antarctica

Norwegian Defence Research Establishment, Kjeller per Lillestrom, Norway:
Oslo, Norway
Tromso, Norway

Manila Observatory:
Baguio, P.I.

Institute of Terrestrial Magnetism, Ionosphere and Radio Propagation, Moscow, U.S.S.R.:
Sverdlovsk

United States Army Signal Corps:
Fletchers Ice I.
Ft. Monmouth, New Jersey
Grand Bahama I.
St. John's, Newfoundland
Thule, Greenland
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Laboratory):
Chimbote, Peru
Little America, Antarctica
Maui, Hawaii
Panama Canal Zone

National Bureau of Standards (Central Radio Propagation Laboratory), continued:

Point Barrow, Alaska

Puerto Rico, W.I.

San Francisco, California (Stanford University)

Talara, Peru (Instituto Geofisico de Huancayo)

Washington, D.C.

Wilkes Station, Antarctica

TABULATIONS OF ELECTRON DENSITY

Reduction of hourly ionospheric vertical soundings to electron density profiles is currently a part of the systematic ionospheric data program of the National Bureau of Standards. Scaled data for this purpose are being provided by stations operated by NBS and the U.S. Army Signal Corps. For the present, the hourly profile data from one NBS station, Puerto Rico, are being provided in the CRPL F Series. These data are in place of the other quantities formerly provided by this station. The very considerable task of scaling the ionograms for this purpose is undertaken by Mr. T. R. Gilliland, Engineer in Charge, Puerto Rico Ionosphere Sounding Station (Ramey AFB, P. R.); the computations are performed at the NBS Boulder Laboratories.

The tabulations provide the following basic electron density profile data for each hour of each day of the month:

<u>Quantity</u>	<u>Units</u>	<u>Remarks</u>
Electron Density (N)	(electrons/cm ³ x 10 ⁻³)	Body of table; given at each 10 km of height.
N _{max}	" " "	Always the highest value of N at each hour. To maintain this rule, the electron density at the next 10 km increment above h _{max} is always given as exactly equal to N _{max} (unless h _{max} coincides with a 10 km level).
QUALIFICATION	(Alphabetic)	A standard scaling letter qualifying the observation when necessary.
HMIN	Kilometers	The height of zero or very low electron density, obtained by linear extrapolation of the electron density vs. height curve.
HMAX	Kilometers	The height of maximum electron density, determined by fitting a parabola to the upper portion of the profile.
SHMAX	(electrons/cm ² column x 10 ⁻¹⁰)	Obtained by integration of the profile between the limits HMIN and HMAX.

ELECTRON DENSITY

	PUERTO RICO											60 W			5 FEB 1959		
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100					
DUAL																	
HMIN	207	234	249	252	291	231	201	207	101	109	108	108					
HMAX	352	324	342	402	421	344	327	298	272	302	302	309					
SHMAX	487	335	350	338	334	310	338	338	822	1708	2052	2259					
KM																	
430													417				
420													417				
410													362	413			
400													362	403			
390													359	387			
380													352	366			
370													341	338			
360	625												325	298			
350	625												557	306	258	446	
340	616												556	283	214	446	
330	592	608	549	257	165	438	432										
320	559	606	532	226	119	422	430										
310	517	589	510	195	77.6	397	422										
300	465	553	467	161	44.9	365	408	608									
290	406	495	398	127		323	386	602									
280	346	425	310	94.5		268	358	580	1446	1446	1949	2315					
270	286	335	219	65.7		209	325	540	1445	1852	2187	2142					
260	224	229	112	42.1		143	286	483	1400	1727	2011	1948					
250	170	127	12.4			83.8	236	408	1291	1572	1805	1739					
240	117	54.8				47.2	184	298	1111	1368	1556	1534					
230	75.6						132	179	896	1159	1316	1321					
220	49.6							79.7	83.8	679	939	1111	1119				
210	12.4								46.5	30.9	462	716	896	917			
200													323	557	716	754	
190													233	427	573	619	
180													175	327	457	519	
170													134	257	362	432	
160													105	204	286	362	
150													90.5	164	236	300	
140													82.4	136	198	251	
130													79.0	124	171	214	
120													75.6	117	155	192	
110													72.1	97.2	143	170	

ELECTRON DENSITY

PUERTO RICO		60 W						6 FEB 1959					
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
DUAL													
-MIN	222	210	230	209	212	290	269	241	110	110	110	110	
+MAX	327	306	329	296	296	397	345	295	265	284	278	296	
HMAX	574	459	352	239	146	171	148	261	913	1262	1650	1784	
KM													
400							223						
390							222						
380							218						
370							211						
360							203						
350							192	286					
340							175	285					
330	987		634				152	275					
320	979		626				124	255					
310	939	716	595				94.5	226					
300	875	714	546	492	240	63.8	189	643					1907
290	784	697	477	488	239		143	639					1901
280	667	663	380	462	234		88.3	612					1870
270	529	618	286	417	223		12.4	560	1446	1738	2276	1890	
260	375	553	189	353	208			462	1441	1643	2205	1717	
250	219	469	112	270	189				310	1398	1501	2075	1606
240	112	375	54.8	179	161				1308	1321	1887	1462	
230	53.1	274		107	117				1175	1119	1669	1312	
220		135		56.5	65.7				1004	917	1411	1171	
210		124.4		5.5					794	698	1096	1004	
200									557	524	754	848	
190									375	375	529	679	
180									262	278	417	529	
170									198	214	348	417	
160									155	172	286	355	
150									127	141	240	281	
140									111	123	202	236	
130									101	114	178	198	
120									82.3	103	166	186	
									60.6	71.4	133	112	

ELECTRON DENSITY

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO		60 W										7 FEB 1959		
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	108	
QUAL					F	F	F							
HMIN	257	228	216	196	191	285	236	250	110	110	108			
HMAX	352	300	289	284	343	368	351	315	283	278	291	304		
SHMAX	572	424	312	208	186	98	197	253	1000	1315	1782	1883		
KM														
370							161							
360	896						160	286						
350	896						170	155	286					
340	883						170	147	282					
330	851						169	134	273					
320	804						167	118	257	540				
310	735						164	99.3	237	538			2227	
300	631	917					159	73.9	209	518			2294	2222
290	508	898	625	375	154	46.5	172	481	1446				2293	2176
280	362	841	617	374	148		137	417	1445	1907	2260		2067	
270	229	742	589	365	142		101	335	1416	1889	2172		1907	
260	97.2	608	540	345	133		69.1	219	1350	1818	2032		1735	
250		432	467	317	123		47.7	12.4	1240	1683	1826		1537	
240		219	362	268	110		16.4			1111	1512	1601	1341	
230		60.0	219	205	93.4					939	1316	1368	1127	
220			71.4	138	73.5					735	1027	1119	960	
210				77.6	54.1					540	794	875	794	
200					26.3	36.2				375	608	679	643	
190										270	446	540	529	
180										198	344	427	427	
170										154	270	348	356	
160										123	219	291	305	
150										105	176	244	262	
140										95.2	150	207	209	
130										90.3	138	182	178	
120										85.3	131	166	168	
110										12.4	83.8	112	143	

ELECTRON DENSITY

PUERTO RICO		60 W										7 FEB 1959		
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
QUAL														
HMIN	110	110	108	112	115	107	237	198	227	210	221	188		
HMAX	324	348	353	354	361	348	359	339	336	327	330	325		
SHMAX	2287	2544	2382	2146	2157	1956	1555	1223	947	848	675	625		
KM														
370							1846							
360							1846							
350							1969							
340		2161	2031	1844	1834	1885	1957							
330		2154	2012	1825	1801	1878	1918	1669	1473					
320	2294	2127	1971	1786	1749	1849	1850	1655	1467	1191	1027	814		
310	2291	2078	1907	1708	1677	1797	1754	1608	1430	1186	1015	812		
300	2260	2005	1814	1621	1576	1724	1636	1526	1359	1159	978	798		
290	2196	1916	1695	1526	1468	1623	1478	1420	1251	1107	923	770		
280	2090	1798	1568	1423	1347	1501	1291	1274	1111	1041	842	731		
270	1962	1669	1431	1308	1216	1368	1073	1111	939	939	735	672		
260	1803	1522	1283	1201	1096	1221	834	932	735	834	619	591		
250	1631	1388	1155	1096	975	1065	573	754	540	704	494	508		
240	1446	1240	1019	993	854	903	335	540	323	557	348	432		
230	1257	1096	903	875	745	768	60.0	348	152	389	198	344		
220	1080	960	802	774	652	631		198	40.2	219	83.8	251		
210	917	834	709	679	573	519		107			90.5	161		
200	781	716	643	585	502	425		60.0				102		
190	562	540	575	492	446	348		12.4				60.0		
180	457	462	454	342	341	232						12.4		
170	389	383	389	274	291	191								
160	325	325	330	219	249	158								
150	281	276	282	176	209	132								
140	232	229	244	160	179	115								
130	197	197	207	193	158	107								
120	182	184	186	146	146	101								
110	143	40.2	143				60.0							

ELECTRON DENSITY

PUERTO RICO		60 W										8 FEB 1959		
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	
QUAL														
HMIN	209	232	252	225	217	216	240	244	117	110	115	110	110	
HMAX	289	338	343	358	314	324	343	309	258	291	299	293	293	
SHMAX	331	303	247	302	205	168	172	295	722	1471	2041	1927	1927	
KM														
360														
350														
340														
330														
320														
310														
300														
290	679	339	262	250	322	219	187	577						
280	669	295	198	219	296	198	156	540						
270	633	245	135	183	257	171	119	477						
260	573	189	65.7	143	204	140	83.8	362	1341	1752	2069	2118		
250	477	132		104	149	108	49.6	179	1323	1574	1866	1907		
240	348	77.6		65.7	92.8	76.4	1.3		1250	1341	1640	1669		
230	219			29.1	54.8	49.6			1127	1065	1383	1404		
220	104						18.0	17.0						
210	12.4								896	854	1182	1182		
200									661	679	982	960		
190									446	529	794	754		
180									286	417	608	583		
170									198	342	467	467		
160									150	281	362	380		
150									123	232	298	320		
140									106	191	249	276		
.30									94.8	163	216	233		
120									88.7	143	194	204		
110									75.6	133	179	186		
									71.4			12.4		

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO												9 FEB 1959				
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100				
QUAL																
HMIN	261	232	224	219	257	311	261	216	120	110	117	110				
HMAX	405	339	329	393	401	429	376	323	301	284	306	303				
SHMAX	792	700	689	669	460	378	417	536	1379	1683	2464	2182				
KM																
430								524								
420								520								
410	1004						540	506								
400	1002					573	540	483								
390	986					573	536	450								
380	951					570	523	406	608							
370	899					563	503	355	606							
360	834					553	477	294	592							
350	754					538	442	233	567							
340	661	1096				518	401	167	536							
330	562	1086	982			496	353	102	483	834						
320	446	1054	976	471		300	53+1	417	833							
310	327	997	954	443		246		335	818	1969		3018	2643			
300	219	917	923	410	192			255	784	1968		3007	2640			
290	138	807	868	373	138			170	733	1939	2643	2944	2581			
280	83.8	667	784	335	92.8			102	661	1856	2633	2820	2445			
270	47.2	508	679	291	57.4			49+.6	562	1742	2536	2654	2249			
260	310	551	245	18.0					457	1556	2339	2403	2032			
250	152	417	194						335	1341	2083	2178	1786			
240	60.0	262	138						209	1096	1784	1786	1556			
230		97.2	79.7							104	854	1446	1483	1321		
220				12.4						40+.2	608	1050	1191	1111		
210											417	774	917	917		
200											286	573	679	754		
190											212	417	519	619		
180											161	327	408	508		
170											127	262	329	417		
160											107	215	276	351		
150											95.6	179	237	300		
140											90.3	157	210	259		
130											84.9	141	192	229		
120											12.4	133	180	210		
110												83.8		83.8		

ELECTRON DENSITY

PUERTO RICO		60 W										10 FEB 1959		
TIME		0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
OUAL								F			C			
HMIN	220	206	220	215	219	204	256	240	110	107	108	110		
HMAX	317	302	289	310	296	384	337	307	259	300	289	314		
SHMAX	541	403	240	244	154	242	137	270	774	1498	1616	1924		
KM														
390							219							
380							219							
370							217							
360							213							
350							208							
340							200	240						
330							190	239						
320	9.34						180	231					2096	
310	932	698		403			166	217	557				2092	
300	900	697		398	298	151	198	552					2052	
290	848	681	540	382	296	135	170	530					1886	
280	764	643	530	358	285	119	135	490					2064	
270	643	580	492	323	265	104	97.2	432					1952	
260	492	508	432	274	236	89.8	44.9	355					1826	
250	348	425	344	219	194	76.4		219	1321	1383	1719	1324		
240	198	323	240	155	138	63.8		12.4	1250	1143	1537	1171		
230	83.8	219	127	97.2	77.6	52.7			1127	939	1321	1004		
220		127	12.4	43.3	12.4	42.3			960	754	1073	861		
210		44.9				18.0			735	608	834	742		
200									508	477	643	634		
190									355	371	498	549		
180									233	292	389	457		
170									170	235	316	375		
160									135	191	259	310		
150									115	159	219	254		
140									105	143	187	215		
130									96.1	137	173	194		
120									84.9	132	165	185		
110									40.2	112	143	127		

ELECTRON DENSITY

PUERTO RICO			60 W						9 FEB 1959			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OUAL										A	A	
HMIN	110	110	110	110	198	215	222	217	240	250		
HMAX	321	343	346	337	342	337	336	333	331	335	340	
SHMAX	2546	2605	2418	2267	2179	1242	1036	975	766	692	662	
KM												
350		2536	2327		2096							
340		2534	2320	2161	2095	1786	1640	1500	1240	1191	1027	
330	2643	2505	2269	2154	2077	1775	1632	1499	1240	1187	1018	
320	2643	2439	2186	2122	2032	1722	1586	1472	1218	1153	991	
310	2613	2328	2070	2063	1954	1612	1490	1403	1159	1086	955	
300	2524	2190	1922	1961	1863	1474	1356	1308	1061	975	892	
290	2396	2014	1769	1854	1742	1308	1182	1184	946	834	794	
280	2218	1826	1604	1727	1598	1127	982	1019	807	679	667	
270	2032	1631	1429	1572	1446	939	774	834	655	508	508	
260	1826	1446	1269	1416	1274	735	557	625	492	335	262	
250	1631	1240	1111	1257	1111	557	335	417	310	161	124	
240	1446	1065	975	1111	946	375	179	198	161	124		
230	1257	903	854	946	807	229	83.8	71.4	77.6			
220	1080	768	742	794	679	127	33.2		30.9			
210	932	643	634	643	573	63.8						
200	794	549	532	529	485	12.4						
190	661	469	446	432	403							
180	540	406	378	355	327							
170	446	353	320	298	255							
160	368	305	274	251	198							
150	310	262	237	215	164							
140	269	222	202	182	138							
130	234	196	176	156	122							
120	210	184	163	145	109							
110	161	127	97.2	83.8	12.4							

ELECTRON DENSITY

ELECTRON OENSITY												
PUERTO RICO				60 W				10 FEB 1959				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OUAL		B	A		B		A	A				A
HMIN	109	107	108	107	110	114	240	250	260	250	271	260
HMAX	328	334	341	339	333	350	333	344	364	350	362	337
HMAX	2101	2158	2169	2129	1916	1843	1065	812	766	705	653	545
KM												
370									1167			1004
360									1165			1004
350		2064			1786			1290	1140	1050		990
340	2128	2063	2000	1816	1776	1669	1288	1088	1038	955		982
330	2096	2126	2046	1990	1815	1745	1667	1260	1012	1004	895	976
320	2084	2098	1988	1954	1798	1695	1638	1195	907	946	824	947
310	2038	2039	1914	1688	1762	1616	1573	1115	794	867	729	893
300	1945	1938	1808	1793	1705	1523	1468	990	655	774	591	814
290	1826	1822	1682	1680	1617	1411	1327	848	508	667	471	698
280	1683	1683	1540	1556	1512	1283	1162	691	335	540	310	557
270	1524	1537	1386	1416	1400	1155	960	508	161	389		335
260	1359	1359	1221	1257	1269	1004	716	310	12.4	240		12.4
250	1216	1182	1065	1127	1119	861	417	40.2		83.8		
240	1080	1004	928	975	993	716	12.4					
230	946	861	804	834	875	585						
220	824	716	698	704	742	477						
210	716	608	599	596	619	380						
200	608	508	508	508	498	302						
190	516	435	439	432	398	233						
180	425	378	373	367	323	179						
170	355	327	323	310	257	127						
160	300	286	276	258	198	106						
150	254	235	224	219	164	96.4						
140	211	192	190	191	143	92.3						
130	194	176	175	171	136	88.3						
120	185	168	167	155	130	84.2						

ELECTRON DENSITY

PUERTO RICO		60 W										11 FEB 1959			
TIME		0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		
DUAL	A	S	A	N		A	A								
HMIN	250	250	253	240	189	179	336	95	110	110	116	110			
HMAX	323	321	329	312	279	427	488	562	331	296	310	328			
SHMAX	467	404	349	284	232	246	138	811	1004	1455	2199	2278			
KM															
570													262		
560													262		
550													262		
540													262		
530													261		
520													260		
510													259		
500													258		
490													256		
480													254		
470													252		
460													249		
450													247		
440													244		
430													240		
420													237		
410													233		
400													229		
390													225		
380													221		
370													216		
360													210		
350													205		
340													200		
330	939	854	661					115					1050		
320	937	854	653	540				113						2327	
310	912	833	625	540				110						2316	
300	854	778	573	529				105						2267	
290	768	688	508	500				101						2057	
280	643	573	408	457	389	97.2		100						2182	
270	477	417	286	396	385	93.0		101						1907	
260	262	219	127	318	372	88.8		102						1719	
250	12.4	12.4		219	348	84.7		103						1534	
240				40.2	317	80.9		104						1341	
230					274	77.3		105						1159	
220						219	73.6	106						990	
210							152	68.2	107					691	
200								83.8	60.0	108	215	524	573	582	
190									12.4	46.5	85.4	179	403	467	492
180										6.8	78.3	151	310	382	417
170											71.4	127	246	320	351
160											66.2	112	202	274	302
150											61.1	101	169	233	262
140											59.4	94.5	147	204	226
130											54.2	90.1	137	184	198
120											50.9	85.6	128	143	187
110											42.5	60.0	12.4		143
100											15.5				

ELECTRON DENSITY

PUERTO RICO		60 W		11 FEB 1959								
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL												
HMIN	110	110	110	110	110	115	240	217	212	222	256	244
HMAX	350	362	345	340	355	371	340	353	338	355	367	356
HMAX	2520	2904	2716	2432	2327	2195	1393	1334	1089	526	733	702
KM												
380							1938					
370		2430					1937				1004	
360		2430					1938	1925	1669	1096	1000	1050
350	2161	2411	2571				1935	1882	1667	1093	975	1046
340	2149	2366	2567	2294	1917	1822	2032	1646	1500	1072	933	1021
330	2161	2294	2531	2279	1881	1750	2013	1597	1492	1027	875	971
320	2060	2191	2459	2234	1827	1657	1958	1516	1457	960	802	900
310	1974	2070	2335	2161	1750	1543	1858	1407	1386	683	716	814
300	1870	1922	2201	2053	1656	1423	1727	1278	1301	784	616	691
290	1747	1771	2032	1921	1556	1298	1572	1143	1184	688	508	557
280	1612	1620	1838	1769	1435	1143	1362	975	1035	573	380	427
270	1474	1462	1640	1504	1316	1019	1119	814	875	446	240	298
260	1329	1327	1442	1445	1191	894	834	643	679	335	90.5	143
250	1204	1175	1274	1260	1073	781	446	477	492	219		54.8
240	1073	1038	1127	1080	950	670	12.4	310	323	119		
230	932	917	975	932	834	573			161	161	56.5	
220	807	804	834	804	726	477		60.0	60.0			
210	691	696	716	679	619	395						
200	585	599	616	573	524	323						
190	492	508	519	477	437	258						
180	417	432	439	403	362	209						
170	351	375	368	335	295	172						
160	300	327	310	286	245	143						
150	258	286	262	244	209	122						
140	224	244	223	210	179	109						
130	201	217	197	184	158	104						
120	187	203	185	169	147	97.8						
110	49.6	127	40.2	127	97.2							

ELECTRON DENSITY

PUERTO RICO		60 W										12 FEB 1959					
TIME		0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100				
OUAL		J	J														
HMIN	225	233	271	200	188	248	254	259	119	108	115	110					
HMAX	313	320	345	263	306	396	395	360	303	298	305	304					
SHMAX	510	511	342	216	270	206	151	299	893	1708	2183	2140					
KM																	
400									198	161							
390									198	161							
380									196	159							
370									193	155							
360									188	150	417						
350			735						181	143	414						
340			731						173	134	405						
330			700						164	125	389						
320	1050	917	643						153	113	366						
310	1048	905	529						389	139	98.7	338	1096	2790	2607		
300	1011	870	403						387	124	83.8	300	1095	2260	2782	2603	
290	928	810	262						378	108	70.0	251	1078	2242	2716	2552	
280	807	726	127						359	90.5	56.1	192	103	2171	2584	2444	
270	643	596							477	332	71.4	43.7	112	975	2032	2403	2271
260	462	446							476	298	51.7	18.6	12.4	895	1866	2135	2053
250	262	240							463	254	12.4			801	1640	1846	1810
240	104	71.4							432	209				691	1404	1556	1528
230	44.9								383	165				585	1096	1265	1240
220									310	124				462	854	982	1027
210									179	88.3				353	667	754	834
200									12.4	54.8				270	524	591	667
190										12.4				204	408	477	540
180														152	327	389	446
170														122	262	325	373
160														103	215	272	315
150														94.9	179	232	267
140														91.1	154	198	229
130														87.3	140	178	203
120														77.6	133	164	187
110														112			40.2

ELECTRON DENSITY

PUERTO RICO		60 W		12 FEB 1959								
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
DUAL		B		J		J		A		A		J
-MIN	112	113	107	110		111	225	201	207	234	252	230
-MAX	317	336	341	347		333	343	344	352	392	368	318
MAX	2236	2253	2393	2459		2062	1501	1226	815	769	586	452
400												939
390												938
380												928
370												902
360												917
350		2362	2500			1846	1500	1072	805	860	879	910
340		2227	2361	2490		2227	1844	1499	1056	732	820	
330		2220	2336	2438		2225	1823	1478	1015	652	745	
320	2430	2180	2257	2336		2199	1773	1433	946	562	652	854
310	2420	2091	2135	2205		2131	1697	1366	857	467	540	845
300	2367	1979	1996	2032		2032	1589	1270	774	371	417	810
290	2264	1831	1820	1846		1893	1460	1155	679	274	298	747
280	2112	1669	1650	1646		1752	1312	1019	573	192	179	661
270	1942	1501	1465	1446		1588	1159	875	477	127	97.2	540
260	1747	1321	1291	1224		1411	990	729	371	83.8	49.6	375
250	1537	1127	1111	1050		1240	814	585	274	54.8		189
240	1341	975	946	889		1019	625	432	186	26.3		71.4
230	1119	834	820	745		814	335	286	112			3.1
220	932	726	709	634		643			179	63.8		
210	754	636	625	549		487			83.8	19.3		
200	631	560	553	469		362						
190	529	495	492	400		278						
180	446	435	441	346		219						
170	383	380	389	298		179						
160	331	335	346	259		146						
150	290	294	302	222		124						
140	253	255	262	187		111						
130	226	219	231	163		105						
120	206	205	209	151		98.5						

ELECTRON DENSITY

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL												
A-MIN	237	205	219	230	218	231	250	247	110	108	110	111
H-MAX	310	291	334	342	334	375	316	303	259	277	296	204
S-MAX	453	341	339	294	205	208	109	232	668	1203	1730	1886
KM												
350									229			
370									229			
360									226			
350					375				221			
340				461	375	240		212				
330					461	372	240	202				
320					454	364	238	190	219			
310	896			441	351	233	174	218	540			2193
300	981	643	420	337	225	154	210	539		2000	2190	
290	835	643	392	313	215	132	195	521		1994	2142	
280	764	631	357	282	203	109	174	485		1669	1955	2050
270	655	599	310	245	189	86.1	143	417		1658	1876	1921
260	508	547	246	193	171	65.7	102	323	114 ³	1607	1771	1752
250	335	467	179	138	146	48.3	12.4	179	1120	1507	1620	1556
240	112	362	107	71.4	115	27.8			1041	1371	1446	1341
230		251	56.5	30.1	71.4				917	1201	1260	1143
220		127	5.5		21.7				774	982	1073	946
210		46.5							608	754	875	781
200									446	562	698	643
190									323	437	551	529
180									235	352	446	437
170									179	286	362	373
160									141	236	304	323
150									117	193	249	276
140									105	170	213	233
130									95.4	150	186	207
120									86.5	130	169	188
110									12.4	112	40.2	

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO		60 W										14 FEB 1959			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200		
QUAL		J	J												
HMIN	232	233	212	211	253	272	223	237	116	110	108	110			
HMAX	327	329	283	449	407	395	353	323	288	290	302	332			
SHMAX	489	422	312	742	331	192	241	302	835	1458	1841	2211			
KM															
450					417										
440					417										
430					415										
420					413										
410				410	310										
400				406	309	251									
390				401	307	251									
380				394	302	246									
370				387	294	237									
360				378	285	222	262								
350				369	272	204	262								
340				359	259	185	260								
330	854	754		348	243	163	255	540						1938	
320	848	746		338	223	135	248	540						1937	
310	816	716		325	201	109	238	528						1924	
300	761	667		311	174	81.3	225	501						2327	1892
290	679	585	679	294	146	57.9	210	462	1215	1846	2286	1768			
280	573	477	678	276	115	35.5	191	403	1204	1829	2187	1678			
270	462	348	658	255	79.7	•	170	323	1157	1778	2032	1576			
260	323	219	613	228	43.3		146	229	1073	1700	1810	1446			
250	179	112	540	195			118	119	946	1584	1578	1318			
240	71.4	49.6	417	156			87.2	40.2	794	1429	1316	1191			
230				262	112		53.1		643	1216	1073	1063			
220				83.8	60.0				492	982	854	917			
210									371	735	691	784			
200										286	540	573	667		
190										224	403	477	551		
180										179	316	403	457		
170										146	258	341	382		
160										124	215	286	323		
150										108	185	240	276		
140										96.5	161	205	237		
130										89.5	143	178	186		
120										77.6	134	164	182		
											82.8	125	127		

ELECTRON DENSITY

ELECTRON OENSITY

PUERTO RICO 60 W 15 FEB 1959

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL												A
HMIN	228	226	299	275	225	259	227	116	110	110	107	
HMAX	330	323	419	421	367	353	320	312	305	303	299	
SHMAX	399	266	275	331	358	217	332	1024	1920	2184	2271	
KM												
430												389
420												389
410												348
400												386
390												339
380												377
370												324
360												363
350												305
340												343
330												281
320												318
310												375
300												253
290												289
280												374
270												335
260												222
250												251
240												370
230												335
220												189
210												211
200												363
190												329
180												189
170												172
160												351
150												317
140												625
130												389
120												152
110												172
	618	389	112	135	339	297	608	1096				351
	596	383	75.6	97.2	321	269	598	1095	2294	2716		317
	565	372	12.4	69.1	298	236	569	1085	2289	2713	2903	
	519	353			48.0	271	194	524	1060	249	2666	2872
	454	330			20.3	237	148	454	1018	2171	2556	2753
	371	298			198	97.2	362	966	2055	2385	2589	
	274	249			157	12.4	262	892	1907	2161	2362	
	170	192			117	152	804	1692	1907	2096		
	83.8	127			75.6	77.6	716	1474	1640	1816		
	230	21.7	49.6		33.2	30.9	616	1240	1341	1501		
							516	960	1050	1191		
							417	735	834	939		
							318	540	655	716		
							240	417	529	557		
							189	323	427	446		
							149	262	355	362		
							124	219	292	305		
							108	186	245	262		
							96.6	161	213	232		
							90.8	142	185	209		
							85.0	133	169	192		
							40.2	60.0	60.0	180		

ELECTRON OENSITY

PUERTO RICO 60 W 15 FEB 1959

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL												F
HMIN	108	110	110	110	110	110	209	230	204	210	239	279
HMAX	334	348	355	336	347	361	339	335	315	380	381	342
SHMAX	2613	2548	2671	2237	2509	2026	1661	1277	754	701	645	656
KM												
390												1096
380												896
370												888
360												1074
350												860
340												1012
330												
320												
310												
300												
290												
280												
270												
260												
250												
240												
230												
220												
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON OENSITY

PUERTO RICO 60 W 16 FEB 1959

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
QUAL	F	F	F	F	F	F	F	F	A	A	A	A	
HMIN	219	220	230	245	323	250	235	111	120	106	110		
HMAX	321	307	318	325	436	349	318	296	302	312	314		
SHMAX	638	629	438	264	282	245	416	1133	1700	2303	2541		
KM													
440												348	
430												348	
420												343	
410												334	
400												321	
390												306	
380												288	
370												259	
360												219	
350												175	335
340												127	333
330	1004				484	65.7						326	
320	1004				735	483							
310	991	1050			728	470							
300	955	1043			698	443							
290	896	1013			649	403							
280	814	960			580	348							
270	704	875			508	274							
260	573	774			425	179							
250	446	643			323	60.0							
240	262	477			209								
230	97.2	240			60.0								
220	12.4	40.2											
210													
200													
190													
180													
170													
160													
150													
140													
130													
120													
110													

ELECTRON OENSITY

PUERTO RICO 60 W 16 FEB 1959

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL	A	A	A	A	A	A	B	J				
HMIN	106	107	110	110	110	110	117	209	235	200	239	266
HMAX	333	335	353	359	358	359	364	357	338	406	380	340
SHMAX	2928	2635	2759	2681	2690	2254	1972	1577	904	1168	815	791
KM												
410												1096
400												1094
390												1084
380												1065
370												1215
360												2161
350												1037
340												1202
330	2941	2643	2502	2437	2384	2109	203	1928	1167	899	1004	1073
320	2906	2599	2280	2214	216	1938	1907	1774	1117	762	754	1027
310	2832	2521	2145	2075	2096	1813	1771	1654	1050	679	608	973
300	2716	2400	1985	1907	1954	1620	1509	969	591	432	909	
290	2571	2237	1820	1727	1801	1524	1446	1341	875	500	251	826
280	2362	2050	1631	1537	1636	1371	1274	1162	774	408	119	735
270	2109	1826	1462	1359	1465	1208	1073	939	679	318	43.3	631
260	1858	1623	1291	1143	1274	1050						

ELECTRON DENSITY

PUERTO RICO		60 W										17 FEB 1959		
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		
DUAL														
HMIN	211	239	227	235	217	223	226	249	116	113	110	110		
HMAX	358	327	350	351	310	356	297	356	312	291	317	320		
SHMAX	807	532	514	487	320	373	130	397	1183	1487	2146	2308		
KM														
360	960			590			375		524					
350	956		661	590			375		523					
340	938		655	586			372		515					
330	905	917	637	575			366		501					
320	860	912	608	557			356	484	1393		2362	2571		
310	800	887	569	531	492	344		459	1393			2352	2547	
300	726	843	522	496	488	332	262	421	1379	2096	2305	2473		
290	643	774	465	456	477	315	260	368	1346	2095	2218	2339		
280	549	667	403	424	460	295	250	302	1296	2061	2089	2177		
270	457	540	335	362	439	268	231	219	1245	1963	1925	1957		
260	353	362	270	278	398	237	202	112	1131	1820	1727	1715		
250	262	143	198	189	335	195	161	124	1004	1612	1534	1474		
240	173	12.4	112	71.4	229	148	104		854	1368	1301	1240		
230	102			40.2	97.2	90.5	44.9		679	1143	1065	1050		
220	53.1				30.9				524	875	875	861		
210									375	661	716	716		
200									251	492	596	596		
190									170	371	498	508		
180									115	292	408	432		
170									94.7	229	323	373		
160									86.3	179	262	323		
150									81.5	150	215	282		
140									78.3	130	179	248		
130									75.0	122	171	219		
120									71.8	116	163	190		
110										83.8		83.8		

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO										60 W		18 FEB 1959				
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1100			
DUAL											A					
HMIN	265	236	229	214	198	249	216	208	120	110	110	110	110			
HMAX	345	312	296	277	294	371	336	318	278	283	296	296	296			
SHMAX	550	491	449	291	172	155	120	319	776	1262	1725	1959				
KM																
380											165					
370											165					
360											164					
350	1004											162				
340	1001											158				
330	974											152				
320	917	1050											147			
310	834	1049											144			
300	716	1016	960											461		2193 2500
290	562	943	954											273		1669 2184 2489
280	362	820	917	661	268	104	117	410	1191	1667	2111	2418				
270	143	661	844	654	254	85.4	102	367	1180	1638	2000	2294				
260	462	729	622	236	64.6	85.5	310	1137	1573	1838	2096					
250	219	557	567	213	12.6	69.8	240	1061	1468	1631	1858					
240	49.6	335	477	182											167	
230	71.4	335	143											939		1327 1404 1612
220	143	102											12.4			
210											57.4				625	
200											917				939	
190											742				834	
180											12.4				323	
170											551				596	
160											432				492	
150											344				532	
140											274				346	
130											321				446	
120											102				76	
110											12.4				742	

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO											19 FEB 1959			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	
QUAL										A	A	A	A	
HMIN	262	262	238	214	256	295	268	229	120	100	110	110	110	
HMAX	364	339	311	274	407	415	376	312	287	298	301	326	326	
SHMAX	506	559	411	240	319	257	271	380	925	1572	1833	2202		
KM														
420							348							
410							362	348						
400							360	341						
390							355	327						
380							344	310	362					
370	834						328	286	361					
360	832						307	253	354					
350	812						281	215	342					
340	769	1050					253	175	324					
330	701	1038					219	135	301				2193	
320	616	999	814				186	93.9	269	698			2188	
310	508	934	813				152	60.0	236	697		2161	2153	
300	398	820	797				119	29.1	198	683		1907	2160	2087
290	286	679	754				89.2	152	648	1290	1894	2136	1986	
280	161	477	687	540	64.6			104	594	1283	1844	2070	1861	
270	65.7	219	596	539	45.6			53.1	516	1246	1751	1963	1702	
260			462	521	16.4				417	1178	1626	1831	1519	
250			274	485					298	1084	1465	1631	1341	
240			60.0	425					143	946	1281	1446	1143	
230			335						12.4	807	1096	1240	990	
220			161							643	875	982	848	
210										477	698	794	726	
200										348	540	625	616	
190										240	427	487	519	
180										175	335	389	439	
170										137	274	320	373	
160										112	223	267	315	
150										103	190	231	266	
140										94.9	169	204	231	
130										87.0	156	183	213	
120										71.4	148	169	202	
110											127	127	97.2	
100												12.4		

ELECTRON DENSITY

PUERTO RICO		60 W						20 FEB 1959					
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
QUAL							S	A					
HMIN	227	246	235	216	192	226	266	253	120	112	112	112	
HMAX	329	338	310	275	242	390	367	327	269	288	306	313	
SHMAX	487	515	380	298	94	143	104	279	734	1206	1748	1945	
KM													
390							135						
380							134						
370							133	143					
360							130	143					
350							125	140					
340		824					119	135					
330	814	818					113	127	492				
320	804	797					105	117	490				2128
310	768	764	834				96.3	105	477			1907	2126
300	716	709	816				86.7	90.5	455			1901	2094
290	643	619	761				76.6	74.5	425			1473	1867
280	549	508	670	716			66.7	55.8	373			1464	1802
270	446	389	540	713			57.4	23.5	298	1143	1426	1701	1752
260	323	240	362	684			48.8		179	1126	1358	1570	1574
250	189	83.8	179	634	262	41.0				1065	1268	1431	1383
240	83.8		49.5	524	262	24.6				969	1131	1274	1208
230	30.9			348	251	7.2				848	1004	1096	1035
220				97.2	228					716	848	932	875
210					186					573	691	768	729
200					83.8					432	551	625	616
190										310	437	508	516
180										219	344	408	422
170										161	270	335	373
160										130	215	276	320
150										112	175	232	272
140										103	148	193	227
130										92.3	137	174	197
120										60.0	130	165	184

ELECTRON DENSITY

ELECTRON DENSITY

ELECTRON OENSITY												
PUERTO RICO				60 W				20 FEB				1959
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL				A								
HMIN	112	114	113	112	113	110	240	216	238	248	249	227
HMAX	328	331	356	349	340	350	356	343	344	361	357	334
HMAX	2168	2109	2518	2272	1976	1914	1346	1153	728	841	864	845
KM												
370									1265			
360				2032			1786			1265		1393
350				2029	1938		1727	1781	1446	1215	1246	1384
340				2032	2011	1930	1786	1718	1752	1445	1212	1196
330				2161	2032	1976	1903	1776	1693	1428	1180	1115
320				2150	2015	1925	1855	1747	1651	1616	1389	1105
310				2107	1970	1857	1793	1700	1591	1519	1326	1004
300				2032	1897	1786	1705	1625	1514	1376	1248	875
290				1918	1796	1679	1601	1536	1423	1201	1193	742
280				1786	1669	1556	1483	1435	1308	982	1019	573
270				1620	1524	1407	1354	1316	1184	716	889	389
260				1462	1371	1269	1204	1197	1050	446	742	209
250				1274	1201	1107	1080	1080	917	161	591	90.5
240				1096	1035	960	932	960	794	12.4	389	21.7
230				932	875	834	807	834	667		179	
220				774	754	726	691	704	562		49.6	
210				655	661	636	599	591	467			
200				565	573	567	521	487	380			
190				495	492	502	459	398	298			
180				437	425	442	408	327	235			
170				389	367	389	362	262	187			
160				344	318	335	315	222	152			
150				300	278	291	274	193	131			
140				258	243	251	237	168	116			
130				222	216	219	205	154	107			
120				204	200	204	187	145	99.4			30.9

ELECTRON DENSITY

PUERTO RICO		60 W										21 FEB 1959			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100			
QUAL															
HMIN	227	242	226	222	198	238	302	137	109	110	107	112			
HMAX	325	328	291	306	311	397	379	296	278	298	294	312			
SHMAX	668	588	341	316	225	245	149	379	895	1488	1611	1884			
KM															
400															
390															
380															
370															
360															
350															
340															
330	1167	1027													
320	1163	1020													
310	1131	988			557	323	171	143							
300	1065	939	794	554	318	140			608		1907	2128	2126		
290	971	854	793	540	306	122			604		1893	2123	2043		
280	834	716	773	513	288	106			583	1316	1839	2070	1907		
270	661	540	716	472	265	88.8			544	1302	1739	1948	1727		
260	477	348	619	408	234	71.4			485	1248	1604	1786	1537		
250	262	143	477	327	198	51.7			408	1153	1425	1556	1341		
240	104		286	219	164	12.4			310	1019	1191	1316	1159		
230	30.9		71.4	83.8	127				219	861	982	1050	975		
220					90.5				143	704	774	854	814		
210					53.1				101	551	608	691	679		
200					12.4				76.7	408	477	562	573		
190									61.4	310	380	457	485		
180									50.6	229	304	383	410		
170									47.0	179	249	329	351		
160									44.2	143	207	281	305		
150									41.3	122	171	240	262		
140									12.4	110	150	209	222		
130										103	139	184	198		
120										90.5	131	170	186		
110										12.4	71.4	152			

ELECTRON DENSITY

PUERTO RICO			60 W										21 FEB 1959		
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300			
OUAL	A						A								
HMIN	110	110	113	113	110	114	253	219	218	224	252	227			
HMAX	329	327	360	369	370	369	374	350	352	362	377	328			
SHMAX	2182	2141	2404	2283	2266	2091	1507	1207	957	778	660	477			
KM															
380							1876						875		
370							1816	1846	1969	1874			939	871	
360							1938	1809	1837	1960	1851		1215	938	854
350							1929	1787	1810	1929	1801	1556	1215	929	822
340							1905	1749	1760	1877	1726	1543	1201	907	777
330							2227	2032	1864	1695	1695	1803	1623	1507	1167
320							2213	2025	1806	1616	1612	1701	1501	1446	1113
310							2167	1992	1723	1526	1516	1581	1341	1359	1041
300							2078	1930	1627	1425	1411	1446	1162	1251	950
290							1962	1830	1523	1319	1291	1298	960	1111	844
280							1816	1715	1407	1198	1122	1127	735	960	716
270							1631	1584	1278	1073	1061	960	477	794	591
260							1446	1446	1164	950	939	814	219	608	462
250							1257	1298	1035	844	820	667		417	335
240							1050	1157	907	745	716	551		219	198
230							861	1016	794	661	625	457		83.8	90.5
220							735	875	679	587	547	382		49.6	30.9
210							634	754	591	521	483	316			
200							549	631	508	459	427	262			
190							477	532	441	403	375	211			
180							412	446	384	357	331	172			
170							356	383	335	314	286	141			
160							305	330	294	274	248	117			
150							239	286	254	232	212	100			
140							232	251	216	196	182	87.5			
130							215	226	194	175	160	79.3			
120							204	206	183	166	150	72.7			
110							97.2	161							

ELECTRON DENSITY

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO		60 W										23 FEB 1959		
TIME		0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
QUAL														
HMIN	282	246	234	213			305	272	250	111	110	110	110	
HMAX	371	314	320	305			439	405	304	294	295	308	330	
SMMAX	596	482	436	320			343	412	382	1199	1592	2002	2456	
KM														
440							403							
430							401							
420							393							
410							380	508						
400							365	507						
390							343	500						
380	1004						313	485						
370	1004						278	463						
360	990						240	435						
350	950						195	397						
340	883						156	351						
330	784						112	298						
320	667	1004	754				67.6	246					2355	
310	524	1002	746	540			33.2	186	982				2339	
300	362	971	720	539			132	978	1697	2032	2313	2212		
290	179	909	679	525			79.7	924	1694	2026	2253	2096		
280		804	615	498			44.9	834	1653	1983	2146	1954		
270		643	519	459				679	1567	1895	1996	1786		
260		446	389	406				446	1446	1769	1806	1612		
250		179	240	335				40.2	1260	1593	1601	1429		
240			71.4	240					1096	1404	1383	1257		
230				135					875	1175	1143	1127		
220				54.8					643	939	939	996		
210									477	716	754	848		
200									344	540	596	704		
190									248	408	485	573		
180									189	327	396	467		
170									147	266	335	382		
160									122	219	286	322		
150									108	182	245	274		
140									97.2	159	210	237		
130									91.6	142	184	204		
120									88.1	134	169	189		
110									49.6	71.4		143		

ELECTRON OENSITY												
PUERTO RICO				60 W				23 FEB 1959				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL		A	A		A	A	A	A	S		J	
HMIN	108	110		115	112	111	246	218	216	237	253	245
HMAX	338	344		365	374	377	361	350	350	359	355	339
SHMAX	2510	2352		2371	2433	2587	1658	1392	1145	893	703	701
KM												
380							1938	2161				
370							1907	1936	2156	2000		
360							1904	1919	2133	2000		1191
350							1887	1872	2092	1986	1756	1446
340							1851	1814	2032	1948	1743	1435
330							1798	1744	1953	1882	1704	1403
320							1719	1658	1852	1802	1634	1348
310							1627	1556	1739	1692	1545	1271
300							1523	1435	1604	1556	1433	1175
290							1411	1316	1460	1394	1291	1061
280							1291	1197	1298	1201	1127	917
270							1175	1096	1143	982	939	754
260							1061	982	990	698	735	591
250							950	875	834	310	508	417
240							844	774	704		262	240
230							745	688	591		97.2	97.2
220							652	615	500		26.3	40.2
210							573	540	425			
200							502	477	367			
190							441	410	315			
180							383	348	270			
170							331	295	227			
160							290	249	189			
150							245	212	161			
140							205	186	142			
130							184	165	125			
120							127	149	115			
110							143					

ELECTRON DENSITY

PUERTO RICO

60 W

25 FEB 1959

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL		J										
HMIN	231	243	226	285	337	377	352	120	118	110	110	110
HMAX	333	345	329	413	491	520	485	305	335	323	322	349
SHMAX	413	404	345	363	386	351	390	622	1246	1960	2176	2917
KM												
520								403				
510								400				
500								417	392			
490								417	377	446		
480								414	359	446		
470								406	338	440		
460								394	310	430		
450								375	274	413		
440								354	236	391		
430								326	195	364		
420								432	293	357	332	
410								431	255	119	294	
400								427	219	80.7	251	
390								417	179	52.2	207	
380								400	143	18.0	161	
370								380	112	112		
360								356	77.6	60.0		
350								325	49.6			
340								716	641	12.4		
	286								1265		2790	
330	715	625	540	240						2774		
320	697	592	536	194					1263	2096	2396	2718
310	656	546	520	143						2395	2395	2621
300	591	483	494	88.3					754	1209	2071	2362
290	508	408	459	43.3						2477		
280	417	327	403						753	1156	2016	2311
270	310	229	335							2145	1938	2096
260	209	127	248								1887	
250	104	54.8	143									
240	53.1		71.4									
230		26.3										
220												
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

PUERTO RICO

60 W

26 FEB 1959

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL		S	F	F	F	F	F					
HMIN	231	228	211	217	281	434		112	110	110	110	110
HMAX	327	318	362	374	413	572		277	313	323	321	337
SHMAX	644	405	575	400	374	303		490	1271	2071	2296	3021
KM												
580								335				
570								335				
560								333				
550								326				
540								316				
530								302				
520								283				
510								260				
500								235				
490								207				
480								176				
470								143				
460								108				
450								68.6				
440								40.2				
430												
420												
410												
400												
390												
380												
370												
360												
350												
340												
330	1143		519	375	259				2161	2536	3007	
320	1135	735	503	347	219			1393	2159	2536	2957	
310	1096	728	483	316	175			1392	2136	2509	2865	
300	1023	698	459	285	127			1377	2084	2440	2730	
290	903	643	432	251	67.6				1343	2004	2307	2551
280	768	565	400	215					754	1289	1893	2161
270	591	477	365	179					749	1216	1752	1969
260	417	362	328	147					720	1131	1588	1747
250	198	229	286	115					667	1016	1411	1537
240	77.6	104	240	77.6					594	875	1216	1321
230	26.3	186	47.7						516	735	1004	1143
220		97.2	12.4						417	595	814	975
210									310	477	643	735
200									219	362	508	667
190									143	270	408	549
180									101	205	329	362
170									62.6	161	272	295
160									55.8	109	190	195
150									50.6	98.3	163	168
140									41.2	92.2	143	157
130									19.3	86.6	134	150
120									40.2	40.2	127	143
110												

ELECTRON DENSITY

PUERTO RICO

60 W

26 FEB 1959

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL		J										
BMIN	111	112	116	117	116	118	240	234	224	241	255	270
HMAX	390	2281	2465	2327	2193	1846				1073		
SHMAX	2834	3229	3332	3102	2915	2486	1649	1423	1245	379	392	374
KM												
420												
410												
400												
390												
380												
370												
360												
350												
340												
330												
320												
310												
300												
290												
280												
270												
260												
250												
240												
230												
220												
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL		J										
HMIN	110	110	110	1								

ELECTRON DENSITY

PUERTO RICO		60 W										27 FEB 1959		
TIME		0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
QUAL														
HMIN	240	250	246	234		232	236	244	110	110	107	110		
HMAX	357	357	347	391		394	351	308	291	300	301	317		
SHMAX	620	539	361	525		460	385	299	1261	1903	2137	2439		
KM														
400						540		492						
390						540		492						
380						537		487						
370						528		477						
360	814	774			514		461	508						
350	811	770	608	494		438	508							
340	796	751	603	468		412	503							
330	768	716	580	437		381	490							
320	731	664	535	401		340	469							
310	673	601	477	357		295	443	716			2790	2561		
300	608	524	410	310		249	405	695	1697	2465	2790	2511		
290	529	437	335	262		198	357	650	1697	2438	2744	2418		
280	437	344	255	215		152	305	562	1676	2355	2615	2294		
270	335	251	179	170		108	246	446	1618	2210	2430	2118		
260	229	143	90.5	119		76.4	186	310	1519	2032	2187	1907		
250	104	12.4	40.2	75.6		53.8	104	127	1386	1786	1907	1669		
240					40.2	32.2	44.9		1216	1501	1584	1446		
230									1004	1216	1316	1240		
220									794	950	1004	1050		
210									591	735	794	875		
200									432	562	625	729		
190									318	437	508	616		
180									240	353	417	516		
170									187	291	348	439		
160									152	245	291	368		
150									129	209	248	315		
140									114	179	213	270		
130									106	160	185	235		
120									98.7	148	172	213		
110									40.2	60.0	161	161		

ELECTRON DENSITY

ELECTRON DENSITY

ELECTRON DENSITY

ELECTRON DENSITY													
PUERTO RICO				60 W				28 FEB				1959	
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	S
QUAL	B	B	B	B	B	B	B	B	B	B	B	B	S
HMIN	137	110	114	108	110	110	226	230	235	206	248	274	
HMAX	327	360	375	371	366	356	374	337	359	393	378	386	
HMAX	2346	2789	2895	2808	2524	2521	1918	1262	1243	1173	749	656	
KM													
400													1096
390													1095
380	2362	2362				2128					1085	1191	1211
370	2358	2361	2362			2126					1062	1179	1187
360	2294	2333	2345	2355	2430	2105			1583	1027	1133	1141	
350	2282	2283	2300	2313	2425	2059			1574	984	1050	1073	
340	2248	2206	2214	2216	2392	1990	1907	1541	543	932	982		
330	2227	2190	2102	2114	2096	2328	1895	1896	1484	848	794	861	
320	2219	2162	1982	1990	1954	2227	1771	1846	1403	787	663	729	
310	2183	2007	1838	1846	1801	2103	1626	1747	1303	716	508	573	
300	2109	1876	1669	1685	1620	1954	1446	1612	1171	650	362	403	
290	2019	1727	1509	1524	1446	1786	1260	1446	1019	560	229	219	
280	1893	1584	1356	1371	1274	1605	1073	1240	854	508	143	71.4	
270	1756	1429	1205	1224	1127	1425	854	1027	661	435	88.3		
260	1612	1269	1065	1084	982	1226	608	794	462	368	52.2		
250	1462	1111	939	960	854	1065	389	524	240	298	12.4		
240	1308	990	834	854	745	875	179	262	97.2	235			
230	1167	883	747	770	657	705	44.9	12.4		173			
220	1035	794	679	694	587	573				112			
210	854	716	619	629	521	457				44.9			
200	691	650	562	560	459	365							
190	540	573	508	485	400	294							
180	446	492	453	417	341	240							
170	375	410	395	355	286	203							
160	320	348	344	300	240	171							
150	272	298	300	256	207	149							
140	233	255	254	222	177	132							
130	204	222	215	197	157	121							
120	190	205	191	182	146	113							
110	179	127			112	40.2	12.4						



TABLES OF IONOSPHERIC DATA

FEBRUARY 1959 - MAY 1952

Table 1

Washington, O.C. (38.7°N, 77.1°W)							February 1959	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.35	260					2.70	
01	6.05	270					2.60	
02	5.9	290					2.52	
03	5.9	270					2.65	
04	5.6	270					2.70	
05	5.1	265					2.70	
06	4.75	260					2.72	
07	6.3	260	(131)	1.90			2.90	
08	9.65	230	115	2.55			3.12	
09	11.6	230	109	3.05			3.10	
10	12.55	220	107	3.35			3.00	
11	13.4	220	109	3.50			2.85	
12	---	13.8	220	109	3.62		2.85	
13	---	13.55	225	109	3.60		2.80	
14	13.4	220	109	3.50			2.75	
15	13.2	230	110	3.30			2.75	
16	12.9	235	113	2.92			2.60	
17	12.6	235	119	2.30			2.85	
18	11.85	230	---	---			2.85	
19	10.5	230	---	---			2.80	
20	9.3	235	---	---			2.80	
21	8.2	240	---	---			2.80	
22	7.35	240	---	---			2.02	
23	6.95	250	---	---			2.75	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 3

Thule, Greenland (76.6°N, 68.7°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	---	260					----	
01	(5.7)	250					----	
02	(4.35)	260			3.5		----	
03	(5.6)	250	---	---	3.5		----	
04	(5.4)	260					(2.70)	
05	(4.0)	260					----	
06	---	250					----	
07	(4.8)	260					(2.80)	
08	---	260					----	
09	(6.0)	250					----	
10	(6.2)	245					(2.90)	
11	(6.3)	240					(2.78)	
12	---	250					----	
13	(6.3)	250					(2.80)	
14	(6.1)	240					----	
15	(6.9)	240					----	
16	(7.2)	250					(2.55)	
17	(5.75)	250			1.7		(2.70)	
18	(7.0)	250			1.7		(2.80)	
19	(5.6)	250			4.0		(2.80)	
20	---	250			3.5		----	
21	(6.2)	245			1.3		(2.65)	
22	(6.0)	260			2.0		(2.85)	
23	(5.45)	250			2.55		(2.55)	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 5

Point Barrow, Alaska (71.3°N, 156.8°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(4.4)	300				4.6	2.78	
01	4.4	310				4.6	2.75	
02	(4.2)	(320)				4.6	(2.70)	
03	(4.4)	<295				4.2	(2.85)	
04	>4.15	(300)				2.8	(2.70)	
05	(4.35)	(355)				>2.6	(2.70)	
06	(4.4)	(360)	---	---		2.8	2.55	
07	(4.75)	(340)	---	---		3.2	(2.60)	
08	>4.8	345	---	---		3.0	2.60	
09	>5.05	310	---	---		2.3	2.70	
10	(6.0)	290	---	---		2.9	2.80	
11	(6.3)	280	---	---			2.85	
12	7.35	270	---	---			2.90	
13	8.3	275	---	---			2.95	
14	9.65	255					2.95	
15	9.9	245					2.90	
16	(9.5)	250					3.00	
17	8.0	250					2.95	
18	6.0	260					2.90	
19	(4.5)	290			2.1		2.80	
20	4.5	290			2.5		2.85	
21	4.85	280			3.0		2.90	
22	4.2	295			2.9		2.85	
23	(4.2)	(310)			4.1		(2.78)	

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 2

Washington, O.C. (38.7°N, 77.1°W)							January 1959	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			5.8	265				2.80
01			5.6	270				2.75
02			5.5	265				2.80
03			5.4	265				2.75
04			5.0	260				2.80
05			4.8	260				2.75
06			4.6	260				2.90
07			5.0	250				2.90
08			9.0	230	121	2.30		3.15
09			11.3	230	115	2.90	2.9	3.05
10			13.2	230	111	3.25		3.00
11			14.0	230	111	3.50		2.90
12			13.9	225	111	3.60		2.85
13			13.4	225	111	3.55		2.75
14			13.4	230	113	3.40		2.75
15			13.2	240	115	3.20		2.75
16			13.0	235	119	2.65		2.75
17			12.6	235	(137)	1.95		2.80
18			11.5	230				2.85
19			10.1	230				2.85
20			8.5	230				2.85
21			7.5	245				2.80
22			7.2	255				2.80
23			6.5	250				2.80

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 4

Fletchers Ice I, (75.9°N, 124.3°W)*							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			---	(230)				2.4
01			240				4.6	----
02			230				2.6	----
03			240				2.2	----
04			230				2.0	----
05			230				1.3	----
06			245				1.8	----
07			240				2.2	----
08			240				1.7	----
09			230				2.0	----
10			230				2.1	----
11			<230				1.7	----
12			240				2.2	----
13			230				2.2	----
14			230				2.2	----
15			230				2.2	----
06			4.9	<320			(2.70)	----
07			5.0	<300			(2.85)	----
08			4.4	300			2.75	----
09			5.85	275			2.85	----
10			8.4	250			2.95	----
11			10.9	240			3.00	----
12			(12.3)	240			(3.05)	----
13			>12.0	240			(3.05)	----
14			11.95	240			(3.10)	----
15			>10.65	250			(2.95)	----
16			(10.5)	255			(3.00)	----
17			(6.75)	260			(2.95)	----
18			(5.6)	300			(2.85)	----
19			(5.8)	310			2.2	----
20			>5.4	(320)			----	----
21			(5.35)	350			(2.05)	----
22			>5.1	350			(2.55)	----
23			>5.6	<400			----	----

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 16.2 seconds.

Table 7

St. John's, Newfoundland (47.6°N, 52.7°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(4.7)	300						2.55
01	4.7	300						2.55
02	(4.8)	290						(2.60)
03	(4.8)	270						2.60
04	(3.9)	270						(2.70)
05	(4.1)	260						(2.70)
06	(3.9)	260						(2.72)
07	5.95	250	127	1.70				2.90
00	10.0	235	(121)	2.30	2.5			3.10
09	12.6	230	119	2.80				3.05
10	14.0	235	119	3.10				3.05
11	14.2	230	119	3.20				3.00
12	14.2	230	119	3.10				2.95
13	14.2	235	119	3.00				2.90
14	14.2	235	121	2.70				2.90
15	13.5	235	(132)	2.30				2.90
16	12.4	230	---	---				2.90
17	11.05	230	---	---				2.85
18	9.45	240						2.90
19	0.1	240						2.80
20	7.05	255						2.70
21	5.7	275						2.60
22	(5.0)	280						2.65
23	(4.9)	290						2.60

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 9

San Francisco, California (37.4°N, 122.2°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	3.6	(260)						2.70
01	3.6	<290						2.70
02	3.55	<290						2.70
03	3.5	<290						2.68
04	3.3	<300						2.60
05	3.3	<315						2.55
06	3.3	<310						2.70
07	5.0	<260						2.80
00	9.1	230	121	2.35				3.20
09	---	11.2	230	115	2.95			3.10
10	---	12.4	230	111	3.25			3.05
11	---	13.5	230	115	3.50			3.00
12	13.35	225	116	3.60				2.85
13	13.0	230	117	3.50				2.80
14	12.9	230	115	3.30				2.75
15	12.6	235	115	3.00				2.00
16	12.3	230	119	2.45				2.80
17	11.3	225	---	---	2.3			2.85
10	10.0	<230						2.90
19	8.05	<225						3.00
20	6.45	<230						3.00
21	4.5	<240						2.95
22	3.7	<260						2.85
23	3.65	<260						2.78

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 11

Grand Bahama I. (26.6°N, 78.2°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	5.85	<255						2.92
01	5.45	250						3.00
02	4.8	240						2.98
03	4.3	<260						2.70
04	4.3	290						2.60
05	4.2	290						2.68
06	4.4	<270						2.82
07	7.2	250	<155	2.00	2.9			3.05
00	10.85	235	<112	2.05				3.20
09	12.15	230	<109	3.30	3.5			3.15
10	12.5	225	109	3.60	3.8			3.05
11	12.3	220	105	(3.80)	3.9			2.90
12	12.35	225	<106	3.90	4.0			2.75
13	12.3	225	(109)	3.80	4.0			2.70
14	12.0	230	<109	3.70	3.8			2.70
15	11.8	230	<111	3.40	3.5			2.65
16	11.5	235	(113)	2.90				2.75
17	11.2	240	<134	2.20	3.1			2.60
18	>10.0	220			3.1			2.05
19	8.4	235			2.0			2.80
20	7.7	250			3.0			2.05
21	7.3	250			3.0			2.80
22	6.9	245			2.1			2.90
23	6.4	250			2.6			2.90

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 8

Ft. Monmouth, New Jersey (40.4°N, 74.1°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			5.8		270			2.75
01			5.6		280			2.75
02			5.6		275			2.75
03			5.4		265			2.80
04			4.95		265			2.75
05			4.6		265			2.70
06			4.4		<270			2.88
07			5.6		255			2.95
00			9.3		230			3.15
09			11.9		230			3.10
10			13.5		230			3.02
11			14.25		230			3.00
12			14.0		230			2.95
13			13.6		230			2.85
14			13.3		235			2.80
15			13.2		240			2.80
16			12.8		235			2.85
17			11.85		230			2.85
18			10.3		230			2.85
19			9.2		235			2.90
20			7.05		240			2.85
21			6.7		250			2.80
22			6.45		270			2.75
23			5.0		260			2.80

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 10

White Sands, New Mexico (32.3°N, 106.5°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			4.1		280			2.70
01			4.0		280			2.75
02			3.9		280			2.75
03			3.65		(280)			2.70
04			3.5		(300)			2.65
05			3.4		<320			2.55
06			3.6		300			2.70
07			6.5		255			2.95
00			10.4		235			3.15
09			12.2		230			3.15
10			12.95		230			2.98
11			13.65		225			2.85
12			13.5		230			2.80
13			13.0		230			2.70
14			13.0		230			2.68
15			12.6		235			2.75
16			12.0		240			2.75
17			11.5		235			2.85
18			9.8		230			2.80
19			8.6		240			3.0
20			7.0		235			2.95
21			5.5		245			3.1
22			4.5		<260			2.7
23			4.3		(265)			2.75

Time: 105.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 12

Maui, Hawaii (20.8°N, 156.5°W)							December 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			8.5		230			2.92
01			8.0		230			3.05
02			6.7		230			2.98
03			5.75		220			2.60
04			4.5		<235			2.45
05			4.3		270			2.45
06			4.3		<295			2.45
07			7.3		265			2.85
00			11.7		250			3.05
09			14.85		240			3.10
10			14.9		230			3.00
11			14.9		220			3.00
12			(350)		120			2.80
13			(345)		15.5			2.70
14			350		15.5			2.65
15			(340)		15.1			2.65
16			14.05		240			2.70
17			14.2		240			2.75
18			13.5		235			4.0
19			12.5	</td				

Table 13

Puerto Rico, W. I. (18.5°N, 67.2°W)							December 1950			
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2		
00		7.0	250					3.00		
01		6.7	240					3.10		
02		5.3	225					3.22		
03		4.2	230					3.00		
04		4.0	(300)					2.55		
05		4.1	(290)					2.65		
06		4.4	270					2.05		
07		7.2	260	---	2.00			3.10		
08		11.3	240	117	2.02			3.15		
09		13.2	240	111	3.30	3.4		3.15		
10		13.2	230	111	3.65	3.7		3.10		
11	---	12.3	225	111	3.85	4.0		2.95		
12	---	11.6	220	---	110	4.00	4.3	2.75		
13	(350)	12.1	220	---	111	3.95	4.1	2.70		
14	---	11.0	240	111	3.85	4.1		2.70		
15	---	11.4	240	115	3.65	3.8		2.65		
16	---	10.8	240	<116	3.25	3.9		2.65		
17		11.0	245	(120)	2.65	3.7		2.75		
18		10.8	245			4.2		2.05		
19		9.5	<250			3.8		2.90		
20		8.7	260			2.7		2.75		
21		8.4	(265)					2.90		
22		8.2	255					2.95		
23		7.6	245					2.95		

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 15

Panama Canal Zone (9.4°N, 79.9°W)							December 1950			
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2		
00		9.0	220					3.10		
01		6.7	215					3.00		
02		5.7	220					2.95		
03		4.3	230					2.80		
04		3.6	(295)					2.55		
05		3.8	(305)					2.50		
06		6.2	285					2.65		
07		10.6	260	119	2.40			3.00		
08		13.6	245	109	3.10	3.8		2.95		
09	---	14.4	235	107	3.60	4.3		2.95		
10	---	14.0	230	107	3.90	4.3		2.80		
11	---	13.5	225	107	4.00	4.5		2.65		
12	(420)	13.0	220	7.2	107	4.10	4.6	2.55		
13	410	13.0	215	6.7	105	4.00	4.7	2.50		
14	400	13.0	230	---	107	4.00	4.7	2.50		
15	305	12.8	240	109	3.75	5.0		2.50		
16	---	12.0	245	111	3.35	4.4		2.50		
17	---	11.8	250	(113)	2.80	4.2		2.55		
18		11.4	270	---	---	4.7		2.65		
19		10.9	260			4.3		2.75		
20		9.9	250			3.6		2.75		
21		9.7	245					2.70		
22		10.1	250					2.80		
23		10.05	230					2.90		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 17

Fletchers Ice I. (70.0°N, 122.9°W)*							November 1958			
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2		
00		---	(220)			1.8	---			
01		---	220			1.7	---			
02		---	(220)			1.0	---			
03		---	(215)			4.2	---			
04		---	220			2.1	---			
05		---	220			2.1	---			
06		---	220			1.7	---			
07		---	230			2.0	---			
08	---	225			1.7	---	---			
09	---	220			1.7	---	---			
10	---	220								
11	---	210								
12	---	220	---	---						
13	---	220	---	---		1.6				
14	---	220	---	---						
15	---	215	---	---						
16	---	220	---	---						
17	---	220								
18	---	210								
19	---	220								
20	---	210								
21	---	220								
22	---	220								
23	---	(220)								

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

*Preliminary estimated average position.

Table 14

Baguio, P. I. (16.4°N, 120.6°E)							December 1958			
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2		
00			(11.3)		260					(2.80)
01			>11.0		250					(2.92)
02			>10.25		235					(3.00)
03			>7.55		230					2.90
04			6.4		250					2.80
05			6.0		250					2.05
06			5.95		280					2.68
07			10.2		200					2.85
08			13.7		265					(2.88)
09			(15.5)		250					(2.80)
10			(15.1)		245					(2.55)
11			(15.0)		240					(2.25)
12			>14.0		235					(2.18)
13			(14.0)		240					(2.20)
14			(14.0)		245					(2.20)
15			(14.0)		250					(2.15)
16			>14.0		265					(2.20)
17			>13.0		285					(2.30)
18			(12.4)		300					(2.30)
19			>12.0		340					(2.30)
20			(11.95)		335					(2.50)
21			>12.95		285					(2.60)
22			(11.9)		260					(2.68)
23			>11.5		250					(2.72)

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 16

Chimbo, Peru (9.1°S, 78.6°W)							December 1950			
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2		
00			(0.85)		340					(2.35)
01			8.3		315					2.48
02			6.5		280					2.60
03			8.3		255					4.2
04			7.45		245					3.05
05			6.45		240					3.08
06			8.4		285					2.00
07			11.5		255					2.80
08			13.1		240					2.70
09			13.9		230					2.50
10			14.1		220					2.32
11			14.0		220					2.10
12			13.8		220					2.02
13			13.1		<220					2.05
14			12.5		220					2.05
15			12.3		230					2.10
16			12.1		240					2.15
17			11.95		260					2.15
18			11.9		290					2.25
19			11.8		320					(2.10)
20			11.1		380					(2.10)
21			10.8		380					(2.20)
22			10.3		370					1.8
23			4.2		360					2.3

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 18

San Francisco, California (37.4°N, 122.2°W)							November 1958			
Time	h'F2	foF2	h'F	foFl	h'E	foE	foEs	(M3000)F2		
00			4.15		<275		</			

Table 19

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			(6.45)					(2.60)
01			(5.7)					(2.55)
02			(5.4)					(2.55)
03			(5.15)					---
04			(4.7)					(2.60)
05			(4.5)					(2.52)
06			(4.75)					(2.48)
07			(4.7)		115	---	3.4	(2.40)
00			(5.9)		113	1.05		(2.80)
09			(7.05)		114	2.25		(2.80)
10			(9.4)		111	2.65		(2.82)
11			(9.6)		111	2.75		(2.00)
12			(8.5)	(3.6)	109	2.70		(2.00)
13			(8.45)		111	2.60		(2.70)
14			(8.25)		113	2.45		(2.75)
15			(7.9)		113	2.40		(2.75)
16			(7.0)		117	2.10	2.4	(2.70)
17			(7.95)		<130	1.70	3.6	(2.70)
18			(8.3)		---	---	3.9	(2.70)
19			(7.6)		---	---		(2.62)
20			(7.0)		---	---		(2.60)
21			(7.0)		---	---		(2.60)
22			(6.8)		---	---		(2.65)
23			(6.45)		---	---		(2.60)

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 16.2 seconds.

Table 21

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			5.3	260				2.65
01			4.8	270				2.70
02			4.8	260				2.70
03			4.9	270				2.70
04			4.6	250				2.70
05			4.2	250				2.80
06			4.4	250	---	<1.60		2.80
07			8.2	230	140	2.15		3.15
00			10.6	230	120	2.80		3.20
09			11.7	230	120	3.30		3.15
10			12.0	230	120	3.50	3.5	3.05
11			11.8	230	120	3.70	4.0	2.90
12			11.8	220	120	3.70	4.0	2.85
13			>11.5	220	120	(3.70)	3.8	2.80
14			11.2	230	120	3.50	4.0	2.80
15			11.2	240	120	3.20	3.4	<2.05
16			10.7	240	120	2.70	2.8	2.80
17			10.5	240	---	<1.90	2.0	2.85
18			8.9	230	---	<1.60		2.80
19			7.6	240				2.80
20			6.6	250				2.80
21			6.3	250				2.75
22			5.6	250				2.70
23			5.0	250				2.70

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 23

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			4.6	300			3.2	2.55
01			4.6	300	---	---	2.8	2.55
02			4.6	290	---	---	>2.1	2.60
03			4.4	280	---	---	>2.1	2.60
04			4.4	260	---	---	>2.1	2.70
05			4.1	260	---	---	2.1	2.75
06			3.6	250	---	---	2.0	2.80
07			4.0	250	---	---	2.0	2.80
00			6.5	240	105	1.9	>2.1	3.10
09			9.0	230	105	2.4		3.15
10			10.5	230	105	2.7		3.10
11			11.5	230	110	2.9		3.00
12			12.2	230	110	2.9		(3.00)
13			11.6	230	110	2.8	3.0	(2.90)
14			12.1	240	105	2.6	<2.8	(2.95)
15			(8.8)	230	115	2.2		(2.95)
16			10.0	230	120	1.5		2.90
17			9.0	220			>2.1	2.90
18			7.1	230			2.4	2.90
19			6.0	260	---	2.4	2.4	2.80
20			5.7	270	---	2.4	2.4	2.70
21			5.5	260	---	---	2.5	2.65
22			4.9	280	---	---	2.5	2.60
23			4.7	300	---	---	3.6	2.60

Time: 165.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 5 minutes, manual operation.

Table 20

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			>11.85	230				3.6 (2.80)
01			10.05	230				3.1 (2.80)
02			9.9	230				2.3 (2.90)
03			8.8	230				3.5 (3.00)
04			7.9	230				2.9 (3.10)
05			6.7	240				3.4 (3.15)
06			6.7	265				3.9 (2.05)
07			11.1	250				2.75 (2.95)
00			13.0	240				3.40 (2.85)
09			15.1	225				4.1 (2.70)
10			15.15	215				4.15 (2.45)
11			15.5	215				4.30 (2.25)
12			15.5	210				4.35 (2.05)
13			14.9	<210				4.35 (2.05)
14			14.3	205				4.20 (2.05)
15			13.8	210				3.90 (2.05)
16			13.45	230				3.50 (2.08)
17			(13.45)	250				3.00 (2.15)
18			(13.1)	290				(145) 2.20 (2.10)
19			(13.0)	350				
20			(12.95)	400				
21			(12.9)	340				
22			(12.8)	260				
23			11.9	225				4.4 (2.65)

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 22

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			5.3	300				<1.7 (2.55)
01			4.9	300				1.9 (2.50)
02			4.7	300				1.4 (2.50)
03			4.6	300				<1.5 (2.55)
04			4.7	280				<1.5 (2.70)
05			4.7	250				<1.5 (2.75)
06			4.3	260				<1.5 (2.70)
07			4.0	250				<1.5 (2.70)
00			6.4	250		130	1.8	2.0 (3.10)
09			8.9	250		130	2.5	3.10
10			10.4	250		120	2.9	3.0 (3.15)
11			11.6	250		115	3.0	3.2 (3.05)
12			11.6	240		125	3.2	3.5 (3.00)
13			11.6	240		125	3.2	3.6 (3.00)
14			11.3	250		130	3.2	2.95 (2.95)
15			>11.0	250		115	2.9	<3.0 (2.90)
16			11.4	250		130	2.5	2.90 (2.90)
17			10.6	250		125	3.2	<2.3 (2.90)
18			8.6	240		125	3.5	2.85 (2.85)
19			7.9	250		110	3.6	<1.9 (2.90)
20			7.0	260		110	3.7	<1.7 (2.80)
21			5.9	260		110	3.8	<1.5 (2.70)
22			5.6	270		110	4.4	<1.5 (2.60)
23			5.3	270		110	4.5	<1.5 (2.60)

Time: 180.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 24

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			7.8	250				2.70 (2.60)
01			6.9	250				2.90 (2.90)
02			7.2	250				2.90 (2.90)
03			5.8	230				<1.4 (2.60)
04			4.6	250				2.60 (2.60)
05			5.0	290				2.60 (2.60)
06			7.5	290				<1.4 (2.75)
07			(12.6)	250				2.7 (2.65)
08			14.3	250		110	3.3	3.0 (3.00)
09			14.6	240		110	3.6	2.85 (2.85)
10			14.6	230		110	3.8	2.75 (2.75)
11			14.9	230		110	3.9	2.70 (2.70)
12			14.7	230		110	3.9	4.1 (2.60)
13			(360)	14.2	230	110	3.8	4.4 (2.60)
14			(390)	14.0	230	110	3.6	4.4 (2.55)
15			(350)	14.2	250	110	3.4	4.5 (2.55)
16			(14.5)	250		110	2.7	4.0 (2.60)
17			(14.7)	260		110	4.3	4.3 (2.65)
18			(14.3)	250		110	3.7	3.7 (2.65)
19			(13.4)	250		110	3.8	3.5 (2.60)
20			(11.6)	250		110	3.2	3.2 (2.70)
21			(9.2)	240		110	4.4	2.4 (2.60)
22			(8.7)	230		110	4.5	2.4 (2.60)
23			(8.2)	250		110	4.6	2.4 (2.60)

Time: 165.0°W.

Sweep: 1.5 Mc to 20.0 Mc in 5 minutes, manual operation.

Table 25

Tromso, Norway (69.7°N, 19.0°E)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(5.6)	380			3.2	(2.25)	
01	---	---						
02	---	---						
03	---	---						
04	---	---						
05	---	---						
06	---	6.3 (270)		120	2.50		2.50	
07	---	7.2	255		110	2.80	2.50	
08	---	8.1	250	----	110	3.05	2.55	
09	(470)	8.2	250	5.50	110	3.20	2.40	
10	(490)	B.5	245	5.50	110	3.30	2.40	
11	(510)	9.0	245	5.45	110	3.40	2.40	
12	(475)	B.7	245	5.35	110	3.40	2.40	
13	(445)	B.7	245	5.40	110	3.40	2.50	
14	(500)	B.7	245	4.80	110	3.30	2.55	
15	---	8.1	250	----	115	3.20	2.55	
16	---	7.5	250	----	110	3.00	2.60	
17	(280)	7.4	260		110	2.90 >3.5	2.70	
18	---	7.5	295		110	2.65 3.3	2.50	
19	---	6.4	300	----	130	2.75 3.2	2.50	
20	(6.4)	340	----	----	2.50	3.2 (2.35)		
21	(6.2)	(335)	----	----	4.1	(2.30)		
22	(5.7)	(395)	----	----	5.2	(2.30)		
23	6.2	(360)	----	----	3.2	(2.30)		

Time: 15.0°E.

Sweep: 0.7 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 27

Nurmijarvi, Finland (60.5°N, 24.6°E)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00					<1.8	2.40		
01	6.1				<1.7	2.35		
02	6.0				<1.7	2.40		
03	5.3				<1.7	2.40		
04	5.5				<1.7	2.55		
05	5.6			----	<2.2	2.60		
06	6.1				2.2	2.70		
07	6.9	---				2.70		
08	7.7	5.0			2.9	2.70		
09	8.2	5.4	----			2.65		
10	B.7	5.8	----			2.55		
11	9.2	6.0			3.7	2.50		
12	9.6	6.0				2.50		
13	9.8	6.0				2.50		
14	9.6	5.9	----			2.50		
15	9.6	5.8	----			2.55		
16	9.6	----	----			2.60		
17	9.8	----	----			2.70		
18	9.8	----	----			2.70		
19	9.6	----	----			2.70		
20	9.0			<2.4		2.70		
21	B.5				<1.9	2.60		
22	7.7				<1.8	2.50		
23	6.6				<1.8	2.40		

Time: 30.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 1 minute.

Table 29

Winnipeg, Canada (49.9°N, 97.4°W)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		5.0	370			3.2	----	
01		5.6	320			3.0	(2.70)	
02		5.4	330			2.5	----	
03		5.2	360	----	2.4	----		
04		5.0	370	----	2.5	----		
05		5.0	340	----	1.8	2.0	----	
06		5.8	290		120	2.0	(2.85)	
07	---	6.4	260	----	110	2.6	(2.85)	
08	---	7.2	240	----	105	3.0	2.80	
09	550	7.5	240	5.0	105	3.5	2.65	
10	500	B.0	220	5.6	105	3.8	2.50	
11	510	B.3	230	5.7	105	4.0	2.45	
12	500	B.6	230	5.8	105	4.0	2.40	
13	480	B.8	230	5.9	100	4.0	2.40	
14	510	B.8	230	5.8	100	3.9	2.40	
15	490	9.0	230	5.8	105	3.8	2.40	
16	460	9.4	240	5.2	105	3.5	2.40	
17	440	9.0	250	4.7	110	3.0	(2.50)	
18	---	9.2	270	----	110	2.7	(2.70)	
19		B.B	280		130	2.0	----	
20		B.0	280	----	2.0	----		
21		6.4	290	----		2.6		
22		5.9	300	----		2.0		
23		5.4	340	----		3.0	----	

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 26

Baker Lake, Canada (64.3°N, 96.0°W)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			6.2	290		----	4.0	
01			6.0	290		----	4.0	----
02			6.0	290		----	3.6	
03			5.5	300		----	3.5	----
04			5.4	300		140	1.7	2.6
05			5.2	300		130	2.0	----
06	(520)		5.5	280		3.8	115	2.4 3.6
07	500		5.7	250		4.2	110	2.7 3.2
08	540		6.0	240		4.6	110	3.0 (2.4)
09	500		6.0	250		4.5	110	3.3 (2.3)
10	560		6.0	250		4.8	110	3.5 G
11	530		6.2	250		5.0	110	3.8
12	520		6.6	240		5.0	110	3.7 (2.4)
13	480		7.2	240		5.2	110	3.6
14	500		7.5	240		5.0	110	3.5 (2.5)
15	480		7.1	240		5.0	110	3.4
16	500		6.7	250		4.8	110	3.2
17	470		6.3	240		4.5	110	3.0
18	(430)	6.1	270	4.2	110	2.6	----	
19		6.0	290	----	120	2.3	2.6	----
20		6.0	300	----	130	2.0	4.0	
21		6.0	300	----	130	1.7	3.8	
22		6.0	290	----	130	1.7	4.6	
23		6.2	280	----	130	1.7	3.5	----

Time: 90.0°W.

Sweep: 1.0 Mc to 16.0 Mc in 16 seconds.

Table 28

Oslo, Norway (60.0°N, 11.1°E)							April 1958	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			5.4	390				(2.30)
01			5.9	370		----	----	(2.30)
02			4.6	370		----	----	2.30
03			4.8	350		----	----	2.30
04			4.7	350		----	1.60	2.30
05			5.1	310		120	1.70	2.55
06			5.8	270		115	2.25	2.70
07			6.6	260	----	115	2.70	2.70
08	(420)	B.0	245	----	110	3.35	2.55	
09	390	8.6	240	----	110	3.60	2.55	
10	490	9.2	240	5.70	110	3.70	2.55	
11	470	9.3	240	5.80	110	3.75	2.40	
12	(460)	9.5	240	6.00	110	3.75	2.50	
13	(450)	9.6	240	----	110	3.70	2.55	
14	(490)	9.7	250	----	110	3.60	2.55	
15	---	9.8	250	----	110	3.25	2.55	
16	(500)	12.4	250	----	110	3.0	2.12	
17	270	12.4	250	----	100	2.9	4.0	2.76
18	290	14.0	240	----	105	3.4	4.7	2.63
19	---	14.7	240	----	105	3.9	4.2	2.42
20	430	15.0	240	----	105	4.0	4.0	2.25
21	(460)	15.6	240	----	105	4.2	4.2	2.12
22	160	15.0	245	----	110	----	----	2.03
23	490	15.1	250	----	110	----	----	2.00
24	490	14.6	240	----	110	4.0	4.0	1.99
25	485	14.6	240	7.0	110	4.0	4.0	1.97
26	475	15.0	250	----	110	3.4	4.1	2.02
27	500	14.6	270	----	110	3.0	4.0	2.02
28	----	14.5	310	----	110	3.2	4.0	2.00
29	400	----	----	----	110	2.8	4.0	1.90
30	390	----	----	----	110	2.0	----	----
31	320	----	----	----	110	2.3	----	
32	280	----	----	----	110	2.2	----	
33	250	----	----	----	110	2.6	----	
34	250	13.6	----	----	110	3.0	2.55	
35	240	12.0	----	----	110	3.0	2.54	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 31

Leopoldville, Belgian Congo (4.4°S, 15.2°E)

April 1958

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	225	16.5				1.8	2.63	
01	220	13.6					2.60	
02	225	11.5				1.8	2.58	
03	235	9.6				2.0	2.60	
04	230	7.9				2.5	2.68	
05	260	6.1			---	2.6	2.61	
06	265	11.6	250	---	110	2.9	3.8	2.64
07	290	13.4	240	---	105	3.5	4.2	2.57
08	315	14.0	240	---	110	4.0	5.0	2.45
09	370	14.3	240	---	110	4.0	4.0	2.32
10	400	15.1	240	---	110	4.2		2.23
11	410	16.0	250	---	110	---		2.22
12	420	16.4	250	---	110	---		2.17
13	440	15.9	245	7.0	110	4.0		2.11
14	450	16.0	240	---	110	3.8		2.07
15	440	16.0	250	---	110	3.3	4.4	2.09
16	400	16.2	265	---	110	2.8	3.9	2.13
17	(355)	16.4	300	---		3.4	2.16	
18	340	16.3				3.2	2.18	
19	330	---				2.4	---	
20	260	---				2.1	---	
21	240	---				---		
22	230	17.4				1.7	<2.48	
23	230	17.7					2.61	

Time: 0.0°
Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 33

Townsville, Australia (19.3°S, 146.7°E)

April 1958

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			>7.0	250			----	
01			>7.0	250			----	
02			>7.0	250			----	
03			>7.0	245		2.0	(2.75)	
04			>6.5	260			(2.55)	
05			(6.4)	320		2.5	2.60	
06			(7.5)	270	---	<1.50	----	
07			>9.0	250	120	2.50		
08			>12.2	240	110	3.20	3.5	----
09			>14.0	240	110	3.65	4.0	(2.90)
10			(14.6)	240	110	3.80	4.0	(2.80)
11			14.5	230	110	3.95	4.3	(2.70)
12			(13.8)	230	110	4.10	4.4	2.50
13			(13.5)	230	110	4.00	4.5	(2.50)
14			>13.6	240	110	3.85	4.2	(2.45)
15			>13.0	240	110	3.70	4.0	(2.50)
16			>12.0	250	110	3.45	4.4	(2.50)
17			>10.0	250	110	2.80	3.8	
18			>9.0	270	---	2.10	3.5	
19			>8.0	(270)			3.6	
20			>7.0	(260)			3.4	
21			>7.0	280		3.0	----	
22			>7.0	270		2.7		
23			>7.0	250		2.5		

Time: 150.0°E.
Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 35

Sao Paulo, Brazil (23.5°S, 46.5°W)

April 1950

Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			14.8	240		<2.3	3.05	
01			13.0	240		<2.3	3.00	
02			>12.8	250		<2.2	2.95	
03			11.1	250		<2.1	3.00	
04			9.3	250		<2.1	2.00	
05			7.1	<265		<2.1	2.75	
06			6.9	270	----	<2.1	2.60	
07			10.6	260	----		2.90	
08			13.0	255	3.15		2.95	
09			14.2	250	3.60		2.90	
10			(14.5)	245	3.90		(2.85)	
11			(14.6)	250	9.4	----	(2.70)	
12			(440)	(14.6)	250	7.9	----	(2.50)
13			(460)	(14.6)	250	7.8	----	(2.50)
14			445	(14.8)	250	7.8	----	(2.50)
15			420	(14.9)	260	7.5	3.60	(2.60)
16			(410)	(14.8)	260	---	(3.50)	4.1 (2.60)
17			(15.0)	275		2.80	3.2	(2.60)
18			(14.8)	300		3.0	(2.65)	
19			>14.0	335		2.4	(2.55)	
20			(14.4)	350		<2.2	(2.50)	
21			(14.8)	300		<2.2	(2.30)	
22			(15.0)	260		<2.2	(2.90)	
23			(15.2)	250		<2.2	(3.00)	

Time: 45.0°W.
Sweep: 1.75 Mc to 20.0 Mc in 2 minutes 30 seconds.

Table 32

Elisabethville, Belgian Congo (11.6°S, 27.5°E)

April 1958

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00					230	9.0		2.55
01					240	6.8		2.56
02					235	5.8		2.60
03					240	4.6		2.56
04					270	5.6		1.7 (2.43)
05					240	10.0	---	
06					260	12.4	240	3.0 (2.68)
07					290	13.6	240	3.7 (2.9)
08					300	13.7	240	4.0 (2.42)
09					360	14.0	240	4.0 (2.33)
10					390	14.5	245	4.2 (2.27)
11					390	14.6	245	4.1 (2.21)
12					400	14.4	250	5.0 (2.18)
13					400	14.0	250	5.0 (2.16)
14					390	14.0	250	4.6 (2.19)
15					350	13.9	260	4.1 (2.24)
16					280	14.0	265	3.3 (2.32)
17					275	14.0		3.0 (2.42)
18					265	14.1		2.9 (2.46)
19					250	14.2		2.8 (2.45)
20					240	13.4		2.5 (2.53)
21					230	14.2		2.58 (2.55)
22					230	12.5		
23					240	10.2		2.40 (2.40)

Time: 0.0°
Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 34

Rarotonga I. (21.2°S, 159.8°W)

April 1958

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00					(9.2)	250		(2.70)
01					9.0	250		2.70
02					8.4	250		2.60
03					7.9	<260		2.60
04					7.8	260		2.50
05					7.9	300		2.55
06					(10.4)	290	---	1.7 (2.85)
07					(14.2)	250	110	2.8 (3.00)
08					15.1	250	110	3.4 (2.90)
09					15.8	240	110	3.7 (2.80)
10					15.8	240	110	4.0 (2.65)
11					15.4	230	110	4.1 (2.60)
12					400	15.8	230	4.4 (2.50)
13					400	16.0	240	4.6 (2.50)
14					400	15.8	250	4.5 (2.45)
15					(400)	(15.2)	250	4.0 (2.50)
16					14.9	250	110	3.9 (2.50)
17					(15.0)	260	---	2.0 (2.50)
18					(14.4)	270		3.2 (2.60)
19					(14.3)	260		3.5 (2.60)
20					(13.8)	260		3.4 (2.60)
21					(13.4)	250		2.8 (2.60)
22					(12.6)	250		2.4 (2.60)
23					(9.0)	250		---

Time: 165.0°W.
Sweep: 1.5 Mc to 20.0 Mc in 5 minutes, manual operation.

Table 36

Brisbane, Australia (27.5°S, 152.9°E)

April 1958

Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2
00					8.5	270		2.55
01					8.2	270		2.60
02					8.0	260		2.55
03					7.0	260		2.60
04					7.0	290		2.40
05					7.0	300		2.50
06					8.5	270	---	2.80
07					>11.0	240	140	2.65 >2.6 (3.00)
08					>11.8	240	120	(3.45)
09					>12.0	230	120	
10					>12.0	240	120	>3.40
11					>12.0	240	---	
12					>12.0	230	---	
13					>11.8	240	---	
14					>11.8	240	120	>3.45
15					>11.5	240	130	>3.40
16					>11.2	240	130	3.00
17					>11.0	250	130	3.4
18					>11.0	250	---	2.7
19					>11.0	260	---	2.75
20					>9.5	280		2.75
21					(9.1)	280		2.75
22					9.0	260		2.60
23								

Table 37

Canberra, Australia (35.3°S, 149.0°E)							April 1958
Time	h°F2	foF2	h°F	foF1	h°E	foE	foEs (M3000)F2
00		>7.7	245			1.2	(2.75)
01		7.5	250			1.3	2.70
02		7.5	250			1.7	2.65
03		7.4	250			1.4	2.70
04		6.8	240			1.4	2.55
05		6.8	250				2.65
06		7.0	240	---	<1.60		2.80
07		>9.0	220	110	2.30		3.15
08		12.8	210	100	2.90	3.1	3.20
09		13.6	205	100	3.35	3.5	3.20
10		>13.8	200	100	3.65	3.8	(3.10)
11		>13.6	200	100	3.80	4.0	(3.00)
12		(13.7)	200	100	3.85		2.95
13		>13.5	<210	100	3.85		2.85
14		13.4	210	100	3.70		2.85
15		13.2	210	100	3.50		2.85
16		13.0	210	100	3.05	3.2	2.85
17		12.8	210	100	2.50	2.7	2.90
18		11.8	215	95	<1.60	2.6	2.90
19		10.4	220			2.2	2.85
20		>9.6	240				(2.90)
21		>9.0	235				(2.80)
22		>8.2	240				2.70
23		7.8	240				(2.75)

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 39

Cape Hallett (72.3°S, 170.3°E)							April 1958
Time	h°F2	foF2	h°F	foF1	h°E	foE	foEs (M3000)F2
00		(5.0)	330	---	1.0		(2.30)
01		(3.5)	385	---	1.3		(2.15)
02		(3.6)	400	305	1.5		(2.20)
03		(4.4)	355	335	1.5		(2.40)
04		(3.9)	380	---	1.5	2.1	(2.30)
05		(4.4)	395	257	1.5		(2.30)
06		(6.7)	330	164	1.6		(2.40)
07		(7.3)	300	119	1.7		(2.60)
08	---	(7.2)	290	109	2.0		(2.65)
09	---	(7.8)	265	---	2.2		(2.65)
10	---	(7.8)	260	---	2.3		(2.85)
11	---	(8.4)	255	---	2.4		(2.80)
12	---	(8.6)	245	---	1.3	2.5	(2.75)
13	---	8.5	250	---	108	2.4	2.70
14	---	9.0	265	---	2.4	3.8	2.70
15		8.6	265	---	2.0	3.3	2.65
16		(8.6)	270	129	1.6		(2.60)
17		(9.5)	275	182	1.4		(2.60)
18		(9.7)	260	---	1.0		(2.50)
19		(9.6)	270	---	E		(2.50)
20		(8.5)	270	---	E		(2.45)
21		(10.0)	275	---	E		(2.55)
22		(8.4)	285	---	E		(2.55)
23		(5.2)	330	---	E		(2.25)

Time: 165.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 41

Lindau/Harz, Germany (51.6°N, 10.1°E)							March 1958
Time	h°F2	foF2	h°F	foF1	h°E	foE	foEs (M3000)F2
00		6.15	304				2.35
01		5.86	327				2.33
02		5.46	320				2.33
03		5.00	338				2.32
04		4.74	332				2.30
05		4.49	309				2.44
06		4.60	292	---	---		2.56
07		6.24	252	115	2.20	2.8	2.84
08		8.20	242	110	2.62	3.2	2.90
09		9.48	235	107	3.10	3.6	2.86
10	---	10.70	230	105	3.34	3.7	2.80
11	---	11.77	227	106	3.48	4.0	2.67
12	---	12.30	229	107	3.60	3.9	2.67
13	---	12.60	229	106	3.63		2.65
14		12.44	231	106	3.55		2.66
15		12.25	232	107	3.35		2.67
16		12.10	238	107	3.10		2.72
17		11.80	241	113	2.65	2.9	2.75
18		11.25	245	---	2.05	2.6	2.78
19		10.27	233				2.78
20		9.00	233				2.69
21		7.90	241				2.60
22		7.00	266				2.43
23		6.68	294				2.42

Time: 15.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 4 minutes.

Table 38

Christchurch, New Zealand (43.6°S, 172.8°E)							April 1958
Time	h°F2	foF2	h°F	foF1	h°E	foE	foEs (M3000)F2
00			7.7	290			<1.7
01			5.0	300			<1.5
02			7.5	290			<1.5
03			7.0	300			<1.3
04			6.7	290			<1.2
05			6.4	300			<1.4
06			6.2	290			<1.5
07			7.0	290		1.7	2.70
08			9.5	250	110	2.5	2.90
09			12.0	250	105	3.0	2.90
10			13.9	240	100	3.4	2.80
11			14.2	240	100	3.6	2.75
12			14.0	240	100	3.6	2.80
13			14.0	240	---	3.7	2.75
14			14.0	250	100	3.6	2.70
15			13.4	250	100	3.4	2.70
16			13.1	250	105	3.0	2.70
17			12.8	250	115	2.5	2.75
18			12.0	250	---	1.7	2.75
19			10.8	250			<1.5
20			9.6	250			<1.5
21			9.0	250			<1.7
22			8.3	260			<1.7
23			7.7	280			<1.7

Time: 180.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 40

Scott Base (77.8°S, 166.8°E)							April 1958
Time	h°F2	foF2	h°F	foF1	h°E	foE	foEs (M3000)F2
00			(5.7)	<340			<1.7
01			4.6	<350			<1.8
02			(4.5)	350			<2.0
03			(4.8)	<350			<1.8
04			5.2	300			<1.9
05			5.4	300			<2.30
06			6.0	<300			<1.6
07			5.8	<290			<2.0
08			6.8	270			<2.3
09			6.2	270			<2.2
10			7.6	250			<2.2
11			7.6	270			<2.7
12			8.0	(270)			<2.9
13			8.3	(290)			<2.6
14			8.0	(280)			<2.5
15			8.6	<290			<2.5
16			9.0	<290			<2.0
17			8.8	<290			<1.8
18			9.0	<300			<1.6
19			9.0	(300)			<1.6
20			9.0	<300			<1.8
21			8.7	<300			<1.7
22			6.9	<320			<1.8
23			(6.0)	(330)			<1.8

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 43

Time	h^*F2	$foF2$	h^*F	$foF1$	h^*E	foE	fEs	(M3000)F2
00	5.0	320					---	
01	5.1	330					---	
02	5.0	330			2.0		---	
03	5.2	320					---	
04	5.0	330					---	
05	5.0	320					---	
06	5.2	300			2.0		---	
07	7.0	260			120	2.4	3.0	
08	8.2	250			115	3.0	3.0	
09	---	9.1	240		110	3.2	2.8	
10	---	10.0	230		110	3.5	2.7	
11	(400)	10.5	230	5.9	110	3.7	2.7	
12	(310)	11.0	230	5.6	110	3.8	2.6	
13	(400)	11.2	230	5.9	110	3.8	2.6	
14	(420)	11.6	240	6.0	110	3.7	2.6	
15	(410)	11.6	240	5.5	110	3.4	2.6	
16	---	11.5	250	---	115	3.0	(2.65)	
17	---	11.4	260	---	120	2.7	(2.7)	
18	---	10.9	270		135	2.0	---	
19	9.5	260			---	---		
20	0.2	270				---		
21	7.1	300				---		
22	6.2	310				---		
23	5.0	310				---		

Time: 75.0°W.

Sweep: 1.0 Mc to 16.0 Mc in 16 seconds.

Table 45

Time	h^*F2	$foF2$	h^*F	$foF1$	h^*E	foE	fEs	(M3000)F2
00	---	(5.0)	(335)		---	---	2.5	(2.38)
01	---	(4.7)	<340		109	---	2.8	(2.40)
02	---	(4.5)	330		109	---	2.6	(2.48)
03	---	(4.85)	<330		105	---	2.9	(2.50)
04	---	(5.6)	305		103	(2.70)		(2.60)
05	---	(5.8)	290		105	2.82		(2.60)
06	---	6.95	265		<105	2.82	2.60	
07	(465)	7.9	255		101	2.85	2.60	
08	(470)	8.1	250	4.6	101	3.00	2.50	
09	(430)	7.6	250	(4.8)	101	2.98	2.50	
10	(460)	(7.65)	240	4.8	101	3.10	2.60	
11	(515)	(7.55)	250	(4.8)	101	3.15	2.50	
12	(445)	(7.4)	245	5.0	101	3.10	(2.60)	
13	---	(7.5)	240	(5.1)	101	3.15	(2.60)	
14	(455)	(7.8)	240	(4.8)	101	3.05	(2.58)	
15	460	(7.8)	250	(4.7)	101	2.98	3.3	(2.45)
16	440	(8.0)	260	4.5	101	(2.80)	2.9	(2.40)
17	(450)	(7.65)	<270	(4.4)	103	(2.70)	2.8	(2.35)
18	(425)	(7.6)	260	(4.3)	103	(2.40)	2.6	(2.40)
19	---	(7.8)	290		106	(2.22)	(2.40)	
20	---	(7.8)	310		109	(2.12)	(2.40)	
21	---	(7.0)	310		109	---	(2.40)	
22	(410)	(5.75)	335	---	113	----	1.8	(2.30)
23	---	(5.0)	(340)		124	(1.80)	2.5	(2.30)

Time: 165.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 47

Time	Monte Capellino, Italy (44.6°N, 9.0°E)								August 1957
Time	h^*F2	$foF2$	h^*F1	$foF1$	h^*E	foE	fEs	(M3000)F2	
00	7.3								
01	7.2								
02	7.0								
03	6.6								
04	6.0								
05	5.6								
06	6.7			2.1					
07	7.8				2.9				
08	8.6				3.3				
09	8.5				3.6				
10	8.9				3.8				
11	9.5				3.8				
12	9.4				3.9				
13	9.4				3.0				
14	9.2				3.8				
15	9.2				3.8				
16	8.7				3.6				
17	8.8				3.3				
18	8.6				2.8				
19	8.8				2.2				
20	8.9								
21	(8.4)								
22	7.4								
23	7.4								

Time: 15.0°E.

Table 43

Time	h^*F2	$foF2$	h^*F	$foF1$	h^*E	foE	fEs	(M3000)F2	November 1957
00	(530)	(4.9)	280	(3.6)	103	----	2.8	(2.30)	
01	(605)	(4.85)	275	(3.6)	103	(2.40)	(2.25)		
02	G	(4.7)	280	(3.8)	101	(2.52)	2.8	(2.28)	
03	G	4.9	290	(3.8)	101	2.70		2.30	
04	---	(5.3)	280	(4.0)	101	2.90		2.30	
05	(500)	5.8	270	4.4	101	(3.00)		2.40	
06	480	6.2	260	(4.6)	(101)	(3.10)		2.40	
07	505	6.7	250	(4.8)	101	(3.20)		2.30	
08	505	7.35	250	(5.0)	101	3.30		2.30	
09	510	6.9	245	(4.0)	101	3.35		2.30	
10	540	6.4	240	(4.8)	101	3.40		2.25	
11	(540)	6.4	240	4.9	101	(3.40)		(2.30)	
12	560	6.6	240	(5.0)	101	3.45		2.25	
13	525	(6.65)	240	(5.2)	101	3.35		(2.30)	
14	(525)	6.9	245	(5.1)	101	(3.30)		2.30	
15	(550)	(6.4)	240	4.9	101	(3.20)		2.25	
16	(540)	(6.8)	240	4.6	(101)	(3.08)	4.0	(2.20)	
17	(530)	(6.45)	260	(4.5)	101	(3.00)		(2.25)	
18	(540)	(6.5)	250	(4.4)	101	(2.90)		(2.25)	
19	460	6.6	270	(4.1)	101	(2.70)		2.30	
20	485	(6.65)	280	(4.0)	101	(2.60)		(2.25)	
21	500	(6.0)	290	(3.9)	103	(2.50)	2.6	(2.25)	
22	530	(5.6)	295	(3.7)	107	(2.50)		(2.30)	
23	(580)	(5.45)	290	(3.6)	103	----	2.6	(2.20)	

Time: 165.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 45

Time	h^*F2	$foF2$	h^*F	$foF1$	h^*E	foE	fEs	(M3000)F2	August 1957
00			6.1	300					2.55
01			5.6	310					2.50
02			5.2	320					2.45
03			4.9	330					2.50
04			4.9	320					2.50
05			5.7	300					2.65
06			(350)	6.5	270	(4.1)			2.70
07			360	6.8	260	(4.6)			2.60
08			380	7.2	240	5.0			2.65
09			380	7.6	240	5.2			2.60
10			390	8.1	240	5.4			2.60
11			380	8.3	240	5.4			2.60
12			370	8.4	240	5.5			2.60
13			370	8.4	240	5.5			2.60
14			390	8.2	240	(5.3)			2.65
15			350	8.1	240	(5.2)			2.70
16			(380)	8.0	250	(5.0)			2.70
17			(320)	7.7	260	---			2.75
18			360	7.9	270	---			2.75
19			7.8	280		2.10	2.2		2.80
20			7.6	280		---	2.8		2.75
21			7.3	280		2.1	2.4		2.70
22			7.0	280					2.65
23			6.5	300					2.60

Time: 60.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 49

Time	August 1957						
	h'F2	foF2	h'F	foFl	h'E	foE	foEs (M3000)F2
00	9.4	300			1.8	2.55	
01	9.7	290			2.2	2.65	
02	8.6	265			2.75		
03	7.6	255			2.75		
04	7.4	250			1.2	2.75	
05	6.7	250			1.6	2.75	
06	7.3	260	---	1.7	2.1	2.95	
07	250	9.1	250	4.6	110	2.6	3.15
08	255	9.7	230	5.0	107	3.3	2.95
09	270	10.5	215	5.1	105	3.7	2.70
10	350	11.2	200	5.6	105	4.0	2.45
11	385	12.8	(205)	6.0	105	4.2	2.40
12	375	13.9	---	6.0	105	---	2.45
13	400	15.0	(225)	6.0	105	---	2.45
14	380	15.3	225	6.0	105	4.2	2.50
15	365	15.3	230	6.0	105	4.0	2.50
16	345	15.5	240	5.8	107	3.6	2.55
17	320	15.2	250	5.3	110	3.1	2.60
18	280	14.8	260	4.5	120	2.4	3.0
19		14.2	275			3.0	2.70
20		13.4	285			2.0	2.60
21		12.7	285			1.5	2.50
22		11.8	300				2.50
23		10.5	300			1.8	2.50

Time: 75.0°E.

Sweep: 0.6 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 51

Time	August 1957						
	*	foF2	h'F1	foFl	h'E	foE	fEs (M3000)F2
00							
01							
02							
03							
04							
05							
06	280	7.2			3.25		
07	300	8.8			3.10		
08	360	10.4			2.80		
09	360	10.8			2.80		
10	430	11.5			2.50		
11	460	12.7			2.40		
12	470	13.1			2.35		
13	480	13.6			2.30		
14	480	13.8			2.30		
15	460	14.0			2.40		
16	440	13.6			2.45		
17	420	12.8			2.50		
18	400	12.0			2.60		
19	400	12.0			2.60		
20	(360)	(11.4)			(2.80)		
21	340	9.8			2.90		
22	350	9.5			2.85		
23							

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 53

Time	August 1957						
	*	foF2	h'F1	foFl	h'E	foE	fEs (M3000)F2
00	---	---			----		
01	(360)	(9.4)			(2.80)		
02	(360)	(8.9)			(2.80)		
03	(350)	(8.4)			(2.05)		
04	320	7.3			3.00		
05	280	5.3			3.25		
06	320	8.1			3.00		
07	360	10.6			2.80		
08	440	11.6			2.45		
09	480	11.6			2.30		
10	520	11.2			2.20		
11	520	11.0			2.20		
12	560	11.0			2.10		
13	560	10.9			2.10		
14	560	11.1			2.10		
15	560	11.0			2.10		
16	520	11.2			2.20		
17	520	11.2			2.20		
18	520	11.1			2.20		
19	520	10.4			2.20		
20	---	---			----		
21	---	---			----		
22	---	---			----		
23	(440)	(10.2)			(2.45)		

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 50

Time	August 1957						
	h'F2	foF2	h'F	foFl	h'E	foE	fEs (M3000)F2
00			11.8	280			3.3
01			12.0	260			3.4
02			10.2	250			3.5
03			8.1	250			3.35
04			7.7	250			3.3
05			7.0	250			3.3
06		---	7.8	250	---	120	2.3
07		---	10.0	240	---	110	3.0
08	(290)	10.2	230	4.6	105	3.5	4.1
09	(320)	11.1	240	5.8	105	3.7	4.5
10	350	12.3	225	6.4	105	3.9	4.5
11	400	0	225	6.5	105	4.0	4.1
12	405	0	220	6.5	105	4.2	---
13	400	0	220	6.6	100	4.1	
14	400	0	225	6.5	100	3.9	4.0
15	395	0	230	6.5	105	3.8	4.2
16	350	0	240	6.1	100	3.6	4.5
17	330	0	250	5.8	105	3.2	4.3
18	---	0	250	---	110	2.6	3.6
19	0	290	---	---	1.5	2.1	(3.15)
20	0	300	---	---	---	---	(3.1)
21	0	290	---	---	---	---	3.25
22	0	300	---	---	---	---	3.1
23	13.0	300	---	---	---	---	3.3

Time: 90.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 52

Time	August 1957						
	Madras, India (13.1°N, 80.3°E)	foF2	h'F1	foFl	h'E	foE	fEs (M3000)F2
00	---	<12.9					---
01	(310)	>11.7					(3.05)
02	(320)	<10.0					(3.00)
03	(320)	<8.1					(3.00)
04	290	(7.0)					3.10
05	300	<5.9					3.10
06	320	8.2					3.00
07	350	10.9					2.85
08	420	11.9					2.50
09	480	12.2					2.30
10	500	11.6					2.25
11	500	11.5					2.25
12	520	11.4					2.20
13	560	11.9					2.10
14	540	12.0					2.15
15	520	12.0					2.20
16	500	12.0					2.20
17	500	12.1					2.25
18	490	12.2					2.25
19	(480)	<12.1					(2.30)
20	600	11.7					(2.00)
21	---	<10.6					---
22	---	<11.3					---
23	(440)	<12.1					---

Time: 75.0°E.

Sweep: 0.75 Mc to 21.5 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 54

Time	August 1957							
	Kodaikanal, India (10.2°N, 77.5°E)	h'F2	foF2	h'F	foFl	h'E	foE	fEs (M3000)F2
00		(10.7)	290					(2.65)
01		(10.2)	260					2.95
02		(8.9)	240					<3.05
03		8.4	240					<3.05
04		(7.2)	230					(3.10)
05		4.8	225					3.30
06		7.0	265	120	2.0			3.05
07		10.2	240	110	>2.9	7.8		2.95
08		11.4	220	105	---	11.0		2.65
09		11.7	215	100	---	11.5		2.35
10		11.2	205	---	---	12.4		2.20
11		10.9	200	---	---	12.4		2.25
12		10.8	200	---	---	12.2		2.20
13		10.8	200	---	---	12.2		2.20
14		10.8	205	---	---	12.2		2.15
15		10.8	220	---	---	12.0		2.15
16		---	11.2	230	---	10.3		2.25
17		---	>11.5	250	115	2.9	8.5	2.30
18			11.6	285	---	---	3.8	2.30
19			10.8	380	---	---	2.15	
20		(10.2)	(390)	---	---	---	---	(2.20)
21		---	(360)	---	---	---	---	---
22		(10.2)	(370)	---	---	---	---	(2.40)
23		(10.2)	325	---	---	---	---	(2.45)

Time: 75.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

*Height at 0.83 foF2.

Table 55

Trivandrum, India (8.5°N, 77.0°E)							August 1957	
Time	*	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	---	----	----	----	----	----	----	-----
01	---	----	----	----	----	----	----	-----
02	---	----	----	----	----	----	----	-----
03	---	----	----	----	----	----	----	-----
04	(280)	(6, 9)					(3.25)	
05	230	4.7					3.25	
06	300	7.1					3.10	
07	320	10.5					3.00	
08	360	12.0					2.70	
09	440	12.6					2.45	
10	480	11.8					2.30	
11	480	11.3					2.30	
12	500	11.2					2.25	
13	520	11.0					2.20	
14	520	10.9					2.20	
15	520	11.1					2.20	
16	500	11.2					2.25	
17	480	>11.3					2.30	
18	---	>11.1					----	
19	---	>10.6					----	
20	---	----					----	
21	---	----					----	
22	---	----					----	
23	---	----					----	

Time: 75.0°E.

Sweep: 1.5 Mc to 16.0 Mc in 5 minutes, manual operation.
*Height at 0.83 foF2.

Table 56

Tucuman, Argentina (26.9°S, 65.4°W)							August 1957	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			12.1		230			3.10
01			11.3		230			3.10
02			9.3		230			3.10
03			7.8		240			3.10
04			6.2		220			3.00
05			5.2		250			2.80
06			4.8		260			2.90
07			7.2		260		147 (2.00)	3.10
08			9.8		240		111 (2.80)	3.20
09		(250)	11.4		225		111 (3.30)	3.10
10			275	12.8	220	---	111 (3.60)	3.10
11		(285)	13.1		205	---	111 ----	3.00
12			13.2		200	---	111 ----	3.00
13		(340)	13.3		205	(6.8)	107 (4.00)	2.80
14			370	14.0	200	6.1	111 (3.80)	(2.80)
15			355	(14.2)	200	(6.1)	111 (3.60)	(2.70)
16			(14.4)		225	---	111 (3.30)	(2.80)
17			(14.1)		250		111 (2.70)	(2.90)
18			(13.9)		260		---	(2.90)
19			(13.2)		260			(2.80)
20			12.9		250			(2.85)
21			(13.2)		235			(2.95)
22			(13.1)		230			3.05
23			(12.8)		235			3.05

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 57

Oecepion l. (63.0°S, 60.7°W)							August 1957	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00			3.6		295			3.0
01			3.3		300			2.9
02			3.2		300			3.0
03			3.2		300			3.0
04			3.0		295			3.0
05			3.1		290			3.05
06			3.0		250			3.2
07			3.1		200	---	---	3.6
08			4.1		190	---	---	3.65
09			6.9		170	---	---	3.8
10			8.2		160	---	---	3.85
11			9.2		170	---	2.7	3.8
12			9.8		160	---	---	3.8
13			10.0		170	---	---	3.85
14			9.5		170	---	---	3.8
15			8.9		170	---	---	3.95
16			8.9		170	---	E	3.85
17			7.4		170	---	E	3.8
18			6.7		170	---	---	3.8
19			4.9		180			3.7
20			4.0		200			3.5
21			3.7		240			3.2
22			3.8		270			3.1
23			3.6		285			3.0

Time: 60.0°W.

Sweep: 1.5 Mc to 18.0 Mc in 30 seconds.

Table 58

Wilkes Station (66.2°S, 110.5°E)							August 1957	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		(3.8)	240				1.9	(3.00)
01		(3.6)	240				1.9	(2.95)
02		(3.4)	240				(2.1)	(2.98)
03		(3.9)	240				(2.6)	(2.85)
04		(3.4)	260				(2.4)	(2.82)
05		(4.0)	260				(3.1)	(2.80)
06		(4.0)	260				(2.1)	(2.85)
07		(4.5)	245			---	---	(2.4)
08		(5.5)	250		112 (1.95)	(2.1)	(2.00)	
09		(6.35)	240		113 (2.15)	2.4	(2.90)	
10		7.0	250	---	(118)	(2.50)		2.80
11	(430)	(7.2)	250	(4.0)	113 (2.50)	2.5	(2.72)	
12	(350)	(7.6)	250	(3.8)	117 (2.60)	2.7	(2.70)	
13	(350)	(7.4)	255	---	115 (2.50)	2.8	(2.70)	
14	---	(7.2)	250	---	119 (2.05)	2.7	(2.85)	
15	---	(6.6)	255	---	111 (1.00)	(2.1)	(2.88)	
16	---	(7.05)	(255)	---	115	1.7	(2.85)	
17	---	(5.05)	250			(2.0)	(2.95)	
18	---	(6.1)	255			4.2	(2.70)	
19	---	(5.5)	260			(3.4)	(2.75)	
20	---	(5.0)	255			(3.4)	(2.95)	
21	---	(4.0)	260			(3.2)	(2.90)	
22	---	(3.9)	<260			(2.5)	(2.88)	
23	---	(3.8)	250			(1.9)	(2.90)	

Time: 105.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Time: 60.0°W.
Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 61

Wilkes Station (66.2°S, 110.5°E)								July 1957	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00			(3.95)	240			(3.2)	(2.95)	
01			(3.6)	<255			1.8	(2.95)	
02			(3.45)	240			1.9	(3.00)	
03			(3.5)	240			2.0	(2.88)	
04			(3.25)	250			2.0	(2.90)	
05			(3.3)	260			(1.0)	(2.70)	
06			(3.4)	(260)			2.0	(2.85)	
07			(3.8)	245			(2.0)	(2.80)	
08			(4.45)	230			(2.8)	(2.80)	
09			(5.65)	245			112 (1.60)	2.0 (2.80)	
10			(7.1)	240			(115) 1.85	2.2 (2.85)	
11			(7.7)	240			111 (2.00)	2.5 (2.80)	
12			(7.8)	250			117 ----	(2.6) (2.80)	
13			(7.6)	260			111 ----	(2.7) (2.75)	
14			(7.2)	260			109 (1.70)	(2.5) (2.90)	
15			(7.25)	250			---	(2.1) (2.85)	
16			(7.05)	260				(5.1) (2.75)	
17			(7.0)	<200				(3.9) (2.95)	
18			(6.0)	255				(2.6) (2.85)	
19			(5.2)	250				(4.6) (2.95)	
20			(4.05)	265				(4.7) (2.02)	
21			(4.5)	255				(2.1) (2.85)	
22			(4.0)	250				(3.7) (2.80)	
23			(3.95)	250				(3.8) (2.90)	

Time: 105.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 63

Dakar, French W. Africa (14.7°N, 17.4°W)								August 1956	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2	
00			6.8	330				2.63	
01			6.5	310				2.69	
02			6.3	305				2.65	
03			6.2	285				2.74	
04			6.1	250			3.4	2.93	
05			5.6	240			3.2	3.06	
06			6.9	250		123	1.70	3.4 3.20	
07			(260)	8.5	240	(4.00)	111 2.75	4.8 3.30	
08			265	9.4	230	(4.50)	111 3.40	4.9 3.04	
09			310	10.4	220	5.15	109 3.70	4.8 2.81	
10			360	11.6	210	(5.40)	109 3.95	4.7 2.65	
11			380	12.6	210	5.55	109 4.10	2.65	
12			420	13.1	210	(5.70)	107 4.20	2.62	
13			430	13.5	210	5.70	109 4.10	2.66	
14			420	13.5	210	5.60	109 4.00	3.9 2.63	
15			395	13.4	220	5.40	109 3.75	3.8 2.73	
16			385	13.3	230	5.00	111 3.40	3.3 2.74	
17			360	13.0	250	4.60	111 2.90	4.8 2.80	
18			---	12.8	270	---	119 1.90	4.7 2.76	
19			12.0	305				3.3 2.48	
20			10.6	380				3.3 2.40	
21			8.6	400				2.40	
22			7.6	380				2.48	
23			7.2	355				2.56	

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 65

Tananarive, Madagascar (18.9°S, 47.6°E)								August 1956	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2	
00			4.0	240				2.88	
01			3.9 (260)					2.87	
02			3.8 (260)					2.90	
03			3.0	245			3.1	2.86	
04			3.0 (260)				3.1	2.88	
05			2.8 (270)				3.0	2.81	
06			3.5 (260)	260			2.8	2.85	
07			8.0 (240)		---	2.25	2.9	3.19	
08			(270)	9.7	240		115 3.00	3.06	
09			275	>10.4	235	5.25	113 3.40	3.04	
10			280	>10.5	230	5.30	111 3.70	3.00	
11			280	>10.5	220	5.30	111 3.90	2.94	
12			280	10.3	220	5.40	111 (3.95)	2.83	
13			305	>10.5	220	(5.20)	111 3.85	<2.83	
14			315	10.2	230	(5.50)	111 3.75	2.78	
15			(310)	10.2	240	----	113 3.55	(2.75)	
16			(275)	>10.0	240	----	115 3.20	2.79	
17			9.8	250		122	2.55 2.7	2.82	
18			10.0	240		---	1.70 2.8	2.93	
19			8.6	230			2.8	2.91	
20			7.0	225			1.9	2.99	
21			6.5	240			2.9	2.93	
22			6.2	245			2.6	3.00	
23			4.9	240			2.5	3.08	

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 62

Little America (78.2°S, 162.2°W)								July 1957	
Time	h'F2	foF2	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00			(4.4)	280			---	1.6	(2.55)
01			(4.6)	280			---	1.6	(2.80)
02			(4.45)	275			---	2.5	(2.80)
03			(4.5)	260			---	2.8	(2.90)
04			(4.8)	285			---	2.8	(3.00)
05			(4.0)	260			---	2.5	(3.02)
06			(3.95)	290			---	1.9	(3.00)
07			(3.4)	(295)			---	1.8	(2.80)
08			(3.4)	(290)			---	1.9	(2.85)
09			(3.0)	<300			---	1.6	(2.78)
10			(3.25)	310			---	1.9	(2.82)
11			(3.85)	270			---	1.6	(2.75)
12			(4.4)	250			---	1.9	(2.80)
13			(4.7)	260			---	2.2	(2.95)
14			(4.85)	280			---	2.5	(2.80)
15			(5.5)	290			---	2.4	(2.70)
16			(6.0)	250			---	1.9	(2.80)
17			(6.2)	260			---	(3.5)	(2.80)
18			(6.35)	265			---	1.9	(2.88)
19			(7.45)	245			---	1.8	(2.80)
20			(6.2)	250			---	1.2	(2.72)
21			(6.25)	260			---	2.1	(2.65)
22			(5.1)	260			---	2.0	(2.50)
23			(4.5)	275			---	1.3	(2.60)

Time: 165.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 64

Djibouti, French Somaliland (11.5°N, 43.1°E)								August 1956	
Time	h'F2	foF2	h'F	foF1	h'E	foE	fEs	(M3000)F2	
00			---	300				2.6	---
01			(8.7)	280				2.4	(2.65)
02			(8.3)	260				2.4	(2.95)
03			8.6	230				2.4	(2.90)
04			8.0	220				2.2	3.20
05			6.4	215				2.4	3.15
06			7.0	250			126	1.50 2.4	3.05
07			9.4	235			---	115 2.60	4.4 3.10
08			(260)	10.8	225		---	115 3.25	4.6 3.00
09			(290)	10.8	220		---	119 3.70	5.4 2.65
10			---	11.6	210		5.5	119 3.90	9.0 2.45
11			(320)	11.6	210		5.7	118 4.05	9.2 2.30
12			(375)	11.4	205		6.0	119 4.15	9.4 2.30
13			390	11.4	210		6.7	119 4.10	10.0 2.30
14			390	11.4	210		6.6	118 4.00	9.2 2.25
15			410	11.6	210		6.3	119 3.80	5.4 2.30
16			(380)	11.9	220		---	120 3.50	5.3 2.30
17			---	11.6	235		---	118 3.00	5.4 (2.30)
18			---	10.9	270		---	123 2.00	4.5 2.25
19				(10.0)	330				2.3 (2.20)
20				(9.6)	380				---
21				(9.6)	345				1.8 (2.35)
22				(8.8)	350				2.1 (2.30)
23				---	320				2.2

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

*Observations taken on a 19-hour working schedule.

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 66*

Table 67*

Time	Campbell I. (52.5°S, 169.2°E)						(M3000)F2	August 1955
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	
00								
01								
02								
03								
04								
05	---	E					---	
06	---	E					(3.2)	
07	250	2.9	220	(1.8)	---	---	3.5	
08	250	4.1	230	2.6	130	2.2	3.75	
09	270	4.7	230	3.4	130	2.5	3.65	
10	270	5.0	230	3.7	130	2.7	3.65	
11	280	5.1	230	3.8	130	2.8	3.65	
12	280	5.2	230	3.8	130	2.8	3.5	
13	280	5.4	230	3.8	130	2.8	3.6	
14	280	5.4	230	3.7	130	2.6	3.5	
15	270	5.2	240	3.3	130	2.4	3.5	
16	250	5.1	240	2.7	130	2.0	3.5	
17	250	4.7	230	---			3.4	
18	250	4.1					3.4	
19	270	3.4					3.3	
20	---	2.8					3.3	
21	---	2.3					3.2	
22	---	2.0					3.3	
23	---	E					---	

Time: 165.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 5 minutes, manual operation.

*Observations taken on a 19-hour working schedule.

Table 69

Time	Leopoldville, Belgian Congo (4.3°S, 15.3°E)						(M3000)F2	August 1952
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	
00	210	5.3				2.5	3.0	
01	230	3.7				3.0	2.7	
02	240	3.0				2.9	2.9	
03	275	2.5				3.1	2.8	
04	240	2.3				3.2	3.0	
05	250	3.7				2.8	3.0	
06	255	6.2	235	---	115	2.3	3.4	3.2
07	270	7.4	225	---	110	3.0	4.0	3.0
08	285	6.0	220	4.5	110	3.2	4.4	3.0
09	290	6.6	210	4.6	110	3.4	4.4	2.9
10	310	8.9	200	4.7	105	3.5	4.4	2.7
11	310	9.0	210	4.7	105	3.6	4.2	2.7
12	310	9.9	195	4.6	105	3.5	4.0	2.6
13	320	11.0	210	4.5	110	3.4	4.0	2.6
14	310	11.1	215	4.4	110	3.1	3.5	2.6
15	300	11.7	225	---	110	2.6	3.4	2.6
16	270	11.4	240	---	115	2.3	3.2	2.7
17	240	11.3				3.1	2.8	
18	230	11.2				2.6	2.9	
19	215	9.8				2.9	3.05	
20	210	7.1				2.4	3.1	
21	210	6.2				3.0		
22	220	5.4				2.85		
23	220	5.1				1.7	2.9	

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 71

Time	Leopoldville, Belgian Congo (4.3°S, 15.3°E)						(M3000)F2	July 1952
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	
00	220	5.6				2.7	3.0	
01	210	4.1				2.6	3.1	
02	215	3.5				2.6	2.9	
03	235	2.9				3.0	2.9	
04	250	2.4				3.0	2.9	
05	255	3.6				2.5	2.9	
06	245	6.3	230	---	115	2.2	3.1	3.2
07	260	7.4	220	---	110	2.8	4.1	3.1
08	260	7.7	215	4.2	110	3.1	4.0	3.1
09	265	8.1	210	4.6	110	3.3	4.0	3.05
10	280	8.6	205	4.6	105	3.5	5.0	2.9
11	280	9.0	200	4.6	110	3.5	4.3	2.8
12	290	9.5	205	4.5	105	3.4	4.4	2.8
13	300	11.0	225	4.4	110	---	4.0	2.7
14	290	10.9	225	4.2	110	3.1	3.8	2.7
15	285	10.8	230	---	---	2.8	3.8	<2.8
16	260	11.0	230	---	115	2.2	4.6	2.8
17	230	10.8				3.6	2.9	
18	220	10.8				3.3	3.1	
19	210	11.0				2.7	3.2	
20	200	5.8				2.6	3.2	
21	225	5.0				2.7	2.95	
22	230	4.7				2.8	2.9	
23	220	5.0				2.8	3.0	

Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 68

Time	Leopoldville, Belgian Congo (4.3°S, 15.3°E)						(M3000)F2	December 1952
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	
00	255				5.0			2.6
01	255				5.0			2.7
02	255				4.4			2.8
03	235				4.5			2.8
04	235				3.8			3.0
05	250				4.9	240	---	2.3
06	270				6.1	225	---	3.0
07	310				6.6	220	4.4	3.0
08	320				7.7	210	4.5	3.3
09	360				8.4	205	4.5	3.5
10	400				8.7	205	4.5	2.6
11	400				9.4	200	4.5	2.4
12	390				10.0	200	4.6	2.4
13	370				10.3	220	4.4	2.4
14	355				10.5	215	4.3	2.4
15	350				10.0	220	4.3	2.4
16	345				10.0	230	4.3	2.5
17	285				10.1	260	---	2.3
18	275				9.2			2.5
19	290				9.1			2.5
20	250				9.0			2.7
21	220				10.0			3.1
22	205				7.4			3.0
23	220				5.2			2.7

Time: 0.0°.





Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.





Table 72





Time	Leopoldville, Belgian Congo (4.3°S, 15.3°E)						(M3000)F2	May 1952
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	
00	210				6.5			2.6
01	210				4.5			3.1
02	230				3.2			2.9
03	230				2.8			3.0
04	235				2.1			3.1
05	230				4.0	---	---	3.0
06	245				6.2	230	---	3.1
07	270				7.1	215	---	3.2
08	280				8.3	215	---	2.9
09	290				9.6	205	4.5	4.1
10	290				10.0	200	4.6	3.8
11	295				10.6	200	4.6	3.4
12	300				11.1	200	4.6	3.4
13	285				11.6	240	4.3	4.2
14	280				11.8	225	---	2.7
15	270				11.5	230	---	2.8
16	240				11.7	240	---	2.9
17	225				11.0			3.0
18	210				10.9			3.1
19	210				6.9			2.9
20	210				5.0			3.2
21	220				4.6			2.6
22	250				4.7			2.8
23	230				5.9			2.5





Time: 0.0°.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.












Fig. 17. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W DECEMBER 1958




Fig. 18. SAN FRANCISCO, CALIFORNIA DECEMBER 1958




Fig. 19. WHITE SANDS, NEW MEXICO
32.3°N, 106.5°W DECEMBER 1958








Fig. 20. WHITE SANDS, NEW MEXICO DECEMBER 1958






Fig. 25. PUERTO RICO, W. I.
18.5°N, 67.2°W DECEMBER 1958




Fig. 26. PUERTO RICO, W. I. DECEMBER 1958




Fig. 27. BAGUIO, P. I.
16.4°N, 120.6°E DECEMBER 1958








Fig. 28. BAGUIO, P. I. DECEMBER 1958






Fig. 33. FLETCHERS ICE I.
78.0°N, 122.9°W NOVEMBER 1958




Fig. 34. FLETCHERS ICE I. NOVEMBER 1958




Fig. 35. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W NOVEMBER 1958




Fig. 36. SAN FRANCISCO, CALIFORNIA NOVEMBER 1958




Fig. 37. GODHAVN, GREENLAND
69.3°N, 53.5°W OCTOBER 1958




Fig. 38. GODHAVN, GREENLAND OCTOBER 1958




Fig. 39. TALARA, PERU
4.6°S, 81.3°W OCTOBER 1958




Fig. 40. TALARA, PERU OCTOBER 1958




Fig. 41. BRISBANE, AUSTRALIA
27.5°S, 152.9°E JUNE 1958




Fig. 42. BRISBANE, AUSTRALIA JUNE 1958




Fig. 43. CHRISTCHURCH, NEW ZEALAND
43.6°S, 172.8°E JUNE 1958




Fig. 44. CHRISTCHURCH, NEW ZEALAND JUNE 1958




Fig. 45. CAMPBELL I.
52.5°S, 169.2°E JUNE 1958




Fig. 46. CAMPBELL I. JUNE 1958









Fig. 47. RAROTONGA I.
21.2°S, 159.8°W MAY 1958








Fig. 53. NURMIJARVI, FINLAND
60.5°N, 24.6°E

APRIL 1958

NBS 503




Fig. 54. NURMIJARVI, FINLAND

APRIL 1958

NBS 490




Fig. 55. OSLO, NORWAY
60.0°N, 11.1°E

APRIL 1958

NBS 503








Fig. 56. OSLO, NORWAY

APRIL 1958

NBS 490






Fig. 61. LEOPOLDVILLE, BELGIAN CONGO
4.4°S, 15.2°E APRIL 1958




Fig. 62. LEOPOLDVILLE, BELGIAN CONGO




Fig. 63. ELISABETHVILLE, BELGIAN CONGO
11.6°S, 27.5°E APRIL 1958




Fig. 64. ELISABETHVILLE, BELGIAN CONGO




Fig. 65. TOWNSVILLE, AUSTRALIA
19.3°S, 146.7°E APRIL 1958




Fig. 66. TOWNSVILLE, AUSTRALIA APRIL 1958




Fig. 67. RAROTONGA I.
21.2°S, 159.8°W APRIL 1958












Fig. 68. RAROTONGA I. APRIL 1958








Fig. 77. CAPE HALLETT
72.3°S, 170.3°E APRIL 1958






Fig. 79. SCOTT BASE
77.8°S, 166.8°E APRIL 1958






Fig. 81. LINDAU/HARZ, GERMANY
51.6°N, 10.1°E MARCH 1958




Fig. 82. LINDAU/HARZ, GERMANY MARCH 1958




Fig. 83. WINNIPEG, CANADA
49.9°N, 97.4°W MARCH 1958




Fig. 84. WINNIPEG, CANADA MARCH 1958




Fig. 85. OTTAWA, CANADA
45.4°N, 75.9°W MARCH 1958




Fig. 86. OTTAWA, CANADA MARCH 1958




Fig. 87. LITTLE AMERICA
78.2°S, 162.2°W NOVEMBER 1957











Fig. 88. LITTLE AMERICA NOVEMBER 1957








Fig. 96. AHMEDABAD, INDIA
23.0°N, 72.5°E AUGUST 1957




Fig. 97. AHMEDABAD, INDIA AUGUST 1957




Fig. 98. CALCUTTA, INDIA
22.9°N, 88.5°E AUGUST 1957




Fig. 99. CALCUTTA, INDIA AUGUST 1957




Fig. 100. BOMBAY, INDIA
19.0°N, 73.0°E AUGUST 1957





Fig. 102. MADRAS, INDIA
13.1°N, 80.3°E AUGUST 1957












Fig. 103. MADRAS, INDIA AUGUST 1957








Fig. II2. MACQUARIE I.
54.5°S, 159.0°E AUGUST 1957




Fig. II3. MACQUARIE I. AUGUST 1957




Fig. II4. DECEPCION I.
63.0°S, 60.7°W AUGUST 1957




Fig. II5. DECEPCION I. AUGUST 1957




Fig. 116. PORT LOCKROY
64.8°S, 63.5°W AUGUST 1957




Fig. 117. PORT LOCKROY AUGUST 1957




Fig. 118. WILKES STATION
66.2°S, 110.5°E AUGUST 1957




Fig. 119. WILKES STATION AUGUST 1957




Fig. 120. WILKES STATION
66.2°S, 110.5°E JULY 1957




Fig. 121. WILKES STATION JULY 1957




Fig. 122. LITTLE AMERICA
78.2°S, 162.2°W JULY 1957




Fig. 123. LITTLE AMERICA JULY 1957




Fig. 124. DAKAR, FRENCH W. AFRICA
14.7°N, 17.4°W AUGUST 1956




Fig. 125. DAKAR, FRENCH W. AFRICA AUGUST 1956




Fig. 126. DJIBOUTI, FRENCH SOMALILAND
11.5°N, 43.1°E AUGUST 1956








Fig. 127. DJIBOUTI, FRENCH SOMALILAND AUGUST 1956






Fig. 132. CAMPBELL I.
52.5°S, 169.2°E AUGUST 1955




Fig. 133. CAMPBELL I. AUGUST 1955




Fig. 134. LEOPOLDVILLE, BELGIAN CONGO
4.3°S, 15.3°E DECEMBER 1952




Fig. 135. LEOPOLDVILLE, BELGIAN CONGO DECEMBER 1952




Fig. 136. LEOPOLDVILLE, BELGIAN CONGO
4.3°S, 15.3°E AUGUST 1952




Fig. 137. LEOPOLDVILLE, BELGIAN CONGO AUGUST 1952




Fig. 138. CAMPBELL I.
52.5°S, 169.2°E AUGUST 1952




Fig. 139. CAMPBELL I. AUGUST 1952




Fig. 140. LEOPOLDVILLE, BELGIAN CONGO
4.3°S, 15.3°E JULY 1952




Fig. 141. LEOPOLDVILLE, BELGIAN CONGO




Fig. 142. LEOPOLDVILLE, BELGIAN CONGO
4.3°S, 15.3°E MAY 1952




Fig. 143. LEOPOLDVILLE, BELGIAN CONGO

Index of Tables and Graphs of Ionospheric Datain CRPL-F177 (Part A)

	<u>Table page</u>	<u>Figure page</u>
Ahmedabad, India		
August 1957	9	37
Baguio, P. I.		
December 1958	3	19
Baker Lake, Canada		
April 1958.	5	25
Bombay, India		
August 1957	9	38
Brisbane, Australia		
June 1958	4	23
April 1958.	6	30
Bunia, Belgian Congo		
April 1958.	5	27
Calcutta, India		
August 1957	9	37
Campbell I.		
June 1958	4	24
August 1956	11	45
August 1955	12	46
August 1952	12	47
Canberra, Australia		
April 1958.	7	31
Cape Hallett		
April 1958.	7	32
Chimbote, Peru		
December 1958	3	20
Christchurch, New Zealand		
June 1958	4	23
April 1958.	7	31
Dakar, French W. Africa		
August 1956	11	44
Deception I.		
August 1957	10	41
Delhi, India		
August 1957	8	36
Djibouti, French Somaliland		
August 1956	11	44
Elisabethville, Belgian Congo		
April 1958.	6	28
Fletchers Ice I.		
December 1958	1	14
November 1958	3	21
Ft. Monmouth, New Jersey		
December 1958	2	16
Godhavn, Greenland		
October 1958.	4	22

Index (CRPL-F177 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Grand Bahama I.		
December 1958	2	18
Kodaikanal, India		
August 1957	9	39
Leopoldville, Belgian Congo		
April 1958.	6	28
December 1952	12	46
August 1952	12	47
July 1952	12	48
May 1952.	12	40
Lindau/Harz, Germany		
March 1958.	7	33
Little America		
November 1957	8	34
October 1957.	8	35
July 1957	11	43
Macquarie I.		
August 1957	10	41
Madras, India		
August 1957	9	38
Maui, Hawaii		
December 1958	2	18
Monte Capellino, Italy		
August 1957	8	36
Nurmijarvi, Finland		
April 1958.	5	26
Oslo, Norway		
April 1958.	5	26
Ottawa, Canada		
March 1958.	8	34
Panama Canal Zone		
December 1958	3	20
Point Barrow, Alaska		
December 1958	1	15
Port Lockroy		
August 1957	10	42
Puerto Rico, W.I.		
December 1958	3	19
Rarotonga I.		
May 1958.	4	24
April 1958.	6	29
Reykjavik, Iceland		
December 1958	1	15
St. John's, Newfoundland		
December 1958	2	16
San Francisco, California		
December 1958	2	17
November 1958	3	21

Index (CRPL-F177 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Sao Paulo, Brazil		
April 1958.	6	30
Scott Base		
April 1958.	7	32
Sverdlovsk, U.S.S.R.		
August 1957	8	35
Talara, Peru		
October 1958.	4	22
Tananarive, Madagascar		
August 1956	11	45
Thule, Greenland		
December 1958	1	14
Tiruchi, India		
August 1957	9	39
Townsville, Australia		
April 1958.	6	29
Trivandrum, India		
August 1957	10	40
Tromso, Norway		
April 1958.	5	25
Tucuman, Argentina		
August 1957	10	40
Washington, D.C.		
February 1959	1	13
January 1959.	1	13
White Sands, New Mexico		
December 1958	2	17
Wilkes Station		
August 1957	10	42
July 1957	11	43
Winnipeg, Canada		
April 1958.	5	27
March 1958.	7	33



CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

Daily: Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Semiweekly:

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Air Force, TO 31-3-28 series). On sale by Superintendent of Documents * Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.

(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic or other radio propagation data.

Catalog of Data:

A catalog of records and data on file at the U. S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder Laboratories, Boulder, Colorado, unless otherwise indicated. Please note that the F series is not generally available.

Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:

NBS Circular 462. Ionospheric Radio Propagation. \$1.25.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions. 30 cents.

NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 Megacycles. 30 cents.

NBS Circular 582. Worldwide Occurrence of Sporadic E. \$3.25.

These Circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

* For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C. Price 10 cents (single copy). Subscription Price: \$1.00 a year; 50 cents additional for foreign mailing.

