

CRPL-F188 PART A

FOR OFFICIAL USE

National Bureau of Standards  
Central Radio Propagation Laboratory

MAY 1960

PART A  
IONOSPHERIC DATA

ISSUED  
APRIL 1960

U. S. DEPARTMENT OF COMMERCE  
NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO



CRPL-F 188  
PART A

NATIONAL BUREAU OF STANDARDS  
CENTRAL RADIO PROPAGATION LABORATORY  
BOULDER, COLORADO

Issued  
22 April 1960

## IONOSPHERIC DATA

### CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions . . . . .	ii
World-Wide Sources of Ionospheric Data. . . . .	v
Tabulations of Electron Density Data. . . . .	vii
Tables of Ionospheric Data. . . . . . . . .	1
Graphs of Ionospheric Data. . . . . . . . .	13
Index of Tables and Graphs of Ionospheric Data in CRPL-F 188 (Part A) . . . . .	49

## SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

In the Second Report of the Special Committee on World-Wide Ionospheric Soundings of the URSI/AGI Committee, May 1957, a new descriptive letter was introduced:

M Measurement questionable because the ordinary and extraordinary components are not distinguishable.

There was an expansion in meaning of the following:

- Z (1) (qualifying letter) Measurement deduced from the third magnetoionic component.
- (2) (descriptive letter) Third magnetoionic component present.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

- a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N or R are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

B for fEs is counted on the low side when there is a numerical value of a higher layer characteristic; otherwise it is omitted from the median count.

S for fEs is counted on the low side at night; during the day it is omitted from the median count (beginning with data for November 1957).

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with CRPL-F188, Part A, issued April 1960, the count is given for foF2 in the tables of medians. It is regretted that space limitations prevent including detailed counts for other characteristics.

To indicate further in a general manner the relative reliability of the data, for the F2 layer,  $h^*F$  or foEs, if the count is from five to nine, or, for all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is enclosed in parentheses. Medians are computed for less than five values for foF2 only.

Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.

There is no indication on the graphs of the relative reliability of the observed data; it is necessary to consult the tables for such information.

The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

The latest available information follows concerning the smoothed observed Zürich numbers beginning with the minimum of April 1954. Final numbers are listed through June 1959.

### Smoothed Observed Sunspot Number

## WORLD-WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 144 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:  
Brisbane, Australia

Meteorological Service of the Belgian Congo and Ruanda-Urundi:  
Bunia, Belgian Congo  
Elisabethville, Belgian Congo  
Leopoldville, Belgian Congo

Electronics Directorate of the Brazilian Navy:  
Natal, Brazil

British Department of Scientific and Industrial Research, Radio Research Board:  
Falkland Is.  
Ibadan, Nigeria (University College of Ibadan)  
Singapore, British Malaya  
Slough, England

Defence Research Board, Canada:  
Resolute Bay, Canada  
Winnipeg, Canada

Universidad de Concepcion:  
Concepcion, Chile

Radio Wave Research Laboratories, National Taiwan University,  
Taipeh, Formosa, China:  
Formosa, China

Instituto Geofisico de Los Andes Colombianos:  
Bogota, Colombia

Danish National Committee of URSI:  
Godhavn, Greenland  
Narsarssuak, Greenland

General Direction of Posts and Telegraphs, Helsinki, Finland:  
Nurmijarvi, Finland

The Finnish Academy of Sciences and Letters:  
Sodankyla, Finland

Ionospheric Institute, Breisach, Germany:  
Freiburg, Germany

Central Institute of Meteorology, Budapest, Hungary:  
Budapest, Hungary

Icelandic Post and Telegraph Administration:  
Reykjavik, Iceland

National Institute of Geophysics, City University, Rome, Italy:  
Rome, Italy

Ministry of Postal Services, Radio Research Laboratories, Tokyo,  
Japan:  
Akita, Japan  
Tokyo (Kokubunji), Japan  
Wakkanai, Japan  
Yamagawa, Japan

Christchurch Geophysical Observatory, New Zealand Department of  
Scientific and Industrial Research:  
Campbell I.

Norwegian Defence Research Establishment, Kjeller per Lillestrom,  
Norway:  
Tromso, Norway

Manila Observatory:  
Baguio, P. I.

Institute of Terrestrial Magnetism, Ionosphere and Radio Propagation,  
Moscow, U.S.S.R.:  
Moscow

South African Council for Scientific and Industrial Research:  
Capetown, Union of South Africa  
Johannesburg, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:  
Kiruna, Sweden  
Lycksele, Sweden  
Upsala, Sweden

Royal Board of Swedish Telegraphs, Radio Department, Stockholm, Sweden:  
Lulea, Sweden

United States Army Signal Corps:

Adak, Alaska  
Cape Canaveral, Florida  
Grand Bahama I.  
San Salvador I.  
Thule, Greenland  
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Laboratory):

Anchorage, Alaska  
Boulder, Colorado  
Byrd Station, Antarctica  
Fairbanks (College), Alaska (Geophysical Institute of the  
University of Alaska)  
Huancayo, Peru (Instituto Geofisico de Huancayo)  
Maui, Hawaii  
Point Barrow, Alaska  
Talara, Peru (Instituto Geofisico de Huancayo)  
Washington, D. C.

NOTE

Publication of Tabulations of Electron Density Data from Puerto Rico will be resumed in the next issue.



**TABLES OF IONOSPHERIC DATA**

DECEMBER 1959—MARCH 1960

**Table 1**

Time	Thule, Greenland (76.6°N, 68.7°W)						December 1959	
	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	---	0	275					
01	(4.1)	1	265					
02	(3.4)	3	260					
03	(3.45)	2	260					
04	(3.7)	2	260					
05	(3.1)	1	260					
06	(3.2)	1	270					
07	(3.9)	3	275	---	---	---		
08	(6.5)	1	270	---	---	---		
09	(5.2)	3	255	---	---	---		
10	(5.05)	2	260	---	---	---		
11	(7.8)	5	250	---	---	2.7	(2.95)	
12	(5.0)	3	245	---	---	2.2	---	
13	(9.0)	3	250	---	---	---		
14	(6.3)	2	245	---	---	2.2	---	
15	(6.1)	5	255			2.5	(2.80)	
16	(6.8)	3	250			3.8	---	
17	(5.2)	6	250			4.0	(2.70)	
18	(6.0)	1	<255			3.4	---	
19	(5.15)	2	250			3.6	---	
20	(4.5)	3	265			3.7	---	
21	(5.0)	5	260			2.2	---	
22	(3.8)	5	265			---		
23	(4.7)	3	<270			---		

Time: 75.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds

**Table 2**

Time	Point Barrow, Alaska (71.3°N, 156.8°W)						December 1959	
	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			(3.6)	9				5.2 (3.05)
01			(3.85)	8				5.8 (2.70)
02			(3.95)	8				5.1 (2.65)
03			(4.0)	10				4.4 (2.70)
04			(4.3)	14				3.6 (2.65)
05			(3.9)	9				3.0 (2.65)
06			(3.9)	8				3.0 (2.65)
07			(4.0)	8				4.0 ---
08			(4.5)	10				3.9 (2.75)
09			(4.65)	12				4.0 (2.60)
10			(5.05)	16				3.6 (2.65)
11			5.6	14				3.0 (2.72)
12			5.9	22				2.70
13			6.7	24				2.02
14			7.3	27				2.80
15			7.75	30				2.80
16			7.3	29				2.80
17			(5.0)	25				2.3 (2.80)
18			(3.8)	20				2.5 (2.85)
19			(3.7)	19				2.9 (2.75)
20			(4.4)	19				3.4 (2.95)
21			3.8	15				3.7 (2.60)
22			(4.0)	16				3.9 (2.75)
23			(3.6)	8				6.7 (2.85)

Time: 150.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds

**Table 3**

Time	Fairbanks, Alaska (64.9°N, 147.8°W)						December 1959	
	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(3.5)	6				4.8	---	
01	(3.0)	7				4.7	(2.90)	
02	(2.8)	5				4.6	(2.70)	
03	(2.5)	5				4.5	---	
04	(4.6)	7				4.5	(2.60)	
05	(4.45)	10				4.2	(2.65)	
06	(4.6)	12				2.7	(2.75)	
07	(4.3)	10				3.4	(2.75)	
08	(4.0)	15				2.75	---	
09	(4.65)	18				(3.00)		
10	(5.0)	22				(3.10)		
11	7.1	26				3.10		
12	(8.3)	25				(3.10)		
13	9.05	26				3.00		
14	9.25	28				3.10		
15	8.95	28				3.05		
16	(7.75)	28				(3.15)		
17	(5.05)	24				(3.15)		
18	(4.1)	20				(3.10)		
19	(3.0)	21				(3.05)		
20	(3.05)	14				2.4	(3.10)	
21	(2.7)	13				3.7	(3.00)	
22	(3.5)	7				4.0	(3.02)	
23	(3.1)	7				4.4	(3.00)	

Time: 150.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

**Table 4**

Time	Anchorage, Alaska (61.2°N, 149.9°W)						December 1959	
	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			(2.9)	19				(2.85)
01			(2.8)	18				(2.70)
02			(2.7)	13				(2.60)
03			(3.2)	13				(2.60)
04			(3.0)	9				---
05			(3.2)	13				(2.70)
06			(3.6)	9				(2.70)
07			(3.3)	13				(2.60)
08			>3.4	21				(2.75)
09			5.45	22				3.15
10			6.7	23				3.20
11			8.1	28				3.15
12			>9.0	25				3.15
13			9.8	29				3.12
14			9.8	28				3.10
15			>9.0	30				3.10
16			8.7	29				3.15
17			6.75	30				3.15
18			(5.0)	30				(3.12)
19			(3.1)	25				3.12
20			(2.7)	21				(3.10)
21			(2.6)	17				(3.00)
22			(2.5)	19				(3.02)
23			(2.75)	18				(2.90)

Time: 150.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

**Table 5**

Time	Narsarsuaq, Greenland (61.2°N, 45.4°W)						December 1959	
	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(4.5)	13				4.6	(2.80)	
01	(3.9)	10				4.3	(2.55)	
02	(3.9)	6				3.8	(2.60)	
03	(4.3)	10				4.0	(2.80)	
04	(4.5)	9				3.7	(2.72)	
05	(4.75)	14				3.9	(2.05)	
06	(4.55)	16				4.0	(2.90)	
07	(3.85)	14				3.0	(2.90)	
08	(4.0)	23				2.6	(2.05)	
09	6.15	26				3.10	---	
10	8.3	29	(131)	2.30		3.15		
11	9.4	29				3.10		
12	(10.0)	30	<135	2.35		(3.20)		
13	(9.55)	20	120	2.45		(3.15)		
14	(7.95)	26	<134	2.05		(3.05)		
15	(5.7)	25				2.6	(3.05)	
16	(5.3)	14				2.7	(2.90)	
17	(4.8)	11				3.2	(2.92)	
18	(4.5)	19				3.4	(2.00)	
19	(5.0)	9				4.4	(2.00)	
20	(5.3)	8				5.9	(2.78)	
21	(1.45)	8				1.0	(2.70)	
22	(4.35)	10				4.5	(2.00)	
23	(4.0)	10				4.6	---	

Time: 45.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

**Table 6**

Time	Adak, Alaska (51.9°N, 176.6°W)						December 1959	
	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			2.8	27	315			2.70
01			2.9	26	330			2.65
02			2.8	26	330			2.60
03			2.85	24	325			2.60
04			2.9	23	325			2.65
05			2.9	24	330			2.60
06			2.8	26	290			2.70
07			3.45	24	270			2.70
08			6.55	30	235		110 (1.95)	2.2
09			9.4	31	225		<122 2.28	3.40
10			10.95	30	225		(115) 2.55	3.35
11			11.5	31	220		<120 2.75	3.30
12			11.9	30	220		(119) 2.70	3.30
13			12.2	29	220		<120 2.65	3.25
14			11.35	30	220		<125 2.40	3.30
15			10.1	31	215		(135) 2.00	3.35
16			8.4	31	210		(132) 1.35	1.7
17			6.7	31	215			1.4
18			4.65</					

Table 7

Washington, D. C. (38.7°N, 77.1°W)							December 1959			
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2		
00	4.25	30	275					2.02		
01	4.1	31	290					2.00		
02	3.9	31	280					2.00		
03	3.7	31	280					2.00		
04	3.5	31	280					2.00		
05	3.3	31	280					2.00		
06	(3.2)	31	285					(2.80)		
07	4.4	31	260					3.00		
08	7.7	31	230	121	2.15	2.6		3.30		
09	9.0	31	230	115	2.70	2.0		3.25		
10	---	11.1	31	225	111	3.00		3.15		
11	---	12.2	31	225	113	3.25		3.15		
12	---	12.2	31	220	112	3.20		3.10		
13	---	12.1	31	225	117	3.20		3.05		
14	12.0	31	230	115	3.00			3.05		
15	12.0	31	230	119	2.00	2.8		3.05		
16	11.5	31	230	120	2.30			3.05		
17	10.7	31	220			1.9		3.05		
18	0.9	31	225					3.05		
19	7.9	31	230					3.10		
20	6.7	31	230					3.05		
21	5.4	31	245					3.00		
22	4.8	31	260					2.95		
23	4.5	31	265					2.90		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 9

Baguio, P. I. (16.4°N, 120.6°E)							December 1959			
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2		
00	10.5	31	250					3.00		
01	9.9	31	245					3.10		
02	8.6	30	240					3.10		
03	6.8	31	245					3.10		
04	5.5	31	250					2.02		
05	5.2	29	270					2.90		
06	5.75	30	300					2.70		
07	9.4	31	275					2.90		
08	12.0	31	260	119	3.00			2.95		
09	---	15.0	31	245	119	(3.50)		2.95		
10	---	14.0	31	230	---	119	(3.75)	2.65		
11	---	(14.5)	31	(230)	---	119	(3.85)	4.0		
12	(13.8)	31	(230)			119	(3.92)	(2.30)		
13	(13.2)	31	<245			(119)	(3.60)	(2.35)		
14	(13.2)	31	245			119	(3.65)	2.45		
15	(13.0)	31	250			<121	3.35	(2.45)		
16	(13.7)	31	260			(125)	(2.90)	(2.52)		
17	(13.4)	31	280					(2.55)		
18	>13.0	31	280					(2.60)		
19	(12.85)	30	<300					(2.65)		
20	(12.8)	30	290					(2.75)		
21	>12.5	29	260					(2.90)		
22	(11.8)	31	245					(2.95)		
23	11.0	31	245					2.95		

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 11

Huancayo, Peru (12.0°S, 75.3°W)							December 1959			
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2		
00	(0.2)	7	<355					(2.80)		
01	(7.5)	9	330					(2.85)		
02	6.9	12	320					3.00		
03	6.3	11	290					3.18		
04	5.8	14	<245			2.1		3.28		
05	4.6	17	245			3.7		3.20		
06	7.7	25	265	(129)	2.15	4.5		3.02		
07	10.5	28	240	114	2.90	6.2		2.92		
08	---	12.0	30	230	113	(3.45)	7.7	2.72		
09	---	12.8	30	220	<113	(3.80)	9.0	2.55		
10	>12.8	29	215		113	(4.00)	9.3	2.32		
11	---	12.6	29	210	---	(4.15)	9.9	2.25		
12	---	12.1	29	200	---	(4.20)	9.3	2.30		
13	---	>12.6	29	200	111	(4.15)	9.0	2.25		
14	12.9	29	210	113	(4.00)	7.0		2.30		
15	13.3	29	215	111	(3.65)	7.5		2.35		
16	>13.15	30	225	113	(3.35)	7.9		2.30		
17	12.5	31	255	113	(2.85)	7.0		2.20		
18	>11.8	31	260	(129)	2.05	4.8		2.25		
19	>10.6	31	320					2.30		
20	10.15	26	(365)					2.20		
21	0.7	17	390					2.25		
22	9.2	11	390					2.40		
23	(8.55)	8	355					(2.55)		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 8

Maui, Hawaii (20.8°N, 156.5°W)							December 1959			
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2		
00			4.0	31	260				2.3	2.70
01			4.7	31	260				3.00	3.00
02			4.4	31	235				3.25	3.10
03			3.8	31	245				3.10	3.10
04			3.1	31	<275				2.52	2.52
05			2.9	31	<340				2.50	2.50
06			3.0	31	(315)				2.55	2.55
07			5.9	31	270				3.00	3.00
08			---	31	245				3.00	3.00
09			(250)	12.5	31	235			3.20	3.20
10			260	13.2	30	230			3.20	3.20
11			250	13.0	30	220			3.00	3.00
12			(300)	13.5	31	<220			2.90	2.90
13			(305)	14.9	31	215			2.90	2.90
14			<300	15.0	31	230			2.90	2.90
15			200	15.0	31	<235			2.95	2.95
16			---	14.1	31	235			2.95	2.95
17			13.3	31	230				3.05	3.05
18			12.5	31	220				3.20	3.20
19			10.0	31	205				3.25	3.25
20			0.5	31	225				3.00	3.00
21			8.2	31	225				3.00	3.00
22			7.4	31	220				2.7	3.10
23			5.6	31	225				2.3	3.00

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 10

Talara, Peru (4.6°S, 01.3°W)							December 1959			
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2		
00			11.6	15	<250				4.5	3.02
01			9.3	15	245				3.9	3.15
02			7.1	18	250				4.0	3.10
03			6.65	20	240				2.5	3.10
04			6.35	24	235				2.2	3.20
05			5.4	27	240				3.3	3.15
06			6.1	28	200				2.4	2.90
07			9.85	30	255				2.4	2.90
08			12.2	31	240				3.00	3.00
09			13.6	31	225				3.9	2.95
10			13.6	31	215				3.9	2.95
11			13.7	31	210				4.9	2.80
12			13.7	31	210				4.0	2.80
13			>13.0	31	(215)				4.6	2.38
14			14.0	31	(215)				3.95	2.35
15			14.1	31	(220)				3.70	2.40
16			14.0	31	(240)				3.40	2.45
17			14.1	31	(255)				3.05	2.45
18			(13.2)	31	<280				4.6	2.55
19			(13.45)	30	265				4.4	2.65
20			>12.9	28	300				2.9	2.55
21			>12.5	23	275				3.5	(2.65)
22			(12.3)	23	265				3.5	2.70
23			>12.05	18	<260				4.4	2.90

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 12

Fairbanks, Alaska (64.9°N, 147.1°W)							November 1959			
-------------------------------------	--	--	--	--	--	--	---------------	--	--	--

Table 13

Time	Reykjavik, Iceland (64.1°N, 21.9°W)							November 1959	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	(4.0)	5	330			3.8	----		
01	>4.2	5	(400)			3.0	----		
02	>4.5	5	335			4.0	----		
03	(4.2)	5	(360)			4.0	----		
04	(4.8)	6	(330)			4.3	(2.80)		
05	(3.8)	9	340			1.8	(2.70)		
06	(3.7)	12	300			2.8	(2.80)		
07	(3.9)	14	270				(2.80)		
08	4.4	19	265				2.98		
09	5.65	26	265	---	---		3.00		
10	7.2	30	250	---	---		3.05		
11	8.7	30	260	---	---		3.10		
12	9.75	28	240	---	---		3.10		
13	9.2	30	240	---	---		3.10		
14	8.95	26	245	---	---		3.10		
15	(8.0)	25	240	---	---		(3.10)		
16	(5.65)	14	260	---	---	2.5	(3.15)		
17	(4.8)	11	315			3.6	(2.95)		
18	(4.45)	14	(335)			4.3	(2.90)		
19	(4.8)	12	(310)			4.0	(2.80)		
20	(5.0)	6	310			3.9	(2.70)		
21	(4.1)	5	355			3.6	----		
22	(4.4)	10	360			4.3	(2.60)		
23	(5.0)	5	370			4.4	----		

Time: 15.0°W

Sweep: 1.0 Mc to 25.0 Mc in 16.2 seconds.

Table 15

Time	Boulder, Colorado (40.0°N, 105.3°W)							November 1959	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	3.5	20	295				2.75		
01	3.5	20	295				2.75		
02	3.6	28	300				2.70		
03	3.55	28	300				2.70		
04	3.15	20	<300				2.75		
05	3.25	20	295				2.70		
06	3.4	27	270	---	---		2.80		
07	6.0	27	235	---	---	1.15	1.85	3.10	
08	8.8	20	225	---	---	<109	2.50	2.6	3.30
09	(240)	10.05	20	220	---	105	2.90	3.25	
10	230	11.2	27	220	---	<105	3.12	3.15	
11	(240)	11.6	27	210	---	(103)	3.25	3.10	
12	250	12.0	27	210	---	(105)	3.30	3.05	
13	250	12.0	27	215	---	<107	3.25	3.00	
14	---	12.1	27	230	---	(105)	3.12	3.00	
15	---	11.8	27	225	---	(107)	2.75	3.05	
16	11.5	27	220	---	---	<113	2.25	3.10	
17	10.2	20	210				3.10		
18	8.95	20	210				3.10		
19	7.2	29	210				3.10		
20	5.5	29	220				3.15		
21	4.1	29	230				3.05		
22	3.6	29	260				2.90		
23	3.5	28	290				2.80		

Time: 105.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 17

Time	Bogota, Colombia (4.5°N, 74.2°W)							November 1959	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	0.7	27	210			1.7	3.20		
01	7.9	25	215			1.7	3.15		
02	5.5	25	215			2.3	3.05		
03	>4.05	24	235			2.7	3.00		
04	3.75	24	270			2.5	2.95		
05	4.15	24	(280)			3.0	2.85		
06	7.3	25	255	---	---	<140	2.00	3.15	
07	10.6	27	240	---	---	115	2.85	3.20	
08	>12.55	20	230	---	---	111	3.40	3.15	
09	13.2	26	215	---	---	109	3.75	4.0	3.10
10	13.4	20	215	---	---	111	3.95	4.0	3.00
11	>13.2	28	215	---	---	<111	4.00	4.2	2.90
12	13.2	29	(220)	---	---	109	4.05	4.5	2.80
13	13.3	29	(220)	---	---	111	4.00	4.5	2.80
14	13.5	27	(225)	---	---	109	3.75	4.4	2.75
15	>13.95	20	235	---	---	109	3.50	4.5	2.75
16	>14.4	27	(245)	---	---	111	4.6	2.80	
17	14.8	27	(260)	---	---	113	2.35	4.8	2.85
18	15.0	25	250	---	---	4.5	2.90		
19	>14.5	25	245	---	---	4.0	3.00		
20	(16.5)	27	225	---	---	3.0	3.05		
21	>14.2	20	210	---	---	2.6	3.05		
22	>13.0	26	215	---	---	2.6	3.10		
23	>12.0	27	210	---	---	1.8	(3.20)		

Time: 75.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 14

Time	Narsarssuaq, Greenland (61.2°N, 45.4°W)							November 1959	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	(1.5)	17							3.6 (2.70)
01	(4.2)	9							3.2 (2.60)
02	(4.1)	9							3.6 (2.65)
03	(4.1)	9							3.8 (2.70)
04	(4.4)	13							4.0 (2.70)
05	(4.1)	9							4.0 (2.80)
06	(4.2)	13							3.1 (2.92)
07	(4.0)	15							3.05
08	5.25	24							3.05
09	7.0	27							3.03
10	8.7	29							3.00
11	9.9	29							3.02
12	9.8	29							3.05
13	9.6	27							3.05
14	(9.0)	24							3.05
15	(6.6)	20							3.00
16	(5.5)	19							4.0 (2.00)
17	(5.3)	19							3.95
18	(5.0)	15							3.8 (2.00)
19	(4.5)	13							3.7 (2.75)
20	(4.9)	16							3.5 (2.65)
21	(4.9)	11							3.5 (2.70)
22	(4.8)	10							4.9 (2.90)
23	(4.8)	11							4.1 (2.60)

Time: 45.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 16

Time	White Sands, New Mexico (32.3°N, 106.5°W)							November 1959	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	3.5	28	<300						2.60
01	3.5	27	<300						2.70
02	3.7	28	<300						2.68
03	3.6	29	(280)						2.75
04	3.7	29	<205						2.75
05	3.6	29	<295						2.75
06	3.7	29	270						2.65
07	7.15	28	235						3.25
08	10.00	28	235						3.30
09	11.5	29	230						3.25
10	11.7	27	220						3.10
11	12.5	27	220						3.00
12	12.5	27	220						2.90
13	12.8	26	225						2.90
14	12.45	28	235						2.90
15	12.5	29	235						3.00
16	12.0	29	235						3.05
17	11.05	30	225						3.00
18	9.0	29	220						3.10
19	7.2	29	225						3.10
20	5.5	28	230						3.18
21	4.2	28	240						2.98
22	3.65	28	(270)						2.88
23	3.5	27	<290						2.75

Time: 105.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 18

Time	Talara, Peru (14.6°S, 81.3°W)							November 1959	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	(12.3)	8	250						

Table 19

Time	October 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(4.45)	2	265			4.0	----	
01	(5.7)	1	<255			4.2		
02	---	0	270		----	4.5		
03	---	0	260		----	4.2		
04	(7.8)	1	270		----	4.6		
05	(2.9)	1	265		----	4.8		
06	(4.15)	2	260		119 (1.55)	5.0	----	
07	(4.75)	6	240	(138)	1.70	5.0	----	
08	(6.35)	8	250		119 (1.80)	5.0	(3.05)	
09	(6.5)	11	245		130 (1.95)	4.3	(2.95)	
10	(6.15)	8	250		119 (2.05)	4.5	(3.05)	
11	(7.1)	9	240		119 (2.05)	4.8	----	
12	(6.8)	10	245		121 (2.10)	3.6	(3.02)	
13	6.0	11	250		120 (2.00)	4.5	(3.00)	
14	---	(7.0)	9	250	(130)	1.85	4.7	(2.95)
15	(6.1)	7	250		----	5.0	(3.00)	
16	(6.05)	6	250		----	4.9	----	
17	(6.45)	3	255		----	5.0	----	
18	(10.6)	1	255			5.0	----	
19	(7.6)	5	255			4.9	----	
20	(6.4)	2	260			5.0	----	
21	---	0	260			4.7	----	
22	(5.5)	2	250			4.7	----	
23	(4.65)	4	265			4.2	----	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 20

Time	October 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			(3.55)	4				----
01			(3.65)	10				(2.60)
02			(3.7)	7				----
03			(3.1)	5				----
04			(3.3)	4				----
05			(3.3)	5				----
06			(3.45)	4				4.5
07			(3.4)	2				----
08			(4.9)	7				----
09			(5.7)	6				----
10			(7.1)	8				(2.85)
11			(8.0)	7				(2.85)
12			(6.8)	8				----
13			(6.0)	7				----
14			(6.5)	7				----
15			(6.75)	6				5.2
16			(6.15)	10				4.4
17			(5.95)	14				(2.82)
18			(5.55)	10				4.0
19			(4.8)	7				(2.80)
20			(6.3)	5				3.0
21			(4.5)	7				4.0
22			(5.5)	7				3.0
23			(3.95)	10				(2.75)

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 16.2 seconds.

Observations taken 1st through 18th only.

Table 21

Time	October 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(4.2)	20				4.4	(2.60)	
01	(4.5)	17				3.4	(2.65)	
02	(4.4)	15				3.7	(2.70)	
03	(4.7)	17				3.8	(2.60)	
04	(5.2)	15				3.6	(2.60)	
05	(4.7)	18				3.8	(2.70)	
06	(4.5)	23				3.2	(2.90)	
07	5.25	28				3.0	----	
08	6.3	31			105	----		
09	7.0	31			125	2.60		
10	7.9	31			115	2.70		
11	8.7	31			115	2.80		
12	9.2	31			111	2.90		
13	9.4	26			112	2.85		
14	(9.2)	31			113	2.75		
15	(8.5)	30			116	2.50	(2.95)	
16	(7.95)	28			122	2.30	(2.95)	
17	(6.2)	24			----	3.4	(2.90)	
18	(6.0)	19			----	3.3	(2.90)	
19	(6.0)	22				3.8	(2.75)	
20	(5.35)	20				4.6	(2.60)	
21	(5.0)	23				5.1	(2.60)	
22	(4.9)	20				4.6	(2.70)	
23	(5.2)	15				5.1	(2.65)	

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 22

Time	October 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			4.4	25	<300			2.65
01			4.25	24	290			2.70
02			4.05	24	205			2.65
03			4.1	24	290			2.62
04			4.0	23	<290			2.65
05			4.05	24	270			2.75
06			4.85	22	260			2.92
07			7.8	23	240			3.20
08			9.5	23	230			3.20
09			(235)	10.5	22	215		3.12
10			10.8	25	205			3.00
11			(270)	11.4	24	205		2.98
12			12.0	24	215			2.95
13			11.6	23	220			2.95
14			11.25	24	230			2.90
15			11.4	25	230			2.95
16			11.2	29	235			3.00
17			10.6	29	225			3.05
18			9.3	29	220			3.00
19			7.55	20	225			3.00
20			6.3	26	230			3.00
21			4.9	27	<245			2.90
22			4.5	26	275			2.78
23			4.35	26	200			2.70

Time: 105.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 23

Time	October 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.0	29	280				2.85	
01	6.0	28	275				2.80	
02	5.8	28	265				2.90	
03	5.3	28	255				2.95	
04	4.8	27	250				2.85	
05	4.4	27	235				2.75	
06	5.1	26	230				2.85	
07	8.5	28	240		121	2.50		
08	10.3	26	235		111	3.00		
09	11.5	23	225		109	3.42		
10	12.3	25	220		106	3.60		
11	12.6	27	220		107	3.75		
12	12.3	26	215		109	3.80		
13	12.35	26	220		107	3.00		
14	12.8	27	235		109	3.65		
15	(12.5)	28	235		110	3.40	3.4 (2.95)	
16	(12.0)	29	<240		112	3.00	3.2 (2.98)	
17	(11.3)	29	235		120	2.40	2.6 (2.95)	
18	>9.0	29	220			1.8	----	
19	8.4	27	215				(3.00)	
20	7.15	28	240				2.90	
21	6.9	27	260				2.85	
22	6.5	28	260				2.85	
23	6.1	28	275				2.90	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 24

Time	October 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			10.0	31	295			2.75
01			9.8	31	260			2.85
02			9.0	31	245			2.95
03			7.6	31	215			2.90
04			7.0	31	250			2.55
05			7.55	30	235			2.60
06			9.25	30	235			3.00
07			11.2	31	230			3.05
08			11.8	31	225			3.05
09			12.4	31	220			3.05
10			13.1	31	(215)			3.05
11			14.0	31				2.85
12			14.4	31	210			2.85
13			14.4	31	210			2.80
(310)			14.6	31	215			2.80
			14.0	30	225			2.85
			14.05	30	230			2.85
			10.9	31	260			2.85
			13.6	31	250			2.90
			11.1	31	255			2.90
			12.2	31	270			2.92
			(11.1)	31	260			(2.70)
			10.75	30	300			2.65
			10.25	30	300			2.70

Table 25

Wakkanai, Japan (45.4°N, 141.7°E)								June 1959		
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(M3000)F2		
00	0.0	27	305			2.7	2.60			
01	0.0	27	300			3.1	2.55			
02	7.5	27	300			3.1	2.65			
03	7.3	27	300			3.0	2.55			
04	(380)	7.4	28	290	---	1.65	3.2	2.60		
05	(380)	0.0	28	260	4.0	2.50	3.5	2.65		
06	360	8.4	27	250	(4.4)	3.00	5.6	2.65		
07	360	0.2	26	250	4.0	3.40	6.0	2.65		
08	400	8.2	25	260	5.2	3.55	6.0	2.60		
09	420	7.6	24	245	5.5	3.75	6.5	2.55		
10	425	7.6	22	240	5.5	3.80	6.0	2.60		
11	450	7.3	23	240	5.6	3.90	5.7	2.55		
12	450	7.7	23	235	5.6	3.90	5.5	2.55		
13	440	7.7	24	240	5.6	3.75	4.5	2.60		
14	430	7.7	24	245	5.6	3.60	6.0	2.60		
15	415	7.6	26	240	5.4	3.60	4.8	2.60		
16	395	7.6	27	250	5.2	3.40	4.7	2.65		
17	(380)	7.5	27	255	---	3.05	6.0	2.65		
18	--	7.6	27	270		2.55	5.1	2.75		
19	--	7.0	20	290		----	4.9	2.70		
20	--	8.0	27	295			5.0	2.60		
21	--	8.1	24	305			4.9	2.55		
22	--	8.3	25	305			4.2	2.60		
23	--	8.3	25	300			3.2	2.60		

Time: 135.0°E.

Sweep: 1.0 Mc to 20.7 Mc in 1 minute.

Table 27

Tokyo, Japan (35.7°N, 139.5°E)								June 1959		
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(M3000)F2		
00	(9.3)	25	345			5.7	(2.55)			
01	9.0	25	305			4.5	2.60			
02	(8.7)	26	300			4.0	(2.60)			
03	(8.2)	27	300			3.4	(2.60)			
04	8.0	28	300			2.3	2.55			
05	(375)	8.6	29	260		2.30	2.4	2.65		
06	340	9.1	30	250	---	2.90	3.0	2.65		
07	360	9.4	30	250	---	(3.35)	5.0	2.65		
08	350	9.2	20	250	---	3.70	5.6	2.65		
09	410	9.0	26	(250)	---	3.90	8.7	2.55		
10	405	9.0	26	(250)	(5.8)	4.00	7.1	2.55		
11	410	9.6	26	(235)	(5.9)	(4.05)	6.7	2.55		
12	415	9.0	26	(235)	(5.9)	(4.10)	6.5	2.50		
13	400	9.7	27	240	(5.8)	(4.00)	6.5	2.55		
14	400	9.6	21	250	(5.7)	(4.00)	6.7	2.60		
15	380	9.7	29	250	---	(3.00)	7.0	2.60		
16	360	9.6	29	250	---	(3.50)	5.4	2.65		
17	350	9.6	30	260	---	3.10	7.1	2.70		
18	(310)	9.2	30	290	---	2.50	5.7	2.75		
19	--	8.8	30	300	---		5.0	2.70		
20	--	0.6	30	340	---		6.4	2.55		
21	--	(0.6)	30	350	---		5.2	(2.45)		
22	--	9.0	30	350	---		5.0	2.45		
23	--	(9.1)	28	350	---		7.0	2.50		

Time: 135.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 20 seconds.

Table 29

Falkland Is. (51.7°S, 57.8°W)								June 1959		
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(M3000)F2		
00	3.2	28	325					2.40		
01	3.2	27	345					2.45		
02	3.2	28	350					2.35		
03	3.3	28	350					2.40		
04	3.2	28	340					2.35		
05	3.0	28	300					2.70		
06	2.0	28	260					2.75		
07	3.5	27	260	160	1.3			---		
08	6.6	28	225	150	1.9			3.20		
09	8.5	29	215	130	2.4	2.6		3.35		
10	10.4	29	225	115	2.6	3.0		3.35		
11	11.1	29	230	115	2.8	3.2		3.25		
12	10.8	30	220	115	2.9	3.0		3.30		
13	9.9	30	225	115	2.8	2.9		3.30		
14	9.2	30	230	115	2.6	2.7		3.30		
15	0.8	30	225	130	2.3	2.3		3.35		
16	6.8	30	205	155	1.7	2.6	(3.30)			
17	5.3	27	205	---			(3.15)			
18	4.4	29	235	---	<1.3		3.15			
19	3.6	29	230	---	<1.4		---			
20	3.2	29	250	---	<1.4		(3.00)			
21	3.0	29	250	---	<1.4		(3.00)			
22	3.0	28	300	---	<1.6		2.45			
23	3.2	28	305	---	<1.4		2.45			

Time: 60.0°W

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation

Table 26

Akita, Japan (39.7°N, 140.1°E)								June 1959		
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(M3000)F2		
00			B.9	25	320				5.6	2.55
01			B.6	25	305				4.1	2.60
02			B.2	26	300				2.9	2.60
03			7.8	27	300				3.6	2.65
04			7.8	27	300				3.2	2.60
05	(355)	8.4	30	260	3.7				2.20	3.5
06	350	9.0	30	250	4.5				2.95	4.2
07	330	9.2	30	250	(5.0)				3.45	5.7
08	350	9.2	29	250	5.4				3.70	7.5
09	400	0.0	27	(245)	5.7				3.90	7.0
10	410	0.0	27	(245)	5.8				3.95	7.4
11	425	0.0	26	245	5.8				4.00	7.3
12	410	0.7	25	230	5.8				4.00	7.5
13	415	0.8	27	240	5.8				4.00	6.2
14	405	0.9	27	245	5.8				4.00	6.0
15	390	0.7	29	245	5.8				3.90	6.2
16	325	0.5	30	275	---				3.45	6.0
17			8.4	30	295				6.0	2.70
18			0.3	30	300				5.3	2.60
19			0.6	29	315				4.5	2.50
20			0.3	30	320				4.0	2.45
21			0.2	30	350				4.1	2.45
22			0.3	27	320				4.1	2.45
23			0.9	26	320				4.4	2.55

Time: 135.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 20 seconds.

Table 28

Yamagawa, Japan (31.2°N, 130.6°E)								June 1959		
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(M3000)F2		
00			9.4	27	325				5.2	2.60
01			9.6	25	300				5.1	2.70
02			8.9	27	300				4.6	2.70
03			8.6	26	290				3.8	2.70
04			8.0	25	290				3.2	2.70
05			7.0	25	300				3.2	2.60
06			8.6	30	250				2.35	3.4
07			9.1	30	250				3.05	4.4
08			8.9	30	245				3.50	5.5
09			8.7	29	250				3.75	7.0
10	(375)	9.0	28	250	6.2				3.95	7.1
11	405	9.5	29	250	6.3				4.10	6.6
12	400	10.0	30	250	6.2				4.15	6.3
13	405	10.4	30	230	6.2				4.10	6.0
14	400	10.8	28	250	5.9				4.00	6.0
15	390	10.8	27	250	5.9				3.90	5.0
16	360	11.0	27	250	5.7				3.70	6.0
17	350	10.6	30	260	5.4				3.35	6.2
18	335	10.2	30	290	---				2.80	6.0

Table 31

Kiruna, Sweden (67.6°N, 20.3°E)		May 1959						
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	6.6	15	320			3.5	2.5	
01	6.4	13	310	---	---	3.2	2.6	
02	5.8	17	300	---	---	3.6	2.4	
03	6.0	15	290	---	1.7	2.0	2.6	
04	(455)	5.0	19	260	3.7	110	2.1	2.45
05	440	6.0	23	250	4.2	110	2.5	2.5
06	440	6.2	22	<250	4.5	110	2.8	2.6
07	400	7.0	22	240	4.8	110	3.0	2.6
08	445	7.2	25	235	5.0	105	3.2	2.6
09	410	7.4	25	230	5.2	105	3.3	2.6
10	435	7.5	25	225	5.2	105	3.4	2.5
11	430	7.3	27	225	5.2	105	3.4	2.5
12	410	7.5	24	230	5.3	105	3.4	2.6
13	440	7.2	25	230	5.3	105	3.4	2.6
14	440	7.2	24	230	5.1	105	3.4	2.6
15	420	7.4	24	240	5.0	105	3.2	2.6
16	(395)	7.2	25	245	4.8	110	3.0	2.6
17	(470)	7.0	26	250	4.5	110	3.0	2.7
18	---	6.7	26	265	---	110	2.6	2.65
19	---	6.7	25	280	---	110	2.2	3.2
20	6.4	25	290		---	1.9	3.0	2.6
21	6.2	24	300		---	1.6	3.1	2.6
22	6.2	19	335		---	---	3.0	2.6
23	6.3	17	310		---	---	3.0	2.6

Time: 15.0°E.

Sweep: 0.8 Mc to 14.0 Mc in 30 seconds.

Table 33

Lulea, Sweden (65.6°N, 22.1°E)		May 1959						
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	(5.6)	20	350		---	3.1	2.70	
01	(5.5)	21	335		---	>2.5	2.55	
02	(5.5)	24	315	---	1.8		2.40	
03	(425)	5.6	24	280	---	<130	2.0	2.50
04	435	5.7	24	270	3.8	120	2.3	2.50
05	460	6.1	24	250	4.3	115	2.7	2.50
06	410	6.6	24	250	4.7	110	3.0	2.50
07	465	6.5	25	240	4.0	110	3.1	2.50
08	440	7.1	23	230	5.0	110	3.3	2.55
09	430	7.6	24	230	5.2	110	3.4	2.70
10	430	7.6	22	230	5.4	110	3.6	2.60
11	430	7.7	23	230	5.4	110	3.7	2.70
12	430	8.0	22	225	5.4	110	3.6	2.70
13	420	7.8	21	230	5.6	110	3.6	2.60
14	410	7.8	20	230	5.4	110	3.5	2.70
15	(430)	7.6	20	230	5.1	110	3.3	2.80
16	(430)	7.6	22	240	4.9	110	3.2	2.80
17	---	7.6	22	260	---	110	2.9	2.80
18	---	7.2	23	260	---	115	2.7	2.80
19	---	7.0	23	260	---	130	2.4	2.80
20	6.4	25	290		---	2.1	2.6	2.70
21	6.4	25	285		---	1.9	2.60	
22	6.3	21	320		---	1.8	2.8	2.50
23	(6.0)	22	315		---	3.0	2.45	

Time: 15.0°E.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 35

Nurmijarvi, Finland (60.5°N, 24.6°E)		May 1959						
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	7.2	10					2.60	
01	(6.8)	9					(2.60)	
02	6.4	10					2.60	
03	5.6	11					2.55	
04	5.9	16		---			2.70	
05	6.2	16		---			2.70	
06	6.3	25		4.1			2.70	
07	7.0	25		4.5			2.70	
08	7.6	27		5.0		3.20	2.70	
09	7.7	24		5.0			2.70	
10	8.0	27		5.4			2.70	
11	8.4	29		5.4		3.70	2.65	
12	8.1	29		5.4			2.65	
13	8.4	28		5.5			2.70	
14	8.3	31		5.4			2.70	
15	8.2	30		5.3			2.70	
16	8.2	30		5.0			2.75	
17	8.2	30		---			2.75	
18	8.2	28		---			2.75	
19	0.3	27					2.80	
20	8.0	27					2.85	
21	8.2	24					2.80	
22	8.0	15					2.70	
23	7.2	10					2.60	

Time: 30.0°E

Sweep: 1.0 Mc to 25.0 Mc in 1 minute.

Table 32

Sodankyla, Finland (67.4°N, 26.6°E)		May 1959						
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00			(7.6)	6	310			3.7 (2.75)
01			7.0	10	350			4.2 2.60
02			(7.7)	7	380			4.2 (2.65)
03			(7.7)	9	330			2.20 4.0 (2.60)
04			7.0	13	295			4.2 2.55
05			6.6	16	270			4.2 2.60
06			6.6	20	250			4.2 2.55
07			7.6	21	240			4.5 2.55
08			7.8	22	240	4.9	110	4.3 2.55
09			7.8	24	230	4.9	110	4.4 2.55
10			7.7	25	230	5.0	110	3.50 4.4 2.55
11			7.5	26	220			3.60 4.5 2.55
12			7.6	26	225			3.60 4.6 2.55
13			7.8	26	230			3.60 4.7 2.55
14			7.4	26	250			3.55 4.6 2.60
15			7.6	26	230			3.55 4.5 2.60
16			7.6	26	230			3.55 4.4 2.60
17			7.6	26	230			3.45 4.4 2.60
18			7.6	24	250			3.30 4.4 2.65
19			7.4	26	250			3.15 4.3 2.70
20			7.6	24	265			2.95 4.2 2.75
21			6.9	24	280			2.70 3.9 2.75
22			7.4	26	310			2.10 3.7 2.75
23			7.6	10	310			3.4 2.60

Time: 30.0°E.

Sweep: 1.4 Mc to 22.0 mc in 8 minutes, automatic operation.

Table 34

Lycksele, Sweden (64.6°N, 18.8°E)		May 1959						
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00			6.0	25	335			3.0 2.40
01			5.7	27	345			2.6 2.40
02			5.5	27	330			2.40 2.40
03	410	5.5	27	300	3.30	125	1.80	2.5 2.40
04	400	5.7	27	275	3.60	120	2.10	3.1 2.40
05	365	6.0	26	250	4.20	115	2.50	2.50
06	405	6.5	26	250	4.60	110	2.80	2.50
07	380	6.8	24	245	4.85	105	3.05	3.5 2.50
08	370	7.2	26	235	5.00	105	3.20	2.50
09	390	7.6	24	230	5.40	105	3.40	2.55
10	390	7.6	24	235	5.40	105	3.50	2.60
11	400	7.6	26	225	5.50	105	3.50	2.55
12	415	7.6	26	225	5.50	105	3.50	2.55
13	400	7.8	26	225	5.40	105	3.50	2.50
14	380	7.7	24	235	5.30	105	3.45	2.60
15	375	7.5	25	235	5.25	105	3.30	2.60
16	355	7.7	26	240	5.05	105	3.20	2.60
17	330	7.6	29	245	4.80	110	2.90	2.60
18	300	7.5	27	250	4.50	110	2.50	2.60
19	---	7.3	28	255	(4.00)	115	2.15	3.0 2.70
20	---	6.8	29	280	---	120	1.80	2.7 2.70
21	6.6	20	290			120	1.50	2.4 2.70
22	5.9	28	310			120	1.20	2.6 2.60
23	5.9	26	330			120	2.7	2.60

Time: 30.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 30

Moscow, U.S.S.R. (55.5°N, 37.3°E)		May 1959						
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00			6.7	20	300			<1.4 2.50
01			6.3	30	305			<1.3

Table 37

Slough, England (51.5°N, 0.6°W)							May 1959	
Time	h°F2	foF2—Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	7.4	25	300			<1.3	2.50	
01	6.8	26	310			1.4	2.40	
02	6.6	27	310			1.3	2.40	
03	6.4	27	300			1.3	2.50	
04	6.2	26	300	115	1.50	1.7	2.55	
05	6.7	27	265	---	110	2.20	2.5	2.70
06	425	7.0	27	250	---	105	2.80	2.0
07	465	7.4	26	240	4.8	105	3.15	3.3
08	480	8.0	27	235	5.0	100	3.45	3.8
09	420	8.3	29	220	5.3	100	3.65	3.9
10	395	0.4	26	220	5.4	100	3.00	4.2
11	395	8.8	26	210	5.5	100	3.90	4.3
12	400	8.0	26	215	5.7	100	3.95	4.1
13	400	8.5	27	230	5.6	100	3.90	4.1
14	390	0.8	29	225	5.6	100	3.85	2.65
15	380	8.7	29	240	5.5	105	3.70	3.8
16	360	8.8	20	235	---	105	3.50	4.2
17	390	8.6	30	250	---	105	3.20	3.6
18	---	8.7	29	250	---	110	2.70	3.0
19	---	8.9	30	265	---	120	2.10	2.5
20	---	0.6	28	260	---	<1.60	2.4	2.75
21	---	0.2	20	<260	---	1.7	2.60	
22	7.9	27	<270			<1.6	2.50	
23	7.8	26	<300			<1.6	2.50	

Time: 0.0°.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 39

Wakkanai, Japan (45.4°N, 141.7°E)							May 1959	
Time	h°F2	foF2—Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	0.2	25	300				2.55	
01	0.0	25	295			2.4	2.60	
02	7.4	25	280			2.4	2.55	
03	7.2	25	295			1.0	2.55	
04	7.4	26	300		1.40	2.4	2.55	
05	0.2	26	260		2.40		2.70	
06	0.4	26	250	---	2.95	3.2	2.75	
07	(360)	8.3	23	255	---	3.35	4.2	2.75
08	305	8.3	22	250	5.5	3.55	4.9	2.65
09	415	0.4	24	245	5.7	3.75	5.0	2.65
10	400	8.5	24	245	5.0	3.60	4.9	2.60
11	390	0.0	24	230	6.0	3.90	4.4	2.60
12	395	9.1	25	240	5.9	3.90	4.9	2.65
13	390	9.1	25	245	6.0	3.75	4.1	2.60
14	375	9.3	25	250	5.7	3.75	4.7	2.70
15	360	9.1	25	250	5.4	3.55	4.4	2.70
16	---	9.0	24	250	---	3.30	4.2	2.75
17	9.0	25	260			2.90	3.0	2.00
18	9.0	26	270			2.30	3.6	2.00
19	9.0	24	270			3.5	2.00	
20	8.4	24	265			2.9	2.70	
21	(8.4)	24	205			2.9	(2.60)	
22	(0.5)	25	305			2.9	(2.65)	
23	8.3	26	300			2.5	2.60	

Time: 135.0°E.

Sweep: 1.0 Mc to 20.7 Mc in 1 minute.

Table 41

Akita, Japan (39.7°N, 140.1°E)							May 1959	
Time	h°F2	foF2—Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	8.8	30	305			2.7	2.60	
01	8.4	30	300				2.65	
02	8.0	31	290			2.4	2.60	
03	7.7	31	295				2.55	
04	7.6	31	310				2.55	
05	---	8.6	31	260	---	2.10	2.70	
06	---	9.4	31	250	---	2.80	3.3	2.80
07	(390)	9.6	31	245	---	3.30	4.0	2.75
08	360	9.6	31	245	5.8	3.60	4.5	2.70
09	380	9.7	31	240	6.0	3.80	5.0	2.60
10	380	10.2	31	240	6.3	4.00	4.7	2.60
11	390	10.5	31	240	6.2	4.00	5.4	2.60
12	375	11.0	31	245	6.0	4.05	5.6	2.60
13	365	10.9	31	240	6.0	4.00	5.2	2.60
14	350	10.8	31	245	6.0	3.95	5.7	2.65
15	350	10.9	31	245	5.6	3.70	5.0	2.70
16	335	10.5	31	250	---	3.45	5.2	2.70
17	(300)	10.2	31	255	---	2.90	4.5	2.75
18	---	9.7	31	270	---	2.20	5.0	2.80
19	9.6	31	280			5.4	2.75	
20	9.0	31	290			3.9	2.60	
21	8.9	31	300			3.6	2.55	
22	9.1	31	310			3.1	2.55	
23	9.0	31	305			2.3	2.60	

Time: 135.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 20 seconds.

Table 43

Budapest, Hungary (47.4°N, 19.2°E)							May 1959	
Time	h°F2	foF2—Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00			7.0	30	335			
01			6.0	30	330			
02			>6.3	30	320			
03			6.6	31	310	---		
04	(400)		>7.0	31	270	3.0	140	2.5
05	365	0.0	31	255	4.4	125	2.8	3.5
06	365	8.4	30	250	5.0	120	3.2	3.5
07	365	9.0	31	240	5.4	120	3.5	4.0
08	400	9.2	31	245	5.6	115	3.6	4.3
09	390	9.6	31	240	6.0	115	3.7	4.2
10	375	9.0	31	230	5.9	115	3.7	4.2
11	395	9.9	30	235	6.0	115	3.0	4.0
12	395	10.1	31	260	6.0	115	3.7	
13	390	9.6	30	245	5.9	120	3.7	
14	365	9.4	29	255	5.0	120	3.6	4.0
15	355	9.2	30	260	5.6	120	3.4	4.2
16	---	9.0	29	265	---	125	3.0	4.0
17	---	(8.4)	30	270	---	135	2.5	3.7
18	---	7.3	29	285	---	---	---	3.3
19	---	>6.9	28	280	---	---	---	
20	---	>6.3	29	300	---	---	---	
21	---	>6.2	27	315	---	---	---	
22	---	(6.2)	29	320	---	---	---	
23	---	>6.0	29	345	---	---	---	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 35 seconds.

Table 40

Italy (41.1°N, 12.5°E)							May 1959	
Time	h°F2	foF2—Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00		(1.6)	25					2.4 (2.50)
01		(0.3)	29	310				2.0 (2.50)
02		(0.2)	29	420				2.0 (2.45)
03		(7.5)	29	310				2.4 (2.45)
04		(7.3)	30	300				2.4 (2.50)
05		7.4	30	290		150	1.0	2.70
06		8.4	29	260	---	120	2.5	2.85
07		9.2	29	250	---	110	3.0	2.85
08		9.2	29	240	---	110	3.4	2.80
09		9.6	29	230	---	110	3.7	2.75
10	440	9.0	29	220	5.0	110	4.0	2.65
11	440	10.7	29	220	5.0	110	4.0	2.60
12	400	10.5	30	220	6.0	110	4.0	2.60
13	390	10.0	30	240	5.0	110	4.0	2.60
14	370	10.7	29	240	5.0	110	4.0	2.60
15	370	10.6	29	240	5.7	110	3.0	2.65
16	---	10.4	29	250	5.7	110	3.6	2.70
17	---	10.2	26	260	5.0	120	3.4	2.70
18	---	(10.2)	23	270	5.0	120	2.7	2.80
19	---	(9.0)	24	270	5.0	140	1.0	2.00
20	---	(9.0)	11	270	5.0		4.0	2.05
21	---	(8.0)	18	290	5.0		5.0	2.00
22	---	(0.1)	22	300	5.0		5.0	2.00
23	---	(6.6)	20	300	5.0		2.7	2.55

Time: 15.0°E.

Sweep: 1.4 Mc to 15.0 Mc in 5 minutes, automatic operation.

Table 42

Tokyo, Japan (35.7°N, 139.5°E)							May 1959	
Time	h°F2	foF2—Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00		9.3	30					

Table 43

Time	May 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	10.6	28	200		3.1	2.75		
01	10.5	20	275		3.2	2.80		
02	9.7	27	250		2.9	2.85		
03	9.0	26	250		2.8	2.75		
04	8.5	30	260		1.8	2.70		
05	8.3	20	275		1.4	2.70		
06	8.0	30	245		2.20	2.5	2.95	
07	9.9	30	230		3.00	3.5	3.00	
08	10.0	29	230		3.45	4.6	2.05	
09	10.7	31	235		3.70	5.5	2.65	
10	11.4	31	230	---	4.00	5.7	2.65	
11	350	11.7	31	240	7.0	4.00	6.0	2.60
12	355	12.5	31	230	6.6	4.10	6.2	2.65
13	350	12.9	31	225	6.5	4.10	5.1	2.70
14	345	13.1	30	240	6.5	4.05	5.0	2.70
15	340	13.0	30	240	6.5	3.95	5.5	2.75
16	320	13.2	29	250	6.3	3.65	5.3	2.75
17	300	12.8	29	250		3.25	4.6	2.75
18		12.4	20	250		2.60	4.6	2.80
19		12.0	20	270		4.8	2.00	
20		11.1	25	275		4.2	2.65	
21		11.1	20	300		3.0	2.60	
22		11.0	26	300		3.3	2.60	
23		10.0	26	295		3.3	2.65	

Time: 135.0°.

Sweep: 1.0 Mc to 19.4 Mc in 1 minute.

Table 45

Time	May 1959							
	h'F2	foF2-Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00	240	11.4	4			3.0	----	
01	240	(10.6)	8			3.0	(2.79)	
02	230	8.5	13			2.1	2.94	
03	230	6.7	13			2.5	3.11	
04	265	8.0	22	---	---	3.0	2.84	
05	250	11.5	27	250	---	120	2.9	4.0
06	270	13.8	29	240	---	120	3.4	4.5
07	(315)	14.4	30	240	---	115	3.7	4.7
08	360	15.0	30	245	---	115	4.0	4.9
09	390	15.1	25	250	---	110	4.0	5.0
10	435	15.1	25	250	---	110	4.1	5.0
11	465	15.0	22	250	---	110	4.0	2.07
12	(480)	14.6	25	250	---	110	4.0	4.6
13	(440)	14.4	23	245	---	115	3.7	4.0
14	(455)	14.3	23	245	---	120	3.1	4.1
15	---	>14.3	23	260	---	120	2.6	3.4
16	290	14.4	23	290	---		2.6	2.16
17	350	13.7	12			3.0	2.10	
18	340	----	0			2.1		
19	290	----	0			2.0		
20	270	----	0			2.0		
21	260	(12.7)	1			3.0	----	
22	250	(13.0)	1			3.5	----	
23	230	(11.5)	1			3.8	----	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 47

Time	May 1959							
	h'F2	foF2-Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00	220	12.8	16			1.8	2.77	
01	210	9.5	18			2.1	2.78	
02	225	6.9	19			2.0	2.84	
03	235	5.6	24			2.6	<2.78	
04	245	5.0	24			2.7	2.74	
05	270	6.6	27	---	---	2.8	<2.75	
06	---	10.0	23	250	---	120	2.8	3.01
07	(270)	12.4	25	240	---	115	3.4	4.2
08	275	13.6	30	235	---	115	3.8	3.0
09	(310)	13.8	30	240	---	110	4.0	2.50
10	(335)	14.4	29	250	---	110	---	2.46
11	350	14.4	30	250	---	110	---	2.36
12	370	14.7	31	250	---	110	---	2.34
13	375	15.0	30	250	---	110	4.0	2.29
14	370	14.8	31	240	---	110	3.6	2.26
15	360	15.0	29	245	---	115	3.2	2.29
16	---	14.6	27	260	---	120	2.5	3.0
17	280	15.0	20	---	---		3.4	2.42
18	290	16.0	11			3.0	2.56	
19	280	>17.5	1			2.9	----	
20	240	(17.3)	1				----	
21	230	(13.0)	2				----	
22	230	(15.0)	7				(2.77)	
23	220	14.2	12			1.8	<2.76	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 44

Time	May 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			7.0	29	395			----
01			7.0	30	30			----
02			6.9	30	315			----
03			7.0	30	270			----
04			6.4	30	250			(3.30)
05			4.5	29	245			3.20
06			8.5	27	250			3.10
07			11.7	29	245			3.10
08			13.5	31	235			3.10
09			14.2	28	230			3.10
10			(14.2)	20	215			(2.40)
11			>14.2	30	205			(4.30)
12			(13.5)	29	200			(2.20)
13			13.2	29	200			(4.20)
14			13.6	31	200			(2.20)
15			(13.2)	31	210			4.00
16			>12.8	30	235			3.70
17			>12.7	29	255			3.30
18			>11.7	29	300			2.65
19			>9.5	26	400			4.4
20			>8.5	29	405			1.60
21			7.5	31	420			----
22			7.0	31	405			----
23			7.0	30	410			----

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 46

Time	May 1959							
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00			13.7	18	235			2.90
01			12.2	27	225			2.8
02			9.5	25	225			3.05
03			8.0	26	230			3.10
04			7.0	26	225			3.15
05			5.2	26	230			3.15
06			6.7	29	280			2.90
07			11.0	30	255			2.90
08			14.1	26	245			2.90
09			14.9	25	230			4.2
10			15.1	23	220			2.40
11			14.0	26	220			2.15
12			>13.6	26	210			4.35
13			270	13.4	29			2.05
14			12.9	29	215			(4.10)
15			240	12.9	29			2.10
16			12.9	29	245			110 (3.85)
17			13.2	30	255			3.2
18			13.4	29	290			2.30
19			13.5	27	350			2.30
20			(13.6)	8	350			<1.4 (2.20)
21			>13.9	8	270			2.4 (2.60)
22			(14.0)	9	240			3.2 (2.70)
23			14.0	17	245			2.9

Time: 105.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 48

Time	May 1959							
	h'F2	foF2-Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00			240	6.5	22			2.63
01			240	5.4	25			2.82
02			250	4.0	29			2.83
03			250	3.2	29			2.89
04			260	4.5	29			2.53
05			250	9.0	30	250		2.96
06			250	11.4	30	240		1.5
07			250	12.5	30	240		2.85
08			260	13.0	29	245		2.64
09			300	13.0	29	250		2.56
10			310	13.4	30	250		2.54
11			340	13.5	30	250		2.46
12			340	13.2	29	250		2.45
13			340	13.1	31	245		2.41
14			320	13.0	30	250		2.46</td

Table 49

Brisbane, Australia (27.5°S, 152.9°E)							May 1959	
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	6.6	26	260					2.80
01	6.5	26	260					2.80
02	6.3	26	260					2.75
03	6.0	25	255					2.65
04	5.5	25	250					2.80
05	5.3	25	250					2.80
06	5.8	25	250					2.90
07	9.9	25	230		2.40			3.25
08	12.0	25	230		3.00			3.20
09	13.0	25	230		3.40	3.4		3.10
10	13.2	25	230		3.60	4.0		3.05
11	13.0	24	225		3.70	4.3		2.95
12	12.6	24	220		3.80	4.3		2.85
13	12.9	25	220		3.70	4.2		2.80
14	13.0	25	230		3.60	4.0		2.80
15	12.6	26	230		3.30			2.80
16	12.0	25	240		2.80			2.90
17	11.6	27	240		2.10			2.85
18	10.0	27	225		---			2.05
19	8.6	25	240					2.05
20	8.5	25	240					2.00
21	7.9	24	250					2.75
22	7.4	24	250					2.80
23	6.8	26	260					2.70

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 51

Resolute Bay, Canada (74.7°N, 94.9°W)							April 1959	
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	6.3	30	280		115	1.5	1.8	2.6
01	6.8	30	270		130	1.6	1.7	2.6
02	6.8	30	270		140	1.5	1.6	2.6
03	6.8	30	270		110	1.7		2.6
04	6.3	30	260		105	1.9		2.7
05	---	30	270	---	100	2.1		2.7
06	(400)	6.2	30	260	3.7	100	2.3	2.7
07	410	6.6	30	250	4.0	100	2.6	2.7
08	460	6.2	29	240	4.4	100	2.8	2.6
09	460	6.4	29	240	4.4	100	2.9	2.55
10	480	6.0	30	240	4.5	100	3.1	2.5
11	470	5.9	30	230	4.5	100	3.2	2.5
12	500	6.2	30	230	4.5	100	3.2	2.5
13	460	6.0	30	240	4.5	100	3.2	2.5
14	470	6.0	30	230	4.6	100	3.1	2.4
15	400	6.6	30	240	4.5	100	3.0	2.5
16	430	6.4	30	240	4.4	100	2.9	2.5
17	400	6.8	29	250	4.3	100	2.7	2.4
18	(400)	7.1	30	260	4.0	100	2.5	2.5
19	---	7.0	29	260	---	100	2.3	2.5
20	7.0	29	270		105	2.0		2.5
21	7.0	30	270		110	1.0	2.1	2.6
22	6.7	30	270		110	1.7	2.8	2.6
23	6.4	30	280		110	1.6	2.8	2.6

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 53

Johannesburg, Union of S. Africa (26.1°S, 28.1°E)							April 1959	
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00	5.4	30	<250			1.8		2.80
01	5.0	30	<255			1.2		2.70
02	4.8	30	(250)			1.2		2.75
03	4.6	30	<245			1.1		2.05
04	3.9	30	(240)					2.75
05	3.7	30	(250)					2.75
06	4.6	30	255		1.1	<1.1		2.70
07	0.9	30	230		2.4			3.20
08	---	11.4	29	225	3.1			3.15
09	---	12.7	29	225	3.5	3.7		3.00
10	---	13.5	29	220	3.0	4.0		2.90
11	---	13.5	29	210	3.9			2.80
12	---	13.5	30	210	4.0			2.70
13	13.7	30	210		4.0			2.65
14	13.0	30	230		3.9			2.65
15	13.3	30	230		3.7	3.0		2.65
16	13.0	30	235		3.1	3.6		2.65
17	12.9	30	245		2.6	2.7		2.75
18	12.6	30	235		1.6	1.8		2.80
19	11.2	30	225			1.8		2.85
20	10.1	30	230			<1.5	(2.90)	
21	9.4	30	230			<1.4		3.00
22	7.5	30	225			<1.6	3.00	
23	6.1	30	(240)			<1.6		2.85

Time: 30.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 7 seconds.

Table 50

Falkland Is. (51.7°S, 57.8°W)							May 1959	
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00			3.6	31	340			<1.4
01			3.7	31	350			2.35
02			3.6	31	335			2.40
03			3.5	31	315			2.50
04			3.5	31	305			2.50
05			3.5	31	290			2.65
06			3.4	31	245			(2.40)
07			5.3	29	250	165	1.60	----
08			8.3	30	220	115	(2.70)	3.1
09			11.0	30	220	110	2.00	3.25
10			12.0	30	225	110	3.05	3.20
11			12.0	31	235	105	3.10	3.15
12			13.0	28	235	11.0	3.00	3.15
13			11.6	31	230	11.0	3.00	3.10
14			11.1	31	240	12.0	2.40	3.20
15			10.6	29	230	12.0	3.00	3.20
16			0.5	29	215	2.00	3.0	3.20
17			7.1	31	210			3.10
18			5.0	31	230			3.20
19			4.4	31	230			(4.10)
20			3.7	31	<250			(4.75)
21			3.5	31	<300			<1.7
22			3.5	31	<345			<1.4
23			3.6	31	<350			<1.4

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 52

Formosa, China (25.0°N, 121.5°E)							April 1959	
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00			17.0	19	260			2.90
01			14.8	21	240			2.95
02			12.6	23	230			3.10
03			10.4	24	220			2.90
04			8.3	25	240			2.85
05			7.4	26	260			2.70
06			8.9	29	260			2.85
07			11.2	29	240	2.9	3.3	2.90
08			12.4	30	240	3.7	3.9	2.90
09			13.2	29	230	---	4.4	2.80
10			14.0	30	230	---	4.7	2.65
11			15.2	30	230			4.6
12			(420)	15.8	29	230		2.60
13			---	16.6	30	230		2.60
14			400	17.4	30	230		2.60
15			(400)	17.4	30	230	3.7	2.60
16			(380)	17.4	30	240	3.4	2.60
17			17.2	29	260	2.9		2.65
18			16.8	29	300			2.60
19			>17.3	24	310			2.55
20			17.4	20	300			2.65
21			17.4	20	240			2.70
22			17.5	19	280			2.70
23			17.6	20	280			2.00

Time: 120.0°E.

Sweep: 1.1 Mc to 19.5 Mc in 15 minutes, manual operation.

Table 54

Cape Town, Union of S. Africa (34.1°S, 18.3°E)							April 1959	
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2
00			4.4	18	<265			<1.6
01			4.0	17	<290			<1.5
02			4.0	17	<300			<2.0
03			4.0	17	<300			<1.4
04			4.0	17	<270	(1.3)		2.60
05			3.9	17	<260			<1.2
06			3.7	17	<270			<1.1
07			5.7					

Table 55

Time	h*F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	January 1959
00	3.5	31	305	---	---	2.9	2.4		
01	3.4	28	305	110	(0.60)	2.8	2.5		
02	3.1	30	310	110	(0.55)	3.0	2.4		
03	3.1	30	310	110	(0.65)	2.6	2.4		
04	3.2	30	290	110	---	2.5	2.5		
05	3.4	30	270	110	(0.70)	2.7	2.6		
06	3.3	30	250	---	(0.70)	2.4	2.6		
07	3.6	30	255	110	(0.70)	2.1	2.6		
08	6.0	29	245	115	1.15	2.5	2.7		
09	9.0	30	240	110	1.80	2.7	3.0		
10	11.0	30	235	115	2.20		3.0		
11	13.2	31	230	110	2.30		3.0		
12	13.9	31	230	115	2.40		2.9		
13	14.0	31	230	110	2.35		3.0		
14	13.8	31	225	110	2.10	2.3	3.0		
15	12.7	31	225	110	1.80	2.1	2.9		
16	11.6	31	220	115	1.10	2.9	3.0		
17	9.8	31	215	110	(0.90)	2.5	2.9		
18	7.5	30	225	110	---	3.0	2.9		
19	6.0	31	240	110	(0.65)	2.3	2.0		
20	4.6	31	260	110	---	1.2	2.7		
21	4.4	31	260	110	---	1.8	2.6		
22	4.0	30	275	110	(0.60)	2.3	2.5		
23	3.8	30	295	110	---	2.3	2.5		

Time: 15.0°W.

Sweep: 0.33 Mc to 20.0 Mc in 6 minutes, automatic operation.

Table 57

Time	h*F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	January 1959
00	6.9	31	250					2.95	
01	6.35	30	240					3.05	
02	5.1	30	230					3.05	
03	4.4	27	250					2.80	
04	4.4	27	<290					2.4	2.60
05	4.5	27	260					2.2	2.75
06	4.8	30	250					2.2	2.90
07	6.5	30	240	<151	2.20			3.15	
08	11.4	28	230	(113)	3.00			3.20	
09	12.85	30	230	(109)	3.50	3.6		3.10	
10	12.9	27	220	109	3.80	3.8		3.00	
11	---	12.9	29	<220	---	4.00		2.85	
12	---	12.75	30	220	---	4.10		2.75	
13	---	12.55	30	<225	---	<110	4.02	2.70	
14	---	12.4	27	225	---	<115	3.90	2.65	
15	12.5	26	230		<114	3.60		2.65	
16	12.4	26	240		<119	3.15	3.2	2.70	
17	12.1	25	240		<121	2.45	2.7	2.80	
18	10.7	27	230	---	---	3.1	2.00		
19	9.4	29	240			3.0	2.00		
20	8.9	27	245			2.7	2.85		
21	7.8	29	245			2.4	2.60		
22	7.35	28	250				2.80		
23	7.1	30	250				2.0	2.85	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 59

Time	h*F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	December 1958
00	6.1	31	250					2.85	
01	5.6	30	240					3.05	
02	4.8	30	230					3.00	
03	4.0	30	255					2.63	
04	4.1	27	<295					2.5	2.60
05	4.25	30	(200)					2.5	2.65
06	4.0	30	260					2.60	
07	0.7	20	240	(129)	2.35			3.15	
08	11.7	29	235	109	3.05			3.15	
09	12.6	20	<235	(109)	3.50	3.6		3.10	
10	12.5	31	225	<109	3.70	4.0		3.00	
11	12.1	31	215	(109)	3.85	4.2		2.05	
12	12.1	31	225	(107)	3.95	4.4		2.70	
13	12.0	30	225	<109	3.90	4.2		2.70	
14	11.9	31	230	<111	3.70	4.0		2.65	
15	11.4	31	235	(111)	3.40	3.0		2.65	
16	11.4	31	240	<115	2.85	3.1		2.70	
17	10.9	31	240	<147	2.05	3.5		2.75	
18	10.0	31	230			3.0	2.75		
19	8.5	31	245			3.5	2.75		
20	7.9	31	<260			3.2	2.00		
21	7.5	31	250			3.0	2.85		
22	7.0	31	245			2.8	2.90		
23	6.5	31	245			2.8	2.85		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 56

Time	h*F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	January 1959
00			4.4	23	250				(3.05)
01			4.4	25	260				(3.0)
02			4.2	27	270				2.0 (3.05)
03			4.0	28	270				2.4 (3.0)
04			4.1	27	270				3.05
05			4.0	29	280				(3.0)
06			3.9	26	250				(3.15)
07			3.8	25	250				3.1
08			5.0	29	240				(3.2)
09			6.1	29	210				3.3
10			11.2	30	210				105
11			12.7	30	210				105
12			13.0	27	210				100
13			13.0	20	210				100
14			13.2	15	210				100
15			12.8	11	210				105
16			13.0	17	210				110
17			12.7	22	210				---
18			11.2	24	200				---
19			9.5	24	200				---
20			8.1	27	210				(3.1)
21			7.0	26	220				(3.1)
22			6.1	25	230				3.2
23			5.2	26	240				3.1

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 58

Time	h*F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	January 1959
00			10.0	25	325				5.0, 2.55
01			9.5	25	300				4.1, 2.62
02			8.8	24	320				3.0, 2.45
03			8.6	24	315				2.7, 2.40
04			8.6	22	340				3.0, 2.35
05			9.0	23	(285)				2.40
06			9.55	24	240				2.70
07			10.05	24	235				3.50
08			10.6	24	225	(6.0)			4.20
09			445	11.45	24	225	6.5	109 (4.00)	4.3, 2.35
10			430	12.2	26	(225)	6.3	109 (4.30)	4.8, 2.45
11			410	12.4	20	(230)	6.4	109 (4.35)	5.0, 2.50
12			410	12.35	28	(230)	6.4	109 (4.45)	5.0, 2.50
13			410	12.65	26	(235)	6.4	109 (4.40)	4.7, 2.50
14			405	12.05	20	(230)	6.2	109 (4.25)	4.5, 2.50
15			395	11.8	28	(230)	6.0	109 (4.05)	4.5, 2.50
16			395	11.1	26	(240)	5.8	109 (3.82)	5.0, 2.50
17			395	10.5	27	(245)	---	109 (3.42)	4.8, 2.60
18			10.2	27	270				4.1, 2.50
19			9.6	27	(300)				4.5, 2.40
20			9.6	26	(385)				4.8, 2.30
21			9.6	27	(390)				5.0, 2.30
22			9.9	25	<360				4.9, 2.42
23			10.2	25	350				4.7, 2.50

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 59

Time	h*F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	December 1958
00			(10.2)	5	315				2.6, (2.60)
01			(9.35)	6	295				3.0, (2.60)
02			(9.2)	6	295				3.0, (2.82)
03			(8.0)	7	260				3.3, (2.85)
04			8.4	11	245				3.7, 2.90
05			7.4	16	230				3.9, 2.92
06			8.05	20	260				4.0, 2.90
07			10.6	27	250				4.1, 2.80
08			11.5	26	235				5.7, 2.65
09</td									

Table 61

Concepcion, Chile (36.6°S, 73.0°W)							December 1958	
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(MHz) F2
00	>9.95	30	340			4.0		2.50
01	9.8	30	320			4.1		2.45
02	9.2	30	<320			4.0		2.50
03	9.0	29	<335			3.9		2.40
04	8.0	28	355	---	---	2.8		2.30
05	9.7	29	265	120	2,38	2.8	(2.40)	
06	10.65	30	245	105	(2.95)	4.0		2.50
07	---	11.0	29	(235)	---	3.50	4.0	2.45
08	---	11.4	29	230	---	3.80	4.6	2.40
09	425	11.9	31	<235	6.4	105	(4.05)	5.4
10	420	12.1	29	(230)	6.6	105	---	5.9
11	410	12.1	29	(245)	6.4	107	---	5.2
12	420	12.0	30	<250	6.5	109	---	4.4
13	420	11.75	30	225	6.3	109	---	2.50
14	410	11.7	29	(235)	6.2	109	---	2.50
15	405	11.2	30	230	6.0	109	4.00	4.0
16	400	10.6	31	(240)	(5.8)	109	3.65	4.5
17	395	10.2	31	<260	---	107	3.20	4.7
18	---	9.0	31	<270	111	2.60	3.8	2.50
19	9.4	30	(320)	---	---	2.8	2.35	
20	9.45	30	<305	---	---	3.0	2.25	
21	9.7	29	<410	---	---	4.4	2.25	
22	9.85	30	<400	---	---	5.0	2.32	
23	>9.85	30	<380	---	---	5.6	2.35	

Time: 75.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds

Table 63

Concepcion, Chile (36.6°S, 73.0°W)							November 1958	
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(MHz) F2
00	11.0	26	320			2.8		2.52
01	11.45	26	300			2.3		2.65
02	10.3	26	290			2.2		2.65
03	9.6	25	290			1.9		2.50
04	9.4	25	320			1.8		2.50
05	10.0	25	260	119	2.20	2.4		2.40
06	11.3	25	235	109	2.90	3.4		2.72
07	11.8	25	230	105	3.45	4.2		2.55
08	12.2	27	(220)	105	3.80	4.2		2.50
09	12.6	27	<220	100	4.05	4.6		2.50
10	(420)	13.1	27	(220)	(6.8)	109	----	2.50
11	420	13.4	28	<235	6.0	109	----	2.55
12	415	13.4	29	<240	6.5	111	----	2.50
13	405	13.45	28	(230)	6.7	111	4.7	2.55
14	405	13.1	28	<230	6.4	111	(4.20)	2.55
15	(420)	12.35	26	(230)	(6.2)	109	3.95	4.4
16	(415)	11.65	26	<245	---	106	3.55	4.0
17	---	11.7	26	250	109	3.00	4.0	2.60
18	---	11.05	26	<275	(114)	2.20	3.8	2.50
19	11.0	28	<335	---	---	3.7	2.42	
20	10.75	28	370	---	---	4.0	2.35	
21	10.95	28	370	---	---	3.4	2.40	
22	11.3	28	360	---	---	2.7	2.40	
23	11.5	28	345	---	---	2.7	2.50	

Time: 75.0°W

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds

Table 65

Concepcion, Chile (36.6°S, 73.0°W)							October 1958	
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(MHz) F2
00	11.5	30	300					2.68
01	11.35	30	295					2.70
02	10.75	30	200					2.75
03	9.15	30	260					2.65
04	8.8	30	260					2.50
05	9.55	30	200	<165	1.80			2.60
06	11.3	30	235	114	2.65			2.90
07	12.55	30	230	109	3.28			2.90
08	13.45	30	230	105	3.62			2.80
09	14.1	30	225	109	3.90			2.65
10	---	14.4	31	225	107	----	4.2	2.60
11	---	14.7	30	(220)	109	----	2.60	
12	400	14.0	31	(230)	7.2	109	----	2.55
13	410	14.9	31	225	7.2	109	----	2.50
14	390	15.1	29	225	---	109	3.95	2.55
15	380	15.0	29	235	---	111	3.70	2.55
16	---	14.6	29	245	111	3.35		2.60
17	14.2	30	255	113	2.75	3.1		2.62
18	13.45	30	280	---	---	3.0		2.65
19	12.65	30	305	---	---	2.3		2.55
20	11.9	30	330	---	---	2.2		2.40
21	11.9	30	335	---	---	2.45		
22	>11.8	29	330	---	---	2.50		
23	11.7	30	310	---	---	2.60		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 62

San Salvador I., (24.1°N, 74.5°W)							November 1958	
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(MHz) F2
00			6.25	20	240			3.00
01			5.65	20	230			3.00
02			4.85	20	240			2.80
03			4.5	19	<265			2.60
04			4.45	20	<295			2.60
05			4.4	19	<280			2.70
06			5.8	20	260			2.95
07			10.0	19	235			3.20
08			12.45	10	235			3.12
09			13.2	17	230			3.05
10			>13.15	18	230			3.00
11			>12.95	18	220			2.85
12			12.95	18	220			2.78
13			12.8	19	230			2.75
14			12.8	19	235			2.70
15			12.4	18	235			2.68
16			12.1	20	240			2.75
17			11.9	20	240			2.60
18			10.7	20	225			2.80
19			9.45	20	240			2.80
20			9.0	19	240			2.2
21			8.25	20	240			2.2
22			7.3	20	240			2.02
23			6.75	20	240			2.05

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Observations taken 10th through 30th only.

Table 64

Byrd Station (80.0°S, 120.0°W)							November 1958	
Time	h*F2	foF2-Count	h*F	foF1	h*E	foE	foEs	(MHz) F2
00	---	6.0	21	<395		---	---	>3.0
01	---	6.2	23	365		---	---	2.35
02	---	6.2	25	370		---	---	2.30
03	---	6.2	27	325		---	---	2.35
04	---	6.6	26	<300		(122)	---	3.0
05	---	6.0	27	(270)		(121)	2.35	2.60
06	---	7.0	28	260		<119	2.58	2.65
07	---	7.2	29	250		115	2.72	2.65
08	---	7.05	30	245		111	2.80	2.70
09	---	8.3	31	240		111	2.95	2.70
10	---	8.7	29	240		111	3.00	2.65
11	---	9.85	28	240		111	3.00	2.70
12	---	10.0	28	240		111	3.00	2.70
13	---	9.9	27	240		111	2.95	2.70
14	---	9.8	27	250		111	2.90	2.70
15	---	9.5	26	255		113	2.80	2.65
16	---	8.75	26	275		117	2.80	2.68
17	(600)	8.4	27	290		<120	2.90	2.65
18	---	7.7	25	290		119	2.68	2.42
19	---	7.9	23	300		(123)	(2.50)	3.2
20	---	7.95	28	295		<127	2.30	3.3
21	---	7.0	21	315		---	---	3.0
22	---	7.0	23	350		<130	---	3.0
23	---	7.0	18	350		---	---	>2.3

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 67

Time	Cape Canaveral, Florida (28.4°N, 80.6°W)						March 1958	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	7.9	29	<205				2.62	
01	7.9	29	<260				2.65	
02	7.6	29	<265				2.65	
03	7.1	29	<275				2.65	
04	6.9	29	<290				2.60	
05	6.6	29	<290				2.60	
06	6.8	29	<205				2.65	
07	9.0	29	240	---	---	3.00		
08	11.5	26	230	111	3.00	3.00		
09	12.9	29	225	111	3.50	3.00		
10	13.55	26	220	109	3.75	2.90		
11	14.0	20	220	109	(3.98)	2.75		
12	14.1	28	<220	109	(4.00)	2.70		
13	14.1	27	225	109	4.05	2.65		
14	14.0	27	230	111	(4.00)	2.65		
15	13.85	26	230	111	3.90	2.65		
16	13.4	28	235	111	3.55	2.65		
17	13.0	29	240	113	3.05	3.2	2.70	
18	12.6	29	240	<121	(2.25)	2.7	2.75	
19	11.95	20	<235				2.75	
20	(10.0)	29	<240				(2.75)	
21	9.1	29	<260				2.70	
22	8.6	29	<260				2.70	
23	8.2	29	<260				2.65	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 69

Time	Freiburg, Germany (48.1°N, 7.0°E)						September 1956	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.0	30	290			1.6	2.50	
01	5.0	30	290			1.4	2.55	
02	5.5	29	300			1.4	2.50	
03	5.2	29	(295)				2.45	
04	5.0	28	290			1.5	2.50	
05	4.7	28	200			1.5	2.70	
06	6.1	29	250	134	1.00	3.00		
07	7.7	29	235	113	2.65	3.05		
08	320	0.8	30	230	4.80	107	3.05	
09	270	9.6	29	220	5.00	105	3.35	3.6
10	260	10.0	27	215	---	105	3.50	4.0
11	310	9.8	27	220	5.30	104	3.55	4.2
12	300	10.4	29	215	5.70	105	3.65	4.2
13	340	10.6	29	225	---	105	3.70	4.0
14	---	10.2	29	220	---	105	3.60	3.8
15	---	10.0	28	230	---	105	3.40	2.80
16	---	10.0	30	235	---	107	3.05	2.05
17	---	10.0	30	250	---	113	2.60	2.9
18	---	10.2	30	250	---	119	2.7	2.90
19	9.4	29	240				2.6	2.95
20	7.0	30	240				2.6	2.80
21	7.2	30	245				2.4	2.70
22	6.7	30	265				2.3	2.60
23	6.2	29	300			1.0	2.55	

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes.

Table 71

Time	Freiburg, Germany (48.1°N, 7.0°E)						July 1956	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.8	31	285			1.8	2.60	
01	6.8	30	295			2.0	2.60	
02	6.3	30	(280)			1.5	2.60	
03	5.8	30	290			1.5	2.65	
04	5.4	30	290			2.0	2.65	
05	(335)	5.8	29	250	3.35	123	1.95	2.4
06	290	6.6	30	235	(4.25)	109	2.60	2.85
07	310	6.8	30	220	4.50	103	3.00	3.3
08	350	7.0	30	220	4.85	102	3.30	2.85
09	360	7.4	29	(295)	5.20	101	3.50	4.2
10	350	7.4	31	210	5.30	101	3.70	4.1
11	360	7.8	27	205	5.40	101	3.80	4.2
12	355	7.6	30	210	5.50	101	3.80	2.75
13	370	7.5	29	215	5.45	101	3.80	4.2
14	360	7.5	30	210	5.30	103	3.75	2.75
15	360	7.4	29	220	5.20	103	3.65	2.75
16	340	7.4	29	220	5.10	104	3.45	2.75
17	320	7.4	28	220	4.70	104	3.10	2.85
18	300	8.0	28	240	4.20	107	2.70	3.4
19	275	9.0	28	250	---	113	2.10	4.0
20	8.0	31	250			3.8	2.95	
21	7.6	29	255			2.4	2.80	
22	7.4	31	270			1.8	2.65	
23	6.8	30	280			1.8	2.65	

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes.

Table 72\*

Table 68

Time	Budapest, Hungary (47.4°N, 19.2°E)						May 1957	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	320	7.1	29	---	---	130	2.2	2.84
01	330	7.1	31			115	2.7	2.79
02	315	6.8	31			110	3.1	2.86
03	320	6.7	31			110	3.6	2.86
04	305	6.7	31			110	3.7	2.92
05	270	7.1	29	---	---	110	3.4	3.13
06	265	8.2	30	250	4.4	115	2.7	3.00
07	300	8.5	30	245	5.0	110	3.1	3.00
08	310	0.5	30	240	5.6	110	3.4	2.90
09	360	0.6	30	230	5.8	110	3.6	2.65
10	365	8.7	30	230	6.0	110	3.6	2.63
11	390	9.2	31	235	6.2	110	3.7	2.52
12	390	9.2	30	230	6.0	110	3.8	2.52
13	390	9.5	30	230	6.2	110	3.7	2.50
14	380	9.6	27	240	6.0	110	3.6	2.56
15	355	9.4	26	235	6.0	110	3.6	2.67
16	340	9.1	26	240	5.7	110	3.4	2.74
17	315	0.6	27	250	5.3	115	3.0	2.90
18	290	8.6	26	255	4.4	120	2.6	2.95
19	280	8.5	31			125	2.3	3.1
20	270	0.5	29				3.4	3.13
21	230	8.3	31				2.9	3.04
22	300	8.0	28				2.6	2.95
23	310	7.4	26				2.7	2.92

Time: Local.

Sweep: 1.0 Mc to 20.0 Mc in 35 seconds.

Table 70

Time	Freiburg, Germany (48.1°N, 7.0°E)						August 1956	
	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	6.4	30	295				2.4	2.55
01	6.2	29	295				1.6	2.60
02	5.7	29	300				1.6	2.55
03	5.5	29	300				1.7	2.50
04	5.4	30	290				1.6	2.60
05	5.5	28	270	---	---	1.40	1.7	2.80
06	(260)	6.4	29	250	----	113	2.40	2.6
07	310	7.2	29	235	4.60	107	2.85	3.8
08	290	7.9	29	220	4.80	105	3.25	2.90
09	310	8.4	26	220	5.20	103	3.50	4.0
10	325	8.4	30	210	5.40	103	3.65	4.3
11	340	8.8	23	210	5.50	105	3.70	4.5
12	350	0.6	28	205	5.50	103	3.70	4.4
13	350	8.4	24	220	5.60	103	3.80	4.2
14	350	8.2	31	220	5.60	105	3.80	2.75
15	345	8.4	24	225	5.50	105	3.60	2.75
16	330	8.6	28	230	5.15	103	3.30	2.80
17	290	8.4	24	235	----	107	2.95	4.3
18	275	8.6	31	250	----	109	2.40	3.6
19	9.0	27	250	----	----	155	2.8	2.90
20	8.4	31	245	----	----		3.6	2.90
21	7.8	26	250	----	----		3.6	2.75
22	7.0	31	260	----	----		2.6	2.65
23	6.6	29	200	----	----		2.7	2.60

Time: 165.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 5 minutes, manual operation.

\*Observations taken on a 19-hour working schedule.

US COMM-NBS-BL




Fig. 1. THULE, GREENLAND  
76.6°N, 68.7°W DECEMBER 1959




Fig. 2. THULE, GREENLAND DECEMBER 1959




Fig. 3. POINT BARROW, ALASKA  
71.3°N, 156.8°W DECEMBER 1959




Fig. 4. POINT BARROW, ALASKA-DECEMBER 1959




Fig. 5. FAIRBANKS, ALASKA  
64.9°N, 147.8°W DECEMBER 1959




Fig. 6. FAIRBANKS, ALASKA DECEMBER 1959




Fig. 7. ANCHORAGE, ALASKA  
61.2°N, 149.9°W DECEMBER 1959










Fig. 8. ANCHORAGE, ALASKA DECEMBER 1959








Fig. 17. BAGUIO, P.I.  
16.4°N, 120.6°E      DECEMBER 1959




Fig. 18. BAGUIO, P.I.      DECEMBER 1959




Fig. 19. TALARA, PERU  
4.6°S, 81.3°W      DECEMBER 1959




Fig. 20. TALARA, PERU      DECEMBER 1959




Fig. 21. HUANCAYO, PERU  
 12.0°S, 75.3°W DECEMBER 1959




Fig. 22. HUANCAYO, PERU DECEMBER 1959



Fig. 23. FAIRBANKS, ALASKA  
 64.9°N, 147.8°W NOVEMBER 1959




Fig. 24. FAIRBANKS, ALASKA NOVEMBER 1959









Fig. 29. BOULDER, COLORADO  
40.0°N, 105.3°W NOVEMBER 1959




Fig. 30. BOULDER, COLORADO NOVEMBER 1959









Fig. 31. WHITE SANDS, NEW MEXICO  
32.3°N, 106.5°W NOVEMBER 1959



NOVEMBER 1959  
Fig. 32. WHITE SANDS, NEW MEXICO






Fig. 37. THULE, GREENLAND  
76.6°N, 68.7°W OCTOBER 1959




Fig. 38. THULE, GREENLAND OCTOBER 1959



Fig. 39. GODHAVN, GREENLAND  
69.3°N, 53.5°W OCTOBER 1959




Fig. 40. GODHAVN, GREENLAND OCTOBER 1959





Fig. 41. NARSARSSUAK, GREENLAND  
61.2°N, 45.4°W OCTOBER 1959



OCTOBER 1959





Fig. 43. BOULDER, COLORADO  
40.0°N, 105.3°W OCTOBER 1959



OCTOBER 1959




Fig. 45. GRAND BAHAMA I.  
26.6°N, 78.2°W OCTOBER 1959




Fig. 46. GRAND BAHAMA I. OCTOBER 1959




Fig. 47. CONCEPCION, CHILE  
36.6°S, 73.0°W OCTOBER 1959




Fig. 48. CONCEPCION, CHILE OCTOBER 1959



Fig. 49. WAKKANAI, JAPAN  
45.4°N, 141.7°E JUNE 1959




Fig. 50. WAKKANAI, JAPAN JUNE 1959




Fig. 51. AKITA, JAPAN  
39.7°N, 140.1°E JUNE 1959




Fig. 52. AKITA, JAPAN JUNE 1959




Fig. 53. TOKYO, JAPAN  
35.7°N, 139.5°E JUNE 1959




Fig. 54. TOKYO, JAPAN JUNE 1959




Fig. 55. YAMAGAWA, JAPAN  
31.2°N, 130.6°E JUNE 1959




Fig. 56. YAMAGAWA, JAPAN JUNE 1959




Fig. 57. FALKLAND IS.  
51.7°S, 57.8°W

JUNE 1959




Fig. 58. FALKLAND IS.

JUNE 1959




Fig. 59. TROMSO, NORWAY  
69.7°N, 19.0°E

MAY 1959
















Fig. 60. TROMSO, NORWAY

MAY 1959










Fig. 73. SLOUGH, ENGLAND  
51.5°N, 0.6°W MAY 1959




Fig. 74. SLOUGH, ENGLAND MAY 1959




Fig. 75. BUDAPEST, HUNGARY  
47.4°N, 19.2°E MAY 1959




Fig. 76. BUDAPEST, HUNGARY MAY 1959




Fig. 77. WAKKANAI, JAPAN  
45.4°N, 141.7°E MAY 1959




Fig. 78. WAKKANAI, JAPAN MAY 1959




Fig. 79. ROME, ITALY  
41.8°N, 12.5°E MAY 1959




Fig. 80. ROME, ITALY MAY 1959




Fig. 81. AKITA, JAPAN  
39.7°N, 140.1°E MAY 1959




Fig. 82. AKITA, JAPAN MAY 1959




Fig. 83. TOKYO, JAPAN  
35.7°N, 139.5°E MAY 1959















Fig. 84. TOKYO, JAPAN MAY 1959










Fig. 97. BRISBANE, AUSTRALIA  
27.5°S, 152.9°E MAY 1959




Fig. 98. BRISBANE, AUSTRALIA MAY 1959




Fig. 99. FALKLAND IS.  
51.7°S, 57.8°W MAY 1959




Fig. 100. FALKLAND IS. MAY 1959




Fig. 101. RESOLUTE BAY, CANADA  
74.7°N, 94.9°W APRIL 1959




Fig. 102. RESOLUTE BAY, CANADA APRIL 1959



Fig. 103. FORMOSA, CHINA  
25.0°N, 121.5°E APRIL 1959




Fig. 104. FORMOSA, CHINA APRIL 1959




Fig. 105. JOHANNESBURG, UNION OF S. AFRICA  
26.1°S, 28.1°E APRIL 1959




Fig. 106. JOHANNESBURG, UNION OF S. AFRICA APRIL 1959




Fig. 107. CAPETOWN, UNION OF S. AFRICA  
34.1°S, 18.3°E APRIL 1959








Fig. 108. CAPETOWN, UNION OF S. AFRICA APRIL 1959






Fig. 113. SAN SALVADOR I.  
24.1°N, 74.5°W      JANUARY 1959




Fig. 114. SAN SALVADOR I.      JANUARY 1959




Fig. 115. CONCEPCION, CHILE  
36.6°S, 73.0°W      JANUARY 1959












Fig. 116. CONCEPCION, CHILE      JANUARY 1959








Fig. I25. CONCEPCION, CHILE  
36.6°S, 73.0°W NOVEMBER 1958




Fig. I26. CONCEPCION, CHILE NOVEMBER 1958




Fig. I27. BYRD STATION  
80.0°S, 120.0°W NOVEMBER 1958




Fig. I28. BYRD STATION NOVEMBER 1958




Fig. 129. CONCEPCION, CHILE  
36.6°S, 73.0°W OCTOBER 1958




Fig. 130. CONCEPCION, CHILE OCTOBER 1958




Fig. 131. BYRD STATION  
80.0°S, 120.0°W OCTOBER 1958




Fig. 132. BYRD STATION OCTOBER 1958




Fig. 133. CAPE CANAVERAL, FLORIDA  
 28.4°N, 80.6°W MARCH 1958




Fig. 134. CAPE CANAVERAL, FLORIDA



Fig. 135. BUDAPEST, HUNGARY  
47.4°N, 19.2°E MAY 1957











Fig. 136. BUDAPEST, HUNGARY MAY 1957





Index of Tables and Graphs of Ionospheric Data  
in CRPL-F188 (Part A)


	Table page	Figure page
<b>Adak, Alaska</b>		
December 1959 . . . . .	1	15
<b>Akita, Japan</b>		
June 1959 . . . . .	5	25
May 1959. . . . .	7	33
<b>Anchorage, Alaska</b>		
December 1959 . . . . .	1	14
<b>Baguio, P. I.</b>		
December 1959 . . . . .	2	17
<b>Bogota, Colombia</b>		
November 1959 . . . . .	3	21
<b>Boulder, Colorado</b>		
November 1959 . . . . .	3	20
October 1959 . . . . .	4	23
<b>Brisbane, Australia</b>		
May 1959 . . . . .	9	37
<b>Budapest, Hungary</b>		
May 1959. . . . .	7	31
May 1957. . . . .	12	46
<b>Bunia, Belgian Congo</b>		
May 1959. . . . .	8	35
<b>Byrd Station</b>		
November 1958 . . . . .	11	44
October 1958. . . . .	11	45
<b>Campbell I.</b>		
March 1956. . . . .	12	48
<b>Cape Canaveral, Florida</b>		
March 1958. . . . .	12	46
<b>Capetown, Union of S. Africa</b>		
April 1959. . . . .	9	39
<b>Concepcion, Chile</b>		
October 1959. . . . .	4	24
January 1959. . . . .	10	41
December 1958 . . . . .	11	43
November 1958 . . . . .	11	44
October 1958. . . . .	11	45
<b>Elisabethville, Belgian Congo</b>		
May 1959. . . . .	8	36
<b>Fairbanks, Alaska</b>		
December 1959 . . . . .	1	14
November 1959 . . . . .	2	18

Index (CRPL-F188 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Falkland Is.		
June 1959 . . . . .	5	27
May 1959. . . . .	9	37
Formosa, China		
April 1959. . . . .	9	38
Freiburg, Germany		
September 1956. . . . .	12	47
August 1956 . . . . .	12	47
July 1956 . . . . .	12	48
Godhavn, Greenland		
October 1959. . . . .	4	22
Grand Bahama I.		
October 1959. . . . .	4	24
Huancayo, Peru		
December 1959 . . . . .	2	18
Ibadan, Nigeria		
May 1959. . . . .	8	34
Johannesburg, Union of S. Africa		
April 1959. . . . .	9	39
Kiruna, Sweden		
May 1959. . . . .	6	28
Leopoldville, Belgian Congo		
May 1959. . . . .	8	36
Lulea, Sweden		
May 1959. . . . .	6	29
Lycksele, Sweden		
May 1959. . . . .	6	29
Maui, Hawaii		
December 1959 . . . . .	2	16
Moscow, U.S.S.R.		
May 1959. . . . .	6	30
Narsarssuak, Greenland		
December 1959 . . . . .	1	15
November 1959 . . . . .	3	19
October 1959. . . . .	4	23
Natal, Brazil		
December 1958 . . . . .	10	42
Nurmijarvi, Finland		
May 1959. . . . .	6	30
Point Barrow, Alaska		
December 1959 . . . . .	1	13
Resolute Bay, Canada		
April 1959. . . . .	9	38

Index (CRPL-F188 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Reykjavik, Iceland		
November 1959 . . . . .	3	19
Rome, Italy		
May 1959. . . . .	7	32
San Salvador I.		
January 1959. . . . .	10	41
December 1958 . . . . .	10	42
November 1958 . . . . .	11	43
Singapore, British Malaya		
May 1959. . . . .	8	35
Slough, England		
May 1959. . . . .	7	31
Sodankyla, Finland		
May 1959. . . . .	6	28
Talara, Peru		
December 1959 . . . . .	2	17
November 1959 . . . . .	3	21
Thule, Greenland		
December 1959 . . . . .	1	13
October 1959. . . . .	4	22
Tokyo, Japan		
June 1959 . . . . .	5	26
May 1959. . . . .	7	33
Tromso, Norway		
May 1959. . . . .	5	27
Upsala, Sweden		
January 1959. . . . .	10	40
Wakkai, Japan		
June 1959 . . . . .	5	25
May 1959. . . . .	7	32
Washington, D. C.		
December 1959 . . . . .	2	16
White Sands, New Mexico		
November 1959 . . . . .	3	20
Winnipeg, Canada		
January 1959. . . . .	10	40
Yamagawa, Japan		
June 1959 . . . . .	5	26
May 1959. . . . .	8	34



---

## CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

*Daily:*

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

*Semimonthly:*

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

*Semimonthly:*

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

*Monthly:*

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Air Force, TO 31-3-28 series). On sale by Superintendent of Documents.\* Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.

(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic, or other radio propagation data.

*Catalog of Data:*

A catalog of records and data on file at the U. S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder Laboratories, Boulder, Colorado, unless otherwise indicated. Please note that the F series is not generally available.

---

*Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:*

NBS Circular 462. Ionospheric Radio Propagation. \$1.25.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions. 30 cents.

NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 Megacycles. 30 cents.

NBS Circular 582. Worldwide Occurrence of Sporadic E. \$3.25.

These Circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

---

\* For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C. Price 15 cents (single copy). Subscription price: \$1.50 a year; 50 cents additional for foreign mailing.

