

CRPL-F 196 PART A

FOR OFFICIAL USE

National Bureau of Standards
Library, N.W. Bldg

JAN 11 1961

*Reference book not to be
taken from the library.*

PART A
IONOSPHERIC DATA

ISSUED
DECEMBER 1960

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	ii
World-Wide Sources of Ionospheric Data.	v
Tabulations of Electron Density Data.	viii
Tables of Ionospheric Data.	1
Graphs of Ionospheric Data.	13
Index of Tables and Graphs of Ionospheric Data in CRPL-F196 (Part A).	49
Index of Ionospheric Data Published in 1960 (CRPL-F185(A) through F196(A))	52

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

In the Second Report of the Special Committee on World-Wide Ionospheric Soundings of the URSI/AGI Committee, May 1957, a new descriptive letter was introduced:

- M Measurement questionable because the ordinary and extraordinary components are not distinguishable.

There was an expansion in meaning of the following:

- Z (1) (qualifying letter) Measurement deduced from the third magnetoionic component.
- (2) (descriptive letter) Third magnetoionic component present.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

- a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N or R are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

B for fEs is counted on the low side when there is a numerical value of a higher layer characteristic; otherwise it is omitted from the median count.

S for fEs is counted on the low side at night; during the day it is omitted from the median count (beginning with data for November 1957).

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with CRPL-F188, Part A, issued April 1960, the count is given for foF2 in the tables of medians. It is regretted that space limitations prevent including detailed counts for other characteristics.

To indicate further in a general manner the relative reliability of the data, for the F2 layer, h'F or foEs, if the count is from five to nine, or, for all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is enclosed in parentheses. Medians are computed for less than five values for foF2 only.

Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.

There is no indication on the graphs of the relative reliability of the observed data; it is necessary to consult the tables for such information.

The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

The latest available information follows concerning the smoothed observed Zürich numbers beginning with the minimum of April 1954. Final numbers are listed through June 1959.

Smoothed Observed Sunspot Number

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1954				3	4	4	5	7	8	8	9	12
1955	14	16	19	23	29	35	40	46	55	64	73	81
1956	89	98	109	119	127	137	146	150	151	156	160	164
1957	170	172	174	181	186	188	191	194	197	200	201	200
1958	199	201	201	197	191	187	185	185	184	182	181	180
1959	179	177	174	169	165	161	156	151	145	140	136	132
1960	128	124	120	118	115							

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 144 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Republica Argentina, Ministerio de Marina:
Trelew, Argentina

Commonwealth of Australia, Ionospheric Prediction Service of the
Commonwealth Observatory:
Brisbane, Australia
Canberra, Australia

Meteorological Service of the Belgian Congo and Ruanda-Urundi:
Bunia, Belgian Congo
Elisabethville, Belgian Congo
Leopoldville, Belgian Congo

Belgian Royal Meteorological Institute:
Dourbes, Belgium
Lwiro (Central African Institute for Scientific Research)

Electronics Directorate of the Brazilian Navy:
Natal, Brazil

British Department of Scientific and Industrial Research, Radio
Research Board:
Falkland Is.
Inverness, Scotland
Port Lockroy
Singapore, British Malaya
Slough, England

Defence Research Board, Canada:
Churchill, Canada
Eureka, Canada
Meanook, Canada
Ottawa, Canada
Resolute Bay, Canada
St. John's, Newfoundland
Winnipeg, Canada

Czechoslovak Academy of Sciences:
Pruhonice, Czechoslovakia

General Direction of Posts and Telegraphs, Helsinki, Finland:
Nurmijarvi, Finland

The Finnish Academy of Sciences and Letters:
Sodankyla, Finland

French National Center for Telecommunications Studies:
Casablanca, Morocco
Kerguelen I.
Terre Adelie

Heinrich Hertz Institute, German Academy of Sciences, Berlin:
Juliusruh/Rügen, Germany

The Royal Netherlands Meteorological Institute:
De Bilt, Holland
Hollandia, Netherlands New Guinea

Geophysical and Geodetic Institute, Genoa, Italy:
Genoa (Monte Capellino), Italy

National Institute of Geophysics, City University, Rome, Italy:
Rome, Italy

Ministry of Postal Services, Radio Research Laboratories, Tokyo, Japan:
Akita, Japan
Tokyo (Kokubunji), Japan
Wakkanai, Japan
Yamagawa, Japan

General Directorate of Telecommunications, Mexico:
El Cerillo, Mexico

Telecommunication Administration, Oslo, Norway:
Svalbard, Norway

Institute of Terrestrial Magnetism, Ionosphere and Radio Propagation,
Moscow, U.S.S.R.:
Moscow

South African Council for Scientific and Industrial Research:
Capetown, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:
Kiruna, Sweden
Lycksele, Sweden
Upsala, Sweden

Royal Board of Swedish Telegraphs, Radio Department, Stockholm, Sweden:
Lulea, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzerland:
Sottens, Switzerland

United States Army Signal Corps:
Adak, Alaska

National Bureau of Standards (Central Radio Propagation Laboratory):
Huancayo, Peru (Instituto Geofisico de Huancayo)
Point Barrow, Alaska
Pole Station, Antarctica
Talara, Peru (Instituto Geofisico de Huancayo)
Washington, D. C.

TABULATIONS OF ELECTRON DENSITY DATA

Reduction of hourly ionospheric vertical soundings to electron density profiles has become a part of the systematic ionospheric data program of the Central Radio Propagation Laboratory, National Bureau of Standards. Scalings of ionograms for this purpose are being provided by ionosphere stations operated by CRPL and the U. S. Army Signal Corps. For the present, the hourly profile data from one CRPL station, Puerto Rico, are appearing in the monthly CRPL-F Reports, Part A. These data are in place of the standard ionogram reductions formerly provided by this Station. The very considerable task of scaling the ionograms for this purpose is being undertaken by T. R. Gilliland, Engineer in Charge, Puerto Rico Ionosphere Sounding Station; the computations are performed at the NBS Boulder Laboratories by a group headed by J. W. Wright. Basic conversion of virtual to true heights uses the well-known matrix method developed by K. G. Budden of the Cavendish Laboratory, Cambridge University, programmed for an IBM 704 computer.

The tabulations provide the following basic electron density profile data for each hour of each day of the month:

<u>Quantity</u>	<u>Units</u>	<u>Remarks</u>
Electron Density (N)	$\times 10^3 = \text{electrons/cm}^3$	Body of table; given at each 10 km of height.
NMAX	$\times 10^3 = \text{electrons/cm}^3$	Always the highest value of N at each hour. To maintain this rule, the electron density at the next 10 km increment above HMAX is always given as exactly equal to NMAX (unless HMAX coincides with a 10 km level).
QUALification	(Alphabetic)	A standard scaling letter qualifying the observation when necessary.
HMIN	Kilometers	The height of zero or very low electron density, obtained by linear extrapolation of the electron density vs. height curve.
SCAT	Kilometers	One half of the half-thickness of the parabola best fitting the upper portion of the F region profile. Approximates the scale height near the level HMAX.
HMAX	Kilometers	The height of maximum electron density, determined by fitting a parabola to the upper portion of the profile.
SHMAX	$\times 10^{10} = \text{electrons/cm}^2$ column.	Obtained by integration of the profile between the limits HMIN and HMAX.

Tabulations of the average electron densities each hour, at each 10 km level, for the quiet ionosphere, are also given. These averages include the profiles obtained when the magnetic character figure Kp is less than 4+. The number of profiles entering the average for each hour is given by CNT. The other parameters of the layer, HMIN, SCAT, HMAX, SHMAX, are averaged in a similar way.

Before the averaging process, the individual profiles are extrapolated above HMAX by a Chapman distribution of 100 km scale height. This assumed model seems to agree well with the few published measurements dealing with the topside profile of the F-region.* Extrapolation is necessary in order to calculate homogeneous averages near HMAX and the average profiles are, in fact, given up to 950 km. Also given are the average estimated integrated electron densities to infinity, SHINF (same units as SHMAX); this is an approximation to the total electron content in a column of the ionosphere.

*See Wright, J.W. "A Model of the F-Region Above HMAX F2" J.Geophys.Res. V.65 pp 185-191.

60 W 1 AUG 1960

60 W 1 AUG 196060 W 2 AUG 196060 W 2 AUG 1960

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OVAL												
HMIN	10				99	110				280	249	249
SCAT	58.8				69.9	57.6				43.7	45.9	50.1
HMAXF	35.5				34.7	32.5				36.8	34.1	34.7
SHMAX	160.1				120.3	104.7				63.6	51.5	47.2
KM												
370										1072		
360	1433									1064		
350	1430				960					1025	854	716
340	1408				958					960	854	712
330	1366				947	1050				875	841	695
320	1297				926	1048				768	805	660
310	1214				893	1032				643	754	614
300	1113				853	1001				477	679	557
290	1004				803	951				219	583	489
280	884				743	890				12.4	459	408
270	769				679	814					310	273
260	661				612	725					143	127
250	565				545	628					12.4	12.4
240	492				484	540						
230	435				431	446						
220	393				387	378						
210	365				352	323						
200	350				325	283						
190	337				302	254						
180	317				283	229						
170	295				262	206						
160	262				242	183						
150	231				219	161						
140	208				187	141						
130	194				163	125						
120	184				150	115						
110	149				117	12.4						
100	12.4				12.4							

ELECTRON DENSITY

PUERTO RICO		60 W										3 AUG 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100			
QUAL	F	F				F	F	A		A	A	A			
HMIN	290		259	289	329	320	300		110						
SCAT	44.2		47.5	54.8	46.3	43.6	45.8		43.9						
HMAXF	375		355	391	418	402	376		276						
SHMAX	416		322	300	266	306	245		519						
KM															
420					432										
410					425	532									
400				424	415	532									
390				424	389	522									
380	697		420	357	496	432									
370	696		407	318	458	430									
360	679	500	391	267	408	417									
350	643	499	367	210	349	396									
340	590	488	335	138	268	365									
330	523	464	286	12.4	143	319									
320	446	430	236		12.4	256									
310	349	389	179			179									
300	240	335	117			40.2									
290	49.6	277	12.4												
280		208						625							
270		117						622							
260		12.4						601							
250								565							
240								516							
230								457							
220								396							
210								335							
200								286							
190								248							
180								216							
170								189							
160								165							
150								142							
140								119							
130								107							
120								99.1							
110								40.2							

ELECTRON DENSITY

PUERTO RICO		60 W										3 AUG 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300			
QUAL	A							A							
HMIN	100	100	100	110	99			230	220	259	280	260			
SCAT	43.8	55.8	48.3	65.6	47.1			40.6	44.3	41.9	47.8	48.7			
HMAXF	298	315	320	338	323			307	317	367	370	360			
SHMAX	1195	1187	1153	1373	1146			625	516	466	414	407			
KM															
380												661			
370												735	661	608	
360												703	628	601	
350												657	593	583	
340					1191							596	540	549	
330				1119	1186	1290						814	525	477	505
320			1096	1119	1168	1289						1191	809	446	396
310			1094	1107	1134	1267						1181	780	362	298
300			1393	1077	1064	1085	1208					1135	732	274	161
290			1382	1041	1004	1028	1129					1050	673	161	12.4
280			1334	987	930	964	1025					937	603	71.4	143
270			1246	921	846	894	888					794	523	12.4	12.4
260			1137	846	754	818	754					573	417		
250			988	766	665	734	629					262	296		
240			834	679	573	649	520					12.4	143		
230			679	603	505	566	429					12.4			
220			561	532	446	484	362								
210			472	473	405	412	317								
200			408	425	374	359	286								
190			368	384	349	320	262								
180			342	369	327	291	244								
170			322	318	303	269	225								
160			305	286	279	249	204								
150			288	253	252	222	182								
140			264	226	221	188	165								
130			231	206	191	158	143								
120			197	192	173	140	121								
110			179	182	156	40.2	102								
100			12.4	127	12.4		12.4								

ELECTRON DENSITY

PUERTO RICO		60 W										4 AUG 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100			
QUAL	F	F				F	F	S	A	A	A	A			
HMIN	279	249	249	238	240	219	250	99							
SCAT	40.9	64.2	41.2	44.9	44.4	51.3	40.1	55.0							
HMAXF	365	376	341	336	321	316	321	290							
SHMAX	352	510	398	335	285	251	199	424							
KM															
380		608													
370	625	606													
360	623	598													
350	604	587	697												
340	567	557	697	557											
330	512	526	684	554	500		389								
320	443	489	649	540	500	378	389								
310	362	446	596	512	493	377	382								
300	262	394	522	468	473	369	362	461							
290	143	335	436	409	446	353	332	461							
280	12.4	256	335	335	396	332	288	458							
270		14.8	211	248	332	303	229	446							
260		71.4	92.4	143	256	265	149	428							
250		12.4	12.4	71.4	152	219	12.4	401							
240				12.4	12.4	161		367							
230						90.2		327							
220						12.4		286							
210								244							
200								207							
190								173							
180								143							
170								119							
160								94.8							
150								77.4							
140								68.6							
130								63.5							
120								57.8							
110								50.9							
100								12.4							

ELECTRON DENSITY

PUERTO RICO					60 W					4 AUG 1960				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
QUAL	A				A				A					
HMIN	100	100	99	99				240	250	260	280	270		
SCAT	46.6	55.3	58.0	44.3				43.3	50.8	48.9	45.7	45.6		
HMAXF	281	306	333	305				322	359	357	365	359		
SHMAX	685	825	1036	979				504	543	462	390	361		
KM														
370											643			
360										774	697	641		
350										768	694	626		
340				939						746	674	595		
330				938				896		710	638	550		
320				927				896	660	594	489	481		
310			703	900	1119			880	595	540	412	417		
300			701	864	1116			837	513	463	330	344		
290	679	689	810	1087				775	425	375	240	262		
280	679	661	743	1031				689	330	286	49.6	161		
270	670	624	668	950				573	240	179		12.4		
260	645	582	585	847				437	137	12.4				
250	602	534	503	735				240	12.4					
240	547	485	429	608				12.4						
230	485	441	375	496										
220	431	404	339	408										
210	389	376	315	353										
200	356	356	301	321										
190	335	342	290	299										
180	323	326	270	280										
170	310	310	242	260										
160	286	292	216	243										
150	252	272	195	219										
140	220	240	181	179										
130	198	203	172	157										
120	187	187	165	144										
110	168	161	127	97.2										
100	40.2	12.4	12.4	12.4										

ELECTRON DENSITY

	PUERTO RICO				60 W				5 AUG 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL	F						S		A	A	A	A
HMIN	300	280	259	259	259	250		199				
SCAT	34.3	44.7	41.9	40.7	40.0	41.2		41.5				
HMAXF	366	365	349	347	343	328		278				
SHMAX	248	292	323	262	255	258		301				
KM												
370	524	492										
360	521	491										
350	495	479	557	461	469							
340	450	452	551	458	468							
330	389	417	527	438	457	484						
320	310	369	490	407	429	479						
310	225	310	439	362	389	458						
300	60.0	240	375	310	335	427						
290		153	302	240	262	377						
280		12.4	219	174	186	310		573				
270			112	97.2	97.2	219		568				
260			12.4	12.4	12.4	127		546				
250						12.4		508				
240								453				
230								362				
220								240				
210								127				
200								12.4				

ELECTRON DENSITY

PUERTO RICO 60 W 5 AUG 1960												
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL			S				A					S
HMIN	100	100		100	100	99	109	239	219	229	290	
SCAT	51.4	64.7		59.2	54.6	53.3	47.0	47.2	48.2	43.1	48.5	
HMAXF	320	324		328	326	322	307	330	325	337	380	
SHMAX	1253	1417		1400	1450	1229	967	729	636	501	441	
KM												
390												697
380												697
370												690
360												664
350												627
340								1215		774		577
330	1215	1290		1316	1500	1303		1215	939	769	508	
320	1215	1280		1309	1496	1302		1202	936	741	417	
310	1205	1275		1283	1469	1285	1191	1160	915	693	318	
300	1172	1246		1240	1410	1245	1184	1096	870	633	198	
290	1112	1194		1169	1341	1175	1151	996	810	558	40.2	
280	1033	1143		1091	1227	1096	1088	866	739	477		
270	942	1064		999	1110	988	1004	700	651	389		
260	843	977		897	977	875	902	446	550	298		
250	746	880		788	834	754	794	179	433	188		
240	651	778		679	686	643	664	12.4	286	97.2		
230	559	670		580	566	534	525		127	12.4		
220	480	563		492	466	440	410		12.4			
210	423	466		424	394	366	321					
200	384	402		375	349	313	257					
190	357	358		339	321	275	210					
180	335	329		314	297	244	179					
170	316	306		294	274	219	156					
160	296	286		271	250	193	138					
150	271	261		242	228	168	122					
140	237	231		210	203	147	107					
130	209	204		183	173	130	94.1					
120	193	188		171	154	119	85.9					
110	182	167		161	138	97.2	12.4					
100	40.2	40.2		12.4	12.4	12.4						

ELECTRON DENSITY

	PUERTO RICO				60 W				6 AUG 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL									A	A	A	
HMIN	269	259	229	239	259	219	239	98			100	100
SCAT	38.8	52.8	38.9	40.9	39.6	48.7	41.8	51.2			78.3	70.6
HMAXF	356	366	320	332	354	318	312	277			287	344
SHMAX	334	502	363	340	327	326	209	428			910	1352
KM												
370		716										
360	625	714			557							
350	621	700			555							1050
340	595	672			590	537						1049
330	550	632	661	590	500							1039
320	491	581	661	578	451	500	403					1020
310	417	518	651	544	389	497	403					988
300	304	439	616	497	326	484	395					949
290	188	345	563	435	254	458	374				814	896
280	83.8	240	492	362	179	425	345	508			812	837
270	12.4	112	409	278	89.1	381	302	506			804	772
260		12.4	310	189	12.4	325	240	496			788	706
250			179	104		262	143	473			764	643
240			88.3	12.4		188	12.4	442			738	573
230			12.4			97.2		401			706	508
220						12.4		354			661	459
210								303			599	417
200								254			527	385
190								208			446	362
180								169			385	343
170								134			335	323
160								107			294	302
150								88.9			265	276
140								73.8			236	240
130								65.4			196	195
120								58.2			183	174
110								50.4			161	162
100								12.4			71.4	12.4

ELECTRON DENSITY

PUERTO RICO 60 W 6 AUG 1960												
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL				A			A	A				
HMIN	100	100	99		99			198	220	224	249	229
SCAT	58.7	54.6	56.1		49.4			37.6	51.3	53.0	51.7	47.7
HMAXF	331	318	318		297			320	361	346	367	355
SHMAX	1427	1351	1311		1030			582	706	647	586	498
KM												
370									939		814	
360									938		810	716
350									927	896	791	714
340	1265								895	893	754	699
330	1265								982	850	875	709
320	1254	1316	1290						982	787	843	649
310	1218	1309	1283						964	703	797	573
300	1169	1280	1255		1191				909	608	726	477
290	1109	1227	1202		1185				823	513	637	382
280	1028	1151	1143		1155				716	417	540	279
270	936	1062	1050		1100				595	310	446	175
260	844	960	932		1022				446	209	319	98.4
250	754	851	813		917				310	127	190	12.4
240	669	735	690		779				219	76.9	97.2	49.6
230	584	622	582		634				148	46.8	45.7	6.7
220	508	529	493		508				92.3			
210	452	461	429		412				55.0			
200	412	411	384		348				12.4			
190	382	375	354		307							
180	359	349	332		282							
170	337	328	315		263							
160	315	307	298		245							
150	290	286	279		220							
140	267	262	250		192							
130	231	235	216		167							
120	209	209	192		153							
110	179	179	161		136							
100	12.4	12.4	12.4		12.4							

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

	PUERTO RICO				60 W				10 AUG 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL			A	A			A	S			A	
HMIN	107			107	109			19R	190	216	227	227
SCAT	62.0			72.6	67.2			58.9	56.5	61.0	47.8	55.0
HMAXF	34R			349	368			317	364	377	366	380
SHMAX	136Z			1605	148R			610	622	641	446	491
RW												
390												608
380										745		608
370					1191				716	742	634	602
360					1187				716	731	632	587
350	1119			1316	1170				706	708	617	561
340	1114			1310	1139				685	679	587	528
330	1096			1292	1096				651	638	545	483
320	1059			1261	1039			774	608	586	488	429
310	1011			1215	970				771	556	522	417
300	948			1161	895			758	495	446	339	293
290	875			1096	816			731	429	362	255	227
280	801			1014	735			696	362	286	185	172
270	721			926	654			650	301	208	133	127
260	639			829	573			596	240	140	94.2	89.9
250	564			729	504			537	182	94.5	65.8	63.6
240	490			629	446			456	135	66.8	45.5	44.8
230	446			540	401			362	100	46.5	12.4	12.4
220	410			464	366			254	72.8	16.3		
210	383			406	341			112	52.8			
200	362			365	322			26.8	33.5			
190	349			337	306							
180	335			319	291							
170	318			302	272							
160	298			287	245							
150	272			260	208							
140	237			232	176							
130	215			203	159							
120	203			186	150							
110	83.8			112	112							

ELECTRON DENSITY												
PUERTO RICO												
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL												
HMIN	244	271	247	232	184	189	190	109	112	109	109	109
SCAT	61.0	70.5	61.0	53.2	43.9	34.8	59.1	66.5	54.9	65.8	112	93.7
HMAXF	398	433	381	359	288	261	325	283	262	302	387	389
SHMAX	568	537	505	515	349	157	189	400	531	760	1323	1297
KM												
440		565										
430		565										
420		560										
410		550										
400	661	534										
390	658	513	625							754	764	
380	647	484	625							754	762	
370	624	457	620							750	756	
360	596	414	606	670						744	742	
350	560	366	582	665						734	726	
340	513	310	552	649						722	708	
330	455	257	514	618			229			704	686	
320	394	188	465	578			229			685	659	
310	326	130	403	530			226			634	664	628
300	255	88.4	335	477			219			634	643	594
290	187	60.0	253	417	590		211	417		628	614	558
280	132	40.7	161	342	585		202	417		615	582	521
270	87.0		97.2	262	564	348	185	413	625	592	545	485
260	56.4		57.6	186	533	348	161	405	625	562	505	451
250	27.3		18.7	112	477	340	133	391	617	529	467	420
240				54.5	405	320	107	373	598	495	432	394
230					310	286	83.8	351	573	462	401	373
220					208	219	64.0	324	536	434	376	357
210					121	127	48.5	290	477	409	356	343
200					71.4	66.0	30.3	246	417	386	341	332
190					40.2	12.4		191	345	364	327	322
180								138	283	335	314	312
170								105	243	298	295	299
160								91.5	207	255	274	284
150								83.2	171	219	245	259
140								79.8	143	183	205	227
130								76.3	128	158	177	198
120								72.8	115	146	166	185
110								49.6	83.8	112	127	

ELECTRON DENSITY												
PUERTO RICO												
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL												
HMIN	107	108	107	106	108	109	107	218	237	A	A	F
SCAT	75.1	98.6	80.9	64.9	74.3	61.7	57.1	64.8	66.8	60.0	53.5	48.7
HMAXF	368	394	363	336	332	336	317	350	394	374	412	414
SHMAX	1173	1360	1145	1006	952	822	691	634	769	692	607	604
KM												
420											754	824
410											754	822
400		794							834		746	806
390		793							833		724	770
380		790							824	834	685	716
370	794	787	774						806	833	638	659
360	791	770	774						774	777	823	581
350	782	754	769						774	742	801	518
340	766	733	758	794	716	679			769	696	766	446
330	740	710	739	792	716	677			754	643	722	369
320	707	683	719	782	711	667	716		730	573	665	286
310	674	650	692	763	700	648	714		699	501	596	206
300	631	611	657	734	682	618	700		657	417	514	143
290	582	567	614	697	657	581	676		600	335	417	100
280	527	520	566	648	626	537	640		528	252	335	68.8
270	477	477	515	592	589	490	594		440	172	248	46.7
260	427	438	465	531	548	442	540		335	103	161	12.4
250	380	406	420	472	505	398	477		219	57.6	88.7	
240	360	381	386	421	458	359	409		121	18.5	47.5	
230	344	361	360	380	415	327	350	60.0				
220	334	348	340	352	378	301	297	12.4				
210	330	336	328	332	348	282	249					
200	326	330	317	319	325	266	209					
190	327	324	308	308	306	251	176					
180	318	318	301	299	291	236	148					
170	314	312	294	290	276	219	124					
160	308	300	287	277	261	198	107					
150	286	278	265	259	238	174	93.4					
140	252	236	233	235	213	146	83.5					
130	219	200	201	206	195	127	79.1					
120	203	188	188	189	183	119	74.6					
110	60.0	143	161	161	112	112	49.6					

ELECTRON DENSITY												
PUERTO RICO												
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL								S	A			
HMIN	270	231	195	218	256	199	200	108	105	108	109	109
SCAT	56.7	48.5	44.8	55.6	48.9	68.8	54.2	58.0	69.2	59.5	101	125
HMAXF	405	320	302	355	370	395	372	255	311	309	339	358
SHMAX	607	572	376	355	296	381	273	323	653	604	743	879
KM												
410	794											
400	792					368						
390	770					368						
380	754				432	364	310					
370	716				432	355	310					
360	668			446	427	344	306					
350	607			445	412	332	297				461	
340	520			438	390	311	282			439	459	
330	426	960		424	359	286	261			438	456	
320	324	953		401	319	259	236		548	435	451	
310	211	925	616	373	271	229	209		548	500	430	443
300	127	880	616	335	213	198	182		545	497	423	433
290	77.0	81.0	605	295	161	166	155		534	487	411	422
280	47.1	700	578	249	105	138	130		518	469	397	410
270	550	540	198	60.0	114	107			499	446	381	397
260	335	480	154	24.6	94.4	89.5	389	474	414	365	384	
250	153	403	108		77.5	74.2	388	442	379	349	372	
240	63.6	310	71.4		63.5	61.1	383	407	345	334	360	
230		211	46.1		51.8	50.2	372	369	317	324	351	
220		117	7.9		42.3	41.1	355	331	297	313	341	
210		66.6			23.4	21.0	335	300	282	307	333	
200		31.4					307	275	272	302	328	
190							262	254	262	297	323	
180							203	233	244	292	318	
170							151	212	221	288	313	
160							119	188	197	272	297	
150							97.2	162	176	240	270	
140							83.8	138	160	208	244	
130							78.4	124	153	191	219	
120							73.1	117	146	179	203	
110							49.6	102	97.2	97.2	71.4	

ELECTRON DENSITY												
	PUERTO RICO				60 W				12 AUG 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL		A	S				S		A	A		
HMIN	107		109	109	108	110	198		245	233	259	264
SCAT	99.8		60.9	65.1	69.1	59.8	52.7		55.0	54.2	47.4	66.2
HMAXF	357		311	323	313	314	335		385	277	379	413
SHMAX	1034		828	825	827	724	476		453	429	408	540
KM												
420												608
410												617
400												601
390									573			589
380									572	540	599	569
370									563	538	593	545
360	60R								544	527	573	511
350	607								515	508	540	467
340	603						634		477	477	495	417
330	596			625			633		430	438	437	357
320	586		679	625	670	679	622		376	393	368	286
310	573		679	619	670	678	598		317	340	299	210
300	556		674	605	664	670	565		252	282	224	148
290	540		659	585	652	652	520		190	225	147	94.8
280	516		634	558	631	623	460		131	171	89.3	60.0
270	491		607	522	608	586	389		83.8	120	51.6	32.8
260	463		560	477	573	540	310		54.4	83.8	6.3	
250	436		513	433	532	488	228		22.3	55.4		
240	410		467	397	485	430	174			30.5		
230	387		427	367	437	376	132					
220	368		395	347	396	331	88.2					
210	356		372	313	362	299	53.1					
200	347		356	326	335	274	12.4					
190	338		344	319	317	251						
180	327		331	312	300	225						
170	317		312	300	283	194						
160	304		289	286	262	161						
150	287		262	264	242	139						
140	267		226	236	227	126						
130	237		198	198	197	120						
120	207		186	186	171	115						
110	83.8		71.4	83.8	127	49.6						

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO													13 AUG 1960												
60 W													13 AUG 1960												
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL		A	A		A	A	A	A	A	P	A	A	QUAL	A	A	A	A	A	A	A	A				
HMIN	274	262	215			208	236						HMIN			109	111		108	198	208	228	250	268	
SCAT	46.5	50.0	52.9			53.5	63.7						SCAT	69.1	79.5			78.5	67.7	66.5	75.7	59.2	49.0		
HMAXF	391	373	362			325	363						HMAXF	358	357			340	367	376	411	397	385		
SHMAX	403	418	510			450	431						SHMAX	2084	2031			1421	1131	955	1064	860	696		
KM													KM												
400	608												420									1050			
390	607												410									1050			
380	598	608											400									1044	1050		
370	575	607	652				524						390									1030	1046	1027	
360	537	597	652				524						380									1016	1006	1029	1024
350	486	573	644				518						370									1014	971	995	1001
340	424	540	619				505						360			1786	1712					1167	999	931	946
330	348	493	589			625	485						350			1779	1703					1277	1148	970	880
320	267	435	549			624	461						340			1754	1693					1277	1117	935	815
310	190	368	500			613	431						330			1710	1662					1272	1077	892	735
300	112	292	446			588	394						320			1644	1615					1257	1023	837	643
290	68.1	198	377			556	346						310			1564	1568					1228	960	768	540
280	35.0	112	302			513	286						300			1464	1500					1189	892	688	446
270		54.1	219			463	219						290			1341	1416					1151	809	598	341
260			157			401	127						280			1218	1306					1096	716	508	240
250			109			319	68.5						270			1096	1165					1018	617	411	170
240			75.1			219	26.8						260			960	1027					928	508	310	112
230			49.6			120							250			826	875					827	397	219	71.4
220			21.0			60.0							240			716	723					716	276	137	46.5
210						12.4							230			608	590					592	174	83.8	7.6
													220			521	477					471	102	49.6	
													210			451	405					366	57.1	12.4	
													200			398	357					286	12.4		
													190			358	327					229			
													180			330	303					190			
													170			303	278					161			
													160			269	251					138			
													150			237	221					120			
													140			213	190					106			
													130			196	173					94.4			
													120			186	162					86.7			
													110			143						60.0			

PUERTO RICO													13 AUG 1960												
60 W													13 AUG 1960												
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL	A	A	A	A	A	A	A	A	A	A	A	A	QUAL	A	A	A	A	A	A	A	A	A	A	A	A
HMIN						109	111		108	198	208	228	250	268											
SCAT						69.1	79.5		78.5	67.7	66.5	75.7	59.2	49.0											
HMAXF						358	357		340	367	376	411	397	385											
SHMAX						2084	2031		1421	1131	955	1064	860	696											
KM																									
420													1050												
410													1050												
400													1044	1050											
390													1030	1046	1027										
380													1016	1006	1029	1024									
370													1014	971	995	1001									
360													999	931	946	957									
350													970	880	886	892									
340													935	815	810	806									
330													892	735	716	698									
320													837	643	601	573									
310													768	540	490	433									
300													688	446	375	286									
290													598	341	251	161									
280													508	240	148	78.5									
270													411	170	86.8	224.3									
260													310	112	49.6										
250													219	71.4											
240													120												
230													60.0												
220													12.4												
210																									

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO													60 W													14 AUG 1960												
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300													
QUAL													QUAL																									
HMIN	233	237	235	208	241	229	202	A	A	109	109	109	107	HMIN	107	108	109	109	110	110	111	219	199	203	266													
SCAT	48.0	49.4	50.7	61.8	42.8	44.1	49.1			51.6	73.7	71.3	62.9	SCAT	59.7	66.8	61.5	58.4	62.9	75.5	60.0	5																
HMAXF	363	365	357	347	361	361	319			296	329	343	340	HMAXF	340	343	343	340	340	340	340	340	340	340	340													
SHMAX	624	596	589	522	398	393	412			975	1436	1738	1839	SHMAX	1839	1839	1839	1839	1839	1839	1839	1839	1839	1839	1839													
R														R																								
370	006	844			625								370	006	844	844																						
360	006	844			625								360	006	844	844																						
350	890	827	840	616	614	634							350	890	827	840																						
340	851	794	815	614	582	634							340	851	794	815																						
330	798	737	780	603	540	624							330	798	737	780																						
320	724	668	728	582	481	597	616						320	724	668	728																						
310	630	584	662	558	410	558	611						310	630	584	662																						
300	522	477	573	526	326	497	590						300	522	477	573																						
290	408	369	477	484	240	417	561						290	408	369	477																						
280	286	267	352	436	171	330	520						280	286	267	352																						
270	179	170	232	380	105	240	464						270	179	170	232																						
260	112	100	134	317	60.6	149	389						260	112	100	134																						
250	68.5	60.0	71.4	245	43.1	88.2	302						250	68.5	60.0	71.4																						
240	40.2	18.7	33.1	169		49.6	206						240	40.2	18.7	33.1																						
230				97.2		6.7	127						230																									
220				56.4			74.2						220																									
210				12.4			43.2						210																									
200													200																									
190													190																									
180													180																									
170													170																									
160													160																									
150													150																									
140													140																									
130													130																									
120													120																									
110													110																									

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO												60 W										15 AUG 1960																	
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
OVAL													OVAL													OVAL													
HMIN	284	254	224	225	198	216	256			108	107	108	HMIN	109	108	107	108	108	109	115	230	201	253	287	245	HMIN	109	108	107	108	108	109	115	230	201	253	287	245	
SCAT	47.3	48.1	50.3	42.8	45.3	66.6	63.7			88.3	112	81.2	SCAT	87.7	89.4	69.9	75.9	73.1	53.9	46.6	41.4	70.7	58.3	50.6	48.1	SCAT	87.7	89.4	69.9	75.9	73.1	53.9	46.6	41.4	70.7	58.3	50.6	48.1	
HMAXF	412	372	333	323	314	346	404			356	394	352	HMAXF	358	367	345	352	346	320	307	312	383	423	430	396	HMAXF	358	367	345	352	346	320	307	312	383	423	430	396	
SHMAX	608	562	590	433	407	348	359			1105	1414	1235	SHMAX	1298	1489	1302	1224	1228	925	702	375	476	395	334	336	SHMAX	1298	1489	1302	1224	1228	925	702	375	476	395	334	336	
KM													KM													KM													
420	885												440													440													
410	885												430													430													
400	867												420													420													
390	829												410													410													
380	780	854											400													400													
370	711	854											390													390													
360	623	840											380													380													
350	517	808											370													370													
340	406	760	928										360													360													
330	297	686	927	764									350													350													
320	192	590	909	763	634	387	226						340													340													
310	112	477	878	742	633	371	183						330													330													
300	65.2	354	827	706	620	353	137						320													320													
290	35.2	234	748	647	589	332	97.2						310													310													
280		134	643	560	546	304	67.9						300													300													
270		71.4	499	446	486	271	47.3						290													290													
260			327	318	417	231	16.5						280													280													
250			172	161	335	184							270													270													
240			83.8	77.4	240	127							260													260													
230			40.2	34.0	150	71.4							250													250													
220					89.9	28.2							240													240													
210					53.1								230													230													
200					12.4								220													220													
190													210													210													
180													200													200													
170													190													190													
160													180													180													
150													170													170													
140													160													160													
130													150													150													
120													140													140													
110													130													130													
													120													120													
													110													110													

	PUERTO RICO												60 W												15 AUG 1960													
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OVAL													OVAL													OVAL												
HMIN	109	108	107	108	108	109	115	230	201	253	287	245	HMIN	109	108	107	108	108	109	115	230	201	253	287	245	HMIN	109	108	107	108	108	109	115	230	201	253	287	245
SCAT	87.7	89.4	69.9	75.9	73.1	53.9	46.6	41.4	70.7	58.3	50.6	48.1	SCAT	87.7	89.4	69.9	75.9	73.1	53.9	46.6	41.4	70.7	58.3	50.6	48.1	SCAT	87.7	89.4	69.9	75.9	73.1	53.9	46.6	41.4	70.7	58.3	50.6	48.1
HMAXF	358	367	345	352	346	320	307	312	383	423	430	396	HMAXF	358	367	345	352	346	320	307	312	383	423	430	396	HMAXF	358	367	345	352	346	320	307	312	383	423	430	396
SHMAX	1298	1489	1302	1224	1228	925	702	375	476	395	334	336	SHMAX	1298	1489	1302	1224	1228	925	702	375	476	395	334	336	SHMAX	1298	1489	1302	1224	1228	925	702	375	476	395	334	336
KM													KM													KM												
440													440													440												
430													430													430												
420													420													420												
410													410													410												
400													400													400												
390													390													390												
380													380													380												
370													370													370												
360													360													360												
350													350													350												
340													340													340												
330													330													330												
320													320													320												
310													310													310												
300													300													300												
290													290													290												
280													280													280												
270													270													270												
260													260													260												
250													250													250												
240													240													240												
230													230													230												
220													220													220												
210													210													210												
200													200													200												
190													190													190												
180													180													180												
170													170													170												
160													160													160												
150													150													150												
140													140													140												
130													130													130												
120													120													120												
110													110													110												
100													100													100												
90													90													90												
80													80													80												
70													70													70												
60													60													60												
50													50													50												
40													40													40												
30													30													30												
20													20													20												
10													10													10												
00													00													00												

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO		60 W		17 AUG 1960	
TIME	0000 0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100				
QUAL		A	A	A	A
HMIN	320 230 314 293 228 231 286			109 110 107 106	
SCAT	55.0 38.8 63.5 80.4 55.5 68.6 81.0			77.8 47.9 82.1 78.8	
HMAXF	477 314 499 477 335 446 512			362 314 332 361	
SHMAX	793 695 619 805 457 580 519			1178 1090 1279 1372	
KM					
520				432	
510				432	
500		625		429	
490		622		423	
480	98.7	611 764		413	
470	97.8	589 763		400	
460	95.6	563 756		386	
450	91.7	531 743	516	368	
440	86.6	492 724	515	345	
430	80.2	449 700	509	319	
420	72.5	405 674	495	291	
410	63.7	357 635	480	260	
400	53.7	310 584	458	228	
390	43.7	262 524	430	198	
380	32.7	216 458	405	169	
370	23.1	171 389	382	142	
360	14.3	127 310	348	119	
350	86.6	93.8 228	314 28.3		
340	51.3	68.4 158	661 274 81.1		
330	6.4	48.2 107	659 237 66.7		
320		139.3 23.5	75.2 648 202 54.6		
310		138.0	52.6 625 170 44.9		
300		134.7	28.6 595 138 30.0		
290		125.8	58.1 112 8.0		
280		112.8	49.0 88.3		
270		91.7	40.3 70.0		
260		64.3	30.2 55.6		
250		31.0	17.0 43.3		
240		97.2	83.8 22.5		
230			22.3		
220					
210					
200					
190					
180					
170					
160					
150					
140					
130					
120					
110					

PUERTO RICO		60 W		17 AUG 1960	
TIME	1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300				
QUAL		A	A	A	A
HMIN	108 107 109 109			109 109 209 218 238 259 263	
SCAT	64.0 59.0 74.9 64.8			54.9 64.4 54.0 58.8 52.2 60.2 58.5	
HMAXF	343 330 358 365			331 350 352 368 406 419 409	
SHMAX	161 162 1697 1493			1273 1267 817 638 531 507 481	
KM					
420					582
410					634 579 565
400					632 565 562
390					618 547 551
380					591 522 529
370			1119		554 486 500
360		1265 1118		1191 1027 732 508 438 465	
350	1354	1261 1105		1191 1026 718 456 385 426	
340	1353 1500 1264 1073		1252 1184 1013 639 400 330 381		
330	1341 1500 1204 1033		1252 1162 977 654 344 275 331		
320	1295 148 1168 983		1240 1125 928 611 289 222 275		
310	1253 145 1123 923		1194 1076 868 562 237 169 219		
300	118 138 1070 855		1148 1011 794 507 188 122 161		
290	111 1310 1004 785		1077 935 707 460 135 83.8 104		
280	1033 1217 932 716		993 849 608 373 97.2 58.8 66.7		
270	928 1110 855 643		891 764 508 305 74.0 41.7 40.2		
260	823 577 779 579		794 666 389 231 53.8 4.5		
250	72 845 705 524		691 573 276 161 40.2		
240	643 71 636 483		599 492 179 103 6.8		
230	577 670 573 440		516 412 105 56.6		
220	526 547 524 424		446 341 57.8 12.4		
210	486 495 487 404		389 286 4.9		
200	456 455 446 386		340 236		
190	420 427 413 372		301 194		
180	40 398 387 356		267 159		
170	373 374 353 338		236 134		
160	343 358 321 315		210 113		
150	313 330 283 291		186 97.2		
140	281 295 251 262		165 86.7		
130	250 263 223 234		146 79.6		
120	227 235 204 211		133 73.9		
110	143 179 127 97.2		60.0 40.2		

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO		60 W		18 AUG 1960	
TIME	0000 0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100				
QUAL		A	A	A	A
HMIN	244 227 237 196 232 238 252			108 107 107 106	
SCAT	64.1 53.7 63.3 67.2 66.5 73.9 50.3			83.6 189 169 174	
HMAXF	411 355 378 356 467 414 380			339 364 326 400	
SHMAX	491 381 390 373 312 336 270			745 764 706 1044	
KM					
420	54.8		323		
410	54.8		316 322	439	
400	54.6		315 319	439	
390	53.7		311 314 375	439	
380	51.5	461	302 304 375	437	
370	49.4	460	291 293 371	436	
360	46.3	524 452 403	278 279 360	433	
350	42.2	523 438 402	259 262 340	430	
340	37.0	513 421 397	236 240 315	426	
330	31.0	494 397 387	212 217 282	421	
320	25.4	471 365 373	186 190 240	415	
310	20.2	432 325 356	158 163 191	407	
300	15.3	377 275 334	133 135 143	399	
290	11.4	315 219 304	109 108 104	391	
280	85.3	240 166 269	88.2 83.8 75.0	382	
270	63.0	174 116 227	69.1 64.5 53.1	372	
260	46.1	116 76.1 185	54.7 49.6 31.3	363	
250	17.4	75.4 49.6 143	43.0 35.0	353	
240		48.5 12.4	110 20.5 6.7	343	
230		12.4	80.9	335	
220			60.0	331	
210			43.2	328	
200			12.4	325	
190				321	
180				318	
170				314	
160				311	
150				298	
140				277	
130				212	
120				169	
110					

PUERTO RICO		60 W		18 AUG 1960	
TIME	1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300				
QUAL		A	A	A	A
HMIN	10 113 109 109 110 108 109 271 235 273 294 305				
SCAT	164 187 94.5 86.6 84.1 79.8 102 62.6 70.2 58.6 48.6 53.2				
HMAXF	30 330 324 343 320 309 359 383 431 428 417 433				
SHMAX	703 796 796 874 738 610 655 315 433 339 413				
KM					
440					548
430					548
420					532 540
410					529 519
400					515 493
390					488 457
380					452 412
370					407 362
360					360 354 303
350			54.8		296 240
340			46.8		232 170
330		424 492 545 491		423 326 240 198 174 104	
320		424 492 538 491		416 296 207 151 119 61.8	
310	424 422 490 528 486	461 407 259 173 107 71.4 29.4			
300	424 420 484 517 477 460 395 215 162 75.3 36.8				
290	423 418 477 503 463 455 382 161 114 52.6				
280	421 409 458 480 448 445 369 97.2 91.5 28.6				
270	41 395 441 452 428 423 352 71.4				
260	41 389 424 424 405 417 330 55.3				
250	401 381 408 398 384 400 308 42.1				
240	394 372 393 376 365 377 286 15.3				
230	385 364 380 357 345 347 265				
220	376 358 368 341 334 319 245				
210	368 354 359 332 325 296 224				
200	360 343 353 327 316 278 203				
190	354 345 347 322 304 264 179				
180	346 340 340 316 289 249 151				
170	340 334 334 311 268 233 125				
160	337 317 324 293 243 214 104				
150	316 298 315 265 227 193 90.3				
140	26 273 292 231 205 170 81.9				
130	237 230 240 201 174 147 77.2				
120	224 208 210 187 161 133 73.6				
110	83.8 49.6 83.8 71.4 12.4 104 12.4				

ELECTRON DENSITY

PUERTO RICO

60 W

21 AUG 1960

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL								A				
HMIN	267	229	208	224	228	246	229	109	110	108	110	107
SCAT	54.4	37.5	51.3	52.2	61.0	52.3	45.9	57.9	81.9	68.0	56.5	85.2
HMAXF	389	330	321	358	371	336	341	300	294	315	305	358
SHMAX	798	609	556	473	482	320	256	639	868	1199	1327	1989
KM												
370	1096											
380	1088				573							
370	1063				573							
360	1015			634	569						1446	
350	952			630	556						1443	
340	875	1143		615	536	500	389				1431	
330	773	1143	834	586	510	498	383				1408	
320	643	1123	834	548	477	488	369		1050		1376	
310	500	1061	825	499	428	468	335	716	1048	1380	1332	
300	335	960	800	440	371	444	308	716	794	1036	1377	1278
290	187	822	760	367	310	403	271	711	793	1013	1354	1219
280	91.9	643	705	290	250	349	226	695	788	977	1301	1148
270	32.2	467	625	219	192	270	179	668	777	931	1240	1063
260		262	522	150	135	161	124	633	760	875	1155	975
250		117	389	95.0	81.9	49.6	77.4	584	735	810	1050	881
240		60.0	262	60.0	49.6		48.1	523	707	741	917	789
230		5.2	127	33.5	12.4		7.1	446	673	672	766	703
220			60.0					370	633	604	643	627
210			12.4					292	589	537	545	564
200								228	529	477	477	511
190								179	465	423	426	464
180								147	352	375	386	422
170								120	251	329	347	380
160								99.8	193	282	310	341
150								87.6	155	238	271	305
140								80.9	130	205	230	272
130								76.5	120	171	195	240
120								72.0	112	152	183	212
110								40.2	12.4	97.2	40.2	161

ELECTRON DENSITY

PUERTO RICO

60 W

21 AUG 1960

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL									A	A		S
HMIN				108	109	109	110	209	239	269	258	274
SCAT				64.7	65.6	59.7	64.1	75.0	61.8	45.6	47.0	45.7
HMAXF				350	351	332	323	367	392	393	385	389
SHMAX				1785	1726	1564	1244	1130	928	758	800	602
KM												
400									1050	1096		
390									1049	1094	1143	960
380									1040	1072	1140	952
370									1018	1020	1114	920
360				1555	1514				1094	978	945	1060
350				1555	1514				1087	929	850	985
340				1546	1502	1555			1061	867	741	891
330				1518	1473	1555	1341	1028	788	631	779	559
320				1472	1424	1540	1340	988	702	515	658	407
310				1401	1366	1504	1327	939	608	377	531	250
300				1317	1287	1446	1298	883	508	253	389	143
290				1212	1183	1370	1252	819	417	155	249	71.4
280				1108	1070	1278	1187	745	310	83.8	137	40.2
270				985	952	1143	1112	665	211	12.4	66.9	
260				858	834	1013	1015	573	127		12.4	
250				734	709	875	901	484	71.4			
240				630	608	741	763	377	12.4			
230				551	521	618	608	240				
220				492	459	514	446	112				
210				449	413	432	310	12.4				
200				417	379	368	231					
190				387	350	318	182					
180				359	324	277	150					
170				330	297	242	125					
160				299	266	217	106					
150				266	234	185	71.6					
140				233	206	162	82.3					
130				205	183	145	77.3					
120				189	169	134	72.4					
110				143	97.2	83.8	12.4					

ELECTRON DENSITY

PUERTO RICO

60 W

22 AUG 1960

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL								S		A	A	A
HMIN	251	232	215	208	225	232	239	110	108			
SCAT	45.5	56.4	40.9	61.0	57.2	44.8	49.5	37.8	68.8			
HMAXF	360	351	305	332	358	338	332	266	206			
SHMAX	709	856	574	510	468	372	379	538	964			
KM												
370	1110											
360	1100	1191			599							
350	1070	1190			596							
340	1004	1174		625	585	608	608					
330	917	1148		625	564	602	607					
320	794	1090		619	538	582	598					
310	651	1017	1096	603	496	548	577					
300	491	910	1092	581	446	498	545	960				
290	321	777	1061	550	383	430	498	958				
280	179	617	997	508	315	344	435	947				
270	93.7	428	898	464	240	250	350	875	925			
260	49.6	240	754	411	170	143	240	868	894			
250		121	557	345	105	80.0	97.2	834	856			
240		55.3	286	271	64.9	43.9	12.4	767	799			
230			112	179	30.0			669	730			
220			45.6	83.8				530	649			
210				21.7				389	559			
200								262	467			
190								198	379			
180								156	306			
170								124	247			
160								103	198			
150								89.3	161			
140								81.6	134			
130								77.4	122			
120								73.2	115			
110								12.4	60.0			

ELECTRON DENSITY

PUERTO RICO

60 W

22 AUG 1960

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL		A			A			A				
HMIN		109	109		109	109		209	198	256	286	266
SCAT		65.3	64.3		58.0	56.9		59.7	66.3	61.6	50.6	55.8
HMAXF		346	359		340	335		335	372	401	414	393
SHMAX		2349	2407		2166	1968		1102	1053	896	787	861
KM												
420											1119	
410										1050	1117	
400										1042	1053	1191
390										1061	1020	990
380									1061	982	906	1143
370									1052	934	794	1096
360			2161						1026	875	666	1018
350		2144	2150		2227				994	794	521	1010
340		2134	2113		2227	2161		1393	994	794	521	1010
330		2098	2050		2211	2157		1390	949	707	362	778
320		2037	1955		2161	2124		1370	897	608	219	623
310		1949	1841		2068	2057		1327	834	494	122	446
300		1842	1702		1958	1958		1264	764	376	66.0	274
290		1702	1543		1815	1832		1187	686	262	26.8	143
280		1543	1373		1640	1657		1096	608	168		71.4
270		1373	1198		1446	1458		969	519	83.8		27.5
260		1195	1020		1240	1240		823	435	40.2		
250		1004	864		1091	1004		659	392			
240		846	729		834	794		477	262			
230		701	628		671	617		262	179			
220		591	553		563	477		112	112			
210		511	495		467	385		12.4	60.0			
200		457	449		406	329			12.4			
190		417	413		362	289						
180		386	383		326	256						
170		362	350		296	226						
160		335	314		266	198						
150		301	277		238	174						
140		265	249		215	152						
130		236	223		180	133						
120		200	206		169	120						
110		127	112		97.3	71.4						

ELECTRON DENSITY

	PUERTO RICO								23 AUG 1960							
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100				
QUAL										A	A	A	A			
HMIN	264	238	218	201	198	188	229	109								
SCAT	64.8	41.7	45.8	53.2	59.4	89.8	60.8	61.4								
HMAXF	400	333	309	302	323	355	347	300								
SHMAX	1088	772	703	537	474	450	305	671								
KM																
410	1316															
400	1316															
390	1307															
380	1281															
370	1244															
360	1189					389										
350	1127					389	389									
340	1027	1446				386	387									
330	897	1445			625	381	381									
320	754	1413			625	374	369									
310	588	1341	1240	854	617	364	353	697								
300	405	1231	1228	854	601	352	335	697								
290	219	1050	1186	843	581	340	306	693								
280	105	794	1116	816	549	324	265	679								
270	49.6	477	1015	782	497	303	219	655								
260		219	849	716	427	279	168	625								
250		83.8	643	618	343	252	112	583								
240		21.7	362	477	262	222	60.0	530								
230			127	286	179	188	4.5	470								
220			26.8	127	103	151		407								
210				57.1	56.7	107		348								
200					12.4	60.0		289								
190						12.4		236								
180								191								
170								155								
160								127								
150								106								
140								91.5								
130								80.5								
120								72.5								
110								49.6								

ELECTRON DENSITY

PUERTO RICO								60 W				23 AUG 1960				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300				
QUAL		A	A	A	A	A	A	A								
HMIN									199	218	215	239	256			
SCAT									68.5	44.7	54.7	60.1	61.1			
HMAXF									339	336	360	385	390			
SHMAX									1103	727	856	773	696			
KM																
400																875
390														939		875
380														937		869
370																
360																
350																
340																
330																
320																
310																
300																
290																
280																
270																
260																
250																
240																
230																
220																
210																
200																

ELECTRON DENSITY

	PUERTO RICO						60 W				24 AUG 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		
QUAL									S				A	A
HMIN	248	237	207	213	208	206	229			109	104			
SCAT	47.6	50.3	58.9	46.7	40.9	42.6	45.4			47.7	58.6			
HMAXF	366	346	331	325	302	291	321			255	288			
SHMAX	554	536	525	363	303	212	205			628	915			
KM														
370		834												
360		831												
350		811	834											
340		773	831	707										
330		720	813	707	557			335						
320		643	777	701	555			335						
310		540	730	685	541	540		331						
300		441	658	658	516	540	382	318						
290		325	554	625	477	528	382	297				917		
280		205	417	573	423	499	376	269				913		
270		112	277	499	357	458	359	231					896	
260		60.0	143	407	286	389	335	188		834	864			
250		12.4	71.4	302	207	310	296	136		831	821			
240		19.4	198	127	219	240	76.0			812	763			
230			105	73.8	127	172	12.4			773	700			
220			60.0	41.9	64.0	97.2				716	633			
210			18.5		12.4	40.2				667	564			
200										555	496			
190										446	430			
180										349	367			
170										273	315			
160										219	270			
150										179	233			
140										151	194			
130										129	158			
120										118	139			
110										49.6	131			

ELECTRON DENSITY

	PUERTO RICO					60 W				24 AUG 1960						
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300				
QUAL																
HMIN	109	110	111	108	109	109	109	210	199	232	231	241				
SCAT	56.5	50.6	71.1	63.3	58.8	56.8	56.4	74.5	68.0	49.4	45.5	48.3				
HMAXF	335	325	352	348	339	327	313	338	365	353	359	366				
SHMAX	1847	1824	2297	2051	1906	1727	1431	1217	997	668	614	573				
KM																
370										1038		844				
360			2032							1037	960	896	841			
350			2031	1891						1025	959	887	817			
340	1786		2018	1885	1907					1002	944	854	782			
330	1783	2037	1984	1855	1897	1891				1325	969	907	803	726		
320	1755	2028	1930	1802	1859	1883	1756	1309	925	852	734	649				
310	1700	1990	1852	1717	1794	1847	1751	1281	866	779	651	555				
300	1607	1912	1763	1618	1695	1781	1734	1240	794	688	551	446				
290	1495	1788	1652	1498	1574	1686	1685	1192	709	584	446	335				
280	1363	1631	1510	1360	1434	1567	1608	1143	618	465	343	224				
270	1270	1441	1350	1209	1279	1465	1512	1050	530	335	235	140				
260	1060	1258	1160	1064	1143	1221	1374	944	466	198	147	81.6				
250	917	1021	981	917	960	1050	1196	814	362	112	83.8	46.8				
240	783	824	825	768	803	834	975	679	278	53.4	47.9					
230	667	660	692	636	662	664	742	508	172							
220	573	540	579	530	540	525	522	262	118							
210	508	468	496	456	446	417	362	12.4	66.1							
200	458	417	438	404	383	347	257		12.4							
190	422	381	395	367	335	296	202									
180	393	357	362	339	300	259	167									
170	367	337	333	321	271	226	141									
160	340	310	310	301	244	197	120									
150	310	277	281	273	214	169	104									
140	275	234	240	235	181	143	91.6									
130	236	213	213	201	160	127	81.7									
120	210	199	198	186	149	118	75.1									
110	179	40.2		143	83.8	83.8	40.2									

ELECTRON DENSITY

	PUERTO RICO				60 W				25 AUG 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL			A						S			A
HMIN	251	221	203	205	201	218	208		109	103	106	
SCAT	36.8	40.8	42.4	44.3	50.6	42.2	46.8		47.8	57.3	88.9	
HMAXF	344	322	297	300	329	323	315		278	283	335	
SHMAX	433	485	466	334	324	253	301		771	1018	1682	
KM												
350	834											
340	837											1341
330	805	875			446	417						1340
320	747	875			443	417	477					1331
310	660	857			573	431	407	475				1314
300	548	814	834		573	410	385	465				1289
290	408	746	829		567	381	352	443		1191	1255	
280	262	643	802	545	342	310	413		960	1190	1211	
270	127	508	756	510	297	256	368		954	1175	1166	
260	60.0	357	679	459	246	198	310		928	1143	1109	
250		198	579	389	191	135	235		880	1096	1029	
240		97.4	446	299	135	83.8	152		813	1026	932	
230		47.6	273	198	92.7	52.0	92.7		716	917	815	
220			120	87.9	61.5	12.4	54.8		622	769	679	
210			52.1	36.2	40.4		12.4		508	608	553	
200									417	477	452	
190									341	381	389	
180									286	319	348	
170									240	277	316	
160									198	238	289	
150									161	202	264	
140									134	167	233	
130									114	143	190	
120									105	137	170	
110									83.8	130	148	

ELECTRON DENSITY

	PUERTO RICO						60 W				25 AUG 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
QUAL		A	A	A	A	A	A							
HMIN								199	188	215	234	248		
SCAT								56.8	53.7	51.0	49.2	48.3		
HMAXF								312	322	253	348	362		
SHMAX								1188	861	787	613	569		
KM														
370														
360													854	
350										1050			841	
340										1049	917			
330										1033	910	807		
320									1096	996	885	759		
310								1669	1093	939	843	638		
300								1668	1081	864	778	598		
290								1649	1050	775	689	498		
280								1603	993	679	586	389		
270								1530	923	566	477	262		
260								1466	839	456	335	143		
250								1314	744	321	198	71.4		
240								1143	643	198	92.9	21.2		
230								917	540	120	45.4			
220								608	417	68.6				
210								286	294	33.1				
200								97.2	161					
190								12.4	80.0					
									22.3					

ELECTRON DENSITY

	PUERTO RICO					60 W					26 AUG 1960				
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100			
DUAL													A	R	
HMIN	241	218	198	189	209	188	228	110	106	106					109
SCAT	46.0	42.4	32.6	46.4	49.0	47.2	35.8	61.3	43.1	49.3					78.3
HMAX	355	318	288	293	301	289	309	280	264	257					339
SHMAX	56.7	535	410	384	296	200	154	530	664	674					1658
KM															
360	896														
350	893														
340	872														1341
330	834														1337
320	767	971													1322
310	679	963				469		310							1295
300	573	930			608	469		305							1258
290	446	875	875	607	463	310	287	590							1207
280	300	767	861	595	446	307	259	590							1152
270	179	643	807	568	423	298	216	587	896						1082
260	97.7	461	716	528	389	281	161	575	894	875					999
250	49.6	253	573	477	335	258	103	552	871	871					904
240		127	417	406	276	227	57.9	526	827	849					803
230		62.9	262	324	207	189	12.4	492	754	812					699
220		12.4	127	230	129	163		446	675	758					597
210			62.8	127	12.4	102		392	508	667					512
200			12.4	65.6		60.0		335	417	540					446
190				12.4		12.4		279	352	412					398
180								219	303	335					362
170								155	262	290					334
160								119	225	252					312
150								102	189	219					287
140								81.5	157	191					252
130								69.5	122	151					211
120								62.5	108	135					188
110									98.7	118					143

ELECTRON DENSITY

	PUERTO RICO					60 W					26 AUG 1960				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300			
QUAL				A		A		A							
HMIN	10 ¹	104	107	109	110	111		209	209	219	246	267			
SCAT	63.4	63.5	67.4	59.2	52.7	57.6		54.9	45.5	49.8	45.9	46.9			
HMAXF	337	344	345	338	326	321		323	336	356	366	392			
SHMAX	1722	1992	2012	1987	1698	1522		1052	813	867	693	676			
KW															
400															1004
390															1004
380															988
370															988
360															1050
350			1786	1831											948
340	1555	1777	1828	1907											800
330	1550	1747	1809	1897	1891	1669				1179	1160	969			702
320	1527	1695	1764	1861	1885	1668			1446	1173	1106	892	573		518
310	1486	1615	1702	1797	1848	1654			1448	1143	1033	794	446		446
300	1418	1520	1628	1704	1775	1614			1425	1079	940	672	318		318
290	1341	1401	1533	1588	1666	1547			1380	891	834	540	118		118
280	1240	1264	1407	1466	1534	1453			1308	889	716	417	192		192
270	1117	1126	1258	1262	1358	1341			1217	776	573	262	62.3		62.3
260	995	981	1096	1081	1172	1120			1104	643	417	143	19.6		19.6
250	875	844	936	960	960	1072			942	500	269	74.7			74.7
240	754	718	786	733	794	891			754	362	161	27.5			27.5
230	647	622	758	608	631	707			573	219	97.2				97.2
220	545	544	554	508	516	540			362	120	54.9				54.9
210	477	483	477	442	432	412			179	65.62	5.8				65.62
200	425	434	421	395	374	330			40.2	12.4					12.4
190	383	395	381	360	330	277									
180	365	367	350	331	294	240									
170	348	333	321	305	262	208									
160	330	307	293	280	233	178									
150	300	283	267	254	200	152									
140	264	257	229	227	173	133									
130	225	215	198	198	158	123									
120	190	191	187	184	149	117									
110	97.2	170	163	97.2											

ELECTRON DENSITY

PUERTO RICO 60 W 27 AUG 1960										
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900 1000 1100
QUAL										A A A
HMIN	265	224	189	199	225	218	264	111	108	
SCAT	40.7	39.0	41.9	50.8	38.2	78.9	52.9	53.6	45.3	
HMAXF	378	317	267	307	308	369	373	271	276	
SHMAX	596	638	401	336	200	287	204	461	692	
KM										
380	1004						286			
370	994						280			
360	952						279	281		
350	883						276	272		
340	780						271	257		
330	657						263	240		
320	518	1240					253	214		
310	372	1229		484	389	243	183			
300	230	1180		482	385	229	146			
290	132	1096		468	367	211	107			
280	71.4	951		449	335	190	71.4	590	917	
270	34.0	754	794	419	292	165	40.2	590	913	
260		491	788	378	232	137		584	889	
250		240	761	329	153	109		567	842	
240		112	716	273	81.5	79.7		545	773	
230		47.5	643	211	34.0	49.6		508	679	
220			508	143		12.4		446	573	
210			310	74.9				374	464	
200			104	12.4				297	374	
190			12.4					225	297	
180								171	236	
170								127	190	
160								99.0	152	
150								80.5	120	
140								70.4	97.2	
130								65.9	92.9	
120								61.4	88.4	
110									83.8	

ELECTRON DENSITY

PUERTO RICO 60 W 27 AUG 1960										
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100 2200 2300
QUAL										R
HMIN	109	109	109	107	109	110				
SCAT	71.1	65.5	55.5	58.4	53.2	52.2				
HMAXF	342	347	339	340	339	313				
SHMAX	1630	1773	1797	1939	1887	1798				
KM										
410										917
400										915
390										907
380										892
370										868
360										838
350	1341	1542		1969						794
340	1341	1537	1786	1969	2096					788
330	1331	1516	1775	1954	2080					759
320	1308	1476	1736	1911	2032	2294				704
310	1272	1412	1669	1828	1935	2292				720
300	1221	1334	1564	1729	1813	2260				643
290	1162	1240	1446	1604	1649	2186				658
280	1086	1143	1292	1446	1446	2073				401
270	994	1021	1143	1267	1240	1918				573
260	899	897	974	1050	989	1703				310
250	799	778	817	875	794	1406				219
240	704	679	679	716	643	1096				477
230	621	586	573	590	519	794				362
220	550	515	496	495	440	553				127
210	495	461	440	428	382	412				240
200	451	420	400	379	338	330				64.2
190	414	389	370	343	304	280				
180	381	362	346	316	275	244				
170	347	337	324	290	248	215				
160	314	317	302	262	222	191				
150	283	283	274	231	195	168				
140	244	252	240	205	164	147				
130	198	217	206	184	142	130				
120	184	189	188	170	133	117				
110	49.6	143	112	143	60.0	49.6				

ELECTRON DENSITY

PUERTO RICO 60 W 28 AUG 1960										
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900 1000 1100
QUAL										A A
HMIN	253	254	238	194	216	198	229	110	110	
SCAT	44.7	41.2	48.3	48.8	40.5	42.6	38.4	37.8	50.1	
HMAXF	369	367	351	311	324	301	308	262	265	
SHMAX	451	440	530	424	378	355	307	517	781	
KM										1500
370	697	716								
360	691	711	794							
350	665	687	793							
340	625	643	783							
330	567	573	754		643					
320	496	492	708	608	641					
310	412	403	648	608	622	590	608			
300	316	310	573	600	582	590	600			
290	219	213	483	580	525	580	573			
280	137	134	376	546	450	552	527			
270	76.7	71.4	262	500	362	512	454	875	1143	
260	42.0	40.2	134	443	268	450	362	874	1140	
250			65.6	378	179	380	219	852	1117	
240			12.4	310	102	296	112	801	1071	
230				240	60.0	208	12.4	716	1009	
220				161	24.1	112		587	899	
210				88.7		60.0		427	716	
200				40.2		12.4		294	508	
190								203	321	
180								150	235	
170								116	184	
160								92.2	143	
150								76.6	121	
140								69.3	110	
130								65.7	105	
120								62.1	99.7	
110								40.2	12.4	

ELECTRON DENSITY

PUERTO RICO 60 W 28 AUG 1960										
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100 2200 2300
QUAL										
HMIN	110	109		110	109	110				
SCAT	76.0	54.4		56.6	49.6	59.8				
HMAXF	361	331		324	311	323				
SHMAX	1905	1781		1838	1617	1626				
KM										
390										643
380										643
370	1500									679
360	1500									612
350	1492									576
340	1471	1907								529
330	1433	1906		1969		1846				468
320	1382	1885		1966	1969	1844				394
310	1324	1832		1939	1968	1822				314
300	1240	1745		1873	1943	1772				228
290	1165	1634		1786	1870	1700				152
280	1073	1479		1669	1765	1606				9.9
270	960	1299		1526	1625	1478				54.4
260	859	1064		1363	1466	1314				12.4
250	760	866		1143	1226	1075				104
240	679	697		935	989	851				56.9
230	611	567		754	769	643				5.2
220	555	477		598	586	487				83.8
210	501	417		496	457	373				49.6
200	446	381		424	378	298				12.4
190	389	356		372	328	252				
180	340	337		333	293	217				
170	296	313		303	262	185				
160	254	275		274	230	153				
150	223	240		240	215	125				
140	204	220		208	188	112				
130	192	209		182	164	106				
120	183	198		168	149	100				
110	40.2	143		49.6	60.0	12.4				

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

31 AUG 1960

[illegible]

PUERTO RICO

60 W

AUG 1960

TIME 0000 0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100

COUNT	25	24	23	22	25	24	15	23	16	15	16
HMIN	265	246	233	226	227	232	115	108	106	107	107
RATIO	5.4	5.5	5.5	5.2	5.5	5.4	4.8	4.1	3.6	3.0	3.1
SCAT	47.5	47.2	48.1	49.7	47.2	50.4	48.9	50.0	58.5	70.4	86.1
NMAX	741	779	685	555	491	468	449	614	728	812	882
HMAXF	379	354	341	338	336	334	331	275	286	304	332
SHMAX	493	485	432	372	315	308	278	458	674	889	1160
SHINF	2584	2684	2364	1936	1701	1628	1544	2189	2729	3180	3647
KM	70.6	64.2	52.8	42.7	37.6	36.2	34.3	34.5	43.6	53.2	66.9
950	82.2	67.8	54.8	48.2	46.5	42.6	44.3	56.0	68.2	85.7	120
900	116	105	86.9	70.2	61.8	59.6	54.7	56.8	71.7	87.5	110
850	148	135	111	90.0	79.2	76.3	70.1	72.8	92.0	112	141
800	190	173	142	115	101	97.7	89.7	93.4	118	140	180
750	242	221	182	147	129	125	115	120	151	184	230
700	306	280	231	187	165	159	146	153	193	234	293
650	384	354	293	237	208	200	185	195	245	298	371
600	476	442	367	297	261	251	232	247	310	375	465
550	575	542	452	366	321	309	286	310	388	468	573
500											
490	595	563	470	380	334	321	298	325	405	488	596
480	614	584	488	395	347	333	309	339	423	509	620
470	633	605	506	410	360	345	321	354	441	530	643
460	651	626	524	425	372	358	333	369	459	551	667
450	668	646	542	439	385	370	345	385	478	573	690
440	684	666	560	454	398	382	357	401	497	594	713
430	698	685	577	468	410	393	368	418	516	616	735
420	711	702	593	481	422	404	379	434	535	637	757
410	721	719	609	494	433	414	390	451	555	658	777
400	728	733	623	506	442	424	400	467	579	679	796
390	730	746	636	517	451	432	409	484	592	699	814
380	727	757	648	526	457	439	417	500	610	718	829
370	717	764	657	533	463	442	424	516	628	736	843
360	695	765	662	538	466	444	428	532	644	752	854
350	658	756	662	539	466	442	431	547	660	766	861
340	605	737	655	536	460	437	431	561	673	778	865
330	538	706	640	525	447	427	428	574	685	788	865
320	456	662	615	504	435	411	420	585	694	794	859
310	364	605	581	482	416	395	408	595	701	797	848
300	265	530	535	446	390	370	385	603	706	794	831
290	167	435	478	398	356	338	358	608	707	785	807
280	95.2	335	411	348	315	298	325	610	704	769	775
270	49.2	238	340	293	269	253	280	608	695	745	738
260	24.0	145	261	237	220	203	223	598	679	710	677
250	9.5	75.6	189	181	171	152	155	574	653	669	650
240	2.1	38.2	124	126	120	112	93.0	537	616	620	598
230	15.7	73.7	81.4	79.9	75.8	46.2	482	569	568	544	538
220	5.4	40.4	44.0	45.5	43.2	21.6	409	512	511	493	485
210	2.8	19.0	20.1	19.9	19.9	8.5	328	446	455	447	442
200	1.7	4.9	5.7	4.9	7.9	1.8	250	380	404	409	407
190							193	316	360	376	378
180							149	265	323	348	353
170							116	222	289	320	327
160							94.6	187	254	301	301
150							80.1	157	220	259	272
140							70.8	133	188	223	241
130							65.3	118	161	193	209
120							59.8	109	146	177	190
110							21.2	63.6	102	114	125
100							1.7	1.1	4.1	8.9	2.3

PUERTO RICO

60 W

AUG 1960

TIME 1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300

COUNT	20	18	15	19	23	18	11	24	25	27	27
HMIN	107	106	107	106	107	108	118	215	214	234	253
RATIO	3.3	3.5	3.4	3.5	3.6	3.9	4.1	5.0	4.5	4.8	4.9
SCAT	73.0	69.4	68.1	65.0	64.5	59.1	61.5	55.7	57.0	54.1	51.6
NMAX	1203	1358	1258	1337	1321	1312	1121	1106	887	860	778
HMAXF	341	334	335	334	332	325	326	332	321	371	380
SHMAX	1426	1501	1469	1441	1395	1269	1025	815	728	658	566
SHINF	4819	5333	5018	5212	5122	4971	4188	3935	3230	3085	2761
KM	95.4	104	100	102	101	96.7	81.6	82.6	76.2	78.0	74.6
950	122	134	128	131	129	124	105	106	97.7	100	95.7
900	157	171	164	168	166	159	134	136	125	128	123
850	201	220	211	216	212	204	172	174	160	164	157
800	257	281	270	276	272	261	220	223	205	210	201
750	328	355	344	353	347	333	281	285	262	267	255
700	406	418	457	438	449	442	358	362	332	339	323
650	528	578	553	568	559	538	454	459	419	426	404
600	661	724	693	713	701	676	571	576	522	529	501
550	814	894	852	881	866	836	708	713	637	642	605
500											
490	846	920	886	916	901	871	737	742	661	665	625
480	871	965	920	952	937	906	767	771	685	688	645
470	911	1002	954	988	972	941	797	801	708	710	665
460	944	1038	987	1025	1008	976	827	831	732	732	683
450	976	1074	1021	1061	1043	1012	858	861	754	752	701
440	1007	1110	1053	1096	1078	1047	888	890	776	772	717
430	1038	1145	1085	1131	1112	1081	918	919	796	790	731
420	1067	1178	1115	1164	1145	1115	947	947	815	806	743
410	1094	1210	1143	1196	1176	1147	975	974	831	820	753
400	1119	1233	1168	1226	1205	1178	1002	999	846	830	757
390	1141	1266	1191	1253	1232	1206	1027	1023	858	837	757
380	1160	1289	1211	1277	1255	1232	1050	1044	867	839	750
370	1176	1309	1227	1297	1275	1254	1070	1062	871	835	736
360	1187	1325	1237	1313	1290	1272	1087	1076	869	826	712
350	1191	1334	1241	1324	1299	1285	1101	1087	859	806	679
340	1188	1336	1236	1327	1301	1294	1110	1091	840	775	634
330	1175	1330	1218	1319	1294	1296	1113	1089	811	732	577
320	1150	1311	1190	1298	1276	1289	1108	1077	769	675	508
310	1112	1278	1151	1260	1245	1267	1091	1053	715	605	432
300	1057	1230	1101	1205	1198	1223	1061	1011	648	524	350
290	993	1165	1035	1131	1136	1161	1017	950	573	431	263
280	915	1082	957	1043	1057	1084	954	870	492	337	181
270	831	986	869	941	963	985	876	769	406	248	118
260	743	880	775	832	860	874	779	648	320	164	65.9
250	657	769	684	718	746	750	670	505	235	99.0	32.0
240	578	665	599	614	634	625	554	347	163	57.7	15.9
230	510	570	526	525	531	510	441	207	103	27.4	6.0
220	456	494	468	453	448	417	340	107	55.4	11.8	3.6
210	417	473	424	402	388	350	263	32.5	27.5	3.6	1.2
200	388	397	391	367	347	304	208	7.4	7.7	1.0	
190	365	369	366	341	317	271	171				
180	346	343	345	320	293	243	144				
170	328	328	324	300	270	217	121				
160	306	304	302	278	245	192	103				
150	270	280	275	252	218	168	90.4				
140	246	243	243	222	191	147	80.9				
130	215	217	212	195	168	131	74.3				
120	197	197	196	180	155	120	69.1				
110	102	147	107	116	81.2	65.6	22.6				
100	5.7	20.0	10.1	3.3	2.1	1.4					

TABLES OF IONOSPHERIC DATA

JULY 1960 - FEBRUARY 1954

Table 1

Washington, D. C. (38.7° N, 77.1° W)								July 1960
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	5.9	31	290				2.5	2.70
01	5.7	31	290				1.7	2.70
02	5.2	31	290				2.5	2.70
03	4.7	30	280					2.75
04	4.2	31	285					2.70
05	---	31	290					2.85
06	5.20	4.9	31	250	3.6	115	2.38	2.7
07	4.60	5.3	31	230	4.2	109	2.90	3.2
08	4.95	5.5	31	230	4.6	109	3.25	3.7
09	4.70	5.75	30	215	4.8	107	3.45	3.8
10	4.60	6.2	31	210	5.0	105	3.65	4.0
11	4.65	6.15	30	205	5.0	105	3.70	4.1
12	4.30	6.15	30	205	5.0	105	3.90	4.1
13	4.40	6.35	30	210	5.2	105	3.80	4.2
14	4.25	6.4	31	215	5.0	109	3.80	3.9
15	4.20	6.5	31	220	5.0	109	3.60	3.7
16	4.05	6.5	31	225	4.8	109	3.40	3.6
17	3.60	6.7	31	235	4.5	109	3.10	3.4
18	3.15	6.8	31	240	---	113	2.60	3.0
19	2.90	7.0	31	<270	121	1.95	2.4	2.90
20		6.9	31	265			2.3	2.80
21		6.6	30	260				2.72
22		6.4	31	280			2.5	2.75
23		6.1	31	280			1.7	2.70

Time: 75.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 2

Huancayo, Peru (12.0° S, 75.3° W)								July 1960
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs*	(M3000)F2
00	7.2	28	230					3.10
01	6.35	30	235					3.15
02	6.0	29	240					3.15
03	5.4	29	245				1.8	3.20
04	4.9	31	250					3.15
05	4.6	29	255					3.10
06	4.15	28	200					3.00
07	7.0	31	255		123	(2.30)	5.8	3.05
08	9.0	31	235		115	(2.95)	7.3	2.90
09	9.7	31	220		109	(3.35)	12.8	2.65
10	---	9.4	31	210	---	(3.60)	14.3	2.52
11	---	9.35	30	200	---	(3.80)	17.2	2.40
12	---	9.05	30	200	---	(3.88)	17.2	2.40
13	---	9.0	30	200	---	(3.80)	17.8	2.35
14	---	9.0	30	200	---	(3.68)	17.0	2.35
15	---	9.0	31	210	---	(3.40)	17.0	2.30
16		9.1	31	225	---	(3.02)	11.4	2.40
17		9.0	31	250	---	(2.50)	9.0	2.40
18		0.7	31	290	---	(1.52)	3.2	2.45
19		7.9	31	345				2.35
20		7.5	29	320				2.60
21		7.7	28	265				2.95
22		7.7	28	235				3.05
23		7.4	27	235				

Time: 75.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.
*High-gain antenna used through July 20.

Table 3

Talara, Peru (4.6° S, 81.3° W)								June 1960
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	8.65	22	230					2.95
01	8.3	24	240					3.05
02	8.3	27	250					3.15
03	7.1	25	240					3.15
04	6.0	25	240					2.95
05	5.6	24	255					2.90
06	5.0	26	260					2.90
07	6.6	26	260		(125)	2.20		2.95
08	8.0	28	235		115	2.90		2.82
09	8.7	29	225		111	3.38		2.58
10	9.25	30	215		109	3.60		2.35
11	9.3	30	205	---	109	3.00		2.20
12	---	9.5	30	205	---	108	3.90	4.1
13	---	9.65	30	<210	---	108	3.90	3.9
14	---	10.0	29	205	---	109	3.75	2.20
15	---	10.3	29	210	---	109	3.50	3.7
16	---	10.4	29	215	---	109	3.20	3.6
17	---	10.4	29	240	---	113	2.75	2.30
18	(9.75)	30	270		<139	2.05	2.2	(2.30)
19	>9.55	30	315				2.0	(2.30)
20	9.3	29	340					(2.35)
21	9.5	26	340					2.50
22	9.05	26	280					2.80
23	>9.6	22	240					3.02

Time: 75.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 4

Resolute Bay, Canada (74.7° N, 94.9° W)								May 1960
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	---	5.6	27	255	---	120	2.00	2.90
01	---	5.2	28	250	---	110	2.00	2.90
02	---	5.6	28	250	---	115	2.10	2.90
03	(400)	5.8	28	240	3.4	100	2.20	2.80
04	375	5.3	28	230	3.6	100	2.30	3.00
05	440	5.1	27	220	3.8	100	2.50	2.80
06	400	5.1	27	220	3.9	100	2.70	2.60
07	400	5.2	27	220	4.1	100	2.80	2.65
08	405	5.0	28	210	4.2	100	3.00	2.55
09	435	5.4	26	210	4.3	100	3.10	2.60
10	470	5.2	24	205	4.3	100	3.20	2.55
11	425	5.2	24	200	4.4	100	3.20	2.70
12	455	5.4	24	200	4.4	100	3.20	2.55
13	430	5.5	27	205	4.4	100	3.20	2.65
14	465	5.3	26	200	4.3	100	3.20	2.60
15	430	5.3	23	205	4.4	100	3.15	2.50
16	410	5.8	26	210	4.3	100	3.00	2.55
17	420	5.6	27	210	4.2	100	2.90	2.55
18	415	5.5	28	230	4.0	100	2.80	2.65
19	395	5.5	27	220	3.9	100	2.60	2.80
20	(410)	5.8	27	240	3.8	100	2.50	2.90
21	(350)	5.9	29	240	3.7	100	2.30	2.80
22	---	5.3	28	250	---	100	2.20	2.90
23	---	5.6	29	250	---	100	2.10	2.90

Time: 90.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 5

Point Barrow, Alaska (71.3° N, 156.8° W)								May 1960
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	5.0	17					4.1	2.90
01	(5.3)	19					4.7	2.80
02	(5.4)	19					4.8	(2.80)
03	4.6	20					3.1	2.72
04	4.95	20					2.7	2.75
05	5.0	19						2.65
06	4.9	18						2.50
07	4.7	23						2.30
08	5.0	23						2.30
09	5.2	19						2.40
10	5.3	21						2.40
11	5.2	23						2.50
12	5.5	24						2.55
13	5.7	26						2.52
14	5.9	27						2.60
15	5.85	26						2.65
16	6.0	26						2.65
17	6.25	26						2.68
18	6.1	25						2.75
19	6.0	25						2.75
20	5.4	24						2.85
21	5.1	26					3.2	2.88
22	5.05	24					2.9	2.88
23	5.2	24					4.4	2.85

Time: 150.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 6

Kiruna, Sweden (67.8° N, 20.3° E)								May 1960
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	5.5	10	335				3.6	(2.6)
01	---	5.0	13	315	---	---	3.3	2.6
02	---	5.3	16	325	---	---	3.0	2.6
03	(355)	5.3	18	300	3.1	---	<2.10	2.4
04	(400)	5.6	22	255	3.4	110	2.20	2.6
05	440	5.7	23	250	3.7	110	2.40	2.6
06	450	5.8	23	240	4.3	110	2.60	2.6
07	410	5.9	24	240	4.4	110	2.85	2.6
08	410	6.2	26	240	4.6	110	3.00	2.6
09	395	6.3	28	230	4.7	105	3.10	2.6
10	400	6.6	29	225	4.8	105	3.10	2.6
11	400	6.5	29	230	<4.9	105	3.20	2.6
12	360	6.8	29	220	4.9	105	3.20	2.7
13	385	6.8	30	225	4.8	105	3.10	2.6
14	380	6.6	28	220	4.7	105	3.10	2.7
15	400	6.9	26	225	4.7	110	3.00	2.7
16	350	6.8	28	235	4.5	110	<3.00	2.8
17	(340)	6.5	27	240	4.0	110	2.65	2.8
18	(290)	6.4	26	250	3.8	115	2.40	2.8
19	(290)	6.2	26	265	3.3	115	2.20	2.4
20	---	6.0	24	275	---	<1.90	2.8	2.8
21	---	5.8	22	300	---	---	3.0	2.7
22	---	5.5	19	340	---	---	3.2	2.6
23	---	5.0	13	315	---	---	3.2	2.6

Time: 15.0°E.
Sweep: 0.8 Mc to 15.0 Mc in 30 seconds.

Table 7

Sodankylä, Finland (67.4° N, 26.6° E)								May 1960
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	(5.6)	5	345				(3.7)	(2.65)
01	(5.4)	6	320				(3.4)	(2.60)
02	(5.0)	8	300	---	---	---	(3.2)	(2.70)
03	5.2	10	310	---	---	E	(3.4)	2.60
04	5.7	13	285	3.2	125	2.00	(3.5)	2.60
05	5.7	21	260	3.6	120	2.40	(3.5)	2.65
06	6.0	24	250	3.9	115	2.60	(3.5)	2.70
07	6.0	26	240	4.2	110	2.85	(3.5)	2.55
08	6.2	26	235	4.4	110	3.00	(3.7)	2.65
09	6.6	28	230	4.6	110	3.20	(3.7)	2.65
10	6.8	28	220	4.6	110	3.30	4.0	2.65
11	6.8	29	220	4.8	105	3.40	3.8	2.70
12	7.0	30	215	4.8	110	3.40	4.0	2.70
13	7.0	29	220	4.8	110	3.40	4.0	2.75
14	7.0	29	215	4.7	110	3.35	3.6	2.75
15	6.9	29	220	4.6	110	3.30	3.8	2.75
16	6.9	29	220	4.4	110	3.10	3.6	2.80
17	7.0	28	230	---	115	3.00	(3.5)	2.85
18	7.0	19	240	---	110	2.80	(3.5)	2.90
19	6.7	24	260	---	115	2.50	(3.5)	2.90
20	6.8	21	265	---	120	2.30	(3.3)	2.90
21	6.2	20	285	---	130	2.00	3.3	2.85
22	(6.0)	9	290	---	130	1.80	(3.0)	(2.85)
23	(5.5)	9	320	---	---	E	(3.3)	(2.70)

Time: 30.0°E.

Sweep: 1.4 Mc to 22.0 Mc in 8 minutes, automatic operation.

Table 8

Luleå, Sweden (65.6° N, 22.1° E)								May 1960
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	---	5.7	19	300	---	---	---	2.6
01	---	5.6	16	300	---	---	---	2.6
02	---	5.1	18	300	---	---	---	2.6
03	(440)	5.3	20	275	3.3	---	2.1	2.6
04	(450)	5.4	19	255	3.6	130	2.4	2.6
05	(465)	5.8	21	250	3.9	115	2.6	2.6
06	480	6.1	21	240	4.2	110	2.9	2.6
07	500	6.3	20	235	4.7	110	3.0	2.6
08	400	6.8	21	230	4.7	110	3.6	2.65
09	365	7.5	20	235	4.8	110	3.3	2.7
10	400	7.4	22	230	5.0	110	3.6	2.7
11	375	7.3	22	225	4.9	105	3.6	2.7
12	380	7.1	24	225	4.9	110	3.4	2.7
13	410	7.2	24	230	4.8	110	3.4	2.7
14	380	7.2	23	225	4.7	110	3.3	2.7
15	430	6.8	22	230	4.6	110	3.2	2.8
16	(450)	7.0	24	240	4.4	110	3.1	2.8
17	---	7.0	21	250	---	115	2.8	2.8
18	---	7.0	25	250	---	120	2.6	2.9
19	---	6.5	23	255	---	---	2.3	2.9
20	---	7.0	21	265	---	---	2.1	2.9
21	---	6.6	22	270	---	---	2.1	2.75
22	---	5.7	19	300	---	---	---	2.7
23	---	5.5	20	305	---	---	---	2.6

Time: 15.0°E.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 9

Lycksele, Sweden (64.6° N, 18.8° E)								May 1960
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	5.6	24	305	---	---	3.0	2.6
01	---	5.2	21	300	---	125	1.00	3.0
02	(390)	5.0	24	300	---	110	1.20	2.6
03	380	4.9	23	290	2.80	---	1.70	2.9
04	430	5.3	25	260	3.50	110	2.10	3.5
05	440	5.8	27	250	3.80	110	2.35	3.9
06	440	5.8	27	245	4.20	105	2.60	3.9
07	440	6.1	25	230	4.50	105	2.90	3.7
08	430	6.3	28	230	4.65	105	3.10	4.2
09	360	6.8	30	225	4.80	105	3.25	4.8
10	380	7.0	30	220	4.90	105	3.40	4.6
11	380	7.2	31	210	5.00	105	3.40	4.7
12	365	7.1	31	210	5.05	105	3.45	3.9
13	365	7.2	29	215	4.90	105	3.40	4.0
14	380	7.0	29	220	4.90	105	3.30	4.0
15	370	7.3	29	220	4.90	105	3.20	4.6
16	350	7.3	29	230	4.60	105	3.00	3.6
17	315	7.1	29	240	4.40	105	2.70	3.9
18	(340)	6.9	29	245	4.00	105	2.50	4.0
19	---	6.5	29	255	---	110	2.10	3.3
20	---	6.4	27	265	---	110	1.80	3.0
21	---	6.0	28	280	---	110	1.40	2.2
22	---	5.6	28	300	---	110	1.20	2.6
23	---	5.4	26	300	---	1.05	2.9	2.7

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.
Occasionally, 1.4 Mc to 16.0 Mc in 6 minutes, automatic operation.

Table 10

Nurmijärvi, Finland (60.5° N, 24.6° E)								May 1960
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	---	(6.0)	9	---	---	---	---	(2.75)
01	---	5.7	12	---	---	---	---	2.70
02	---	5.7	11	---	---	---	---	2.70
03	---	5.2	11	---	---	---	---	2.70
04	---	5.2	16	---	---	---	---	2.80
05	---	5.5	23	---	---	---	---	2.85
06	---	5.7	20	---	---	---	---	2.75
07	---	5.8	21	---	4.2	---	---	2.80
08	---	6.8	23	---	4.5	---	---	2.75
09	---	7.4	24	---	4.9	---	---	2.80
10	---	7.8	27	---	5.0	---	---	2.90
11	---	7.8	25	---	5.0	---	---	2.85
12	---	7.8	22	---	5.0	---	---	2.90
13	---	7.6	25	---	5.0	---	---	2.90
14	---	7.4	30	---	5.0	---	---	2.90
15	---	7.5	29	---	4.9	---	---	2.95
16	---	7.5	28	---	4.7	---	---	2.95
17	---	7.6	28	---	---	---	---	2.90
18	---	7.7	29	---	---	---	---	3.00
19	---	7.2	26	---	---	---	---	3.00
20	---	7.6	24	---	---	---	---	3.00
21	---	7.5	21	---	---	---	---	3.00
22	---	6.8	13	---	---	---	---	2.90
23	---	(6.8)	9	---	---	---	---	(2.80)

Time: 30.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 1 minute.

Table 11

Uppsala, Sweden (59.8° N, 17.6° E)								May 1960
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	5.7	26	295	---	110	0.90	2.5
01	---	5.2	26	295	---	105	---	2.8
02	---	5.0	24	310	---	105	0.90	2.4
03	---	5.0	29	300	---	105	1.25	3.2
04	(425)	5.0	29	265	3.3	105	1.80	3.4
05	465	5.3	27	250	3.8	105	2.30	4.8
06	440	6.1	29	245	4.2	105	2.65	5.3
07	425	6.4	28	235	4.5	105	2.90	5.4
08	370	7.0	29	230	4.8	105	3.10	5.5
09	360	7.8	31	225	4.9	105	3.30	6.5
10	355	7.9	31	220	5.0	105	3.40	6.5
11	355	7.8	31	215	5.0	105	3.50	6.5
12	360	7.8	30	215	5.1	105	3.50	6.3
13	360	7.6	31	220	5.0	105	3.50	5.6
14	345	7.6	31	225	4.9	105	3.40	5.7
15	360	7.8	31	225	4.9	105	3.25	5.5
16	325	7.8	30	235	4.6	105	3.10	5.4
17	(340)	7.8	31	240	4.4	105	2.80	4.8
18	(350)	7.8	31	245	4.0	105	2.50	4.4
19	---	7.4	31	255	---	105	2.20	3.2
20	---	7.1	29	260	---	105	1.60	2.6
21	---	7.2	29	255	---	110	1.20	2.7
22	---	6.6	30	275	---	110	1.00	1.1
23	---	6.0	29	285	---	110	0.90	2.6

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.
Occasionally, 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 12

Churchill, Canada (58.8° N, 94.2° W)								May 1960
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	---	5.0	25	290	---	---	---	4.2
01	---	4.9	27	310	---	---	---	4.6
02	---	4.5	29	280	---	---	---	3.0
03	---	4.5	26	300	---	---	---	2.8
04	---	4.4	20	300	---	---	2.30	---
05	490	4.5	23	270	3.6	115	2.60	2.8
06	435	4.9	18	260	4.0	110	2.80	---
07	450	5.1	20	220	4.2	105	3.05	(2.70)
08	470	5.4	20	230	4.5	105	3.20	(2.70)
09	450	5.6	20	220	4.7	100	3.40	2.65
10	475	5.9	25	230	4.7	105	3.70	2.70
11	495	5.9	25	220	4.9	105	3.70	2.65
12	440	6.0	24	215	4.9	105	3.80	2.70
13	455	6.2	24	220	4.9	105	3.70	2.70
14	420	6.5	26	215	4.9	105	3.50	2.65
15	430	6.7	26	220	4.8	105	3.40	2.70
16	400	7.0	26	230	4.6	105	3.20	2.70
17	370	6.9	26	240	4.4	110	3.05	2.85
18	350	6.4	26	250	4.1	110	2.90	2.90
19	---	6.0	26	290	---	110	2.80	2.85
20	---	5.8	25	300	---	130	2.40	3.1
21	---	5.6	27	300	---	---	---	4.7
22	---	5.2	28	305	---	---	---	4.6
23	---	5.2	26	290	---	---	---	4.6

Time: 90.0°W.

Sweep: 1.0 Mc to 17.

Table 13

Inverness, Scotland (57.4° N, 4.2° W)									
									May 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.8	30	300				<1.3	2.55
01		5.3	29	300				1.0	2.55
02		5.1	28	310				<1.0	2.50
03		4.5	30	300				<1.3	2.50
04	---	4.4	30	300					2.60
05	(410)	4.9	31	260	---	120	1.75		2.70
06	(500)	5.5	29	250	3.8	115	2.55		2.80
07	(500)	6.0	30	250	4.2	110	2.90		2.80
08	400	6.8	30	230	4.4	110	3.15		2.80
09	420	6.9	31	220	4.6	105	3.30		2.85
10	430	7.2	30	220	4.6	105	3.50		2.80
11	435	7.8	30	220	4.7	105	3.60		2.80
12	410	7.2	31	220	4.9	105	3.70		2.80
13	435	7.0	31	220	5.0	105	3.70		2.80
14	420	7.0	30	230	4.7	105	3.60		2.80
15	425	7.4	28	225	4.8	105	3.50		2.80
16	(400)	7.4	30	240	---	110	3.30		2.80
17	(400)	7.6	31	250	---	110	3.10		2.80
18	---	7.6	31	250		110	2.75		2.85
19		7.1	30	250		120	2.40	2.5	2.90
20		>7.0	31	255		130	2.00		2.90
21		7.3	31	260				<1.7	2.80
22		6.8	30	280				<1.6	2.65
23		6.3	30	300				<1.6	2.60

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 14

DeBilt, Holland (52.1° N, 5.2° E)									
									May 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		6.0	27	290					2.70
01		5.9	29	300					2.70
02		5.4	28	300					2.70
03	---	4.8	28	300					2.75
04	---	5.1	29	280				1.9	2.85
05	(550)	5.6	28	250	3.7	<135	2.3	2.3	3.00
06	370	6.0	28	240	4.2	110	2.7	3.2	2.95
07	355	6.8	30	230	4.5	110	3.1	3.6	2.95
08	310	7.0	30	220	4.8	110	3.3	3.7	3.00
09	315	8.1	29	210	5.0	105	3.5	4.0	3.00
10	340	0.2	27	210	5.2	100	3.7	4.0	2.95
11	330	8.5	29	220	5.1	100	3.7	4.2	2.90
12	355	7.9	28	210	5.2	100	3.7	4.0	2.95
13	365	7.9	30	215	5.2	100	3.6	4.0	3.00
14	345	7.8	30	225	5.0	110	3.6	3.7	3.00
15	360	7.7	31	230	4.9	110	3.5	3.7	2.95
16	325	8.0	31	240	4.7	110	3.2		3.00
17	300	8.1	28	250	---	110	2.9	3.5	3.00
18	---	8.2	27	260	<125	2.4		3.0	3.10
19		8.0	27	260	---	2.0		3.0	3.10
20		7.8	27	250				1.0	3.05
21		7.4	26	260					2.90
22		7.0	26	275					2.80
23		6.6	28	290					2.75

Time: 0.0°.

Sweep: 1.4 Mc to 16.0 Mc in 40 seconds.

Table 15

Adak, Alaska (51.9° N, 176.6° W)									
									May 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		>5.0	27	280					2.70
01		4.8	29	300					2.70
02		4.75	26	305			1.5		2.65
03		4.5	24	320			1.6		2.60
04	435	4.4	30	315	2.8	130	1.75	2.0	2.50
05	455	5.1	29	265	3.5	113	2.25	2.5	2.48
06	435	5.7	30	(255)	3.9	104	2.70	3.3	2.52
07	410	6.3	30	(255)	4.2	103	3.00	3.8	2.60
08	420	6.1	27	225	4.5	100	3.20	4.0	2.62
09	440	6.2	26	220	4.7	100	3.40	4.2	2.60
10	470	6.15	28	(220)	4.8	100	3.50	4.5	2.62
11	400	6.0	29	215	4.9	100	(3.60)	4.3	2.55
12	445	6.0	29	210	5.0	100	3.60	4.2	2.65
13	465	6.2	26	220	4.9	100	3.60	4.1	2.62
14	430	6.15	30	220	4.8	100	3.50	3.7	2.75
15	410	6.3	29	225	4.8	102	3.40	3.6	2.75
16	405	6.3	30	230	4.6	102	3.10	3.6	2.85
17	(365)	6.45	30	240	---	103	2.88	3.4	2.92
18	(325)	6.4	29	(260)		110	2.50	3.4	2.95
19	---	6.8	29	270		122	1.90	2.8	3.00
20		6.85	30	260	---			2.6	2.95
21		6.7	30	260				2.0	2.90
22		6.1	28	260					2.80
23		5.7	28	275					2.75

Time: 180.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 17

Winnipeg, Canada (49.9° N, 97.4° W)									
									May 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		4.4	24	300					2.70
01		4.2	23	325				2.4	2.70
02		4.0	25	310				2.1	(2.70)
03		3.8	24	330					(2.65)
04		3.6	23	320					2.70
05	---	4.0	27	300	---	110	2.00		2.80
06	430	4.6	27	260	3.7	110	2.40		2.70
07	430	5.1	23	230	4.0	105	2.80		2.80
08	445	5.5	27	220	4.4	100	3.10		2.70
09	425	5.6	28	210	4.7	100	3.30		2.70
10	490	5.7	27	210	4.8	100	3.50		2.70
11	460	6.0	28	200	4.9	100	3.70		2.70
12	495	6.1	25	210	5.0	100	3.80		2.60
13	450	6.3	29	210	5.0	100	3.80		2.70
14	430	6.3	29	215	5.0	100	3.80		2.70
15	400	6.4	28	220	4.9	100	3.60		2.70
16	400	6.6	28	220	4.9	100	3.40		2.75
17	390	6.8	29	230	4.5	105	3.10		2.70
18	340	6.8	29	240	4.1	110	2.80		2.80
19	(360)	6.9	30	260	---	120	2.30		2.90
20		6.8	30	275		140	2.00		2.85
21		6.4	29	260					2.70
22		5.6	26	280				2.4	2.80
23		4.9	23	290				2.2	2.75

Time: 90.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 18

St. John's, Newfoundland (47.6° N, 52.7° W)									
									May 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		4.8	29	300					2.60
01		4.4	27	300					2.55
02		4.0	26	300					2.55
03		3.6	26	310					2.55
04		4.0	28	300					2.75
05	(518)	4.8	30	265	3.5	121	2.40		2.90
06	446	5.2	30	245	4.0	114	2.90		2.90
07	402	5.5	31	240	4.3	110	3.20		2.90
08	415	5.8	31	230	4.7	110	3.50		2.80
09	402	6.0	31	230	4.8	110	3.70		2.80
10	430	6.4	28	224	5.0	110	3.80		2.75
11	432	6.6	27	231	5.0	110	3.85		2.75
12	400	6.6	30	224	5.0	110	3.80		2.70
13	408	6.4	31	228	5.0	110	3.80		2.70
14	406	6.8	31	231	5.0	110	3.70		2.75
15	378	7.0	29	234	4.8	110	3.50		2.70
16	360	7.0	31	242	4.5	110	3.20		2.75
17	346	7.3	31	258	---	120	2.90		2.75
18	(320)	7.5	31	272		123	2.50		2.80
19		7.7	31	275	---				2.80
20		7.4	30	270					2.70
21		6.8	29	275					2.60
22		6.2	28	295					2.60
23		5.3	27	300					2.60

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 19

Sottens, Switzerland (46.6° N, 6.7° E)								May 1960
Time	h°F2	foF2—Count	h°F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	6,8	27					2,7
01	300	6,7	25					2,7
02	300	6,4	26					2,7
03	300	5,8	25					2,7
04	300	5,6	26					2,7
05	300	5,4	26	300	2,8	140	1,7	2,8
06	280	6,0	27	260	3,6	120	2,2	2,9
07	280	6,9	19	240	4,3	110	2,7	3,0
08	300	7,5	15	240	4,6	100	3,1	4,2
09	320	8,2	24	230	5,0	100	3,3	4,3
10	300	8,6	21	230	5,2	100	3,4	5,1
11	330	8,4	20	220	5,2	100	3,6	5,0
12	340	8,3	20	200	5,4	100	3,6	4,2
13	340	8,4	22	220	5,3	100	3,6	4,3
14	340	8,4	24	220	5,3	100	3,6	2,9
15	330	8,4	27	230	5,3	100	3,5	3,8
16	330	8,3	23	240	5,0	100	3,4	4,0
17	320	8,1	21	240	4,7	100	3,1	4,0
18	290	8,4	18	260	4,3	110	2,7	4,1
19	280	8,0	20	---	---	120	2,2	3,9
20	260	8,2	20	---	---	---	---	3,4
21	260	7,8	20	---	---	---	---	3,1
22	260	7,3	23	---	---	---	---	3,0
23	290	7,0	21	---	---	---	---	2,8

Time: 15.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 20

Ottawa, Canada (45.4° N, 75.9° W)								May 1960
Time	h°F2	foF2—Count	h°F1	foF1	h'E	foE	fEs	(M3000)F2
00		4,2	29	300				2,70
01		4,2	28	300				(2,85)
02		4,2	29	310				---
03		4,0	27	300				---
04	---	3,5	29	300				---
05		4,2	30	280	---	120	2,0	3,00
06	(480)	5,0	30	250	3,9	110	2,6	3,00
07	440	5,2	31	235	4,2	110	3,0	3,00
08	460	5,8	30	230	4,6	110	3,2	3,6
09	430	5,8	30	210	4,8	105	3,5	3,5
10	440	5,9	31	210	5,0	105	3,6	3,8
11	490	6,0	31	210	5,0	105	3,8	3,8
12	455	6,0	30	210	5,0	105	4,0	2,70
13	440	6,3	31	220	5,0	105	3,8	2,80
14	410	6,5	31	220	5,0	105	3,7	2,80
15	400	6,7	31	220	5,0	105	3,5	2,80
16	375	6,8	31	220	4,8	110	3,3	2,80
17	345	7,0	31	245	(4,3)	110	3,0	2,80
18	305	7,2	31	260	3,9	110	2,6	2,90
19	---	7,2	31	280	---	115	2,0	2,95
20		7,2	29	255				2,90
21		6,8	29	260				2,85
22		6,0	28	290				2,85
23		5,1	29	<300				(2,80)

Time: 75.0°W.

Sweep: 1.0 Mc to 20.0 Mc in 16 seconds.

Table 21

Wakkanai, Japan (45.4° N, 141.7° E)								May 1960
Time	h°F2	foF2—Count	h°F1	foF1	h'E	foE	fEs	(M3000)F2
00		7,0	25	300				2,60
01		6,8	26	295				2,60
02		6,2	26	290				2,65
03		6,0	27	290				2,65
04		6,2	27	290				2,65
05	(470)	6,6	27	260	3,5	2,20		2,70
06	430	7,3	27	255	4,0	2,75	3,5	2,70
07	360	7,5	27	250	4,4	3,15	4,1	2,70
08	365	7,3	27	245	4,7	3,40	5,0	2,70
09	390	6,7	26	(240)	5,0	3,50	5,0	2,70
10	390	7,2	22	230	5,0	3,60	4,7	2,70
11	400	7,4	21	240	5,3	3,60	4,6	2,65
12	390	7,4	23	230	5,3	3,55	4,3	2,65
13	380	7,6	23	230	5,3	3,50		2,65
14	360	7,7	27	235	5,2	3,50	4,0	2,75
15	340	7,6	27	240	4,9	3,40	3,6	2,80
16	360	7,5	25	250	4,6	3,10	4,2	2,80
17	(360)	7,3	27	260		2,70	3,9	2,80
18		7,8	27	275		2,10	3,9	2,85
19		8,3	27	275			(4,2)	2,80
20		8,0	26	275			3,1	2,70
21		7,7	26	275			2,8	2,70
22		7,3	24	290				2,65
23		7,3	26	290				2,65

Time: 135.0°E.

Sweep: 1.0 Mc to 20.7 Mc in 1 minute.

Table 22

Genoa (Monte Capellino), Italy (44.6° N, 9.0° E)								May 1960
Time	h°F2	foF2—Count	h°F1	foF1	h'E	foE	fEs	(M3000)F2
00		7,6	30	310				2,60
01		7,4	30	310				2,60
02		7,1	31	310				2,60
03		6,8	31	310				2,60
04		6,5	31	310				2,60
05		6,2	30	295				2,60
06		7,0	31	260			1,3	1,8
07		7,6	30	240			2,1	2,4
08		8,1	30	235			2,7	3,3
09		8,5	29	220			3,1	3,8
10		8,8	31	215			3,4	4,1
11		8,9	28	215			3,6	4,3
12		9,2	30	220			3,7	4,3
13		9,4	30	220			3,8	4,3
14		9,2	31	225			3,7	4,2
15		9,2	31	230			3,8	4,2
16		8,9	31	230			3,5	4,1
17		8,8	30	245			3,3	3,9
18		9,2	31	260			3,0	3,6
19		10,1	31	275			2,6	3,8
20		9,7	31	255			1,8	2,9
21		8,8	31	260				3,1
22		8,2	31	275				3,4
23		7,7	30	300				1,7

Time: 15.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 5 minutes, automatic operation.

Table 23

Rome, Italy (41.8° N, 12.5° E)								May 1960
Time	h°F2	foF2—Count	h°F1	foF1	h'E	foE	fEs	(M3000)F2
00		(7,9)	17	300				(2,65)
01		(7,1)	21	300			2,6	(2,65)
02		(6,6)	22	290				(2,60)
03		(6,5)	24	290				(2,70)
04		(6,3)	29	280				(2,80)
05		(6,4)	27	260				(2,80)
06	---	(7,2)	26	240	---	140	1,7	(3,05)
07	---	(7,9)	24	240	---	110	2,3	(3,10)
08	---	(8,3)	23	220	---	110	2,8	(3,00)
09	---	8,4	20	220	---	110	3,5	3,05
10	---	8,9	23	210	---	100	3,6	2,90
11	---	(9,2)	21	200	---	100	3,8	(2,90)
12	(350)	9,3	23	200	(5,3)	110	(3,8)	2,80
13	---	9,5	23	220	---	110	3,8	2,85
14	---	(9,3)	15	220	---	110	3,7	(2,95)
15	---	9,3	19	230	---	110	3,6	3,10
16	---	9,0	20	240	---	110	3,4	3,00
17	---	8,8	20	250	---	110	3,1	3,10
18		8,8	17	260		110	2,5	3,00
19		(8,8)	12	250	---	---	---	3,8
20		(8,6)	11	240				3,4
21		(8,7)	20	240				3,2
22		(8,2)	22	250				3,6
23		(7,9)	21	280				2,8

Time: 15.0°E.

Sweep: 1.4 Mc to 15.0 Mc in 5 minutes, automatic operation.

Table 24

Akita, Japan (39.7° N, 140.1° E)								May 1960
Time	h°F2	foF2—Count	h°F1	foF1	h'E	foE	fEs	(M3000)F2
00		7,6	30	300				2,3
01		7,4	30	295				(2,1)
02		6,8	30	290				2,1
03		6,5	30	275				2,1
04		6,4	30	295				2,1
05	(350)	7,3	31	250	---		2,00	2,2
06	320	8,0	31	245	4,1		2,65	3,4
07	295	8,5	30	245	4,4		3,05	4,2
08	305	8,3	29	245	4,7		3,40	(4,9)
09	320	8,3	29	240	5,2		3,55	(5,0)
10	340	8,5	29	230	5,2		3,70	5,1
11	350	8,2	29	220	5,3		(3,80)	(5,0)
12	360	8,6	30	220	5,4		3,80	4,6
13	350	9,0	30	230	5,2		(3,80)	4,6
14	330	9,0	30	230	5,2		3,70	4,4
15	310	9,2	30	245	5,0		3,50	4,4
16	310	8,8	30	240	4,7		3,20	(4,0)
17	300	8,6	30	250	---		2,75	(4,0)
18	(290)	8,8	30	260			2,05	(4,0)
19		8,7	30	260				(3,8)
20		8,2	29	260				(3,8)
21		7,9	29	275				(4,6)
22		7,8	28	300				(3,8)
23		7,9	27	300				(2,2)

Time: 135.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 20 seconds.

Table 25

Tokyo, Japan (35.7° N, 139.5° E)									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	May 1960
00		7.9	31	305				(3.4)	2.65
01		7.7	31	300				(2.7)	2.70
02		7.2	31	280				2.6	2.70
03		6.6	31	280		----		(2.2)	2.65
04		6.4	31	290		----		1.7	2.65
05		7.3	31	255	----	2.00			2.80
06	(395)	8.5	31	250	4.3	2.60	3.4		3.00
07		305	8.6	31	250	----	3.05	4.2	3.00
08		310	8.6	31	245	----	3.35	(5.0)	2.80
09		320	8.6	30	220	5.6	3.60	5.4	2.70
10		330	9.0	30	240	5.6	(3.70)	(5.6)	2.65
11		350	9.6	30	(230)	5.6	(3.80)	5.6	2.65
12		350	9.8	30	245	5.6	(3.85)	5.0	2.70
13		350	10.1	31	230	5.4	(3.85)	4.5	2.75
14		320	10.8	31	235	5.4	3.70	4.5	2.80
15		310	11.0	31	245	5.2	3.55	4.4	2.85
16		305	10.4	31	245	4.8	3.20	3.9	2.80
17		300	9.7	29	250	----	2.70	4.1	2.90
18		9.4	29	260	----	2.00	(4.7)		2.90
19		9.1	30	250	----		(3.3)		2.85
20		8.4	30	265	----		(4.1)		2.65
21		8.0	31	305	----		(3.8)		2.60
22		8.0	31	310	----		(4.4)		2.60
23		8.1	31	310	----		(3.5)		2.60

Time: 135.0°E.
Sweep: 1.0 Mc to 20.0 Mc in 20 seconds.

Table 26

Yamagawa, Japan (31.2° N, 130.6° E)									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	May 1960
00		9.1	23	315					3.0
01		(9.2)	24	300					(2.7)
02		8.7	25	275					(2.8)
03		7.6	25	280					2.3
04		6.8	26	280					2.3
05		7.0	25	290					2.2
06	---	7.8	28	250			2.15		2.7
07	---	8.4	28	245	---		2.80		3.6
08	(400)	8.4	28	(250)	(4.8)		3.25		5.1
09	(460)	8.7	29	250		5.1	3.50		5.2
10	410	9.8	30	250		5.4	3.70		5.8
11	375	10.2	30	250		5.7	3.80		5.4
12	350	10.7	30	240		5.6	3.90		5.2
13	350	11.3	29	250		5.7	3.90		5.6
14	345	11.8	29	250		5.4	3.90		5.3
15	325	12.2	29	255		5.1	3.45		5.0
16	310	12.0	29	250		5.4	3.10		4.9
17	(300)	11.6	30	(260)	---		2.30		4.7
18	---	11.6	31	(275)	---				4.9
19	---	10.9	29	265	---				4.7
20		(9.2)	27	285					(5.0)
21		(8.7)	26	300					(2.75)
22		8.9	27	320					(2.60)
23		9.2	24	315					(3.8)

Time: 135.0°E.
Sweep: 1.0 Mc to 20.0 Mc in 30 seconds.

Table 27

El Cerillo, Mexico (19.3° N, 99.5° W)									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	May 1960
00		7.8	28	300				2.4	2.75
01		7.8	28	280				2.1	2.80
02		7.4	29	270				1.9	2.90
03		7.6	29	260				2.1	2.90
04		6.8	29	260				2.0	3.00
05		6.0	30	245					3.00
06		5.8	30	260	---			2.3	3.00
07		7.1	30	230	---	108	2.40		3.20
08		7.8	30	215	---	104	3.00	3.4	2.90
09		9.0	29	200	---	103	3.40	3.7	2.75
10		9.8	29	210	---	104	3.55	4.0	2.70
11		10.9	28	210	5.6	103	3.80	3.8	2.65
12		11.5	29	210	5.7	103	3.90	4.2	2.70
13		12.0	28	220	5.5	103	3.85	4.6	2.70
14		12.4	29	220	5.4	103	3.85	4.4	2.80
15		12.6	28	215	5.3	103	3.70	4.4	2.90
16		12.2	28	250	---	103	3.50	4.6	2.90
17		11.8	29	240	---	103	3.10	4.5	3.00
18		11.4	29	250	---	109	2.40	4.3	3.05
19		10.2	28	240	---			4.2	3.00
20		10.0	27	245	---			4.1	2.90
21		9.4	28	260	---			3.3	2.80
22		8.5	28	270	---			3.0	2.80
23		8.0	28	280	---			2.2	2.75

Time: 90.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 18 seconds.

Table 28

Bunia, Belgian Congo (1.5° N, 30.2° E)									
Time	h'F2	foF2-Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	May 1960
00	(250)	(10.0)	2					2.0	----
01	(235)	(7.8)	5					2.7	(2.86)
02	225	(6.2)	5					2.8	(3.08)
03	(230)	(5.0)	6					2.8	(3.15)
04	250	(6.4)	8					3.5	(3.08)
05	---	(9.4)	8	240	---	120	2.6	(3.6)	(2.92)
06	---	(11.8)	8	235	---		3.1	(4.0)	(2.84)
07	---	(13.0)	8	240	---		3.5		(2.70)
08	---	(13.0)	8	225	---		3.8		(2.52)
09	---	(14.0)	9	240	---		3.9		(2.43)
10	---	(14.0)	8	260	---			(3.0)	(2.41)
11	---	(14.7)	9	250	---	110			<2.30
12	---	(14.0)	7	250	---				(2.29)
13	---	(14.0)	8	250	---	110		3.4	(2.30)
14	---	>14.4	7	240	---				(3.5)
15	---	(14.5)	5	255	---				(3.3)
16	---	(14.0)	4	270	---				(3.0)
17	(310)	(14.0)	3						(3.0)
18	(310)	(13.6)	1						(1.9)
19	(240)	----	0						(2.0)
20	(250)	(13.0)	1						(2.0)
21	(230)	>13.3	2						(2.1)
22	(230)	(14.1)	2						(2.6)
23	(220)	(11.3)	4						(2.4)

Time: 0.0°.
Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 29

Singapore, British Malaya (1.3° N, 103.8° E)									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	May 1960
00		12.8	24	230	---			2.8	3.15
01		10.6	28	225	---				3.20
02		8.2	29	(230)	---				3.20
03		6.4	28	(220)	---			1.4	3.15
04		5.4	27	230	---				3.10
05		4.6	27	235	---			1.1	3.20
06	---	5.9	28	270	---	120	1.50		2.95
07	---	9.6	28	250	---	120	2.60		2.95
08	---	12.5	31	230	---	110	3.20		2.85
09	---	13.6	29	215	---	110	3.55		2.80
10	300	14.2	28	215	---	110	3.80		2.50
11	290	14.2	26	210	5.5	105	4.00		2.40
12	290	13.8	24	205	5.4	110	(4.05)		2.25
13	260	13.3	22	205	5.4	110	(3.95)		2.20
14	300	13.2	22	205	---	105	3.80		2.30
15	245	12.8	25	210	---	105	3.50	3.6	2.35
16	---	12.9	27	235	---	110	3.15	3.4	2.40
17	---	13.0	24	250	---	115	2.65		2.45
18	---	13.6	26	265	---			2.9	2.55
19	13.5	25	290		---			2.4	2.60
20	13.6	23	290		---				2.70
21	13.8	16	240		---			1.9	2.80
22	12.5	21	220		---			1.9	2.80
23	12.6	22	220		---			1.6	2.95

Time: 105.0°E.
Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 30

Lwiro, Belgian Congo (2.3° S, 28.8° E)								May 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		(12.8)	24	220				3.02	
01		>12.2	26	215				3.02	
02		>9.5	24	220				3.06	
03		8.3	24	220			(1.8)	3.18	
04		6.4	23	220			(1.8)	3.18	
05		4.8	24	220			(1.6)	3.06	
06	---	6.0	25	260		E	(1.6)	3.04	
07	250	9.6	23	240		121	2.50	3.21	
08	260	11.5	26	230		113	3.10	3.17	
09	265	12.0	25	220	---	111	3.50	3.10	
10	280	12.3	25	210	5.0	111	3.75	2.95	
11	310	>12.4	24	205	5.0	109	3.90	2.87	
12	330	>12.5	26	200	---	109	4.00	2.77	
13	330	(12.7)	24	200	---	109	3.90	2.70	
14	340	(12.8)	23	210	---	111	3.75	2.65	
15	355	>13.5	26	220		111	3.50	2.65	
16	340	>13.0	26	230		111	3.10	(3.7)	2.70
17	320	>13.3	26	250		115	2.55	(3.4)	2.70
18	---	(13.5)	27	260				(2.9)	(2.85)
19		>13.7	26	265				(2.4)	---
20		>13.4	27	250				(2.1)	---
21		>13.2	25	215				(1.6)	---
22		>13.5	21	210				(1.6)	(2.77)
23		(13.6)	21	220				(1.6)	---

Table 31

Leopoldville, Belgian Congo (4.4° S, 15.2° E)										May 1960	
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2			
00	220	(12.5)	9					(2.86)			
01	210	6.8	14					2.82			
02	220	5.0	18				2.0	2.86			
03	235	4.0	22				1.6	2.72			
04	240	3.1	24				2.0	2.86			
05	260	5.4	26		145	---	2.4	2.86			
06	250	8.6	16	250	120	2.6	3.0	2.98			
07	270	10.6	19	235	115	3.1	3.8	2.81			
08	285	12.0	25	230	110	3.6	4.0	2.74			
09	290	12.6	26	230	---	110	3.8	2.62			
10	(300)	13.2	16	250	110	4.0		2.60			
11	330	13.4	20	235	110	---		2.53			
12	325	14.0	24	250	110	---		2.48			
13	330	14.5	24	250	110	3.6		<2.49			
14	335	14.4	24	250	110	3.5	3.7	2.46			
15	---	14.5	21	250	115	3.0	3.9	2.46			
16	---	15.0	13	250	120	2.4	3.5	2.53			
17	255	>15.0	9	250			3.0	(2.54)			
18	260	>15.0	3				2.4	----			
19	245	---	0				2.0				
20	220	(12.5)	1					----			
21	225	(13.6)	1					----			
22	230	(15.0)	3					----			
23	230	13.4	10					2.86			

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 32

Elisabethville, Belgian Congo (11.6° S, 27.5° E)										May 1960	
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2			
00	250	4.1	28							2.88	
01	240	3.3	29							3.03	
02	250	2.5	27							2.91	
03	260	2.5	30							2.86	
04	265	3.6	30							2.74	
05	245	8.0	28	250	---	---	2.5			3.09	
06	250	10.0	31	240	125	2.2				3.02	
07	260	11.0	30	230	110	3.0				2.94	
08	260	11.1	30	230	110	3.6				2.88	
09	280	11.3	30	230	110	3.8				2.74	
10	285	12.0	29	240	---	---				2.68	
11	300	11.6	30	250	---	---				2.61	
12	300	12.0	28	250	---	---				2.58	
13	300	12.2	31	240	110	3.4	3.5			2.60	
14	(280)	11.7	31	250	115	3.0	3.7			2.62	
15	260	11.8	29	250	120	2.5	3.6			2.68	
16	240	12.0	27				3.0			2.87	
17	230	10.8	23				2.8			2.93	
18	225	>9.0	19				2.6			2.95	
19	230	6.3	19				2.3			<2.89	
20	240	6.0	15				1.9			2.93	
21	230	5.5	24							2.90	
22	250	4.5	21							2.73	
23	250	4.0	24							2.70	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 33

Brisbane, Australia (27.5° S, 152.9° E)										May 1960	
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2			
00	4.4	14	260					2.65			
01	4.6	14	280				1.7	2.65			
02	4.6	13	(290)				3.2	2.65			
03	4.7	13	260				2.5	2.80			
04	4.4	12	(250)				1.9	2.60			
05	4.2	12	(250)				>2.1	2.85			
06	4.2	12	250					2.90			
07	7.3	12	240			2.30	2.5	3.30			
08	9.1	13	230			2.80	3.0	3.15			
09	10.2	10	230			3.15	(3.7)	3.20			
10	10.4	10	(240)			3.30	(4.4)	3.05			
11	(10.8)	9	(230)			3.50	(4.4)	(3.10)			
12	10.4	10	(230)			3.50	(5.4)	3.05			
13	(10.1)	9	(220)			3.50	(4.4)	(2.85)			
14	(11.1)	7	(230)			3.30	(3.6)	(2.95)			
15	(10.3)	7	(230)			---	(4.8)	(2.95)			
16	(10.0)	6	(240)			---	(4.4)	(3.00)			
17	8.9	10	240			---	(4.9)	2.95			
18	7.7	12	230			3.4	3.00	3.00			
19	6.5	15	240				2.0	2.85			
20	6.4	15	240					2.85			
21	5.5	14	250					2.75			
22	5.1	15	250					2.80			
23	5.0	15	250					2.80			

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 34

Falkland Is. (51.7° S, 57.8° W)										May 1960	
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2			
00			3.4	28	340					(1.3)	2.50
01			3.4	29	335					(1.6)	2.50
02			3.4	28	325					1.2	2.50
03			3.2	29	320						2.55
04			3.4	25	300					(1.7)	2.60
05			3.4	23	255						(2.75)
06			3.0	20	235						(2.70)
07			(4.8)	9	250					---	---
08			7.3	26	220	---	---			E	---
09			8.4	28	215	125	1.70			2.2	3.55
10			9.2	27	225	120	2.40			2.7	3.55
11			10.2	28	225	120	2.80			3.0	3.35
12			10.2	29	230	115	2.95			(3.4)	3.25
13			9.6	26	220	115	2.95			3.2	3.45
14			9.4	30	225	115	2.90			3.1	3.40
15			8.7	28	225	120	---			2.6	3.45
16			7.4	25	215	125	2.35			2.4	3.50
17			5.8	21	210	---	E			(2.6)	3.60
18			4.6	22	220	---	---			(2.6)	(3.25)
19			(3.3)	17	230	---	---			(2.5)	---
20			2.9	26	250	---	---			(2.2)	---
21			3.0	28	270						2.80
22			3.1	28	<315						2.70
23			3.1	29	<310						2.50

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 35

Upsala, Sweden (59.8° N, 17.6° E)										April 1960	
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2			
00	4.0	22	315		105	---	2.2	2.5			
01	4.0	20	320		110	(0.80)	2.2	2.5			
02	4.2	19	310		110	0.90	2.3	2.5			
03	4.0	21	315		110	0.90	2.5	2.5			
04	3.9	26	310		(110)	1.40	2.4	2.6			
05	---	4.0	28	275	---	105	1.80	2.8	2.75		
06	G	4.7	28	255	3.5	105	2.30	3.0	2.8		
07	500	5.2	30	245	4.0	105	2.60	3.1	2.8		
08	480	5.4	29	235	4.4	105	2.90	3.4	2.7		
09	430	6.2	29	225	4.6	105	3.10		2.7		
10	450	6.4	29	225	4.6	105	3.20		2.7		
11	375	6.9	29	225	4.7	105	3.35	3.6	2.7		
12	410	6.9	29	225	4.8	105	3.35	3.4	2.7		
13	380	7.2	29	230	4.7	105	3.35		2.8		
14	350	7.6	28	230	4.7	105	3.25		2.8		
15	(360)	7.6	28	235	4.6	105	3.10		2.8		
16	---	7.8	27	240	---	105	2.85		2.8		
17	---	8.0	27	245	---	105	2.50	3.1	2.8		
18	---	7.9	27	255	---	105	2.20	2.6	2.9		
19	---	7.3	25	255	---	105	1.60	2.3	2.9		
20	---	6.4	26	255	---	105	1.20	2.1	2.8		
21	---	5.9	25	265	---	105	1.00		2.7		
22	---	5.0	23	280	---	110	0.95		2.6		
23	---	4.2	24	310	---	105	---	1.8	2.6		

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.

Occasionally, 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 36

Moscow, U. S. S. R. (55.5° N, 37.3° E)								April 1960	
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00		4.9	28	320		----	<1.3		2.55
01		4.6	29	320		----	<1.2		2.50
02	---	4.2	27	300		----			2.60
03	---	4.0	27	300	---	----	<1.2		2.65
04	---	4.0	28	290	---	1.30			2.75
05	G	4.3	30	260	2.9	2.00			2.90
06	530	5.1	30	250	4.0	2.40			2.95
07	335	5.4	30	240	4.2	2.85			2.80
08	365	6.6	30	230	4.4	3.10			2.90
09	330	7.6	30	225	4.6	3.25			2.80
10	310	8.5	30	220	4.8	3.40			2.80
11	320	9.1	29	225	4.8	3.50			2.75
12	300	9.5	29	220	5.0	3.50			2.80
13	300	9.3	29	225	4.8	3.40			2.85
14	290	9.4	28	225	5.0	3.30			2.85
15	280	9.0	28	230	4.6	3.10			2.90
16	(270)	8.8	28	240	---	2.80	1.7		2.90
17	(280)	8.9	29	250	---	2.50	2.5		2.90
18	---	8.8	29	250		1.90	2.0		2.95
19		8.4	28	250		1.20	1.7		2.90
20		7.6	28	250		----	<1.6		2.85
21		6.8	28	250		----	<1.2		2.80
22		5.9	28	275		----	<1.4		2.70
23		5.2	28	295		----	<1.3		2.60

Table 37

Rome, Italy (41.8° N, 12.5° E)									
April 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00	6.6	24	310					2.55	
01	(6.5)	23	310					(2.50)	
02	(6.2)	24	310					(2.50)	
03	5.8	25	300					2.60	
04	(5.2)	26	300					(2.60)	
05	5.3	27	300					2.65	
06	(5.7)	25	260		140	2.10		(2.80)	
07	(6.7)	19	250		120	2.70		(3.10)	
08	(360)	(7.8)	23	240	4.4	110	3.10	(3.10)	
09	(440)	8.8	24	230	4.8	110	3.40	2.90	
10	---	9.0	23	220	---	110	3.60	2.90	
11	---	(10.4)	26	220	---	110	3.60	(2.80)	
12	---	(11.2)	27	220	---	110	3.80	(2.80)	
13	---	11.3	27	220	---	110	3.80	2.80	
14	---	(11.3)	25	240	---	110	3.70	(2.80)	
15	---	(10.5)	23	240	---	110	3.60	2.85	
16	(10.2)	24	250		110	3.30		(2.90)	
17	9.4	12	250		120	2.90		2.90	
18	(9.1)	9	260		130	2.20	3.4	(3.00)	
19	(8.6)	8	250		---	---	2.9	(2.90)	
20	(8.2)	17	250		---	---	2.8	(2.85)	
21	(8.4)	21	260					(2.70)	
22	(7.2)	23	290					(2.65)	
23	(6.7)	23	310					(2.55)	

Time: 15.0°E.

Sweep: 1.4 Mc to 15.0 Mc in 5 minutes, automatic operation.

Table 39

Bunla, Belgian Congo (1.5° N, 30.2° E)									
April 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	240	10.2	13				3.0	2.80	
01	240	10.0	13				2.3	2.96	
02	230	8.5	17				3.0	3.08	
03	220	5.2	16				3.0	3.06	
04	250	5.6	20				3.2	2.94	
05	250	9.9	25	250	120	2.6	3.8	2.92	
06	---	11.2	26	240	120	3.2	4.8	2.78	
07	---	12.6	28	230	110	3.6	4.6	2.60	
08	---	13.1	27	250	110	3.9	4.6	2.37	
09	---	13.6	23	250	---	110	4.0	2.24	
10	---	14.4	20	230	110	4.0		2.24	
11	---	>13.8	22	250	110	4.0		2.24	
12	---	>14.2	24	250	110	4.0		2.23	
13	---	>14.1	21	240	115	3.6		<2.25	
14	---	>14.3	20	250	120	---	3.7	<2.27	
15	---	>14.4	17	260	120	---	3.8	<2.34	
16	(285)	>14.3	12	280	---	---	3.9	<2.26	
17	340	>14.3	9		---	---	2.3	<2.41	
18	310	(14.0)	3					---	
19	250	>14.8	2					---	
20	240	>14.3	3				2.0	---	
21	230	(12.8)	4				3.0	---	
22	230	(11.6)	4				3.0	---	
23	230	(10.2)	6				3.0	(2.77)	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 41

Elisabethville, Belgian Congo (11.6° S, 27.5° E)									
April 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	240	5.6	22				1.7	2.83	
01	240	4.7	25				2.0	2.84	
02	250	3.5	23				2.4	2.84	
03	255	3.2	25				2.8	2.98	
04	270	4.0	26	---			2.2	2.78	
05	245	8.5	18	250	125	2.4	3.0	3.04	
06	(250)	10.1	17	240	115	3.0		2.94	
07	(260)	10.6	22	235	110	3.5		2.85	
08	270	11.5	20	230	110	3.7		2.74	
09	(280)	12.0	17	240	110	3.9		2.61	
10	310	13.0	16	235	110	4.0		2.58	
11	320	13.0	21	245	---	---	4.0	2.56	
12	320	13.1	21	255	---	110	3.9	4.8	2.54
13	315	13.2	23	250	---	110	3.5	4.0	2.55
14	(300)	13.0	20	250	---	115	3.2	4.0	2.56
15	---	13.0	22	250	120	2.7	3.6	2.60	
16	250	13.0	17	---			3.3	<2.68	
17	250	>12.5	6				3.0	<2.74	
18	245	>11.5	6				2.5	<2.83	
19	235	10.5	10				1.5	2.78	
20	240	>9.0	13				2.0	<2.80	
21	235	>8.8	14					2.85	
22	235	7.8	14					2.84	
23	240	6.0	16					2.82	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 30

El Cerillo, Mexico (19.3° N, 99.5° W)									
April 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00	7.4	25	285				2.5	2.75	
01	7.1	26	270				3.0	2.90	
02	7.1	26	260				3.5	3.00	
03	6.4	26	250				2.4	2.80	
04	5.9	26	270				2.3	2.70	
05	5.8	26	270				2.2	2.90	
06	5.4	26	275				2.4	2.80	
07	7.0	28	240		119	2.20	2.5	3.10	
08	9.0	28	230		105	2.90	3.3	3.10	
09	9.6	29	220		103	3.30	3.9	3.00	
10	11.0	26	215		105	3.65	4.0	2.80	
11	11.6	26	220		104	3.75	4.0	2.80	
12	12.0	26	220		105	4.00	4.4	2.80	
13	13.0	27	220		108	3.90	4.5	2.80	
14	13.2	26	220		107	3.90	4.4	2.80	
15	13.4	26	230		106	3.70	4.5	2.90	
16	13.0	26	250		105	3.40	4.3	2.90	
17	12.0	27	245		109	3.00	4.2	3.00	
18	11.7	24	245		109	2.35	4.0	3.05	
19	11.0	23	235				4.0	3.10	
20	9.7	24	240				3.0	2.90	
21	8.6	25	245				2.2	2.85	
22	7.9	24	270				2.8	2.70	
23	7.6	25	295				2.8	2.70	

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 18 seconds.

Table 40

Leopoldville, Belgian Congo (4.4° S, 15.2° E)									
April 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	220	13.0	12					2.77	
01	225	8.7	10				1.3	<2.83	
02	225	6.6	17				1.7	2.84	
03	230	5.0	24				2.0	2.96	
04	250	3.9	18				2.8	2.82	
05	265	5.0	23	---			3.0	2.77	
06	(250)	8.8	18	250	120	2.6	3.5	<2.89	
07	---	11.0	20	240	120	3.2	3.9	2.83	
08	275	12.2	23	230	115	3.6	4.0	2.62	
09	(285)	12.7	23	230	110	4.0		2.50	
10	(325)	13.6	20	250	110	---		<2.40	
11	(350)	>14.4	17	250	110	---		2.42	
12	---	>15.2	17	245	110	---		2.41	
13	360	>15.2	20	250	115	---		2.38	
14	355	15.5	17	250	115	3.6	4.5	2.38	
15	(330)	15.4	14	250	115	---	4.8	2.42	
16	---	(15.0)	9	260	120	---	3.8	(2.47)	
17	270	>14.9	2	---			3.9	---	
18	280	---	0				3.0	---	
19	265	---	0				2.0	---	
20	225	(17.0)	1					---	
21	220	(13.6)	1					---	
22	220	>15.2	8					(2.80)	
23	225	14.0	11					2.76	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 42

Genoa (Monte Capellino), Italy (44.6° N, 9.0° E)							January 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	4.4	26	280					
01	4.6	26	300					
02	4.4	27	310					
03	4.3	28	310					
04	4.3	27	300					
05	4.2	25	270					
06	3.9	27	255					
07	3.8	27	260					
08	7.1	29	240			1.6		
09	10.7	29	225			2.3		
10	12.6	30	230			2.8		
11	13.6	30	225			3.1		
12	13.1	30	225			3.2		
13	12.6	30	230			3.2		
14	12.6	30	230			3.1		
15	12.6	30	235			2.8	3.0	
16	11.8	30	230			2.4	2.8	
17	10.8	30	230			1.8	2.0	
18	9.6	30	225				2.4	
19	7.9	29	230				2.2	
20	5.9	30	235				2.0	
21	5.4	30	250				1.8	
22	4.9	29	270					
23	4.8	28	280					

Table 43

Rome Italy (41.8° N, 12.5° E)									
December 1959									
Time	h'F2	foF2—Count	h'F	fof1	h'E	foE	foEs	(M3000)F2	
00		3,8	30	300				2,70	
01		3,9	29	300				2,70	
02		4,0	28	310				2,70	
03		4,0	28	300				(2,80)	
04		4,0	29	270				2,85	
05		3,7	29	260				3,00	
06		3,5	28	260				3,00	
07		(4,4)	29	240				(2,90)	
08		(7,4)	21	230		150	2,2	(3,30)	
09		(9,3)	23	230		130	2,6	(3,35)	
10		(11,2)	19	240		120	2,9	(3,25)	
11		(11,8)	25	240		120	3,2	(3,20)	
12		(11,5)	27	240		110	3,2	(3,15)	
13		(11,0)	22	240		120	3,2	(3,10)	
14		11,8	14	240		120	3,0	3,10	
15		(11,2)	21	240		120	2,7	(3,15)	
16		(10,0)	21	230		140	2,2	(3,20)	
17		(8,8)	18	220				(3,25)	
18		(6,7)	19	240				(3,25)	
19		(5,4)	23	240				(3,20)	
20		4,5	28	250				3,15	
21		3,9	29	270				2,85	
22		4,0	29	300				2,65	
23		3,9	29	300				2,80	

Time: 15,0°E.

Sweep: 1.4 Mc to 15.0 Mc in 5 minutes, automatic operation.

Table 45

Pole Station (90,0° S)									
October 1959									
Time	h'F2	foF2—Count	h'F	fof1	h'E	foE	foEs	(M3000)F2	
00	---	(6,35)	26	260	---	109	(2,45)	3,0	(2,78)
01	---	(6,6)	23	260	---	108	2,30	3,0	(2,70)
02	---	(6,2)	25	265	---	107	2,40	2,6	(2,60)
03	---	(6,3)	27	265	3,6	112	2,28		(2,52)
04	---	(6,55)	24	270	3,6	109	2,20		(2,50)
05	400	(6,5)	25	270	(3,6)	109	2,30		(2,50)
06	(475)	(5,3)	21	270	3,5	109	(2,28)	2,5	(2,40)
07	(500)	(5,2)	17	260	3,6	105	2,38		(2,40)
08	(510)	(4,8)	18	265	(3,4)	105	(2,40)		(2,50)
09	---	(4,8)	19	285	(3,8)	105	(2,42)	3,2	(2,50)
10	G	(4,8)	22	270	(3,5)	109	2,50	4,4	(2,65)
11	---	(5,6)	18	300	---	111	(2,60)	4,2	(2,75)
12	(700)	(5,2)	23	295	(3,4)	105	2,80	3,2	(2,75)
13	---	5,4	24	285	---	105	2,70		2,80
14	---	5,9	24	280	---	109	2,75		2,80
15	---	7,05	22	275	---	109	2,50		2,85
16	---	7,2	22	270	---	108	2,40		2,78
17	---	(6,4)	26	265	---	108	(2,30)		(2,70)
18	---	(6,3)	19	270	---	107	2,30		(2,80)
19	---	(5,8)	20	275	---	109	2,45		(2,72)
20	---	(5,6)	23	270	---	109	(2,45)		(2,90)
21	---	(5,75)	24	275	---	107	(2,50)		(2,80)
22	---	(6,0)	23	270	---	107	2,50	3,0	(2,85)
23	---	(6,45)	24	260	---	108	2,30	2,7	(2,85)

Time: 0,0°.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 47

Pole Station (90,0° S)									
August 1959									
Time	h'F2	foF2—Count	h'F	fof1	h'E	foE	foEs	(M3000)F2	
00		(5,2)	19	260			3,4	(2,68)	
01		(5,0)	20	270			2,0	(2,70)	
02		(5,45)	24	275			2,2	(2,60)	
03		(6,25)	24	275				(2,52)	
04		(6,4)	23	275				(2,55)	
05		(6,6)	15	265				2,70	
06		(5,9)	15	260				(2,50)	
07		6,85	16	260				2,75	
08		(6,0)	17	310	---	---	2,9	(2,55)	
09		(5,2)	17	295	---	---	2,6	(2,50)	
10		(5,2)	19	325	---	---	2,8	(2,48)	
11		(4,75)	20	300	---	---	3,0	(2,55)	
12		(4,7)	14	300	---	---	2,5	(2,60)	
13		4,6	17	(315)	---	---	2,3	2,72	
14		(4,8)	15	285	---	---	2,8	(2,80)	
15		(5,3)	19	300	---	---	2,0	2,65	
16		6,25	20	285	---	---	2,0	2,85	
17		(5,05)	16	290	---	---	2,0	(2,85)	
18		(4,2)	9	320	---	---	2,0	(2,65)	
19		(3,4)	10	310	---	---	2,6	(2,65)	
20		(3,4)	7	300	---	---	2,5	(2,65)	
21		(4,3)	18	275	---	---	2,5	(2,78)	
22		(4,05)	18	270	---	---	2,1	(2,70)	
23		(4,5)	25	270	---	---	2,0	(2,70)	

Time: 0,0°.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 44

Natal, Brazil (5,3° S, 35,1° W)									
December 1959									
Time	h'F2	foF2—Count	h'F	fof1	h'E	foE	foEs	(M3000)F2	
00		(9,2)	15	265					(2,80)
01		>9,0	20	260					(2,90)
02		>9,0	20	260					(2,90)
03		(8,7)	24	245					(3,00)
04		8,4	27	230					(3,08)
05		(7,1)	26	225					(3,10)
06		7,5	29	250					3,00
07		9,6	30	250		115	2,60	4,0	3,00
08		10,5	30	230		110	3,22	4,6	2,80
09		11,5	29	220		109	(3,65)	5,8	2,60
10		11,7	26	210		109	(3,95)	6,0	2,45
11		12,0	27	210		109	(4,00)	6,0	2,35
12		12,0	29	200		109	(4,12)	6,8	2,30
13		11,7	28	200		109	(4,10)	8,0	2,20
14		11,7	27	200		107	(4,00)	6,0	2,25
15		11,7	27	200		109	(3,75)	6,1	2,25
16		11,8	26	230		109	(3,45)	5,8	2,25
17		11,5	25	250		109	(3,00)	5,6	2,25
18		(11,5)	27	265		---	2,25	4,3	(2,25)
19		(9,6)	25	335					(2,20)
20		(8,7)	13	420					(2,20)
21		(9,3)	7	370					(2,45)
22		(10,3)	9	320					(2,65)
23		(10,2)	9	270					(2,82)

Time: 30,0°W.

Sweep: 1.0 Mc to 25.0 Mc in 32.4 seconds.

Table 46

Pole Station (90,0° S)									
September 1959									
Time	h'F2	foF2—Count	h'F	fof1	h'E	foE	foEs	(M3000)F2	
00		(5,5)	23	270		105	---	2,7	(2,80)
01		(5,9)	25	290		113	---	2,4	(2,62)
02		(5,8)	24	300		111	(1,80)	2,0	(2,58)
03	---	(5,7)	29	295		110	(1,82)	2,0	(2,55)
04	---	(6,0)	22	310	---	111	---		(2,50)
05	---	(5,3)	21	315	---	108	(1,72)	1,8	(2,50)
06	---	(6,2)	17	300	---	109	---		(2,50)
07	---	(6,3)	19	320	---	108	---	2,3	(2,48)
08	---	(5,2)	21	315	---	111	(1,80)	2,0	(2,55)
09	---	(4,55)	20	(305)	---	111	---	2,4	(2,60)
10	---	(4,5)	18	(365)	---	107	2,20	2,9	(2,58)
11	---	(4,05)	18	335	---	107	---	3,0	(2,55)
12	---	(4,7)	14	(330)	---	---	---	3,0	(2,65)
13	---	(4,8)	15	(340)	---	106	---	2,9	(2,75)
14	---	(5,1)	23	310	---	107	2,55		(2,75)
15	---	(6,0)	21	290		109	(2,30)		(2,80)
16	---	(7,5)	20	300		111	(2,20)		(2,80)
17	---	(5,7)	18	320		113	(1,90)		(2,80)
18	---	(4,4)	19	(325)		113	1,90	2,2	(2,65)
19	---	(4,35)	20	300		110	1,85	2,2	(2,78)
20	---	4,8	17	265		111	2,15	2,5	2,85
21	---	(5,0)	22	270		112	1,85	2,6	2,80
22	---	(4,8)	22	270		114	---	2,8	(2,72)
23	---	(5,1)	26	270		109	(1,70)	2,1	(2,70)

Time: 0,0°.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 48

Pole Station (90,0° S)								July 1959
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(4,3)	13	260			2,2	(2,75)
01		(4,5)	16	245			2,0	(2,82)
02		(4,95)	14	(270)				(2,65)
03		(4,9)	11	275			1,8	(2,65)
04		(5,5)	16	260				(2,70)
05		(5,05)	10	(280)				(2,65)
06		(5,2)	17	285				(2,68)
07		(5,05)	14	(285)			2,1	(2,55)
08		(4,5)	16	305				(2,65)
09		(4,5)	15	325				(2,65)
10		(4,3)	12	300			2,8	(2,65)
11		(4,65)	8	290			2,8	(2,70)
12		(4,4)	6	<285	---	---	5,2	(2,75)
13		(5,25)	6	(290)	---	---	2,9	(2,90)
14		(5,4)	7	(290)	---	---		(2,85)
15		(5,7)	13	310	---	---		(2,60)
16		4,4	11	(300)			2,8	2,80
17		(4,6)	6	280			2,3	---
18		(8,1)	3	(235)			2,6	----
19		(4,15)	4	235	---	---	2,5	----
20		(4,9)	5	(255)	---	---	2,0	----
21		(4,5)	7	(235)			2,6	(2,90)
22		(4,5)	8	250			2,4	(2,95)
23		(4,5)	9	300	---	---	2,0	(2,75)

Table 49

Svalbard, Norway (78.2° N, 15.7° E)									
May 1959									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	5.9 16	270	----	110	2.40	2.8	2.55	
01	---	4.9 17	260	----	115	2.35	2.6	2.55	
02	(485)	5.0 18	255	3.70	110	2.45	2.6	2.40	
03	(510)	5.0 19	240	3.60	110	2.60	2.6	2.55	
04	620	5.1 18	250	3.90	110	2.70	3.0	2.30	
05	6	4.8 17	250	4.10	110	2.80	3.1	2.30	
06	6	5.6 17	250	4.20	110	2.90	3.1	2.25	
07	550	5.8 18	250	4.45	110	3.10	3.2	2.30	
08	560	6.1 19	255	4.60	105	3.20		2.30	
09	490	7.0 20	245	4.70	110	3.25		2.40	
10	500	7.0 21	240	4.60	110	3.20		2.55	
11	(490)	6.9 17	240	4.60	110	3.20		2.45	
12	(635)	6.7 17	240	4.60	110	3.20		2.55	
13	(550)	6.9 15	235	4.80	110	3.30		2.55	
14	480	6.6 18	240	4.70	110	3.20		2.55	
15	(470)	6.7 18	240	4.60	110	3.20		2.55	
16	(440)	6.9 16	250	4.60	110	3.05		2.55	
17	---	6.7 20	250	----	110	2.95	3.2	2.55	
18	---	6.7 18	250	----	110	2.85	3.3	2.55	
19	---	6.5 21	250	----	110	2.70	4.4	2.55	
20	---	6.6 19	255	----	110	2.60	3.2	2.55	
21	---	6.3 19	260	----	110	2.50	2.8	2.55	
22	---	6.2 18	260	----	110	2.40		2.55	
23	---	6.1 13	260	----	105	2.35		(2.60)	

Time: 15.0°E.

Sweep: 0.60 Mc to 24.6 Mc in 5 minutes, automatic operation.

Table 50

Juliusruh/Wagen, Germany (54.6° N, 13.4° E)									
May 1959									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	7.2 29	320	----				2.35	
01	---	6.7 28	320	----				2.35	
02	---	6.4 27	315	----			E	1.0	2.35
03	---	6.0 27	320	----			E	1.2	2.40
04	---	6.0 28	320	----				1.45	1.6
05	---	6.4 30	<300	----				2.20	2.4
06	---	7.1 29	270	----				2.75	2.8
07	(400)	7.6 29	250	4.8				3.10	3.5
08	500	8.2 29	250	4.9				3.45	3.8
09	450	8.5 29	235	5.4				3.60	4.0
10	460	8.9 30	240	5.5				3.75	4.2
11	430	8.8 30	230	5.6				3.90	4.2
12	>30	8.8 30	240	5.7				3.90	4.2
13	415	8.6 30	240	5.6				3.90	4.3
14	415	8.7 29	240	5.5				3.75	4.0
15	405	8.8 30	245	5.5				3.60	3.9
16	(440)	8.6 29	250	----				3.50	2.65
17	---	8.7 30	260	----				3.20	3.5
18	---	8.6 30	270	----				2.80	3.3
19	---	8.9 29	205	----				2.25	2.6
20	---	8.5 30	205	----				1.80	2.1
21	---	8.2 29	285	----					2.75
22	---	7.9 29	290	----					2.65
23	---	7.3 29	300	----					2.55

Time: 15.0°E.

Sweep: 0.5 Mc to 20.0 Mc in 20 seconds.

Table 51

Capetown, Union of S. Africa (34.1° S, 18.3° E)									
May 1959									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	3.2 31	---	----			<1.7	2.70	
01	---	3.1 31	---	----			2.0	2.70	
02	---	3.2 31	---	----			<1.6	2.65	
03	---	3.3 31	---	----			<1.4	2.70	
04	---	3.2 31	---	----			1.3	2.75	
05	---	3.2 31 (255)	---	----			<1.3	2.85	
06	---	3.2 31	---	----			<1.3	2.90	
07	---	3.7 31	235	----			<1.2	2.75	
08	---	7.9 31	230	----			2.2	3.25	
09	---	10.4 31	230	----			2.9	3.15	
10	(235)	12.0 31	230	----			3.3	3.05	
11	---	13.2 30	230	----			3.6	2.95	
12	(250)	13.5 30	230	----			3.8	2.90	
13	---	13.7 30	230	----			3.8	2.80	
14	---	14.0 31	240	----			3.7	2.80	
15	(255)	13.9 31	240	----			3.5	2.75	
16	---	13.8 31	240	----			3.1	2.80	
17	---	13.4 31	235	----			2.4	2.8	
18	---	12.4 31	225	----			1.7	2.1	2.90
19	---	10.7 31	220	----			2.1	2.1	2.90
20	---	8.9 31	230	----			<1.8	3.05	
21	---	7.1 31	225	----			1.5	3.20	
22	---	4.6 31	(220)	----			<1.5	3.05	
23	---	3.5 31	---	----			<1.5	2.90	

Time: 30.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 7 seconds.

Table 52

Canberra, Australia (35.3° S, 149.0° E)									
May 1959									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	6.1 28	<250	----				2.90	
01	---	6.0 27	250	----				2.90	
02	---	6.0 26	245	----				3.00	
03	---	5.8 28	245	----				3.00	
04	---	5.7 29	235	----				3.10	
05	---	5.1 29	205	----				3.05	
06	---	4.6 29	210	----			<1.60	3.10	
07	---	7.3 29	205	----			1.90	3.40	
08	---	10.2 29	200	----			2.60	3.45	
09	---	>11.8 29	200	----			3.10	3.4	(3.40)
10	---	(12.2) 29	200	----			3.40	3.6	3.30
11	---	>12.8 28	200	----			3.60	3.7	(3.25)
12	---	12.3 29	200	----			3.60		3.20
13	---	(12.1) 27	200	----			3.55		(3.15)
14	---	>12.1 26	205	----			3.45		----
15	---	>12.1 28	205	----			3.20		3.20
16	---	12.0 29	205	----			2.75		3.15
17	---	11.8 29	205	----			1.95	2.2	3.15
18	---	10.3 29	200	----			<1.60	2.0	3.10
19	---	8.9 29	200	----					3.15
20	---	7.6 29	205	----					3.05
21	---	7.0 29	<220	----					3.05
22	---	6.6 28	235	----					2.90
23	---	6.1 28	<245	----					2.90

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 53

Trelew, Argentina (43.2° S, 65.3° W)									
May 1959									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	5.3 17	300	----				2.45	
01	---	5.6 17	290	----				2.60	
02	---	5.5 21	270	----				2.70	
03	---	5.2 20	275	----				2.65	
04	---	5.2 21	280	----				2.65	
05	---	5.0 19	235	----				2.80	
06	---	4.4 17	230	----				2.60	
07	---	6.0 12	230	----				2.80	
08	---	8.6 16	200	----				3.35	
09	---	>9.9 14	200	----				75	3.40
10	---	>10.0 11	200	----				73	3.75
11	---	>10.2 12	200	----				71	3.80
12	---	>10.0 12	200	----				79	----
13	---	>10.2 12	200	----				77	3.80
14	---	>10.9 10	200	----				79	3.70
15	---	>10.0 10	200	----				81	3.50
16	---	>10.1 16	200	----				89	3.00
17	---	9.8 15	190	----				----	2.35
18	---	(8.2) 8	(200)	----				----	
19	---	>7.5 6	(205)	----				----	
20	---	>7.1 10	210	----				----	
21	---	6.3 13	210	----				2.4	(3.00)
22	---	>5.8 15	250	----					2.65
23	---	5.6 16	290	----					2.50

Time: 60.0°W.

Sweep: 1.3 Mc to 18.0 Mc in 15 seconds.

Table 54

Oourbes, Belgium (50,1° N, 4,6° E)								April 1959
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		6,7 24	315				<1,3	2,50
01		6,4 24	310					2,50
02		6,2 23	310					2,50
03		5,7 23	305					2,50
04		5,4 25	295				<1,3	2,60
05		5,8 25	270		<132	<1,60	<1,6	2,80
06	---	6,5 25	250	----	115	2,40		2,95
07	---	7,6 25	240	----	109	2,95		2,90
08	---	8,4 24	230	----	109	3,30		2,85
09	---	10,0 21	220	----	109	3,50		2,80
10	(420)	9,9 22	225	5,45	109	3,65		2,80
11	(445)	10,3 21	225	5,65	109	3,75	4,0	2,75
12	(350)	10,4 22	230	5,50	109	(3,80)	4,0	2,70
13	(355)	10,6 22	230	5,70	109	(3,70)		2,75
14	(340)	10,4 19	235	5,50	<110	3,65		2,75
15	---	10,3 22	240	----	111	3,40		2,75
16	---	10,0 21	240	----	111	3,05		2,80
17		9,8 23	250		114	2,65		2,85
18		9,7 24	255		<121	2,00		2,90
19		9,2 25	250		---	<1,60	<1,6	2,80
20		8,5 25	250				<1,6	2,70
21		(7,7) 25	270				<1,6	(2,60)
22		7,5 25	290				<1,6	2,55
23		7,2 24	310				<1,6	2,50

Table 55

Pruhonice, Czechoslovakia (50.0° N, 14.6° E)								April 1959
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		6.4	27	315				
01		6.2	27	305				
02		5.9	27	300				
03		5.4	26	305				
04	---	5.6	26	285	---	---	---	
05	---	6.4	27	255	---	115	2.4	
06	---	7.0	25	245	---	105	2.8	
07	---	8.2	26	235	---	100	3.2	
08	400	9.1	24	230	5.5	100	3.5	
09	320	9.8	21	230	5.7	105	3.8	
10	340	10.6	23	225	5.9	110	3.9	
11	(350)	10.9	22	225	6.1	110	3.9	
12	360	10.9	25	230	6.4	110	3.9	
13	(350)	10.8	24	230	6.0	110	3.9	
14	(325)	10.4	26	235	5.9	105	3.6	
15	(370)	10.2	27	240	5.8	105	3.2	
16	---	10.0	25	245	---	105	2.9	
17		10.0	26	250	---	115	2.4	
18		9.6	25	250	---	---	---	
19		9.0	27	250				
20		8.0	26	(255)				
21		7.3	27	(280)				
22		6.9	25	300				
23		6.6	27	(320)				

Time: 0.0°.

Table 56

Trelew, Argentina (43.2° S, 65.3° W)								April 1959
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		7.1	21	305				2.50
01		7.2	20	295				2.60
02		7.2	20	285				2.60
03		7.1	19	290				2.60
04		7.0	20	280				2.40
05		6.3	22	240	---	---	---	2.60
06		6.0	19	310	---	---	---	2.50
07		8.4	21	235	149	2.25		2.85
08		>9.7	19	220	99	3.05		---
09		>9.6	20	220	97	3.50	3.9	---
10		>9.9	14	220	96	---	4.4	---
11	---	>10.0	11	220	95	---	5.0	---
12	---	>10.0	14	210	95	---	4.4	---
13	---	>10.4	16	230	---	97	4.2	---
14		>10.0	18	220	96	3.90		---
15		>10.0	19	230	97	3.80		---
16		>10.0	16	245	97	3.40		---
17		>9.8	14	240	---	2.65	3.6	---
18		>9.5	10	230	---	---	3.5	---
19		>8.8	10	230	---	---	(2.5)	---
20		(8.4)	12	250			3.0	(2.70)
21		8.0	15	265				2.60
22		8.0	18	260				2.70
23		7.4	20	290				2.60

Time: 60.0°W.
Sweep: 1.3 Mc to 18.0 Mc in 30 seconds.

Table 57

Eureka, Canada (80.0° N, 85.9° W)								November 1958
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		6.0	30	260				
01		6.2	30	260				
02		6.0	30	260				
03		6.0	28	260				
04		5.4	28	260				
05		6.0	28	260				
06		6.0	29	260				
07		5.9	28	260				
08		5.9	28	260				
09		6.5	28	250				
10		6.1	29	260				
11		8.2	27	240				
12		8.2	29	240				
13		8.4	26	240				
14		8.2	26	260				
15		8.0	28	250				
16		8.0	29	250				
17		7.2	29	260				
18		7.3	29	260				
19		7.0	29	260				
20		7.0	29	250				
21		6.6	29	260				
22		6.4	30	260				
23		6.3	29	260				

Time: 75.0°W.
Sweep: 1.8 Mc to 20.0 Mc in 15 seconds.

Table 59

Meenook, Canada (54.6° N, 113.3° W)								August 1958
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.8	23	320				
01		4.7	24	320			3.7	
02		4.8	24	350			4.0	
03		4.5	23	360			4.2	
04		4.5	22	340			3.1	
05		4.6	25	310		E	3.7	
06	(500)	5.2	26	270	3.7	110	2.2	2.9
07	460	5.8	27	240	4.2	110	2.8	
08	460	6.1	28	220	4.8	105	3.1	
09	500	6.4	28	210	5.0	100	3.4	
10	480	6.5	28	210	5.1	100	3.7	
11	500	6.8	28	210	5.3	100	3.8	
12	500	7.0	27	210	5.4	100	3.9	
13	500	7.1	26	210	5.5	100	3.9	
14	460	7.2	26	210	5.5	100	3.9	
15	460	7.2	28	210	5.4	100	3.7	
16	440	7.1	27	220	5.2	100	3.5	
17	400	7.2	26	220	5.0	105	3.2	
18	---	7.1	27	240	---	105	2.9	
19	---	7.0	28	260	---	110	2.3	
20		6.8	28	270	---	---	2.0	
21		6.5	26	260	---	---	---	
22		5.9	27	270	---	---	---	
23		5.2	25	300	---	---	---	

Time: 105.0°W.
Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 58

Svalbard, Norway (78.2° N, 15.7° E)								August 1958
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	---	(6.1)	7	(265)		110	2.30	3.2 (2.40)
01	---	(5.5)	7	265		---	2.25	3.1 ----
02	---	(5.3)	5	(250)		---	2.35	3.2 ----
03	---	(5.2)	6	(250)	3.60	---	---	3.2 ----
04	---	(5.2)	5	(260)	4.00	---	---	3.2 ----
05	(615)	(5.0)	6	(250)	4.10	---	3.15	3.2 ----
06	(540)	(5.5)	8	(245)	4.20	---	2.95	3.2 (2.30)
07	(640)	(5.6)	9	(250)	4.40	100	3.20	3.2 (2.20)
08	(540)	5.9	11	(250)	4.65	---	3.25	4.2 (2.30)
09	---	(6.5)	9	245	4.80	100	3.25	4.2 (2.50)
10	---	(6.4)	8	240	---	---	3.20	4.1 (2.50)
11	(475)	6.6	10	(220)	4.95	100	3.20	4.0 (2.40)
12	(550)	(6.4)	8	(220)	4.70	---	3.20	4.0 (2.50)
13	---	(6.2)	7	(220)	---	---	3.20	3.2 ----
14	---	(6.4)	7	(250)	---	---	3.25	4.1 ----
15	---	(6.2)	6	(245)	---	---	3.15	6.7 ----
16	---	6.2	10	(245)	---	100	3.15	3.3 (2.55)
17		6.0	10	(250)	---	100	3.05	4.0 (2.60)
18		(6.0)	5	---	---	---	---	6.0 ----
19		(5.8)	8	---	---	---	---	4.8 ----
20		(6.0)	8	(260)	---	---	---	6.0 (2.60)
21		(5.9)	6	(260)	---	---	---	7.1 ----
22		5.8	10	(265)	---	115	2.30	3.2 (2.55)
23		5.8	10	(275)	---	---	---	3.2 (2.55)

Time: 15.0°E.
Sweep: 0.68 Mc to 24.6 Mc in 5 minutes, automatic operation.

Table 60

Hollandia, Netherlands New Guinea (2.5° S, 140.8° E)								April 1958
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		>13.9	28	230		100	4.0	2.90
01	(400)	>13.6	29	240	(9.5)	100	---	---
02	(430)	>13.5	30	(250)	---	100	---	---
03	450	>13.4	30	(250)	(8.8)	---	---	---
04	485	>13.4	29	(250)	(8.2)	100	---	---
05	485	>13.4	27	<260	(8.0)	100	(4.2)	---
06	440	>13.5	28	<270	---	100	3.9	---
07	---	>13.6	29	240		100	3.2	3.5
08		>13.7	30	250		120	2.4	3.2
09		>13.6	30	300	---	---	---	3.7
10		>13.7	30	330				3.4
11		>13.9	30	290				3.4
12		>13.6	30	220				3.5
13		>13.7	30	210				3.2
14		>13.9	30	210				3.1 (3.00)
15		>13.7	30	200				3.05
16		11.4	30	200				2.5
17		10.4	28	210			2.4	2.90
18		10.0	29	220			3.1	2.95
19		10.0	28	210			2.8	3.10
20		8.9	29	205	---	---	2.8	3.35
21		11.8	28	240		130	2.3	3.3
22		>14.0	29	220		100	3.2	3.8
23		(14.3)	29	220		100	3.8	3.15

Time: 0.0°.
Sweep: 1.4 Mc to 16.0 Mc in 40 seconds.

Table 61

Casablanca, Morocco (33.6° N, 7.6° W)									
January 1958									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	(7.9)	18	<265					2.75	
01	(7.3)	19	<260					(2.60)	
02	7.1	18	<260					2.70	
03	6.4	19	<250					3.05	
04	6.0	19	<245					2.90	
05	>4.6	20	<265					2.70	
06	4.6	19	<300					2.65	
07	5.1	19	260					2.85	
08	9.0	20	240		(135)	2.00		3.20	
09	11.6	18	230		110	2.90		3.10	
10	---	13.4	18	230	110	3.40	3.6	2.90	
11	---	13.3	18	230	110	3.70	3.7	2.75	
12	---	13.0	18	230	---	105	3.90	2.65	
13	(385)	12.9	17	225	---	105	3.85	2.50	
14	(355)	12.4	19	220	6.9	105	3.70	2.50	
15	---	12.8	18	240	---	110	3.50	2.50	
16	---	12.0	19	245	---	110	3.20	2.55	
17	---	11.5	15	250	---	120	2.45	2.60	
18	---	11.4	13	255	---	---	---	2.6	(2.70)
19	---	8.7	14	<255	---	---	---	2.2	(2.60)
20	---	>8.7	16	<260	---	---	---	2.50	
21	---	(8.8)	19	<270	---	---	---	(2.50)	
22	---	8.6	19	<270	---	---	---	2.65	
23	---	8.5	19	<275	---	---	---	2.65	

Time: 0.0°.

Sweep: 1.6 Mc to 16.0 Mc in 1 minute 15 seconds.

Table 62

Lulea, Sweden (65.6° N, 22.1° E)									
April 1957									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.6	10	350			3.5	----	
01		>5.0	8	345			3.4	----	
02		>4.0	15	330					
03		>5.0	17	330					
04		(5.2)	17	290		130	2.0		
05		(5.8)	18	260		130	2.4		(3.0)
06	---	6.3	22	250	---	115	2.7		3.0
07	---	6.9	18	250	---	110	3.0		2.95
08	(410)	7.5	23	250	5.0	105	3.4		2.7
09	(410)	7.8	25	240	5.3	105	3.5		2.85
10	(480)	7.9	22	240	5.5	100	3.5		(2.65)
11	450	>8.0	25	230	5.5	100	3.6		(2.65)
12	(450)	>8.0	27	230	5.5	100	3.6		(2.6)
13	---	>8.0	28	240	5.4	100	3.5		2.75
14	(450)	>8.0	26	235	5.4	105	3.5		2.7
15	---	>8.0	25	240	---	105	3.4		(2.8)
16	---	>8.0	27	245	---	105	3.1		(2.8)
17	---	7.8	26	250	---	115	2.9		----
18	---	>7.0	22	250		130	2.6		
19	---	(7.0)	17	265		150	2.0		----
20	---	>7.0	11	270		---	---	2.6	
21	---	>5.0	11	295		---	---	2.6	
22	---	>5.0	7	330		---	---	3.0	
23	---	>4.3	9	340		---	---	2.8	----

Time: 15.0°E.

Sweep: 1.4 Mc to 10.0 Mc in 9 minutes, automatic operation.

Table 63

Lwiro, Belgian Congo (2.3° S, 28.8° E)									
April 1957									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		>13.4	29	225			(1.9)	----	
01		>13.1	28	210			(1.7)	(3.17)	
02		>10.0	26	220			1.3	(2.95)	
03		>10.0	27	230				3.02	
04		>10.0	28	220			(1.7)	3.20	
05		7.8	26	210			(1.9)	3.32	
06		7.1	27	240			(2.0)	3.09	
07	240	10.9	29	235	121	2.70	3.2	3.10	
08	(245)	12.5	29	230	115	3.35	3.7	3.00	
09	---	>13.4	28	225	111	3.80	4.1	2.70	
10	---	>13.4	30	215	---	4.00		(2.60)	
11	---	>13.5	20	210	---	4.20		<2.70	
12	388	>13.8	29	200	---	4.30			
13	395	>13.6	28	205	---	4.20	4.5	----	
14	402	>13.4	29	210	---	4.00	4.2	----	
15	400	>13.4	29	225	---	3.75	4.2	----	
16	395	>13.6	29	235	---	113	3.40	3.7	----
17	---	>13.5	29	250	---	117	2.70	(3.4)	----
18	---	>13.4	28	260	---	---	---	(2.8)	----
19	---	>12.6	29	325	---	---	---	(2.2)	----
20	---	>10.0	28	315	---	---	---	(1.9)	----
21	---	>10.0	29	250	---	---	---	(2.0)	----
22	---	>10.0	29	225	---	---	---	(1.7)	----
23	---	>13.3	29	220	---	---	---	(1.8)	----

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 64

Port Lockroy (64.8° S, 63.5° W)									
April 1957									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		4.3	22				1.1	----	
01		4.3	18				1.4	(2.2)	
02		4.0	18				<1.2	(2.1)	
03		3.6	16				1.2	----	
04		3.5	19				1.2	(2.2)	
05		3.4	18				1.3	2.0	
06		(3.6)	17				1.2	(2.0)	
07		(5.0)	18				1.2	----	
08		7.0	25					2.9	
09		10.0	20				2.5	3.2	
10		12.0	25				2.6	3.2	
11		13.0	26					3.2	
12		13.8	22					3.2	
13		12.9	23					3.1	
14		12.6	26					3.2	
15		11.2	28					3.2	
16		11.2	27					(3.2)	
17		(10.5)	27				1.4	----	
18		>9.0	10				1.4	(3.2)	
19		(7.0)	22				1.3	(3.0)	
20		5.7	21				1.4	(2.9)	
21		4.9	23				1.2	(2.4)	
22		4.8	22				1.0	(1.9)	
23		4.5	25					(2.2)	

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 65

Lwiro, Belgian Congo (2.3° S, 28.8° E)									
March 1957									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		>10.0	28	210				(3.01)	
01		>10.0	28	225				2.88	
02		>10.0	26	245				2.92	
03		>10.0	25	235				3.12	
04		>10.0	25	215			(1.5)	3.26	
05		7.0	26	210			(1.6)	3.35	
06		6.3	26	230	---	E	(1.9)	3.05	
07	235	>10.0	26	230	119	2.60	3.0	3.28	
08	240	(10.6)	27	220	111	3.30	3.5	3.08	
09	---	>10.0	29	210	111	3.70	3.9	2.72	
10	---	>12.8	27	210	---	109	4.00	(2.60)	
11	---	>10.0	27	205	---	4.20		(2.50)	
12	(405)	>12.6	27	200	(5.3)	---	4.30	----	
13	415	>13.2	28	200	(5.3)	---	4.20	(2.50)	
14	415	>12.8	27	210	(5.0)	---	4.00	----	
15	415	>13.4	28	215	---	3.80		----	
16	420	>13.2	28	225	---	111	3.50	----	
17	(405)	>13.2	30	240	---	113	3.00	----	
18	---	>11.2	30	280	---	1.90		----	
19	---	>10.0	28	345			(1.8)	----	
20	---	>10.0	27	310			(1.5)	----	
21	---	>10.0	28	240			(1.6)	----	
22	---	>10.0	28	220				----	
23	---	>10.0	26	205				----	

Time: Local.

Sweep: 1.25 Mc to 25.0 Mc in 10 minutes, automatic operation.

Table 66

Kerguelen I. (49.4° S, 70.3° E)								March 1957
Time	h'F2	foF2→Count	h'F	fof1	h'E	foE	foEs	(M3000)F2
00		3.0	20	300	---	----	1.5	2.50
01		2.9	17	320			1.3	2.60
02		3.0	10	345			1.5	2.50
03		3.4	10	345			1.4	(2.50)
04		3.1	11	340				(2.45)
05		2.8	11	350				(2.50)
06		4.2	19	310	---	105	1.75	2.70
07	---	5.6	26	250	---	100	2.30	2.95
08	---	6.5	27	245	4.2	100	2.85	3.00
09	675	7.0	28	225	4.5	100	3.25	2.75
10	490	7.9	30	225	4.8	100	3.50	2.55
11	475	>9.0	28	220	5.2	100	3.50	2.55
12	460	10.0	30	215	5.2	100	3.60	2.50
13	555	10.2	30	230	5.1	100	3.60	2.50
14	480	10.4	29	225	5.2	100	3.50	2.55
15	460	10.2	29	230	5.0	100	3.40	2.60
16	---	10.0	31	230	---	100	3.10	2.70
17	---	>9.2	27	240	---	100	2.75	2.80
18		8.3	23	245		100	2.10	3.00
19		7.0	21	240		---	1.30	2.90
20		6.5	25	240		---	----	2.90
21		4.6	24	245		---	E	2.90
22		3.4	22	260		145	1.25	2.75
23		3.1	19	300		150	1.10	2.70

Table 67

Terre Adelle (66.7° S, 140.0° E) March 1957									
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	(4,5)	8	290	---	---	---	2.8	(2,50)
01	---	(3,5)	13	280	---	---	---	2.6	(2,40)
02	---	(4,1)	8	300	---	---	---	2.2	(2,30)
03	---	(3,3)	15	310	---	---	E	2.0	(2,35)
04	---	(4,0)	10	320	---	---	1.40	2.2	(2,60)
05	---	4.4	10	300	---	---	1.70	2.6	(2,60)
06	---	(4,6)	14	270	---	110	(2,10)	---	(2,70)
07	350	5.3	15	260	3.7	110	2.45	2.65	---
08	365	6.0	15	250	4.2	110	2.80	2.40	---
09	400	6.0	10	250	4.4	105	2.95	---	(2,50)
10	400	7.1	12	250	4.5	105	(3,05)	---	(2,10)
11	370	0.0	12	245	4.6	105	3.15	---	(2,50)
12	350	8.0	13	235	4.6	105	3.05	---	(2,60)
13	395	(7,6)	17	240	4.7	105	3.10	---	(2,50)
14	410	7.1	13	245	4.6	105	3.00	---	2.40
15	400	(7,6)	16	240	4.4	105	2.80	---	(2,50)
16	350	8.1	19	255	---	110	2.50	2.50	---
17	---	8.0	15	260	---	110	(2,25)	2.3	2.55
18	---	7.4	17	265	---	120	1.80	2.4	2.60
19	---	7.5	18	260	---	---	1.50	2.8	(2,60)
20	---	(6,6)	8	260	---	---	E	3.1	(2,45)
21	---	5.8	12	280	---	---	---	2.2	(2,45)
22	---	(6,0)	10	265	---	---	---	2.4	(2,50)
23	---	(4,5)	5	270	---	---	---	2.2	---

Time: 135.0°E.

Sweep: 1.2 Mc to 17.0 Mc in 1 minute.

Table 69

Lwiro, Belgian Congo (2.3° S, 28.8° E) May 1954									
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	3.9	17	250	---	---	---	2.1	3.03
01	---	3.6	11	240	---	---	---	1.8	3.19
02	---	(3,1)	16	235	---	---	---	2.9	3.33
03	---	(2,0)	11	258	---	---	---	2.4	(2,92)
04	---	2.1	19	270	---	---	---	2.4	3.12
05	---	1.6	13	275	---	---	---	1.8	(3,40)
06	---	3.4	25	250	---	---	---	2.2	3.18
07	265	5.8	24	235	---	119	2.15	3.0	3.43
08	290	6.5	25	(225)	3.95	111	2.65	4.3	3.28
09	295	7.0	25	(230)	4.15	111	3.00	4.1	3.28
10	320	7.5	27	(215)	4.35	109	3.20	4.6	3.14
11	320	8.0	25	(210)	4.35	108	3.30	4.8	3.00
12	315	9.4	29	(210)	4.40	110	3.35	4.9	2.97
13	315	(9,4)	28	(210)	4.35	107	3.30	4.3	3.00
14	310	9.5	30	(205)	4.30	107	3.15	4.4	2.96
15	300	9.2	28	(220)	4.15	106	2.95	3.7	3.06
16	280	8.6	28	---	3.90	110	2.70	4.1	3.10
17	(255)	7.9	27	(245)	---	117	2.15	3.8	3.13
18	---	7.7	27	240	---	---	---	3.3	3.26
19	---	7.6	25	230	---	---	---	2.6	3.38
20	---	5.6	26	220	---	---	---	2.6	3.50
21	---	3.9	23	215	---	---	---	2.0	3.54
22	---	3.1	20	235	---	---	---	1.8	3.06
23	---	3.4	18	270	---	---	---	2.0	3.00

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 71

Lwiro, Belgian Congo (2.3° S, 28.8° E) March 1954									
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	6.2	20	220	---	---	---	---	3.34
01	---	4.8	21	230	---	---	---	---	3.10
02	---	4.2	18	250	---	---	---	---	3.04
03	---	3.4	18	260	---	---	---	---	3.06
04	---	3.0	17	250	---	---	---	---	3.23
05	---	(2,6)	19	245	---	---	---	---	1.9
06	---	3.1	25	250	---	E	---	---	2.2
07	270	5.9	29	250	---	119	(2,05)	2.9	3.44
08	300	6.9	27	240	(4,10)	115	2.65	2.8	3.19
09	330	7.4	30	230	(4,30)	114	3.05	---	2.92
10	360	8.6	30	220	4.50	115	3.30	---	2.80
11	385	>10.0	30	220	4.50	116	3.45	---	2.77
12	380	>10.0	30	220	4.50	114	3.50	---	2.74
13	360	>10.0	30	210	4.45	116	3.45	---	2.80
14	370	>10.0	30	220	4.45	114	(3,40)	---	2.79
15	355	>10.0	29	215	(4,30)	114	3.15	---	(2,94)
16	315	>10.0	29	230	(4,20)	114	2.85	---	(2,98)
17	305	>10.0	30	250	---	120	2.35	---	(2,9)
18	---	>9.6	30	265	---	---	1.65	---	2.3
19	---	>9.6	30	270	---	---	---	---	2.0
20	---	>9.1	28	250	---	---	---	---	1.6
21	---	8.5	27	245	---	---	---	---	<3.10
22	---	8.0	27	240	---	---	---	---	3.10
23	---	7.8	23	230	---	---	---	---	3.23

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 68

Lwiro, Belgian Congo (2.3° S, 28.8° E) February 1957									
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	>10.0	26	225	---	---	---	---	2.86
01	---	9.6	24	240	---	---	---	---	2.88
02	---	0.8	24	240	---	---	---	---	2.85
03	---	7.8	24	240	---	---	---	---	(1,6)
04	---	6.5	25	230	---	---	---	---	(1,6)
05	---	5.6	24	230	---	---	---	---	(1,6)
06	---	5.9	25	240	---	---	---	---	(1,7)
07	(245)	9.2	24	235	---	119	2.50	2.8	3.17
08	250	>10.0	25	220	---	113	3.25	3.5	3.05
09	---	(10,2)	28	215	---	111	3.65	3.0	2.74
10	(200)	>10.0	26	210	---	109	4.00	4.2	2.65
11	---	>10.0	26	205	(5,2)	---	4.15	4.2	<2,50
12	---	>11.0	26	200	---	---	4.20	4.4	---
13	405	(12,4)	25	200	---	---	4.15	---	(2,47)
14	395	>12.5	27	205	---	---	4.00	---	(2,49)
15	390	>12.1	28	215	---	111	3.80	---	---
16	380	>10.9	28	230	---	111	3.50	---	(2,62)
17	(360)	>12.4	27	240	---	112	2.95	---	(2,57)
18	---	>10.0	22	270	---	121	2.10	(2,6)	---
19	---	>10.0	24	330	---	---	---	---	(1,8)
20	---	>10.0	26	300	---	---	---	---	(1,9)
21	---	>10.0	26	240	---	---	---	---	(1,6)
22	---	>10.0	27	220	---	---	---	---	1.6
23	---	>10.0	25	210	---	---	---	---	(3,08)

Time: Local.

Sweep: 1.25 Mc to 25.0 Mc in 10 minutes, automatic operation.

Table 70

Lwiro, Belgian Congo (2.3° S, 28.8° E) April 1954									
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	---	5.4	21	240	---	---	---	1.6	3.04
01	---	5.3	20	220	---	---	---	---	3.28
02	---	4.5	19	230	---	---	---	2.0	3.06
03	---	3.2	24	250	---	---	---	2.0	3.07
04	---	2.8	24	245	---	---	---	2.0	3.27
05	---	3.5	20	240	---	---	---	2.0	3.50
06	---	5.2	27	240	---	---	---	2.4	3.44
07	250	6.1	26	240	---	124	2.10	2.9	3.61
08	270	6.8	26	230	4.10	118	2.70	3.5	3.42
09	300	7.7	29	230	4.40	114	3.00	3.5	3.11
10	310	8.8	29	215	4.45	114	3.30	---	2.95
11	350	>9.7	28	210	4.60	111	3.40	---	2.88
12	350	>10.0	29	205	4.50	111	3.40	---	2.89
13	325	>10.0	29	(210)	4.50	111	3.40	---	2.98
14	330	>10.0	28	(195)	4.40	111	3.30	---	2.92
15	330	>10.0	27	(200)	4.30	115	3.05	3.5	2.86
16	320	>10.0	25	(230)	(4,15)	116	2.65	3.7	2.90
17	290	>11.0	25	250	---	123	2.25	3.1	3.08
18	---	>10.0	27	250	---	---	---	2.4	(3,21)
19	---	>10.0	28	230	---	---	---	2.2	3.42
20	---	9.2	28	210	---	---	---	2.0	<3,57
21	---	6.4	28	210	---	---	---	---	3.37
22	---	4.7	24	220	---	---	---	---	3.00
23	---	4.8	22	235	---	---	---	---	2.90

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 72

Lwiro, Belgian Congo (2.3° S, 28.8° E)								February 1954	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.0	26	215				3.54	
01		3.4	26	255				2.80	
02		3.1	26	280				2.86	
03		3.0	24	270			1.4	3.02	
04		2.7	25	275			1.4	3.00	
05		2.4	24	275			1.4	3.14	
06		2.9	25	<275			1.5	3.11	
07	285	5.4	26	260	----	129	E 1.90	2.5	
08	315	6.6	26	245	4.05	121	2.55	3.0	
09	350	7.2	24	230	4.30	121	3.00	3.0	
10	370	7.9	24	230	4.40	122	3.20		
11	400	8.5	24	220	4.40	119	3.40		
12	380	9.6	25	225	4.40	121	3.40		
13	400	9.7	25	230	4.40	123	3.40		
14	395	9.8	24	225	4.35	121	3.30		
15	380	9.9	25	225	4.25	121	3.10		
16	360	9.6	26	240	4.15	123	2.80		
17	335	9.5	27	250	4.00	125	2.35	2.8	
18	305	8.8	26	270		---	1.60	2.6	
19		8.5	27	290				2.0	
20		7.8	26	290				2.73	
21		7.6	26	285			1.6	2.0	
22		8.2	26	260				2.81	
23		8.3	25	230				1.6	




Fig. 1. WASHINGTON, D. C.
38.7°N, 77.1°W

JULY 1960




Fig. 2. WASHINGTON, D. C.

JULY 1960




Fig. 3. HUANCAYO, PERU
12.0°S, 75.3°W

JULY 1960




Fig. 4. HUANCAYO, PERU

JULY 1960




Fig. 5. TALARA, PERU
4.6°S, 81.3°W

JUNE 1960

NBS 503




Fig. 6. TALARA, PERU

JUNE 1960

NBS 490




Fig. 7. RESOLUTE BAY, CANADA
74.7°N, 94.9°W

MAY 1960

NBS 503




Fig. 8. RESOLUTE BAY, CANADA

MAY 1960

NBS 490




Fig. 9. POINT BARROW, ALASKA
71.3°N, 156.8°W

MAY 1960




Fig. 10. POINT BARROW, ALASKA

MAY 1960




Fig. 11. KIRUNA, SWEDEN
67.8°N, 20.3°E

MAY 1960




Fig. 12. KIRUNA, SWEDEN

MAY 1960




Fig. 13. SODANKYLÄ, FINLAND
67.4°N, 26.6°E

MAY 1960

NBS 503




Fig. 14. SODANKYLÄ, FINLAND

MAY 1960

NBS 490




Fig. 15. LULEÅ, SWEDEN
65.6°N, 22.1°E

MAY 1960

NBS 503




Fig. 16. LULEÅ, SWEDEN

MAY 1960

NBS 490




Fig. 17. LYCKSELE, SWEDEN
64.6°N, 18.8°E

MAY 1960




Fig. 18. LYCKSELE, SWEDEN

MAY 1960




Fig. 19. NURMIJARVI, FINLAND
60.5°N, 24.6°E

MAY 1960




Fig. 20. NURMIJARVI, FINLAND

MAY 1960




Fig. 21. UPSALA, SWEDEN
59.8°N, 17.6°E

MAY 1960

NBS 503




Fig. 22. UPSALA, SWEDEN

MAY 1960

NBS 490




Fig. 23. CHURCHILL, CANADA
58.8°N, 94.2°W

MAY 1960

NBS 503




Fig. 24. CHURCHILL, CANADA

MAY 1960

NBS 490




Fig. 25. INVERNESS, SCOTLAND
57.4°N, 4.2°W

MAY 1960




Fig. 26. INVERNESS, SCOTLAND

MAY 1960




Fig. 27. De BILT, HOLLAND
52.1°N, 5.2°E

MAY 1960




Fig. 28. De BILT, HOLLAND

MAY 1960




Fig. 29. ADAK, ALASKA
51.9°N, 176.6°W

MAY 1960

NBS 503




Fig. 30. ADAK, ALASKA

MAY 1960

NBS 490




Fig. 31. SLOUGH, ENGLAND
51.5°N, 0.6°W

MAY 1960

NBS 503




Fig. 32. SLOUGH, ENGLAND

MAY 1960

NBS 490




Fig. 33. WINNIPEG, CANADA
49.9°N, 97.4°W

MAY 1960




Fig. 34. WINNIPEG, CANADA

MAY 1960




Fig. 35. ST. JOHN'S, NEWFOUNDLAND
47.6°N, 52.7°W

MAY 1960




Fig. 36. ST. JOHN'S, NEWFOUNDLAND

MAY 1960




Fig. 37. SOTTENS, SWITZERLAND
46.6°N, 6.7°E

MAY 1960

NBS 503




Fig. 38. SOTTENS, SWITZERLAND

MAY 1960

NBS 490




Fig. 39. OTTAWA, CANADA
45.4°N, 75.9°W

MAY 1960

NBS 503




Fig. 40. OTTAWA, CANADA

MAY 1960

NBS 490




Fig. 41. WAKKANAI, JAPAN
45.4°N, 141.7°E

MAY 1960




Fig. 42. WAKKANAI, JAPAN

MAY 1960




Fig. 43. GENOA (MONTE CAPELLINO), ITALY
44.6°N, 9.0°E

MAY 1960




Fig. 44. GENOA (MONTE CAPELLINO), ITALY

MAY 1960




Fig. 45. ROME, ITALY
41. 8°N, 12.5°E

MAY 1960

NBS 503




Fig. 46. ROME, ITALY

MAY 1960

NBS 490




Fig. 47. AKITA, JAPAN
39.7°N, 140.1°E

MAY 1960

NBS 503




Fig. 48. AKITA, JAPAN

MAY 1960

NBS 490




Fig. 49. TOKYO, JAPAN
35.7°N, 139.5°E

MAY 1960




Fig. 50. TOKYO, JAPAN

MAY 1960




Fig. 51. YAMAGAWA, JAPAN
31.2°N, 130.6°E

MAY 1960




Fig. 52. YAMAGAWA, JAPAN

MAY 1960




Fig. 53. EL CERILLO, MEXICO
19.3°N, 99.5°W

MAY 1960

NBS 503




Fig. 54. EL CERILLO, MEXICO

MAY 1960

NBS 490




Fig. 55. BUNIA, BELGIAN CONGO
1.5°N, 30.2°E

MAY 1960

NBS 503




Fig. 56. BUNIA, BELGIAN CONGO

MAY 1960

NBS 490




Fig. 57. SINGAPORE, BRITISH MALAYA
1.3°N, 103.8°E

MAY 1960




Fig. 58. SINGAPORE, BRITISH MALAYA MAY 1960




Fig. 59. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E

MAY 1960




Fig. 60. LWIRO, BELGIAN CONGO

MAY 1960




Fig. 61. LEOPOLDVILLE, BELGIAN CONGO
4.4°S, 15.2°E
MAY 1960




Fig. 62. LEOPOLDVILLE, BELGIAN CONGO




Fig. 63. ELISABETHVILLE, BELGIAN CONGO
11.6°S, 27.5°E
MAY 1960




Fig. 64. ELISABETHVILLE, BELGIAN CONGO




Fig. 65. BRISBANE, AUSTRALIA
27.5°S, 152.9°E

MAY 1960




Fig. 66. BRISBANE, AUSTRALIA

MAY 1960




Fig. 67. FALKLAND IS.
51.7°S, 57.8°W

MAY 1960




Fig. 68. FALKLAND IS.

MAY 1960




Fig. 69. UPSALA, SWEDEN
59.8°N, 17.6°E

APRIL 1960

NBS 503




Fig. 70. UPSALA, SWEDEN

APRIL 1960

NBS 490




Fig. 71. MOSCOW, U.S.S.R.
55.5°N, 37.3°E

APRIL 1960

NBS 503




Fig. 72. MOSCOW, U.S.S.R.

APRIL 1960

NBS 490




Fig. 73. ROME, ITALY
41.8°N, 12.5°E

APRIL 1960




Fig. 74. ROME, ITALY

APRIL 1960




Fig. 75. EL CERILLO, MEXICO
19.3°N, 99.5°W

APRIL 1960








Fig. 76. EL CERILLO, MEXICO

APRIL 1960






Fig. 81. ELISABETHVILLE, BELGIAN CONGO
11.6°S, 27.5°E
APRIL 1960




Fig. 82. ELISABETHVILLE, BELGIAN CONGO
APRIL 1960




Fig. 83. GENOA (MONTE CAPELLINO), ITALY
44.6°N, 9.0°E
JANUARY 1960




Fig. 84. GENOA (MONTE CAPELLINO), ITALY
JANUARY 1960




Fig. 85. ROME, ITALY
41.8°N, 12.5°E

DECEMBER 1959

NBS 503




Fig. 86. ROME, ITALY

DECEMBER 1959

NBS 490




Fig. 87. NATAL, BRAZIL
5.3°S, 35.1°W

DECEMBER 1959

NBS 503




Fig. 88. NATAL, BRAZIL

DECEMBER 1959

NBS 490




Fig. 89. POLE STATION
90.0°S

OCTOBER 1959




Fig. 90. POLE STATION

OCTOBER 1959




Fig. 91. POLE STATION
90.0°S

SEPTEMBER 1959




Fig. 92. POLE STATION

SEPTEMBER 1959




Fig. 93. POLE STATION
90.0°S

AUGUST 1959

NBS 503




Fig. 94. POLE STATION

AUGUST 1959

NBS 490



Fig. 95. POLE STATION
90.0°S

JULY 1959

NBS 503




Fig. 96. POLE STATION

JULY 1959

NBS 490




Fig. 97. SVALBARD, NORWAY

78.2°N, 15.7°E

MAY 1959




Fig. 98. SVALBARD, NORWAY

MAY 1959




Fig. 99. JULIUSRUH/RÜGEN, GERMANY

54.6°N, 13.4°E

MAY 1959












Fig. 100. JULIUSRUH/RÜGEN, GERMANY

MAY 1959








Fig. 109. PRUHONICE, CZECHOSLOVAKIA
50.0°N, 14.6°E
APRIL 1959




Fig. 110. PRUHONICE, CZECHOSLOVAKIA




Fig. 111. TRELEW, ARGENTINA
43.2°S, 65.3°W
APRIL 1959




Fig. 112. TRELEW, ARGENTINA

APRIL 1959




Fig. 113. EUREKA, CANADA
80.0°N, 85.9°W

NOVEMBER 1958




Fig. 114. EUREKA, CANADA

NOVEMBER 1958




Fig. 115. SVALBARD, NORWAY
78.2°N, 15.7°E

AUGUST 1958








Fig. 116. SVALBARD, NORWAY

AUGUST 1958






Fig. 121. CASABLANCA, MOROCCO

33.6°N, 7.6°W

JANUARY 1958




Fig. 122. CASABLANCA, MOROCCO

JANUARY 1958




Fig. 123. LULEA, SWEDEN

65.6°N, 22.1°E

APRIL 1957












Fig. 124. LULEA, SWEDEN

APRIL 1957








Fig. 133 TERRE ADELIE
66.7°S, 140.0°E

MARCH 1957

NBS 503




Fig. 134 TERRE ADELIE

MARCH 1957

NBS 490




Fig. 135. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E

FEBRUARY 1957

NBS 503




Fig. 136. LWIRO, BELGIAN CONGO

FEBRUARY 1957

NBS 490




Fig. 137. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E

MAY 1954




Fig. 138. LWIRO, BELGIAN CONGO

MAY 1954




Fig. 139. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E

APRIL 1954




Fig. 140. LWIRO, BELGIAN CONGO

APRIL 1954




Fig. 141. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E

MARCH 1954

NBS 503




Fig. 142. LWIRO, BELGIAN CONGO

MARCH 1954

NBS 490




Fig. 143. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E

FEBRUARY 1954

NBS 503




Fig. 144. LWIRO, BELGIAN CONGO

FEBRUARY 1954

NBS 490

Index of Tables and Graphs of Ionospheric Data

in CRPL-F196 (Part A)

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
May 1960	3	20
Akita, Japan		
May 1960	4	24
Brisbane, Australia		
May 1960	6	29
Bunia, Belgian Congo		
May 1960	5	26
April 1960	7	32
Canberra, Australia		
May 1959	9	38
Capetown, Union of S. Africa		
May 1959	9	38
Casablanca, Morocco		
January 1958	11	43
Churchill, Canada		
May 1960	2	18
De Bilt, Holland		
May 1960	3	19
Dourbes, Belgium		
April 1959	9	39
El Cerillo, Mexico		
May 1960	5	26
April 1960	7	31
Elisabethville, Belgian Congo		
May 1960	6	28
April 1960	7	33
Eureka, Canada		
November 1958	10	41
Falkland Is.		
May 1960	6	29
Genoa (Monte Capellino), Italy		
May 1960	4	23
January 1960	7	33
Hollandia, Netherlands New Guinea		
April 1958	10	42
Huancayo, Peru		
July 1960	1	13
Inverness, Scotland		
May 1960	3	19
Juliusruh/Rügen, Germany		
May 1959	9	37

Index (CRPL-F196 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Kerguelen I.		
March 1957	11	45
Kiruna, Sweden		
May 1960	1	15
Leopoldville, Belgian Congo		
May 1960	6	28
April 1960	7	32
Lulea, Sweden		
May 1960	2	16
April 1957	11	43
Lwiro, Belgian Congo		
May 1960	5	27
April 1957	11	44
March 1957	11	45
February 1957.	12	46
May 1954	12	47
April 1954	12	47
March 1954	12	48
February 1954.	12	48
Lycksele, Sweden		
May 1960	2	17
Meanook, Canada		
August 1958	10	42
Moscow, U.S.S.R.		
April 1960	6	30
Natal, Brazil		
December 1959.	8	34
Nurmijarvi, Finland		
May 1960	2	17
Ottawa, Canada		
May 1960	4	22
Point Barrow, Alaska		
May 1960	1	15
Pole Station		
October 1959	8	35
September 1959	8	35
August 1959.	8	36
July 1959.	8	36
Port Lockroy		
April 1957	11	44
Pruhonice, Czechoslovakia		
April 1959	10	40
Resolute Bay, Canada		
May 1960	1	14

Index (CRPL-F196 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Rome, Italy		
May 1960	4	24
April 1960	7	31
December 1959	8	34
St. John's, Newfoundland		
May 1960	3	21
Singapore, British Malaya		
May 1960	5	27
Slough, England		
May 1960	3	20
Sodankyla, Finland		
May 1960	2	16
Sottens, Switzerland		
May 1960	4	22
Svalbard, Norway		
May 1959	9	37
August 1958	10	41
Talara, Peru		
June 1960	1	14
Terre Adelie		
March 1957	12	46
Tokyo, Japan		
May 1960	5	25
Trelew, Argentina		
May 1959	9	39
April 1959	10	40
Upsala, Sweden		
May 1960	2	18
April 1960	6	30
Wakkanai, Japan		
May 1960	4	23
Washington, D. C.		
July 1960	1	13
Winnipeg, Canada		
May 1960	3	21
Yamagawa, Japan		
May 1960	5	25

The annual index is on the following pages, 52-54.

INDEX OF IONOSPHERIC DATA PUBLISHED IN 1960
(CRPL-F 18 5(A) THROUGH F 196(A))

The following index of tables and graphs of ionospheric data published in the CRPL-F(A) series in 1960 is divided into two parts. Part I is an index of data observed in 1959 and 1960. Part II is an index of data observed prior to 1959.

In general, both table and graphs for a given station for a given month appear in the same issue.

Annual indexes of ionospheric data published prior to 1960 are in IRPL-F17, CRPL-F28, -F40, -F52, -F64, -F76, -F88, -F100, -F112, -F124, -F136(A), -F148(A), -F160(A), -F172(A), and -F184(A).

PART I

Index of Tables and Graphs of Ionospheric Data Observed in 1959 and 1960
and Published in 1960 (CRPL-F185(A) through -F196(A))

Station	1959												1960											
	J	F	M	A	M	J	Jy	A	S	O	N	D	J	F	M	A	M	J	Jy	A	S	O	N	
Adak, Alaska							185	186	187	187	187	188	189	190	192	195	196							
Akita, Japan	185	186	186	187	188	188								193	194	195	196							
Anchorage, Alaska						185	186	186		187	187	188	189	189	190	195								
Baguio, P. I.						186	186	186	187	187	188		189	189	190									
Baker Lake, Canada	185																							
Bogota, Colombia				185			189	190	192	189	188	190												
Boulder, Colorado	189	189	189	189	189	189	189	187		188	188	189	189	189	192	194	193							
Brisbane, Australia				185	185	188	189	190	192		191				196									
Budapest, Hungary		193	189	185	188			190	193															
Buenos Aires, Argentina	192		194	195																				
Bunia, Belgian Congo	186	186	185	187	188	189		191	193				192	193	195	196	196							
Byrd Station	190	191	193	193	194				192															
Canberra, Austrlia	192	193	194	195	196		192																	
Cape Hallett	185																							
Capetown, Union of S. Africa			186	188	196																			
Christchurch, New Zealand	185																							
Churchill, Canada		185	187	187									192		195	195	196							
Concepcion, Chile	188	190	194						188	189	189													
Dakar, French W. Africa	193	193	194																					
De Bilt, Holland	185	185	187							191				193	194	195	196							
Djibouti, French Somaliland	192	193	194																					
Dourbes, Belgium	192	193	195	196																				
El Cerillo, Mexico ^a		193	194	195			191		191	191					194	196	196							
Elisabethville, Belgian Congo	186	186	185	187	188	189	191	191	193				192	193	195	196	196							
Eureka, Canada	192																							
Fairbanks, Alaska							185	185	187	187	188	188	189	190	190	194								
Falkland Is.	185	185	186	186	188	188	191		191	193	193				194	195	196							
Formosa, China	186	186	186	188	189	191	193	190							194	195								
Ft. Monmouth, New Jersey					185		185	186	186	187	187	187	189	189	193	195								
Freiburg, Germany	192	192																						
Frobisher, Canada	192																							
Genoa (Monte Capellino), Italy. <u>See</u> Monte Capellino, Italy.	192	185	185	187	189								196	193	194	195	196							
Godhavn, Greenland						185	186	186	187	188														
Grahamstown, Union of S. Africa	192																							
Grand Bahama I.						185	185	186	187	188	189	189	191	191	193									
Graz, Austria	186	186	186	186											194									
Hobart, Tasmania			185																					
Huancayo, Peru						185	186	186	186	187	187	188	190	190	191	193	194	195	196					
Ibadan, Nigeria	185	185	185	187	188	189	190																	
Inverness, Scotland	185	185 ^b	186								191		192		194	195	196							
Johannesburg, Union of S. Africa			186	188																				
Juliac, Peru			186	187																				
Juliusruh/Rugen, Germany	192	193	194	195	196																			
Kiruna, Sweden			185	188	190		190								193	194	195	196						
La Paz, Bolivia													190	193										

PART I (CONCLUDED)

Station	1959												1960											
	J	F	M	A	M	J	Jy	A	S	O	N	D	J	F	M	A	M	J	Jy	A	S	O	N	
Leopoldville, Belgian Congo	186	186	186	187	188	189	191	191	193				192	193	195	196	196							
Lindau/Harz, Germany	192	193	194	195					194															
Lulea, Sweden	185	185	185	187	188	189	190	190	192	191	194		192	193	194	195	196							
Lwiro, Belgian Congo	186		186	186	191	190		191	191				192				196							
Lycksele, Sweden	185	185	185	185	188		192	191		191					194	195	196							
Macau		185								193														
Maui, Hawaii							185	186	187	187	187	188	189	189	192	195								
Meenook, Canada	192																							
Monte Capellino, Italy. See Genoa (Monte Capellino), Italy	192	185	185	187	189								196	193	194	195	196							
Moscow, U.S.S.R.	186	186			188			191	191						194		196							
Mundaring, W. Australia													192											
Narsarsuak, Greenland						185	186	186	187	188	188	188	192	191										
Natal, Brazil	189									193	190	196												
Nurmijarvi, Finland	185	186	185	186	188		190	192	191		194	193			193	194	195	196						
Okinawa I.						185	186	186	186	187	187	187	189	191										
Oslo, Norway	185																							
Ottawa, Canada	185	185	185										192	193	195	195	196							
Point Barrow, Alaska								186	187	187	187	188	189	189	190	195	196							
Pole Station	193	193	193	193	195	195	196	196	196	196	191	191	191											
Port Lockroy	192																							
Providence Bay, U.S.S.R.							191																	
Pruhonice, Czechoslovakia				196																				
Resolute Bay, Canada		185		188							191		192	193	195	195	196							
Reykjavik, Iceland						185	186	186	187	187	188	189	189											
Rome, Italy		186	186	186	188		190	190	192			196			193	194	196	196						
St. John's, Newfoundland													192		195	195	196							
San Salvador I.	188																							
Sao Paulo, Brazil	192	193	194	195																				
Schwarzenburg, Switzerland			186				190						192	193	194	195	196							
See Sottens.																								
Simferopol, U.S.S.R.						191	191	191																
Singapore, British Malaya			185	187	188	187	190	191	191						194	195	196							
Slough, England				186		188	190					191	192		194	195	196							
Sodankyla, Finland	185	186	185	187	188	191	192	190			194	192			193	194	195	196						
Sottens, Switzerland			186				190						192	193	194	195	196							
See Schwarzenburg.																								
Svalbard, Norway	192		194	195	196																			
Tahiti, Society Is.	193	193	194																					
Talara, Peru					186		186	187	187	187	188	188	191	191	193	194	195	196						
Tananarive, Madagascar	192	193	194																					
Thule, Greenland							186	186	187	188	187	188	190	191	194	193								
Tokyo, Japan	185	185	185	187	188	188									193	194	195	196						
Townsville, Australia						190	190	190	192															
Trelew, Argentina		193	194	196	196																			
Tromso, Norway			187		188	190	190	190	192						193	194	195							
Tucuman, Argentina			194																					
Upsala, Sweden	188		185	185	189		190	191							193	194	196	196						
Ushuaia, Argentina	192	193																						
Victoria, Canada	192																							
Wakkanai, Japan	185	185	185	187	188	188									193	194	195	196						
Washington, D. C.								186	186	187	187	188	189	189	191	191	194	194	196					
Watheroo, W. Australia	185																							
White Sands, New Mexico						185	187	186	187	187	188	189	189	191	193	193								
Winnipeg, Canada	188		185										192	193	195	195	196							
Yamagawa, Japan	185	185	186	187	188	188									193	194	195	196						
Yellowknife, Canada	192																							

^aSee Erratum 1 in CRPL-F186(A), p. vii, concerning reporting time of data for November and December 1958, and January 1959.^bSee Erratum 2 in CRPL-F186(A), p. vii, concerning graph of h'E for February 1959.

Part II of this Index is on following page.

Index of Tables and Graphs of Ionospheric Data Observed Prior to 1959 and

Published in 1960 (CRPL-F185(A) through -F196(A))

Station	1958												1957											
	J	F	M	A	M	J	Jy	A	S	O	N	D	J	F	M	A	M	J	Jy	A	S	O	N	D
Ahmedabad, India						191																		
Alert, Canada	190	190	190	191							194	194							191					
Bangui, French Equatorial Africa						194	194																	
Bombay, India						191																		
Boulder, Colorado												187	187											
Budapest, Hungary								191									188							
Buenos Aires, Argentina	189	189		190	189	190	190	190				191												
Byrd Station										188	188	189												
Calcutta, India						191																		
Cape Canaveral, Florida				188	189	189	189	190	187	189	189	189												
Casablanca, Morocco	196																							
Chiclayo, Peru												185												
Clyde River, Canada				194	194																			
Concepcion, Chile						189				186	187	188	188	188										
Dakar, French W. Africa	195	193	195																					
Deception I.						195	195																	
Delhi, India						191																		
Djibouti, French Somaliland	195	195	195																					
Dourbes, Belgium						195																		
Eureka, Canada	192	193	194									196	195											
Freiburg, Germany	192	193		195			189									190	190	190						
Frobisher, Canada												195												
Grahamstown, Union of S. Africa								192	189															
Graz, Austria				187																				
Hobart, Tasmania					192				190															
Hollandia, Netherlands New Guinea	194	194	194	196																				
Ibadan, Nigeria									191			191												
Juliusruh/Rügen, Germany				192																				
Kerguelen I.																196								
Kodaikanal, India				191																				
La Paz, Bolivia												186												
La Quiaca, Argentina						190	192	191	192															
Lindau/Harz, Germany							190																	
Little America									185															
Lulea, Sweden	190	193	190		190	190	190								196								192	
Lwiro, Belgian Congo	189	190					190	194	194	194	194	194	194	192	196	196	196		189	189	189			
Madras, India		191																						
Meenook, Canada	190	193	190					196	194			193												
Natal, Brazil										189	185	188												
Nurmijarvi, Finland								190								187	187							
Paramaribo, Surinam	192	193	194	195																				
Poitiers, France	195	194	195																					
Pole Station											190	191												
Port Lockroy	189	189	189	195								191				196	195	195		189	190	189	190	
Rabat, Morocco				193	195																			
San Salvador I.												188	188											
Sao Paulo, Brazil						192	192	194																
Singapore, British Malaya	191	191	189																				187	189
Svalboard, Norway	192	192		190	191	190	190	196																
Tahiti, Society Is.	195	193	195																					
Tamanrasset, French W. Africa	193	195																						
Tananarive, Madagascar	195	194	195																					
Terre Adelie																196								
Tiruchy, India				191																				
Townsville, Australia								190																
Trelew, Argentina					194		192	191	191															
Trivandrum, India		191																						
Tsumeb, South W. Africa		195	194																					
Tucuman, Argentina		189		190			192	192	192															
Ushuaia, Argentina		193	191				192		192															
Victoria, Canada												191												
Watheroo, W. Australia					187																			
Yellowknife, Canada			194							192	193													

Station	1956												1955											
	J	F	M	A	M	J	Jy	A	S	O	N	D	J	F	M	A	M	J	Jy	A	S	O	N	D
Budapest, Hungary	188						190																	
Campbell I.																								
Freiburg, Germany																								
Kerguelen I.																								
Nha-Trang, Indochina	187 187 187 187 187 187						188 188 188																	
	186 186 186 186																							
	1954												1953											
Lulea, Sweden	196 196 196 196												192											
Lwiro, Belgian Congo																								

CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL—J. North Atlantic Radio Propagation Forecast.

CRPL—Jp. North Pacific Radio Propagation Forecast.

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11—499—, monthly supplements to TM 11—499; Dept. of the Air Force, TO 31—3—28 series). On sale by Superintendent of Documents. Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.

(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic, or other radio propagation data.

Catalog of Data:

A catalog of records and data on file at the U. S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder Laboratories, Boulder, Colorado, unless otherwise indicated. Please note that the F series is not generally available.

Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:

NBS Circular 462. Ionospheric Radio Propagation. \$1.25.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions. 30 cents.

NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 Megacycles. 30 cents.

NBS Circular 582. Worldwide Occurrence of Sporadic E. \$3.25.

These Circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

Selected Technical Notes of the National Bureau of Standards:

NBS Tech. Note 2. PB151361. World Maps of F2 Critical Frequencies and Maximum Usable Frequency Factors. \$3.50.

NBS Tech. Note 13. PB151372. Technical Considerations Leading to an Optimum Allocation of Radio Frequencies in the Band 25 to 60 Mc. \$2.50.

NBS Tech. Note 18. PB151377. Radio Noise Data for the IGY. \$2.50.

18-2. PB151377-2. Quarterly Radio Noise Data (Mar.-May 1959). \$1.00.

18-3. PB151377-3. (June-Aug. 1959). \$1.00.

18-4. PB151377-4. (Sept.-Nov. 1959). \$1.50.

NBS Tech. Note 31. PB151390. An Atlas of Oblique-Incidence Ionograms. \$2.25.

NBS Tech. Note 40-1. PB151399-1. Mean Electron Density Variations of the Quiet Ionosphere, 1: March 1959. \$1.25.

40-2. PB151399-2. 2: April 1959. \$1.25.

These Technical Notes are on sale by the Office of Technical Services, U. S. Department of Commerce, Washington 25, D. C. Order by PB number.

