

CRPL-F 209 PART A

FOR OFFICIAL USE

National Bureau of Standards
Library, N.W. Bldg

JAN 3 0 1962

Reference book not to be
removed from library.

PART A
IONOSPHERIC DATA

**ISSUED
JANUARY 1962**

**U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO**

National Bureau of Standards

MAR 24 1964

122,433

QC503

U5

Ref.
cop. 1

CRPL-F 209
PART A

NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

Issued
22 Jan. 1962

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	ii
World-Wide Sources of Ionospheric Data.	v
Tabulations of Electron Density Data.	viii
Tables of Ionospheric Data	1
Graphs of Ionospheric Data	11
Index of Tables and Graphs of Ionospheric Data in CRPL-F209 (Part A).	41

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

In the Second Report of the Special Committee on World-Wide Ionospheric Soundings of the URSI/AGI Committee, May 1957, a new descriptive letter was introduced:

M Measurement questionable because the ordinary and extraordinary components are not distinguishable.

There was an expansion in meaning of the following:

Z (1) (qualifying letter) Measurement deduced from the third magnetoionic component.
(2) (descriptive letter) Third magnetoionic component present.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N or R are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

B for fEs is counted on the low side when there is a numerical value of a higher layer characteristic; otherwise it is omitted from the median count.

S for fEs is counted on the low side at night; during the day it is omitted from the median count (beginning with data for November 1957).

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with CRPL-F188, Part A, issued April 1960, the count is given for foF2 in the tables of medians. It is regretted that space limitations prevent including detailed counts for other characteristics.

To indicate further in a general manner the relative reliability of the data, for the F2 layer, h'F or foEs, if the count is from five to nine, or, for all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is enclosed in parentheses. Medians are computed for less than five values for foF2 only.

Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.

There is no indication on the graphs of the relative reliability of the observed data; it is necessary to consult the tables for such information.

The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

The latest available information follows concerning the smoothed observed Zürich numbers beginning with the minimum of April 1954. Final numbers are listed through June 1960.

Smoothed Observed Sunspot Number

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
1954					3	4	4	5	7	8	8	9	12
1955	14	16	19	23	29	35	40	46	55	64	73	81	
1956	89	98	109	119	127	137	146	150	151	156	160	164	
1957	170	172	174	181	186	188	191	194	197	200	201	200	
1958	199	201	201	197	191	187	185	185	184	182	181	180	
1959	179	177	174	169	165	161	156	151	146	141	137	132	
1960	129	125	122	120	117	114	108	102	97	93	87	83	
1961	79	74	68	63	59	54							

WORLD-WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 60 and figures 1 to 120 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:
Brisbane, Australia
Hobart, Tasmania
Townsville, Australia

Australian Department of National Development, Bureau of Mineral Resources, Geology and Geophysics:
Mundaring, Western Australia

University of Graz:
Graz, Austria

Meteorological Service of the Belgian Congo and Ruanda-Urundi:
Bunia, Belgian Congo
Elisabethville, Belgian Congo
Leopoldville, Belgian Congo

Belgian Royal Meteorological Institute:
Dourbes, Belgium

Universidad Mayor de San Andres:
La Paz, Bolivia

British Department of Scientific and Industrial Research, Radio Research Board:
Falkland Is.
Inverness, Scotland
Slough, England

Defence Research Board, Canada:
Churchill, Canada
Ottawa, Canada
Resolute Bay, Canada
St. John's, Newfoundland
Winnipeg, Canada

Universidad de Concepcion:
Concepcion, Chile

Radio Wave Research Laboratories, National Taiwan University, Taipeh,
Formosa, China:
Formosa, China

Czechoslovak Academy of Sciences:
Pruhonice, Czechoslovakia

General Direction of Posts and Telegraphs, Helsinki, Finland:
Nurmijarvi, Finland

The Finnish Academy of Sciences and Letters:
Sodankyla, Finland

The Royal Netherlands Meteorological Institute:
De Bilt, Holland

Icelandic Post and Telegraph Administration:
Reykjavik, Iceland

National Institute of Geophysics, City University, Rome, Italy:
Rome, Italy

Ministry of Postal Services, Radio Research Laboratories, Tokyo, Japan:
Akita, Japan
Tokyo (Kokubunji), Japan
Wakkanai, Japan
Yamagawa, Japan

General Directorate of Telecommunications, Mexico:
El Cerillo, Mexico

Christchurch Geophysical Observatory, New Zealand Department of
Scientific and Industrial Research:
Christchurch, New Zealand

Norwegian Defence Research Establishment, Kjeller per Lillestrom,
Norway:
Tromso, Norway

Manila Observatory:
Baguio, P. I.

South African Council for Scientific and Industrial Research:
Capetown, Union of South Africa
Johannesburg, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:
Kiruna, Sweden
Lycksele, Sweden
Upsala, Sweden

Royal Board of Swedish Telegraphs, Radio Department, Stockholm, Sweden:
Lulea, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzerland:
Schwarzenburg, Switzerland
Sottens, Switzerland

National Bureau of Standards (Central Radio Propagation Laboratory):
Byrd Station, Antarctica
Washington, D. C.

TABULATIONS OF ELECTRON DENSITY DATA

Reduction of hourly ionospheric vertical soundings to electron density profiles has become a part of the systematic ionospheric data program of the Central Radio Propagation Laboratory, National Bureau of Standards. Scalings of ionograms for this purpose are being provided by ionosphere stations operated by several stations associated with CRPL. For the present, the hourly profile data from one CRPL station, Puerto Rico, are appearing in the monthly CRPL-F Reports, Part A. The very considerable task of scaling the ionograms for this purpose is being undertaken by T. R. Gilliland, Engineer in Charge, Puerto Rico Ionosphere Sounding Station; the computations are performed at the NBS Boulder Laboratories by a group headed by J. W. Wright. Basic conversion of virtual to true heights uses the well-known matrix method developed by K. G. Budden of the Cavendish Laboratory, Cambridge University, programmed by Dr. H. H. Howe for a CDC-1604 computer.

The tabulations provide the following basic electron density profile data for each hour of each day of the month:

<u>Quantity</u>	<u>Units</u>	<u>Remarks</u>
Electron Density (N)	$\times 10^3 = \text{electrons/cm}^3$	Body of table; given at each 10 km of height.
NMAX	$\times 10^3 = \text{electrons/cm}^3$	Always the highest value of N at each hour. To maintain this rule, the electron density at the next 10 km increment above HMAX is always given as exactly equal to NMAX (unless HMAX coincides with a 10 km level).
QUALIFICATION	(Alphabetic)	A standard scaling letter qualifying the observation when necessary.
KP		The standard Kp magnetic index, to one digit.
HMIN	Kilometers	The height of zero or very low electron density, obtained by linear extrapolation of the electron density vs. height curve.
SCAT	Kilometers	One half of the half-thickness of the parabola best fitting the upper portion of the F region profile. Approximates the scale height near the level HMAX.
HMAX	Kilometers	The height of maximum electron density, determined by fitting a parabola to the upper portion of the profile.
SHMAX	$\times 10^{10} = \text{electrons/cm}^2$ column.	Obtained by integration of the profile between the limits HMIN and HMAX.

Tabulations of the average electron densities each hour, at each 10 km level, for the quiet ionosphere, are also given. These averages include the profiles obtained when the magnetic character figure Kp is 4+ or less. The number of profiles entering the average for each hour is given by CNT. The other parameters of the layer, HMIN, SCAT, HMAX, SHMAX, and the mean value of Kp are given for each hour.

Before the averaging process, the individual profiles are extrapolated above HMAX by a Chapman distribution of 100 km scale height. This assumed model seems to agree well with the few published measurements dealing with the topside profile of the F-region.* Extrapolation is necessary in order to calculate homogeneous averages near HMAX and the average profiles are, in fact, given up to 950 km. Also given are the average estimated integrated electron densities to infinity, SHINF (same units as SHMAX); this is an approximation to the total electron content in a column of the ionosphere.

*See Wright, J. W. "A Model of the F-Region Above HMAX F2" J.Geophys.Res. V.65, pp. 185-191.

F E L C T R O N D E N S I T Y

RAMFY AFR, PUERTO RICO

60 W 1 SEP 1961

RAMEY AFR, PUERTO RICO

FLFCTRON DENSITY

1 SEP 1961

TIME 0000 0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100

TIME 1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300

O, KD	5	5	4	4	4	F4
HMTN	269	232	215	238	249	253
SCAT	42.1	39.5	34.2	41.0	43.9	38.6
HMAXF	363	309	280	322	354	341
SUMAX	181	167	94	98	87	78

4	A4	A2	2	B2	3
			109		109
			27.2		55.6
			235		298
			348		682

Q ₀ KD	3	3	4
HMIN	109	108	110
SCAT	53.6	50.8	54.7
HMAXF	298	303	323
SHMAX	860	773	945

A2 A2
239
46.3
350
257

370	310
360	310
350	303
340	287
330	262
320	230
310	190 338
300	144 334
290	82 7 319
280	47 1 294
270	12 4 250 219
260	190 206 74 4
250	110 181 39 9
240	40 2 136 12 4
230	70 2
220	28 6
210	
200	
190	
180	
170	
160	
150	
140	
130	
120	
110	

	621
	619
	606
	583
	549
	508
556	463
552	419
516	378
440	345
349	320
281	301
249	284
229	269
210	254
190	235
167	211
150	180
125	165
274.2	59.7

330	890
320	889
310	751
300	782
290	778
280	750
270	727
260	681
250	622
240	555
230	486
220	419
210	365
200	335
190	310
180	293
170	278
160	262
150	242
140	217
130	187
120	163
110	141

ELECTRON DENSITY

RAMFY AFR, PUERTO RICO

60 W 2 SEP 1961

ELECTRON DENSITY

2 SEP 1961

TIME 0000 0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100

TIME 1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300

O	KP	2	2	3	3	3	4
HMIN	220	216	219	220	218	218	216
SCAT	46.9	33.8	54.6	42.2	33.6	32.3	
HMAXF	364	317	324	322	299	296	
SHMAX	260	179	214	139	108	79	
XW							
350		398					
340		397			243		
330		389		310	243		
320		370	329	310	218		
310		345	326	305	226		
300		312	306	295	208	226	179
290		267	278	281	181	221	178
280		216	241	240	146	207	168
270		162	197	228	175	182	150
260	99.7	149	190	167.1	147	122	
250	57.8	104	148	162.8	110	86.4	
240	30.8	67.9	96.6	44.7	68.0	49.2	
230		40.8	51.5		37.2	21.2	
220		18.4	12.4		12.4		
210							
200							
190							
180							
170							
160							
150							
140							
130							
120							
110							

4	4	3	83	B3	A3
109	334	98	110		
418	334	8	374	2	
256	255		253		
279	384		425		
390	594		567		
388	591		566		
376	566		548		
352	514		511		
317	484		511		
270	357		374		
222	264		116		
179	294		278		
145	294		252		
118	169		231		
96,4	142		708		
80,6	118		179		
70,0	102		149		
62,9	94,9		127		
59,5	91,1		117		
218	294	7	124		

ELECTRON DENSITY

RAMFY AFR, PUERTO RICO

60 W

3 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100			
OeKP	F4	F4	A3	A3	A3	3	S3	B3	1	A1	A1	2			
HMIN	249	249	212	220	217	249	112	108	108	108	108	108			
SCAT	33.2	36.1	36.5	33.1	46.4	34.1	38.6	64.7	58.0						
HMAXF	328	334	307	288	322	179	249	267	296						
SHMAX	203	205	203	147	154	113	153	517	765						
KM	240	601	330	450	400	332	724	360	360						
	330	443	387	392	222	220	228	206	360	1060	257	229			
	310	416	358	392	217	219	181	310	1057	1240	254	224			
	300	368	317	380	219	181	156	707	1043	1131	246	214			
	290	300	264	371	342	204	156	705	110	1171	1220	231	200		
	280	190	199	330	336	186	125	693	1022	937	1082	1173	212	183	
	270	94.1	119	293	316	164	88.6	567	671	290	1019	1042	428	185	161
	260	47.8	56.3	231	279	139	50.0	247	565	280	1000	946	427	151	137
	250	12.4	12.4	157	220	111	12.4	244	557	270	961	791	420	115	113
	240		94.3	143	79.2	233	542	542	260	901	700	700	408	75.2	90.5
	230		52.9	61.0	47.9	213	520	485	250	827	600	594	388	40.9	69.9
	220		26.7	* 4	16.2	187	491	429	240	724	507	480	365	12.4	52.3
	210					152	457	381	230	679	475	417	134	38.2	
	200					115	414	343	220	518	383	367	291	25.9	
	190					93.2	354	317	210	425	349	333	240	12.4	
	180					59.5	284	296	200	359	325	315	177		
	170					42.4	218	280	190	321	304	295	40.4		
	160					10.8	175	264	180	294	287	277			
	150					23.3	144	246	170	278	267	260			
	140					20.2	115	223	160	264	248	235			
	130					19.0	93.8	196	150	268	220	194			
	120					17.3	84.5	171	140	214	176	164			
	110					19.4	115	130	182	159	181	163			
								120	163	151	145	151			
								110	146	42.7	81.2	49.0			

ELECTRON DENSITY

RAMFY AFR, PUERTO RICO

60 W

3 SEP 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OeKP	2	2	2	2	2	2	2	2	4	4	4	N3
HMIN	105	108	108	108	108	108	108	108	200	249	217	
SCAT	51.4	68.0	45.7	46.1					60.2	46.0	47.9	
HMAXF	295	338	319	321					296	349	353	
SHMAX	947	1211	1042	1122					315	161	171	
KM	360	360	360	360								
	350	360	360	360								
	340	350	350	350								
	330	340	340	340								
	320	330	330	330								
	310	320	320	320								
	300	310	310	310								
	290	300	300	300								
	280	290	290	290								
	270	280	280	280								
	260	270	270	270								
	250	260	260	260								
	240	250	250	250								
	230	240	240	240								
	220	230	230	230								
	210	220	220	220								
	200	210	210	210								
	190	200	200	200								
	180	190	190	190								
	170	180	180	180								
	160	170	170	170								
	150	160	160	160								
	140	150	150	150								
	130	140	140	140								
	120	130	130	130								
	110	120	120	120								

ELECTRON DENSITY

RAMFY AFR, PUERTO RICO

60 W

4 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
OeKP	1	N1	2	2	2	2	52	R2	A2	A2	2	0
HMIN	279		750	220	208	240		111	107	108		
SCAT	44.3		36.8	35.0	53.0	50.0		50.7	73.5	79.9		
HMAXF	372		322	294	310	328		263	276	300		
SHMAX	148		138	109	116	96		522	624	714		
KM	247		247									
	230		243									
	220		232									
	210		214									
	200		192									
	190		164									
	180		128									
	170		78.0									
	160		41.8									
	150		18.8									
	140		12.4									
	130		6.0									
	120		1.75									
	110		1.31									

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OeKP	0	0	0	0	0	2	2	2	4	4	4	N3
HMIN	107	109	109	109	111	108	110	189	189	238	272	276
SCAT	44.3	53.5	58.2	61.0	45.3	46.0	34.7	42.8	54.4	41.9	38.3	46.4
HMAXF	287	306	315	312	320	303	368	264	304	357	349	378
SHMAX	691	911	1014	1101	981	1168	798	442	316	201	156	175
KM	380	380	380	380	380	380	380	380	380	380	380	380
	370	370	370	370	370	370	370	370	370	370	370	370
	360	360	360	360	360	360	360	360	360	360	360	360
	350	350	350	350	350	350	350	350	350	350	350	350
	340	340	340	340	340	340	340	340	340	340	340	340
	330	330	330	330	330	330	330	330	330	330	330	330
	320	320	320	320	320	320	320	320	320	320	320	320
	310	310	310	310	310	310	310	310	310	310	310	310
	300	300	300	300	300	300	300	300	300	300	300	300
	290	290	290	290	290	290	290	290	290	290	290	290
	280	280	280	280	280	280	280	280	280	280	280	280
	270	270	270	270	270	270	270	270	270	270	270	270
	260	261	261	261	261	261	261	261	261	261	261	261
	250	250	250	250	250	250	250	250	250	250	250	250
	240	241	241	241	241	241	241	241	241	241	241	241
	230	230	230	230	230	230	230	230	230	230	230	230
	220	220	220	220	220	220	220	220	220	220	220	220
	210	214	214	214	214	214	214	214	214	214	214	214
	200	204	204	204	204	204	204	204	204	204	204	204
	190	194	194	194	194	194	194	194	194	194	194	194
	180	184	184	184	184	184	184	184	184	184	184	184
	170	174	174</									

ELCTRON DENSITY											60 W	5 SEP 1961
RAMSEY AFR, PUERTO RICO												
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OAKP	29	B2	R3	3	3	A3	A3	A3	A1	1	1	1
HMIN	109			109	107			209	200	199	237	239
SCAT	60±1			54±2	37±2			31±6	38±5	47±9	47±8	41±8
HMAXF	325			314	293			280	277	332	341	337
CHMAX	1134			1178	958			49+	331	347	245	185
KM												
350												374
340											465	274
330	1072										465	369
320	1021			1281							458	356
310	1000			1155							441	341
300	970			1258	1170						414	305
290	933			1217	1177						379	266
280	880			1153	1138			1179	645	335	229	171
270	817			1067	1245			1151	640	280	170	128
260	746			954	1116			1064	615	242	117	84.4
250	664			816	944			917	567	194	68.7	43.0
240	580			672	751			700	502	151	23.7	12.4
230	501			544	565			408	413	114		
220	432			433	415			127	298	81.9		
210	387			367	329			24±1	146	52.5		
200	348			317	285					12±4	17±4	
190	324			291	258							
180	305			271	238							
170	296			252	217							
160	283			224	192							
150	262			217	168							
140	231			199	145							
130	196			167	133							
120	172			151	126							
110	17.2			21±1	14±1							

ELECTRON DENSITY												
RAMFY AFR, PUERTO RICO	60 W										6 SEP 1961	
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
0	1	1	0	0	0	0	0	0	1	1	1	1
HMIN	108	109	109	108	109	109	108	200	200	198	198	280
SCAT	60.0	50.6	52.7	50.6	43.9	39.1	39.1	36.1	29.3	52.9	56.7	43.0
HMAXF	326	327	325	323	310	297	292	271	262	314	318	360
SHMAX	1187	1186	1250	1221	1133	1075	1017	684	317	273	209	110
rM												
360												197
350												194
440												247
330	1121	1168	1298	1240								246
320	1118	1163	1296	1239	1424							197
310	1101	1143	1273	1222	1424							194
300	1069	1084	1229	1186	1405	1561	1712					220
290	1019	1050	1156	1136	1378	1565	1711					205
280	972	973	1056	1056	1255	1494	1674	1561				182
270	976	821	959	959	1128	1364	1581	1661	854			164
260	784	721	821	848	1024	1213	1422	1575	852			161
250	683	623	691	779	800	1006	1212	1429	815			117
240	579	531	575	611	630	766	926	1271	728			92.5
230	488	460	475	501	485	665	615	983	575			68.7
220	418	407	403	412	380	428	390	543	314			48.4
210	370	370	357	354	319	336	257	151	98.2	91.2	31.0	
200	339	345	327	318	285	280	188	12.4	12.4	12.4	12.4	
190	319	327	305	294	263	244	149					
180	303	309	285	275	245	219	125					
170	287	290	262	258	225	198	106					
160	266	270	234	238	208	177	89.2					
150	226	242	215	212	180	155	76.1					
140	197	211	198	187	154	133	67.2					
130	185	195	188	169	138	117	62.4					
120	168	179	174	159	132	104	49.9					

ELECTRON DENSITY												
RAMEY AFB, PUERTO RICO	60 W						7 SEP 1961					
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
0-KP	F1	F1	1	1	1	1	51	A1	A0	0	0	1
HMIN	279	280	226	200	259	249				108	109	
S-PAT	374.7	415	32+2	38+6	44+4	40+2				39+6	52+9	54+2
HMAXF	362	355	298	263	335	319				270	299	
SHMAX	110	124	110	74	77	71				610	936	1007
YR												
270	205											
260	205	226										
250	199	225										
240	186	218			141							
230	167	203			141							
220	144	185			137	141						
210	118	164			139	139						
200	83+3	135	240		119	133				958	1050	
290	44+0	91+6	71+6		102	122				951	1035	
280	12+4	12+4	219		75+3	106				928	1010	
270			105	163	51+8	46+5				754	881	960
260			162	163	17+4	46+8				741	828	900
250			121	160		17+4				705	760	823
240			65+2	149						649	680	726
230			24+1	134						574	616	621
220					106					495	514	525
210					62+4					424	442	435
200					*4					366	387	377
190										327	347	334
180										297	316	307
170										267	288	280
160										236	261	252
150										203	233	221
140										173	203	194
130										147	175	171
120										127	153	161
110										304	41+7	39+6

ELECTRON DENSITY

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
0KRP	F1	F1	A3	A3	A3	F4	S4	A4	A1	1	A1	A1
HMIN	280	261	190	199	228	229			108	109		
SCAT	39.8	41.7	38.9	40.0	44.1	39.9			47.1	40.6		
MAXF	383	341	272	279	322	309			265	277		
SHMAX	246	237	194	131	110	106			504	674		
KM												
200		444										
210		443										
220		439										
230		406										
240		260	440									
250		210	440									
260		248	212		184							
270		179	409		164							
280		94.9	379		181	202						
290		42.5	335		173	199						
290	12.4	277		159	190							
280		101	411	254	142	175						
270		78.3	410	251	120	150			666	85?		
260		601	240	90.7	120				664	821		
250		378	222	61.6	83.4				650	765		
240		341	194	36.3	42.5				621	682		
230		277	151	12.4	12.4				577	586		
220		173	99.3						508	500		
210		68.8	45.9						423	426		
200		12.4	12.4						344	363		
190									278	311		
180									225	268		
170									182	229		
160									141	190		
150									112	151		
140									103	139		
130									98.1	131		
120									95.3	126		
110									53.9	41.7		

FLECTRON DENSITY

FLFCTRON DENSITY

RAMFY AFR. PUERTO RICO										60 W	10 SEP 1961	
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QDRK	F1	F1	1	A1	A1	2	S2	2	2	2	2	2
HWMN		245	209	200	219	228		107	109	109	109	108
SCAT		344.1	344.4	336.6	50.4	52.1		36.5	36.8	46.7	47.9	53.0
HMAXE		323	286	267	324	326		260	254	259	287	301
SHMAX		257	334	163	145	111		372	514	600	910	1084
KM												
330		841			215	171						
320		640			215	171						
310		521			211	167						1131
300		477			203	160						1131
290		415	747		191	151					1060	1119
280		335	741		174	136					1054	1087
270		231	707	364	151	114		567			1026	1035
260		116	641	361	121	86.7		567	782	775	974	961
250	36.5	538	342	09.5	59.0			556	780	768	900	870
240		382	306	635	345			524	755	743	977	767
230		184	253	38.0	12.4			470	701	697	675	666
220		63.9	187	12.4				391	617	638	551	570
210		12.4	107					313	503	559	449	483
200			12.4					247	394	461	382	413
190								197	322	376	340	365
180								160	265	311	311	332
170								131	218	264	288	307
160								109	178	225	264	283
150								91.6	143	184	237	256
140								79.3	124	152	204	222
130								53.6	116	137	169	196
120								60.4	100	131	154	175
110								26.7	46.1	53.1	61.1	73.1

ELECTRON DENSITY

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 11 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
O+KP	2	2	1	1	1	52	52	52	52	2	3	
HMIN	245	245	257	211	208	199		108	108	108	107	
SCAT	49.0	36.9	49.2	36.1	51.6	38.5		48.8	78.1	62.3		
HMAXF	348	332	351	300	307	287		253	282	316		
SHMAX	311	275	352	225	250	209		512	678	935		
KM												
360												
350	510											
340	514	522	547									
330	498	521	529									
320	455	507	498									
310	411	470	457	436	389							
300	358	424	403	436	387							
290	293	365	336	427	379	374						
280	220	288	249	399	363	371						
270	174	189	177	350	342	355						
260	67.6	98.5	35.2	305	308	326						
250	27.3	30.8		240	262	288						
240				165	201	243						
230				81.7	127	193						
220				38.0	59.7	137						
210				17.2	71.6							
200				12.4								
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 11 SEP 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
O+KP	3	3	3	3	3	3	4	4	4	2	2	2
HMIN	107	108	108	108	105	107	108	203	200	228	256	221
SCAT	46.6	43.5	47.1	64.7	51.9	48.8	42.2	69.6	48.3	46.0	35.4	43.3
HMAXF	303	290	306	337	324	306	283	312	323	355	329	326
SHMAX	1133	1158	1183	1363	1258	1150	846	795	467	341	224	258
KM												
360												
350												
340												
330												
320												
310												
300												
290												
280												
270												
260												
250												
240												
230												
220												
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 12 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
O+KP	4	A4	A5	5	5	3	53	3	A2	2	2	1
HMIN	252	248	230	220	219	257	107	108	108	108	104	
SCAT	49.5	43.2	32.3	42.1	43.9	63.3	36.7	38.1	40.6	52.3	81.3	
HMAXF	345	357	298	291	305	381	249	244	237	280	350	
SHMAX	225	201	165	141	116	148	283	408	397	646	1322	
KM												
360												
350												
340												
330												
320												
310												
300												
290												
280												
270												
260												
250												
240												
230												
220												
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 12 SEP 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
O+KP	1	1	1	1	A1	A3	A3	A3	2	2	2	2
HMIN	109	108	106	108					200	219	229	248
SCAT	52.2	46.2	46.7	41.2					52.4	52.1	52.1	45.3
HMAXF	308	299	298	296					292	338	348	367
SHMAX	1266	1228	1097	949					612	406	330	268
KM												
360												
350												
340												
330												
320												
310												
300												
290												
280												
270												
260												
250												
240												
230												
220												
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

411

408

371

549

460

374

353

546

450

342

327

985

376

341

191

203

156

985

436

322

141

156

972

387

268

963

106

941

326

207

ELECTRON DENSITY

RAMFY AFR. PUERTO RICO

60 W 13 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
040P	2	2	1	1	1	1	51	A1	A0	A0	B0	A3
HMIN	248	270	259	229	208	202			104			108
SCAT	49.8	42.2	36.6	37.3	39.5	35.6			70.9			45.6
HMAX	371	372	349	313	296	282			283			286
SHM	256	208	194	184	165	123			586			890
SHM												
300	246	153										
370	266	252										
440	262	246										
510	250	230	36.9									
580	229	304	157									
650	205	260	136									
720	272	224	306	358								
790	230	174	262	357								
860	182	126	213	347	311							
930	131	67.0	159	323	310	254			567			994
280	91.6	126	102	287	299	254			567			990
770	58.7		48.7	234	278	247			562			965
260	33.5		12.4	173	246	228			552			908
250	17.6			114	200	201			536			844
240				58.4	143	158			515			768
230				12.4	88.0	109			491			679
220					45.6	66.3			451			585
210					16.5	32.7			399			501
200									347			432
190									304			379
180									264			340
170									226			311
160									191			284
150									157			250
140									130			212
130									103			182
120									93.4			166
110									86.9			49.0

ELECTRON DENSITY

RAMFY AFB, PUERTO RICO

60 W

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
0+K	3	3	3	3	3	3	3	53	53	3	3	46
HMIN	109	106	107	103	107	103				230	239	259
SCAT	504.5	511.9	479.9	684.9	484.9	424.0				44.9	50.9	38.3
HMAXF	315	318	311	338	320	296				337	341	357
SHMAX	1226	1300	1257	1510	1250	1084				460	462	335
KM												378
380												580
370												578
360												594
350												562
340												489
330												374
320	1168	1353	1424	1335	1379					721	679	454
310	1166	1345	1424	1301	1365					677	641	379
300	1148	1312	1406	1253	1323	1561				622	593	301
290	1115	1256	1357	1191	1245	1554				541	522	213
280	1062	1168	1274	1118	1157	1508				442	434	123
270	998	1062	1165	1002	1049	1412				334	318	596
260	916	934	1023	887	924	1281				214	190	124
250	820	796	849	768	789	1095				115	79.0	
240	720	670	719	654	661	870				49.8	12.6	
230	620	555	583	552	593	652				1.7		
220	576	466	477	470	441	485						
210	452	408	409	407	371	361						
200	398	371	345	360	323	280						
190	362	346	334	375	290	235						
180	337	325	309	298	265	204						
170	320	304	284	273	241	177						
160	305	283	260	246	216	152						
150	284	263	237	218	189	131						
140	233	242	216	191	160	110						
130	190	204	196	167	139	97.3						
120	175	170	165	154	127	92.0						
110	59.7	134	130	136	99.9	62.4						

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 14 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q_XD	4	4	4	4	4	4	54	4	6	6	6	2
HMIN	249	214	220	234	199	228	115	106	109	109	108	
SCAT	48*	37	34.9	45.3	42.5	51.6	29*	64*	38.4	64*	63*	
HMAX	359	305	297	316	292	310	236	262	258	296	326	
SHMAX	454	292	210	235	151	111	262	459	591	866	1212	
r_M												
360	669											
350	663											
340	643											
330	605											
320	560											1070
310	505	575					185					1068
300	460	572	450	417	258	183	185					1054
290	360	552	446	305	258	178						808
280	260	510	425	362	253	170						1040
270	145	448	385	309	241	157						806
260	63*9	358	326	226	223	136						981
250	124*	248	240	133	196	107						705
240		137	151	38*1	162	64*3	529	474	753	653	619	787
230		70.7	55.5	38.1	120	19*3	524	458	715	595	541	
220		30*7	3*1	79*2			490	434	614	533	475	
210				50*2			425	408	502	472	423	
200				12*4			322	373	409	418	383	
190							218	328	344	372	354	
180							151	278	305	333	332	
170							114	230	273	299	310	
160							92*1	189	242	267	286	
150							78*1	156	208	234	258	
140							71*3	128	173	198	227	
130							68*2	111	140	167	193	
120							35*6	64	104	146	168	
110							21	21	23.9	29.6	35.4	

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 14 SEP 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
O_KP	2	2	3	3	3	A4	A4	4	3	A3	A3	1
HMIN	109	109	108	106	105	109	115	206	199	228	272	275
SCAT	83.3	524.8	454.6	465.5	503.3	347.7	348.8	624.6	481.4	46.2	43.2	37.0
HMAX	340	341	308	304	299	294	282	310	340	332	377	370
SHMAX	1615	1624	1464	1399	1299	981	782	763	550	383	303	264
KM												
380												482 485
370	1131											479 485
360	1128											464 475
350	1117	1605										434 445
340	1098	1605										397 403
330	1070	1586										350 347
320	1035	1539										294 277
310	990	1454	1792	1712					1027	696	578	482
300	939	1359	1777	1708	1635	1512			1020	603	515	162 131
290	885	1238	1719	1671	1621	1506	1437		1000	541	468	98.1 68.4
280	878	1164	1614	1595	1575	1449	1436	967	475	405	39.1	26.4
270	766	954	1471	1477	1496	1326	1393	919	406	336		
260	767	819	1277	1328	1386	1174	1285	861	335	260		
250	642	696	1164	1150	1129	997	1146	778	261	178		
240	579	591	862	943	1077	767	918	666	193	99.7		
230	519	629	688	755	828	568	657	526	132	28.0		
220	440	473	613	659	592	425	411	284	82.0			
210	421	403	455	471	451	327	253	75.9	43.1			
200	384	370	392	396	363	261	171					
190	352	345	355	342	309	229	120					
180	327	324	323	307	273	190	103					
170	304	305	301	279	246	163	83.3					
160	280	283	277	252	220	141	68.7					
150	252	252	246	224	197	122	59.1					
140	221	218	214	193	172	105	53.7					
130	193	191	186	169	150	127	50.9					
120	176	176	169	154	135	85.0	43.5					

ELECTRON DENSITY

RAMSEY AFB, PUERTO RICO

60 W 15 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
OAKP	1	1	2	2	2	A2	A2	2	A2	2	A2	1
HMIN	254	261	247	229	221	211	111	109	107	108	108	108
SCAT	38.2	43.5	45.6	28.1	37.6	36.1	36.6	39.3	45.1	52.8	48.2	48.2
HMAXF	341	370	348	311	321	292	247	260	266	268	305	305
SHMAX	240	264	261	291	180	164	311	584	696	724	1049	
KM												
170												
260												
350	463	397	422									
440	463	368	419									
530	455	335	406	323								
620	425	290	381	392	323							
710	385	234	348	392	317							
800	328	176	303	385	299	340						
890	256	121	244	364	270	340						
980	144	74.1	170	320	231	330						
270	68.5	15.8	120	278	187	377						
260	35.9	63.4	214	138	270							
250	21.6	14.1	93.5	214								
240												
230												
220												
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

RAMSEY AFB, PUERTO RICO

60 W 15 SEP 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OAKP	1	1	0	0	0	1	1	1	2	2	2	2
HMIN	109	108	108	109	104	107	110	109	231	256	256	256
SCAT	49.2	54.7	42.5	39.1	46.1	42.6	36.8	42.6	46.3	48.9	46.0	47.9
HMAXF	326	327	302	301	301	289	269	299	342	358	362	362
SHMAX	1883	1626	1439	1342	1450	1261	744	536	457	441	294	303
KM												
360												
350												
340												
330	1398	1784							651	634	422	417
320	1303	1777							645	611	385	379
310	1361	1742	1877	1809	1860				624	573	332	325
300	1295	1586	1838	1775	1833	1866			915	587	524	270
290	1202	1273	1607	1533	1645	1770	1335	813	401	313	78.4	66.4
280	1104	1452	1748	1665	1763	1840	873	474	392	143	125	
270	986	1273	1607	1533	1645	1770	1317	729	330	228	33.4	28.6
260	862	1084	1415	1354	1491	1649	1202	504	200	51.1		
250	745	899	1190	1134	1307	1475	1250	626	263	137		
240	641	715	956	926	1091	1247	1133	504	200	51.1		
230	554	558	745	730	870	989	975	373	137			
220	486	451	569	565	658	731	771	212	81.1			
210	434	392	450	449	497	514	499	40.8	41.8			
200	395	355	383	376	388	354	299	124				
190	366	329	343	328	324	268	179					
180	340	307	316	295	283	220	123					
170	315	284	293	266	252	188	95.9					
160	289	246	270	230	224	162	79.2					
150	262	202	247	211	200	138	67.3					
140	215	186	223	182	175	118	59.8					
130	201	177	183	160	150	103	55.7					
120	181	173	168	151	134	96.0	46.1					
110	41.7	61.1	92.2	39.4	114	70.9						

ELECTRON DENSITY

RAMSEY AFB, PUERTO RICO

60 W 16 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
OAKP	2	2	1	1	1	1	2	R2	2	3	3	A1
HMIN	247	246	216	297	199	249	109	109	107	107	109	109
SCAT	39.0	38.3	30.6	28.3	61.2	57.7	32.2	43.8	38.0	50.1	59.9	
HMAXF	336	335	289	267	730	335	242	248	249	279	288	
SHMAX	204	199	180	114	155	112	317	423	492	719	884	
KM												
340	373	373										
330	371	371										
320	358	358										
310	331	333										
300	296	293										
290	247	240	428									
280	194	185	419									
270	137	125	387	297	137	101						
260	70.8	64.0	331	293	118	54.3						
250	21.7	25.0	248	271	99.2	24.2						
240			153	229	82.1							
230			69.7	169	66.2							
220			26.0	96.9	51.1							
210			30.3	35.8								
200			12.4									
190			153	262	305	344	331					
180			115	210	263	301	310					
170			90.9	169	226	262	292					
160			77.9	137	190	226	272					
150			71.1	119	155	194	238					
140			67.4	112	138	165	196					
130			65.1	108	132	153	172					
120			23.4	36.6	91.1	122	33.3					
110												

ELECTRON DENSITY

RAMSEY AFB, PUERTO RICO

60 W 16 SEP 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OAKP	1	A1	2	2	2	2	2	2	4	4	4	4
HMIN	105	100	107	107	107	107	107	202	199	231	256	285
SCAT	64.6	54.2	48.1	48.3	43.4	35.2	44.7	51.7	48.3	48.4	43.5	41.0
HMAXF	326	327	323	326	313	285	279	306	320	336	371	382
SHMAX	1319	1464	1419	1513	1434	1077	940	683	471	376	299	310
KM												
360												
350												
340												
330	1173	1457	1561	1792					501	36.9	33.8	
320	1171	1451	1559	1785	1956				675	464	317	257
310	1155	1422	1531	1742	1955				1031	668	420	256
300	1125	1369	1469	1661	1915				1028	646	366	195
290	1078	1287	1371	1542	1824	1851			1006	608	302	139
280	1023	1187	1248	1379	1683	1842	1554		965	560	231	83.3
270	953	1068	1103	1169	1495	1767	1539		905	497	164	43.3
260	871	932	943	951	1227	1610	1485		824	420	106	106
250	781	797	785	793	948	1396	1390		715	339	57.0	
240	691	677	649	589	708	1066	1259		587	261	12.4	
230	607	582	556	450	523	748	1041		415	190		</

ELECTRON DENSITY

TIME											60 W	17 SEP 1961
0-KP	4	A4	A2	A2	A2	A2	2	1	1	1	1	1
HMIN	299	261	219	202	212	262	108	106	107	108	107	108
5CAT	520	448	486	363	402	400	324	415	389	106	74	74
HMAX	418	365	313	275	306	355	253	245	264	318	318	318
SHMAX	334	341	341	195	140	111	365	463	687	1049	1015	
KW												
420	467											
410	464											
400	452											
390	434											
380	405											
370	360	562										
360	324	560										
350	271	545										
340	211	517										
330	145	474										
320	84 ^a 2	415	556				159					
310	42 ^a 6	344	556		246	136						
300	12 ^a 4	256	546		245	108						
290		158	526		237	76.7						
280		81 ^a 3	492	430	220	474						
270		37 ^a 2	447	428	197	250						
260		383	410	166			734	978	717	662		
250		298	378	131			732	730	952	694	624	
240		192	319	92 ^a 1			704	722	893	617	582	
230		73 ^a 6	234	54 ^a 4			640	716	844	539	502	
220		12 ^a 4	117	27 ^a 1			518	662	784	481	453	
210			42 ^a 9				342	597	526	533	466	
200							207	481	412	464	433	
190							140	339	337	400	402	
180							102	246	288	347	368	
170							75 ^a 2	196	251	305	337	
160							68 ^a 2	155	217	270	311	
150							64 ^a 2	130	184	235	283	
140							61 ^a 8	111	155	200	251	
130							60 ^a 4	103	139	172	210	
120							54 ^a 1	99 ^a 1	132	159	182	
110							19 ^a 3	67 ^a 7	87 ^a 1	81 ^a 2	68 ^a 5	

ELECTRON DENSITY

PAMFY AFR. PUERTO RICO										60 W		17 SEP 1961	
TIME										1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300			
0,100	1	1	1	1	1	0	0	0	2	2	F3		
HMIN	107	107	107	107	106	105	109	209	205	234	230	289	
SCAT	41.9	46.4	44.9	41.8	43.3	48.0	53.1	52.2	41.3	38.8	39.0	41.3	
HMAX	311	306	302	302	291	289	299	332	315	331	323	387	
SHMAX	1164	1334	1276	1269	1196	1150	902	690	425	331	290	327	
X M													
390													554
380													550
370													530
360													494
350													446
340													387
330													317
320	1751												
310	1561	1561	1561	1717									
300	1231	1554	1560	1711	1696								
290	1162	1514	1531	1675	1695	1561	1112	785	611	429	441	124+	
280	1082	1447	1471	1641	1592	1670	1547	1083	762	574	347	373	
270	982	1323	1351	1457	1598	1499	1035	605	502	216	292		
260	868	1177	1201	1277	1483	1415	965	495	415	70	203		
250	750	1007	1030	1059	1321	1302	883	385	310	93	112		
240	645	834	849	826	1102	1148	787	285	216	32.9	47.6		
230	555	675	679	620	835	968	672	186	123		1.7		
220	486	543	545	465	601	742	543	93.7	69.5				
210	412	455	446	380	434	529	466	124.8	28.1				
200	301	396	382	311	460	572	290						
190	262	357	342	299	388	274	199						
180	340	330	316	274	254	222	136						
170	319	309	293	250	226	187	100						
160	296	287	269	236	196	159	81.5						
150	273	264	246	199	164	139	69.0						
140	248	235	221	171	141	116	59.1						
130	213	202	193	154	129	99.1	53.5						
120	187	177	172	145	122	93.1	47.9						
110	127	96.2	132	80.6	108	65.4	12.4						

ELECTRON DENSITY

ELECTRON DENSITY

ELECTRON DENSITY												
RAMEY AFB, PUERTO RICO	60 W											19 SEP 1961
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
0 KP	1	1	0	0	0	0	50	0	41	A1	A1	A1
HMIN	247	240	233	200	198	197	108	108		108	108	107
SCAT	34.3	33.5	36.4	40.9	34.1	52.9	41.9	47.9		44.4	46.1	
HMAX	227	217	320	259	275	302	258	260		276	274	
SHMAX	164	146	151	104	74	67	326	484		769	819	
KM												
220	228		207									
220	226	200	297									
210	310	305	291									
210	287	289	274									
210	214	209	216									
200	148	216	205		156	89.1					936	1027
220	129	164	154		155	84.4			627		931	1025
260	66.7	108	98.3	245	149	78.5		482	627		904	1002
250	23.7	51.3	54.0	242	136	70.7		478	620		857	956
240	20.1	25.4	231	114	61.5		459	599		779	887	
230			216	86.6	51.4		423	567		682	779	
220			178	58.0	40.2		379	513		575	649	
210			05.9	34.0	28.1		317	465		478	514	
200			12.4	12.4	12.4		754	765		400	409	
190							197	298		345	348	
180							146	245		309	311	
170							104	202		280	287	
160							78.7	166		252	262	
150							64.4	134		223	235	
140							59.5	110		148	208	
130							57.3	96.1		165	171	
120							54.1	88.5		148	162	
110							31.6	68.6		39.4	60.3	

ELECTRON DENSITY													
PAMEY AFB, PUERTO RICO		60 W 19 SEP 1961											
TIME		1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
O.K.P.	0	0	0	0	0	0	0	50	0	2	2	2	2
HMIN	107	104	107	104	107	106	108	109	109	200	199	211	238
SCAT	42.9	58.2	53.8	50.9	40.6	38.9	30.9	49.1	42.9	48.5	40.9	39.6	24.9
HMAXF	274	291	302	317	299	296	276	297	316	333	334	349	349
SHMAX	852	872	960	1147	1069	1026	732	601	428	374	255	215	215
V.W.													
250													374
240											526	434	369
230											636	433	352
220											681	426	322
210											688	416	399
200											655	417	381
190											598	421	333
180											521	429	315
170											535	563	374
160											486	486	374
150											458	466	75.0
140											378	378	196
130											398	251	131
120											300	70.6	12.6*
110											623	222	129
100											705	12.4	12.4*
90											655	12.4	12.4*
80											674	152	79.0
70											521	91.3	37.2*
60											371	275	37.2*
50											215	105	45.6*
40											143	12.4	12.4*
30											218	12.4	12.4*
20											296	278	278
10											294	278	278
0											278	278	278

ELECTRON DENSITY													
R&MFY AER, PUERTO RICO		60 W		20 SEP 1961									
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
0	0.549	2	2	3	3	3	3	1	51	1	2	2	3
HMIN	258	246	244	327	230	254			113	110	108	108	107
SCAT	33.4	37.7	38.3	32.3	50.2	46.4			30.1	33.1	47.3	55.7	68.7
HMAX	313	335	328	295	333	352			249	240	255	284	320
SMAX	169	176	164	135	177	168			343	477	591	675	1076
KM													
360									270				
350									270				
340	24.8	274			270	265							
330	26.7	232	311		270	255							
320	353	321	308		266	238							
310	272	297	294		256	214							
300	275	261	271	310	241	183							
290	212	213	235	308	220	143							
280	143	161	190	293	192	100							
270	70.4	108	137	263	156	57.4							
260	18.4	54.2	80.2	219	111	27.3							
250		22.8	33.8	161	70.2				720	727	626	569	682
240				94.4	30.5				703	727	612	534	611
230					27.3	2.1			647	710	579	495	470
220									533	659	543	458	473
210									368	577	495	423	418
200									212	468	439	391	374
190									140	349	375	364	341
180									101	247	314	339	317
170									81.0	196	261	311	296
160									71.2	166	222	273	256
150									65.8	139	191	232	253
140									62.1	117	158	189	223
130									60.3	104	135	157	185
120									50.7	99.1	126	145	166
110									12.6	43.7	54.3	60.4	69.0

ELECTRON DENSITY												ELECTRON DENSITY																							
RAMSEY AFR, PUERTO RICO						60 W						24 SEP 1961						RAMSEY AFR, PUERTO RICO						60 W						24 SEP 1961					
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300										
04KP	1	1	3	3	3	5	5	5	6	6	6	6	04KP	6	6	5	5	5	5	5	5	5	5	5	5										
HMIN	270	249	229	206	227	277	258	199	106	106	106	106	HMIN	106	105	107	104	106	107	100	109	229	279	282	291										
SCAT	41.9	41.9	31.6	39.0	45.2	42.8	40.5	41.4	54.4	46.0	45.3	44.6	SCAT	81.5	63.0	59.6	51.0	45.6	36.2	36.6	36.8	41.8	33.6	37.5	29.7										
HMAXF	352	329	290	280	327	348	329	253	272	287	316	272	HMAXF	336	344	377	320	302	270	280	278	323	367	358	316										
SHMAX	90	91	77	68	71	61	66	286	554	720	1110	1098	SHMAX	1178	1453	1530	1626	1463	997	713	248	189	142	159	136										
KM	360	163											KM	380																					
350	163												370																						
340	160												360																						
330	152	171											350																						
320	139	169											340																						
310	120	162											330																						
300	64.6	149											320																						
290	70.0	130	188										310																						
280	39.7	106	183	139	81.1	23.1	78.2		651	868	1042	1484	300																						
270	3.1	76.6	69	137	68.9		51.8		651	868	1042	1483	290																						
260	44.5	145	180	56.0		20.4	428	623	795	905	106	1457	280	76	595	684	1667	1987	1792	1287	454	235	1244	208											
250	12.4	109	119	41.8		428	625	731	865	1394	270	729	855	953	1481	1868	1792	1264	440	191				157											
240	60.4	101	27.6			419	603	647	580	1292	240	611	611	513	1253	1642	1768	1145	452	152				99.5											
230	12.4	73.6	12.4			393	554	552	489	1152	250	639	651	660	992	1333	1656	1076	390	152				45.7											
220	4.4					361	505	651	415	983	240	590	557	617	167	700	1484	919	340	52.1				3.1											
210	18.8					313	445	363	360	795	230	542	675	382	595	717	1288	691	282	124.4															
200						250	374	303	322	599	220	495	412	353	462	513	920	455	219																
190						193	300	262	296	442	210	449	366	329	377	470	597	271	154																
180						143	234	235	274	346	200	467	333	305	325	293	363	160	90.7																
170						108	188	213	254	298	190	369	309	290	289	251	225	116	124.4																
160						86.1	155	187	231	269	180	333	289	272	262	223	174	79.0																	
150						71.6	136	156	204	245	170	299	272	256	237	199	146	63.1																	
140						62.0	115	116	166	222	160	273	255	239	217	175	123	52.2																	
130						58.5	95.8	108	143	185	150	250	237	219	197	150	102	44.5																	
120						55.3	89.0	105	132	158	140	224	215	194	176	128	88.7	40.2																	
110						22.1	68.9	79.2	59.9	132	130	192	189	167	156	117	82.9	38.2																	
											120	166	164	152	141	111	80.0	36.3																	
											110	132	132	89.6	109	97.7	64.1	32.5																	
											100							19.7																	

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 25 SEP 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
OAKP	5	5	6	6	6	4	54	4	4	4	4	3
HMIN	259	250	283	219	250	249	108	108	107	108	108	
SCAT	43.4	39.6	41.4	33.6	41.2	43.0	34.3	34.1	43.6	50.9	40.6	
HMAXF	358	337	387	280	344	336	258	245	270	284	284	
SHMAX	151	157	161	146	139	165	331	350	603	793	875	
KM												
300												297
380												297
460												294
540												285
620												409
700												408
780												271
860												268
940												247
1020												448
1100												383
1180												447
1260												358
1340												450
1420												256
1500												191
1580												441
1660												152
1740												428
1820												223
1900												106
1980												403
2060												64.7
2140												388
2220												202
2300												27.3
2380												384
2460												191
2540												334
2620												178
2700												27.3
2780												352
2860												148
2940												256
3020												151
3100												312
3180												106
3260												167
3340												125
3420												268
3500												76.4
3580												96.8
3660												220
3740												36.9
3820												23.7
3900												70.5
3980												168
4060												3.9
4140												41.8
4220												109
4300												124

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W 25 SEP 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OAKP	3	3	3	3	3	3	A3	A3	A3	A3	A3	A3
HMIN	109	107	109	104	104	104	104	104	104	109	230	277
SCAT	46.1	36.8	41.3	38.8	41.6	38.8	41.6	38.8	40.5	49.5	32.6	40.5
HMAXF	296	287	287	274	279	279	279	279	270	300	323	361
SHMAX	1020	984	992	914	932	932	932	932	825	356	260	218
KM												
300												44.2
380												43.4
460												43.1
540												42.0
620												42.2
700												40.5
780												37.6
860												38.8
940												318
1020												326
1100												46.9
1180												318
1260												46.9
1340												46.9
1420												456
1500												219
1580												180
1660												213
1740												133
1820												62.1
1900												424
1980												154
2060												106
2140												149
2220												614
2300												382
2380												92.3
2460												42.7
2540												71.9
2620												59.1
2700												37.6
2780												37.6
2860												37.6
2940												37.6
3020												37.6
3100												37.6
3180												37.6
3260												37.6
3340												37.6
3420												37.6
3500												37.6
3580												37.6
3660												37.6
3740												37.6
3820												37.6
3900												37.6
3980												37.6
4060												37.6
4140												37.6
4220												37.6
4300												37.6
4380												37.6
4460												37.6
4540												37.6
4620												37.6
4700												37.6
4780												37.6
4860												37.6
4940												37.6
5020												37.6
5100												37.6
5180												37.6
5260												37.6
5340												37.6
5420												37.6
5500												37.6
5580												37.6
5660												37.6
5740												37.6
5820												37.6
5900												37.6
5980												37.6
6060												37.6
6140												37.6
6220												37.6
6300												37.6
6380												37.6
6460												37.6
6540												37.6
6620												37.6
6700												37.6
6780												37.6
6860												37.6
6940												37.6
7020												37.6
7100												37.6
7180												37.6
7260												37.6
7340												37.6
7420												37.6
7500												37.6
7580												37.6
7660												37.6
7740												37.6
7820												37.6
7900												37.6
7980												37.6
8060												37.6
8140												37.6
8220												37.6
8300												37.6
8380												

ELECTRON DENSITY

TIME		0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
0400		2	2	2	2	51	51	1	1	1	1	2	2
HMIN		258	228	217	209	200	230	109	108	106	104	109	109
SCAT		37.5	30.4	27.3	56.5	70.4	59.6	35.8	33.4	37.6	31.4	42.2	37.6
HMAXE		340	296	280	308	327	351	297	227	247	254	283	299
SHMAX		160	125	112	148	117	80	62	199	366	465	907	940
KM													
360								111					
350		306						111					
340		306						110					
330		300						123	107				
320		282						123	103				
310		256			225			122	97.3				
300		221	310		223			119	88.7	135			
290		176	307		219			115	76.8	134			
280		121	288	297	211			109	62.4	127			
270		67.0	252	288	200			103	46.4	115			
260		20.5	193	259	182	95.8		82	97.5	95.4			
250			116	208	150	87.7	1.1	68.3			714	954	1060
240			48.6	137	113	79.1		37.7			541	710	873
230			16.5	70.4	69.9	69.6					536	677	758
220				23.7	37.0	59.4					833	1000	1163
210					4.7	46.6					625	625	688
200						12.4							
190								238	266	271	299	313	
180								180	215	234	272	281	
170								133	178	199	247	254	
160								101	149	161	217	226	
150								83.7	127	143	189	200	
140								74.7	116	135	168	179	
130								51.7	104	129	154	165	
120								50.4	89.5	126	146	157	
110								12.4	35.4	86.5	96.7	94.9	

ELECTRON DENSITY

TIME										60 W		29 SEP 1961	
1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300													
0	KP	A7	A2	A1	A1	A1	A1	A1	A2	A2	2	3	
	HMIN								200	240	219	268	270
	CRAT								40.5	45.9	37.9	44.3	39.2
	HMAX								202	323	297	371	364
	CHMAX								357	226	152	145	124
	PM												
3.0													234
2.7													234
2.6													231
2.5													221
2.4													223
2.3													206
2.2													208
2.1									392				185
2.0									392				186
1.9									392				158
1.8									384				119
1.7									548	368	306	90.8	82.6
1.6									647	342	303	61.5	44.7
1.5									633	305	290	37.2	12.4
1.4									599	254	267	12.4	
1.3									546	186	231		
1.2									460	90.9	181		
1.1									365	124	117		
1.0									266				58.0
0.9									156				12.4
0.8									77.9				
0.7									12.4				

ELECTRON DENSITY

PAMFY AFR. PUERTO RICO		60 W		30 SEP 1961								
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
0400	3	3	2	2	2	2	52	2	A2	A2	A2	A0
WMIN	267	239	204	209	199	229		108				109
SCAT	246.8	220.0	42.6	32.2	62.1	45.2		32.5				37.2
WMAX	361	215	217	278	220	216		226				241
CMAX	118	117	140	103	86	61		224				1011
KM												
260	224											
250	234											
240	228											
230	212											
220	188	259	234				108					
210	156	258	232				107					
200	116	245	224				104					
190	79.5	220	210		133	99.0						1484
180	48.6	181	188	236	132	90.9						1484
170	19.3	134	157	233	128	79.4						1453
160	8.9	122	219	219	122	63.4						1368
150	45.5	86.0	194	114	44.3							1229
140	12.4	55.7	153	102	17.2		407					1023
130	34.8	104	84.2				404					760
120	21.1	48.5	62.6				385					597
110	12.4	12.4	39.6				347					456
100				12.4			278					378
90							206					334
80							147					303
70							109					279
60							85.2					256
50							72.9					230
40							64.7					200
30							55.8					168
20							54.6					152
10							28.9					33.3

ELECTRON DENSITY

TABLES OF IONOSPHERIC DATA

AUGUST 1961 - APRIL 1958

Table 1

Washington, D. C. (38.7° N, 77.1° W)

Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	August 1961	
								(M3000)F2	
00	4.6	31	275			3.1	2.85		
01	4.3	31	280			2.8	2.85		
02	4.0	31	275			2.1	2.90		
03	3.7	30	280				2.90		
04	3.3	31	280				2.95		
05	3.1	31	(270)				3.00		
06	4.5	31	240	---	<120	1.92	2.1	3.25	
07	290	5.3	31	230	3.8	111	2.50	2.8	3.25
08	305	5.9	31	220	4.2	107 (2.90)	3.6	3.10	
09	320	6.2	31	205	4.5	105	3.20	3.6	3.10
10	320	6.5	30	200	4.7	105	3.32	3.8	3.05
11	345	6.35	30	190	4.8	105	3.48	4.0	2.98
12	350	6.3	31	200	4.8	105	3.55	>3.5	3.00
13	345	6.4	31	200	4.8	107	3.50	3.6	2.90
14	355	6.2	31	210	4.8	105	3.48	3.7	2.90
15	340	6.3	31	215	4.6	107	3.30	3.4	2.90
16	330	6.3	31	220	4.5	109	3.12	>3.3	2.90
17	310	6.5	31	230	4.1	111	2.80	3.0	3.00
18	275	6.5	31	<250		119	2.32	3.0	3.00
19	260	7.2	31	255	---	---	2.8	3.05	
20	7.1	31	245			2.9	3.00		
21	6.45	30	250			2.8	3.00		
22	5.4	29	255				2.98		
23	4.8	30	270			1.8	2.90		

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 3

Resolute Bay, Canada (74.7° N, 94.9° W)

Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	June 1961	
								(M3000)F2	
00	290	5.2	29	240	3.0	2.0		3.0	
01	295	4.9	29	230	3.2	2.0		3.0	
02	295	5.0	29	230	3.4	2.1		3.0	
03	310	5.0	28	230	3.3	2.3		3.0	
04	325	4.7	27	220	3.6	2.4		3.0	
05	380	4.7	28	220	3.8	2.6		2.9	
06	395	5.0	28	215	3.9	2.8		2.8	
07	390	4.8	29	210	4.0	2.9		2.8	
08	410	5.0	29	210	4.0	3.0	2.75		
09	435	5.0	29	205	4.1	3.0		2.6	
10	435	5.0	29	205	4.2	3.1		2.7	
11	440	5.1	27	200	4.3	3.1		2.7	
12	420	5.2	28	205	4.3	3.1		2.6	
13	410	5.2	30	200	4.3	3.1		2.7	
14	415	5.2	29	200	4.3	3.1		2.7	
15	400	5.3	28	200	4.2	3.0	2.75		
16	410	5.2	29	205	4.1	3.0		2.7	
17	400	5.3	29	200	4.1	2.9		2.7	
18	370	5.2	29	210	4.0	2.9		2.8	
19	340	5.2	28	210	3.9	2.7		2.9	
20	340	5.4	29	220	3.7	2.5		2.9	
21	315	5.2	28	230	3.5	2.4		2.9	
22	300	5.2	28	235	3.3	2.3		2.9	
23	290	5.2	29	230	3.3	2.2		3.0	

Time: 90.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 5

Kiruna, Sweden (67.8° N, 20.4° E)

Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	June 1961	
								(M3000)F2	
00			5.0	11	285	---	4.1	(2.8)	
01			5.3	13	280	---	4.1	2.8	
02			(320)	5.2	18	260	2.9	1.8	4.6
03			355	5.0	19	250	3.2	2.0	4.5
04			350	5.0	23	240	3.5	105	2.7
05			350	5.2	24	230	3.8	105	2.6
06			350	5.4	25	220	4.0	105	2.6
07			385	5.4	28	215	4.2	105	2.8
08			370	5.6	29	215	4.3	105	2.75
09			355	5.8	29	210	4.4	105	2.6
10			365	5.8	30	215	4.5	105	2.8
11			360	5.8	30	210	4.5	100	3.0
12			365	5.8	29	210	4.5	100	3.15
13			350	5.8	29	210	4.5	105	3.0
14			360	5.7	29	210	4.5	105	2.8
15			350	5.6	30	210	4.4	105	2.9
16			350	5.5	30	220	4.3	105	3.0
17			320	5.5	28	225	4.0	105	2.9
18			310	5.4	26	235	3.8	110	2.5
19			295	5.4	26	240	3.5	110	2.4
20			(285)	5.2	24	250	3.2	110	2.8
21			---	5.0	18	270	---	1.6	4.7
22			---	5.1	19	300	---	5.0	2.8
23			---	5.3	13	300	---	4.2	2.8

Time: 15.0°E.

Sweep: 0.8 Mc to 15.0 Mc in 30 seconds.

Table 2

Slough, England (51.5° N, 0.6° W)

Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	July 1961	
								(M3000)F2	
00			5.0	29	280				<1.6
01			4.9	27					2.75
02			4.7	23	270				2.75
03			3.9	28	280				1.4
04			4.0	26	280	---	---		2.80
05			370	4.4	27	255	3.3	115	2.00
06			365	4.9	28	235	3.8	105	2.50
07			400	5.0	28	220	4.1	105	2.85
08			390	5.5	28	215	4.4	105	3.10
09			335	5.8	28	220	4.5	105	3.30
10			355	6.2	28	215	4.6	105	3.40
11			355	5.9	28	205	4.7	105	3.50
12			380	6.0	29	210	4.8	105	3.55
13			370	6.0	29	210	4.8	110	2.20
14			295	6.4	29	255	4.6	110	2.20
15			6.3	28	255				3.05
16			6.1	29	250				2.90
17			5.9	28	260				(2.4)
18			5.9	28	260				2.80
19			5.6	27	270				2.80
20			5.6	27	270				3.00
21			5.1	29	250				2.90
22			5.9	28	260				(1.6)
23			5.6	27	270				2.80

Time: 0.0°.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 6

Sodankyla, Finland (67.4° N, 26.6° E)

Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	June 1961	
								(M3000)F2	
00			5.0	14	290			(3.4)	2.85
01			4.9	13	290			(3.6)	2.80
02			4.8	10	280				2.80
03			5.0	13	260			(3.5)	2.80
04			5.1	15	240	---	115	2.00	(3.6)
05			5.4	15	230	3.7	115	2.30	(3.6)
06			5.4	19	225	3.9	110	2.50	(3.7)
07			5.6	22	220	4.2	110	2.80	(3.9)
08			5.8	20	215	4.3	105	2.95	(4.2)
09			5.9	27	220	4.4	105	3.05	4.3
10			6.0	26	210	4.5	105	3.10	4.2
11			5.9	24	210	4.5	105	3.20	4.3
12			6.2	24	210	4.6	115	3.35	(4.4)
13			5.9	26	210	4.6	110	3.30	(4.3)
14			5.8	25	215	4.6	110	3.20	2.90
15			5.7	23	210	4.4	115	3.15	2.90
16			5.6	24	210	4.2	110	3.05	4.0
17			5.6	27	220				

Table 7

Lulea, Sweden (65.6° N, 22.1° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	(4.8)	16	280	---	---	(2.0)	2.9		
01	4.6	19	300	---	---	(2.2)	2.85		
02	4.8	19	280	---	150	1.8	2.0	2.8	
03	340	5.0	18	250	3.2	140	2.0	2.3	2.9
04	370	5.0	24	240	3.4	125	2.3	2.8	
05	370	5.4	21	225	3.8	120	2.5	2.3	2.8
06	360	5.3	21	225	4.0	110	2.7	2.8	
07	370	5.6	20	230	4.3	110	2.9	2.8	
08	375	5.8	22	230	4.4	105	3.1	2.8	
09	370	6.0	23	225	4.4	105	3.2	2.8	
10	360	6.1	23	220	4.5	105	3.3	2.8	
11	365	6.0	26	220	4.5	105	3.4	2.85	
12	360	5.9	24	220	4.4	110	3.4	2.9	
13	360	5.8	26	210	4.6	110	3.3	2.9	
14	360	5.8	22	215	4.4	110	3.3	2.85	
15	360	5.7	25	210	4.4	110	3.2	2.9	
16	350	5.6	26	235	4.3	110	3.0	2.9	
17	335	5.7	27	235	4.0	110	2.8	3.0	
18	---	5.7	26	235	---	120	2.6	2.9	
19	5.7	24	240	130	2.3	2.1	3.0		
20	5.5	25	250	140	2.0	(2.3)	3.0		
21	5.5	21	265	---	1.7	(2.3)	2.9		
22	5.2	19	275	---	1.6	(1.8)	2.9		
23	4.9	17	280	---	(2.3)	3.0			

Time: 15.0°E.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 9

Nurmijarvi, Finland (60.5° N, 24.6° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	(6.4)	4	280	---					
01	(5.4)	4	280	---					
02	(5.1)	7	290	---					
03	(5.0)	7	290	---					
04	5.0	14	260	---					
05	5.2	16	230	3.5	2.00	2.3	3.00		
06	5.6	18	220	3.8	2.40	2.6	3.00		
07	5.6	18	210	4.1	2.70	3.1	3.10		
08	5.9	20	220	4.2	2.90	3.3	3.10		
09	6.1	23	210	4.4	3.00	3.8	3.00		
10	6.2	23	220	4.4	3.10	4.0	3.05		
11	6.2	24	220	4.6	3.20	4.5	3.10		
12	6.3	28	210	4.6	3.30				
13	6.1	24	210	4.6	3.25				
14	6.0	27	205	4.6	3.20	3.5	3.10		
15	6.0	26	210	4.5	3.00				
16	5.8	29	210	4.3	3.10				
17	5.8	24	210	4.2	2.95	3.0	3.10		
18	5.8	25	220	---	2.70	3.2	3.15		
19	6.0	20	230	---	2.40	3.0	3.20		
20	6.2	14	260	---	1.95	3.0	3.20		
21	(6.5)	9	270	---					
22	(6.8)	5	275	---					
23	(6.4)	4	280	---					

Time: 30.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 1 minute.

Table 11

Churchill, Canada (58.8° N, 94.2° W)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	
00	4.4	24	290	---					
01	4.5	27	275	---					
02	4.2	29	270	---					
03	4.1	28	270	---	1.6	4.5	(2.9)		
04	4.2	28	275	---	2.0	3.8	(2.95)		
05	410	4.3	27	240	3.6	2.3	3.8		
06	400	4.5	23	250	3.9	2.7	4.4	2.8	
07	420	5.0	19	235	4.2	3.0	4.2	2.7	
08	440	5.0	22	220	4.3	3.2	4.3	2.65	
09	420	5.3	21	220	4.5	3.2	>4.0	2.7	
10	410	5.4	24	215	4.5	3.3	3.8	2.8	
11	420	5.4	27	205	4.5	3.4			
12	450	5.4	28	210	4.6	3.4			
13	425	5.5	28	205	4.5	3.4			
14	420	5.6	30	205	4.5	3.3			
15	400	5.8	30	210	4.4	3.3			
16	395	5.9	30	210	4.4	3.2			
17	370	5.9	30	220	4.2	3.0			
18	335	5.8	30	240	4.0	2.9			
19	320	5.4	30	265	3.7	2.7			
20	---	5.2	28	290	2.4	3.1			
21	4.8	28	290	2.3	5.8	2.9			
22	4.9	26	295	---	6.0	(3.0)			
23	4.8	24	270	---	8.4	(2.95)			

Time: 90.0°W.

Sweep: 1.0 Mc to 17.0 Mc in 16 seconds.

Table 8

Lycksele, Sweden (64.6° N, 18.8° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	
00			4.8	29	270				
01			4.8	28	290				
02	(315)	4.6	28	270	2.60	---	(1.60)	3.6	2.7
03	320	4.9	28	250	3.00	105	1.75	3.5	2.7
04	340	4.8	27	235	3.50	110	2.00	3.8	2.7
05	360	5.3	28	220	3.80	100	2.30	4.0	2.7
06	365	5.4	28	215	4.00	100	2.50	3.9	2.7
07	370	5.5	28	210	4.20	100	2.70	4.7	2.7
08	350	5.8	28	210	4.30	100	2.90	5.0	2.7
09	360	5.9	28	200	4.40	100	3.00	5.0	2.7
10	365	5.9	27	205	4.50	100	3.10	5.3	2.7
11	350	6.0	26	205	4.55	100	3.10	4.1	2.7
12	350	5.9	28	200	4.50	100	3.15	4.7	2.75
13	350	5.8	29	205	4.50	100	3.10	3.8	2.8
14	350	5.8	29	200	4.40	100	3.00	3.6	2.8
15	340	5.8	27	205	4.60	100	3.10	5.5	2.9
16	350	6.0	29	205	4.65	100	3.20	4.5	2.9
17	315	6.0	28	220	4.70	100	3.30	4.7	2.9
18	300	6.1	29	230	3.90	105	2.50	4.4	3.0
19	(300)	5.8	26	235	3.50	110	2.20	4.0	3.0
20	6.1	29	255	4.70	100	3.30	4.8		
21	6.1	29	255	4.70	120	1.75	3.3		
22	6.2	28	255	4.70	110	1.20	2.3		
23	5.9	29	255	4.70	125	1.00	2.3		

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.

Table 12

De Bilt, Holland (52.1° N, 5.2° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2	
00			5.8	28	280				2.80
01			5.2	28	280				2.85
02			4.9	28	290				2.85
03			4.7	28	290				2.90
04	300	5.0	28	260	3.0	---	1.9	3.1	2.95
05	340	5.8	28	240	3.7	121	2.2	3.0	2.80
06	320	5.9	27	230	4.0	118	2.6	J.6	2.95
07	340	6.0	27	225	4.4	116	2.9	4.0	2.95
08	320	6.2	29	215	4.5	110	3.1	3.8	3.00
09	330	6.2	28	215	4.7	110	3.2	4.1	2.95
10	330	6.3	29	210	4.8	109	3.4	4.2	2.95
11	350	6.3	28	210	4.8	108	3.4	4.8	2.90
12	350	6.1	27	200	4.8	108	3.5	4.3	2.95
13	350	6.1	30	220	4.8	109	3.4	4.9	2.90
14	340	6.2	29	215	4.7	110	3.4	4.0	2.95
15	350	6.1	29	215	4.7	110	3.3	4.0	3.00
16	J.20	6.3	29	225	4.4	114	3.0	4.2	3.00
17	J.10	6.3	29	230	4.1	120	2.8	4.4	3.00
18	290	6.8	30	260	3.8	120	2.3	3.7	3.00
19	280	7.0	29	260	---	1.9	4.4		3.05

Table 13

Slough, England (51° N, 0.6° W)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	5.9	24	260			1.2		2.80
01	5.6	24	270			1.3		2.80
02	5.1	26	270			1.0		2.80
03	4.8	25	270	---	---	1.4		2.80
04	360	4.8	26	265	---	125	1.55	1.7
05	325	5.5	24	240	---	110	2.10	2.3
06	305	5.6	21	230	3.8	110	2.60	3.0
07	315	6.0	26	230	4.2	105	2.95	3.4
08	325	6.0	26	215	4.4	105	3.20	3.8
09	355	6.1	23	215	4.6	105	3.35	4.2
10	340	6.2	25	210	4.7	105	3.50	4.1
11	350	6.2	25	210	4.8	105	3.60	4.2
12	345	6.2	26	205	4.8	105	3.60	4.4
13	350	6.2	26	210	4.6	105	3.60	4.0
14	345	6.2	27	210	4.7	105	3.60	3.9
15	350	6.1	29	210	4.7	105	3.40	4.2
16	330	6.2	23	220	4.5	105	3.20	3.8
17	320	6.4	25	230	4.3	105	2.95	(4.1)
18	300	6.6	25	240	---	110	2.60	(4.0)
19	280	6.8	24	245		115	2.20	(3.8)
20		6.8	24	260	---	1.65	(2.8)	3.00
21		7.1	26	250		(2.0)		3.00
22		6.9	25	255		1.6		2.90
23		6.4	23	255		1.6		2.80

Time: 0.0°.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 15

Pruhonice, Czechoslovakia (50.0° N, 14.6° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	5.8	28	260		---	---	2.8	
01	5.4	28	250		---	1.3		
02	5.0	28	255	---	---	2.1		
03	5.1	28	260	---	1.5	1.7		
04	5.4	28	240		105	2.0	2.3	
05	5.8	27	230		100	2.4	3.0	
06	6.2	28	220		100	2.8	3.5	
07	6.3	29	210		95	3.1	3.8	
08	6.7	27	205		95	3.2	4.0	
09	6.6	28	205		95	3.4	4.1	
10	6.6	29	205		95	3.4	4.2	
11	6.6	28	205		95	3.4	4.3	
12	6.6	27	200		95	3.4	4.2	
13	6.3	26	205		95	3.4	4.0	
14	6.4	28	200		95	3.4	3.7	
15	6.4	28	205		95	3.2	3.8	
16	6.5	27	215		100	3.0	3.8	
17	6.7	25	240		100	2.5	3.6	
18	7.0	22	250		105	2.0	4.7	
19	7.4	21	250	---	---	4.2		
20	7.2	23	245	---	---	2.8		
21	7.0	23	250	---	---			
22	6.5	23	250	---	---			
23	6.2	26	270	---	---			

Time: 0.0°.

Sweep: 1.0 Mc to 18.0 Mc.

Table 17

St. John's, Newfoundland (47.6° N, 52.7° W)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	5.0	27	270					2.8
01	4.2	27	280					2.8
02	3.8	28	260					2.8
03	3.4	27	270					2.9
04	3.9	27	255					3.1
05	360	4.2	30	225	3.6	2.40	2.7	3.05
06	360	4.7	30	220	3.9	2.75	3.4	3.0
07	380	5.1	29	205	4.1	3.00	4.4	2.9
08	395	5.2	28	215	4.4	3.35	5.0	2.9
09	390	5.4	28	200	4.5	3.50	4.0	2.8
10	405	5.5	29	205	4.7	---	4.0	2.75
11	380	5.8	30	200	4.7	---	4.0	2.8
12	395	5.6	30	200	4.8	3.65	4.0	2.8
13	385	6.0	30	210	4.7	3.55	3.6	2.85
14	350	6.0	30	205	4.6	3.40		2.9
15	350	6.0	30	205	4.5	3.20		2.9
16	330	6.0	30	205	4.3	3.00		2.9
17	310	6.2	28	210	---	2.75	4.4	2.9
18	(300)	6.6	30	260	---	4.6	2.9	
19		6.8	29	260		4.6	2.9	
20		6.4	24	250		3.8	2.9	
21		(6.0)	27	250		3.0	(2.8)	
22		5.8	24	250		2.8		
23		5.4	27	270		2.8		

Time: 60.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 14

Dundee, Belgrave (56.1° N, 4.6° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			5.7	29	270			2.90
01			5.2	29	270			2.85
02			5.0	29	280			2.85
03			4.7	28	290			2.90
04	(340)	4.8	29	270	---	(1.1)	1.60	1.9
05	330	5.2	29	250	3.55	115	2.10	2.00
06	340	5.8	29	(235)	3.90	111	2.50	3.1
07	330	6.0	28	245	4.05	109	2.90	3.00
08	325	6.2	28	235	4.45	107	3.10	3.05
09	340	6.0	28	235	4.50	107	3.30	3.00
10	340	6.3	26	(235)	4.60	107	3.40	3.05
11	340	6.4	27	(225)	4.80	107	3.40	3.05
12	345	6.3	26	(210)	4.75	107	3.45	3.10
13	350	6.4	26	(225)	4.70	107	3.50	2.95
14	330	6.2	26	(220)	4.50	107	3.45	3.05
15	340	6.0	26	250	4.50	107	3.45	3.05
16	340	6.0	26	250	4.50	107	3.30	3.00
17	320	6.4	28	(235)	4.50	107	3.05	3.05
18	315	6.4	28	270	4.00	111	2.70	3.7
19	300	6.7	29	(275)	4.27	119	2.30	3.5
20	(280)	6.8	29	<275	4.29	129	1.75	3.10
21		7.0	27	260	4.27	142	---	3.15
22		7.0	27	260				3.00
23		6.6	29	255				2.95
		6.0	29	270				2.90

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 3 minutes.

Table 16

Winnipeg, Canada (49.9° N, 97.4° W)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			3.8	27	300			2.8
01			3.5	28	300			2.8
02			3.2	26	300			2.8
03			3.3	24	300			2.8
04			3.2	24	300			2.9
05	(470)	3.7	27	270	3.0	1.9		2.95
06	435	4.2	26	225	3.5	2.4		2.8
07	430	4.6	28	220	4.0	2.8		2.7
08	425	4.8	28	210	4.1	3.0		2.7
09	440	5.1	27	200	4.4	3.2		2.6
10	415	5.5	27	200	4.5	3.3		2.7
11	400	5.6	26	200	4.7	3.4		2.8
12	400	5.6	25	205	4.6	3.5		2.8
13	400	5.7	27	210	4.6	3.6		2.75
14	415	5.6	28	210	4.7	3.5		2.8
15	395	5.7	29	215	4.6	3.4		2.8
16	380	5.8	30	210	4.4	3.3		2.8
17	350	5.9	28	210	4.3	3.1		2.9
18	320	6.0	28	230	4.0	2.8		2.9
19	290	6.0	30	240	3.5	2.4		3.0
20	--	6.2	28	265	4.2	2.0		3.0
21		6.0	27	250				3.0
22		5.3	27	250				2.9
23		4.5	27	<280				2.9

Time: 50.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 18

Graz, Austria (47.1° N, 15.5° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			>5.7	26	300			2.7
01			>5.6	28	290			3.3
02			(5.4)	26	290			3.4
0								

Table 19

Sottern, Switzerland (46.6° N, 6.7° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00	6.2	28	270				3.1	2.90	
01	5.8	27	270				2.85	3.00	
02	5.5	27	270				2.85	3.00	
03	5.2	25	280				2.80	3.00	
04	5.0	27	275	---	---	---	2.90		
05	(360)	5.2	26	260	3.3	120	1.9	3.0	2.85
06	330	5.8	27	240	3.6	120	2.3	3.6	3.00
07	295	6.1	27	230	4.0	100	2.7	4.0	3.05
08	300	6.6	24	(230)	4.2	100	2.9	4.9	3.10
09	300	6.4	25	(220)	4.5	100	3.2	5.0	3.10
10	320	6.5	23	(215)	4.8	100	3.3	5.0	3.05
11	325	6.7	23	(200)	4.7	100	3.4	5.0	3.05
12	340	6.7	23	200	4.8	100	3.4	4.3	3.05
13	350	6.6	25	200	4.7	100	3.4	3.7	3.00
14	350	6.6	25	210	4.7	100	3.4	3.8	3.00
15	340	6.6	25	210	4.7	100	3.3	4.2	3.00
16	330	6.6	25	220	4.6	100	3.2	4.1	3.00
17	320	6.7	27	(220)	4.3	100	3.0	4.7	3.00
18	300	6.8	28	230	4.0	110	2.7	4.5	3.10
19	---	6.7	24	265	---	120	2.2	4.1	3.15
20		6.8	21	255			4.2		3.25
21		7.1	19	250			4.0		3.15
22		6.6	25	260			3.2		3.00
23		6.5	28	270			3.0		3.00

Time: 15.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 21

Rome, Italy (41.8° N, 12.5° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00	(6.3)	23	290				3.4	(2.75)	
01	(6.0)	21	290				3.2	(2.70)	
02	5.9	25	290				2.75		
03	5.9	25	290				2.75		
04	5.5	27	280				2.80		
05	5.6	28	260		150	1.7	3.0	2.80	
06	6.3	28	250	---	120	2.3	3.8	2.90	
07	(300)	6.9	24	240	4.0	110	2.7	4.6	1.95
08	(330)	6.6	25	(230)	4.2	110	3.0	5.3	3.00
09	320	7.0	24	220	4.6	110	3.3	4.9	3.00
10	330	6.8	24	(210)	4.8	110	3.4	5.6	2.90
11	360	7.0	23	220	4.8	110	3.5	5.5	2.85
12	350	7.2	25	210	4.9	110	3.5	5.3	2.90
13	340	7.3	28	210	4.9	110	3.6	4.5	2.85
14	350	7.3	29	210	4.8	110	3.5	4.5	2.85
15	340	7.3	27	230	4.8	110	3.4	4.5	2.90
16	310	7.6	27	240	4.5	110	3.2	4.4	2.90
17	---	7.5	25	240	---	110	3.0	5.6	2.95
18	---	(7.5)	25	240	---	110	2.5	4.8	2.90
19	(8.0)	16	260		140	1.8	4.3	(2.90)	
20	(8.3)	13	260				4.2	(2.90)	
21	(8.0)	11	250				4.8	(2.90)	
22	(6.9)	15	280				4.4	(2.80)	
23	(6.4)	11	270				4.3	(2.80)	

Time: 15.0°E

Sweep: 1.4 Mc to 15.0 Mc in 5 minutes, automatic operation.

Table 23

El Cerillo, Mexico (19.3° N, 99.5° W)								June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00		6.2	23	280			2.8	2.90	
01		6.3	23	270			2.9	3.00	
02		6.2	23	260			2.4	3.00	
03		5.9	23	250			3.2	3.10	
04		5.4	23	250			2.0	3.10	
05		5.0	23	250			3.2	3.10	
06		4.8	23	260			2.6	3.20	
07		5.8	23	230	---	103	2.20	2.8	3.20
08	(350)	6.8	26	210	4.4	101	2.70	3.4	3.00
09	380	7.5	27	200	4.8	101	3.10	4.2	2.90
10	350	6.1	28	200	4.9	101	3.40	4.0	2.80
11	380	8.4	27	190	5.0	101	3.55	3.9	2.70
12	375	9.4	28	200	5.0	102	3.65	4.1	2.70
13	360	9.9	30	210	5.0	101	3.70	3.8	2.80
14	330	10.6	30	220	4.9	103	3.70	4.2	2.90
15	330	10.1	28	220	4.8	103	3.55	4.2	2.90
16	315	10.1	30	220	4.6	103	3.20	3.8	2.90
17	330	10.3	30	220	4.4	103	2.95	3.5	3.00
18	---	10.0	29	240	---	105	2.40	3.2	3.10
19		9.5	30	250			3.6	3.20	
20		9.0	30	230			2.8	3.10	
21		7.8	28	240			2.6	3.10	
22		6.9	24	245			2.2	3.00	
23		6.6	24	260			2.7	2.95	

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 18 seconds.

Table 20

Ottawa, Canada (45.4° N, 75.9° W)								June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00			4.2	28	280			3.0	(2.9)
01			4.0	26	290			3.7	---
02			3.5	27	280			3.0	---
03			(3.1)	29	300			3.6	
04			3.0	28	<300			3.1	---
05	(450)	3.8	30	250	---			2.0	3.0
06	440	4.2	30	240	3.8			2.5	3.5
07	395	4.8	30	230	4.1			2.8	4.1
08	440	5.0	29	220	4.2			3.1	4.1
09	400	5.2	27	210	4.5			3.4	4.0
10	400	5.5	27	200	4.5			3.6	4.0
11	420	5.5	29	200	4.7			3.6	4.0
12	400	5.6	30	200	4.8			3.6	4.0
13	420	5.7	30	200	4.8			3.6	4.0
14	390	5.8	29	220	4.7			3.6	4.0
15	395	5.9	29	210	4.6			3.4	3.5
16	380	6.0	30	220	4.4			3.2	3.4
17	350	6.1	29	230	4.1			3.0	4.5
18	300	6.2	29	250	(3.9)			2.6	3.0
19	(280)	6.5	29	270	4.5			4.5	3.0
20		6.2	30	250				4.2	3.0
21		6.2	29	250				3.6	3.0
22		5.6	29	260				2.4	3.0
23		5.2	28	275				5.0	(3.0)

Time: 75.0°W.

Sweep: 1.0 Mc to 20.0 Mc in 16 seconds.

Table 22

Formosa, China (25.0° N, 121.5° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00			7.6	10	300			3.8	(2.75)
01			7.6	10	270			3.8	(3.20)
02			5.6	16	260			3.3	3.00
03			5.4	16	260			2.6	(3.00)
04			5.4	15	270			2.9	2.90
05			4.5	17	(270)			3.5	3.15
06			6.2	26	240			4.0	3.25
07	(260)	6.8	22	(230)	(111)			4.0	3.20
08	(305)	6.8	24	(220)	(4.7)	111		6.2	3.00
09	390	7.0	25	(240)	4.9	(109)		6.7	2.70
10	410	7.7	23	(210)	(5.0)	111		6.8	2.55
11	400	8.6	27	(205)	(4.8)	(109)		6.0	2.60
12	380	9.2	28	210	5.0	<111		5.0	2.65
13	370	>9.6	28	220	(4.9)	(109)		4.4	2.75
14	350	>10.4	28	(220)	4.8	<109		4.0	2.75
15	335	11.1	28	215	4.7	(109)		5.4	2.90
16	300	11.3	29	(240)	(4.5)	114		5.1	(2.95)
17	290	(9.8)	30	(240)	(4.1)			4.4	3.00
18	(260)	9.0	29	245				4.0	3.05
19		8.2	30	(250)				3.8	2.85
20		7.2	28	(28					

Table 25

Townsville, Australia (19.3° S, 146.7° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	>3.5	12	260					(3.00)
01	3.4	19	250					3.05
02	3.3	19	250					3.15
03	(3.2)	13	255					(3.25)
04	>2.9	18	250					(3.30)
05	3.0	22	250					3.10
06	3.1	26	250					3.20
07	>5.3	24	240		1.90			(3.35)
08	6.5	27	230		2.65			3.50
09	>7.0	24	225	---	3.00	3.2		3.65
10	7.4	24	230	4.4	3.20	3.7		3.45
11	7.5	26	210	4.5	3.30	3.8		3.40
12	>7.5	24	210	4.5	3.40	4.0		3.40
13	7.4	24	210	4.5	3.35	4.0		3.30
14	>7.1	28	210	4.4	3.30	4.0		3.30
15	7.0	26	210	4.0	3.10	3.9		3.25
16	>7.0	24	240		2.80	3.9		3.40
17	6.8	26	240	(2.10)	4.0			3.40
18	5.8	21	240			3.8		3.30
19	4.6	28	230			3.1		3.40
20	3.7	26	250			2.8		3.10
21	>3.6	21	260			2.2		3.00
22	>3.7	18	260					3.05
23	3.7	13	255					(3.10)

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 27

Brisbane, Australia (27.5° S, 152.9° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	3.9	23						2.80
01	3.8	19						2.85
02	4.0	21						(2.80)
03	4.0	20						(2.85)
04	3.9	25			2.1			(2.90)
05	3.5	24			2.0			2.80
06	3.5	24						2.85
07	5.4	25						3.35
08	6.6	25						3.40
09	7.1	25			3.2			3.30
10	7.5	25			3.5			3.35
11	7.4	25			3.25			3.35
12	7.0	25			3.25			3.20
13	7.4	27			3.20			3.15
14	7.2	26			4.0			3.15
15	7.7	24			4.4			3.25
16	6.8	26			3.6			3.15
17	6.3	26			3.8			3.20
18	4.9	26			3.0			3.10
19	4.0	26			1.8			2.90
20	3.9	25						2.80
21	3.9	23						2.80
22	3.7	19						2.80
23	3.7	19						2.75

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 29

Capetown, Union of S. Africa (34.1° S, 18.3° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	2.6	30				<1.6		2.90
01	2.8	29				<1.6		2.85
02	2.9	29				<1.6		2.90
03	3.0	29				<1.6		3.00
04	3.0	29				<1.6		3.10
05	3.0	29	---			<1.5		3.20
06	2.7	30	---			<1.4		3.05
07	2.6	30	---			<1.4		3.05
08	4.8	30	225		<1.6			3.45
09	6.0	30	225		2.3			3.50
10	245	6.4	30	230	2.8	3.0		3.40
11	255	7.0	30	225	3.0	3.2		3.40
12	260	7.2	30	215	3.1	3.4		3.25
13	270	7.4	30	220	4.4	3.1		3.20
14	260	7.7	30	225	3.1	3.6		3.20
15	250	7.7	30	220	---	2.9		3.20
16	250	7.8	30	235	---	(2.6)		3.30
17	7.0	30	225		2.1	2.2		3.35
18	5.1	30	215		<1.6	<1.7		3.40
19	3.4	30	---		<1.6			3.30
20	2.9	30			<1.7			3.25
21	2.8	30			<1.6			3.30
22	2.7	30			<1.6			3.30
23	2.5	30			<1.6			3.10

Time: 30.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 7 seconds.

Table 26

Johannesburg, Union of S. Africa (26.1° S, 28.1° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			2.7	28				<1.2
01			2.7	27				2.95
02			(2.8)	27				2.95
03			3.0	27				3.00
04			2.9	27				3.00
05			2.7	27				3.05
06			2.7	27				3.10
07			4.8	27	230			3.35
08			(230)	6.4	27	225		3.45
09			240	6.8	27	210		3.40
10			250	7.2	26	210		3.35
11			250	7.6	25	200		3.35
12			265	7.5	24	205		3.30
13			260	7.2	26	205		3.25
14			260	7.6	26	200		3.10
15			250	7.7	27	210		3.20
16			235	7.6	27	230		3.30
17			6.8	28		225		3.35
18			5.2	28		215		3.35
19			3.4	28		(210)		3.20
20			3.1	28		---		3.25
21			3.0	28		---		3.20
22			3.0	28		---		3.15
23			3.0	28		---		3.10

Time: 30.0°E.

Sweep: 1.0 Mc to 14.0 Mc in 1 minute 30 seconds.

Table 28

Mundaring, W. Australia (32.0° S, 116.2° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			3.4	22	260			3.10
01			3.4	25	<265			3.10
02			3.7	25	250			3.15
03			3.8	23	250			3.20
04			3.9	25	<250			3.20
05			3.6	24	230			3.25
06			3.1	25	230			3.30
07			3.6	24	230			3.35
08			6.0	24	215			3.60
09			6.6	22	225			3.45
10			7.4	25	225			3.40
11			7.5	23	220			3.45
12			7.5	21	215			3.40
13			7.5	23	210			3.40
14			7.6	22	210			3.40
15			7.6	26	225			3.40
16			7.3	23	230			3.40
17			6.2	26	210			3.40
18			4.8	25	205			3.40
19			3.7	23	235			3.30
20			3.3	23	240			3.25
21			3.1	22	<240			3.30
22			>3.2	19	260			3.15
23			3.4	21	260			3.10

Time: 120.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 18 seconds.

Table 30

Hobart, Tasmania (42.9° S, 147.2° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			2.1	21				3.00
01			2.2	18				3.00
02			2.4	22				3.10
03			2.4	20				3.10
04			2.2	18				(3.25)
05			2.1	21				3.15
06			2.0	20				(3.20)
07			2.1	21				(3.15)
08			4.5	20				3.60
09			5.8	21				3.65
10			6.2	20				3.65
11			6.5	21				4.0
12			7.0	23				4.2
13			6.9	24				4.3
14			>7.0	23				4.3
15			7.0	24				3.50
16			6.8	24				3.60
17			6.0	24				3.40
18</								

Table 31

Christchurch, New Zealand (43.6° S, 172.8° E)							June 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00		3.3	15	270		<1.7	2.80	
01		3.4	19	(280)		<1.7	2.70	
02		3.5	21	270		<1.7	2.75	
03		3.6	12	260		<1.4	2.85	
04		2.8	16	260		<1.3	2.85	
05		2.6	15	250		<1.2	2.95	
06		2.3	17	240		<1.5	3.05	
07		2.2	16	240		<1.5	2.95	
08		4.1	27	240	---	(1.7)	2.0	3.20
09		5.9	29	220	110	2.2	2.6	3.45
10		6.2	29	230	110	2.7	2.9	3.45
11	(240)	6.6	30	220	105	2.8	3.2	3.60
12	(240)	6.8	28	220	110	2.9	3.5	3.30
13	240	7.0	29	220	110	2.9	3.3	3.30
14	240	7.0	27	230	110	2.8	3.3	3.30
15	(240)	6.9	29	220	110	2.6	3.0	3.35
16	---	6.7	29	230	110	2.1	2.6	3.35
17		5.8	30	220	---	(1.6)	2.6	3.30
18		4.9	27	240			2.3	3.00
19		4.3	28	240		<1.8		3.05
20		3.7	27	240		<1.8		2.95
21		3.4	20	260		<1.7		2.90
22		3.4	20	260		<1.7		2.85
23		3.4	16	270		<1.7		2.80

Time: 180.0°E.

Sweep: 1.0 Mc to 22.0 Mc in 7 seconds.

Table 33

Wakkanai, Japan (45.4° N, 141.7° E)							April 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00		5.5	28	310			2.80	
01		5.4	28	300			2.75	
02		5.2	28	285			2.85	
03		5.2	28	260			2.90	
04		4.6	28	265			2.90	
05		5.0	28	260	1.75		3.15	
06		5.7	29	250	2.20		3.30	
07	---	6.3	29	245	---	2.70	3.25	
08	310	6.8	29	235	4.3	3.00	3.15	
09	295	7.2	30	230	4.5	3.10	3.20	
10	300	7.8	30	225	4.6	3.20	3.4	
11	290	7.6	30	225	4.8	3.25	3.05	
12	300	8.0	30	225	4.8	3.30	3.05	
13	300	8.0	30	220	4.9	3.30	3.10	
14	300	8.0	30	230	4.8	3.15	3.10	
15	285	8.1	30	235	4.6	3.00	3.10	
16	---	8.0	30	240	---	2.65	3.15	
17		7.7	30	250		2.25	3.20	
18		7.6	30	255			3.15	
19		7.4	30	250			3.05	
20		6.8	30	260			2.95	
21		6.2	30	265			2.90	
22		5.8	30	290			2.80	
23		5.6	30	305			2.80	

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 1 minute.

Table 35

Tokyo, Japan (35.7° N, 139.5° E)							April 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00		5.7	29	305			2.70	
01		5.8	30	300			2.75	
02		(5.6)	30	280			(2.80)	
03		5.2	30	255			2.95	
04		4.6	30	260			2.75	
05		4.6	29	260			2.90	
06		6.4	29	240	2.20		3.30	
07	---	7.1	29	245	(2.65)		3.15	
08	270	7.6	29	240	---	3.10	3.2	3.15
09	285	8.3	29	230	4.6	3.35	4.0	3.05
10	300	8.6	30	(230)	---	3.50	4.1	3.00
11	300	9.4	30	230	---	(3.60)	4.1	2.95
12	305	9.6	30	240	---	(3.50)	4.1	2.95
13	300	10.2	30	240	(5.2)	(3.50)	4.0	3.00
14	300	10.5	29	240	---	(3.40)	4.0	2.95
15	285	10.3	29	240	---	3.20	3.5	3.00
16	275	10.0	29	250	(2.85)	3.5	3.10	2.95
17	270	9.2	29	250	(2.35)	2.7	3.10	2.90
18	---	9.1	29	250	---	2.6	3.20	3.20
19		7.8	30	240		2.3	3.15	
20		6.2	30	250		2.2	2.95	
21		5.6	30	300			2.70	
22		5.7	30	305			2.65	
23		5.7	29	305			2.70	

Time: 135.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 20 seconds.

Table 36

Resolute Bay, Canada (74.7° N, 94.9° W)							April 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			4.5	30	260		1.7	3.0
01			4.3	30	265		1.7	2.9
02			4.4	30	<270		1.8	3.0
03			4.3	29	270		1.8	3.0
04	---		4.5	29	260		1.9	3.0
05	---		4.2	29	250	---	2.0	3.0
06			4.5	29	250	3.4	2.0	3.0
07			325	4.9	30	3.7	2.3	2.9
08			355	4.8	30	3.8	2.5	2.9
09			400	4.4	30	3.8	2.7	2.8
10			455	4.6	28	3.9	2.7	2.65
11			410	5.0	28	4.0	2.8	2.8
12			400	4.9	28	4.0	2.9	2.7
13			400	5.0	28	4.0	2.9	2.8
14			420	4.9	28	4.0	2.8	2.7
15			400	5.0	28	4.0	2.8	2.8
16			350	5.0	30	3.8	2.5	2.8
17			350	5.0	30	3.7	2.4	2.9
18			350	5.0	30	3.7	2.3	2.9
19			330	4.9	30	3.4	2.0	2.9
20			5.0	30	270	---	1.9	2.9
21			5.1	30	260		1.8	3.0
22			5.0	30	260		1.8	3.0
23			4.8	30	260		1.7	2.9

Time: 90.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 34

Akita, Japan (39.7° N, 140.1° E)							April 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			5.7	30	300			2.75
01			5.6	30	295			2.75
02			5.3	29	290			2.80
03			5.2	29	255			2.95
04			4.7	29	260			2.90
05			5.0	30	255	----		3.00
06			6.4	30	245	2.10		3.40
07	(260)	7.0	30	245	2.60			3.30
08	270	7.6	30	240	4.4	3.00	3.4	3.20
09	290	7.8	30	220	(4.6)	3.30	3.7	3.15
10	290	8.6	30	215	4.6	(3.40)	3.8	3.10
11	295	8.7	30	220	(4.9)	3.50	3.8	3.00
12	300	9.0	30	225	5.0	3.50	3.8	3.05
13	300	9.0	30	225	4.8	3.45	3.9	3.05
14	295	9.2	30	225	4.8	3.30	3.4	3.10
15	290	9.0	30	240	4.8	3.10	3.10	3.10
16	270	8.6	30	245	4.8	3.20	2.8	3.20
17	(260)	8.6	30	250	4.8	3.20	2.8	3.20
18		7.8	30	245	4.8	3.20	2.8	3.20
19		7.8	30	240	4.8	3.15	3.1	3.20
20		7.8	30	235	4.8	3.15	3.1	3.20
21		6.5	30	245	4.8	2.4	3.00	2.4
22		6.1	30	260	4.8	2.2	2.80	2.2
23		5.8	29	290	4.8	2.0	2.75	2.0

Time: 135.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 20 seconds.

Table 36

Yamagawa, Japan (31.2° N, 130.6° E)							April 1961	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			6.0	27	305			2.75
01			6.0	25	300			2.80
02			5.8	27	290			2.85
03			5.6	28				

Table 37

Reykjavik, Iceland (64.1° N, 21.8° W)									June 1960
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2	
00	(4.5)	9	<350			3.6		(2.75)	
01	(4.15)	8	(360)		---	4.0	----		
02	(4.5)	5	---		---	4.2	----		
03	(4.9)	10	(350)		---	3.8	(2.70)		
04	---	4.8	13	310	---	<123	----	2.9	2.75
05	(400)	5.55	12	245	3.7	112	2.50		2.80
06	(370)	5.3	15	240	4.0	111	(2.70)		2.70
07	(485)	5.0	17	230	4.2	110	3.00		2.72
08	420	5.2	19	230	4.4	109	3.20		2.85
09	400	5.3	21	220	4.6	105	3.30		2.78
10	460	5.6	21	210	4.7	102	3.40		2.65
11	480	5.8	24	220	4.8	103	(3.42)		2.60
12	425	6.0	27	220	4.8	104	3.50		2.70
13	450	5.9	26	220	4.8	104	3.50		2.60
14	440	6.0	27	220	4.8	107	3.50		2.70
15	440	5.9	29	220	4.7	109	(3.40)		2.65
16	420	6.0	28	(240)	4.7	109	3.30		2.75
17	400	5.8	26	245	4.6	109	>3.20		2.75
18	365	5.9	25	255	4.4	114	3.10		2.90
19	(400)	5.75	22	295	---	127	3.50	3.6	2.95
20	(420)	5.45	22	320	---	125	3.20		2.82
21	5.0	20	310		<123	3.10			2.92
22	(5.2)	17	330		111	----	3.2		2.90
23	4.8	13	320		---	---	3.0		2.85

Time: 15.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 16.2 seconds.

Table 39

Concepcion, Chile (36.6° S, 73.0° W)									June 1960
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2	
00	4.45	24	330			2.3		2.60	
01	4.4	24	310					2.65	
02	4.3	25	295			2.3		2.80	
03	4.1	23	280					2.72	
04	4.05	24	275			2.0		2.90	
05	3.5	22	280	---	----			2.68	
06	3.5	23	290	---	----			2.85	
07	6.0	24	250	<169	1.80			3.20	
08	9.0	25	230	119	2.40			3.45	
09	9.85	26	230	114	2.90	3.2		3.45	
10	10.1	26	230	111	3.15			3.50	
11	(240)	10.0	27	220	109	3.30	3.4	3.45	
12	(240)	9.3	27	220	111	3.35		3.35	
13	(270)	10.15	28	220	111	3.30	3.6	3.35	
14	(250)	10.3	28	230	111	3.02		3.32	
15	9.6	28	235	119	2.80	3.0		3.40	
16	9.0	27	230	123	2.30	2.6		3.38	
17	8.2	27	220			2.2		3.40	
18	6.8	28	220			2.4		3.22	
19	6.5	28	230					3.10	
20	6.4	27	230			2.0		3.10	
21	5.8	25	240					2.90	
22	5.1	24	280					2.80	
23	4.6	24	330					2.60	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 41

Upsala, Sweden (59.8° N, 17.6° E)									December 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00	(2.1)	19	335		110	0.85	3.3	(2.4)	
01	(2.1)	19	325		105	0.85	3.0	(2.5)	
02	(2.1)	21	310		110	0.70	2.6	2.5	
03	(2.3)	24	300		105	0.70	3.0	(2.5)	
04	(2.5)	24	290		110	0.85	3.0	(2.6)	
05	(3.5)	29	260		110	0.85	2.9	(2.7)	
06	(3.1)	29	255		110	0.85	3.0	(2.8)	
07	2.6	30	255	(115)	0.90	2.3		2.8	
08	4.4	31	245		110	1.25	2.9	2.8	
09	6.9	31	240		105	1.80	4.1	3.1	
10	8.8	31	235		105	2.00	4.7	3.1	
11	10.2	31	230	(110)	2.20	4.7	3.2		
12	11.3	31	230		110	2.20	4.7	3.2	
13	11.2	31	225		105	2.10	4.7	3.2	
14	10.5	31	225		105	1.80	3.5	3.2	
15	9.2	31	215		105	1.50	2.9	3.2	
16	8.3	29	215		105	1.00	2.7	3.0	
17	6.4	25	220		105	0.90	2.5	3.1	
18	4.6	25	240		105	0.90	2.5	2.9	
19	3.5	23	255		105	(0.70)	1.2	2.9	
20	2.8	25	275		105	0.90	1.0	2.7	
21	2.6	22	290		105	0.85	2.2	2.7	
22	2.3	15	300		105	0.80	2.0	2.6	
23	2.2	14	315		110	0.70		2.6	

Time: 15.0°E.

Sweep: 0.3 Mc to 20.0 Mc in 3 minutes.

Table 38

La Paz, Bolivia (16.5° S, 68.1° W)									June 1960
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2	
00					7.55	24	220		3.15
01					7.2	27	225		3.15
02					6.7	27	230		3.10
03					6.0	27	240		3.10
04					4.9	26	230		3.10
05					4.55	26	250		3.10
06					4.4	25	260		3.10
07					5.7	26	280	140	2.5
08					8.6	27	245	113	4.6
09					10.4	27	230	109	5.2
10					11.0	29	220	107	(3.40)
11					10.85	30	210	---	(3.60)
12					10.45	30	205	107	7.0
13					10.2	29	200	---	(3.70)
14					10.1	27	205	---	(3.70)
15					10.1	26	210	---	(3.50)
16					9.9	29	220	---	(3.18)
17					10.0	29	245	111	5.0
18					9.3	28	270	(151)	1.80
19					9.0	29	290		3.0
20					8.4	25	280		2.4
21					8.5	25	260		3.0
22					8.6	25	230		2.90
23					8.2	23	220		3.05

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 40

Kiruna, Sweden (67.8° N, 20.3° E)									December 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2	
00					(4.6)	7	375		5.0
01					(5.1)	7	385		4.8
02					(4.1)	8	350		4.5
03					4.1	12	315		3.0
04					(3.8)	8	320		2.6
05					4.0	16	280		2.6
06					3.5	17	275		2.75
07					3.3	19	(270)		2.8
08					3.5	23	265		2.8
09					5.0	25	250		2.8
10					6.5	29	250	---	3.0
11					8.3	29	240	---	3.0
12					8.8	26	230	---	3.2
13					8.4	24	235	---	(1.4)
14					7.3	23	230	---	3.0
15					6.4	14	230		3.0
16					4.3	17	240		2.4
17					4.0	16	250		3.0
18					3.0	10	300		2.8
19					(3.4)	9	310		4.0
20					(4.1)	7	320		3.8
21					(4.2)	6	340		4.1
22					(3.7)	3	340		4.4
23					(3.4)	1	350		5.4

Time: 15.0°E.

Sweep: 0.8 Mc to 17.0 Mc in 30 seconds.

Table 42

Falkland Is. (51.7° S, 57.8° W)									December 1959
Time	h'F2	foF2-Count	h'						

Table 43

Byrd Station (80.0° S, 120.0° W)								December 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	450	(5.2)	13	<280	3.8	(107)(2.55)	2.8	2.50
01	430	(5.45)	10	<300	---	111	---	(2.45)
02	(450)	(5.05)	12	(275)	(4.0)	106	---	3.7
03	(525)	(4.8)	12	270	(4.0)	104	---	3.6
04	(440)	5.3	13	(265)	(4.4)	105	---	2.60
05	(485)	5.25	14	250	---	105	---	2.78
06	<410	5.4	14	245	(4.3)	(105)	---	2.70
07	420	5.5	19	(240)	4.4	104	(2.98)	2.70
08	<440	5.5	24	240	4.4	105	(2.98)	2.70
09	470	5.9	24	240	4.5	105	(3.05)	2.60
10	445	6.3	29	(235)	4.6	107	(3.08)	2.60
11	440	6.45	26	(240)	4.6	105	---	2.70
12	410	6.6	27	235	4.7	105	(3.15)	2.65
13	410	6.85	26	(240)	4.7	105	(3.20)	2.60
14	425	6.75	26	(255)	(4.6)	107	---	2.60
15	410	7.05	26	(255)	4.7	107	(3.10)	2.55
16	400	(7.05)	20	(255)	4.6	103	(2.95)	2.55
17	400	(6.55)	18	<260	4.7	105	(2.85)	2.50
18	450	(6.1)	15	275	(4.4)	<109	(3.00)	(2.48)
19	(430)	(5.2)	11	275	(4.1)	106	(3.00)	(2.50)
20	450	(5.3)	16	(265)	(4.2)	107	(2.80)	(2.48)
21	<475	(5.65)	16	(270)	(4.2)	108	(2.60)	3.2
22	(510)	(5.35)	10	260	---	(109)	---	3.6
23	445	(5.1)	12	(280)	(3.8)	107	(2.50)	(2.50)

Time: Local.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 45

Kiruna, Sweden (67.8° N, 20.3° E)								October 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	(4.0)	5	330	---	4.0	(2.6)	---	
01	(4.0)	5	350	---	4.6	---	---	
02	(4.4)	8	320	---	4.0	(2.6)	---	
03	(4.3)	7	300	---	3.0	(2.6)	---	
04	(4.3)	8	295	---	3.0	(2.8)	---	
05	3.6	13	280	---	2.8	---	---	
06	4.8	16	260	---	2.8	---	---	
07	---	5.6	27	255	---	1.9	2.95	
08	---	6.5	29	250	---	2.0	3.0	
09	---	7.8	29	245	---	2.3	3.0	
10	---	8.8	28	240	---	115	2.4	3.0
11	---	9.6	28	245	---	2.6	2.9	
12	---	10.3	29	245	---	115	2.6	3.0
13	---	10.0	29	245	---	115	2.6	3.0
14	---	8.8	25	245	---	130	2.3	3.0
15	9.0	21	240	---	2.1	3.0	---	
16	8.0	20	245	---	1.7	3.0	3.0	
17	7.2	18	250	---	2.9	2.95	---	
18	6.6	13	265	---	2.8	2.9	---	
19	5.3	12	265	---	3.0	2.8	---	
20	(4.5)	9	285	---	3.0	(2.75)	---	
21	(5.0)	9	330	---	3.7	(2.6)	---	
22	(5.3)	9	330	---	3.6	(2.6)	---	
23	(5.3)	5	330	---	4.2	(2.6)	---	

Time: 15.0°E.

Sweep: 0.8 Mc to 17.0 Mc in 30 seconds.

Table 47

Akita, Japan (39.7° N, 140.1° E)								October 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	5.6	30	290	---	4.0	2.70	---	
01	5.4	30	295	---	4.0	2.70	---	
02	5.2	30	300	---	4.0	2.70	---	
03	5.2	30	290	---	4.0	2.70	---	
04	5.0	30	280	---	4.0	2.70	---	
05	5.0	30	300	---	4.0	2.70	---	
06	7.4	30	245	---	4.0	3.20	---	
07	10.4	30	230	---	2.55	3.20	---	
08	---	11.5	31	230	---	3.00	3.25	
09	245	12.1	31	230	---	3.30	4.0	
10	245	12.6	31	225	---	3.45	3.9	
11	245	12.6	31	220	---	3.50	4.1	
12	245	12.3	31	225	---	3.50	4.2	
13	(250)	12.2	31	230	---	3.50	4.0	
14	(250)	12.3	31	245	---	3.30	4.3	
15	12.0	31	245	---	3.00	4.2	3.00	
16	11.6	31	240	---	2.45	3.05	3.1	
17	10.8	31	235	---	3.1	3.05	3.1	
18	8.4	31	230	---	3.10	3.10	3.1	
19	7.1	31	240	---	3.00	3.10	3.1	
20	6.8	31	250	---	2.90	2.90	2.90	
21	6.4	30	260	---	2.85	2.85	2.85	
22	6.0	30	265	---	2.75	2.75	2.75	
23	5.8	30	280	---	2.70	2.70	2.70	

Time: 135.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 20 seconds.

Table 44

Winnipeg, Canada (49.9° N, 97.4° W)								November 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			4.0	22	<290			----
01			3.7	23	290			(3.00)
02			3.4	20	290			----
03			3.0	19	290			----
04			3.0	19	300			----
05			2.9	19	300			----
06			2.7	15	(300)			----
07			3.1	16	280			----
08			6.0	18	250			(3.25)
09			7.4	20	250			3.30
10			8.4	22	245			3.15
11			9.3	21	240			3.10
12			9.8	23	250			----
13			9.6	16	250			(2.95)
14			9.8	15	250			----
15			9.6	16	240			(2.90)
16			10.0	21	240			(2.95)
17			9.8	27	225			(3.00)
18			8.5	27	230			----
19			7.4	29	235			(3.10)
20			6.2	27	240			(3.25)
21			5.2	25	245			(3.10)
22			4.5	20	250			----
23			4.2	23	275			----

Time: 90.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 46

Wakkanai, Japan (45.4° N, 141.7° E)								October 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			5.3	29	300			2.65
01			5.2	28	295			2.65
02			5.0	27	290			2.65
03			5.1	27	290			2.65
04			4.9	27	275			2.65
05			5.0	29	275			2.75
06			7.0	30	245			3.05
07			9.6	30	230			2.45
08			11.1	29	230			3.15
09			12.0	29	230			3.05
10			12.5	29	230			3.05
11			12.5	29	230			3.05
12			12.0	29	225			3.30
13			11.6	29	230			3.25
14			11.6	28	245			3.10
15			11.6	29	245			2.95
16			11.0	30	240			3.05
17			9.8	29	230			3.05
18			8.0	28	230			2.8
19			7.0	28	250			2.6
20			6.5	29	260			2.85
21			6.0	30	270			2.75
22			5.8	30	280			2.70
23			5.5	29	290			2.70

Time: 135.0°E.

Sweep: 1.0 Mc to 20.7 Mc in 1 minute.

Table 48

Tokyo, Japan (35.7° N, 139.5° E)								October 1959
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			5.8	31	290			2.3
01			5.4	31	300			2.75
02			5.3	30	300			2.70
03			5.2	30	285			2.75
04			4.8	30	270			2.65
05			4.7	30	300			2.70
06			7.3	30	250			3.05
07								

Table 49

Yamagawa, Japan (31.2° N, 130.6° E)								October 1959	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00	7.0	31	280				2.1	2.70	
01	6.6	30	275					2.70	
02	6.1	29	255					2.70	
03	5.6	28	260					2.80	
04	5.3	28	245					2.80	
05	4.4	28	270					2.65	
06	4.9	28	290					2.75	
07	9.1	26	250				2.20	2.4	3.15
08	11.6	28	240				2.90	3.2	3.15
09	12.3	29	240				3.30	3.9	3.05
10	12.6	26	240				3.50	4.0	3.00
11	(300)	12.8	27	225			3.70	3.9	2.90
12	300	13.6	25	220			3.75		2.80
13	300	14.2	20	235			3.70		2.80
14	300	14.2	20	240			3.60		2.80
15	300	14.1	19	250			3.40	3.6	2.80
16	---	13.8	20	250			3.00	3.1	2.85
17	13.3	29	250				2.30	2.9	2.95
18	(12.5)	29	245					2.8	(2.95)
19	10.8	24	235					2.5	2.85
20	(9.4)	21	250					2.2	(2.80)
21	(8.8)	22	250					2.1	(2.70)
22	(8.4)	26	255					2.8	(2.75)
23	7.6	28	270					2.8	2.70

Time: 135.0°E.

Sweep: 1.0 Mc to 20.3 Mc in 30 seconds.

Table 51

Leopoldville, Belgian Congo (4.4° S, 15.2° E)								October 1959	
Time	h'F2	foF2-Count	h'F1	foFl	h'E	foE	fEs	(M3000)F2	
00	250	12.1	11					2.63	
01	250	11.0	14					2.67	
02	240	8.0	10					2.80	
03	225	7.0	23					2.92	
04	220	4.9	24				1.6	3.02	
05	240	6.8	26	---	130	1.9	2.5	2.94	
06	240	8.7	18	235	120	2.9	3.5	2.94	
07	---	9.7	26	230	110	3.4	3.8	<2.67	
08	---	11.1	27	230	110	3.1	4.0	2.38	
09	---	12.3	27	230	110	4.0		2.32	
10	---	13.1	21	240	110	---		2.27	
11	---	13.5	24	(250)	110	---		2.24	
12	435	14.1	25	240	110	---		2.23	
13	390	15.1	27	250	---	110	3.9	2.28	
14	365	15.6	27	250	110	3.5		2.33	
15	(350)	15.0	25	250	115	3.0	3.6	2.36	
16	---	14.7	16	255	120	2.4	3.0	<2.34	
17	295	>15.0	8	---			2.8	(2.35)	
18	335	---	0				2.0		
19	280	---	0						
20	250	>15.0	1					---	
21	220	>15.4	6					(2.64)	
22	215	15.0	14					2.70	
23	220	12.6	16					2.68	

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 53

De Bilt, Holland (52.1° N, 5.2° E)								September 1959	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	fEs	(M3000)F2	
00	5.0	30	320					2.70	
01	4.6	30	340					2.65	
02	4.6	30	340					2.65	
03	4.0	30	330					2.70	
04	4.0	30	300					2.80	
05	---	4.1	29	285	---	1.8		2.95	
06	(350)	5.1	30	250	4.2	140	2.3	3.15	
07	(410)	6.0	30	235	4.4	110	2.8	3.15	
08	350	6.4	30	225	4.4	110	3.1	2.95	
09	400	7.0	29	225	5.0	105	3.4	2.95	
10	410	7.8	30	220	5.2	105	3.6	2.95	
11	360	8.1	30	225	5.4	110	3.8	2.90	
12	340	8.4	30	225	5.3	105	3.8	2.95	
13	330	8.5	30	225	5.3	105	3.6	2.95	
14	(340)	8.3	30	225	5.6	105	3.5	2.90	
15	(320)	8.4	30	235	---	110	3.2	3.00	
16	---	8.6	30	240	---	110	2.9	3.00	
17	---	8.5	30	250	145	2.3		3.05	
18	8.6	30	240	---	2.0			3.10	
19	8.2	29	245	---	---			3.05	
20	6.9	30	245					3.00	
21	6.0	30	260					2.85	
22	5.3	30	280					2.75	
23	5.2	30	320					2.70	

Time: 0.0°.

Sweep: 1.4 Mc to 16.0 Mc in 40 seconds.

Table 50

Bunia, Belgian Congo (1.5° N, 30.2° E)								October 1959	
Time	h'F2	foF2-Count	h'F1	foFl	h'E	foE	fEs	(M3000)F2	
00	270	(10.2)	5					1.7	(2.72)
01	250	10.0	10					1.8	2.80
02	230	9.2	11					2.0	2.87
03	220	6.8	17					2.0	3.09
04	250	7.7	17					1.30	3.0
05	250	10.0	25	245				120	3.8
06	---	11.0	26	235				115	3.4
07	---	11.8	27	230				110	3.6
08	---	12.6	25	250				110	4.0
09	---	-13.3	23	240				110	4.0
10	---	13.5	23	250				110	4.0
11	---	13.9	23	250				110	4.0
12	---	>14.3	26	240				110	3.8
13	14.5	25	240					115	3.5
14	14.3	22	250					120	3.0
15	(485)	14.0	17	265				125	3.0
16	(300)	13.8	12	320					3.0
17	400	(14.2)	7						<2.11
18	330	---	0						(2.07)
19	265	(13.1)	1						
20	230	-14.5	2						
21	210	(13.0)	3						
22	220	(10.3)	5						(2.57)
23	250	(10.0)	6						(2.56)

Time: 0.0°.

Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 52

Elisabethville, Belgian Congo (11.6° S, 27.5° E)								October 1959	
Time	h'F2	foF2-Count	h'F1	foFl	h'E	foE	fEs	(M3000)F2	
00	265	6.9	18						2.62
01	270	6.9	21						2.66
02	250	6.5	24						2.86
03	250	5.1	25						2.84
04	250	6.8	24						2.97
05	250	9.0	25	245				120	2.7
06	255	10.4	26	235				115	3.3
07	280	11.0	27	230				110	3.6
08	(270)	11.6	24	230				110	3.9
09	295	12.3	25	235				110	4.0
10	(340)	12.5	28	250				110	4.0
11	350	13.0	27	255				110	4.0
12	360	13.5	28	250				110	3.9
13	350	13.5	28	250				110	3.6
14	330	13.4	25	250				115	3.2
15	(300)	13.3	25	255				120	3.4
16	420	6.6	16	(250)	3.7				2.6
05	(400)	6.0	11	(245)	4.2				2.6
06	(460)	6.0	12	(240)	4.4	105	2.9		2.6
07	(405)	6.3	10	(235)	4.7				2.6
08	440	6.4	15	(240)	4.8	105	3.2		2.6
09	425	6.6	14	(215)	5.0	105	3.1		2.6
10	420	6.6	13	(230)	5.0	100	3.3		2.6
11	440	6.4	14	(210)	5.2	100	3.4		2.6
12	435	6.4	15	(220)	5.2	100	3.4		2.6
13	420	6.4	13	(210)	5.1	100	3.4		2.6
14	430	6.4	15	(230)	5.1	105	3.4		2.6
15	435	6.4	16	(225)	5.0	105	3.2		2.6
16	(440)	6.2	16	(220)	4.8	105	3.0		2.6
17	(390)	6.1	16	(240)	4.6	105	3.0		2.6
18	---	6.4	16	250	---	110	2.7		2.8
19	---	6.4	16	270	---	110	2.7		

Table 55

Concepcion, Chile (36.6° S, 73.0° W)							June 1959	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	5.2	30	310					2.60
01	4.9	30	310					2.62
02	4.8	30	295					2.70
03	4.7	30	295					2.70
04	4.75	30	270					2.90
05	4.0	30	255	---	---			2.70
06	3.95	30	290	---	---			2.78
07	6.65	30	250	<161	1.90			3.10
08	9.9	30	220	111	2.60			3.42
09	11.35	30	225	109	3.00	3.0		3.40
10	---	30	220	109	3.30	3.4		3.35
11	11.5	29	220	109	3.50			3.30
12	11.65	30	220	109	3.50			3.10
13	(250)	12.25	30	220	109	3.45		3.10
14	11.8	30	230	109	3.70			3.10
15	11.5	30	230	109	2.90			3.20
16	11.15	30	230	119	2.35			3.22
17	9.6	30	220			1.8		3.30
18	8.25	30	220			2.0		3.10
19	8.6	30	230					3.12
20	7.7	30	220					3.10
21	6.4	30	230					2.98
22	5.7	30	260					2.72
23	5.5	30	290					2.68

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 57

Inverness, Scotland (57.4° N, 4.2° W)							May 1959	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00	6.7	31	320			1.2		2.35
01	6.2	31	310			1.1		2.35
02	5.8	31	330	---	---	1.2		2.35
03	5.3	29	350	(120)	1.25	<1.8		2.4
04	5.8	29	335	110	1.75			2.5
05	(625)	6.0	29	265	---	110	2.30	2.6
06	615	6.2	28	250	4.2	110	2.70	2.7
07	(550)	6.7	29	250	---	110	3.00	2.6
08	500	>7.2	27	240	4.9	110	3.20	2.65
09	600	7.6	28	235	5.0	110	3.50	3.7
10	470	7.8	30	230	5.2	105	3.65	3.8
11	530	7.8	29	235	5.4	105	3.75	2.65
12	460	7.9	31	230	5.5	105	3.80	2.6
13	465	7.6	31	230	5.6	105	3.85	2.5
14	470	7.9	30	230	(5.5)	105	3.75	2.55
15	450	7.9	31	240	5.5	105	3.70	2.6
16	395	8.2	30	240	(5.1)	110	3.40	2.6
17	(445)	8.3	29	250	---	110	3.10	2.7
18	8.2	29	250	110	2.85			2.75
19	8.3	31	260	115	2.40			2.75
20	8.2	31	265	150	1.95			2.7
21	7.9	30	270	150	----	<1.6		2.65
22	7.3	31	295			<1.6		2.5
23	7.1	31	305			<1.6		2.4

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 59

Schwarzenburg, Switzerland (46.8° N, 7.3° E)							January 1959	
Time	h'F2	foF2-Count	h'Fl	foFl	h'E	foE	foEs	(M3000)F2
00	290	4.6	31					3.0
01	290	4.4	31					3.0
02	300	4.3	30					2.9
03	310	4.3	31					2.9
04	300	4.0	30					2.95
05	280	3.9	29					3.05
06	250	3.7	28					3.2
07	250	3.7	29					3.2
08	210	6.7	28	---	---			3.4
09	200	10.8	21	110	2.3			(3.5)
10	210	13.0	29	100	2.8			3.4
11	210	13.4	26	100	3.1			3.4
12	210	13.3	27	100	3.2			3.4
13	210	13.4	25	100	3.3			3.3
14	210	12.6	29	100	3.2			3.2
15	220	12.5	22	100	2.9			3.3
16	210	11.6	19	100	2.4			(3.3)
17	210	10.9	15	130	---			(3.4)
18	210	9.0	14					
19	210	7.6	21					3.3
20	220	6.5	27					3.3
21	240	5.2	29					3.15
22	260	5.0	30					3.1
23	280	4.6	30					3.0

Time: 15.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds

Table 56

Churchill, Canada (58.8° N, 94.2° W)							May 1959	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			5.7	24	280	---	---	5.2
01			5.4	23	270	---	---	4.6
02			5.0	23	270	---	---	5.0
03			4.8	22	290	---	1.6	4.2
04			5.0	22	300	---	2.0	4.6
05	(570)	5.1	21	280	3.4	130	2.4	4.0
06	490	5.2	20	260	4.0	110	3.0	4.3
07	470	5.8	19	240	4.6	105	3.2	G
08	490	6.0	19	240	4.9	105	3.5	4.4
09	540	6.0	20	240	5.0	105	3.5	(2.5)
10	560	6.0	22	230	5.0	105	3.6	4.4
11	500	6.3	23	220	5.1	105	3.8	4.0
12	500	6.3	23	230	5.1	105	3.8	2.4
13	500	7.0	23	220	5.2	105	3.8	(2.5)
14	460	7.2	23	230	5.1	105	3.7	4.5
15	450	7.1	23	230	5.0	105	3.5	2.5
16	440	7.0	23	230	5.0	110	3.3	4.0
17	400	6.8	23	240	4.8	110	3.2	(2.5)
18	(480)	6.8	23	250	4.2	110	3.0	4.0
19	---	6.2	23	280	---	115	3.0	3.4
20	---	6.0	23	300	---	120	2.6	3.5
21	6.0	23	320			120	2.3	4.3
22	5.2	23	320			150	2.2	9.0
23	5.7	23	300			---	---	7.0

Time: 90.0°W.

Sweep: 1.0 Mc to 17.0 Mc in 16 seconds.

Table 58

Kiruna, Sweden (67.8° N, 20.3° E)							April 1959	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			5.9	17	395			3.0
01			6.0	16	390			3.8
02			5.4	13	340	---	---	2.4
03			5.3	17	315	---	2.7	2.55
04			5.4	20	310	---	1.6	2.4
05			6.0	25	270	---	2.0	2.6
06			6.2	24	260	---	2.4	2.6
07			(585)	7.0	27	250	4.3	110
08			(500)	7.5	26	245	4.7	110
09			510	8.0	26	240	5.0	110
10			500	8.2	27	240	5.0	110
11			(505)	8.6	28	240	5.1	110
12			485	8.4	28	240	5.2	110
13			(460)	8.2	29	240	5.2	110
14			(425)	8.4	28	245	5.0	110
15			(425)	8.0	27	255	1.9	2.2
16			(425)	7.4	26	270	1.9	2.7
17			(425)	7.4	26	270	1.9	2.8
18			(425)	7.4	26	270	1.9	2.8
19			(425)	6.6	24	275	1.9	2.2
20			(425)	6.9	22	300	---	2.6
21			(425)	6.2	21	340	---	2.9
22			(425)	5.9	18	355	---	3.8
23			(425)	6.0	17	355	---	3.7

Time: 15.0°E.

Sweep: 0.8 Mc to 14.0 Mc in 30 seconds.

Table 60

Lulea, Sweden (65.6° N, 22.1° E)							April 1958	
Time	h'F2	foF2-Count	h'F	foFl	h'E	foE	foEs	(M3000)F2
00			(5.9)	19	430			(2.2)
01			(6.0)	21	385			(2.2)
02			(6.2)	18	370			(2.1)
03			(6.2)	19	350	---	---	(2.3)
04			(5.8)	20	310	---	2.0	(2.4)
05								

GRAPHS OF IONOSPHERIC DATA

II




Fig. 1. WASHINGTON, D.C.
38.7°N, 77.1°W AUGUST 1961




Fig. 2. WASHINGTON, D.C. AUGUST 1961




Fig. 3. SLOUGH, ENGLAND
51.5°N, 0.6°W JULY 1961




Fig. 4. SLOUGH, ENGLAND JULY 1961




Fig. 5. RESOLUTE BAY, CANADA
74.7°N, 94.9°W JUNE 1961




Fig. 6. RESOLUTE BAY, CANADA JUNE 1961




Fig. 7. TROMSO, NORWAY
69.7°N, 19.0°E JUNE 1961




Fig. 8. TROMSO, NORWAY JUNE 1961




Fig. 9. KIRUNA, SWEDEN
67.8°N, 20.4°E

JUNE 1961




Fig. 10. KIRUNA, SWEDEN

JUNE 1961




Fig. 11. SODANKYLA, FINLAND
67.4°N, 26.6°E

JUNE 1961




Fig. 12. SODANKYLA, FINLAND

JUNE 1961




Fig. 13. LULEA, SWEDEN
65.6°N, 22.1°E JUNE 1961




Fig. 14. LULEA, SWEDEN JUNE 1961




Fig. 15. LYCKSELE, SWEDEN
64.6°N, 18.8°E JUNE 1961




Fig. 16. LYCKSELE, SWEDEN JUNE 1961




Fig. 17. NURMIJARVI, FINLAND
60.5°N, 24.6°E JUNE 1961




Fig. 18. NURMIJARVI, FINLAND JUNE 1961




Fig. 19. UPSALA, SWEDEN
59.8°N, 17.6°E JUNE 1961








Fig. 20. UPSALA, SWEDEN JUNE 1961






Fig. 25. SLOUGH, ENGLAND
51.5°N, 0.6°W

JUNE 1961




Fig. 26. SLOUGH, ENGLAND

JUNE 1961




Fig. 27. DOURBES, BELGIUM
50.1°N, 4.6°E

JUNE 1961




Fig. 28. DOURBES, BELGIUM

JUNE 1961




Fig. 29. PRUHONICE, CZECHOSLOVAKIA
50.0°N, 14.6°E JUNE 1961




Fig. 30. PRUHONICE, CZECHOSLOVAKIA JUNE 1961




Fig. 31. WINNIPEG, CANADA
49.9°N, 97.4°W JUNE 1961




Fig. 32. WINNIPEG, CANADA JUNE 1961




Fig. 33. ST. JOHN'S, NEWFOUNDLAND
47.6°N, 52.7°W JUNE 1961




Fig. 34. ST. JOHN'S, NEWFOUNDLAND JUNE 1961




Fig. 35. GRAZ, AUSTRIA
47.1°N, 15.5°E JUNE 1961







Fig. 36. GRAZ, AUSTRIA JUNE 1961






Fig. 41. ROME, ITALY
41.8°N, 12.5°E

JUNE 1961




Fig. 42. ROME, ITALY

JUNE 1961




Fig. 43. FORMOSA, CHINA
25.0°N, 121.5°E

JUNE 1961








Fig. 44. FORMOSA, CHINA

JUNE 1961






Fig. 49. TOWNSVILLE, AUSTRALIA
19.3°S, 146.7°E JUNE 1961




Fig. 50. TOWNSVILLE, AUSTRALIA JUNE 1961




Fig. 51. JOHANNESBURG, UNION OF S. AFRICA
26.1°S, 28.1°E JUNE 1961








Fig. 52. JOHANNESBURG, UNION OF S. AFRICA







Fig. 57. CAPE TOWN, UNION OF S. AFRICA
34.1°S, 18.3°E JUNE 1961



JUNE 1961
Fig. 58. CAPE TOWN, UNION OF S. AFRICA





Fig. 59. HOBART, TASMANIA
42.9°S, 147.2°E JUNE 1961



JUNE 1961
Fig. 60. HOBART, TASMANIA




Fig. 61. CHRISTCHURCH, NEW ZEALAND
43.6°S, 172.8°E JUNE 1961




Fig. 62. CHRISTCHURCH, NEW ZEALAND JUNE 1961




Fig. 63. RESOLUTE BAY, CANADA
74.7°N, 94.9°W APRIL 1961












Fig. 64. RESOLUTE BAY, CANADA APRIL 1961








Fig. 73. REYKJAVIK, ICELAND
64.1°N, 21.8°W

JUNE 1960




Fig. 74. REYKJAVIK, ICELAND

JUNE 1960




Fig. 75. La PAZ, BOLIVIA
16.5°S, 68.1°W

JUNE 1960




Fig. 76. La PAZ, BOLIVIA

JUNE 1960




Fig. 77. CONCEPCION, CHILE

36.6°S, 73.0°W

JUNE 1960




Fig. 78. CONCEPCION, CHILE

JUNE 1960




Fig. 79. KIRUNA, SWEDEN

67.8°N, 20.3°E

DECEMBER 1959




Fig. 80. KIRUNA, SWEDEN

DECEMBER 1959




Fig. 81. UPSALA, SWEDEN
59.8°N, 17.6°E DECEMBER 1959




Fig. 82. UPSALA, SWEDEN DECEMBER 1959



Fig. 83. FALKLAND IS.
51.7°S, 57.8°W DECEMBER 1959




Fig. 84. FALKLAND IS. DECEMBER 1959




Fig. 85. BYRD STATION
80.0°S, 120.0°W DECEMBER 1959




Fig. 86. BYRD STATION DECEMBER 1959




Fig. 87. WINNIPEG, CANADA
49.9°N, 97.4°W NOVEMBER 1959




Fig. 88. WINNIPEG, CANADA NOVEMBER 1959




Fig. 89. KIRUNA, SWEDEN

67.8°N, 20.3°E

OCTOBER 1959




Fig. 90. KIRUNA, SWEDEN

OCTOBER 1959




Fig. 91. WAKKANAI, JAPAN

45.4°N, 141.7°E

OCTOBER 1959








Fig. 92. WAKKANAI, JAPAN

OCTOBER 1959






Fig. 97. YAMAGAWA, JAPAN

31.2°N, 130.6°E

OCTOBER 1959




Fig. 98. YAMAGAWA, JAPAN

OCTOBER 1959

NBS 490




Fig. 99. BUNIA, BELGIAN CONGO

1.5°N, 30.2°E

OCTOBER 1959











Fig. 100. BUNIA, BELGIAN CONGO

OCTOBER 1959

NBS 490








Fig. 109. CONCEPCION, CHILE

36.6°S, 73.0°W

JUNE 1959




Fig. 110. CONCEPCION, CHILE

JUNE 1959




Fig. 111. CHURCHILL, CANADA

58.8°N, 94.2°W

MAY 1959








Fig. 112. CHURCHILL, CANADA

MAY 1959






Fig. 117. SCHWARZENBURG, SWITZERLAND
46.8°N, 7.3°E JANUARY 1959




Fig. 118. SCHWARZENBURG, SWITZERLAND JANUARY 1959




Fig. 119. LULEA, SWEDEN
65.6°N, 22.1°E APRIL 1958




Fig. 120. LULEA, SWEDEN APRIL 1958

Index of Tables and Graphs of Ionospheric Data
in CRPL-F209 (Part A)


	<u>Table page</u>	<u>Figure page</u>
Akita, Japan		
April 1961	6	27
October 1959	3	34
Baguio, P. I.		
June 1961	4	22
Brisbane, Australia		
June 1961	5	24
Bunia, Belgian Congo		
October 1959	9	35
Byrd Station		
December 1959	8	32
Capetown, Union of S. Africa		
June 1961	5	25
Christchurch, New Zealand		
June 1961	6	26
Churchill, Canada		
June 1961	2	16
May 1959	10	38
Concepcion, Chile		
June 1960	7	30
June 1959	10	38
De Bilt, Holland		
June 1961	2	16
September 1959	9	37
Dourbes, Belgium		
June 1961	3	17
El Cerillo, Mexico		
June 1961	4	22
Elisabethville, Belgian Congo		
October 1959	9	36
Falkland Is.		
December 1959	7	31
Formosa, China		
June 1961	4	21
Graz, Austria		
June 1961	3	19
Hobart, Tasmania		
June 1961	5	25
Inverness, Scotland		
May 1959	10	39

Index (CRPL-F209 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Johannesburg, Union of S. Africa		
June 1961	5	23
Kiruna, Sweden		
June 1961	1	13
December 1959	7	30
October 1959.	8	33
July 1959	9	37
April 1959.	10	39
La Paz, Bolivia		
June 1960	7	29
Leopoldville, Belgian Congo		
October 1959.	9	36
Lulea, Sweden		
June 1961	2	14
April 1958.	10	40
Lycksele, Sweden		
June 1961	2	14
Mundaring, W. Australia		
June 1961	5	24
Nurmijarvi, Finland		
June 1961	2	15
Ottawa, Canada		
June 1961	4	20
Pruhonice, Czechoslovakia		
June 1961	3	18
Resolute Bay, Canada		
June 1961	1	12
April 1961	6	26
Reykjvaik, Iceland		
June 1960	7	29
Rome, Italy		
June 1961	4	21
St. John's, Newfoundland		
June 1961	3	19
Schwarzenburg, Switzerland		
January 1959.	10	40
Slough, England		
July 1961	1	11
June 1961	3	17
Sodankyla, Finland		
June 1961	1	13
Sottens, Switzerland		
June 1961	4	20

Index (CRPL-F209 (Part A), concluded)

	Table page	Figure page
Tokyo, Japan		
April 1961	6	28
October 1959	8	34
Townsville, Australia		
June 1961	5	23
Tromso, Norway		
June 1961	1	12
Upsala, Sweden		
June 1961	2	15
December 1959	7	31
Wakkanai, Japan		
April 1961	6	27
October 1959	8	33
Washington, D. C.		
August 1961	1	11
Winnipeg, Canada		
June 1961	3	18
November 1959	8	32
Yamagawa, Japan		
April 1961	6	28
October 1959	9	35



CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL—J. North Atlantic Radio Propagation Forecast.
CRPL—Jp. North Pacific Radio Propagation Forecast.

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11—499—, monthly supplements to TM 11—499; Dept. of the Air Force, TO 31—3—28 series). On sale by Superintendent of Documents. Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.
(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic, or other radio propagation data.

Catalog of Data:

A catalog of records and data on file at the U. S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder Laboratories, Boulder, Colorado, unless otherwise indicated. Please note that the F series is not generally available.

Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:

NBS Circular 462. Ionospheric Radio Propagation. \$1.25.
NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions. 30 cents.
NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 megacycles. 30 cents.
NBS Circular 582. Worldwide Occurrence of Sporadic E. \$3.25.

These Circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

Selected Technical Notes of the National Bureau of Standards:

NBS Tech. Note 2. PB151361. World Maps of F2 Critical Frequencies and Maximum Usable Frequency Factors. \$3.50. PB151361-2. \$3.50.
NBS Tech. Note 13. PB151372. Technical Considerations Leading to an Optimum Allocation of Radio Frequencies in the Band 25 to 60 Mc. \$2.50.
NBS Tech. Note 18. PB151377. Radio Noise Data for the IGY. \$2.50.
18-2. PB151377-2. Quarterly Radio Noise Data (Mar.-May 1959). \$1.00.
18-3. PB151377-3. (June-Aug. 1959). \$1.00.
18-4. PB151377-4, etc. (Sept.-Nov. 1959). \$1.50.
NBS Tech. Note 31. PB151390. An Atlas of Oblique-Incidence Ionograms. \$2.25.
NBS Tech. Note 40-1. PB151399-1. Mean Electron Density Variations of the Quiet Ionosphere, 1: March 1959. \$1.25.
40-2. PB151399-2, etc. 2: April 1959. \$1.25.
NBS Tech. Note 117. PB161618. Variations in Frequency of Occurrence of Sporadic E, 1949—1959. \$0.75. These Technical Notes are on sale by the Office of Technical Services, U. S. Department of Commerce, Washington 25, D. C. Order by PB number.

