

**CRPL F23**

National Bureau of Standards

AUG 21 1947

## **IONOSPHERIC DATA**

**ISSUED**

**JULY, 1946**

**PREPARED BY CENTRAL RADIO PROPAGATION LABORATORY**  
**National Bureau of Standards**  
**Washington, D.C.**

On July 1, 1946, the Interservice Radio Propagation Laboratory ceased to exist as such. At that time the duties and functions of the IRPL were absorbed by the Central Radio Propagation Laboratory, established at the National Bureau of Standards on May 1, 1946, to act as an organization for centralizing and coordinating basic research and prediction service in the field of radio wave propagation.

The IRPL-F series, "Ionospheric Data", commencing with this issue, is known as the CRPL-F series. This issue bears the designation CRPL-F23.

# IONOSPHERIC DATA

## CONTENTS

TERMINOLOGY AND SCALING PRACTICES . . . . .	Page 5
MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA . . . . .	Page 7

### Provisional data

#### June 1946

Clyde, Baffin I. (Median values) . . . . .	Table 1
Fairbanks, Alaska (Median values) . . . . .	Table 2
Prince Rupert, Canada (Median values) . . . . .	Table 3
Adak, Alaska (Median values) . . . . .	Table 11
St. John's, Newfoundland (Median values) . . . . .	Table 5
Ottawa, Canada (Median values) . . . . .	Table 6
Boston, Massachusetts (Median values) . . . . .	Table 7
San Francisco, California (Median values) . . . . .	Table 8
Baton Rouge, Louisiana (Median values) . . . . .	Table 9
Maui, Hawaii (Median values) . . . . .	Table 10
Trinidad, Brit. West Indies (Median values) . . . . .	Table 11
Christmas I. (Median values) . . . . .	Table 12
Watheroo, W. Australia (Median values) . . . . .	Table 13

#### May 1946

Leyte, Philippine Is. (Median values) . . . . .	Table 14
Christmas I. (Median values) . . . . .	Table 15
Johannesburg, Union of South Africa (Median values) . . . . .	Table 16
Watheroo, W. Australia (Median values) . . . . .	Table 17

#### April 1946

Bukhta Tikhaya, U.S.S.R. (Average values) . . . . .	Table 18
Burghead, Scotland (Average values) . . . . .	Table 19
Sverdlovsk, U.S.S.R. (Average values) . . . . .	Table 20
Tomsk, U.S.S.R. (Average values) . . . . .	Table 21
Moscow, U.S.S.R. (Average values) . . . . .	Table 22

#### March 1946

Burghead, Scotland (Average values) . . . . .	Table 23
Moscow, U.S.S.R. (Average values) . . . . .	Table 24

Final dataJune 1946

Washington, D. C. (Median values) . . . . . Table 25  
 Figs. 1 and 2

May 1946

Fairbanks, Alaska (Median values) . . . . . Table 26  
 Figs. 3 and 4

Churchill, Canada (Median values) . . . . . Table 27  
 Figs. 5 and 6

Prince Rupert, Canada (Median values) . . . . . Table 28  
 Figs. 7 and 8

Ottawa, Canada (Median values) . . . . . Table 29  
 Figs. 9 and 10

Boston, Massachusetts (Median values) . . . . . Table 30  
 Figs. 11 and 12

San Francisco, California (Median values) . . . . . Table 31  
 Figs. 13 and 14

Tokyo, Japan (Median values) . . . . . Table 32  
 Figs. 15 and 16

Baton Rouge, Louisiana (Median values) . . . . . Table 33  
 Figs. 17 and 18

San Juan, Puerto Rico (Median values) . . . . . Table 34  
 Figs. 19 and 20

Trinidad, Brit. West Indies (Median values) . . . . . Table 35  
 Figs. 21 and 22

Huancayo, Peru (Median values) . . . . . Table 36  
 Figs. 23 and 24

April 1946

Tromso, Norway (Median values) . . . . . Table 37  
 Figs. 25 and 26

Tokyo, Japan (Median values) . . . . . Table 38  
 Figs. 27 and 28

Cairo, Egypt (Median values) . . . . . Table 39  
 Figs. 29 and 30

Chungking, China (Median values) . . . . . Table 40  
 Figs. 31 and 32

Hobart, Tasmania (Median values) . . . . . Table 41  
 Figs. 33 and 34

Christchurch, N.Z. (Median values) . . . . . Table 42  
 Figs. 35 and 36

March 1946

Oslo, Norway (Median values) . . . . . Table 43  
 Figs. 37 and 38

Leyte, Philippine Is. (Median values) . . . . . Table 44  
 Figs. 39 and 40

Final dataMarch 1946 (continued)

Colombo, Ceylon (Median values) . . . . .	Table 45 Figs. 41 and 42
Brisbane, Australia (Median values) . . . . .	Table 46 Figs. 43 and 44
Watheroo, W. Australia (Median values) . . . . .	Table 47 Figs. 45 and 46
Canberra, Australia (Median values) . . . . .	Table 48 Figs. 47 and 48
Hobart, Tasmania (Median values) . . . . .	Table 49 Figs. 49 and 50
Falkland Is. (Median values) . . . . .	Table 50 Figs. 51 and 52

February 1946

Rarotonga I. (Median values) . . . . .	Table 51 Fig. 53
Falkland Is. (Median values) . . . . .	Table 52 Figs. 54 and 55

January 1946

Rarotonga I. (Median values) . . . . .	Table 53 Fig. 56
--	---------------------

December 1945

Slough, England (Median values) . . . . .	Table 54 Fig. 57
Rarotonga I. (Median values) . . . . .	Table 55 Fig. 58

November 1945

Slough, England (Median values) . . . . .	Table 56 Figs. 59 and 60
Rarotonga I. (Median values) . . . . .	Table 57 Fig. 61
Kermadec Is. (Median values) . . . . .	Table 58 Figs. 62 and 63

October 1945

Rarotonga I. (Median values) . . . . .	Table 59 Figs. 64 and 65
Kermadec I. (Median values) . . . . .	Table 60 Figs. 66 and 67

September 1945

Kermadec Is. (Median values) . . . . .	Table 61 Figs. 68 and 69
--	-----------------------------

### Final data

August 1945

- Kermadec Is. (Median values) . . . . . Table 62  
Figs. 70 and 71

July 1945



June 1945



IONOSPHERIC DATA FOR EVERY DAY AND HOUR . . . . . Page 10

June 1946

Washington, D. C.

- |             |                  |
|-------------|------------------|
| $h^1F_2$    | Tables 66 and 67 |
| $f^0F_2$    |                  |
| $h^1F_1$    | Table 68         |
| $f^0F_1$    | Table 69         |
| $h^1E$      | Table 70         |
| $f^0E$      | Table 71         |
| $E_s$       | Table 72         |
| $F_2-M1500$ | Table 73         |
| $F_2-M3000$ | Table 74         |
| $F_1-M3000$ | Table 75         |
| $E-M1500$   | Table 76         |

IONOSPHERE DISTURBANCES . . . . . Page 10

Ionoospheric character and principal storms observed  
at Washington, D. C., June 1946.

## Sudden Ionosphere Disturbances



Radio Propagation Quality Figures, Compared with CRPL Warnings  
and CRPL Probable Disturbed Period Forecasts.

AMERICAN RELATIVE SUNSPOT NUMBERS

Daily Median Values of American Relative Sunspot  
Numbers, June 1946

IONOSPHERIC DATA FROM RUSSIAN STATIONS FOR THE SOLAR ECLIPSE OF 9 JULY 1945 . . . . .	Page 11
Leningrad, U.S.S.R., 7 July Through 11 July, 1945 . . . . .	Fig. 76
Moscow (Balashikha), U.S.S.R., 7 July Through 11 July, 1945 . . . . .	Fig. 77
Sverdlovsk, U.S.S.R., 7 July Through 11 July, 1945 . . . . .	Fig. 78
UNUSUAL IONOSPHERIC RECORDS AT WASHINGTON, D.C., 21 MAY 1946 . . . . .	Page 12
Fig. a. 0000 21 May 1946 . . . . .	Page 13
Fig. b. 0030 21 May 1946 . . . . .	Page 13
Fig. c. 0100 21 May 1946 . . . . .	Page 14
Fig. d. 0115 21 May 1946 . . . . .	Page 14
Fig. e. 0130 21 May 1946 . . . . .	Page 15

## TERMINOLOGY AND SCALING PRACTICES

The symbols and terminology used in this report are those adopted by the International Radio Propagation Conference, and given in detail on pages 24 to 26 of the report IRPL-C61, "Report of International Radio Propagation Conference", and in the section on "Terminology", in reports IRPL-F1, 2, 3, 4, 5.

In the past, ionospheric conditions were summarized on a monthly basis by using average or mean values, for each hour of the day, for each month. However, following the recommendations of the International Radio Propagation Conference, held in Washington 17 April to 5 May 1944, beginning with data for 1 Jan. 1945, median values were used by IRPL wherever possible. Thus, median values are given for Washington, for all stations reporting directly to the CRPL, for the Canadian stations, and for all others sending in detailed tabulations to the CRPL, from which medians can be computed.

Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data existed.

The monthly median values used here are the values equaled or exceeded on half the days of the month at the given hour. The following

conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in the report referred to above, IRPL-061.

a. For all ionospheric characteristics:

Values missing because of A, B, C or F (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values missing because of E are counted as equal to or less than the lower limit of the recorder.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For  $f^{\circ}F_2$ , as equal to or less than  $f^{\circ}F_1$ .

2. For  $h'F_2$ , as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing because of G are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E ( $E_s$ ):

Values of  $fE_s$  missing because no  $E_s$  reflections appeared, the equipment functioning normally otherwise, are counted as equal to or less than the lower limit of the recorder.

Values of  $fE_s$  missing for any other reason, and values of  $hE_s$  missing for any reason at all, are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, no median value is computed, the data being considered insufficient.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, so long as there are at least five values, the median is not considered as doubtful.

3. For all layers, if more than half of the values used to compute

the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

It is expected that this practice will be of assistance in evaluating the monthly median Washington data.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

## MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA

The ionospheric data given here in graphical and tabular form were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL predictions of radio propagation conditions. The following are the sources of the data:

Australian Council for Scientific and Industrial Research,

Radio Research Board, Australia:

Brisbane, Australia

Canberra, Australia

Cape York, Australia

Hobart, Tasmania

British National Physical Laboratory, and Inter-Services Ionosphere Bureau:

Slough, England

Great Baddow, England

Burghead, Scotland

Capetown, Union of S. Africa

Colombo, Ceylon

Oslo, Norway

Cairo, Egypt

Falkland Is.

Canadian Radio Wave Propagation Committee:

Churchill, Canada

Ottawa, Canada

St. John's, Newfoundland

Prince Rupert, Canada

Clyde, Baffin I.

Victoria Beach, Canada

Swan River, Manitoba (Mobile unit)

The Pas, Manitoba (Mobile unit)

New Zealand Radio Research Committee:

Kermadec Is.

Christchurch (Canterbury University College Observatory)

New Zealand Radio Research Committee: (continued)

Campbell I.

Pitcairn I.

Rarotonga I.

South African Council for Scientific and Industrial Research:

Johannesburg, Union of S. Africa

Scientific Research Institute of Terrestrial Magnetism, Moscow, U.S.S.R.:

Bukhta Tikhaya, U.S.S.R.

Tomsk, U.S.S.R.

Sverdlovsk, U.S.S.R.

Moscow, U.S.S.R.

Leningrad, U.S.S.R.

Alma Ata, U.S.S.R.

Carnegie Institution of Washington (Department of Terrestrial Magnetism):

Christmas I.

Fairbanks, Alaska (University of Alaska, College, Alaska)

Maui, Hawaii

Trinidad, Brit. West Indies

Huancayo, Peru

Watheroo, W. Australia

Adak, Alaska

United States Army Signal Corps:

Leyte, Philippine Is.

Guam I.

Tokyo, Japan

National Bureau of Standards:

Washington, D. C.

Stanford University:

San Francisco, California

Louisiana State University:

Baton Rouge, Louisiana

University of Puerto Rico:

San Juan, P.R.

Harvard University:

Boston, Massachusetts

All India Radio (Government of India), New Delhi, India:

Bombay, India

Delhi, India

Madras, India

Peshawar, India

Radio Wave Research Laboratories, Central Broadcasting Administration:  
Chungking, China  
Peiping, China

National Wuhan University:  
Loshan, China

The tables of "provisional data" give values (1) as reported either to the CRPL or other central laboratory by telephone or telegraph; or (2) which are reported in summary form by stations from which monthly ionospheric data for every day and every hour may normally be expected at a later date.

The tables and graphs of "final data" are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an incorrect conception of typical ionospheric characteristics at the station. Some of these errors are due to:

- a. Differences in scaling records where spread echoes are present.
- b. Omission of values where  $f^0F_2$  is less than or equal to  $f^0F_1$ , leading to erroneously high values of monthly average or median values.
- c. Omission of values where critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous E-series reports, IRPL-F1, 2, 3, 4, and 5.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. Predictions for individual stations used to construct the charts may be more accurate than the values read from the chart since some smoothing of the contours is necessary to allow for the longitude effect within a zone.

Discrepancies between predicted and observed values are often ascribable to these effects.

## IONOSPHERIC DATA FOR EVERY DAY AND HOUR

These data, observed at Washington, D.C., follow the scaling practices given in the report IRPL-061, "Report of International Radio Propagation Conference", pages 36 to 39, and the median values are determined by the conventions given under "Terminology and Scaling Practices" above.

### IONOSPHERE DISTURBANCES

Table 77 presents ionosphere character figures for Washington, D.C., during June 1946, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess", together with American magnetic K-figures which are usually covariant with them.

Table 79 gives provisional radio propagation quality figures for North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, May 1946, compared with the CRPL daily radio disturbance warnings, which are primarily for the North Atlantic paths, the CRPL weekly radio propagation forecasts of probable disturbed periods, and the half-day American geomagnetic K-figures.

The radio propagation quality figures for the North Atlantic were prepared from radio traffic and ionospheric data reported to the CRPL, in the manner described in detail in report IRPL-R31, "North Atlantic Radio Propagation Disturbances October 1943 through October 1945", issued 1 Feb. 1946.

The radio propagation quality figures for the North Pacific were prepared from radio traffic and ionospheric data reported to the CRPL, in a manner similar to that of IRPL-R31. The master scale of IRPL-R31 was used to formulate conversion scales for the North Pacific reports. In the future the North Pacific radio propagation quality figures reported will be prepared from these revised conversion scales rather than, as hitherto, from the conversion scales of report IRPL-R13, "Ionospheric and Radio Propagation Disturbances, October 1943 through February 1945", issued 24 May 1945.

These radio propagation quality figures give a consensus of opinion of actual radio propagation conditions as reported by the half day over the two general areas. It should be borne in mind, however, that though the quality may be disturbed according to the CRPL scale, the cause of the disturbance is not necessarily known. There are many variables that must be considered. In addition to ionospheric storminess itself as the

cause, conditions may be reported as disturbed because of seasonal characteristics, such as are particularly evident in the pronounced day and night contrast over North Pacific paths during the winter months, or because of improper frequency usage for the path and time of day in question. Insofar as possible, frequency usage is included in rating the reports. Where the actual frequency usage is not shown in the report to the CRPL, it has been assumed that the report is made on the use of optimum working frequencies for the path and time of day in question. Since there is a possibility that all of the disturbance shown by the quality figures is not due to ionospheric storminess alone, care should be taken in using the quality figures in research correlations with solar, auroral, geomagnetic, or other data. Nevertheless, these quality figures do reflect a consensus of opinion of actual radio propagation conditions as found on any one half-day in either of the two general areas.

## AMERICAN RELATIVE SUNSPOT NUMBERS

Table 80 presents the daily median values of relative sunspot numbers as reported by American observers. The reports have been reduced, by appropriate constants, approximately to the Zurich scale of relative sunspot numbers. The monthly relative sunspot number is the mean of the daily median values listed in the table.

## IONOSPHERIC DATA FROM RUSSIAN STATIONS FOR THE SOLAR ECLIPSE OF 9 JULY, 1945

Figs. 76, 77, and 78 present ionospheric data observed at Moscow, Leningrad, and Sverdlovsk, all in the U.S.S.R., for the period 7 through 11 July 1945. The data are presented in the same form as data for this period from other stations, previously published in IRPL-F13, September 1945, and IRPL-F14, October 1945.

The time used for the Moscow graph is 30°E Meridian. The times used for the other two graphs were not specified, but were probably 30°E Meridian for Leningrad and 60°E Meridian for Sverdlovsk. The approximate percentage of totality at maximum eclipse, and the approximate times of beginning, maximum, and ending of eclipse, in Greenwich Civil Time, appear in the table below, for comparison.

The graph for Moscow shows a slight dip in the curve for  $f^0F2$  occurring at about the time of the eclipse. No other effect that might be ascribed to the eclipse is evident on the graphs for the three stations.

Since, as in the previously published data, the random variation from day to day is as great as, or greater than the eclipse effects, no further conclusions can be drawn at this time concerning the effects of the eclipse on the ionosphere.

These data were furnished by the Scientific Research Institute of Terrestrial Magnetism, Moscow, U.S.S.R.

Location	Approximate time of Eclipse (GCT) Beginning	Maximum	Ending	Approximate percentage of total eclipse
Leningrad	13h 06 m	14h 13m	15h 14m	98%
Moscow	13h 17m	14h 23m	15h 24m	96%
Sverdlovsk	13h 24m	14h 22m	after sunset	87%



### UNUSUAL IONOSPHERE RECORDS AT WASHINGTON, D. C., 21 MAY, 1946



The ionosphere records at Washington, D. C., showed an unusual phenomenon for this location during the period 0000 to 0130,  $75^{\circ}\text{W}$ . meridian time, on 21 May 1946. This was a disturbed period, both magnetically and ionospherically.

The records showed echoes returning from a height between the E and F regions, the traces showing the group retardation customarily shown as a critical frequency is approached.

Ionization similar to  $E_s$ , but at higher heights, is often observed at Washington during disturbed periods. This type of sporadic ionization sometimes occurs at F-layer heights. The occurrence from 0000 to 0130 on 21 May 1946 is unusual in that group retardation is shown, with definite indications of a critical frequency of about 1.2 Mc. This phenomenon occurs frequently in the auroral zone, but is very rarely observed at Washington, D. C., and then only during disturbed periods.

The records are reproduced in figures a, b, c, d, and e. From 0000 to 0100, interference by broadcasting stations permits only the extraordinary trace to be seen. The 0115 and 0130 records show the ordinary trace as well.








Fig. e 0130 21 May 1946

## ERRATA

1. IRPL-F18, p. 11, last par.:  
Interchange the last word of line 4, "Phys.", with the seventh word of line 13, "Roy".
2. IRPL-F21, p. 12, last paragraph should read:  
The SID on 6 February indicated the absorption effects on various frequencies. The W8XAL, 6080 kc, and XEWW, 9500 kc, intensities recorded at Sterling, Va., were so completely absorbed after the first SID at 1552 GCT that the second SID at 1956 GCT was barely able to be observed, while the higher frequencies showed almost complete recovery before the occurrence of the second SID. The third SID occurred later in the day from 2132-2205 GCT and was not intense enough to affect the paths eastward.
3. IRPL-F21, p. 13, top, second sentence should read:  
This will give us a measure of solar flare activity throughout the whole Greenwich day.
4. IRPL-F21, Table 47 should read at hours indicated:

<u>Time</u>	<u><math>f^0F_2</math></u>
0000	5.6
0600	4.7
0700	5.8

Corresponding changes in the graphs of Figs. 44 and 45 of same issue should be visualized.

5. IRPL-F21, Table 46:  
Insert "D" in  $f^0F_2$  column at 1300 and 1400.
6. IRPL-F22, p. 7, top:  
Insert title, "MONTHLY AVERAGE AND MEDIAN VALUES OF IONOSPHERIC DATA".

**Table 1** (Provisional Data)

Clyde, Baffin I. ( $70.5^{\circ}\text{N}$ , $68.6^{\circ}\text{W}$ )							June 1946						
Time	h'12	f'02	h'11	f'01	h'10	f'00	Time	h'12	f'02	h'11	f'01	h'10	f'00
00	4.4	3.0	3.0	3.0	3.0	3.0	00	3.0	4.6	4.6	4.6	4.6	2.7
01	4.5	3.0	3.0	3.0	3.0	3.0	01	3.0	4.6	4.6	4.6	4.6	2.7
02	4.6	3.0	3.0	3.0	3.0	3.0	02	3.0	5.0	5.0	5.0	5.0	2.7
03	4.4	3.0	2.9	3.0	3.0	3.0	03	3.0	5.2	5.2	5.2	5.2	2.6
04	4.4	2.8	2.8	3.0	3.0	3.0	04	4.20	5.1	5.1	5.1	5.1	2.5
05	4.3	2.6	2.6	3.0	3.0	3.0	05	4.20	5.1	5.1	5.1	5.1	2.5
06	4.4	2.6	2.6	3.0	3.0	3.0	06	4.20	5.1	5.1	5.1	5.1	2.5
07	4.5	2.7	2.7	3.0	3.0	3.0	07	4.60	5.5	5.5	5.5	5.5	2.4
08	4.9	2.6	2.6	3.0	3.0	3.0	08	4.60	5.5	5.5	5.5	5.5	2.4
09	5.0	2.9	2.9	3.0	3.0	3.0	09	4.60	5.5	5.5	5.5	5.5	2.4
10	5.0	2.8	2.8	3.0	3.0	3.0	10	4.80	5.6	5.6	5.6	5.6	2.4
11	5.1	2.8	2.8	3.0	3.0	3.0	11	5.00	5.6	5.6	5.6	5.6	2.4
12	5.2	2.9	2.9	3.0	3.0	3.0	12	4.70	5.6	5.6	5.6	5.6	2.4
13	5.2	2.9	2.9	3.0	3.0	3.0	13	4.60	5.8	5.8	5.8	5.8	2.4
14	5.0	2.7	2.7	3.0	3.0	3.0	14	4.50	5.8	5.8	5.8	5.8	2.4
15	5.0	2.7	2.7	3.0	3.0	3.0	15	4.60	5.8	5.8	5.8	5.8	2.4
16	5.0	2.7	2.7	3.0	3.0	3.0	16	4.60	5.8	5.8	5.8	5.8	2.4
17	4.8	2.9	2.9	3.0	3.0	3.0	17	4.80	5.8	5.8	5.8	5.8	2.4
18	4.8	2.9	2.9	3.0	3.0	3.0	18	4.80	5.8	5.8	5.8	5.8	2.4
19	4.9	2.9	2.9	3.0	3.0	3.0	19	4.20	5.6	5.6	5.6	5.6	2.4
20	4.7	2.9	2.9	3.0	3.0	3.0	20	2.80	5.6	5.6	5.6	5.6	2.4
21	4.6	2.9	2.9	3.0	3.0	3.0	21	2.80	5.5	5.5	5.5	5.5	2.4
22	4.7	2.9	2.9	3.0	3.0	3.0	22	3.20	5.5	5.5	5.5	5.5	2.4
23	4.5	3.1	3.1	3.1	3.1	3.1	23	3.20	4.8	4.8	4.8	4.8	2.4

Time:  $75.0^{\circ}\text{W}$ .  
Sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

**Table 2** (Provisional Data)

Fairbanks, Alaska ( $64.9^{\circ}\text{N}$ , $147.8^{\circ}\text{W}$ )							June 1946						
Time	h'12	f'02	h'11	f'01	h'10	f'00	Time	h'12	f'02	h'11	f'01	h'10	f'00
00	4.4	3.0	3.0	3.0	3.0	3.0	00	3.0	4.6	4.6	4.6	4.6	2.7
01	4.5	3.0	3.0	3.0	3.0	3.0	01	3.0	4.6	4.6	4.6	4.6	2.7
02	4.6	3.0	2.9	3.0	3.0	3.0	02	2.90	5.4	5.4	5.4	5.4	2.7
03	4.3	3.0	3.0	3.0	3.0	3.0	03	3.10	4.8	4.8	4.8	4.8	2.7
04	4.4	3.0	3.0	3.0	3.0	3.0	04	3.00	5.2	5.2	5.2	5.2	2.6
05	4.4	2.9	2.9	3.0	3.0	3.0	05	3.10	5.6	5.6	5.6	5.6	2.6
06	4.9	2.9	2.9	3.0	3.0	3.0	06	3.80	6.0	6.0	6.0	6.0	2.6
07	5.1	2.8	2.8	3.0	3.0	3.0	07	3.80	6.4	6.4	6.4	6.4	2.6
08	5.5	2.8	2.8	3.0	3.0	3.0	08	5.20	5.7	5.7	5.7	5.7	2.6
09	5.5	2.8	2.8	3.0	3.0	3.0	09	5.20	6.0	6.0	6.0	6.0	2.6
10	5.5	2.7	2.7	3.0	3.0	3.0	10	4.00	6.6	6.6	6.6	6.6	2.6
11	5.7	2.8	2.8	3.0	3.0	3.0	11	4.00	6.7	6.7	6.7	6.7	2.6
12	5.9	2.9	2.9	3.0	3.0	3.0	12	3.80	6.4	6.4	6.4	6.4	2.6
13	5.9	2.8	2.8	3.0	3.0	3.0	13	4.00	6.6	6.6	6.6	6.6	2.6
14	5.8	2.8	2.8	3.0	3.0	3.0	14	3.50	6.2	6.2	6.2	6.2	2.6
15	5.9	2.8	2.8	3.0	3.0	3.0	15	3.70	6.4	6.4	6.4	6.4	2.6
16	6.0	2.9	2.9	3.0	3.0	3.0	16	3.70	6.3	6.3	6.3	6.3	2.6
17	5.8	3.0	3.0	3.0	3.0	3.0	17	3.50	6.6	6.6	6.6	6.6	2.6
18	5.9	3.0	3.0	3.0	3.0	3.0	18	2.90	6.6	6.6	6.6	6.6	2.6
19	5.9	3.1	3.1	3.1	3.1	3.1	19	2.80	6.6	6.6	6.6	6.6	2.6
20	5.9	3.2	3.2	3.2	3.2	3.2	20	2.70	6.8	6.8	6.8	6.8	2.6
21	6.0	3.2	3.2	3.2	3.2	3.2	21	2.70	7.0	7.0	7.0	7.0	2.6
22	5.5	3.1	3.1	3.1	3.1	3.1	22	2.70	6.9	6.9	6.9	6.9	2.6
23	5.3	3.1	3.1	3.1	3.1	3.1	23	2.80	6.9	6.9	6.9	6.9	2.6

Time:  $150.0^{\circ}\text{W}$ .  
Sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

**Table 3** (Provisional Data)

Prince Rupert, Canada ( $51.9^{\circ}\text{N}$ , $130.3^{\circ}\text{W}$ )							June 1946						
Time	h'12	f'02	h'11	f'01	h'10	f'00	Time	h'12	f'02	h'11	f'01	h'10	f'00
00	1.0	1.0	1.0	1.0	1.0	1.0	00	2.70	6.2	6.2	6.2	6.2	2.7
01	4.0	3.0	3.0	3.0	3.0	3.0	01	2.70	5.4	5.4	5.4	5.4	2.7
02	3.5	3.0	2.9	3.0	3.0	3.0	02	2.90	5.4	5.4	5.4	5.4	2.7
03	3.5	3.0	3.0	3.0	3.0	3.0	03	3.10	4.8	4.8	4.8	4.8	2.7
04	4.4	3.0	3.0	3.0	3.0	3.0	04	3.00	5.2	5.2	5.2	5.2	2.6
05	4.4	2.9	2.9	3.0	3.0	3.0	05	3.10	5.6	5.6	5.6	5.6	2.6
06	4.9	2.9	2.9	3.0	3.0	3.0	06	3.80	6.0	6.0	6.0	6.0	2.6
07	5.1	2.8	2.8	3.0	3.0	3.0	07	3.80	6.4	6.4	6.4	6.4	2.6
08	5.5	2.8	2.8	3.0	3.0	3.0	08	5.20	5.7	5.7	5.7	5.7	2.6
09	5.5	2.8	2.8	3.0	3.0	3.0	09	5.20	6.0	6.0	6.0	6.0	2.6
10	5.5	2.7	2.7	3.0	3.0	3.0	10	4.00	6.6	6.6	6.6	6.6	2.6
11	5.7	2.8	2.8	3.0	3.0	3.0	11	4.00	6.7	6.7	6.7	6.7	2.6
12	5.9	2.9	2.9	3.0	3.0	3.0	12	3.80	6.4	6.4	6.4	6.4	2.6
13	5.9	2.8	2.8	3.0	3.0	3.0	13	4.00	6.6	6.6	6.6	6.6	2.6
14	5.8	2.8	2.8	3.0	3.0	3.0	14	3.50	6.2	6.2	6.2	6.2	2.6
15	5.9	2.8	2.8	3.0	3.0	3.0	15	3.70	6.4	6.4	6.4	6.4	2.6
16	6.0	2.9	2.9	3.0	3.0	3.0	16	3.70	6.3	6.3	6.3	6.3	2.6
17	5.8	3.0	3.0	3.0	3.0	3.0	17	3.50	6.6	6.6	6.6	6.6	2.6
18	5.9	3.0	3.0	3.0	3.0	3.0	18	2.90	6.6	6.6	6.6	6.6	2.6
19	5.9	3.1	3.1	3.1	3.1	3.1	19	2.80	6.6	6.6	6.6	6.6	2.6
20	5.9	3.2	3.2	3.2	3.2	3.2	20	2.70	6.8	6.8	6.8	6.8	2.6
21	6.0	3.2	3.2	3.2	3.2	3.2	21	2.70	7.0	7.0	7.0	7.0	2.6
22	5.5	3.1	3.1	3.1	3.1	3.1	22	2.70	6.9	6.9	6.9	6.9	2.6
23	5.3	3.1	3.1	3.1	3.1	3.1	23	2.80	6.9	6.9	6.9	6.9	2.6

Time:  $120.0^{\circ}\text{W}$ .  
Sweep: Manual operation.  
Median values.

**Table 3** (Provisional Data)

Adak, Alaska ( $51.9^{\circ}\text{N}$ , $176.6^{\circ}\text{E}$ )							June 1946						
Time	h'12	f'02	h'11	f'01	h'10	f'00	Time	h'12	f'02	h'11	f'01	h'10	f'00
00	1.0	1.0	1.0	1.0	1.0	1.0	00	2.70	6.2	6.2	6.2	6.2	2.7
01	4.0	3.0	3.0	3.0	3.0	3.0	01	2.70	5.4	5.4	5.4	5.4	2.7
02	3.5	3.0	2.9	3.0	3.0	3.0	02	2.90	5.4	5.4	5.4	5.4	2.7
03	3.5	3.0	3.0	3.0	3.0	3.0	03	3.10	4.8	4.8	4.8	4.8	2.7
04	4.4	3.0	3.0	3.0	3.0	3.0	04	3.00	5.2	5.2	5.2	5.2	2.6
05	4.4	2.9	2.9	3.0	3.0	3.0	05	3.10	5.6	5.6	5.6	5.6	2.6
06	4.9	2.9	2.9	3.0	3.0	3.0	06	3.80	6.				

Table 5 (Provisional Data)

St. John's, Newfoundland (47°0'N, 52°30'W)						June 1946					
Time	b <sup>1</sup> P2	F <sup>0</sup> P2	b <sup>1</sup> F1	F <sup>0</sup> F1	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S	F <sup>0</sup> S	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S
00	5.6				3.0		00		5.7		
01	5.6				3.0		01		5.7		
02	4.4				3.0		02		3.6		
03	6.2				3.0		03		3.1		
04	4.5				3.2		04		3.2		
05	4.2				3.3		05		3.6		
06	4.8				3.3		06		4.5		
07	5.4				3.4		07		5.3		
08	4.8				3.3		08		5.2		
09	5.7				3.3		09		5.7		
10	6.0				3.3		10		5.6		
11	6.2				3.2		11		6.0		
12	6.2				3.1		12		6.1		
13	6.5				3.1		13		6.5		
14	6.3				3.1		14		6.5		
15	6.5				3.0		15		6.4		
16	6.6				3.1		16		6.8		
17	7.1				3.1		17		7.0		
18	7.0				3.1		18		7.1		
19	7.2				3.2		19		7.1		
20	7.2				3.2		20		7.2		
21	7.2				3.1		21		6.9		
22	6.8				3.1		22		6.2		
23	6.4				3.0		23		5.4		

Time: 52.5°W  
Sweep: Manual operation.  
Median values.

Table 7 (Provisional Data)

Boston, Massachusetts (42°40'N, 71°20'W)						June 1946					
Time	b <sup>1</sup> P2	F <sup>0</sup> P2	b <sup>1</sup> F1	F <sup>0</sup> F1	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S	F <sup>0</sup> S	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S
00	5.5				2.6		00		5.3		
01	5.2				2.6		01		5.0		
02	4.5				2.6		02		4.8		
03	4.1				2.7		03		4.7		
04	4.3				2.7		04		4.3		
05	4.6				2.8		05		4.2		
06	4.7				2.9		06		5.2		
07	5.5				2.8		07		5.8		
08	5.9				2.8		08		6.5		
09	6.4				2.7		09		6.6		
10	6.5				2.8		10		6.6		
11	6.5				2.6		11		7.0		
12	6.6				2.7		12		7.2		
13	6.8				2.6		13		6.8		
14	6.6				2.7		14		7.1		
15	6.7				2.6		15		7.0		
16	6.6				2.7		16		6.6		
17	6.6				2.7		17		6.4		
18	6.8				2.7		18		6.4		
19	6.9				2.7		19		7.0		
20	6.9				2.7		20		6.7		
21	6.5				2.7		21		6.7		
22	6.7				2.6		22		6.0		
23	6.0				2.5		23		5.4		

Time: 75.0°W  
Sweep: 0.85 Mc to 13.75 Mc in one minute.  
Median values.

Table 5 (Provisional Data)

Ottawa, Canada (45.5°N, 75.8°W)						June 1946					
Time	b <sup>1</sup> P2	F <sup>0</sup> P2	b <sup>1</sup> F1	F <sup>0</sup> F1	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S	F <sup>0</sup> S	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S
00	5.6				3.0		00		5.7		
01	5.6				3.0		01		5.6		
02	4.4				3.0		02		3.6		
03	6.2				3.0		03		3.1		
04	4.5				3.2		04		3.2		
05	4.2				3.3		05		3.6		
06	4.8				3.3		06		4.5		
07	5.4				3.4		07		5.3		
08	4.8				3.3		08		5.2		
09	5.7				3.3		09		5.7		
10	6.0				3.3		10		5.6		
11	6.2				3.2		11		6.0		
12	6.2				3.1		12		6.1		
13	6.5				3.1		13		6.5		
14	6.3				3.1		14		6.5		
15	6.5				3.0		15		6.4		
16	6.6				3.1		16		6.8		
17	7.1				3.1		17		7.0		
18	7.0				3.1		18		7.1		
19	7.2				3.2		19		7.1		
20	7.2				3.2		20		7.2		
21	7.2				3.1		21		6.9		
22	6.8				3.1		22		6.2		
23	6.4				3.0		23		5.4		

Time: 75.0°W  
Sweep: 1.35 Mc to 13.5 Mc. Manual operation.  
Median values.

Table 6 (Provisional Data)

San Francisco, California (37.4°N, 122.2°W)						June 1946					
Time	b <sup>1</sup> P2	F <sup>0</sup> P2	b <sup>1</sup> F1	F <sup>0</sup> F1	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S	F <sup>0</sup> S	b <sup>1</sup> E	F <sup>0</sup> E	b <sup>1</sup> S
00	5.3				2.6		00		5.3		
01	5.0				2.6		01		5.0		
02	4.8				2.6		02		4.8		
03	4.7				2.7		03		4.7		
04	4.7				2.7		04		4.7		
05	4.2				2.8		05		4.2		
06	5.2				2.9		06		5.2		
07	5.5				2.8		07		5.8		
08	5.9				2.8		08		6.5		
09	6.4				2.7		09		6.6		
10	6.5				2.8		10		6.6		
11	6.5				2.6		11		7.0		
12	6.6				2.7		12		7.2		
13	6.8				2.6		13		6.8		
14	6.6				2.7		14		7.1		
15	6.7				2.6		15		7.0		
16	6.6				2.7		16		6.6		
17	6.6				2.7		17		6.4		
18	6.8				2.7		18		6.4		
19	6.9				2.7		19		7.0		
20	6.9				2.7		20		6.7		
21	6.5				2.7		21		6.7		
22	6.7				2.6		22		6.0		
23	6.0				2.5		23		5.4		

Time: 120.0°W  
Sweep: 0.8 Mc to 12.0 Mc in six minutes. Record centered on 12.0 Mc.  
Median values.

Table 9 (Provisional Data)

Baton Rouge, Louisiana (30°5'N., 91°20'W.)

Time	b'W	F'W	b'N	F'N	b'W	F'W	b'N	F'N
00	5.7	2.8	5.7	2.8	5.6	2.9	5.1	2.9
01	5.6	2.9	5.1	2.9	5.2	3.0	5.2	3.0
02	5.1	2.9	4.9	2.8	5.0	3.0	4.9	2.8
03	4.9	2.8	4.6	2.8	5.0	3.0	4.6	2.8
04	4.6	2.8	4.6	2.9	4.7	3.0	4.6	2.9
05	4.5	2.8	4.5	2.9	4.5	3.0	4.5	2.9
06	4.5	2.8	4.5	2.9	4.5	3.0	4.5	2.9
07	4.5	2.8	4.5	2.9	4.5	3.0	4.5	2.9
08	4.5	2.8	4.5	2.9	4.5	3.0	4.5	2.9
09	4.5	2.8	4.5	2.9	4.5	3.0	4.5	2.9
10	4.5	2.8	4.5	2.9	4.5	3.0	4.5	2.9
11	6.7	2.8	6.7	2.8	6.7	2.9	6.7	2.8
12	7.0	2.8	7.0	2.8	7.0	2.9	7.0	2.8
13	7.1	2.8	7.1	2.8	7.1	2.9	7.1	2.8
14	7.1	2.8	7.1	2.8	7.1	2.9	7.1	2.8
15	7.7	2.7	7.7	2.7	7.7	2.7	7.7	2.7
16	7.5	2.8	7.5	2.8	7.5	2.8	7.5	2.8
17	7.5	2.9	7.5	2.9	7.5	2.9	7.5	2.9
18	7.5	2.9	7.5	2.9	7.5	2.9	7.5	2.9
19	7.5	2.9	7.5	2.9	7.5	2.9	7.5	2.9
20	6.9	2.7	6.9	2.7	6.9	2.7	6.9	2.7
21	6.4	2.7	6.4	2.7	6.4	2.7	6.4	2.7
22	6.1	2.7	6.1	2.7	6.1	2.7	6.1	2.7
23	5.7	2.9	5.7	2.9	5.7	2.9	5.7	2.9

Time: 90.00°  
 Sweep: 1.0 Mc to 5.0 Mc for three minutes, thirty seconds.  
 Median values.

Time: 150.00°  
 Sweep: 2.2 Mc to 16.0 Mc in one minute.  
 Median values.

Table 10 (Provisional Data)

Honolulu, Hawaii (20°8'N., 156°5'W.) June 1946

Time	b'W	F'W	b'N	F'N	b'W	F'W	b'N	F'N
00	2.8	0.0	2.9	0.0	2.9	0.0	2.9	0.0
01	5.6	2.9	5.1	2.9	5.2	3.0	5.1	2.9
02	5.1	2.9	5.2	3.0	5.2	3.0	5.1	2.9
03	4.9	2.8	4.8	2.8	4.9	2.9	4.8	2.8
04	4.6	2.8	4.6	2.8	4.6	2.8	4.6	2.8
05	4.5	2.8	4.5	2.8	4.5	2.8	4.5	2.8
06	4.5	2.8	4.5	2.8	4.5	2.8	4.5	2.8
07	4.5	2.8	4.5	2.8	4.5	2.8	4.5	2.8
08	4.5	2.8	4.5	2.8	4.5	2.8	4.5	2.8
09	4.5	2.8	4.5	2.8	4.5	2.8	4.5	2.8
10	4.5	2.8	4.5	2.8	4.5	2.8	4.5	2.8
11	4.0	2.8	4.0	2.8	4.0	2.8	4.0	2.8
12	3.7	2.7	3.7	2.7	3.7	2.7	3.7	2.7
13	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
14	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
15	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
16	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
17	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
18	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
19	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
20	3.6	2.7	3.6	2.7	3.6	2.7	3.6	2.7
21	2.8	2.7	2.8	2.7	2.8	2.7	2.8	2.7
22	2.8	2.7	2.8	2.7	2.8	2.7	2.8	2.7
23	2.8	2.7	2.8	2.7	2.8	2.7	2.8	2.7

Table 11 (Provisional Data)

Trinidad, Brit. West Indies (10°6'N., 61°2'W.) June 1946

Time	b'W	F'W	b'N	F'N	b'W	F'W	b'N	F'N
00	2.6	0.0	2.7	0.0	2.6	0.0	2.7	0.0
01	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
02	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
03	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
04	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
05	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
06	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
07	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
08	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
09	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
10	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
11	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
12	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
13	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
14	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
15	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
16	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
17	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
18	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
19	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
20	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
21	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
22	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
23	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0

Time: 60.00°  
 Sweep: 1.5 Mc to 13.0 Mc in one minute, thirty seconds.  
 Median values.

Table 12 (Provisional Data)

Christmas Island (1.9°N., 157°5'W.) June 1946

Time	b'W	F'W	b'N	F'N	b'W	F'W	b'N	F'N
00	2.6	0.0	2.7	0.0	2.6	0.0	2.7	0.0
01	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
02	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
03	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
04	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
05	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
06	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
07	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
08	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
09	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
10	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
11	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
12	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
13	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
14	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
15	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
16	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
17	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
18	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
19	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
20	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
21	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
22	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0
23	2.6	0.0	2.6	0.0	2.6	0.0	2.6	0.0

Time: 150.00°  
 Sweep: 2.2 Mc to 16.0 Mc in one minute.  
 Median values.

Table 14 (Provisional Data)

Western Australia (30.5°S, 115.9°E)							June 1946								
Time	h 1/2	1 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2
00	3.5	2.9	2.9	3.0	2.9	3.0	2.9	3.0	2.9	3.0	2.9	3.0	2.9	3.0	2.9
01	3.5	2.9	2.9	3.0	2.9	3.0	2.9	3.0	2.9	3.0	2.9	3.0	2.9	3.0	2.9
02	3.8	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
03	3.7	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
04	3.6	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
05	3.2	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
06	3.2	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
07	5.4	4.7	4.7	5.4	4.7	5.4	4.7	5.4	4.7	5.4	4.7	5.4	4.7	5.4	4.7
08	7.7	6.7	6.7	7.7	6.7	7.7	6.7	7.7	6.7	7.7	6.7	7.7	6.7	7.7	6.7
09	6.6	5.8	5.8	6.6	5.8	6.6	5.8	6.6	5.8	6.6	5.8	6.6	5.8	6.6	5.8
10	8.8	7.0	7.0	8.8	7.0	8.8	7.0	8.8	7.0	8.8	7.0	8.8	7.0	8.8	7.0
11	9.1	7.2	7.2	9.1	7.2	9.1	7.2	9.1	7.2	9.1	7.2	9.1	7.2	9.1	7.2
12	9.3	7.4	7.4	9.3	7.4	9.3	7.4	9.3	7.4	9.3	7.4	9.3	7.4	9.3	7.4
13	9.4	7.5	7.5	9.4	7.5	9.4	7.5	9.4	7.5	9.4	7.5	9.4	7.5	9.4	7.5
14	9.7	7.7	7.7	9.7	7.7	9.7	7.7	9.7	7.7	9.7	7.7	9.7	7.7	9.7	7.7
15	9.8	7.8	7.8	9.8	7.8	9.8	7.8	9.8	7.8	9.8	7.8	9.8	7.8	9.8	7.8
16	9.2	7.2	7.2	9.2	7.2	9.2	7.2	9.2	7.2	9.2	7.2	9.2	7.2	9.2	7.2
17	8.0	6.0	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0	6.0
18	6.2	4.2	4.2	6.2	4.2	6.2	4.2	6.2	4.2	6.2	4.2	6.2	4.2	6.2	4.2
19	4.7	2.7	2.7	4.7	2.7	4.7	2.7	4.7	2.7	4.7	2.7	4.7	2.7	4.7	2.7
20	3.6	2.0	2.0	3.6	2.0	3.6	2.0	3.6	2.0	3.6	2.0	3.6	2.0	3.6	2.0
21	3.2	2.3	2.3	3.2	2.3	3.2	2.3	3.2	2.3	3.2	2.3	3.2	2.3	3.2	2.3
22	3.3	2.4	2.4	3.3	2.4	3.3	2.4	3.3	2.4	3.3	2.4	3.3	2.4	3.3	2.4
23	3.6	2.8	2.8	3.6	2.8	3.6	2.8	3.6	2.8	3.6	2.8	3.6	2.8	3.6	2.8

Time: Local.  
Sweep: 1.5 Mc to 9.5 Mc in fifteen minutes.  
Median values.

Table 15 (Provisional Data)

Christmas Island (1.9°S, 157.9°W)							May 1946								
Time	h 1/2	1 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2
00	2.9	9.6	2.7	3.1	3.0	3.1	3.0	3.1	3.0	3.1	3.0	3.1	3.0	3.1	3.0
01	2.9	9.4	2.9	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
02	2.9	9.2	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
03	3.0	9.6	2.6	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
04	2.9	7.6	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
05	2.2	6.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
06	5.6	6.6	2.1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
07	6.7	3.7	2.9	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
08	6.6	3.1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
09	5.5	3.5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
10	10.0	22.0	5.0	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7
11	9.8	22.0	5.0	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4
12	10.2	22.0	5.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
13	10.5	22.0	5.1	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6
14	10.5	21.0	5.1	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7
15	10.5	21.0	5.0	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6
16	10.6	21.0	5.0	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4
17	10.1	21.0	5.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
18	9.9	26.0	5.2	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4
19	9.5	31.0	5.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
20	9.0	34.0	5.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
21	8.8	31.0	5.2	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6
22	9.2	30.0	5.2	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
23	9.6	28.0	5.2	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5

Time: Local.  
Sweep: 1.5 Mc to 13.0 Mc in one minute, thirty seconds.  
Median values.

Table 16 (Provisional Data)

Johannesburg, South Africa (26.2°S, 28.0°E)							May 1946								
Time	h 1/2	1 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2	h 1/2	2 1/2
00	2.6	3.0	3.1	0.0	2.6	3.0	3.1	0.0	2.6	3.0	3.1	0.0	2.6	3.0	3.1
01	2.6	3.0	3.0	0.2	2.6	3.0	3.0	0.2	2.6	3.0	3.0	0.2	2.6	3.0	3.0
02	2.6	3.0	3.0	0.3	2.6	3.0	3.0	0.3	2.6	3.0	3.0	0.3	2.6	3.0	3.0
03	2.6	3.0	3.0	0.4	2.6	3.0	3.0	0.4	2.6	3.0	3.0	0.4	2.6	3.0	3.0
04	2.6	3.0	3.0	0.5	2.6	3.0	3.0	0.5	2.6	3.0	3.0	0.5	2.6	3.0	3.0
05	2.6	3.0	3.0	0.6	2.6	3.0	3.0	0.6	2.6	3.0	3.0	0.6	2.6	3.0	3.0
06	2.6	3.0	3.0	0.7	2.6	3.0	3.0	0.7	2.6	3.0	3.0	0.7	2.6	3.0	3.0
07	2.6	3.0	3.0	0.8	2.6	3.0	3.0	0.8	2.6	3.0	3.0	0.8	2.6	3.0	3.0
08	2.6	3.0	3.0	0.9	2.6	3.0	3.0	0.9	2.6	3.0	3.0	0.9	2.6	3.0	3.0
09	2.6	3.0	3.0	1.0	2.6	3.0	3.0	1.0	2.6	3.0	3.0	1.0	2.6	3.0	3.0
10	2.6	3.0	3.0	1.1	2.6	3.0	3.0	1.1	2.6	3.0	3.0	1.1	2.6	3.0	3.0
11	2.6	3.0	3.0	1.2	2.6	3.0	3.0	1.2	2.6	3.0	3.0	1.2	2.6	3.0	3.0
12	2.6	3.0	3.0	1.3	2.6	3.0	3.0	1.3	2.6	3.0	3.0	1.3	2.6	3.0	3.0
13	2.6	3.0	3.0	1.4	2.6	3.0	3.0	1.4	2.6	3.0	3.0	1.4	2.6	3.0	3.0
14	2.6	3.0	3.0	1.5	2.6	3.0	3.0	1.5	2.6	3.0	3.0	1.5	2.6	3.0	3.0
15	2.6	3.0	3.0	1.6	2.6	3.0	3.0	1.6	2.6	3.0	3.0	1.6	2.6	3.0	3.0
16	2.6	3.0	3.0	1.7	2.6	3.0	3.0	1.7	2.6	3.0	3.0	1.7	2.6	3.0	3.0
17	2.6	3.0	3.0	1.8	2.6	3.0	3.0	1.8	2.6	3.0	3.0	1.8	2.6	3.0	3.0
18	2.6	3.0	3.0	1.9	2.6	3.0	3.0	1.9	2.6	3.0	3.0	1.9	2.6	3.0	3.0
19	2.6	3.0	3.0	2.0	2.6	3.0	3.0	2.0	2.6	3.0	3.0	2.0	2.6	3.0	3.0
20	2.6	3.0	3.0	2.1	2.6	3.0	3.0	2.1	2.6	3.0	3.0	2.1	2.6	3.0	3.0
21	2.6	3.0	3.0	2.2	2.6	3.0	3.0	2.2	2.6	3.0	3.0	2.2	2.6	3.0	3.0
22	2.6	3.0	3.0	2.3	2.6	3.0	3.0	2.3	2.6	3.0	3.0	2.3	2.6	3.0	3.0
23	2.6	3.0	3.0	2.4	2.6	3.0	3.0	2.4	2.6	3.0	3.0	2.4	2.6	3.0	3.0

Time: Local.  
Sweep: 2.0 Mc to 15.0 Mc in 8 seconds.  
Median values.

Time: 150.0°W  
Sweep: 1.5 Mc to 13.0 Mc in one minute, thirty seconds.  
Median values.

Time: 30.0°E  
Sweep: 2.0 Mc to 15.0 Mc in 8 seconds.  
Median values.

Table 17 (Provisional Data)

Watheroo, W. Australia (30°5'S., 115°9'W.)						
Time	h <sup>o</sup>	min	2 <sup>o</sup> 22	h <sup>o</sup>	min	h <sup>o</sup>
00		3.6		2.8		0.0
01		3.6		2.8	0.1	
02		3.8		2.8	0.2	
03		3.6		2.9	0.3	
04		3.5		3.0	0.4	
05		3.1		3.0	0.5	
06		3.0		2.9	0.6	
07		6.2		3.4	0.7	
08		8.1		3.4	0.8	
09		9.4		3.2	0.9	
10		10.5		3.2	1.0	
11		10.4		3.2	1.1	
12		10.5		3.1	1.2	
13		10.5		3.0	1.3	
14		10.6		3.1	1.4	
15		10.4		3.1	1.5	
16		10.1		3.1	1.6	
17		8.9		3.2	1.7	
18		6.3		3.2	1.8	
19		4.7		3.1	1.9	
20		4.0		3.0	2.0	
21		3.7		3.0	2.1	
22		3.6		2.9	2.2	
23		3.7		2.8	2.3	

Time: Local  
Sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Time: 60.0°  
Sweep: 1.5 Mc to 9.5 Mc in five to ten minutes. Manual operation.  
Average values.

Table 18 (Provisional Data)

Bulheta Tikhaya, U.S.S.R. (80°3'N., 52°7'E.)						
Time	h <sup>o</sup>	min	2 <sup>o</sup> 22	h <sup>o</sup>	min	h <sup>o</sup>
00		2.8		0.0		
01		2.8		0.1		
02		2.8		0.2		
03		2.9		0.3		
04		3.0		0.4		
05		3.0		0.5		
06		2.9		0.6		
07		2.9		0.7		
08		3.4		0.8		
09		3.2		0.9		
10		3.2		1.0		
11		3.2		1.1		
12		3.1		1.2		
13		3.0		1.3		
14		3.0		1.4		
15		3.1		1.5		
16		3.1		1.6		
17		3.1		1.7		
18		3.2		1.8		
19		3.1		1.9		
20		3.0		2.0		
21		3.0		2.1		
22		2.9		2.2		
23		2.9		2.3		

Time: Local  
Sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Time: 60.0°  
Sweep: 1.5 Mc to 9.5 Mc in five to ten minutes. Manual operation.  
Average values.

Table 19 (Provisional Data)

Burghead, Scotland (57°7'N., 3°5'W.)						
Time	h <sup>o</sup>	min	2 <sup>o</sup> 22	h <sup>o</sup>	min	h <sup>o</sup>
00		5.6		3.9		
01		5.3		4.6		
02		5.1		5.3		
03		4.9		6.4		
04		4.7		6.4		
05		4.7		7.0		
06		5.2		7.9		
07		5.8		8.7		
08		6.2		9.0		
09		6.7		9.1		
10		6.9		9.3		
11		7.5		8.9		
12		7.8		8.5		
13		7.7		8.6		
14		7.8		8.0		
15		7.8		7.9		
16		7.9		7.5		
17		7.9		6.7		
18		7.5		5.9		
19		7.5		5.4		
20		7.2		5.1		
21		6.8		4.8		
22		6.3		4.5		
23		5.8		4.1		

Time: Local  
Sweep: 16.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Time: 60.0°  
Sweep: 1.5 Mc to 9.5 Mc in five to ten minutes. Manual operation.  
Average values.

Table 20 (Provisional Data)

Sverdlovek, U.S.S.R. (56°7'N., 61°1'W.)						
Time	h <sup>o</sup>	min	2 <sup>o</sup> 22	h <sup>o</sup>	min	h <sup>o</sup>
00		3.9		0.0		
01		4.6		0.1		
02		5.3		0.2		
03		6.4		0.3		
04		6.4		0.4		
05		7.0		0.5		
06		7.9		0.6		
07		8.7		0.7		
08		9.0		0.8		
09		9.3		0.9		
10		8.9		1.0		
11		8.5		1.1		
12		8.6		1.2		
13		8.6		1.3		
14		8.0		1.4		
15		7.9		1.5		
16		7.5		1.6		
17		6.7		1.7		
18		5.9		1.8		
19		5.4		1.9		
20		5.1		2.0		
21		4.8		2.1		
22		4.5		2.2		
23		4.5		2.3		

Time: 60.0°  
Sweep: 1.5 Mc to 9.5 Mc in five to ten minutes. Manual operation.  
Average values.

Time: 0.0°  
Sweep: 1.0 Mc to 13.0 Mc. Manual operation.  
Average values.

Time: 60.0°  
Sweep: 1.5 Mc to 14.0 Mc in five to thirteen minutes. Manual operation.  
Average values.

Table 21 (Provisional Data)

Time	h <sub>1</sub> P <sub>2</sub>	F <sub>2</sub> P <sub>2</sub>	h <sub>1</sub> P <sub>1</sub>	F <sub>2</sub> P <sub>1</sub>	h <sub>1</sub> E	F <sub>2</sub> E	f <sub>3</sub>	F <sub>3</sub>	F <sub>2</sub> -F <sub>3</sub> 000
00	5.1								
01	6.0								
02	6.8								
03	8.0								
04	8.4								
05	9.0								
06	9.0								
07	9.1								
08	9.3								
09	9.0								
10	8.8								
11	8.4								
12	8.2								
13	8.0								
14	7.6								
15	7.2								
16	6.6								
17	5.8								
18	5.4								
19	5.0								
-	4.7								
21	4.4								
22	4.1								
23	4.4								

Time: 90.0°  
 Sweep: 1.0 Mc to 10.0 Mc in five to ten minutes. Manual operation.  
 Average values.

Table 21 (Provisional Data)

Time	h <sub>1</sub> P <sub>2</sub>	F <sub>2</sub> P <sub>2</sub>	h <sub>1</sub> P <sub>1</sub>	F <sub>2</sub> P <sub>1</sub>	h <sub>1</sub> E	F <sub>2</sub> E	f <sub>3</sub>	F <sub>3</sub>	F <sub>2</sub> -F <sub>3</sub> 000
00	4.7								
01	4.6								
02	3.8								
03	3.9								
04	3.8								
05	4.0								
06	4.2								
07	5.0								
08	5.7								
09	6.2								
10	6.3								
11	6.6								
12	7.0								
13	7.4								
14	7.7								
15	7.5								
16	7.2								
17	7.0								
18	6.5								
19	6.8								
20	6.1								
21	5.4								
22	5.0								
23	4.5								

Time: 0.0°  
 Sweep: 1.0 Mc to 13.0 Mc. Manual operation.  
 Average values.

Table 22 (Provisional Data)

Time	h <sub>1</sub> P <sub>2</sub>	F <sub>2</sub> P <sub>2</sub>	h <sub>1</sub> P <sub>1</sub>	F <sub>2</sub> P <sub>1</sub>	h <sub>1</sub> E	F <sub>2</sub> E	f <sub>3</sub>	F <sub>3</sub>	F <sub>2</sub> -F <sub>3</sub> 000
00	5.1								
01	6.0								
02	6.8								
03	8.0								
04	8.4								
05	9.0								
06	9.0								
07	9.1								
08	9.3								
09	9.0								
10	8.8								
11	8.4								
12	8.2								
13	8.0								
14	7.6								
15	7.2								
16	6.6								
17	5.8								
18	5.4								
19	5.0								
20	4.7								
21	4.4								
22	4.1								
23	4.4								

Time: 30.0°  
 Sweep: 1.8 Mc to 10.0 Mc in ten minutes. Manual operation.  
 Average values.

Table 22 (Provisional Data)

Time	h <sub>1</sub> P <sub>2</sub>	F <sub>2</sub> P <sub>2</sub>	h <sub>1</sub> P <sub>1</sub>	F <sub>2</sub> P <sub>1</sub>	h <sub>1</sub> E	F <sub>2</sub> E	f <sub>3</sub>	F <sub>3</sub>	F <sub>2</sub> -F <sub>3</sub> 000
00	4.7								
01	4.6								
02	3.8								
03	3.9								
04	3.8								
05	4.0								
06	4.2								
07	5.0								
08	5.7								
09	6.2								
10	6.3								
11	6.6								
12	7.0								
13	7.4								
14	7.7								
15	7.5								
16	7.2								
17	7.0								
18	6.5								
19	6.8								
20	6.1								
21	5.4								
22	5.0								
23	4.5								

Time: 30.0°  
 Sweep: 1.8 Mc to 10.0 Mc in ten minutes. Manual operation.  
 Average values.

Table 23 (Provisional Data)

Time	h <sub>1</sub> P <sub>2</sub>	F <sub>2</sub> P <sub>2</sub>	h <sub>1</sub> P <sub>1</sub>	F <sub>2</sub> P <sub>1</sub>	h <sub>1</sub> E	F <sub>2</sub> E	f <sub>3</sub>	F <sub>3</sub>	F <sub>2</sub> -F <sub>3</sub> 000
00	5.1								
01	6.0								
02	6.8								
03	8.0								
04	8.4								
05	9.0								
06	9.0								
07	9.1								
08	9.3								
09	9.0								
10	8.8								
11	8.4								
12	8.2								
13	8.0								
14	7.6								
15	7.2								
16	6.6								
17	5.8								
18	5.4								
19	5.0								
20	4.7								
21	4.4								
22	4.1								
23	4.4								

Time: 30.0°  
 Sweep: 1.8 Mc to 10.0 Mc in ten minutes. Manual operation.  
 Average values.

Table 23 (Provisional Data)

Time	h <sub>1</sub> P <sub>2</sub>	F <sub>2</sub> P <sub>2</sub>	h <sub>1</sub> P <sub>1</sub>	F <sub>2</sub> P <sub>1</sub>	h <sub>1</sub> E	F <sub>2</sub> E	f <sub>3</sub>	F <sub>3</sub>	F <sub>2</sub> -F <sub>3</sub> 000
00	4.7								
01	4.6								
02	3.8								
03	3.9								
04	3.8								
05	4.0								
06	4.2								
07	5.0								
08	5.7								
09	6.2								
10	6.3								
11	6.6								
12	7.0								
13	7.4								
14	7.7								
15	7.5								
16	7.2								
17	7.0								
18	6.5								
19	6.8								
20	6.1								
21	5.4								
22	5.0								
23	4.5								

Time: 0.0°  
 Sweep: 1.0 Mc to 10.0 Mc in ten minutes. Manual operation.  
 Average values.

Table 22

Washington, D. C. (39.0°N, 77.5°W)								June 1946							
Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>	Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>
00	290	5.6			3.4	2.7		00	295	4.1				3.2	
01	280	5.3			2.9	2.8		01	310	4.8				4.5	2.7
02	270	4.9			2.9	2.8		02	310	4.8				4.5	2.6
03	275	4.4			2.9	2.7		03	340	5.0				4.5	2.8
04	280	4.0			2.6	2.6		04	380	5.1				4.0	2.6
05	280	4.1			2.7	2.8		05	450	5.0				4.8	2.5
06	340	5.0	290	3.8	4.0	2.8	(2.8)	06	490	5.0				4.0	2.5
07	350	5.5	290	4.3	4.2	2.9	(2.8)	07	440	5.5				4.2	2.5
08	370	6.0	210	4.6	4.0	2.8	(3.2)	08	440	5.6				4.2	2.5
09	380	(6.2)	210	4.8	4.0	2.8	(3.2)	09	490	5.6				4.2	2.5
10	430	6.2	220	5.0	5.0	2.7	(3.5)	10	430	5.8				4.4	2.5
11	390	(6.3)	210	5.0	5.0	2.7	(2.8)	11	440	5.8				4.5	2.5
12	430	6.3	210	5.1	5.0	4.2	(3.8)	12	440	5.8				4.6	2.5
13	420	6.2	210	5.1	5.0	4.2	(3.7)	13	435	5.9				4.6	2.6
14	410	6.4	210	5.0	5.0	4.0	(3.7)	14	435	5.9				4.6	2.6
15	380	6.7	220	5.0	5.0	4.0	(3.6)	15	430	6.0				4.6	2.6
16	370	6.8	220	4.7	5.0	3.7	(3.4)	16	400	6.0				4.5	2.7
17	340	6.7	220	4.5	5.0	3.7	(3.4)	17	395	5.5				4.3	2.6
18	300	6.9	230	3.8	5.0	3.5	(2.9)	18	300	5.5				4.1	2.7
19	260	7.0	250	3.8	5.0	3.5	(1.8)	19	275	5.3				4.1	2.8
20	250	7.0	250	3.7	5.0	3.7	(1.8)	20	275	5.3				4.1	2.8
21	270	(6.8)	280	4.0	4.0	2.9	(2.8)	21	280	5.1				4.1	2.9
22	280	(6.2)	280	4.0	4.0	2.9	(2.8)	22	290	4.5				4.2	2.8
23	280	5.9	280	3.5	3.5	2.8		23	300	4.0				4.0	2.8

Time: 75.0°W.  
Sweep: 0.75 Mc to 11.5 Mc in 3.4 minutes, supplemented by 0.8 Mc to  
14.0 Mc in two minutes.  
Median values.

Table 27 (Supersedes Table 1, IRFL-F22)

Churchill, Canada (58.8°N, 94.2°W)								May 1946							
Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>	Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>
00	310	4.4			4.6	(2.7)		00	230	4.3				3.7	
01	300	4.5			4.2	(2.9)		01	270	4.2				3.0	
02	295	4.6			3.6	2.9		02	280	4.0				2.2	
03	295	4.2			3.5	3.0		03	270	3.8				2.6	
04	310	4.0			3.5	2.9		04	275	3.7				2.9	
05	330	4.4			3.6	3.0		05	290	4.2				2.2	
06	360	4.5	250	3.8	2.8	3.5	(3.0)	06	350	4.7				2.8	
07	420	5.0	230	4.3	3.0	3.4	(2.7)	07	395	5.0				3.3	
08	420	5.5	240	4.4	3.2	3.7	(2.7)	08	390	5.3				3.5	
09	460	5.2	240	4.6	3.2	3.2	(2.6)	09	390	5.5				3.5	
10	460	5.4	230	4.6	3.2	3.3	(2.7)	10	390	5.8				3.8	
11	470	5.6	230	4.5	3.0	3.5	(2.7)	11	390	6.0				3.8	
12	450	5.6	240	4.7	3.0	3.5	(2.6)	12	380	6.3				3.9	
13	450	6.0	230	4.8	3.2	3.4	(2.6)	13	390	5.9				3.8	
14	425	6.4	230	4.7	3.2	3.4	(2.6)	14	290	5.9				3.4	
15	400	6.2	220	4.6	3.2	3.4	(2.7)	15	360	6.0				3.8	
16	370	6.2	240	4.5	3.0	3.3	(2.7)	16	355	6.0				3.8	
17	340	6.3	240	4.4	3.0	3.1	(2.7)	17	310	6.1				3.2	
18	350	6.0	250	4.1	3.0	3.0	(2.8)	18	280	6.1				3.0	
19	330	5.8	280	3.6	3.0	2.8	(2.8)	19	290	6.2				3.1	
20	340	5.0			3.1	2.8		20	220	6.2				2.8	
21	330	5.0			3.1	2.8		21	215	6.2				3.2	
22	300	4.8			3.1	2.8		22	210	5.6				3.1	
23	295	4.5			4.7	2.8		23	220	5.0				3.1	

Time: 90.0°W.  
Sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.

Time: 120.0°W.  
Sweep: Manual operation.  
Median values.

Table 26 (Supersedes Table 2, IRFL-F22)

Fairbanks, Alaska (64.9°N, 147.8°W)								May 1946							
Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>	Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>
00	290	5.6			3.4	2.7		00	295	4.1				3.2	
01	280	5.3			2.9	2.8		01	310	4.8				4.5	
02	270	4.9			2.9	2.8		02	310	4.8				4.5	
03	275	4.4			2.9	2.7		03	340	5.0				4.0	
04	280	4.0			2.6	2.6		04	380	5.1				4.0	
05	280	4.1			3.7	2.8		05	450	5.0				4.8	
06	340	5.0	290	3.8	4.0	2.8	(2.8)	06	490	5.0				4.0	
07	350	5.5	290	4.3	4.2	2.9	(2.8)	07	440	5.5				4.2	
08	370	6.0	210	4.6	4.0	2.8	(3.2)	08	440	5.6				4.2	
09	380	(6.2)	210	4.8	4.0	2.8	(3.2)	09	490	5.6				4.4	
10	430	6.2	220	5.0	5.0	2.7	(3.5)	10	430	5.8				4.5	
11	420	6.4	210	5.1	5.0	2.7	(3.7)	11	435	5.9				4.6	
12	410	6.4	210	5.0	5.0	2.7	(3.7)	12	435	5.9				4.6	
13	380	6.7	220	5.0	5.0	2.7	(3.7)	13	430	6.0				4.6	
14	370	6.8	220	4.7	5.0	2.7	(3.4)	14	400	6.0				4.3	
15	340	6.7	220	4.5	5.0	2.7	(3.4)	15	395	5.5				4.1	
16	310	6.2	240	4.4	5.0	2.7	(3.4)	16	355	6.0				4.0	
17	340	6.3	240	4.4	5.0	2.7	(3.4)	17	310	6.1				4.0	
18	350	6.0	250	4.1	5.0	2.7	(3.0)	18	280	6.1				4.2	
19	330	5.8	280	3.6	3.0	2.8	(2.8)	19	290	6.2				4.2	
20	340	5.0			3.1	2.8		20	220	6.2				4.2	
21	330	5.0			3.1	2.8		21	215	6.2				4.2	
22	300	4.8			3.1	2.8		22	210	5.6				4.1	
23	295	4.5			4.7	2.8		23	220	5.0				3.1	

Time: 150.0°W.  
Sweep: 10.0 Mc to 0.5 Mc in fifteen minutes.  
Median values.

Prince Rupert, Canada (54.5°N, 130.3°W)								May 1946							
Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>	Time	h <sub>T2</sub>	f <sub>T2</sub>	h <sub>T1</sub>	f <sub>T1</sub>	h <sub>E</sub>	f <sub>E</sub>	f <sub>EMT000</sub>
00	310	4.4			4.6	(2.7)		00	230	4.3				3.7	
01	300	4.5			4.2	(2.9)		01	270	4.2				3.0	
02	295	4.6			3.6	2.9		02	280	4.0				2.8	
03	295	4.2			3.5	3.0		03	270	3.8				2.6	
04	310	4.0			3.5	2.9		04	275	3.7				2.9</	

Table 29 (Supersedes Table 7, INFL-P22)

Ottawa, Canada (49.5°N, 75.8°W)

May 1946

Time	h <sup>1</sup> F <sub>2</sub>	f <sup>1</sup> F <sub>2</sub>	h <sup>1</sup> F <sub>1</sub>	f <sup>1</sup> F <sub>1</sub>	h <sup>1</sup> E	f <sup>1</sup> E	h <sup>1</sup> M	f <sup>1</sup> M
00	340	1.0			2.7			
01	330	2.6	2.9		2.9			
02	340	3.4	3.4		3.0			
03	330	2.3			2.9			
04	340	1.9			2.6			
05	300	1.4			2.9			
06	275	5.0			2.6			
07	300	5.0			2.6			
08	385	2.2	2.5		2.6			
09	435	5.2	2.0	3.2	2.7			
10	470	5.3	2.0	3.4	2.7			
11	420	5.3	2.0	3.5	2.7			
12	440	6.5	2.0	3.4	2.7			
13	480	5.8	2.0	3.5	2.6			
14	490	6.7	2.0	3.4	2.6			
15	440	6.0	2.0	3.4	2.6			
16	385	6.2	2.0	3.4	2.6			
17	370	6.2	2.0	3.5	2.6			
18	325	6.2	2.0	3.0	2.7			
19	280	6.0	2.0	3.0	2.7			
20	290	6.0	2.0	3.0	2.7			
21	300	5.8	2.0	3.0	2.7			
22	300	5.4	2.0	2.6	2.6			
23	330	4.8	2.0	2.6	2.6			

Time: 75.0°N.  
Speed: 1.93 Mc to 13.0 Mc. Manual operation.  
Median values.

Table 31 (Supersedes Table 9, INFL-P22)

San Francisco, California (37.4°N, 122.2°W)

May 1946

Time	h <sup>1</sup> F <sub>2</sub>	f <sup>1</sup> F <sub>2</sub>	h <sup>1</sup> F <sub>1</sub>	f <sup>1</sup> F <sub>1</sub>	h <sup>1</sup> E	f <sup>1</sup> E	h <sup>1</sup> M	f <sup>1</sup> M
00	300	5.1			2.6			
01	290	4.9	2.7		2.3			
02	280	4.8	2.7		2.3			
03	280	4.7	2.7		2.4			
04	280	4.2	2.7		2.0			
05	280	4.3	2.7		2.0			
06	260	5.4	2.7		2.0			
07	360	6.0	2.7		2.0			
08	360	6.7	2.0	3.2	2.0			
09	340	7.1	5.0	3.5	2.8			
10	370	6.9	205	5.0	1.1			
11	380	7.6	200	5.0	1.0			
12	370	7.4	215	5.2	1.0			
13	365	7.6	210	5.2	1.0			
14	380	7.8	220	5.1	1.0			
15	345	7.6	220	5.0	1.0			
16	340	7.5	230	4.8	1.0			
17	300	7.4	235	4.3	1.0			
18	280	7.1	240	3.7	1.0			
19	250	6.8			2.6			
20	240	6.6			2.6			
21	250	6.2			2.6			
22	260	5.6			2.6			
23	300	5.3			2.7			

Time: 75.0°N.  
Speed: 0.8 Mc to 13.75 Mc in one minute.  
Median values.

Table 32

Tokyo, Japan (35.6°N, 139.6°E)

May 1946

Time	h <sup>1</sup> F <sub>2</sub>	f <sup>1</sup> F <sub>2</sub>	h <sup>1</sup> F <sub>1</sub>	f <sup>1</sup> F <sub>1</sub>	h <sup>1</sup> E	f <sup>1</sup> E	h <sup>1</sup> M	f <sup>1</sup> M
00	300	5.0			2.6			
01	290	4.9	2.7		2.3			
02	280	4.8	2.7		2.3			
03	280	4.7	2.7		2.4			
04	280	4.2	2.7		2.0			
05	280	4.3	2.7		2.0			
06	260	5.4	2.7		2.0			
07	360	6.0	2.7		2.0			
08	360	6.7	220	5.0	2.8			
09	340	7.1	220	5.0	2.8			
10	370	6.9	205	5.0	1.1			
11	380	7.6	200	5.1	1.0			
12	370	7.4	215	5.2	1.0			
13	365	7.6	210	5.2	1.0			
14	380	7.8	220	5.1	1.0			
15	345	7.6	220	5.0	1.0			
16	340	7.5	230	4.8	1.0			
17	300	7.4	235	4.3	1.0			
18	280	7.1	240	3.7	1.0			
19	250	6.8			2.6			
20	240	6.6			2.6			
21	250	6.2			2.6			
22	260	5.6			2.6			
23	300	5.3			2.7			

Time: 135.0°E.  
Speed: 0.8 Mc to 13.75 Mc in one minute.  
Median values.

Time: 120.0°N.  
Speed: 0.8 Mc to 12.0 Mc in six minutes. Record centered on the hour.  
Median values.

Table 30 (Supersedes Table 5, INFL-P22)

Boston, Massachusetts (42.4°N, 71.2°W)

May 1946

Time	h <sup>1</sup> F <sub>2</sub>	f <sup>1</sup> F <sub>2</sub>	h <sup>1</sup> F <sub>1</sub>	f <sup>1</sup> F <sub>1</sub>	h <sup>1</sup> E	f <sup>1</sup> E	h <sup>1</sup> M	f <sup>1</sup> M
00	300	5.1			2.6			
01	290	4.9	2.7		2.3			
02	280	4.8	2.7		2.3			
03	280	4.7	2.7		2.4			
04	280	4.2	2.7		2.0			
05	280	4.3	2.7		2.0			
06	260	5.4	2.7		2.0			
07	360	6.0	2.7		2.0			
08	360	6.7	220	5.0	2.8			
09	340	7.1	220	5.0	2.8			
10	370	6.9	205	5.0	2.8			
11	380	7.6	200	5.1	2.8			
12	370	7.4	215	5.2	2.8			
13	365	7.6	210	5.2	2.8			
14	380	7.8	220	5.1	2.8			
15	345	7.6	220	5.0	2.8			
16	340	7.5	230	4.8	1.0			
17	300	7.4	235	4.3	1.0			
18	280	7.1	240	3.7	1.0			
19	250	6.8			2.6			
20	240	6.6			2.6			
21	250	6.2			2.6			
22	260	5.6			2.6			
23	300	5.3			2.7			

Time: 135.0°E.  
Speed: 0.8 Mc to 13.75 Mc in one minute.  
Median values.



Table 37  
Tronto, Norway (69.7°N, 16.9°E)

April 1946									
Time	h <sup>1</sup> R2	F <sup>1</sup> R2	H <sup>1</sup> R1	F <sup>1</sup> R1	H <sup>1</sup> E	F <sup>1</sup> E	F <sup>2</sup>	Time	Y <sup>2</sup> M <sup>1</sup> 5000
00	362	(4.6)	3.0					00	7.0
01	333	(4.8)	2.8					01	6.8
02	332	(4.7)						02	6.8
03	290	4.9						03	6.2
04	292	5.2						04	5.5
05	320	5.4	2.4					05	5.6
06	272	5.9	1.9					06	7.5
07	290	6.1	2.9					07	6.3
08	324	6.4	4.6					08	9.2
09	330	6.9	4.6					09	10.4
10	323	7.0	4.8					10	11.2
11	317	7.3	4.7					11	11.4
12	283	7.6	3.1					12	12.0
13	290	7.2	1.6					13	11.4
14	285	7.0	1.3					14	11.1
15	252	6.8	4.2					15	10.9
16	264	6.2	2.6					16	11.2
17	267	6.0	2.6					17	10.0
18	268	6.0	2.3					18	9.7
19	280	5.6						19	5.3
20	342	5.6						20	7.6
21	340	5.6						21	7.2
22	357	5.1						22	2.6
23	372	(4.8)						23	2.8
									2.9

Time: 15.0°E.  
Sweep: 0.8 Mc to 11.4 Mc in five minutes.  
Median values.

Time: 135.0°E.  
Sweep: 0.8 Mc to 11.4 Mc in five minutes.  
Median values.

Table 38  
Tokyo, Japan (35.6°N, 139.6°E)

April 1946									
Time	h <sup>1</sup> R2	F <sup>1</sup> R2	H <sup>1</sup> R1	F <sup>1</sup> R1	H <sup>1</sup> E	F <sup>1</sup> E	F <sup>2</sup>	Time	Y <sup>2</sup> M <sup>1</sup> 5000
00								00	24.5
01								01	24.0
02								02	22.0
03								03	23.0
04								04	23.0
05								05	26.0
06								06	25.2
07								07	24.0
08								08	22.0
09								09	26.0
10								10	26.7
11								11	28.0
12								12	30.0
13								13	29.5
14								14	29.5
15								15	28.0
16								16	28.0
17								17	25.0
18								18	22.0
19								19	20.2
20								20	22.0
21								21	28.0
22								22	26.0
23								23	24.0

Time: 30.0°E.  
Median values.

Table 39  
Cairo, Egypt (30.6°E, 31.9°E)

April 1946									
Time	h <sup>1</sup> R2	F <sup>1</sup> R2	H <sup>1</sup> R1	F <sup>1</sup> R1	H <sup>1</sup> E	F <sup>1</sup> E	F <sup>2</sup>	Time	Y <sup>2</sup> M <sup>1</sup> 5000
00								00	5.3
01								01	3.6
02								02	3.2
03								03	3.3
04								04	3.2
05								05	3.1
06								06	3.2
07								07	3.1
08								08	3.3
09								09	3.1
10								10	3.0
11								11	3.0
12								12	3.0
13								13	3.0
14								14	3.0
15								15	3.0
16								16	3.0
17								17	3.0
18								18	3.2
19								19	3.2
20								20	3.1
21								21	3.0
22								22	3.0
23								23	3.0

Time: 105.0°E.  
Sweep: 3.3 Mc to 12.3 Mc in thirteen minutes. Manual operation.  
Median values.

Table 40  
Chungking, China (29.9°N, 106.8°E)

April 1946									
Time	h <sup>1</sup> R2	F <sup>1</sup> R2	H <sup>1</sup> R1	F <sup>1</sup> R1	H <sup>1</sup> E	F <sup>1</sup> E	F <sup>2</sup>	Time	Y <sup>2</sup> M <sup>1</sup> 5000
00								00	24.5
01								01	24.0
02								02	22.0
03								03	23.0
04								04	23.0
05								05	26.0
06								06	25.2
07								07	24.0
08								08	22.0
09								09	26.0
10								10	26.7
11								11	28.0
12								12	30.0
13								13	29.5
14								14	29.5
15								15	28.0
16								16	28.0
17								17	25.0
18								18	22.0
19								19	20.2
20								20	22.0
21								21	28.0
22								22	26.0
23								23	24.0

Time: 105.0°E.  
Sweep: 3.3 Mc to 12.3 Mc in thirteen minutes. Manual operation.  
Median values.

Table 41 (Superseded Table 20, IRPL-322)

Norway, Norway (69.9°N, 14.7°E)

Time 150.0 $\mu$ , Sweep: 1.0 Mc to 13.0 Mc. Automatic.

Median values.

Time	$H^{12}$	$F^{12}$	$L^{12}$	$M^{12}$	$N^{12}$	$R^{12}$	$T^{12}$	$Y^{12}$	$Z^{12}$	$W^{12}$
00	275	5.0	2.2	2.9						
01	276	4.4	2.1	2.8						
02	280	3.8	2.1	2.9						
03	275	3.6	2.6	3.0						
04	270	3.5	2.0	3.0						
05	295	2.9	2.1	2.6						
06	250	3.0	2.6	2.6						
07	250	5.1	(2.0)	2.7						
08	215	6.3	2.9	2.8						
09	250	8.0	230	1.0						
10	250	8.8	210	1.1						
11	265	9.8	225	1.1						
12	260	10.2	228	4.7						
13	260	10.8	228	4.6						
14	250	10.5	230	4.5						
15	250	10.0	220	4.0						
16	245	10.0	240	4.0						
17	240	9.9	240	3.9						
18	230	9.0	230	3.6						
19	232	7.6	232	3.0						
20	240	6.5	240	3.0						
21	250	5.5	250	2.1						
22	255	5.3	255	2.1						
23	260	5.2	260	2.1						

Time 150.0 $\mu$ , Sweep: 1.0 Mc to 13.0 Mc in one minute, fifty-five seconds. Median values.Time: 172.5 $\mu$ , Sweep: 1.0  $\mu$  to 13.0 Mc. Automatic. Median value.

Time	$H^{12}$	$F^{12}$	$L^{12}$	$M^{12}$	$N^{12}$	$R^{12}$	$T^{12}$	$Y^{12}$	$Z^{12}$	$W^{12}$
00	280	5.5	2.2	2.9						
01	271	4.9	2.1	2.8						
02	280	3.9	2.1	2.9						
03	275	3.6	2.6	3.0						
04	270	3.5	2.0	3.0						
05	295	2.9	2.1	2.6						
06	250	3.0	2.6	2.6						
07	250	5.2	(2.0)	2.7						
08	215	6.3	2.9	2.8						
09	250	8.0	230	1.0						
10	250	8.8	210	1.1						
11	265	9.8	225	1.1						
12	260	10.2	228	4.7						
13	260	10.8	228	4.6						
14	250	10.5	230	4.5						
15	250	10.0	220	4.0						
16	245	10.0	240	4.0						
17	240	9.9	240	3.9						
18	230	9.0	230	3.6						
19	232	7.6	232	3.0						
20	240	6.5	240	3.0						
21	250	5.5	250	2.1						
22	255	5.3	255	2.1						
23	260	5.2	260	2.1						

Time 150.0 $\mu$ , Sweep: 1.0 Mc to 13.0 Mc in ten minutes. Median values.Time: 172.5 $\mu$ , Sweep: 1.0  $\mu$  to 13.0 Mc. Automatic. Median value.

Table 43

Oslo, Norway (69.9°N, 14.7°E)

Time 150.0 $\mu$ , Sweep: 1.0 Mc to 13.0 Mc in ten minutes. Median values.

Time	$H^{12}$	$F^{12}$	$L^{12}$	$M^{12}$	$N^{12}$	$R^{12}$	$T^{12}$	$Y^{12}$	$Z^{12}$	$W^{12}$
00	280	5.5	2.2	2.9						
01	271	4.9	2.1	2.8						
02	280	3.9	2.1	2.9						
03	275	3.6	2.6	3.0						
04	270	3.5	2.0	3.0						
05	295	2.9	2.1	2.6						
06	250	3.0	2.6	2.6						
07	250	5.2	(2.0)	2.7						
08	215	6.3	2.9	2.8						
09	250	8.0	230	1.0						
10	250	8.8	210	1.1						
11	265	9.8	225	1.1						
12	260	10.2	228	4.7						
13	260	10.8	228	4.6						
14	250	10.5	230	4.5						
15	250	10.0	220	4.0						
16	245	10.0	240	4.0						
17	240	9.9	240	3.9						
18	232	7.6	232	3.0						
19	240	6.5	240	3.0						
20	250	5.5	250	2.1						
21	255	5.3	255	2.1						
22	260	5.2	260	2.1						
23	260	5.1	260	2.1						

Time 150.0 $\mu$ , Sweep: 1.0 Mc to 13.0 Mc in one minute, fifty-five seconds. Median values.Time: 172.5 $\mu$ , Sweep: 1.0  $\mu$  to 13.0 Mc. Automatic. Median value.

Time	$H^{12}$	$F^{12}$	$L^{12}$	$M^{12}$	$N^{12}$	$R^{12}$	$T^{12}$	$Y^{12}$	$Z^{12}$	$W^{12}$
00	280	5.5	2.2	2.9						
01	271	4.9	2.1	2.8						
02	280	3.9	2.1	2.9						
03	275	3.6	2.6	3.0						
04	270	3.5	2.0	3.0						
05	295	2.9	2.1	2.6						
06	250	3.0	2.6	2.6						
07	250	5.2	(2.0)	2.7						
08	215	6.3	2.9	2.8						
09	250	8.0	230	1.0						
10	250	8.8	210	1.1						
11	265	9.8	225	1.1						
12	260	10.2	228	4.7						
13	260	10.8	228	4.6						
14	250	10.5	230	4.5						
15	250	10.0	220	4.0						
16	245	10.0	240	4.0						
17	240	9.9	240	3.9						
18	232	7.6	232	3.0						
19	240	6.5	240	3.0						
20	250	5.5	250	2.1						
21	255	5.3	255	2.1						
22	260	5.2	260	2.1						
23	260	5.1	260	2.1						

Time 150.0 $\mu$ , Sweep: 1.0 Mc to 13.0 Mc in ten minutes. Median values.Time: 172.5 $\mu$ , Sweep: 1.0  $\mu$  to 13.0 Mc. Automatic. Median value.

Time	$H^{12}$	$F^{12}$	$L^{12}$	$M^{12}$	$N^{12}$	$R^{12}$	$T^{12}$	$Y^{12}$	$Z^{12}$	$W^{12}$
00	280	5.5	2.2	2.9						
01	271	4.9	2.1	2.8						
02	280	3.9	2.1	2.9						
03	275	3.6	2.6	3.0						
04	270	3.5	2.0	3.0						
05	295	2.9	2.1	2.6						
06	250	3.0	2.6	2.6						
07	250	5.2	(2.0)	2.7						
08	215	6.3	2.9	2.8						
09	250	8.0	230	1.0						
10	250	8.8	210	1.1						
11	265	9.8	225	1.1						
12	260	10.2	228	4.7						
13	260	10.8	228	4.6						
14	250	10.5	230	4.5						
15	250	10.0	220	4.0						
16	245	10.0	240	4.0						
17	240	9.9	240	3.9						
18	232	7.6	232	3.0						
19	240	6.5	240	3.0						
20	250	5.5	250	2.1						
21	255	5.3	255	2.1						
22	260	5.2	260	2.1						
23	260	5.1	260	2.1						

Time 150.0 $\mu$ , Sweep: 1.0 Mc to 13.0 Mc in one minute, fifty-five seconds. Median values.Time: 172.5 $\mu$ , Sweep: 1.0  $\mu$  to 13.0 Mc. Automatic. Median value.

Time	$H^{12}$	$F^{12}$	$L^{12}$	$M^{12}$	$N^{12}$	$R^{12}$	$T^{12}$	$Y^{12}$	$Z^{12}$	$W^{12}$
00	280	5.5	2.2	2.9						
01	271	4.9	2.1	2.8						
02	280	3.9	2.1	2.9						
03	275									

Table 45

Colombo, Ceylon (6°0'N, 60°0'E)								March 1946							
Time	h	172	272	h17	f17	h18	f18	Time	h	172	272	h17	f17	h18	f18
00	13.0							00	260	7.0					
01	9.5							01	260	6.9					
02	6.4							02	260	6.5					
03	4.3							03	250	6.0					
04	2.0							04	270	5.5					
05	1.7							05	280	6.4					
06	1.0							06	240	6.4					
07	0.7							07	230	8.0					
08	0.3							08	220	9.3					
09	0.2							09	212	10.6					
10	0.3							10	245	10.6					
11	0.4							11	270	11.0					
12	0.5							12	280	11.1					
13	0.6							13	230	11.0					
14	11.3							14	270	10.6					
15	11.6							15	220	10.9					
16	11.3							16	16	11.0					
17	11.5							17	270	10.5					
18	11.0							18	215	10.3					
19	10.6							19	220	9.3					
20	(10.8)							19	240	8.3					
21	(10.6)							20	265	7.5					
22	(10.8)							21	280	7.5					
23	(10.7)							22	280	7.6					
								23	280	7.3					

Time: Local  
Sweep: 2.0 Mc to 16.0 Mc in one minute.  
Median values.  
Data sheet labeled "Extent of H".

Table 47 (Supersedes Table 23, IRFL-R22)

Perth, W. Australia (30°5'N, 116°0'E)								March 1946							
Time	h	172	272	h17	f17	h18	f18	Time	h	172	272	h17	f17	h18	f18
00	270	5.5						00	2.7						
01	262	5.4						01	2.6						
02	260	5.2						02	2.8						
03	250	4.9						03	2.8						
04	266	4.6						04	2.8						
05	260	4.2						05	2.9						
06	260	4.8						06	2.9						
07	6.7							07	3.2						
08	2.35	7.6						08	3.2						
09	270	8.4						09	3.1						
10	30.5	9.2						10	3.0						
11	29.5	9.7						11	3.0						
12	30.5	10.1						12	3.0						
13	30.0	10.4						13	3.0						
14	270	10.8						14	3.0						
15	23.5	10.7						15	3.0						
16	24.0	10.1						16	3.0						
17	5.0	9.6						17	3.0						
18	24.0	9.1						18	3.0						
19	2.35	8.4						19	3.0						
20	2.35	7.2						20	2.8						
21	2.4	6.7						21	2.8						
22	2.35	6.1						22	2.9						
23	2.4	5.8						23	2.9						

Time: 150.0'  
Sweep: 15.0 Mc to 15.0 Mc in fifteen minutes.  
Median values.

Time: 150.0'  
Sweep: 2.2 Mc to 12.5 Mc in two minutes, thirty seconds.  
Median values.

Brisbane, Australia (27.5°S, 153.0°E)								March 1946							
Time	h	172	272	h17	f17	h18	f18	Time	h	172	272	h17	f17	h18	f18
00	00	280	6.0					00	2.0						
01	01	270	5.9					01	2.0						
02	02	270	5.8					02	2.0						
03	03	270	5.7					03	2.0						
04	04	270	5.6					04	2.0						
05	05	270	5.5					05	2.0						
06	06	270	5.4					06	2.0						
07	07	270	5.3					07	2.0						
08	08	270	5.2					08	2.0						
09	09	270	5.1					09	2.0						
10	10	270	5.0					10	2.0						
11	11	270	4.9					11	2.0						
12	12	270	4.8					12	2.0						
13	13	270	4.7					13	2.0						
14	14	270	4.6					14	2.0						
15	15	270	4.5					15	2.0						
16	16	270	4.4					16	2.0						
17	17	270	4.3					17	2.0						
18	18	270	4.2					18	2.0						
19	19	270	4.1					19	2.0						
20	20	270	4.0					20	2.0						
21	21	270	3.9					21	2.0						
22	22	270	3.8					22	2.0						
23	23	270	3.7					23	2.0						

Time: 150.0'  
Sweep: 1.6 Mc to 12.5 Mc in two minutes.  
\*1st through 9th, only.

Table 69 (Supersedes Table 24, IRPL-F21)

Time	H.F2	F2F2	H.F1	F2F1	H.E	F2F1	Feb 7-1946	Feb 7-1946
00	2.76	5.4			2.6	2.6		
01	2.76	6.2			2.6	2.9	6.3	6
02	2.70	4.9			2.9	2.9	5.9	6
03	2.60	3.7			2.5	2.5	5.9	-6
04	2.60	4.4			2.5	2.5	5.4	
05	2.76	3.1			3.0	3.0	5.4	
06	2.60	3.9			(1.4)	2.6	5.1	5.7
07	2.50	5.5			1.20	2.3	5.3	5.0
08	2.40	6.0			4.1	2.3	5.2	3.0
09	2.68	7.0			2.25	4.5	3.1	3.0
10	2.90	7.5			2.10	4.8	5.4	4.5
11	2.90	8.4			2.00	5.0	5.6	5.0
12	3.00	8.6			2.00	5.0	5.6	4.8
13	3.00	8.7			2.12	5.0	5.6	5.0
14	3.00	9.1			4.8	1.0	5.0	4.4
15	2.75	9.0			2.25	4.7	5.0	3.2
16	2.58	9.0			2.28	4.5	5.0	3.2
17	2.50	8.5			1.6	2.7	4.9	3.2
18	2.60	8.5			2.0	2.8	5.0	3.2
19	2.42	8.4			2.0	2.8	5.0	3.2
20	2.50	7.5			2.5	2.9	5.0	3.0
21	2.50	6.6			2.6	2.9	5.0	2.5
22	2.60	6.0			2.5	2.8	5.0	2.8
23	2.72	5.8			2.6	2.8	5.0	

Time: 150°0'0"  
 Sweeps 1.0 Mc to 13.0 Mc in one minute, 66 seconds.  
 Median values.

Time: 50.0 W.  
 Median values.  
 \*Data sheet labeled "Extent of E".

Table 51 (Supersedes Table 18, IRPL-F21)

Time	H.F2	F2F2	H.F1	F2F1	H.E	F2F1	Feb 7-1946	Feb 7-1946
00	0.5				0.5	0.5	3.2	2.6
01	7.1				6.7	6.7	2.6	2.8
02	6.7				6.4	6.7	2.6	
03	6.4				6.2	6.5		2.8
04	6.1				6.2	6.5		
05	6.0				6.2	6.5		
06	6.2				7.8	7.1		
07	7.8				7.0	7.1		
08	9.5				9.5	8.0		
09	9.8				9.8	9.4		
10	10.6				10.6	9.9		
11	11.6				11.6	10.0		
12	12.6				12.6	11.4		
13	13.4				13.4	12.0		
14	13.5				13.5	13.0		
15	13.0				13.0	12.5		
16	11.8				11.8	11.5		
17	11.0				11.0	10.0		
18	9.8				9.8	9.5		
19	9.5				9.5	9.2		
20	9.2				9.2	8.8		
21	9.6				9.6	8.5		
22	9.8				9.8	8.2		
23	9.4				9.4	8.0		

Time: 157.5°W.  
 Sweeps 2.0 Mc to 16.0 Mc. Manual operation.  
 Median values.

Time: 60.0 W  
 Median values.  
 \* Data sheet labeled "Extent of E".

Table 52 (Supersedes Table 16, IRPL-F21)

Time	H.F2	F2F2	H.F1	F2F1	H.E	F2F1	Feb 7-1946	Feb 7-1946
00	7.0				6.9	6.9	2.6	2.6
01	6.9				6.9	6.9	2.6	2.8
02	6.9				6.9	6.9	2.6	2.8
03	7.0				6.9	6.9		
04	7.0				6.5	6.5		
05	6.5				6.5	6.5		
06	6.5				6.5	6.5		
07	7.1				7.1	7.1		
08	8.0				8.0	8.0		
09	9.4				9.4	9.4		
10	9.9				9.9	9.9		
11	10.0				10.0	10.0		
12	11.4				11.4	11.4		
13	12.0				12.0	12.0		
14	13.0				13.0	13.0		
15	12.5				12.5	12.5		
16	11.5				11.5	11.5		
17	10.0				10.0	10.0		
18	9.5				9.5	9.5		
19	9.2				9.2	9.2		
20	8.8				8.8	8.8		
21	7.1				7.1	7.1		
22	7.0				7.0	7.0		
23	7.0				7.0	7.0		

Time: 60.0 W.  
 Median values.  
 \* Data sheet labeled "Extent of E".

Table 53 (Supersedes Table 24, IFR-F20)

Rarotonga I. (21°30'S, 159.8°W)					
January 1946					
Time	h'P2	f'P2	h'P1	f'P1	h'E
00	8.2				
01	7.2				
02	5.9				
03	5.5				
04	5.8				
05	5.0				
06	5.2				
07	6.5				
08	7.5				
09	8.4				
10	9.9				
11	10.4				
12	11.0				
13	11.9				
14	13.0				
15	12.7				
16	11.0				
17	9.9				
18	8.1				
19	7.4				
20	6.0				
21	6.2				
22	6.2				
23	6.2				

Time: 157°50'W.  
Sweep: 2.0 Mc to 16.0 Mc. Manual operation.  
Median values.

Table 55 (Supersedes Table 15, IFR-F18)

Rarotonga II. (21°30'S, 159.8°W)					
December 1945					
Time	h'P2	f'P2	h'P1	f'P1	h'E
00	9.1				
01	8.6				
02	7.0				
03	6.8				
04	6.4				
05	6.2				
06	6.7				
07	7.9				
08	9.0				
09	9.5				
10	10.7				
11	11.1				
12	12.0				
13	12.0				
14	12.3				
15	12.2				
16	11.7				
17	10.5				
18	9.5				
19	8.9				
20	9.2				
21	9.2				
22	9.2				
23	9.2				

Time: 157°50'W.  
Sweep: 2.0 Mc to 16.0 Mc. Manual operation.  
Median values.

Table 54 (Supplements Table 52, IFR-F21)

Slough, England (51.5°N, 0.6°W)					
December 1945					
Time	h'P2	f'P2	h'P1	f'P1	h'E
00	382				
01	372				
02	366				
03	349				
04	334				
05	319				
06	294				
07	319				
08	250				
09	241				
10	242				
11	237				
12	244				
13	247				
14	251				
15	239				
16	247				
17	272				
18	271				
19	282				
20	308				
21	340				
22	378				
23	374				

Time: 0.0°  
Sweep: 0.5 Mc to 16.0 Mc in four minutes.  
Median values.

Table 56 (Supplements Table 63, IFR-F20)

Slough, England (51.5°N, 0.6°W)					
November 1945					
Time	h'P2	f'P2	h'P1	f'P1	h'E
00	370				
01	366				
02	364				
03	367				
04	350				
05	320				
06	320				
07	287				
08	286				
09	240				
10	249				
11	255				
12	252				
13	257				
14	258				
15	254				
16	254				
17	272				
18	271				
19	276				
20	304				
21	362				
22	368				
23	365				

Time: 0.0°  
Sweep: 0.5 Mc to 16.0 Mc in four minutes.  
Median values.

Table 57 (Superseded Table 18, IRPL-F17)

Rarotonga I. (21.<sup>3</sup>S, 150.<sup>8</sup>W) November 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	10.6							
01	9.8							
02	7.8							
03	7.1							
04	7.0							
05	7.4							
06	8.0							
07	9.4							
08	9.8							
09	10.9							
10	11.6							
11	12.2							
12	12.8							
13	13.0							
14	13.2							
15	12.8							
16	12.0							
17	11.4							
18	11.2							
19	10.8							
20	10.2							
21	10.5							
22	10.5							
23	10.6							

Time: 157.<sup>50</sup>W.  
Sweep: 2.0 Mc to 16.0 Mc.  
Median values.

Table 59 (Superseded Table 17, IRPL-F16)

Rarotonga I. (21.<sup>3</sup>S, 150.<sup>8</sup>W) October 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	9.2							
01	8.4							
02	6.4							
03	5.7							
04	5.6							
05	5.5							
06	6.8							
07	8.8							
08	7.6							
09	10.2							
10	11.1							
11	11.8							
12	12.2							
13	12.0							
14	11.5							
15	11.6							
16	11.3							
17	11.2							
18	11.4							
19	10.5							
20	10.0							
21	9.2							
22	9.0							
23	0.0							

Time: 157.<sup>50</sup>W.  
Sweep: 2.0 Mc to 16.0 Mc.  
Median values.

Table 58 (Superseded Table 18, IRPL-F18)

Kermadec Is. (29.<sup>2</sup>S, 177.<sup>9</sup>W) November 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	10.6							
01	9.8							
02	7.0							
03	7.1							
04	7.4							
05	8.0							
06	9.8							
07	10.7							
08	10.0							
09	10.2							
10	11.1							
11	11.8							
12	12.0							
13	12.5							
14	12.0							
15	11.5							
16	11.3							
17	11.2							
18	11.4							
19	10.5							
20	10.0							
21	9.2							
22	9.0							
23	0.0							

Kermadec Is. (29.<sup>2</sup>S, 177.<sup>9</sup>W) November 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	10.6							
01	9.8							
02	7.0							
03	7.1							
04	7.4							
05	8.0							
06	9.8							
07	10.7							
08	10.0							
09	10.2							
10	11.1							
11	11.8							
12	12.0							
13	12.5							
14	12.0							
15	11.5							
16	11.3							
17	11.2							
18	11.4							
19	10.5							
20	10.0							
21	9.2							
22	9.0							
23	0.0							

Kermadec Is. (29.<sup>2</sup>S, 177.<sup>9</sup>W) November 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	10.6							
01	9.8							
02	7.0							
03	7.1							
04	7.4							
05	8.0							
06	9.8							
07	10.7							
08	10.0							
09	10.2							
10	11.1							
11	11.8							
12	12.0							
13	12.5							
14	12.0							
15	11.5							
16	11.3							
17	11.2							
18	11.4							
19	10.5							
20	10.0							
21	9.2							
22	9.0							
23	0.0							

Kermadec Is. (29.<sup>2</sup>S, 177.<sup>9</sup>W) November 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	10.6							
01	9.8							
02	7.0							
03	7.1							
04	7.4							
05	8.0							
06	9.8							
07	10.7							
08	10.0							
09	10.2							
10	11.1							
11	11.8							
12	12.0							
13	12.5							
14	12.0							
15	11.5							
16	11.3							
17	11.2							
18	11.4							
19	10.5							
20	10.0							
21	9.2							
22	9.0							
23	0.0							

Kermadec Is. (29.<sup>2</sup>S, 177.<sup>9</sup>W) November 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	10.6							
01	9.8							
02	7.0							
03	7.1							
04	7.4							
05	8.0							
06	9.8							
07	10.7							
08	10.0							
09	10.2							
10	11.1							
11	11.8							
12	12.0							
13	12.5							
14	12.0							
15	11.5							
16	11.3							
17	11.2							
18	11.4							
19	10.5							
20	10.0							
21	9.2							
22	9.0							
23	0.0							

Kermadec Is. (29.<sup>2</sup>S, 177.<sup>9</sup>W) November 1945

Time	bY2	F22	bY1	F21	bY	F20	FE	FE0
00	10.6							
01	9.8							
02	7.0							
03	7.1							
04	7.4							
05	8.0							
06	9.8							
07	10.7							
08	10.0							
09	10.2							
10								

Table 61 (Supersedes Table 20, IFRP-F15)

Kermadec Is. (29.2°S, 177.9°W)						
Time	h <sup>o</sup> F2	F <sup>o</sup> P2	h <sup>o</sup> F1	F <sup>o</sup> P1	h <sup>o</sup> E	F <sup>o</sup> E
00	275	4.1	2.9			
01	265	4.2	3.0			
02	250	3.8	3.1			
03	255	3.3	3.0			
04	280	3.9	2.8			
05	300	2.9	2.8			
06	270	3.9	3.1			
07	270	5.8	3.2			
08	275	6.5	3.2			
09	265	6.6	3.0			
10	310	6.7	2.5			
11	310	6.9	2.5			
12	320	7.2	2.2			
13	310	7.5	2.2			
14	300	7.0	2.8			
15	298	6.6	2.5			
16	275	6.2	2.4			
17	265	5.9	3.7			
18	258	5.6	2.0			
19	270	5.2	2.2			
20	275	5.1	2.2			
21	282	4.9	2.2			
22	260	4.7	2.0			
23	280	4.8	2.9			

Time: 180.0°E.  
Sweep: 1.8 Mc to 12.0 Mc. Manual operation.  
Median values.

Table 63 (Supersedes Table 16, IFRP-F13)

Kermadec Is. (29.2°S, 177.9°W)						
Time	h <sup>o</sup> F2	F <sup>o</sup> P2	h <sup>o</sup> F1	F <sup>o</sup> P1	h <sup>o</sup> E	F <sup>o</sup> E
00	295	3.8	2.9			
01	290	3.7	2.9			
02	275	3.7	2.9			
03	278	3.9	3.0			
04	250	3.9	2.5			
05	260	3.6	2.6			
06	250	3.3	3.0			
07	235	4.6	3.4			
08	250	5.6	2.2			
09	265	5.8	2.5			
10	270	6.6	2.5			
11	270	6.3	2.3			
12	275	6.2	2.2			
13	265	6.4	2.25			
14	270	6.2	2.45			
15	265	6.2	2.35			
16	250	5.8	2.4			
17	210	5.6	2.4			
18	225	4.4	3.4			
19	235	3.6	3.4			
20	265	3.6	2.8			
21	260	3.6	2.2			
22	260	3.6	2.0			
23	275	3.6	2.9			

Time: 180.0°E.  
Sweep: 1.8 Mc to 12.0 Mc. Manual operation.  
Median values.

Table 63 (Supersedes Table 16, IFRP-F13)

Kermadec Is. (29.2°S, 177.9°W)						
Time	h <sup>o</sup> F2	F <sup>o</sup> P2	h <sup>o</sup> F1	F <sup>o</sup> P1	h <sup>o</sup> E	F <sup>o</sup> E
00	295	3.8	2.9			
01	290	3.7	2.9			
02	275	3.7	2.9			
03	278	3.9	3.0			
04	250	3.9	2.5			
05	260	3.6	2.6			
06	250	3.3	3.0			
07	235	4.6	3.4			
08	250	5.6	2.2			
09	265	5.8	2.5			
10	270	6.6	2.5			
11	270	6.3	2.3			
12	275	6.2	2.2			
13	265	6.4	2.25			
14	270	6.2	2.45			
15	265	6.2	2.35			
16	250	5.8	2.4			
17	210	5.6	2.4			
18	225	4.4	3.4			
19	235	3.6	3.4			
20	265	3.6	2.8			
21	260	3.6	2.2			
22	260	3.6	2.0			
23	275	3.6	2.9			

Time: 180.0°E.  
Sweep: 1.8 Mc to 12.0 Mc. Manual operation.  
Median values.

Kermadec Is. (20.2°S, 177.9°W)						
Time	h <sup>o</sup> F2	F <sup>o</sup> P2	h <sup>o</sup> F1	F <sup>o</sup> P1	h <sup>o</sup> E	F <sup>o</sup> E
00	285	3.9	3.0			
01	275	3.7	3.0			
02	270	3.7	3.0			
03	265	3.8	2.8			
04	260	3.2	3.0			
05	280	3.0	3.0			
06	275	3.1	3.0			
07	270	3.2	3.0			
08	250	3.0	3.0			
09	250	3.0	3.2			
10	270	3.0	3.2			
11	285	3.1	3.2			
12	285	3.1	3.2			
13	285	3.1	3.2			
14	295	3.2	3.2			
15	295	3.2	3.2			
16	280	3.2	3.2			
17	280	3.2	3.2			
18	275	3.2	3.2			
19	275	3.2	3.2			
20	265	3.6	3.0			
21	260	3.6	2.1			
22	260	3.6	2.2			
23	275	3.6	2.9			

Time: 180.0°E.  
Sweep: 1.8 Mc to 12.0 Mc. Manual operation.  
Median values.

Kermadec Is. (20.2°S, 177.9°W)						
Time	h <sup>o</sup> F2	F <sup>o</sup> P2	h <sup>o</sup> F1	F <sup>o</sup> P1	h <sup>o</sup> E	F <sup>o</sup> E
00	290	3.7	3.0			
01	285	3.8	3.0			
02	278	3.0	2.9			
03	272	4.0	3.0			
04	250	4.0	3.0			
05	250	4.0	3.6			
06	250	3.6	3.6			
07	275	5.0	3.0			
08	245	6.2	3.0			
09	255	6.3	3.0			
10	270	6.8	3.0			
11	270	6.6	3.0			
12	275	6.5	3.0			
13	275	6.5	3.0			
14	268	6.4	3.0			
15	255	6.5	3.0			
16	245	6.0	3.0			
17	235	5.6	3.0			
18	225	4.5	3.0			
19	240	3.9	3.0			
20	250	3.6	3.0			
21	272	3.6	3.0			
22	275	3.6	2.9			
23	275	3.7	2.9			

Time: 180.0°E.  
Sweep: 1.8 Mc to 12.0 Mc. Manual operation.  
Median values.

Time: 180.0°E.  
Sweep: 1.8 Mc to 12.0 Mc. Manual operation.  
Median values.

TABLE 65  
IONOSPHERE DATA - I  
Washington, D.C. Ionosphere Station

(Institution) National Bureau Of Standards

TIME: 75° W MERIDIAN

Hourly values of  $h^i_{F2}$  for June 1946 (months)

Records measured by A.K.B.

J.L.S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	300	280	260	260	240	(260)	270	260	310	280	330	360	350	320	310	300	260	250	(250)	(260)	250	(300)			
2	270	260	260	290	270	240	250	330	310	270	320	350	370	340	310	300	270	250	230	250	240	250	250		
3	260	270	250	250	260	250	250	290	330	350	330	350	(380)	350	320	300	300	280	260	260	(290)	(280)	260		
4	270	280	270	300	290	290	300	320 <sup>H</sup>	(370)	(370)	390	380	(400)	350	320	[310] <sup>F</sup>	310	280	250	250	250	250	260	260	
5	260	260	260	260	260	250	250	(280)	290	(370)	350	(350)	370	340	350	330	330	300	260	260	260	240	220		
6	250	280	280	250	260	270	[30] <sup>A</sup>	[350] <sup>A</sup>	(510)	410	450	(380)	[430] <sup>C</sup>	[4,0] <sup>C</sup>	420	350	350	350	350	350	280	[260] <sup>A</sup>	250	(290)	280
7	300	180	270	290	310	420	350 <sup>K</sup>	400 <sup>K</sup>	430 <sup>K</sup>	[460] <sup>A</sup>	530 <sup>K</sup>	(410) <sup>K</sup>	[480] <sup>A</sup>	420 <sup>K</sup>	500 <sup>K</sup>	470 <sup>K</sup>	410 <sup>K</sup>	360 <sup>K</sup>	260 <sup>K</sup>	260 <sup>K</sup>	250 <sup>K</sup>	310 <sup>K</sup>	280 <sup>K</sup>		
8	290 <sup>K</sup>	290 <sup>K</sup>	290 <sup>K</sup>	270 <sup>K</sup>	280 <sup>K</sup>	320 <sup>K</sup>	320 <sup>K</sup>	310 <sup>K</sup>	420 <sup>K</sup>	G <sup>K</sup>	530 <sup>K</sup>	630 <sup>K</sup>	670 <sup>K</sup>	570 <sup>K</sup>	470 <sup>K</sup>	500 <sup>K</sup>	390 <sup>K</sup>	400 <sup>K</sup>	330 <sup>K</sup>	260 <sup>K</sup>	260 <sup>K</sup>	280 <sup>K</sup>			
9	310 <sup>K</sup>	320 <sup>K</sup>	240 <sup>K</sup>	300 <sup>K</sup>	320 <sup>K</sup>	330 <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	590 <sup>K</sup>	460 <sup>K</sup>	450 <sup>K</sup>	380 <sup>K</sup>	320 <sup>K</sup>	280 <sup>K</sup>	[280] <sup>K</sup>			
10	(280) <sup>A</sup>	[270] <sup>A</sup>	(280) <sup>K</sup>	[260] <sup>K</sup>	[270] <sup>A</sup>	260	300	320	390	340	370	400	350	350	330	330	320	300	[250]	240	250	[280] <sup>A</sup>	[290] <sup>A</sup>		
11	300	290	270	270	290	330	400	350	350	[390] <sup>C</sup>	370	410	[390] <sup>C</sup>	410	350	380	340	290	280	[260]	C	C	C		
12	C	C	C	C	C	C	C	C	C	[410] <sup>A</sup>	380	490	420	370	380	[360] <sup>A</sup>	350	350	350	260	[250] <sup>C</sup>	300 <sup>K</sup>	270 <sup>K</sup>		
13	(330) <sup>A</sup>	300 <sup>K</sup>	270 <sup>K</sup>	270 <sup>K</sup>	290 <sup>K</sup>	270 <sup>K</sup>	480 <sup>K</sup>	(490) <sup>K</sup>	480 <sup>K</sup>	(630) <sup>K</sup>	G <sup>K</sup>	G <sup>K</sup>	[680] <sup>C</sup>	5550 <sup>K</sup>	520 <sup>K</sup>	410 <sup>K</sup>	280 <sup>K</sup>	280 <sup>K</sup>	250 <sup>K</sup>	250 <sup>K</sup>	290 <sup>K</sup>				
14	290 <sup>K</sup>	290 <sup>K</sup>	280 <sup>K</sup>	280 <sup>K</sup>	270 <sup>K</sup>	270 <sup>K</sup>	(360) <sup>K</sup>	300 <sup>K</sup>	350	370	380	370	400	350	350	340	[330] <sup>C</sup>	300	280	260	270	270	270		
15	270	280	270	280	280	(300)	(580)	(370)	[320] <sup>C</sup>	[400] <sup>C</sup>	[430] <sup>C</sup>	[430] <sup>C</sup>	[430] <sup>C</sup>	[430] <sup>C</sup>	[410] <sup>C</sup>	350	320	280	[250]	(270)	270	270	270		
16	290	(300) <sup>K</sup>	290	260	290	(300) <sup>K</sup>	430 <sup>K</sup>	350 <sup>K</sup>	450 <sup>K</sup>	(540) <sup>K</sup>	(500) <sup>K</sup>	(390) <sup>K</sup>	(310) <sup>K</sup>	[440] <sup>C</sup>	360 <sup>K</sup>	450 <sup>K</sup>	(410) <sup>K</sup>	360 <sup>K</sup>	360 <sup>K</sup>	270 <sup>K</sup>	250 <sup>K</sup>	290 <sup>K</sup>			
17	(320) <sup>K</sup>	(300) <sup>K</sup>	260 <sup>K</sup>	(280) <sup>K</sup>	260 <sup>K</sup>	270 <sup>K</sup>	270 <sup>K</sup>	280 <sup>K</sup>	(360) <sup>K</sup>	300 <sup>K</sup>	350	380	370	340	340	[330] <sup>C</sup>	300	280	260	270	270	270			
18	290 <sup>K</sup>	320	270	270	280	300	380	400	370	(330)	350	(370)	(480)	430	380	370	340	300	250 <sup>K</sup>	240 <sup>K</sup>	240 <sup>K</sup>	[290] <sup>K</sup>	[300] <sup>K</sup>		
19	310 <sup>K</sup>	300 <sup>K</sup>	270 <sup>K</sup>	270 <sup>K</sup>	290 <sup>K</sup>	300 <sup>K</sup>	C <sup>K</sup>	C <sup>K</sup>	C <sup>K</sup>	C <sup>K</sup>	460 <sup>K</sup>	480 <sup>K</sup>	550 <sup>K</sup>	410 <sup>K</sup>	450 <sup>K</sup>	(390) <sup>K</sup>	C <sup>K</sup>	C <sup>K</sup>	C <sup>K</sup>	C <sup>K</sup>	C <sup>K</sup>	[270] <sup>K</sup>			
20	[270] <sup>C</sup>	[280] <sup>C</sup>	[260] <sup>C</sup>	[260] <sup>C</sup>	[260] <sup>C</sup>	[270] <sup>C</sup>	400	440	360	C	C	C	C	C	C	C	C	C	C	C	C	C			
21	280	290	280	C	C	C	C	C	C	C	C	C	[440] <sup>C</sup>	[440] <sup>C</sup>	[440] <sup>C</sup>	[440] <sup>C</sup>	380	370	[290] <sup>C</sup>	270	240	270	290	290	
22	280	260	250	280	280	400	410	430	420	490	C	C	C	C	C	C	C	390	320	[320] <sup>A</sup>	[280] <sup>C</sup>	(280)	270		
23	310	[280] <sup>A</sup>	260	280	320	280	310	350	370	C	C	C	C	C	C	C	390	340	330	320	270	270	280		
24	300	270	250	220	250	260	260	310	300	290	330	370	(350)	360	340	340	300	250	230	270	270	270	290		
25	290	300	290	320	250	300	270	310	300	410	[430] <sup>C</sup>	420	(420)	[400] <sup>C</sup>	440	380	[350] <sup>C</sup>	350	310	[270] <sup>A</sup>	250	(250)	270		
26	260	260	290	250	230	270	280 <sup>H</sup>	350	320	390	360	320	[330] <sup>C</sup>	(350)	380	400	400	380 <sup>A</sup>	300	290	250	270	(300)	280	
27	[270] <sup>A</sup>	250	250	270	300	330	(340)	G	(360)	380	(520)	(430)	[430] <sup>B</sup>	(580)	580	540	430	400	340	310	270	270	260	(300)	
28	[270] <sup>A</sup>	270	270	280	(300)	300	270	300	300	500	550	[460] <sup>C</sup>	410	510	G	500	[410] <sup>C</sup>	(370)	320	340	[290] <sup>A</sup>	260	270		
29	300	300	310	310	270	270	290	340	370	430	450	500	470	500	500	500	470	370	[300] <sup>A</sup>	[270] <sup>C</sup>	280	290			
30	[200] <sup>A</sup>	310 <sup>K</sup>	310 <sup>K</sup>	[320] <sup>A</sup>	310 <sup>K</sup>	[320] <sup>A</sup>	370	350	450	A	A	A	C	440	400	400	330	310	A	A	(270)	280	290		
31	Medium	290	270	270	275	280	280	340	350	370	380	430	390	430	420	410	380	370	340	300	260	250	270		
Count	29	29	29	28	28	27	27	25	27	27	25	26	26	27	28	29	29	28	28	28	28	28	28		

TABLE 66  
IONOSPHERE DATA-2

Washington, D.C. Ionosphere Station

National Bureau Of Standards

(Institution)

Hourly values of  $f_0 F_2$  and  $\Delta f_0$  for June 1946  
(Month)

TIME: 75°W MERIDIAN

Records measured by A.K.B.  
J.L.S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
1	5.5	5.1	F	5.0	4.8	F	4.5	F	5.0	(5.7) <sup>F</sup>	6.8	7.2	8.0	(7.0)	7.0	7.6	8.0	8.2	8.2	[8.2] <sup>C</sup>	8.2	C	(7.2)	(6.2)			
2	6.3	5.7	4.9	4.5	4.2	4.8	5.7	6.6	7.2	7.0	7.3	(7.1)	7.1	7.3	8.0	8.0	7.8	8.2	8.2	7.6	(7.4)	6.8	6.0				
3	5.8	5.7	5.5	5.2	4.9	4.9	5.7	6.5	7.0	7.4	7.4	7.8	7.1	7.2	[7.2] <sup>C</sup>	7.8	(8.0) <sup>J</sup>	8.0	7.8	8.3	7.8	(7.0)	[6.7] <sup>C</sup>	(6.2)			
4	5.6	5.3	5.3	4.7	4.5	4.8	5.7	(6.0) <sup>J</sup>	6.4	6.2	(6.6)	6.7	6.9	6.8	6.9	7.0	[7.1] <sup>C</sup>	7.2	7.1	(7.2)	[6.7] <sup>C</sup>	(6.2)	(6.3) <sup>J</sup>	5.9			
5	5.3	5.2	4.8	4.5	J	4.3	4.7	[5.2] <sup>A</sup>	5.3	(6.0)	(5.9)	(6.2) <sup>J</sup>	[6.2] <sup>C</sup>	[6.2] <sup>C</sup>	6.3	6.5	6.2	6.4	6.6	6.3	6.5	(6.1) <sup>J</sup>	6.0	5.5			
6	(6.3) <sup>J</sup>	5.7	5.3	5.0	4.5	4.3	4.7	[5.2] <sup>A</sup>	5.3	(6.0)	(5.9)	(5.7) <sup>J</sup>	[5.7] <sup>A</sup>	5.6	K	5.3	K	(5.6) <sup>J</sup>	5.9	K	6.0	K	6.7	K	5.2	K	
7	5.5	5.6	4.7	4.4	F	3.6	F	3.6	4.6	K	4.8	5.0	K	5.2	K	(5.2) <sup>K</sup>	(5.2) <sup>K</sup>	5.5	K	5.5	K	5.7	K	6.0	K		
8	5.2	K	4.7	K	4.5	K	3.6	K	3.6	K	4.6	K	4.6	K	5.0	K	4.8	K	4.9	K	(5.2) <sup>K</sup>	(5.2) <sup>K</sup>	(5.5) <sup>K</sup>	(5.5) <sup>K</sup>	(4.8) <sup>K</sup>	4.3	
9	4.3	K	4.8	F	(3.8) <sup>F</sup>	(3.1) <sup>K</sup>	2.7	F	3.2	K	<3.6	G	<3.8	G	<4.1	K	<4.3	K	<4.6	K	<(4.5) <sup>K</sup>	<4.7	G	(5.0) <sup>K</sup>	5.1	K	
10	4.9	K	4.3	K	3.7	F	3.6	F	3.0	K	4.3	K	5.3	6.0	6.4	6.5	6.6	6.7	6.4	6.7	6.3	6.6	6.9	[7.0] <sup>C</sup>	6.4	(5.5) <sup>J</sup>	
11	5.3	4.9	4.8	4.4	4.2	4.2	4.6	5.3	(6.0)	(5.7)	6.2	(6.2)	(5.8)	[5.9] <sup>C</sup>	[5.9] <sup>C</sup>	(6.2)	6.1	6.0	6.4	6.8	7.0	6.9	C	C	C		
12	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	(5.7)	(5.9)	(6.0)	6.2	6.4	6.2	[6.1] <sup>J</sup>	5.9	(6.2)	(6.3) <sup>J</sup>	5.0	
13	4.4	K	4.4	K	4.0	K	3.9	K	3.3	K	3.6	K	(4.2) <sup>K</sup>	(4.5) <sup>K</sup>	4.8	G	4.8	K	[4.9] <sup>K</sup>	5.1	K	5.2	K	5.1	K	5.3	K
14	4.5	K	4.2	K	3.8	K	3.4	F	2.8	K	3.9	F	5.3	K	6.2	[6.7] <sup>C</sup>	6.9	6.6	7.0	7.1	7.2	7.6	C	C	C	C	C
15	(5.9)	(6.0)	5.0	4.5	4.0	(4.0)	4.2	(5.7)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
16	5.7	5.8	5.3	4.3	3.9	3.9	3.9	4.6	K	5.7	K	5.3	K	5.6	K	C	K	C	K	C	K	C	K	C	K		
17	5.7	K	(5.3) <sup>K</sup>	5.2	K	(4.7) <sup>K</sup>	4.1	K	3.9	K	4.4	K	4.6	K	4.9	K	5.3	K	5.1	K	5.5	K	5.9	K	(5.3) <sup>K</sup>	(4.8) <sup>K</sup>	
18	5.1	K	4.9	4.7	(4.2)	3.7	F	4.1	5.1	5.5	(6.0)	C	C	(5.7)	[6.2] <sup>C</sup>	7.0	7.4	7.9	8.0	8.3	8.0	8.9	K	8.4	K	7.2	K
19	6.4	K	(5.3) <sup>K</sup>	4.1	K	3.8	F	2.2	K	C	K	C	C	C	C	(5.5) <sup>K</sup>	(5.6) <sup>K</sup>	[6.0] <sup>C</sup>	6.4	K	6.7	[7.3] <sup>C</sup>	(6.3)	C	C	C	
20	[5.5] <sup>C</sup>	[5.1] <sup>C</sup>	[4.8] <sup>C</sup>	[4.6] <sup>C</sup>	[3.8] <sup>C</sup>	[3.3] <sup>C</sup>	[4.0] <sup>C</sup>	[4.0] <sup>C</sup>	[4.0] <sup>C</sup>	[4.2] <sup>C</sup>	[4.2] <sup>C</sup>	[4.2] <sup>C</sup>															
21	(6.0)	5.3	5.7	C	C	C	C	C	C	C	C	C	C	C	C	(5.8)	[6.3] <sup>C</sup>	[6.2] <sup>C</sup>	[6.5] <sup>C</sup>	[6.8] <sup>C</sup>	6.8	7.2	[6.9] <sup>C</sup>	(7.2)	7.2	7.6	7.0
22	6.4	5.8	5.1	4.4	3.9	4.3	5.0	5.3	5.8	6.0	5.9	(6.3) <sup>J</sup>	[6.3] <sup>C</sup>	[6.3] <sup>C</sup>	[6.0] <sup>C</sup>	[6.0] <sup>C</sup>	[6.0] <sup>C</sup>	[6.2]	6.8	J	6.7	(6.5) <sup>J</sup>	(6.9) <sup>J</sup>	(6.6)	5.9		
23	(6.0)	5.7	5.3	4.3	4.3	(4.2)	5.4	5.7	6.2	[6.3] <sup>C</sup>	6.6	C	6.9	[7.0] <sup>C</sup>	7.1	7.6	7.6	7.8	7.8	7.7	7.8	7.8	(7.1)	(7.3)	(7.1)		
24	(7.1) <sup>J</sup>	6.9	6.7	5.9	5.4	5.1	5.7	6.7	7.2	(7.7)	(7.9)	8.3	7.7	7.6	7.5	7.5	7.6	7.7	8.0	8.2	8.7	8.0	8.4	7.6	6.9		
25	(6.4) <sup>J</sup>	6.3	5.9	J	5.7	5.0	5.0	5.3	5.5	6.6	J	6.4	[6.4] <sup>J</sup>	6.5	6.7	6.7	6.7	6.7	6.9	[6.9] <sup>C</sup>	(6.5) <sup>J</sup>	6.9	7.0	(7.7)	7.6	7.4	
26	(7.2)	6.5	(5.7) <sup>J</sup>	5.4	J	4.7	4.3	5.3	5.9	(6.0) <sup>J</sup>	(6.5)	7.0	[6.8] <sup>C</sup>	7.6	6.9	(7.1) <sup>J</sup>	6.8	6.8	6.6	7.0	(7.2)	7.0	7.2	6.9	6.9		
27	6.9	6.6	5.7	5.1	4.1	(4.1)	(4.9)	(4.7) <sup>F</sup>	(5.8)	(6.0)	J	(6.1)	[5.9] <sup>B</sup>	5.7	5.7	6.4	6.3	6.6	6.9	7.6	7.6	(7.6)	(7.7)	(6.2)	5.9		
28	(5.4)	(4.9)	(4.3) <sup>F</sup>	(4.0) <sup>F</sup>	(3.6) <sup>J</sup>	4.1	5.2	5.3	(5.4)	(5.7)	(6.2)	(6.1) <sup>J</sup>	(6.4) <sup>J</sup>	6.4	6.4	6.4	6.4	6.5	6.8	6.9	6.5	(6.4) <sup>J</sup>	6.7	6.7	(5.7)		
29	5.3	4.7	4.2	J	4.0	2.8	3.8	4.9	(5.5)	6.3	(6.3)	6.4	(6.1)	(7.0)	7.9	K	(9.5) <sup>K</sup>	(7.6) <sup>K</sup>	(5.7) <sup>K</sup>	(5.7) <sup>K</sup>	(4.8) <sup>K</sup>	(4.8) <sup>K</sup>	(3.8) <sup>K</sup>	(3.8) <sup>K</sup>			
30	(4.3) <sup>K</sup>	(3.7) <sup>K</sup>	3.8	F	(2.4) <sup>K</sup>	2.3	K	3.7	K	4.7	5.1	5.3	A	A	A	(6.4)	6.4	6.4	6.7	7.0	7.2	7.1	C	C	C		
31	Median	5.6	5.3	4.9	4.4	4.0	4.1	5.0	5.5	6.0	(6.2)	6.2	(6.3)	6.3	6.2	6.4	6.7	6.8	6.7	6.9	7.0	7.0	(6.8)	(6.2)	5.9		
Count	29	29	28	28	27	27	27	26	26	26	24	24	24	24	24	25	25	25	25	25	24	24	24	24	24		

TABLE 67  
IONOSPHERE DATA - 3

Volume 11, No. 1

## National Bureau Of Standards

TABLE 67  
IONOSPHERE DATA - 3

IONOSPHERE DATA - 3

National Standards

standards

Records measured by A.K.B.

TABLE 68  
IONOSPHERE DATA - 4

<u>Washington, D.C.</u> <small>(Location)</small>	<u>Ionosphere Station</u>	<u>National Bureau Of Standards</u> <small>(Institution)</small>	Hourly values of $h_F$ for June (Month)
			TIME: 75° W MERIDIAN

Washington, D.C.  
 (Location)  
 National Bureau Of Standards  
 (Institution)

Ionosphere Station

TABLE 69  
 IONOSPHERE DATA-5

TIME: 75° W MERIDIAN  
 Hourly values of  $f_1^o$  in No for June 1946  
 (Month) J. L. S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1			L	(4.3)	4.6	5.0	4.9	5.0	5.0	(5.2)	5.1	5.1	5.0	5.0	5.0	5.0	4.7	(4.6)	L					
2			L	4.7	A	A	A	A	5.0	5.1	5.1	5.1	4.9	5.0	5.0	4.8	4.8	4.4	L					
3			L	4.3	4.8	4.8	5.1	5.1	5.1	5.0	5.0	5.0	5.0	5.0	5.0	5.0	4.9	4.7	4.4	L				
4			L	3.5	4.2	4.7	(5.2)	(5.0)	5.0	5.0	5.0	5.1	5.1	5.0	4.8	4.7	4.2	4.2	L					
5			L	(3.7)	4.4	[4.7] <sup>a</sup>	4.8	5.0	5.2	5.2	5.1	5.1	5.0	5.1	4.5	4.5	4.5	4.5	L					
6			A	[4.2] <sup>a</sup>	(4.5)	4.8	4.9	5.0	5.0	5.1	4.9	4.9	4.9	4.9	4.4	4.4	4.4	4.4	L					
7			A	2.8	3.6	4.0	4.3	[4.6] <sup>a</sup>	[4.6] <sup>a</sup>	4.8	[4.9] <sup>a</sup>	4.6	4.6	4.6	4.7	4.7	4.4	4.4	4.4	3.9	3.9	3.9	3.9	
8			A	3.5	4.0	4.2	4.4	4.5	4.5	4.6	4.6	4.7	4.7	4.7	4.7	4.7	4.4	4.4	4.4	(3.8) <sup>b</sup>				
9			K	3.6	3.8	4.1	4.3	4.6	4.6	(4.5) <sup>a</sup>	4.7	4.7	4.6	4.6	4.5	4.5	4.5	4.5	4.5	3.9	3.9	3.9	3.9	
10			K	4.2	4.5	4.8	4.9	4.9	4.9	4.9	5.0	5.0	4.9	4.9	4.9	4.9	4.5	4.5	4.5	L				
11			L	[3.8] <sup>c</sup>	4.2	(4.4)	4.8	4.8	4.9	4.9	5.0	5.0	5.0	5.0	4.8	4.7	4.6	4.6	4.2	A				
12			C	C	C	C	C	[4.8] <sup>a</sup>	4.8	5.0	5.0	4.9	4.8	4.8	4.7	4.7	4.7	4.7	4.4	3.8	L			
13			LH	4.2	4.2	4.5	4.5	4.7	4.8	4.8	4.8	4.8	4.8	4.8	4.7	4.7	4.5	4.5	4.5	3.9	3.9	3.9	3.9	
14			LK	4.4	4.8	4.9	5.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	A	C	(4.5)	A				
15			3.9	4.3	[4.7] <sup>a</sup>	4.7	5.0	5.0	5.2	[5.2] <sup>a</sup>	5.2	5.2	5.2	5.2	5.0	5.0	4.7	4.7	A					
16			(4.0) <sup>b</sup>	4.4	4.5	(5.0) <sup>a</sup>	5.0	5.0	5.0	5.2	5.2	5.1	5.1	5.0	5.0	5.0	5.0	4.6	4.6	(4.7) <sup>b</sup>				
17			4.5	4.1	4.5	4.6	4.6	4.8	4.8	5.1	5.1	5.1	5.1	4.9	4.9	4.9	4.6	4.6	4.4	3.9	3.9	3.9	3.9	
18			3.8	4.4	4.5	4.8	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	4.8	4.8	4.9	L				
19			C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>	C <sup>b</sup>										
20			C	(4.3)	(4.8)	5.0	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
21			C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
22			4.0	4.4	4.7	4.8	5.1	5.1	5.1	[5.1] <sup>a</sup>	5.2	5.2	5.2	5.2	5.2	5.2	4.9	4.8	A	A				
23			3.9	4.5	(4.8)	[5.1] <sup>a</sup>	C	C	C	[5.2] <sup>a</sup>	(5.2)	5.3	5.3	5.3	5.3	5.3	(5.2)	(5.2)	(5.0)	(4.8)	LH			
24			L	L	(4.6)	(5.2)	5.3	(5.0)	5.3	(5.3)	5.3	5.3	5.3	5.3	5.3	5.3	5.2	(5.2)	4.7	L				
25			L	L	L	(4.7)	[5.1] <sup>a</sup>	[5.2] <sup>a</sup>	5.1	5.3	(5.3)	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	A	A	A	A	L
26			L	L	L	(4.5)	4.8	4.9	5.2	5.2	5.3	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	4.6	L	L	L	L
27			L	L	L	(4.7)	(4.8)	4.9	5.0	5.0	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.0	A	4.5	L	L
28			L	L	L	4.7	4.7	5.0	5.0	5.1	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3
29			L	(3.5)	3.5	4.9	(5.0) <sup>a</sup>	4.9	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	4.8	4.8	4.8	4.7	4.7	4.7	4.7	4.7
30			K	L	4.3	4.6	A	A	A	A	A	A	A	A	A	A	5.1	5.1	(4.7)	(4.4)	L			
31			L	3.8	4.3	4.6	4.8	5.0	5.0	5.1	5.1	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	4.7	4.6	3.8	3.8	3.8
			COUNT	13	24	26	25	26	27	28	29	29	28	28	26	26	26	26	26	26	26	26	26	26

Records measured by A.K.B.

J. L. S.

Meridian

Count

TABLE 70  
IONOSPHERE DATA-6

Washington, D. C. Ionosphere Station

(Location) National Bureau Of Standards  
(Institution)

TIME: 75°W MERIDIAN  
Hourly values of  $h^{\prime}E$  in  $\text{km}$  for June 1946  
(Month)

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1																								
2																								
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
15																								
16																								
17																								
18																								
19																								
20																								
21																								
22																								
23																								
24																								
25																								
26																								
27																								
28																								
29																								
30																								
31																								
Median Count	20	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27

Records measured by: A. K. B.  
J. L. S.

TABLE 71  
IONOSPHERE DATA - 7

Washington, D.C.      Ionosphere Station

National Bureau Of Standards  
(Institution)

TIME: 75°W MERIDIAN

Records measured by: A.K.B.  
J.L.S.

TABLE 72  
IONOSPHERE DATA - 8  
Washington D.C.

Washington, D.C. - Ionosphere Station

National Bureau Of Standards

Hourly values of  $E_8$  for June 1946  
 Recorded measured by: A. K. B.  
 J. L. S.

Washington, D.C. Ionosphere Station  
 Location  
National Bureau Of Standards  
 Institution)

TABLE 73  
 IONOSPHERE DATA - 9

TIME: 75° W MERIDIAN

Hourly values of F2-M1500 for June 1946  
 Month)

Records measured by A.K.B.  
 J.L.S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	(1.8)	1.8 F	1.8	1.8 F	2.0	(2.2)	1.9	1.8	1.8	1.9	1.9	1.9	C	2.0	C	C	(2.0)	(1.9)	1.8							
2	1.9	2.0	1.8	1.8	1.8	2.0	2.3	2.1	2.1	2.1	(2.0)	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.0	2.0	2.0	2.0	2.0	2.0	
3	1.8	1.8	1.9	1.9	1.9	2.0	2.1	2.1	2.1	2.1	2.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.0	2.0	2.0	2.0	2.0	2.0	
4	1.9	1.8	1.8	1.8	1.8	1.9	1.9	1.9	1.9	1.9	(2.0)	(2.2)	2.0	H	1.8	1.8	1.8	1.9	2.0	C	2.0	(2.0)	C	(2.0)	(2.0)	1.9
5	1.9	1.9	1.4	1.4	1.4	1.9	(2.1)	2.0	1.8	1.9	(2.0)	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.0	1.9	1.9	1.9	1.9	
6	(2.1)	1.9	1.8	1.8	1.8	1.9	1.9	(1.9)	1.6	(1.8)	(1.8)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
7	1.9	1.9	1.8	1.7 F	(1.8) F	1.7	1.9 K	1.8 K	1.8 K	A K	1.6 K	(1.8) K	A K	1.8 K	1.6 K	1.6 K	1.6 K	1.6 K	1.9 K	2.0 K	2.0	1.9	1.9	1.9	1.9	
8	1.8 K	1.9 K	1.8 K	1.8 K	1.8 K	(1.8) K	2.0 K	2.1 K	1.8 K	G K	1.6 K	1.5 K	1.4 K	1.6 K	(1.6) K	(1.7) K	(1.7) K	1.8 K	1.7 K	1.9 K	(2.1) K	(2.1) K	(1.9) K	(1.6) K	F	
9	1.8 F	(1.7) K	(1.9) K	(1.7) K	(1.7) K	(1.8) K	1.8 K	1.8 K	G K	G K	G K	G K	G K	G K	(1.5) K	(1.5) K	(1.5) K	1.7 K	1.7 K	1.9 K	1.9 K	1.9 K	1.9 K	1.9 K	1.9 K	
10	2.0 K	(1.9) K	1.9 F	1.9 F	2.0 F	2.0 K	2.1	2.2	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.0	2.0	2.0	2.0	2.0	2.0	2.0
11	1.8	1.8	1.8	1.8	1.7	1.7	1.8	1.7	2.0	(1.9)	(2.0)	1.8	(2.0)	1.8	(1.8)	C	(1.8)	2.0	1.9	2.0	2.0	1.9	2.0	1.9	C	
12	C	C	C	C	C	C	C	C	C	C	C	A	(1.7)	(1.6)	C	C	C	A	1.4	(1.9)	(1.9)	2.0	C	C	C	
13	1.7 K	(1.8) T	1.8 K	1.9 K	1.7 K	1.7 K	1.9 K	(1.7) K	1.7 K	(1.5) K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	1.7 K	
14	(1.8) K	1.8 K	1.8 K	1.8 K	(1.8) K	(1.9) K	2.0 F	1.8 K	2.1 K	1.1	C	1.8	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.0	2.0	2.0	2.0	2.0	2.0
15	(1.5)	(1.9)	1.4	1.4	1.7	1.7	(1.7)	1.7	1.7	(1.5)	(2.0)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
16	1.8	1.9	1.8	1.8	1.9	1.8	1.8	1.8	2.0 K	(1.6) K	(1.6) K	C K	C K	C K	C K	C K	C K	C K	C K	C K	C K	C K	C K	C K	C K	2.0 K
17	(1.7) K	(2.0) K	1.7 K	1.7 K	1.8 K	2.0 K	2.0 K	1.7 K	G K	1.6 K	1.5 K	G K	G K	G K	G K	G K	G K	G K	G K	G K	G K	G K	G K	G K	G K	1.8 K
18	1.8 K	1.7	1.8	(1.9)	1.8 F	1.7	1.8	1.8	(2.0)	C	C	(2.0)	C	C	C	C	C	C	C	C	C	C	C	C	C	C
19	1.7 K	(1.8) K	1.7 K	1.7 K	1.9 K	1.9 K	1.9 K	1.9 K	C K	C K	C K	C K	C K	C K	(1.5) K	(1.7) K	C K	C K	C K	C K	C K	C K	C K	C K	C K	C K
20	C	C	C	C	C	C	C	C	1.8	(1.8)	(2.0)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
21	(1.8)	1.6	(1.9)	C	C	C	C	C	C	C	(1.6)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
22	1.8	1.9	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	
23	(1.9)	1.9	1.8	1.8	1.7	1.7	(1.8)	2.1	1.9	1.9	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
24	(1.6) K	2.0	1.8	1.8	1.9	1.9	1.9	1.9	2.2	1.7	(1.9)	(2.1)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	
25	(1.7) J	1.7	(1.7) J	1.7	1.9	1.9	2.0	1.9	(1.9) J	1.8	A	J	1.7	1.6	1.6	1.7	C	(1.6)	1.8	1.8	1.8	1.8	1.8	1.8	1.8	
26	(1.8)	1.7	(1.7) J	(1.9) J	1.7	1.7	1.7	1.8	2.0	(1.8)	1.9	C	C	C	C	C	C	C	1.7	1.9	A	A	A	A	A	
27	1.8	1.8	1.7	1.7	1.7	1.8	(1.7)	(1.9)	G	(1.9)	1.6	(1.7)	B	1.5	1.5	1.6	1.6	1.6	1.7	1.8	1.8	(1.8)	(1.8)	(1.8)	(1.7) J	
28	(1.7)	(1.7)	(1.7)	(1.7)	(1.8) F	(1.8) F	(1.7) J	1.8	1.8	2.0	1.6	(1.5)	C	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
29	1.6	1.6	1.6	1.6	1.7	1.9	1.9	2.0	1.8	(1.9)	1.8	(1.7)	(1.6)	1.6	1.6	1.6	1.6	1.6	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7 K
30	(1.6) K	(1.6) K	1.6 K	1.6 K	1.7	1.9	1.7	A	A	C	(1.7)	(1.7)	1.7	1.7	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8 J				
31																										
Median	1.8	1.8	1.8	1.8	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	
Count	28	28	28	28	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29

24

24

24

24

24

24

Washington, D. C.

TABLE 74  
IONOSPHERE DATA-10

Ionosphere Station

(Location)      (Institution)  
National Bureau Of Standards

TIME: 75°W MERIDIAN

Hourly values of F2-M3000 for June 1966  
(Month)

Records measured by: A. K. B.  
J. L. S.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	(2.7)	2.7 <sup>f</sup>	2.7	2.7 <sup>f</sup>	2.7	2.7 <sup>f</sup>	2.8 <sup>f</sup>	(3.2)	2.9	2.8	2.8	2.8	2.8	2.9	2.8	2.9	2.9	2.9	2.9	C	3.0	C	(2.9)	(2.9)
2	2.8	3.0	2.7	2.7	2.8	3.0	3.3	2.8	3.0	3.1	3.1	(3.0)	2.9	2.8	2.8	2.9	2.8	2.9	3.0	3.0	3.0	3.0	2.9	2.9
3	2.8	2.8	2.8	2.9	2.9	3.0	3.1	3.1	2.9	3.1	2.9	3.0	2.9	2.7	C	2.8	(2.9)	2.9	2.9	3.0	3.0	3.0	(2.9)	(2.9)
4	2.8	2.8	2.8	2.8	2.8	2.9	(3.1)	(3.2) <sup>j</sup>	2.9 <sup>h</sup>	2.7	(2.8)	2.7	2.8	2.8	2.8	2.9	2.9	3.0	3.0	(3.0)	(3.0)	(3.0)	(2.9) <sup>j</sup>	2.9
5	2.9	2.9	2.9	(2.9) <sup>j</sup>	2.9	2.9	(3.1)	3.2	2.8	2.9	(3.2)	2.8	2.9	2.9	2.9	2.7	2.8	2.7	2.9	3.0	2.8	2.9	2.9	(2.9) <sup>j</sup>
6	(3.1)	2.9	2.8	2.7	2.9	2.9	(2.9)	A	2.5	(2.7)	(2.7)	(2.7)	C	C	2.7	2.8	2.9	2.8	3.0	2.9	2.9	(2.7) <sup>j</sup>	2.8	2.9
7	2.9	2.9	2.8	2.7 <sup>f</sup>	(2.7) <sup>f</sup>	2.7	2.9 <sup>k</sup>	2.8 <sup>k</sup>	2.7 <sup>k</sup>	A	2.4 <sup>k</sup>	(2.8) <sup>k</sup>	A	K	2.7 <sup>k</sup>	2.5 <sup>k</sup>	(2.7) <sup>k</sup>	2.7 <sup>k</sup>	2.8 <sup>k</sup>	2.9 <sup>k</sup>	2.9 <sup>k</sup>	2.7 <sup>k</sup>	2.6 <sup>k</sup>	2.7 <sup>k</sup>
8	2.7 <sup>k</sup>	2.9 <sup>k</sup>	2.8 <sup>k</sup>	2.7 <sup>k</sup>	(2.7) <sup>k</sup>	3.0 <sup>k</sup>	3.1 <sup>k</sup>	2.8 <sup>k</sup>	G	K	2.5 <sup>k</sup>	2.2 <sup>k</sup>	2.2 <sup>k</sup>	(2.4) <sup>k</sup>	(2.5) <sup>k</sup>	(2.6) <sup>k</sup>	2.8 <sup>k</sup>	2.7 <sup>k</sup>	2.8 <sup>k</sup>	(2.9) <sup>k</sup>	2.8 <sup>k</sup>	(2.9) <sup>k</sup>	(2.9) <sup>k</sup>	
9	2.7 <sup>k</sup>	(2.6) <sup>k</sup>	(2.8) <sup>k</sup>	(2.7) <sup>k</sup>	(2.8) <sup>k</sup>	2.8 <sup>k</sup>	G	K	G	K	G	K	G	K	(2.2) <sup>k</sup>	(2.3) <sup>k</sup>	2.6 <sup>k</sup>	2.7 <sup>k</sup>	2.8 <sup>k</sup>	2.9 <sup>k</sup>	2.9 <sup>k</sup>	2.9 <sup>k</sup>	2.9 <sup>k</sup>	
10	3.0 <sup>k</sup>	(2.9) <sup>k</sup>	2.9 <sup>k</sup>	2.9 <sup>k</sup>	3.0 <sup>k</sup>	3.1	3.2	2.9	2.8	2.9	2.9	2.8	2.7	2.8	2.8	2.7	2.8	2.9	2.9	3.0	C	(3.1) <sup>k</sup>	(2.9)	2.8
11	2.8	2.7	2.8	2.8	2.7	2.7	2.6	3.0	(2.9)	(3.0)	2.8	(3.0)	(2.8)	C	(2.7)	3.0	2.9	2.9	2.9	3.0	2.9	2.9	C	C
12	C	C	C	C	C	C	C	C	A	(2.7)	(2.5)	(2.5)	2.7	2.8	A	2.8	(2.7)	(2.9)	3.0 <sup>k</sup>	C	K	(2.8) <sup>k</sup>	3.0 <sup>k</sup>	
13	2.6 <sup>k</sup>	(2.8) <sup>k</sup>	2.7 <sup>k</sup>	2.9 <sup>k</sup>	2.7 <sup>k</sup>	2.9 <sup>k</sup>	(2.8) <sup>k</sup>	(2.7) <sup>k</sup>	2.6 <sup>k</sup>	2.6 <sup>k</sup>	(2.3) <sup>k</sup>	G	K	C	K	2.4 <sup>k</sup>	2.5 <sup>k</sup>	2.4 <sup>k</sup>	2.7 <sup>k</sup>	2.9 <sup>k</sup>	3.1 <sup>k</sup>	(3.1) <sup>k</sup>	(2.8) <sup>k</sup>	(2.8) <sup>k</sup>
14	(2.8) <sup>k</sup>	2.8 <sup>k</sup>	2.7 <sup>k</sup>	(2.7) <sup>k</sup>	(2.8) <sup>k</sup>	3.0 <sup>k</sup>	2.8 <sup>k</sup>	3.1 <sup>k</sup>	2.8	C	2.8	2.8	2.8	2.8	2.8	2.9	2.9	2.9	2.9	3.0	C	K	(2.8) <sup>k</sup>	3.0 <sup>k</sup>
15	(2.9)	(2.9)	2.9	2.6	2.7	(2.6)	(2.4)	(2.9)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
16	2.7	2.8	2.8	2.9	2.8	2.8	2.7 <sup>k</sup>	3.0 <sup>k</sup>	(2.8) <sup>k</sup>	(2.9) <sup>k</sup>	(2.5) <sup>k</sup>	C	K	C	K	C	K	C	K	C	K	C	K	(2.7) <sup>k</sup>
17	(2.6) <sup>k</sup>	(3.0) <sup>k</sup>	2.5 <sup>k</sup>	(2.8) <sup>k</sup>	2.9 <sup>k</sup>	2.9 <sup>k</sup>	2.6 <sup>k</sup>	G	K	2.4 <sup>k</sup>	2.3	(2.5) <sup>k</sup>	(2.6) <sup>k</sup>	G	K	2.4 <sup>k</sup>	2.4 <sup>k</sup>	2.6 <sup>k</sup>	2.7 <sup>k</sup>	2.8 <sup>k</sup>	(3.1) <sup>k</sup>	(2.9) <sup>k</sup>	(2.9) <sup>k</sup>	
18	2.7 <sup>k</sup>	2.6	2.7	(2.9)	2.8 <sup>f</sup>	2.7	2.8	2.7	(2.9)	C	C	C	C	(3.0)	C	2.5	2.5	2.7	2.7	2.7	3.0 <sup>k</sup>	2.9 <sup>k</sup>	2.8 <sup>k</sup>	2.7 <sup>k</sup>
19	2.6 <sup>k</sup>	(2.7) <sup>k</sup>	2.8 <sup>k</sup>	(2.9) <sup>k</sup>	C	K	C	K	C	K	(2.7) <sup>k</sup>	(2.6) <sup>k</sup>	(2.6) <sup>k</sup>	C	K	(2.4) <sup>k</sup>	2.5 <sup>k</sup>	C	K	C	K	C	C	C
20	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
21	(2.8)	2.5	(2.8)	C	C	C	C	C	C	C	(2.5)	C	C	C	C	C	C	C	C	C	C	C	C	
22	2.7	2.8	2.7	2.8	2.7	2.7	2.7	2.7	2.5	C	C	C	C	C	C	(2.4)	(2.6) <sup>j</sup>	2.8	A	(2.9)	(2.7)	2.7	2.7	
23	(2.8)	2.9	2.8	2.5	2.6	(2.7)	3.1	2.9	2.9	C	C	(2.8)	C	C	C	2.7	2.8	2.8	(2.8)	(2.9)	(2.8)	(2.6)	(2.7)	
24	(2.4) <sup>j</sup>	3.0	2.8	2.8	2.8	2.9	3.0	3.2	2.9	(2.9)	(3.1)	(2.7)	2.7	2.8	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.8	2.6
25	(2.6) <sup>j</sup>	2.6	(2.4) <sup>j</sup>	2.5	2.8	2.9	3.0	2.8	(2.9) <sup>j</sup>	2.8	A	2.6	2.6	2.5	2.5	2.7	C	(2.7)	2.8	2.8	(2.9)	(2.6)	2.6	2.6
26	(2.7)	2.6	(2.6) <sup>j</sup>	(2.8) <sup>j</sup>	2.6	2.6 <sup>h</sup>	2.6	2.6 <sup>h</sup>	2.8	3.0	(2.6)	(2.7)	2.8	C	2.8	2.7	(2.7)	A	2.7	(2.7)	(2.7)	(2.7)	2.7	2.7
27	2.7	2.8	2.7	2.6	2.7	(2.7)	(2.7)	2.7	(2.7)	G	(2.7)	2.5	(2.6)	B	2.3	2.4	2.5	2.6	2.7	(2.7)	(2.6) <sup>j</sup>	(2.6)	(2.6) <sup>j</sup>	
28	(2.6)	(2.5)	(2.7) <sup>j</sup>	(2.6) <sup>f</sup>	(2.7) <sup>j</sup>	2.7	2.7	3.0	2.4	(2.3)	C	(2.7)	G	(2.5) <sup>j</sup>	(2.6) <sup>j</sup>	2.7	2.7	2.9	2.6	(2.8) <sup>j</sup>	2.7	(2.7) <sup>j</sup>	(2.6)	(2.6) <sup>j</sup>
29	2.5	2.5	(2.5) <sup>j</sup>	(2.5) <sup>j</sup>	2.6	2.8	2.9	2.8	(2.9)	2.7	(2.7)	(2.5)	(2.4)	(2.4)	(2.5)	2.4 <sup>k</sup>	2.5 <sup>k</sup>	(2.6) <sup>k</sup>	(2.7) <sup>k</sup>	(2.9) <sup>k</sup>	(2.8) <sup>k</sup>	(2.7) <sup>k</sup>	2.7 <sup>k</sup>	
30	(2.4) <sup>k</sup>	(2.5) <sup>k</sup>	(2.6) <sup>k</sup>	(2.6) <sup>k</sup>	2.6	2.6 <sup>k</sup>	2.8 <sup>k</sup>	2.7	2.9	A	A	A	C	(2.6)	(2.7)	2.6	2.7	2.8	2.8	2.8	2.9	2.7	(2.8) <sup>k</sup>	
31	Median	2.7	2.8	2.8	2.7	2.8	2.8	2.9	2.7	2.7	2.7	(2.8)	2.8	2.7	2.7	2.7	2.7	2.8	2.9	2.9	2.9	(2.8)	2.9	2.9
Count	28	29	28	27	27	26	26	26	21	22	22	20	20	24	28	21	23	23	22	23	23	22	23	23

TABLE 75  
IONOSPHERE DATA - II

Ionosphere Station

## National Bureau Of Standards

Washington, D.C.

Standards **TIME: 75° W MERIDIAN**

Hourly values of F1-M3000 for June 196  
(Month) Records measured by: A.K.B.  
J.L.S.

Washington, D. C.  
(Capital)      National Bureau  
(Institution)

લોકાભિનાન

TABLE 76  
IONOSPHERE DATA-12

卷之三

National Bureau Of Standards  
(Institution)

## Standards

Table 77  
Ionospheric Storminess, June 1946

Day	Ionosphere Characters*		Principal Storms		Geomagnetic Characters**	
	00-12 G.C.T.	12-24 G.C.T.	Beginning G.C.T.	End G.C.T.	00-12 G.C.T.	12-24 G.C.T.
June						
1	2	3			2	1
2	1	3			1	1
3	0	3			1	0
4	1	2			1	1
5	0	3			1	2
6	0	2			3	2
7	2	4	1100	-----+	2	4
8	3	5	-----	-----	3	4
9	3	5	-----	-----	3	2
10	2	2	-----	1100	1	2
11	2	3			3	2
12	***	1			3	3
13	3	5	0100	-----	3	2
14	3	1	-----	1300	2	2
15	1	1			2	2
16	2	5	1100	-----	2	3
17	3	5	-----	-----	3	2
18	2	1	-----	0600	3	3
19	4	4	0000	-----	4	3
20	1	***	-----	0300	2	2
21	2	2			3	2
22	1	2			2	2
23	2	0			2	0
24	1	3			1	1
25	1	1			2	2
26	0	1			2	2
27	1	3			2	3
28	2	3			3	3
29	2	2	2000	-----	3	4
30	4	1	-----	1100	1	1

\*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D.C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

\*\*Average for 12 hours of American magnetic K-figure, determined by a number of observatories, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

†Dashes indicate continuing storm.

\*\*\*No readable record.

Table 78

Sudden Ionosphere Disturbances Observed at Washington, D.C.

Day	GCT Beginning End		Location of transmitters	Relative intensity at minimum *	Other Phenomena	
June	15	1912	1940	Ohio, D.C., England, Mexico New Brunswick, Surinam, Chile, Hawaii	0.0	
	16	1232	1305	Ohio, D.C., New Brunswick	0.05-	Terr. mag. pulse ** 1228-1237
	18	2018	2040	Ohio, D.C., Mexico, Surinam Chile, Hawaii	0.1	
	18	2138	2150	Ohio, D.C., Mexico, Surinam Hawaii	0.1	
	22	1822	2005	Ohio, D.C., Mexico, England, Surinam, Chile	0.02	Terr. mag. pulse ** 1818-1830
	27	1557	1845	Ohio, D.C., Mexico, Ontario, England, Chile	0.02	
	29	1704	***	Ohio, D.C., Mexico, Ontario Chile, Hawaii	0.05	
	29	1842	1905	Ohio, D.C., Mexico, Ontario Chile, Hawaii	0.2	

\* Ratio of received field intensity during SID to average field intensity before and after for station W8KAL, 6080 kilocycles, 600 kilometers.

\*\* As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

\*\*\* Incomplete recovery of SID

Table 79

Provisional Radio Propagation Quality Figures

May 1946

Compared with CRPL Warnings and CRPL Probable Disturbed Period Forecasts

Day	North Atlantic				North Pacific				Quality Figure Scale:
	Quality Figure	CRPL* Warning	CRPL**	Geo-Probable magnetic Disturbed K <sub>A</sub>	Quality Figure	CRPL* Warning	CRPL**	Geo-Probable magnetic Disturbed K <sub>A</sub>	
1	5 5	5 5	5 5	5 5	5 5	5 5	5 5	5 5	
2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	
3	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	
4	6 6	X	X	2 1	6 (4)	X	X	2 1	
5	(4) 5	X X	X	2 2	7 5	X X	X	2 1	
6	(4) 5	X X	X	4 3	5 (4)	X X	X	4 3	
7	(4) 5	X X	X	4 2	5 (4)	X X	X	4 2	
8	(4) 5	X X	X	4 3	5 6	X X	X	4 3	
9	(4) 5	X X	X	4 4	(4) (4)	X X	X	4 4	
10	(4) 5	X X	X	3 3	5 5	X X	X	3 3	
11	5 5			4 3	6 6			4 3	
12	(4) 5			2 2	5 6			2 2	
13	(4) 6			2 1	6 6			2 1	
14	6 6			1 1	7 7			1 1	
15	6 6			1 1	7 6			1 1	
16	6 6			2 2	8 7			2 2	
17	6 6			2 2	7 6			2 2	
18	5 6			3 2	7 6			3 2	
19	6 6	X		1 0	6 6	X		1 0	
20	5 6		X	1 3	7 (4)		X	1 3	
21	(4) 5	X	X	4 3	5 (4)	X	X	4 3	
22	(3) (4)	X X	X	4 3	(4) 5	X X	X	4 3	
23	(3) 5	X X	X	3 4	5 6	X X	X	3 4	
24	(4) 5	X X	X	3 3	5 5	X X	X	3 3	
25	5 6	X X	X	3 2	6 7	X X	X	3 2	
26	6 6	X X	X	2 2	5 (4)	X X	X	2 2	
27	6 7			1 1	7 8			1 1	
28	6 7			2 2	6 8			2 2	
29	6 6			2 1	6 8			2 1	
30	6 7			1 2	6 6			1 2	
31	5 7			3 2	6 8			3 2	

## Score:

H	8	3		6	6
M	3	8		5	5
G	16	15		14	18
(S)	2	3		4	1
S	2	2		2	1

\* Broadcast on WWD, Washington, D. C. Times of warnings recorded to nearest half-day as broadcast.

\*\* In addition to dates marked X, the following were designated as probable disturbed days on forecasts more than eight days in advance of said dates: May 11, 12, 13, 23.

Quality Figure Scale:  
 1 = Useless  
 2 = Very poor  
 3 = Poor  
 4 = Poor to fair  
 5 = Fair  
 6 = Fair to good  
 7 = Good  
 8 = Very good  
 9 = Excellent

Symbols

X = Warning given or probable disturbed date.  
 H = Quality 4 or worse on day or half day of warning.  
 M = Quality 4 or worse on day or half day of no warning.  
 G = Quality 5 or better on day of no warning.  
 (8) = Quality 5 on day of warning.  
 S = Quality 6 or better on day of warning.  
 ) = Quality 4 or worse (disturbed).

Geomagnetic K<sub>A</sub> on the standard scale of 0 to 9, 9 representing the greatest disturbance.

Table 80

Daily Median Values of American Relative Sunspot Numbers \*





June 1946

Date	No.	Date	No.
1	32	16	76
2	35	17	101
3	34	18	112
4	28	19	92
5	53	20	106
6	55	21	89
7	66	22	96
8	64	23	121
9	66	24	130
10	66	25	102
11	53	26	88
12	78	27	94
13	60	28	74
14	61	29	77
15	96	30	79

No. Days 30

Mean 74.8

\* Median of data from 22 observers.






Fig. 5. CHURCHILL, CANADA  
58.8°N, 94.2°W MAY, 1946




Fig. 6. CHURCHILL, CANADA MAY, 1946




Fig. 7. PRINCE RUPERT, CANADA  
54.3°N, 130.3°W MAY, 1946




Fig. 8. PRINCE RUPERT, CANADA MAY, 1946




Fig. 9 OTTAWA, CANADA  
45.5°N, 75.8°W

MAY, 1946




Fig. 10. OTTAWA, CANADA

MAY, 1946




Fig. 11. BOSTON, MASSACHUSETTS  
42.4°N, 71.2°W

MAY, 1946




Fig. 12. BOSTON, MASSACHUSETTS

MAY, 1946




Fig.13. SAN FRANCISCO, CALIFORNIA  
37.4°N, 122.2°W MAY,1946




Fig.14. SAN FRANCISCO, CALIFORNIA MAY,1946




Fig.15 TOKYO, JAPAN  
35.6°N, 139.6°E MAY,1946




Fig.16 TOKYO, JAPAN MAY,1946




Fig. 17 BATON ROUGE, LOUISIANA  
30.5°N, 91.2°W MAY, 1946




Fig. 18 BATON ROUGE, LOUISIANA MAY, 1946




Fig. 19. SAN JUAN, PUERTO RICO  
18.4°N, 66.1°W MAY, 1946




Fig. 20 SAN JUAN, PUERTO RICO MAY, 1946




Fig. 21 TRINIDAD, BRIT. WEST INDIES  
10.6°N, 61.2°W MAY, 1946




Fig. 22. TRINIDAD, BRIT. WEST INDIES MAY, 1946




Fig. 23 HUANCAYO, PERU  
12.0°S, 75.3°W MAY, 1946
















Fig. 24 HUANCAYO, PERU MAY, 1946










Fig 37. OSLO, NORWAY  
59°9'N, 11°0'E

MARCH, 1946




Fig 38 OSLO, NORWAY  
MARCH, 1946




Fig 39 LEYTE, PHILIPPINE IS.  
11°0'N, 125°0'E

MARCH, 1946








Fig 40. LEYTE, PHILIPPINE IS.  
MARCH, 1946






Fig. 45 WATHEROO, W. AUSTRALIA  
30°3'S, 115°9'E MARCH, 1946




Fig. 46. WATHEROO, W. AUSTRALIA MARCH, 1946




Fig. 47 CANBERRA, AUSTRALIA  
35.3°S, 149°0'E MARCH, 1946




Fig. 48 CANBERRA, AUSTRALIA MARCH, 1946




Fig. 49. HOBART, TASMANIA  
42.8°S, 147.4°E

MARCH, 1946




Fig. 50. HOBART, TASMANIA  
MARCH, 1946




Fig. 51. FALKLAND IS.  
51.7°S, 57.7°W

MARCH, 1946







Fig. 52. FALKLAND IS.  
MARCH, 1946






Fig. 56. RAROTONGA I.  
21.3°S, 159.8°W  
JANUARY, 1946




Fig. 57. SLOUGH, ENGLAND  
51.5°N, 0.6°W  
DECEMBER, 1945




Fig. 58. RAROTONGA I.  
21.3°S, 159.8°W  
DECEMBER, 1945




Fig 59 SLOUGH, ENGLAND  
51.5°N, 06°W

NOVEMBER, 1945




Fig. 60. SLOUGH, ENGLAND

NOVEMBER, 1945




Fig. 61. RAROTONGA I.  
21.3°S, 159.8°W

NOVEMBER, 1945




Fig. 62. KERMADEC IS.  
29.2°S, 177.9°W NOVEMBER, 1945




Fig. 63. KERMADEC IS NOVEMBER, 1945




Fig. 64. RAROTONGA I.  
21.3°S, 159.8°W OCTOBER, 1945














Fig. 65. RAROTONGA I. OCTOBER, 1945










Fig. 76. LENINGRAD, U.S.S.R.  
7 JULY THROUGH 11 JULY, 1945




Fig. 77. MOSCOW (BALASHIHA) U.S.S.R.  
7 JULY THROUGH 11 JULY, 1945




Fig. 78. SVERDLOVSK, U.S.S.R.  
7 JULY THROUGH 11 JULY, 1945



CRPL AND IRPL REPORTS

Daily:

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data from various places.  
Radio disturbance warnings.

Weekly:

CRPL-J. Radio Propagation Forecast.

Semimonthly:

CRPL-Ja. Semimonthly Frequency Revision Factors for CRPL Basic Radio Propagation Prediction Reports. (Issued with CRPL-J series approximately one week in advance.)

Monthly:

CRPL-D. Basic Radio Propagation Predictions - Three months in advance. War Dept. TB 11-499-, monthly supplements to TM 11-499; Navy Dept. (INC-13-1), monthly supplements to INC-13-1). CRPL-D Series now available from Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C.

CRPL-F. Ionospheric Data.

Bimonthly:

IRPL-G. Correlation of D.F. Errors With Ionospheric Conditions.

Quarterly:

IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

\*IRPL-H. Frequency Guide for Operating Personnel.

Special Reports, etc.:

IRPL Radio Propagation Handbook, Part 1. (War Dept. TM 11-499; Navy Dept. INC-13-1.)

IRPL-C1 through C61. Reports and papers of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-R. Unscheduled reports:

- R1. Maximum Usable Frequency Graph Paper.
- R2 and R3. Obsolete.
- R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.
- R5. Criteria for Ionospheric Storminess.
- R6. Experimental Studies of Ionospheric Propagation As Applied to The Loran System.
- R7. Second Report on Experimental Studies of Ionospheric Propagation As Applied to The Loran System.
- R8. The Prediction of Usable Frequencies Over a Path of Short or Medium Length, Including the Effects of Es.
- R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.
- R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.
- R11. A Homographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.
- R12. Short Time Variations in Ionospheric Characteristics.
- R13. Ionospheric and Radio Propagation Disturbances, October 1943 Through February 1945.
- R14. A Graphical Method for Calculating Ground Reflection Coefficients.
- R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle,
- R16. Predicted F2-layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season.
- R17. Japanese Ionospheric Data - 1943.
- R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures - October 1943 through May 1945.
- R19. Homographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for June.
- R20. Homographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for September.
- R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)
- R22. Homographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for December.
- R23. Solar-Cycle Data for Correlation With Radio Propagation Phenomena.
- R24. Relations between Band Width, Pulse Shape and Usefulness of Pulses in The Loran System.
- R25. The Prediction of Solar Activity as a Basis for Predictions of Radio Propagation Phenomena.
- R26. The Ionosphere as a Measure of Solar Activity.
- R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.
- R28. Homographic Predictions of F2-Layer Frequencies Throughout the Solar Cycle for January.
- R29. Revised Classification of Radio Subjects Used in National Bureau of Standards (N.B.S. Letter Circular LC-814 superseding circular C385).
- R30. Disturbance Rating in Values of IRPL Quality - Figure Scales From A. T. & T. Co. Transmission Disturbance Reports to Replace T.D. Figures as Reported.
- R31. North Atlantic Radio Propagation Disturbances, October 1943 through October 1945.
- R32. Homographic Predictions of F2-Layer Frequencies Throughout the Solar Cycle, for February.
- R33. Ionospheric Data on File at IRPL.
- R34. The Interpretation of Recorded Values of fEs.
- R35. Comparison of Percentage of Total Time of Occurrence of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.

IRPL-T. Reports on Tropospheric Propagation.

T1. Radar Operation and Weather. (Superseded by JAMP 101.)

T2. Radar Coverage and Weather. (Superseded by JAMP 102.)

