

CRPL-F34

# IONOSPHERIC DATA

ISSUED  
JUNE 1947

PREPARED BY CENTRAL RADIO PROPAGATION LABORATORY  
National Bureau of Standards  
Washington, D.C.



## IONOSPHERIC DATA

## CONTENTS

	Page
Terminology and Scaling Practices . . . . .	2
Monthly Average and Median Values of World-Wide Ionospheric Data . . . . .	4
Ionospheric Data for Every Day and Hour at Washington, D. C. . . . .	7
Ionosphere Disturbances . . . . .	7
American Relative Sunspot Numbers . . . . .	8
Solar Coronal Intensities Observed at Climax, Colorado	9
Erratum . . . . .	9
Tables of Ionospheric Data . . . . .	10
Graphs of Ionospheric Data . . . . .	47
Index of Tables and Graphs of Ionospheric Data . .	82

## TERMINOLOGY AND SCALING PRACTICES

The symbols and terminology used in this report are those adopted by the International Radio Propagation Conference, and given in detail on pages 24 to 26 of the report IRPL-C61, "Report of International Radio Propagation Conference," and in the section on "Terminology" in report IRPL-F5.

Beginning with IRPL-F14 the symbol L, defined as follows, is used in detailed tabulations of hourly values of ionosphere characteristics observed at Washington:

L or  $l$  = critical frequency, muf, or muf factor for F1 layer omitted because no definite and abrupt change in slope of the  $h'f$  curve occurs either for the first reflection or for any of the multiples.

In the past, ionospheric conditions were summarized on a monthly basis by using average or mean values for each hour of the day for each month. However, following the recommendations of the International Radio Propagation Conference, held in Washington 17 April to 5 May 1944, beginning with data for 1 Jan. 1945, median values were used by IRPL wherever possible. Thus, median values are given for Washington, for all stations reporting directly to the CRPL, for the Canadian stations, and for all others sending to the CRPL detailed tabulations from which medians can be computed.

Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The monthly median values used here are the values equaled or exceeded on half the days of the month at the given hour. The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in the report referred to above, IRPL-C61.

a. For all ionospheric characteristics:

Values missing because of A, B, C or F (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of  $f^oF2$  missing because of E are counted as equal to or less than the lower limit of the recorder. Ordinarily, values of virtual heights,  $f^oF1$ , and  $f^oE$  missing for this reason are omitted from the median count.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For  $f^oF2$ , as equal to or less than  $f^oF1$ .

2. For  $h'F2$ , as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing because of G are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because no Es reflections appeared, the equipment functioning normally otherwise, are counted as equal to or less than the median  $f^{\circ}E$ , or equal to or less than the lower frequency count of the recorder.

Values of fEs missing for any other reason, and values of hEs missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

It is expected that this practice will be of assistance in evaluating the monthly median Washington data.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

Beginning with CRPL-F33, an additional group of symbols is used in recording the Washington, D.C. data. The list of additional symbols and their meanings follows:

N -- unable to make logical interpretation.

P -- trace extrapolated to a critical frequency.

Q -- the F1 layer not present as a distinct layer.

R -- curve becomes incoherent near the F2 critical frequency.

S -- no observation obtainable because of interference.

U -- forked record.

Z -- triple split near critical frequency.

For a more detailed explanation of the meaning and use of these symbols, see the report CRPL-7-1, Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records.

## MONTHLY AVERAGE AND MEDIAN VALUES OF WORLD-WIDE IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 73 and figures 1 to 130 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL predictions of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data:

Australian Council for Scientific and Industrial Research,  
Radio Research Board:

Brisbane, Australia  
Canberra, Australia  
Cape York, Australia  
Hobart, Tasmania  
Townsville, Australia

British Department of Scientific and Industrial Research,  
Radio Research Board:

Falkland Is.  
Slough, England

Canadian Radio Wave Propagation Committee:

Churchill, Canada  
Clyde, Baffin I.  
Ottawa, Canada  
Portage la Prairie, Manitoba  
Prince Rupert, Canada  
St. John's, Newfoundland

New Zealand Radio Research Committee:

Campbell I.  
Christchurch, New Zealand (Canterbury University College Observatory)  
Fiji Is.  
Kermadec Is.  
Rarotonga I.

South African Council for Scientific and Industrial Research:

Capetown, Union of S. Africa  
Johannesburg, Union of S. Africa

Scientific Research Institute of Terrestrial Magnetism, Moscow, U.S.S.R.:

Alma Ata, U.S.S.R.  
Bay Tiksey, U.S.S.R.  
Bukhta Tikhaya, U.S.S.R.  
Chita, U.S.S.R.  
Leningrad, U.S.S.R.  
Moscow, U.S.S.R.  
Sverdlovsk, U.S.S.R.  
Tomsk, U.S.S.R.

Carnegie Institution of Washington (Department of Terrestrial Magnetism):  
Huancayo, Peru  
Watheroo, W. Australia

United States Army Signal Corps:

Okinawa I.  
Shibata, Japan  
Tokyo, Japan  
Yamakawa, Japan

National Bureau of Standards (Central Radio Propagation Laboratory):

Adak, Alaska  
Baton Rouge, Louisiana (Louisiana State University)  
Boston, Massachusetts (Harvard University)  
Fairbanks, Alaska (University of Alaska, College, Alaska)  
Guam I.  
Maui, Hawaii  
Palmyra I.  
San Francisco, California (Stanford University)  
San Juan, Puerto Rico (University of Puerto Rico)  
Trinidad, British West Indies  
Washington, D. C.  
White Sands, New Mexico  
Wuchang, China (National Wuhan University)

All India Radio (Government of India), New Delhi, India:

Bombay, India  
Delhi, India  
Madras, India  
Peshawar, India

Indian Council of Scientific and Industrial Research,

Radio Research Committee:  
Calcutta, India

Radio Wave Research Laboratory, Central Broadcasting Administration:

Chungking, China  
Lanchow, China  
Peiping, China

French Ministry of Naval Armaments (Section for Scientific Research):  
Fribourg, Germany

Philippine Republic, Department of National Defense:  
Leyte, Philippine Is.

Norwegian Defense Research Establishment, Florida, Bergen, Norway:  
Oslo, Norway  
Tromso, Norway

Beginning with CRPL-F26, publication of tables of so-called "provisional data" reported to the CRPL by telephone or telegraph was discontinued. The reason for this change in policy is that users of the data hitherto published in this form receive them through established channels sooner than they reach them in the F-series. Furthermore, having two sets of data, "provisional" and "final," for the same station for the same month leads to confusion.

It must be emphasized that there is no change in the methods used for rapid reporting and exchange of data. The change has to do only with the printing of provisional data in the F-series.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of these errors are due to:

- a. Differences in scaling records where spread echoes are present.
- b. Omission of values where  $f^{\circ}F2$  is less than or equal to  $f^{\circ}F1$ , leading to erroneously high values of monthly averages or median values.
- c. Omission of values where critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. Predictions for individual stations used to construct the charts may be more accurate than the values read from the chart since some smoothing of the contours is necessary to allow for the longitude effect within a zone. The following predicted smoothed 12-month running-average Zurich sunspot numbers were used in constructing the contour charts, beginning with August 1945:

Month	Predicted Sunspot No.	Month	Predicted Sunspot No.
May 1947	109	June 1946	67
April 1947	107	May 1946	67
March 1947	105	April 1946	62
February 1947	90	March 1946	51
January 1947	88	February 1946	46
December 1946	85	January 1946	42
November 1946	83	December 1945	38
October 1946	81	November 1945	36
September 1946	79	October 1945	23
August 1946	77	September 1945	22
July 1946	73	August 1945	20

# IONOSPHERIC DATA FOR EVERY DAY AND HOUR AT WASHINGTON, D. C.

The data given in tables 74 to 85 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Terminology and Scaling Practices."

## IONOSPHERE DISTURBANCES

Table 86 presents ionosphere character figures for Washington, D.C., during May 1947, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, magnetic K-figures, which are usually covariant with them.

Table 87 lists for the stations whose locations are given the sudden ionosphere disturbances observed on the continuous field intensity recordings made at the Sterling Radio Propagation Laboratory during May 1947.

Table 88 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Brentwood and Somerton, England, receiving stations of Cable and Wireless Ltd. from April 15 to May 17, 1947, inclusive.

Table 89 gives provisional radio propagation quality figures for the North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, April 1947, compared with the CRPL daily radio disturbance warnings, which are primarily for the North Atlantic paths, the CRPL weekly radio propagation forecasts of probable disturbed periods, and the half-day Cheltenham, Maryland, geomagnetic K-figures.

The radio propagation quality figures for the North Atlantic are prepared from radio traffic and ionospheric data reported to the CRPL, in the manner described in detail in report IRPL-R31, "North Atlantic Radio Propagation Disturbances, October 1943 through October 1945," issued 1 February 1946.

The radio propagation quality figures for the North Pacific are prepared from radio traffic and ionospheric data reported to the CRPL, in a manner similar to that of IRPL-R31. The master scale of IRPL-R31 was used to formulate conversion scales for the North Pacific reports. Beginning with CRPL-F23, issued July 1946, the North Pacific radio propagation quality figures reported are prepared from these revised conversion scales.

These radio propagation quality figures give a consensus of opinion of actual radio propagation conditions as reported by the half day over the two general areas. It should be borne in mind, however, that though the quality may be disturbed according to the CRPL scale, the cause of the disturbance is not necessarily known. There are many variables that must be considered. In addition to ionospheric storminess itself as the cause, conditions may be reported as disturbed because of seasonal characteristics, such as are particularly evident in the pronounced day and night contrast over North Pacific paths during the winter months, or because of improper frequency usage for the path and time of day in question. Insofar as possible, frequency usage is included in rating the reports. Where the actual frequency usage is not shown in the report to the CRPL, it has been assumed that the report is made on the use of optimum working frequencies for the path and time of day in question. Since there is a possibility that all the disturbance shown by the quality figures is not due to ionospheric storminess alone, care should be taken in using the quality figures in research correlations with solar, auroral, geomagnetic, or other data. Nevertheless, these quality figures do reflect a consensus of opinion of actual radio propagation conditions as found on any one half day in either of the two general areas.

#### AMERICAN RELATIVE SUNSPOT NUMBERS

Table 90 presents the daily median values of relative sunspot numbers as reported by American observers for May 1947. The reports have been reduced, by appropriate constants, approximately to the Zurich scale of relative sunspot numbers. The monthly relative sunspot number is the mean of the daily median values listed in the table. This method was devised by Mr. A. H. Shapley, while a member of the staff of the Department of Terrestrial Magnetism, Carnegie Institution of Washington. Details will be found in his article, "American Observations of Relative Sunspot Numbers in 1945 for Application to Ionospheric Prediction," Popular Astronomy, vol. 54, No. 7, pp. 351-358. The criteria for A observers have been modified slightly, beginning with September 1946. In order for an observer's report to be included in the American sunspot numbers, the mean deviation of the reduction factors for his observations for the four preceding months must have been within 15% of the 4-month running mean of his reduction factors, rather than within an interval of  $\pm 0.16$  of that running mean. This avoids favoring observers with small reduction factors and discriminating against observers with large reduction factors. In addition sunspot numbers must have been reported for at least one-half of the month during three-quarters of the preceding year. This will tend to restrict the observers to those whose observations are consistent from month to month without rejecting the work of observers for whom weather conditions are unsatisfactory for observations during some months of the year.

## SOLAR CORONAL INTENSITIES OBSERVED AT CLIMAX, COLORADO

In table 91 the intensities of the green ( $\lambda 5303\text{A}$ ), first red ( $\lambda 6374\text{A}$ ), and second red ( $\lambda 6704\text{A}$ ) lines of the solar corona as observed during May 1947, by the High Altitude Observatory of Harvard University and the University of Colorado at Climax, Colorado, are given for every  $5^\circ$  from astronomical north for each day on which observations were possible. An arbitrary intensity-scale of approximately 0 to 40 is used. To convert from astronomical north and to determine the positions relative to the solar rotational equator subtract the algebraic value of the position-angle of the solar axis. This quantity varies from  $-26$  to  $+26$  degrees during the year, and is tabulated in the nautical almanacs. If observations are uncertain, the initials l.w. (low weight) follow the date. The time of observation in hours GCT is listed. Dashes indicate that the intensity for that position is below the observable threshold. Absence of observation made at a given position is indicated by X.

### ERRATUM

The following paragraph quoted from a letter from the Australian Radio Propagation Committee dated 14 April 1947 furnishes the necessary corrections in time sweeps published in the CRPL-F31 in connection with data for 1941 from Canberra, Australia, and additional information concerning the sweeps used subsequently at this station:

"I should like to point out that this frequency range (1.6 Mc to 12.5 Mc in two minutes) is correct for the months of September to December (1941) only, that of the recorder in use up to August 19th, 1941, being 2.2 Mc to 13.0 Mc in two minutes. The recorder installed in August 1941 was in use to September 1946. The frequency range and time of sweep of the new recorder which commenced operation on December 7th, 1946, are 1.0 Mc to 16.0 Mc in 1 minute 55 seconds."

The CRPL greatly appreciates such corrections and information for use in the analysis and publication of ionospheric data.

## TABLES OF IONOSPHERIC DATA

Table 1

Washington, D. C. (39.0°N, 77.5°W)

May 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00								
01								
02								
03								
04								
05								
06	290	7.3				(2.6)		
07	(320)	7.4				2.6		
08	345	8.6				2.5		
09	420	8.7	(250)	5.2		(5.2)		
10	(420)	9.4		5.4			(2.4)	
11	430	10.0	(255)	(5.6)			2.4	
12	430	10.0	(240)	(5.6)			2.4	
13	(450)	10.0	(240)	(5.6)			(2.4)	
14	(470)	9.8	(240)	(5.6)			2.4	
15	460	9.2		5.6			2.4	
16	(435)	8.8	(270)	(5.4)			2.4	
17	(410)	9.1		(5.1)		(6.1)	2.5	
18	(380)	9.2		4.6		(6.6)	2.5	
19								
20								
21								
22								
23								

Time: 75.0°W.

Sweep: 3.1 Mc to 17.0 Mc. Manual operation.

Table 2

Glyde, Baffin I. (70.5°N, 68.6°W)

April 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00	340	5.4						
01	330	5.2						
02	335	5.1						
03	350	4.6						
04	340	5.4						
05	340	5.1						
06	350	5.0						
07	400	5.8						
08	440	6.0						
09	440	6.6						
10								
11	460	6.1						
12	450	6.6						
13	400	6.2						
14	450	6.0						
15	400	6.4						
16	320	6.2						
17	390	6.6						
18	345	6.5						
19	325	6.6						
20	320	6.9						
21	300	6.3						
22	320	5.7						
23	340	6.2						

Time: 75.0°W.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute; 1.9 Mc to 13.0 Mc, manual operation.

Table 3

Fairbanks, Alaska (64.9°N, 147.8°W)

April 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00	350	5.3				5.4	2.4	
01	410	5.2				3.6	2.4	
02	402	5.2				4.0	2.4	
03	410	5.2			1.6	5.0	2.4	
04	390	5.5			2.0	4.0	2.4	
05	420	5.4			2.3	3.6	2.4	
06	475	6.6	302	4.1	2.4	3.2	2.3	
07	450	6.2	250	4.2	2.8	3.3	2.4	
08	510	6.1	254	4.6	3.2	3.3	2.3	
09	450	7.1	250	4.8	3.3	2.4	2.4	
10	450	6.8	240	4.8	3.4	1.6	2.4	
11	470	7.0	250	4.9	3.5	2.6	2.4	
12	475	7.2	250	5.0	3.5	3.5	2.4	
13	410	7.4	240	5.2	3.5	3.4	2.4	
14	400	7.7	245	5.2	3.3	3.1	2.4	
15	270	7.6	250	4.8	3.2	3.0	2.5	
16	262	7.4	250	4.7	2.9	2.2	2.6	
17	270	7.5	268	4.4	2.6	2.4	2.6	
18	275	7.4			2.3	2.6	2.7	
19	278	6.4			2.0	2.6	2.7	
20	300	5.5			1.6	2.8	2.7	
21	345	5.2				3.4	2.6	
22	378	5.1				3.9	2.6	
23	375	5.4				3.6	2.5	

Time: 150.0°W.

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes.

Table 4

Adak, Alaska (51.9°N, 176.6°W)

April 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00	310	5.5						2.6
01	310	5.4						2.5
02	320	5.3						2.5
03	330	5.0						2.4
04	340	4.8						2.5
05	330	5.3	300		3.2	130	(1.9)	
06	360	6.4	260		4.0	120	2.3	
07	360	7.3	240		4.6	110	2.8	
08	355	7.7	230		5.0	110	3.2	3.3
09	355	8.3	220		5.2	110	3.5	3.8
10	340	9.1	220		5.4	110	(3.7)	3.8
11	340	9.6	220		5.6	(110)	3.7	3.8
12	320	10.0	220		5.6	110	4.0	2.7
13	310	10.2	220		5.6	(110)	(3.8)	3.8
14	300	10.0	220		5.6	110	(3.6)	2.8
15	275	9.6	220		5.4	110	3.5	3.7
16	255	9.0	240		5.0	105	3.2	3.6
17	240	8.9	240		5.0	110	2.8	2.9
18	250	8.8	(260)		5.8	120	2.2	3.0
19	240	8.5						3.0
20	240	7.8						2.9
21	240	7.1						2.8
22	250	6.1						2.7
23	260	5.8						2.6

Time: 120.0°W.

Sweep: 1.2 Mc to 15.5 Mc. Manual operation.

Table 5

Portage la Prairie, Manitoba ( $49.9^{\circ}\text{N}$ ,  $98.3^{\circ}\text{W}$ )

April 1947

Time	$\text{h}^{\text{v}}\text{F}_2$	$\text{f}^{\text{o}}\text{F}_2$	$\text{h}^{\text{v}}\text{F}_1$	$\text{f}^{\text{o}}\text{F}_1$	$\text{h}^{\text{s}}\text{E}$	$\text{f}^{\text{o}}\text{S}$	$\text{f}_{\text{E}}$	$\text{F2-N3000}$
00	320	5.2					2.7	
01	350	4.6				2.0	2.5	
02	340	4.8				2.3	2.6	
03	320	4.6				1.2	2.5	
04	310	4.4				1.2	2.6	
05	305	4.4				1.5	2.6	
06	280	5.1					2.8	
07	260	5.6	245	3.8	130	1.9		
08	255	6.8	240	4.3	110	2.4		
09	295	7.2	220	4.7	110	3.2		
10	360	7.6	220	5.2	100	3.5		
11	390	7.8	220	5.2	100	3.6		
12	380	8.0	210	5.2	100	3.7		
13	400	8.2	220	5.3	100	3.6		
14	400	8.3	230	5.2	100	3.6		
15	355	8.4	220	5.2	100	3.4		
16	355	8.7	230	5.2	100	3.2		
17	340	8.4	245	4.8	110	2.9		
18	260	8.4	250	4.2	110	2.4		
19	250	8.4			130	2.2	1.9	
20	250	8.0					2.8	
21	250	7.6					2.8	
22	260	6.8					2.7	
23	280	6.0					2.7	

Time:  $90.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 16.0 Mc in 2 minutes 30 seconds.

Table 6

Ottawa, Canada ( $45.5^{\circ}\text{N}$ ,  $75.5^{\circ}\text{W}$ )

April 1947

Time	$\text{h}^{\text{v}}\text{F}_2$	$\text{f}^{\text{o}}\text{F}_2$	$\text{h}^{\text{v}}\text{F}_1$	$\text{f}^{\text{o}}\text{F}_1$	$\text{h}^{\text{s}}\text{E}$	$\text{f}^{\text{o}}\text{S}$	$\text{f}_{\text{E}}$	$\text{f}_{\text{S}}$	$\text{F2-N3000}$
00	300	6.1							2.7
01	305	6.2							2.7
02	310	6.1							2.7
03	300	5.6							2.7
04	300	5.5							2.7
05	280	5.6							2.8
06	250	6.6						100	2.9
07	230	7.1						100	2.8
08	220	7.6						100	2.8
09	235	9.0	215			4.9	95	3.7	2.8
10	225	9.6	200			5.4	90	4.0	2.7
11	215	10.3					90	4.0	2.7
12	230	10.5	190			5.6	100	4.0	2.6
13	240	10.4					100	3.9	2.6
14	220	10.2					100	3.6	2.5
15	235	10.3					90	3.7	2.5
16	230	10.2					100	3.5	2.5
17	245	10.0					100	3.0	2.6
18	250	10.0						2.7	2.6
19	250	9.6							2.6
20	240	8.9							2.6
21	250	8.5							2.6
22	270	7.6							2.6
23	300	6.3							2.6

Time:  $75.0^{\circ}\text{W}$ .

Sweep: 1.7 Mc to 18.0 Mc. Manual operation.

Table 7

Boston, Massachusetts ( $42.4^{\circ}\text{N}$ ,  $71.2^{\circ}\text{W}$ )

April 1947

Time	$\text{h}^{\text{v}}\text{F}_2$	$\text{f}^{\text{o}}\text{F}_2$	$\text{h}^{\text{v}}\text{F}_1$	$\text{f}^{\text{o}}\text{F}_1$	$\text{h}^{\text{s}}\text{E}$	$\text{f}^{\text{o}}\text{S}$	$\text{f}_{\text{E}}$	$\text{F2-N3000}$
00	328	7.5					2.5	
01	330	7.1					2.4	
02	322	6.7				1.2	2.4	
03	310	6.4				1.5	2.4	
04	300	5.8				1.4	2.4	
05	325	6.5				1.8	2.5	
06	305	6.9					2.7	
07	300	9.0		130	2.3		2.7	
08	300	9.5		125	2.0		2.8	
09	300	10.0		125	2.6		(2.6)	
10	300	10.2		125	3.0		(2.7)	
11	320	10.3		120	2.6		(2.7)	
12	350							
13	350							
14	360	11.5				(2.6)		
15	320	10.6		125	2.6	(2.7)		
16	320	10.0		128	2.5		2.7	
17	310	9.6		125	2.5		2.6	
18	300	9.9		130	1.8		2.7	
19	300	9.1		130	1.9		2.7	
20	300	8.8		125	1.7		2.6	
21	300	8.2					2.6	
22	300	7.9					2.5	
23	320	7.5					2.4	

Time:  $75.0^{\circ}\text{E}$ .

Sweep: 0.85 Mc to 13.75 Mc in 1 minute.

Table 8

Peiping, China ( $39.9^{\circ}\text{N}$ ,  $116.4^{\circ}\text{E}$ )

April 1947

Time	$\text{h}^{\text{v}}\text{F}_2$	$\text{f}^{\text{o}}\text{F}_2$	$\text{h}^{\text{v}}\text{F}_1$	$\text{f}^{\text{o}}\text{F}_1$	$\text{h}^{\text{s}}\text{E}$	$\text{f}^{\text{o}}\text{S}$	$\text{f}_{\text{E}}$	$\text{F2-N3000}$
00		9.0						
01		8.5						
02		8.5						
03		8.4						
04		8.2						
05		8.2						
06		8.5						
07		10.0						
08		10.6						
09		10.6						
10		11.0						
11		11.0						
12		11.4						
13		11.5						
14		11.4						
15		11.0						
16		11.0						
17		11.2						
18		11.0						
19		11.1						
20		10.0						
21		9.9						
22		9.8						
23		9.6						

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 2.3 Mc to 12.3 Mc in 15 minutes. Manual operation.

Table 9

San Francisco, California ( $37.4^{\circ}\text{N}$ ,  $122.2^{\circ}\text{W}$ )

April 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}_s$	$\text{F}_2\text{-M3000}$
00	280	6.0						2.6
01	260	6.1						2.7
02	260	6.0						2.7
03	265	5.7						2.6
04	280	5.7						2.6
05	280	6.0						2.7
06	240	6.8			120	2.4		2.9
07	220	8.2			100	3.1		3.0
08	220	9.6	220	5.6	100	3.5		2.8
09	220	10.0	200	6.0	100	3.6		2.8
10	300	10.9	200	6.3	100	3.8	4.0	2.7
11	260	11.4	200	5.9	100	3.9		2.7
12	300	11.5	200	6.6	100	3.9		2.7
13	300	12.0	200	6.6	100	3.9		2.7
14	275	11.6	200	6.2	100	3.8		2.7
15	270	11.5	220	6.2	100	3.6		2.7
16	220	11.2	220	6.1	100	3.4		2.8
17	220	11.0			100	3.2		2.9
18	220	10.5			100	2.4		3.0
19	210	9.0					2.0	3.0
20	220	8.1						2.9
21	230	6.9						2.8
22	260	6.6						2.7
23	280	6.5						2.6

Time:  $120.0^{\circ}\text{W}$ .

Sweep: 1.5 Mc to 18.5 Mc in 4.5 minutes.

Table 10

White Sands, New Mexico ( $32.6^{\circ}\text{N}$ ,  $106.5^{\circ}\text{W}$ )

April 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}_s$	$\text{F}_2\text{-M3000}$
00		325						2.1
01		320						2.9
02		300						2.4
03		300						2.6
04		300						2.5
05		300						2.6
06		300			240			2.5
07		280			240			2.8
08		300			240			5.0
09		300			230			5.2
10		300			220	4.8		2.7
11		320			220	5.3		4.5
12		330			220	5.4		2.7
13		340			220	5.3		2.6
14		330			230	5.5		2.7
15		330			230	5.5		2.7
16		320			240			2.7
17		300			230			2.8
18		260			240			3.4
19		240			9.3			2.8
20		240			8.2			2.6
21		260			7.7			2.4
22		300			7.0			2.2
23		320			6.6			2.3

Time:  $105.0^{\circ}\text{W}$ .

Sweep: 0.79 Mc to 14.0 Mc in 2 minutes.

Table 11

Wuchang, China ( $30.6^{\circ}\text{N}$ ,  $114.4^{\circ}\text{E}$ )

April 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}_s$	$\text{F}_2\text{-M3000}$
00	280	10.2				1.8		2.8
01	280	10.1				1.7		2.8
02	280	9.6						2.8
03	260	8.7				1.9		2.8
04	260	8.0						2.7
05	270	7.4						2.7
06	290	8.6			145	1.8		2.8
07	260	10.5			130	2.6		3.1
08	250	12.0	250	6.7	130	3.2		2.9
09	250	12.5	240	7.6	120	3.6		2.9
10	300	13.5	240	7.2	120	3.8		2.7
11	320	14.0	240	7.4	125	4.0		2.7
12	330	14.5	250	7.2	120	4.2		2.6
13	350	14.5	250	7.0	130	4.0		2.6
14	350	14.8	260	7.0	120	4.0		2.6
15	350	14.5	255	6.6	130	3.8		2.6
16	320	14.4	265	5.9	130	3.6		2.7
17	290	14.4	270	5.8	130	3.2		2.7
18	280	14.0	260	4.4	130	2.4		2.8
19	280	13.5			125	1.6	4.1	2.8
20	280	12.0					3.8	2.7
21	300	11.2					3.4	2.7
22	300	11.6					3.2	2.7
23	290	11.0					2.6	2.8

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 1.2 Mc to 19.2 Mc. Manual operation.

Table 12

Baton Rouge, Louisiana ( $30.5^{\circ}\text{N}$ ,  $91.2^{\circ}\text{W}$ )

April 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}_s$	$\text{F}_2\text{-M3000}$
00		340				7.0		2.6
01		340				7.0		2.6
02		320				7.0		2.6
03		310				7.0		2.6
04		300				6.5		2.7
05		300				6.6		2.7
06		300			7.4			2.7
07		300			9.0	250		2.9
08		300		(10.2)	250			2.9
09		310		11.2	240			2.9
10		340		11.5	250	(6.0)		2.8
11		355		11.8	250			2.8
12		360		12.0	250	6.0		2.7
13		360		11.6	250	(5.7)		2.8
14		350		11.9	250			2.8
15		350		11.6	250			2.8
16		325		11.4	250	5.2		2.8
17		300		11.2	260			2.7
18		290		10.3				2.6
19		265		9.1				2.8
20		260						2.7
21		290						2.7
22		310						2.7
23		330						2.6

Time:  $90.0^{\circ}\text{W}$ .

Sweep: 2.0 Mc to 15.0 Mc in 5 minutes.

Table 13

Maui, Hawaii (20.8°N, 156.5°W)

April 1947

Table 14

San Juan, Puerto Rico (18.4°N, 66.1°W)

April 1947

Time	h'F2	f'F2	h'F1	f'F1	h'B	f'B	f'Es	F2-M3000
00	250	11.0				3.2	2.9	
01	255	10.1				2.3	2.9	
02	230	8.2				2.3	3.0	
03	245	(7.3)				2.6	(2.7)	
04	260	7.5				2.0	(2.6)	
05	290	6.7				2.3	2.6	
06	220	7.0				2.4	2.6	
07	240	9.4			110	2.5	2.4	
08	230	10.9			110	3.3	3.8	2.9
09	230	12.1	220	6.0	110	3.8	4.0	2.8
10	240	13.4	220	7.0	110	4.0	4.0	2.7
11	260	14.0	220	6.6	110	4.0	3.7	2.7
12	270	15.1	220	7.4	110	4.1	3.3	2.7
13	285	15.8	230	6.9	110	4.2	3.2	2.7
14	298	15.6	220	7.0	110	4.0	3.2	2.7
15	330	15.6	228	7.0	110	4.0	4.1	2.7
16	320	15.6	230	6.8	110	3.8	4.2	2.7
17	290	15.4	240	6.5	100	3.3	4.0	2.7
18	250	14.9	250	4.5	110	2.5	4.0	2.7
19	260	14.5				3.7	2.7	
20	260	14.5				3.8	2.7	
21	260	13.5				3.8	2.8	
22	260	12.5				3.4	2.8	
23	260	12.0				3.2	2.8	

Time: 150.0°W.

Sweep: 1.2 Mc to 18.0 Mc in 15 minutes. Manual operation

Time	h'F2	f'F2	h'F1	f'F1	h'B	f'B	f'Es	F2-M3000
00						10.4		2.8
01						9.6		2.8
02						8.8		2.7
03						8.4		2.8
04						7.8		2.8
05						7.0		2.7
06						7.6		2.7
07					250	9.6	2.7	2.9
08					260	11.6	3.4	2.8
09					280	12.3	3.5	2.7
10					300	12.6	4.0	2.7
11					320	12.9	3.3	2.5
12					340	13.0	4.0	2.5
13					350	13.0		2.7
14					340	12.9		2.7
15					330	12.5	4.9	2.6
16					310	12.5	3.6	2.6
17					300	12.0	4.4	2.6
18					280	11.6		2.7
19					280	10.8		2.7
20						10.4		2.7
21						10.5		2.6
22						10.9		2.6
23						10.7		2.7

Time: 60.0°W.

Sweep: 2.8 Mc to 13.0 Mc in 8 minutes.

Table 15

Guam I. (13.5°N, 144.5°E)

April 1947

Table 16

Trinidad, Brit. West Indies (10.6°N, 61.2°W)

April 1947

Time	h'F2	f'F2	h'F1	f'F1	h'B	f'B	f'Es	F2-M3000
00	245					2.3		
01	230	(13.2)				2.3	3.2	
02	220	10.6				2.3	2.9	
03	235	10.6				3.2	2.8	
04	240	9.2				4.0	2.8	
05	220	(8.6)				4.5	3.0	
06	240	7.8				4.6	2.9	
07	242	10.4			115	2.5	3.0	
08	240	12.2			118	3.3	9.0	2.8
09	230	13.0			110	3.7	9.0	2.6
10	230	13.6			(4.0)	8.6	2.4	
11	215	14.0				7.5	2.3	
12	210	14.2				8.6	2.2	
13	200	14.2				7.2	2.2	
14	220	14.4				7.4	2.2	
15	220	14.8			105	3.8	2.2	
16	240	14.9				8.2	2.2	
17	240	15.1				8.2	2.4	
18	260	14.3				6.9	2.2	
19	320	13.7				5.2	2.1	
20	392	13.3				4.3	2.2	
21	360	(14.0)				2.7	2.3	
22	302	(14.1)				2.7	2.6	
23	270	(14.1)				3.2	2.9	

Time: 150.0°E.

Sweep: 1.25 Mc to 19.0 Mc in 15 minutes. Manual operation.

Time	h'F2	f'F2	h'F1	f'F1	h'B	f'B	f'Es	F2-M3000
00					270	12.0		2.8
01					260	10.4		2.8
02					250	9.4		2.8
03					265	8.6		2.7
04					260	7.6		2.7
05					275	6.8		2.6
06					280	7.8		2.7
07					250	10.5		
08					250	12.0		
09					260	13.3	240	
10					280	15.0	240	
11					300	15.7	245	
12					320	15.7	240	
13					330	15.6	(5.6)	
14					350	15.2	240	
15					350	14.6	250	
16					295	13.8	250	
17					275	(13.0)	255	
18					280	(12.6)		
19					305	12.4		
20					320	12.2		
21					300	(12.5)		
22					290	12.5		
23					280	12.5		

Time: 60.0°W.

Sweep: 1.2 Mc to 15.7 Mc. Manual operation.

Table 17

Palmyra I. ( $5.9^{\circ}\text{N}$ ,  $162.1^{\circ}\text{W}$ )

April 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	F2-M3000
00	230	13.2				3.2	(3.1)		
01	250	11.6				3.2	2.8		
02	250	11.2				3.6	2.8		
03	245	11.2				3.2	2.8		
04	240	10.4				4.0	2.9		
05	235	8.8				3.4	3.0		
06	250	7.9			172	1.6	3.6	2.8	
07	255	9.8			120	2.8	4.6	2.8	
08	235	11.8			110	3.5	6.4	2.7	
09	240	12.8	210		110	4.0	5.2	2.5	
10	250	13.0	210		108	4.2	5.8	2.5	
11	262	13.2	210	4.6	110	4.3	5.8	2.5	
12	280	13.2	210	5.3	110	4.1	5.9	2.4	
13	285	13.6	208	5.2	110		5.7	2.4	
14	282	13.9	210	4.8	110	4.1	5.2	2.4	
15	280	14.0	215	4.6	110	4.0	5.4	2.4	
16	250	14.2	228	3.8	110	3.5	5.5	2.4	
17	250	13.9	250		115	3.0	5.4	2.4	
18	280	13.6			142	2.3	5.2	2.3	
19	378	12.8					3.8	2.2	
20	400	12.2					1.9	2.2	
21	332	13.0					2.6	2.4	
22	270	13.4					3.6	2.6	
23	245	13.7					2.9	2.8	

Time:  $157.5^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 13.0 Mc in 1.6 minutes, supplemented by manual operation above 13.0 Mc.

Table 19

Churchill, Canada ( $58.5^{\circ}\text{N}$ ,  $94.2^{\circ}\text{W}$ )

March 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	F2-M3000
00	300	5.6				4.8	2.6		
01	300	5.0				3.7	2.7		
02	320	5.1				3.6	(2.6)		
03	300	4.5				2.6	(2.6)		
04	340	4.4				2.7	(2.6)		
05	350	4.1			110	2.7	2.7	(2.6)	
06	340	4.1			100	2.7	2.6	(2.6)	
07	320	4.8	290	3.7	135	3.1	3.2	2.8	
08	235	5.4	260	3.5	120	2.6	3.0	2.8	
09	305	6.2	260	4.4	110	3.2	2.9	2.8	
10	300	7.4	255	4.8	110	3.3	3.4	2.8	
11	305	8.2	250	4.8	110	3.4	2.6	2.7	
12	325	8.2	250	4.9	110	3.3	2.6		
13	290	9.2	250	4.7	120	3.3	2.6		
14	295	9.6	250	4.6	130	3.3	2.7		
15	290	9.9	250	4.6	130	3.2	2.7		
16	270	9.3	250	4.5	120	2.9	2.7		
17	260	8.3	265	3.8	130	2.6	2.4	2.8	
18	260	6.9			130	2.6	2.6	2.7	
19	300	6.6			130	2.6	2.7	2.6	
20	300	5.9			125	2.8	3.0	2.5	
21	300	6.0				2.7	3.5	2.6	
22	270	5.5					5.2	2.6	
23	290	5.2					3.8	2.6	

Time:  $90.0^{\circ}\text{W}$ .

Sweep: 2.2 Mc to 16.0 Mc in 1 minute; supplemented by manual operation, 2.0 Mc to 13.5 Mc.

These criticals, although given for the entire 24 hours, are obtained from the same characteristic traces as the E-layer values, commonly reported only for daylight hours.

Table 18

Clyde, Baffin I. ( $70.5^{\circ}\text{E}$ ,  $68.6^{\circ}\text{W}$ )

March 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	F2-M3000
00						5.2			
01						5.4			
02						4.7			
03						4.7			
04						4.6			
05						4.5			
06						5.4			
07						6.1			
08						6.0			
09						(500)			
10						6.0			
11						(6.2)			
12						6.0			
13						(565)			
14						(350)			
15						(300)			
16						6.4			
17						3.2			
18						5.8			
19						5.8			
20						5.4			
21						5.8			
22						5.4			
23						4.8			

Time:  $75.0^{\circ}\text{W}$ .  
Sweep: 2.2 Mc to 16.0 Mc in 1 minute; supplemented by manual operation, 1.9 Mc to 13.0 Mc.

Table 20

Prince Rupert, Canada ( $54.3^{\circ}\text{N}$ ,  $130.3^{\circ}\text{W}$ )

March 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	F2-M3000
00		285			4.0				2.7
01		310			3.7				2.7
02		335			3.9				2.7
03		360			3.9				2.6
04		350			3.6				2.6
05		360			3.5				2.6
06		345			3.3				2.6
07		295			4.8				2.7
08		260			6.0	270	3.8	2.0	2.0
09		290			6.6	240	4.2	2.8	2.9
10		300			7.0	230	4.4	3.1	2.7
11		290			6.1	230	4.4	3.1	2.6
12		310			6.2	220	4.6	3.4	2.7
13		310			9.3	230	4.9	3.5	2.7
14		290			9.6	230	4.6	3.4	2.7
15		265			9.6	230	4.7	3.2	2.7
16		260			10.4	240	4.4	3.1	2.8
17		250			10.0	250	4.1	3.0	2.8
18		240			10.2				2.9
19		240			8.8				2.9
20		230			7.4				2.9
21		240			6.0				2.8
22		250			4.9				2.8
23		270			4.2				2.8

Time:  $120.0^{\circ}\text{W}$ .

Sweep: Manual operation.

Table 21\*

Slough, England ( $51.5^{\circ}\text{N}$ ,  $0.6^{\circ}\text{W}$ )

March 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	319	6.1				1.3	2.3	
01	327	5.8				1.4	2.3	
02	332	5.3				1.6	2.3	
03	329	5.2				1.2	2.3	
04	316	4.6				1.0	2.4	
05	302	4.0				1.2	2.5	
06	295	5.2			180	1.4		
07	257	7.1	263	4.3	125	1.5		
08	278	9.7	246	4.6	125	2.2		
09	278	9.7	239	4.7	116	3.1		
10	288	10.4	245	5.2	121	3.3		
11	271	11.8	244	5.2	116	3.5		
12	271	12.2	242	5.1	120	3.6		
13	278	12.0	244	5.2	119	3.4		
14	272	11.5	240	5.1	116	3.3		
15	263	11.6	240	5.1	118	2.9		
16	246	11.1			129	2.4		
17	255	11.2			135	1.8		
18	250	10.7						
19	249	9.6						
20	261	8.2						
21	275	7.1						
22	297	6.9						
23	308	6.5						

Time: Local.

Sweep: 0.5 Mc to 16.0 Mc in 4 minutes.

\*Average values except  $\text{f}^{\circ}\text{F2}$  and  $\text{f}^{\circ}\text{Es}$ , which are median values.Portage la Prairie, Manitoba ( $49.9^{\circ}\text{N}$ ,  $98.3^{\circ}\text{W}$ )

March 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	260	5.2						2.5
01	300	5.8						2.6
02	310	4.6						2.6
03	320	4.4						2.4
04	300	4.0						2.6
05	300	3.8						2.6
06	295	3.8						2.7
07	250	5.0						3.0
08	250	6.7						3.1
09	230	7.8						3.1
10	230	9.1	210		3.7	105	3.1	3.0
11	240	9.6	220		3.9	100	3.2	3.0
12	230	10.4	200		4.2	100	3.4	2.9
13	230	11.2	200		3.8	110	3.4	2.9
14	230	10.6				110	3.4	2.9
15	235	10.4	235		4.4	110	3.2	2.8
16	230	10.6				110	3.0	2.9
17	240	10.8				110	2.6	3.0
18	240	10.4				125	1.9	3.0
19	230	10.0						3.0
20	230	8.4						(3.0)
21	230	7.4						3.0
22	250	6.2						2.9
23	250	5.6						2.8

Time:  $90.0^{\circ}\text{W}$ .Sweep: 1.0 Mc to 16.0 Mc in  $2\frac{1}{2}$  minutes.

Table 23

St. John's, Newfoundland ( $47.6^{\circ}\text{N}$ ,  $52.7^{\circ}\text{W}$ )

March 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	260	4.5						2.6
01	270	4.2				1.9	2.7	
02	270	3.6				1.7	2.6	
03	270	3.6				1.6	2.6	
04	260	3.9						
05	255	4.3						
06	245	5.2			100	1.6	2.9	
07	220	6.6			100	2.2	3.2	
08	210	7.4	230	3.6	100	2.6	3.3	
09	210	8.8	200	4.9	100	3.1	3.2	
10	220	9.0	200	5.0	100	3.3	3.2	
11	220	9.3	230	5.4	100	3.5	3.0	
12	240	10.3	200	5.4	100	3.4	3.0	
13	220	10.5	210	5.5	100	3.6	3.0	
14	225	11.0	200	5.2	100	3.5	3.1	
15	210	10.9	210	5.0	100	3.4	3.0	
16	210	10.8	210	4.6	100	3.0	3.1	
17	210	10.7	210	4.3	100	2.6	3.1	
18	220	10.5			100	1.9	3.2	
19	210	9.4					3.1	
20	210	8.0				1.5	2.9	
21	225	6.9					2.8	
22	245	5.7					2.8	
23	260	4.9					2.7	

Time:  $52.5^{\circ}\text{W}$ .

Sweep: 1.2 Mc to 20.0 Mc. Manual operation.

Table 24

Wakkanai, Japan ( $45.4^{\circ}\text{N}$ ,  $141.7^{\circ}\text{E}$ )

March 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	260	6.6						
01	290	7.0						
02	230	6.5						
03	230	6.1						
04	230	6.0						
05	285	6.0						
06	260	7.0						
07								
08								
09	235	11.6						(4.0)
10	240	12.6						4.0
11	250	13.3	230					
12	(235)	(13.0)	220					
13	230	12.3	220					
14	240	12.0	220					
15	230	11.7						
16	235	11.0						
17	220	10.6						
18	230	9.8						
19	220	8.8						
20	240	7.9						
21	245	7.7						
22	250	7.5						
23	265	7.2						

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 17.0 Mc. Manual operation.

Table 25

Peiping, China ( $39.9^{\circ}\text{N}$ ,  $116.4^{\circ}\text{E}$ )

March 1947

Time	$\text{h}^1\text{F}_2$	$\text{F}_0\text{F}_2$	$\text{h}^1\text{F}_1$	$\text{F}_0\text{F}_1$	$\text{h}^1\text{E}$	$\text{F}_0\text{E}$	$\text{f}_{\text{ES}}$	$\text{F}_2\text{-M3000}$
00		6.4				3.2		
01		5.6				3.4		
02		5.4				3.5		
03		5.5				3.2		
04		5.6				3.4		
05		5.9				3.4		
06		6.0				3.6		
07		9.2				3.4		
08		10.9				3.6		
09		(11.0)				(3.8)		
10		11.0				3.6		
11		11.1				3.6		
12		11.3				3.8		
13		11.4				3.6		
14		11.4				3.9		
15		11.6				3.6		
16		11.2				3.5		
17		11.2				3.6		
18		10.4				3.4		
19								
20		9.8				3.3		
21		9.0				3.4		
22		(8.9)				(3.4)		
23		8.1				3.0		

Time:  $120.0^{\circ}\text{E}$ .

Sweep: Manual operation.

Table 26

Shibata, Japan ( $37.9^{\circ}\text{N}$ ,  $139.3^{\circ}\text{E}$ )

March 1947

Time	$\text{h}^1\text{F}_2$	$\text{F}_0\text{F}_2$	$\text{h}^1\text{F}_1$	$\text{F}_0\text{F}_1$	$\text{h}^1\text{E}$	$\text{F}_0\text{E}$	$\text{f}_{\text{ES}}$	$\text{F}_2\text{-M3000}$
00		270			7.5			2.8
01		280			6.8			2.8
02		270			6.8			2.8
03		260			6.4			2.8
04		260			6.0			2.7
05		290			6.1			2.7
06		260			7.6			2.9
07		220			10.9			3.1
08		230			12.9	205		3.1
09		220			13.7	210		3.1
10		220			13.9	220		3.0
11		230			14.4	215		3.0
12		230			14.6	220		2.9
13		220			14.4	205		2.9
14		230			13.8	220		2.9
15		220			13.3	215		2.9
16		230			13.1	220		2.9
17		225			12.8			3.0
18		220			11.9			3.0
19		215			10.2			2.9
20		235			8.7			2.8
21		240			8.2			2.9
22		265			8.1			2.8
23		270			7.7			2.8

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 15.0 Mc in 15 minutes. Manual operation.

Table 27

Lanchow, China ( $36.1^{\circ}\text{W}$ ,  $103.5^{\circ}\text{E}$ )

March 1947

Time	$\text{h}^1\text{F}_2$	$\text{F}_0\text{F}_2$	$\text{h}^1\text{F}_1$	$\text{F}_0\text{F}_1$	$\text{h}^1\text{E}$	$\text{F}_0\text{E}$	$\text{f}_{\text{ES}}$	$\text{F}_2\text{-M3000}$
00	320	7.8				2.6		
01	330	7.0				2.5		
02	340	7.2				2.5		
03	320	6.7				2.5		
04	320	6.4				2.6		
05	330	6.0				2.5		
06	330	6.5				2.5		
07	285	9.4				2.7		
08	280	13.0			135			
09	300	13.5	260		130	3.0	3.7	2.7
10	300	14.5	250		120	4.0	2.7	2.6
11	300	14.5	260		120	4.2	2.6	2.6
12	300	14.5	260		120	4.3	2.6	2.6
13	300	14.5	260	6.4	120			
14	300	14.0	260	(6.8)	120			
15	320	13.5	265	7.0	120			
16	320	13.5	260	6.5	120			
17	320	14.0	260	(6.3)	120	(3.4)		
18	300	13.5	265	125	3.0			
19	300	12.5	260	120				
20	300	11.0				2.8		
21	300	10.0				2.7		
22	300	9.9				2.6		
23	320	9.2				2.6		

Time:  $105.0^{\circ}\text{E}$ .

Sweep: 2.4 Mc to 14.5 Mc (2.3 Mc to 14.5 Mc in E-layers) in 15 minutes. Manual operation.

Table 28

Tokyo, Japan ( $35.7^{\circ}\text{N}$ ,  $139.5^{\circ}\text{E}$ )

March 1947

Time	$\text{h}^1\text{F}_2$	$\text{F}_0\text{F}_2$	$\text{h}^1\text{F}_1$	$\text{F}_0\text{F}_1$	$\text{h}^1\text{E}$	$\text{F}_0\text{E}$	$\text{f}_{\text{ES}}$	$\text{F}_2\text{-M3000}$
00		260			7.9			2.8
01		250			7.5			2.8
02		260			7.1			2.8
03		250			6.7			2.8
04		250			6.2			2.6
05		280			6.2			2.6
06		250			7.9			2.9
07		220			10.5			3.2
08		220			12.5			3.1
09		220			13.1	220		3.1
10		230			13.7	210		3.0
11		230			14.2	220		2.9
12		230			14.2	220		2.9
13		230			14.3	210		2.8
14		235			13.5	220	5.5	2.8
15		230			13.4	220		2.8
16		230			13.0	220		2.8
17		230			12.8			2.9
18		230			11.7			2.9
19		220			10.0			2.9
20		230			8.9			2.9
21		240			8.7			2.8
22		250			8.4			2.8
23		260			8.2			2.7

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 15.0 Mc in 15 minutes. Manual operation.

Table 29

Yamakawa, Japan ( $32.2^{\circ}\text{N}$ ,  $130.6^{\circ}\text{E}$ )

March 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00	270	9.2					2.6	
01	280	8.4					2.8	
02	270	7.9					2.8	
03	260	7.4					2.8	
04	260	6.4					2.7	
05	290	5.8					2.6	
06	280	6.7					2.7	
07	240	9.9					3.1	
08	240	12.1					1.0	
09	230	13.1	230		100	2.2	2.5	
10	240	13.8	230	4.3	100	3.2	3.1	
11	250	14.2	230	4.6	100	3.7	4.8	
12	250	14.5	220	4.9	100	3.8	4.6	2.9
13	250	14.7	220	5.3	100	3.7	4.6	2.8
14	250	14.3	240	5.2	100	3.6	4.4	2.8
15	245	13.9	230	4.8	100	3.4	4.3	2.8
16	250	13.8	240	4.5	110	3.3	4.1	2.7
17	250	13.8	250		110	2.8	3.5	2.8
18	255	13.3	250		110	2.1	2.7	2.9
19	235	12.0					2.4	2.9
20	250	11.2					2.2	2.8
21	265	10.6					2.7	
22	260	10.1					2.4	2.8
23	270	9.5					2.8	

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 0.6 Mc to 18.5 Mc in 15 minutes. Manual operation.

Table 31

Chungking, China ( $29.4^{\circ}\text{N}$ ,  $106.8^{\circ}\text{E}$ )

March 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00	270	10.4					3.0	2.6
01	260	9.4					2.8	2.7
02	250	8.5					3.0	2.6
03	260	7.6					3.2	2.7
04	280	6.6					3.0	2.6
05	280	5.7					3.2	2.5
06	280	6.8					4.0	2.7
07	240	10.4	240		100	2.5	4.6	2.9
08	240	12.5	230		90	3.2	5.0	2.9
09	255	13.6	220		90	3.5	5.8	2.8
10	260	15.0	220		95	3.7	6.8	2.8
11	290	15.5	220	6.8	100	3.8	5.0	2.6
12	300	15.9	220	7.4	100	3.9	5.5	2.6
13	325	16.2	220	7.0	110	4.0	4.8	2.5
14	320	16.5	230	7.0	120	3.9	4.8	2.5
15	320	16.3	220	6.6	100	3.6	4.3	2.5
16	300	16.0	240		90	3.2	4.0	2.5
17	270	16.3	210		90	2.8	3.7	2.6
18	260	15.9					3.6	2.6
19	270	15.1					3.2	2.6
20	250	15.3					2.2	2.5
21	260	15.2					2.6	2.5
22	260	12.4					2.8	2.6
23	280	10.8					3.0	2.6

Time:  $105.0^{\circ}\text{E}$ .

Sweep: 1.7 Mc to 20.0 Mc in 15 minutes. Manual operation.

Table 30

Wuchang, China ( $30.6^{\circ}\text{N}$ ,  $114.4^{\circ}\text{E}$ )

March 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00	260	9.4						2.8
01	260	9.0						2.9
02	250	8.4						2.9
03	250	7.7						2.9
04	250	6.7						2.5
05	250	6.3						2.7
06	260	6.0						2.6
07	250	9.0						3.0
08	240	12.0						3.1
09	240	13.5	240					3.0
10	240	14.1	230					2.9
11	250	14.8	230					2.9
12	260	15.5	230					2.8
13	270	15.5	230					2.8
14	260	15.0	230					2.8
15	270	15.0	235					2.7
16	260	14.8	240					2.8
17	250	14.5	240					2.8
18	250	14.5						2.8
19	250	14.0						2.9
20	250	13.5						2.9
21	240	11.8						2.9
22	250	11.5						2.9
23	260	10.0						2.8

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 1.2 Mc to 19.2 Mc. Manual operation.

Table 32

Okinawa I. ( $26.3^{\circ}\text{N}$ ,  $127.5^{\circ}\text{E}$ )

March 1947

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	F2-M3000
00		13.5						2.8
01		11.9						3.0
02		11.1						3.0
03		8.8						2.9
04		7.6						2.7
05		6.7						2.7
06		6.1						2.6
07		9.0						2.9
08		12.0						3.0
09		13.5						2.9
10		14.4						2.6
11		15.0						2.8
12		16.0						2.8
13		16.0						2.7
14		16.4						2.7
15		16.2						2.7
16		16.0						2.7
17		15.6						2.7
18		15.4						2.8
19		16.4						2.8
20		17.5						(2.7)
21		15.8						2.8
22		15.4						2.8
23		14.1						2.8

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.6 Mc to 20.0 Mc. Manual operation.

Momi, Hawaii ( $20.8^{\circ}\text{N}$ ,  $156.5^{\circ}\text{W}$ )

Table 33

March 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{S}$	$\text{F2-M3000}$
00	245	9.5				3.2	2.9	
01								
02								
03								
04								
05								
06	325	5.5				2.7	2.7	
07	250	8.0				3.3	2.9	
08	250	11.0	240	3.7	3.0	3.4	3.0	
09	250	12.5	230	4.2	3.4	3.6	2.9	
10	240	12.5	230	4.6	3.7	4.0	2.9	
11	240	14.5	222	5.0	4.1	3.8	2.8	
12	240	14.5	220	5.0	3.7	4.0	2.7	
13	240	15.5	225	5.0	4.0	3.5	2.7	
14	240	15.0	205	6.0	4.0	3.6	2.7	
15	250	15.5	222	6.8	3.8	4.4	2.8	
16	250	15.5	225	4.6	3.5	4.4	2.8	
17	242	14.5	240	3.9	3.1	4.0	2.8	
18	250	14.5	252	3.4	2.7	4.2	2.8	
19	240	13.7				4.0	2.9	
20	248	13.2				4.0	2.9	
21	250	13.0				3.6	2.9	
22	250	12.0				3.3	2.9	
23	240	10.6				3.2	3.0	

Time:  $150.0^{\circ}\text{W}$ .

Sweep: 1.2 Mc to 15.5 Mc in 15 minutes. Manual operation.

Johannesburg, Union of South Africa ( $26.2^{\circ}\text{S}$ ,  $28.0^{\circ}\text{E}$ )

March 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{S}$	$\text{F2-M3000}$
00	260	6.4						2.9
01	265	5.8						2.5
02	260	5.5						2.9
03	260	4.9						2.6
04	270	4.5						2.8
05	280	4.2						2.6
06	270	5.0						2.9
07	230	5.7						3.2
08	230	10.9	220					3.2
09	250	11.8	220					3.0
10	270	12.0	210					2.9
11	290	12.3	210					2.5
12	300	13.0	220					2.8
13	330	13.0	210					2.7
14	320	13.0	220	6.6				2.7
15	320	13.0	230	6.2				2.7
16	300	12.5	230					2.9
17	260	(12.5)	240					3.5
18	240	12.3						2.9
19	230	11.2						2.3
20	230	9.9						2.9
21	240	9.0						2.9
22	250	8.3						2.4
23	250	7.1						2.5

Time:  $30.0^{\circ}\text{E}$ .

Sweep: 2.0 Mc to 15.0 Mc in 8 seconds.

Table 35

Kermadec Is. ( $29.3^{\circ}\text{S}$ ,  $177.9^{\circ}\text{W}$ )

March 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{S}$	$\text{F2-M3000}$
00								
01								
02								
03								
04								
05	285	8.8	290	5.5	2.2		2.8	
07	280	10.8	270	5.7	130	2.5	2.9	
08	300	12.1	270	5.8	135	3.2	2.9	
09	300	12.7	250	5.9	130	3.5	2.8	
10	310	12.9	270	6.2	140	4.0	4.4	2.7
11	325	13.1	270	6.2	130	4.2		2.7
12	325	13.7	265	6.4	135	4.1	4.5	2.6
13	325	13.1	270	6.0	130	4.1	4.4	2.6
14	330	12.8	275	6.1	130	4.0		2.6
15	320	12.8	270	5.9	125	3.6		2.6
16	320	12.2	275	5.8	130	3.2	3.7	2.6
17	300	11.8	280	5.5	140	2.9	3.2	2.6
18	280	11.4	285	5.7	130	2.3	2.7	2.6
19	280	10.2						2.6
20								
21								
22								
23								

Time:  $150.0^{\circ}\text{E}$ .

Sweep: Manual operation.

Table 36\*

Campbell I. ( $52.5^{\circ}\text{S}$ ,  $169.2^{\circ}\text{E}$ )

March 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{S}$	$\text{F2-M3000}$
00								
01								
02								
03								
04								
05	300	6.6						2.9
07	250	7.4	250	4.8				2.9
08	300	7.8	250	5.3				2.9
09	300	7.8	250	5.1				2.8
10	300	8.2	250	5.1				2.8
11	320	8.6	250	5.4				2.7
12	330	8.8	250	5.6				2.7
13	300	8.9	240	5.6				2.7
14	330	9.2	240	6.0				2.6
15	340	9.4	250	5.5				2.7
16	300	8.6	250	5.0				2.7
17	300	9.1	260	5.0				2.6
18	270	9.3						2.7
19	270	9.4						2.6
20								
21	260	7.9						
22								
23	340							2.6

Time:  $165.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 15.0 Mc. Manual operation.

\*Observations taken on a 16-hour working schedule.

Table 37\*

Slough, England ( $51.5^{\circ}\text{N}$ ,  $0.6^{\circ}\text{W}$ )

February 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fES}$	$\text{F2-M3000}$
00	287	4.9				2.4		2.5
01	296	4.7				2.5		2.5
02	303	4.6				2.5		2.4
03	299	4.4				2.4		2.4
04	286	4.0				1.2		2.5
05	273	3.8				2.5		2.6
06	261	3.6						2.6
07	259	3.6	210**	4.0**	144	(1.7)	2.4	2.8
08	236	8.9	275**	3.3**	128	(2.2)		3.1
09	235	10.9	245**	4.2**	119	(2.8)		3.0
10	235	12.5	232	4.3	118	3.1		3.0
11	238	13.0	235	4.4	117	3.3		2.9
12	239	13.2	225	4.4	117	3.4		2.9
13	236	12.9	233	4.4	116	3.3		2.9
14	236	12.7	225	4.2	119	3.2		2.9
15	236	12.2			119	2.9		2.9
16	233	11.9			125	2.5		2.9
17	231	11.1			133	2.0	2.0	2.9
18	229	9.7				2.5		2.9
19	229	8.1				1.8		2.8
20	245	7.0						2.7
21	268	6.2						2.6
22	282	5.6						2.5
23	287	5.4				2.4		2.5

Time: Local.

Sweep: 0.5 Mc to 16.0 Mc in 4 minutes.

\*Average values except  $\text{f}^{\circ}\text{F}_2$  and  $\text{fES}$ , which are median values.

\*\*Less than 3 observations.

Table 38

Lanchow, China ( $36.1^{\circ}\text{N}$ ,  $103.8^{\circ}\text{E}$ )

February 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fES}$	$\text{F2-M3000}$
00	330	5.6						2.5
01	320	5.2						2.6
02	330	5.2						2.5
03	320	5.1						2.6
04	310	5.4						2.7
05	320	4.5						2.6
06	325	4.2						2.6
07	280	6.8						2.7
08	240	11.0					150	2.7
09	255	11.9				240	4.6	130
10	240	12.7				210	5.2	120
11	270	14.0				240	5.0	120
12	280	14.0				240	5.2	120
13	280	13.3				240	5.5	120
14	280	13.0				240		120
15	280	12.6				240	5.8	130
16	280	12.5				240	5.0	140
17	260	11.0				240		160
18	260	10.5						
19	270	9.6						
20	275	9.0						
21	260	7.4						
22	300	6.5						
23	320	6.1						

Time:  $105.0^{\circ}\text{E}$ .

Sweep: 2.3 Mc to 14.0 Mc in 15 minutes. Manual operation.

Table 39

Brisbane, Australia ( $27.5^{\circ}\text{S}$ ,  $153.0^{\circ}\text{E}$ )

February 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fES}$	$\text{F2-M3000}$
00	300	8.9						2.6
01	290	8.4						2.6
02	280	7.9						2.6
03	300	7.3						2.6
04	300	7.0						2.6
05	300	7.0						2.6
06	250	8.0						2.9
07	240	9.3						2.9
08	250	10.3	230	5.6	115	2.8		2.9
09	300	10.5	220	5.6	100	3.8	3.8	2.8
10	330	11.2	220	5.8	100	4.0	4.0	2.7
11	340	11.5	210	6.3	100	4.1	4.6	2.7
12	350	11.4	220	6.3	100	4.2	3.8	2.6
13	350	11.5	220	6.4	100	4.2		2.7
14	360	11.2	230	6.4	100	4.1	4.5	2.7
15	345	10.9	230	6.3	100	3.8	3.3	2.6
16	340	10.3	230	6.3	110	3.5		2.6
17	250	10.0			110	3.0		2.7
18	270	9.3						2.6
19	300	9.0						2.5
20	310	9.3						2.5
21	310	9.4						2.6
22	300	9.1						2.6

Time:  $150.0^{\circ}\text{E}$ .

Sweep: 2.2 Mc to 12.5 Mc in 2 minutes 30 seconds.

Table 40

Kermadec Is. ( $29.3^{\circ}\text{S}$ ,  $177.9^{\circ}\text{W}$ )

February 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fES}$	$\text{F2-M3000}$
00								
01								
02								
03								
04								
05								
06	290	9.8	285	4.5			2.4	2.8
07	290	10.9	270	5.1	140	3.0		2.8
08	290	11.4	265	5.7	135	3.5		2.8
09	300	12.0	260	5.8	130	3.0		2.7
10	320	12.2	260	6.0	130			2.6
11	340	12.4	265	6.1	125			2.6
12	350	12.7	265	6.2	135			2.6
13	370	12.4	250	6.3	130			2.6
14	370	11.8	265	5.9	140			2.6
15	370	11.5	270	6.0	125		3.9	2.5
16	330	11.2	275	5.4	130	3.5		2.6
17	325	10.8	280	5.5	130	3.1		2.6
18	300	10.8	280	4.6	140	2.5		2.6
19	300	10.4						
20								
21								
22								
23								

Time:  $180.0^{\circ}\text{E}$ .

Sweep: Manual operation.

Table 41

Canberra, Australia ( $35.3^{\circ}\text{S}$ ,  $149.0^{\circ}\text{E}$ )

February 1947

Time	$f^{\text{P}2}$	$f^{\text{P}2}$	$f^{\text{P}1}$	$f^{\text{P}1}$	$f^{\text{E}}$	$f^{\text{E}}$	$f^{\text{M}}$	$f^{\text{M}}$	F2-M3000
00	300	7.7				3.2	2.7		
01	300	7.5				2.8	2.7		
02	280	7.2				2.7	2.7		
03	280	6.7				2.5	2.6		
04	295	6.2				2.6	2.6		
05	295	6.0				2.6	2.6		
06	250	6.8				2.7	2.7		
07	250	7.7				2.1	2.9		
08	250	8.8	235	4.8	110	2.8	3.5	2.9	
09	300	9.2	235	5.2	110	3.3	5.5	2.9	
10	310	10.0	220	5.4	110	3.5	6.2	2.8	
11	350	10.4	220	5.8	110	3.6	6.4	2.7	
12	345	10.4	240	6.0	110	3.8	4.0	2.7	
13	375	10.5	240	6.2	110	3.8	4.9	2.7	
14	350	10.4	250	6.1	100	3.6	4.0	2.7	
15	360	10.0	250	6.8	105	3.7	3.7	2.7	
16	330	9.3	245	5.6	105	3.5	3.7	2.7	
17	250	9.2		5.2	105	3.0	3.7	2.7	
18	250	8.9			110	2.6	3.3	2.7	
19	260	8.8				2.2	2.8		
20	260	8.2				2.7	2.7		
21	290	7.8				2.3	2.6		
22	300	7.9				2.8	2.8		
23	300	8.0				2.8	2.6		

Time:  $150.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 42

Christchurch, New Zealand ( $43.5^{\circ}\text{S}$ ,  $172.7^{\circ}\text{E}$ )

February 1947

Time	$f^{\text{P}2}$	$f^{\text{P}2}$	$f^{\text{P}1}$	$f^{\text{P}1}$	$f^{\text{E}}$	$f^{\text{E}}$	$f^{\text{M}}$	$f^{\text{M}}$	F2-M3000
00	280	7.6							2.5
01	280	7.0							2.5
02	280	6.9							2.6
03	270	6.4							2.6
04	270	6.1							2.6
05	260	5.9							2.6
06	240	6.4							2.9
07	230	7.8							2.9
08	230	8.4	230	5.0					2.9
09	255	9.0	220	5.5					2.8
10	290	9.2	210	5.5					2.8
11	320	9.5	210	6.0					2.8
12	320	9.6	200	6.0					2.8
13	330	9.5	220	6.0					2.6
14	350	9.6	220	6.1					2.7
15	345	9.4	220	6.2					2.7
16	300	9.2	250	5.9					2.7
17	240	9.2	240	5.5					2.7
18	250	9.3							2.7
19	255	9.3							2.7
20	250	9.2							2.5
21	270	8.9							2.6
22	270	8.3							2.6
23	270	8.1							2.5

Time:  $172.5^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 13.0 Mc.

Table 43

Campbell I. ( $52.5^{\circ}\text{S}$ ,  $169.2^{\circ}\text{E}$ )

February 1947

Time	$f^{\text{P}2}$	$f^{\text{P}2}$	$f^{\text{P}1}$	$f^{\text{P}1}$	$f^{\text{E}}$	$f^{\text{E}}$	$f^{\text{M}}$	$f^{\text{M}}$	F2-M3000
00									
01									
02									
03									
04									
05	6.0				2.8				
06									
07	7.4				2.3				
08	7.7				2.6				
09	5.0				2.6				
10	5.3				2.7				
11	5.2				2.7				
12	5.5				2.6				
13	5.5				2.6				
14	5.6				2.6				
15	5.5				2.6				
16	5.5				2.6				
17	5.8				2.6				
18	5.7				2.7				
19	5.9				2.7				
20									
21	8.3				2.6				
22									
23	7.1								

Time:  $165.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 15.0 Mc. Manual operation.

Observations taken on a 16-hour working schedule.

Table 44

Slough, England ( $51.5^{\circ}\text{N}$ ,  $0.6^{\circ}\text{W}$ )

January 1947

Time	$f^{\text{P}2}$	$f^{\text{P}2}$	$f^{\text{P}1}$	$f^{\text{P}1}$	$f^{\text{E}}$	$f^{\text{E}}$	$f^{\text{M}}$	$f^{\text{M}}$	F2-M3000
00	293	3.4							2.5
01	301	3.3							2.5
02	310	3.3							2.5
03	300	3.0							2.5
04	275	3.0							2.6
05	272	2.9							2.6
06	275	2.7							2.7
07	261	3.5							2.6
08	238	6.9							3.1
09	233	9.6							3.2
10	235	11.2							3.1
11	235	11.8							3.1
12	234	11.4							3.1
13	239	11.1							3.0
14	237	10.9							3.0
15	229	10.5							3.0
16	228	9.8							3.1
17	225	8.8							3.0
18	229	6.9							3.0
19	239	5.6							3.0
20	259	4.6							2.8
21	285	4.1							2.6
22	294	3.8							2.5
23	301	3.6							2.5

Time: Local.

Sweep: 0.5 Mc to 16 Mc in 4 minutes.

Average values except  $f^{\text{P}2}$  and  $f^{\text{E}}$ , which are median values.

Less than 3 observations.

Table 45

Peshawar, India ( $34.0^{\circ}\text{N}$ ,  $71.5^{\circ}\text{E}$ )

January 1947

Time	*	**						F2-M3000	**
		F0F2	H'F1	F0F1	H'W	F0E	H'E		
00									
01									
02									
03									
04									
05									
06									
07	270	6.4							
08	300	8.2							
09	300	9.7							
10	330	11.0							
11	330	11.6							
12	330	11.3							
13	360	11.3							
14	360	11.2							
15	330	11.8							
16	330	11.0							
17	330	10.1							
18	330	8.6							
19	330	6.5							
20	330	5.7							
21	360	4.5							
22	360	4.0							
2230	360	3.8	(2300)	2.9					

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

\*Height at 0.83 f<sup>0.72</sup>.

\*\*Both normal and abnormal values of H.

\*\*\*M3000, average values; other columns, median values.

Table 46

Delhi, India ( $28.6^{\circ}\text{N}$ ,  $77.1^{\circ}\text{E}$ )

January 1947

Time	*	**						F2-M3000	**
		F0F2	H'F1	F0F1	H'W	F0E	H'E		
00									
01	390	4.4							
02	390	4.0							
03	390	4.0							
04	360	3.5							
05	360	3.5							
06	360	3.4							
07	330	7.0							
08	360	9.5							
09	360	10.5							
10	360	12.0							
11	360	13.0							
12	390	(13.2)							
13	390	(13.5)							
14	390	(13.6)							
15	390	(13.7)							
16	360	(13.5)							
17	360	12.1							
18	360	11.0							
19									
20	360	8.9							
21	360	7.4							
22	390	5.5							
23	390	4.8							

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

\*Height at 0.83 f<sup>0.72</sup>.

\*\*M3000, average values; other columns, median values.

Table 47

Bombay, India ( $19.0^{\circ}\text{N}$ ,  $73.0^{\circ}\text{E}$ )

January 1947

\*\*

Time	*	**						F2-M3000	**
		F0F2	H'F1	F0F1	H'W	F0E	H'E		
00									
01	390	10.9							
02	360	7.5							
03									
04									
05									
06									
07	360	7.8							
08	360	11.1							
09	390	13.1							
10	390	14.1							
11	420	(14.5)							
12		(14.9)							
13		(15.0)							
14		(15.1)							
15		(15.0)							
16	435	(14.9)							
17	405	(14.8)							
18	420	(14.6)							
19	420	(14.6)							
20	390	(14.1)							
21	390	13.9							
22	390	12.8							
23									

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

\*Height at 0.83 f<sup>0.72</sup>.

\*\*M3000, average values; other columns, median values.

Table 48

Madras, India ( $13.0^{\circ}\text{N}$ ,  $80.2^{\circ}\text{E}$ )

January 1947

Time	*	**						F2-M3000	**
		F0F2	H'F1	F0F1	H'W	F0E	H'E		
00									
01									
02									
03									
04									
05									
06									
07	420	5.6							
08	480	10.5							
09	495	11.4							
10	540	11.6							
11	600	11.4							
12	600	11.4							
13	600	11.6							
14	650	11.6							
15	645	11.8							
16	660	11.9							
17	645	11.9							
18	660	12.1							
19	630	11.2							
20	540	11.0							
21	570	11.0							
22	540	11.2							
23									

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

\*Height at 0.83 f<sup>0.72</sup>.

Table 49

Brisbane, Australia ( $27.5^{\circ}$ S,  $153.0^{\circ}$ E)

January 1947

Time	h'P2	f'P2	h'P1	f'P1	h'E	f'OE	f'Es	F2-M3000
00	280	9.5				2.7		2.7
01	275	8.4						2.6
02	300	7.9						2.6
03	300	7.6						2.6
04	300	7.0						2.6
05	280	6.9						2.7
06	260	7.6						2.9
07	250	8.3	230	4.6	115	3.0	5.2	2.8
08	320	9.3	220	5.2	110	3.5	5.4	2.7
09	360	9.4	220	5.7	100	3.8	5.2	2.6
10	370	9.8	210	6.0	100	4.0	5.5	2.6
11	390	10.3	210	6.0	100	4.1	5.1	2.6
12	390	10.8	210	6.0	100	4.2	5.2	2.6
13	360	10.5	210	6.0	100	4.1	5.5	2.6
14	370	10.5	210	6.0	105	4.0	5.2	2.6
15	370	10.0	220	5.7	100	3.8	5.2	2.6
16	370	9.3	210	5.6	110	3.5	5.5	2.6
17	325	9.0	240		110	3.0	5.1	2.6
18	270	5.8				4.1		2.5
19	290	8.8				3.3		2.6
20	310	9.0				3.8		2.5
21	300	9.2				2.7		2.6
22	305	9.3				3.2		2.6
23	300	9.3				3.2		2.7

Time:  $150.0^{\circ}$ E.

Sweep: 2.2 Mc to 12.5 Mc in 2 minutes 30 seconds.

Table 50

Kernades Is. ( $29.3^{\circ}$ S,  $177.9^{\circ}$ W)

January 1947

Time	h'P2	f'P2	h'P1	f'P1	h'E	f'OE	f'Es	F2-M3000
00								
01								
02								
03								
04								
05								
06	300	9.6			275	4.2	130	2.5
07	300	10.3			270	4.8	130	3.0
08	325	10.8			270	5.3	130	3.6
09	350	11.5			275	5.9	125	3.8
10	340	11			250	5.8	125	4.3
11	350	12.2			260	6.0	130	3
12	390	12.2			260	6.0	130	4.2
13	375	12.2			260	6.0	130	2.5
14	375	10.9			270	5.8	130	4.2
15	370	10.3			270	5.7	125	4.0
16	365	9.6			270	5.5	125	3.7
17	330	9.2			265	5.1	130	3.1
18	325	9.2			275	4.3	130	2.5
19	325	9.6			335	4.7		2.5
20								
21								
22								
23								

Time:  $150.0^{\circ}$ E.

Sweep: Manual operation.

Table 51

Canberra, Australia ( $35.3^{\circ}$ S,  $149.0^{\circ}$ E)

January 1947

Time	h'P2	f'P2	h'P1	f'P1	h'E	f'OE	f'Es	F2-M3000
00	260	8.0				3.7	2.8	
01	250	7.5				3.1	2.8	
02	260	7.0				3.0	2.7	
03	260	6.5				2.9	2.6	
04	260	6.0				2.6	2.6	
05	265	6.0				2.3	2.5	
06	250	6.0				3.0		
07	230	7.0	212	4.5	100	2.3	3.3	
08	300	7.5	202	4.7	100	3.0	4.4	
09	400	8.3	200	5.5	100	3.8	6.4	
10	375	8.1	200	5.6	100	3.9	5.6	
11	385	8.8	200	5.8	100	4.0	5.5	
12	400	9.1	200	5.9	100	4.0	5.0	
13	390	9.0	200	6.0	100	4.0	6.5	
14	390	9.0	230	5.8	100	4.0	6.4	
15	380	8.5	200	5.6	100	3.9	4.0	
16	350	8.4	202	5.5	100	3.5	5.0	
17	225	8.0	215	4.8	100	3.3	4.0	
18	240	8.0			100	2.7	3.5	(2.8)
19	255	7.5				3.5	2.8	
20	270	7.8				3.6	2.6	
21	295	8.0				3.2	(2.6)	
22	300	8.0				3.8	(2.8)	
23	272	8.0				3.6	(2.8)	

Time:  $150.0^{\circ}$ E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 52\*

Campbell I. ( $52.5^{\circ}$ S,  $169.2^{\circ}$ E)

January 1947

Time	h'P2	f'P2	h'P1	f'P1	h'E	f'OE	f'Es	F2-M3000
00								
01								
02								
03								
04								
05								
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								

Time:  $155.0^{\circ}$ E.

Sweep: 1.0 Mc to 15.0 Mc. Manual operation.

\*Observations taken on a 16-hour working schedule.

Table 53

Peshawar, India ( $34.0^{\circ}\text{N}$ ,  $71.5^{\circ}\text{E}$ )

December 1946

Time	*	F0F2	H'F2	F0FA	H'F2	F0E	F2E	F2-M3000
00								
01								
02								
03								
04								
05								
06								
07								
08	300	9.3				3.0		
09	300	10.5				3.1		
10	300	11.0				3.2		
11	330	11.4				3.4		
12	360	11.9				3.4		
13	360	11.7				3.3		
14	360	11.6				3.3		
15	330	11.0				3.3		
16	330	10.8				3.3		
17	300	9.2				3.1		
18	300	8.0				2.8		
19	300	6.5				2.8		
20	300	5.6				2.7		
21	330	4.4						
22	330	3.7						
2230	360	3.4						

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

\*Height at 0.83 f°T2.

<sup>\*\*</sup>Includes both normal and abnormal values of f°E.

\*\*\*\$3000, average values; other columns, median values.

Table 55

Bombay, India ( $19.0^{\circ}\text{N}$ ,  $73.0^{\circ}\text{E}$ )

December 1946

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

Height at 0.83 ft P2.

"3000, average values; other columns, median values.

Table 54

Delhi, India ( $28.6^{\circ}\text{N}$ ,  $77.1^{\circ}\text{E}$ )

December 1946

Time	*	FOP2	h'F1	FOP1	h'E	FOP	FEs	F2-M3000
00	360	4.7						3.0
01	360	4.5						
02	360	4.2						
03	(330)	(3.9)						
04	345	3.8						
05	360	3.7						3.1
06	360	4.2						
07	330	7.4						
08	300	10.6						
09	330	11.6						3.2
10	360	12.1						
11	360	12.0						
12	360	(12.3)						2.8
13	360	(12.5)						
14	390	12.5						
15	360	(12.4)						
16	360	(12.2)						
17	360	11.9						2.9
18	(330)	(10.2)						
19	(360)	(10.2)						
20	330	2.5						
21	330	7.5						
22	360	6.1						
23	360	5.1						

Time: Local

Sweep: 1.3 Mc to 16.0 Mc in 5 minutes. Manual operation.

\*Height at 0.83 fOF2.

\*M3000, average values; other columns median values.

**Table 56**

Madras, India ( $13.0^{\circ}\text{N}$ ,  $80.2^{\circ}\text{E}$ )

December 1946

Time: Local

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

\*Height at 0.83 f°F2.

Table 57

Calcutta, India ( $22.6^{\circ}\text{N}$ ,  $88.4^{\circ}\text{E}$ )

October 1946

Time	$\text{h}^1\text{F2}$	$\text{r}^1\text{F2}$	$\text{h}^1\text{F1}$	$\text{r}^1\text{F1}$	$\text{h}^1\text{E}$	$\text{r}^1\text{E}$	$\text{f}_{\text{ES}}$	$\text{f}_{\text{EA}}$	$\text{F2-M3000}$
00									
01									
02									
03									
04									
05									
06									
07									
08									
09									
10									
11									
12	300	(12.8)			4.2				
13		12.8			4.2				
14		(12.9)			4.0				
15	300	(13.0)			3.8				
16		(12.0)			3.7				
17		(12.1)			3.2				
18					3.2				
19					2.0				
20									
21									
22									
23									

Time: Local.

\*Parabolic-layer method.

Table 58

Falkland Is. ( $51.7^{\circ}\text{S}$ ,  $57.7^{\circ}\text{W}$ )

August 1946

Time	$\text{h}^1\text{F2}$	$\text{r}^1\text{F2}$	$\text{h}^1\text{F1}$	$\text{r}^1\text{F1}$	$\text{h}^1\text{E}$	$\text{r}^1\text{E}$	$\text{f}_{\text{ES}}$	$\text{f}_{\text{EA}}$	$\text{F2-M3000}$
00					3.2				2.7
01					3.2				2.6
02					3.2				3.0
03					3.1				
04					3.4				
05					3.2				
06					3.2				3.2
07					3.5				3.4
08					4.0				
09					4.1				
10					3.5				
11					3.9				
12					3.3				
13					2.4				
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									2.6

Time:  $60.0^{\circ}\text{W}$ .

Sweep: Manual operation.

\*Data labeled "Extent of E."

Table 59

Bukhta Tikhaya, U.S.S.R. ( $80.5^{\circ}\text{N}$ ,  $52.7^{\circ}\text{E}$ )

May 1946

Time	$\text{h}^1\text{F2}$	$\text{r}^1\text{F2}$	$\text{h}^1\text{F1}$	$\text{r}^1\text{F1}$	$\text{h}^1\text{E}$	$\text{r}^1\text{E}$	$\text{f}_{\text{ES}}$	$\text{f}_{\text{EA}}$	$\text{F2-M3000}$
00	240	4.9							
01	220	4.7							
02									
03									
04									
05									
06									
07									
08									
09									
10	250	4.7							
11									
12	240	4.7							
13									
14	230	4.8							
15									
16									
17									
18									
19	240	5.6							
20									
21									
22	250	5.0							
23									

Time:  $60.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 9.5 Mc in 5 to 10 minutes. Manual operation.

Table 60 (Supersedes Table 24, CRPL-F24)

Sverdlovsk, U.S.S.R. ( $56.7^{\circ}\text{N}$ ,  $61.1^{\circ}\text{E}$ )

May 1946

Time	$\text{h}^1\text{F2}$	$\text{r}^1\text{F2}$	$\text{h}^1\text{F1}$	$\text{r}^1\text{F1}$	$\text{h}^1\text{E}$	$\text{r}^1\text{E}$	$\text{f}_{\text{ES}}$	$\text{f}_{\text{EA}}$	$\text{F2-M3000}$
00	290	5.7							
01	300	5.4							
02	300	5.0							
03	300	4.6							
04	300	5.1	260						
05	290	5.8	240	3.9	150	1.8			
06	330	6.3	240	4.2	130	2.2			
07	340	6.6	230	4.4	120	2.6			
08	360	6.6	220	4.6	120	3.2			
09	360	6.9	220	4.8	110	3.3			
10	350	7.2	220	5.0	110	3.4			
11	350	7.6	210	5.0	110	3.4			
12	340	7.5	220	5.0	110	3.5			
13	340	7.4	220	4.9	110	3.5			
14	310	7.6	220	4.8	110	3.4			
15	320	7.0	220	4.7	120	3.3			
16	300	7.2	230	4.6	120	3.1			
17	280	7.0	230	4.3	120	2.9			
18	260	6.8	240	(3.9)	130	2.6			
19	260	6.9			140	2.1			
20	270	6.7			140	1.8			
21	270	6.8							
22	280	6.7							
23	280	6.2							

Time:  $60.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 14.0 Mc in 5 to 13 minutes. Manual operation.

Table 61

Tomsk, U.S.S.R. ( $56.5^{\circ}\text{N}$ ,  $64.9^{\circ}\text{E}$ )

May 1946

Time	$\text{h}^{\circ}\text{F}_2$	$\text{r}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{r}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{r}^{\circ}\text{E}$	$\text{f}_{\text{Ra}}$	$\text{f}_{\text{2-M3000}}$
00	240	6.0						
01	250	5.5						
02	260	5.1						
03	260	4.8						
04	250	4.5						
05	270	5.2	230	3.6	110	2.0		
06	280	5.5	230	4.0	100	2.4		
07	280	6.0	220	4.2	100	2.8		
08	300	6.2	220	4.5	100	3.0		
09	280	6.2	220	4.8	100	3.2		
10	300	6.6	220	4.8	100	3.3		
11	290	7.1	200	4.7	100	3.4		
12								
13	300	7.5	200	4.6	100			
14	300	7.4	200	4.6	100	3.5		
15	260	7.6	210	4.4	100	3.4		
16	260	7.7	210	4.2	100	3.2		
17	250	7.4	210	4.1	100	3.0		
18	250	7.2	220	3.9	100	2.7		
19	220	7.1			100	2.4		
20	230	7.0			100	2.0		
21	220	7.0			100	1.5		
22	230	7.0						
23	230	6.4						

Time:  $90.0^{\circ}\text{E}$ .

Sweep: 1.2 Mc to 10.0 Mc in 5 to 10 minutes. Manual operation.

Table 62

Moscow (Krasnaja Pustre), U.S.S.R. ( $55.5^{\circ}\text{N}$ ,  $37.3^{\circ}\text{E}$ )

May 1946

Time	$\text{h}^{\circ}\text{F}_2$	$\text{r}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{r}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{r}^{\circ}\text{E}$	$\text{f}_{\text{Ra}}$	$\text{f}_{\text{2-M3000}}$
00	270	5.4						2.8
01	270	5.1						2.8
02	270	4.9						2.7
03	270	4.6						2.8
04	260	5.1	220					2.9
05	280	5.7	210	3.8	100	2.4		2.9
06	320	6.2	210	4.2	100	2.7	3.0	2.9
07	340	6.5	200	4.5	90	3.0	3.1	2.9
08	340	6.8	200	4.7	90	3.1	3.6	2.9
09	330	7.5	200	4.8	90	3.2	4.0	2.9
10	340	7.4	200	4.9	90	3.4	3.7	2.9
11	310	7.8	200	4.9	90	3.5		2.9
12	320	7.8	200	4.8	90	3.5		3.0
13	310	7.5	200	4.9	90	3.4		3.0
14	300	7.3	200	4.8	90	3.3		3.0
15	300	7.0	200	4.6	90	3.2		3.1
16	280	7.2	210	4.5	90	3.0		3.0
17	270	7.3	210	4.3	90	2.7	3.3	3.0
18	260	7.4	220		100	2.4	3.4	3.1
19	240	7.4			100	2.3	3.0	
20	230	7.6						(3.0)
21	240	7.4						(3.0)
22	250	6.5						(2.9)
23	260	5.8						(2.7)

Time:  $30.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 10.0 Mc in 10 minutes. Manual operation.

Table 63 (Supersedes table 25, CRPL-F24)

Alma Ata, U.S.S.R. ( $43.2^{\circ}\text{E}$ ,  $76.9^{\circ}\text{E}$ )

May 1946

Time	$\text{h}^{\circ}\text{F}_2$	$\text{r}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{r}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{r}^{\circ}\text{E}$	$\text{f}_{\text{Ra}}$	$\text{f}_{\text{2-M3000}}$
00	240	6.3						
01	240	6.3						
02	240	6.1						
03	260	5.8						
04	240	5.8						
05	240	6.1						
06	210	7.1			100	2.5		
07	210	7.7	210	3.8	100	2.4		
08	220	8.5	200	5.0	110	3.4		
09	240	9.0	220	5.1	100	3.6		
10	240	9.3	200	5.2	100	5.7		
11	260	9.7	200	5.4	100	5.8		
12	250	9.6	210	5.5	100	4.0		
13	280	9.5	220	5.4	100	4.0		
14	260	9.7	220	5.5	100	4.4		
15	240	9.4	220	5.0	100	3.9		
16	240	8.4	200	4.9	100	3.6		
17	240	8.6	200	4.6	100	3.4		
18	240	8.5	220	4.4	100	3.0		
19	240	8.3			110	2.6		
20	240	7.4			120			
21	240	7.0						
22	240	6.8						
23	240	6.6						

Time:  $75.0^{\circ}\text{E}$ .

Sweep: 2.0 Mc to 14.0 Mc in 10 to 20 minutes. Manual operation.

\*As reported.

Table 64 (Supersedes table 27, CRPL-F23)

Bukhta Tikhaya, U.S.S.R. ( $50.3^{\circ}\text{E}$ ,  $52.7^{\circ}\text{E}$ )

April 1946

Time	$\text{h}^{\circ}\text{F}_2$	$\text{r}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{r}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{r}^{\circ}\text{E}$	$\text{f}_{\text{Ra}}$	$\text{f}_{\text{2-M3000}}$
00	240	5.1						
01	240	4.8						
02								
03								
04								
05								
06								
07								
08								
09								
10	230	5.8						
11								
12	240	6.0						
13	220	6.0						
14								
15								
16								
17								
18								
19	220	6.1						
20								
21								
22	240	5.6						
23								

Time:  $60.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 9.5 Mc in 5 to 10 minutes. Manual operation.

Table 65 (Supersedes table 27, CRPL-F24)Leningrad (WETKAS), U.S.S.R. ( $60.0^{\circ}\text{N}$ ,  $30.3^{\circ}\text{E}$ )

April 1946

Time	$\text{h}^{\text{h}}\text{F2}$	$\text{f}^{\text{o}}\text{F2}$	$\text{h}^{\text{h}}\text{F1}$	$\text{f}^{\text{o}}\text{F1}$	$\text{h}^{\text{h}}\text{E}$	$\text{f}^{\text{o}}\text{E}$	$\text{f}^{\text{s}}\text{E}$	$\text{F2-M3000}$
00	300	4.8						
01	320	4.4						
02	310	4.0						
03	320	4.1						
04	300	3.9						
05	270	4.2	230	2.4	140	1.7		
06	270	5.0	220	3.5	120	1.9		
07	250	5.5	250	3.7	120	2.4		
08	260	6.3	240	4.1	120	2.7		
09	260	7.0	220	4.5	120	2.9		
10	300	7.4	220	4.6	120	3.0		
11	280	7.5	220	4.8	120	3.4		
12	300	7.8	220	4.8	110	3.3		
13	290	7.8	220	4.8	120	3.2		
14	300	7.8	220	4.6	120	3.1		
15	270	7.9	220	4.7	120	3.1		
16	250	7.6	220	4.0	120	2.9		
17	250	7.4	240	3.7	120	2.5		
18	250	7.2	240	3.3	120	2.1		
19	250	7.0			120	1.6		
20	250	6.9			130	1.9		
21	250	6.4						
22	260	5.8						
23	270	5.2						

Time:  $30.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 9.0 Mc in 5 to 10 minutes. Manual operation.

Table 66 (Supersedes table 20, CRPL-F23)Sverdlovsk U.S.S.R. ( $56.7^{\circ}\text{N}$ ,  $61.1^{\circ}\text{E}$ )

April 1946

Time	$\text{h}^{\text{h}}\text{F2}$	$\text{f}^{\text{o}}\text{F2}$	$\text{h}^{\text{h}}\text{F1}$	$\text{f}^{\text{o}}\text{F1}$	$\text{h}^{\text{h}}\text{E}$	$\text{f}^{\text{o}}\text{E}$	$\text{f}^{\text{s}}\text{E}$	$\text{F2-M3000}$
00	280	5.1						
01	290	4.8						
02	290	4.5						
03	300	4.1						
04	300	3.9						
05	280	4.6						
06	250	5.3	(250)					
07	240	6.4	(4.2)					
08	260	7.0	230	4.2	120	2.9		
09	260	7.9	220	4.5	120	3.1		
10	270	8.7	220	4.6	120	3.3		
11	270	9.0	210	4.7	110	3.4		
12	270	9.1	210	4.7	120	3.4		
13	260	9.3	220	4.6	120	3.4		
14	270	8.9	220	4.5	120	3.3		
15	250	8.5	220	4.4	120	3.2		
16	240	8.6	(230)					
17	240	8.6						
18	240	8.0						
19	250	7.9						
20	240	7.5						
21	250	6.7						
22	270	5.9						
23	270	5.4						

Time:  $60.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 14.0 Mc in 5 to 13 minutes. Manual operation.

Table 67 (Supersedes table 21, CRPL-F23)Tomsk, U.S.S.R. ( $56.5^{\circ}\text{N}$ ,  $84.9^{\circ}\text{E}$ )

April 1946

Time	$\text{h}^{\text{h}}\text{F2}$	$\text{f}^{\text{o}}\text{F2}$	$\text{h}^{\text{h}}\text{F1}$	$\text{f}^{\text{o}}\text{F1}$	$\text{h}^{\text{h}}\text{E}$	$\text{f}^{\text{o}}\text{E}$	$\text{f}^{\text{s}}\text{E}$	$\text{F2-M3000}$
00	270	5.4						
01	280	5.0						
02	270	4.7						
03	280	4.4						
04	260	4.1						
05	270	4.4						
06	250	5.1						
07	250	6.0	230	3.6	110	1.9		
08	250	6.8	230	3.8	100	2.5		
09	240	8.0	210	3.8	110	3.0		
10	240	8.4	220	4.0	100	3.2		
11	240	9.0	220	4.1	100	3.3		
12	260	9.0	210	4.1	100	3.3		
13	260	9.1	220	4.0	100	3.3		
14	260	9.3	220	4.0	100	3.2		
15	270	9.0			100	3.0		
16	250	8.8						
17	250	8.4						
18	240	8.2						
19	240	8.0						
20	230	7.6						
21	230	7.2						
22	250	6.6						
23	260	5.8						

Time:  $90.0^{\circ}\text{E}$ .

Sweep: 1.2 Mc to 10.0 Mc in 5 to 10 minutes. Manual operation.

Table 68 (Supersedes table 52, CRPL-F25)Moscow (Krasnaja Palchra), U.S.S.R. ( $55.5^{\circ}\text{N}$ ,  $37.3^{\circ}\text{E}$ )

April 1946

Time	$\text{h}^{\text{h}}\text{F2}$	$\text{f}^{\text{o}}\text{F2}$	$\text{h}^{\text{h}}\text{F1}$	$\text{f}^{\text{o}}\text{F1}$	$\text{h}^{\text{h}}\text{E}$	$\text{f}^{\text{o}}\text{E}$	$\text{f}^{\text{s}}\text{E}$	$\text{F2-M3000}$
00	280	5.0						
01	300	4.5						
02	300	4.2						
03	300	3.8						
04	280	3.9						
05	240	4.8	230		3.0			
06	230	5.6	210	3.6	100	2.4		
07	270	6.3	220	4.2	100	2.7		
08	280	7.1	210	4.3	100	3.0		
09	280	8.2	200	4.5	90	3.1		
10	280	8.7	200	4.4	90	3.2		
11	280	9.0	200	4.6	90	3.3		
12	280	9.0	200	4.6	90	3.3		
13	280	8.6	210	4.6	90	3.2		
14	270	8.4	210	4.4	90	3.2		
15	260	8.5	200	4.2	100	3.0		
16	230	8.4	200		100	2.8		
17	230	8.2			100	2.4		
18	220	8.4			100	2.4		
19	220	8.1						
20	220	7.3						
21	230	6.2						
22	250	5.4						
23	260	5.3						

Time:  $30.0^{\circ}\text{E}$ .

Sweep: 1.8 Mc to 10.0 Mc in 10 minutes. Manual operation.

Table 69 (Supersedes table 28, CRPL-F24)

Alma Ata, U.S.S.R. (43.2°N, 76.9°E)

April 1946

Time	$h^{\circ}F_2$	$r^{\circ}F_2$	$h^{\circ}F_1$	$r^{\circ}F_1$	$h^{\circ}E$	$r^{\circ}E$	$f_{ES}$	$F_2-M3000$
00	220	5.6						
01	200	5.4						
02	200	5.3						
03	220	5.2						
04	220	4.9						
05	220	5.2						
06	200	6.8						
07	200	8.0	200	(5.1)	100	2.2		
08	200	8.7	200	4.7	100	3.0		
09	200	9.6	200	4.8	(100)	3.3		
10	220	9.2	200	4.9	(110)	3.4		
11	200	10.0	200	5.7	100	3.6		
12	220	10.3	200	5.5	(110)	3.7		
13	220	10.6	200	5.3	(100)	3.7		
14	240	10.6	200	5.1	100	3.6		
15	240	11.0	200	5.5	100	3.4		
16	220	9.8	200	5.2	100	3.2		
17	200	9.0	(190)	(4.4)	100	3.0		
18	200	8.8			120	2.6		
19	200	8.2				2.5		
20	200	7.2						
21	210	6.5						
22	210	6.0						
23	220	6.0						

Time: 75.0°E.

Sweep: 2.0 Mc to 14.0 Mc in 10 to 20 minutes. Manual operation.

Table 70\*

San Juan, Puerto Rico (18.4°N, 66.1°W)

April 1943

Time	$h^{\circ}F_2$	$r^{\circ}F_2$	$h^{\circ}F_1$	$r^{\circ}F_1$	$h^{\circ}E$	$r^{\circ}E$	$f_{ES}$	$F_2-M3000$
00							4.9	
01							4.8	
02							4.6	
03							4.1	
04							4.0	
05							3.8	
06							3.5	
07							3.8	
08							3.4	
09							3.0	
10							2.7	
11							2.4	
12							2.1	
13							1.8	
14							1.5	
15							1.2	
16							1.0	
17							0.8	
18							0.6	
19							0.4	
20							0.2	
21							0.1	
22							0.0	
23							0.0	

Time: 60.0°W.

Sweep: 3.0 Mc to 12.0 Mc in 14 minutes.

\*Average values.

Table 71\*

San Juan, Puerto Rico (18.4°N, 66.1°W)

March 1943

Time	$h^{\circ}F_2$	$r^{\circ}F_2$	$h^{\circ}F_1$	$r^{\circ}F_1$	$h^{\circ}E$	$r^{\circ}E$	$f_{ES}$	$F_2-M3000$
00							4.2	
01							4.2	
02							4.4	
03							4.1	
04							3.8	
05							3.5	
06							3.4	
07	264	5.0					6.8	
08	266	6.0					5.9	
09	295	6.7	228	3.1		2.4		
10	314	7.4	233	4.4		3.1	4.9	
11	310	8.1	232	4.6		3.4	5.2	
12	314	8.4	235	4.7		3.6		
13	305	8.9	242	4.6		3.7	5.3	
14	299	9.0	240	4.6		3.7	5.0	
15	292	9.2	238	4.5		3.6	4.2	
16	281	8.9	246	4.0		3.4	5.2	
17	269	8.7	247	3.5		3.1	4.6	
18	250	7.9		3.1		2.7	4.4	
19	248	6.7					4.1	
20		5.4					4.6	
21		4.5					5.6	
22		4.4					4.7	
23		4.4					4.8	

Time: 60.0°W.

Sweep: 3.0 Mc to 12.0 Mc in 14 minutes.

\*Average values.

Table 72\*

San Juan, Puerto Rico ( $18.4^{\circ}\text{N}$ ,  $66.1^{\circ}\text{W}$ )

February 1943

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{M}$	$\text{f}^{\circ}\text{M}$	F2-M5000
00		4.4				4.6			
01		3.8				4.2			
02		3.8				5.8			
03		3.8				4.1			
04		3.8				3.7			
05		4.0				4.7			
06		4.0							
07		4.0							
08		3.6				5.6			
09		3.4				5.2			
10		3.4				4.7			
11	286	4.4							
12	272	5.9		3.3					
13	298	6.6	233	3.9		3.0			
14	296	7.7	239	4.4		3.4			
15	277	8.3	234	4.6		3.5	4.7		
16	285	7.9	232	4.6		3.6	5.4		
17	296	7.4	224	4.6		3.6	5.4		
18	302	7.6	230	4.5		3.6	5.0		
19	291	7.6	236	4.4		3.4	5.2		
20	284	7.1	232	3.9		3.1	5.2		
21	274	7.0		3.3			4.9		
22	248	6.8				5.1			
23	251	5.6				5.3			

Time:  $0.0^{\circ}$ .

Sweep: 3.0 Mc to 12.0 Mc in 14 minutes.

\*Average values.

Table 73\*

San Juan, Puerto Rico ( $18.4^{\circ}\text{N}$ ,  $66.1^{\circ}\text{W}$ )

January 1943

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{M}$	$\text{f}^{\circ}\text{M}$	F2-M5000
00					3.5				
01					3.6				5.8
02					3.8				6.1
03					3.6				11.2
04					3.7				10.5
05					4.9				4.8
06					4.2				9.2
07					4.2				7.6
08					3.7				
09					3.5				5.2
10					3.3				5.0
11					4.0				
12		291							
13		259				5.6			2.7
14		285				6.4	241	3.8	3.0
15		285				7.1	240	4.0	3.3
16		282				7.1	234	4.3	4.9
17		291				6.8	222	4.4	3.5
18		304				6.7	226	4.4	5.4
19		289				6.8	228	4.3	3.5
20		301				6.9	241	4.1	7.0
21		290				6.7	247	3.8	3.2
22		270				6.9			6.7
23		247				6.5			5.4
		252				4.6			5.7

Time:  $0.0^{\circ}$ .

Sweep: 3.0 Mc to 12.0 Mc in 14 minutes.

\*Average values.

TABLE 74  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
IONOSPHERIC DATA

*From adopted June 1944  
Searched by: A.H.S.      Calculated by: B.W.D.      Y.G.A.*

*h<sup>1</sup>F<sub>2</sub>      km      May 1947  
(Characteristic)      (Unit)      (Month)*

*Observed at Washington, D.C.*

*Lat 39°0'N., Long 77°5'W*

*75°W      Mean Time*

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1							290	(320)	300	N	C	470	430	4550	(390)	430	4410	C	(380)	(320)						
2							290	(280)	360	380	(400)	4430	4460	470	450	430	430	430	430	(350)	(360)					
3							290	(290)	260	N	(420)	4000	420	4620	470	470	470	450	450	450						
4							C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C			
5							C	C	C	C	(280)	(280)	(280)	(350)	(350)	(350)	(350)	(350)	(350)	(350)	(350)	(350)	(350)	C		
6							250	250	280	C	C	C	C	C	C	C	C	N	B	(370)	330	270				
7							290	(280)	320	(400)	C	N	(410)	430	C	N	B	(370)	330	270						
8							280	280	340	340	400	350	350	C	N	N	N	N	N	N	N	N	N	N		
9							C	C	230	(370)	(320)	(320)	(320)	(340)	(340)	(340)	(340)	(340)	(340)	(340)	(340)	(340)	(340)			
10							280	(320)	(260)	(340)	(320)	(320)	(320)	400	420	420	420	420	420	420	420	420	420	420	420	
11							300	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N		
12							C	C	(580)	(530)	(540)	(540)	(540)	N	N	G	G	G	G	G	G	G	G	G	G	G
13							A	X	420	A	580	540	500	520	520	520	520	520	520	520	520	520	520	520		
14							N	X	(600)	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
15							N	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N		
16							N	X	N	N	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
17							(380)	N	N	(600)	C	X	(770)	C	X	C	X	C	X	C	X	C	X	C	X	
18							280	(380)	(410)	(420)	(420)	480	(430)	(430)	(430)	(430)	(430)	(430)	(430)	(430)	(430)	(430)	(430)	(430)	(430)	
19							C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
20							400	(400)	(350)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
21							N	C	C	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B		
22							C	(320)	A	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
23							(360)	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
24							C	X	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
25							E	X	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N		
26							C	X	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B		
27							C	X	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
28							A	N	N	(510)	N	A	N	N	N	N	N	C	C	C	C	C	C	C		
29							C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
30							(310)	N	N	N	N	B	B	B	B	B	B	B	B	B	B	B	B	B		
31							N	N	N	N	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
Median							290	(520)	345	420	420	420	430	430	430	430	430	430	430	430	430	430	430	430		
Count	13	12	14	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13		

Sweep 31 Mc to 20 Mc in min  
Manual  Automatic

U. S. GOVERNMENT PRINTING OFFICE: 1944 - 7410

**TABLE 75**  
National Laboratory, National Bureau of Standards,  
**IONOSPHERIC DATA**

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

1947  
May,  
Month)  
for F2, Mc  
(Characteristic)

**Washington, D. C.** (month) (Unit)  
arrived at

Served at Washington, D. C. (Month) (Year)  
(Characteristic) (Unit)

sleep 3.1 Mc 10120 Mc In \_\_\_\_\_

TABLE 76  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
IONOSPHERIC DATA

$f_{\text{OF2}}$ , Mc.      May, 1947  
(Characteristic)      (Unit)      (Month)  
Observed at      Washington, D.C.  
Lat. 39°0'N, Long. 77.5°W

Day	75° W												Mean Time												
	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330	
	A. H. S.												V. C. A.												
Scaled by:	B. W. D.												V. C. A.												
1																									
2																									
3																									
4																									
5																									
6																									
7																									
B																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Median																									
Count	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Sweep	3.1	Mc	10.17	Mc	in	—	min																		

TABLE 77  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
IONOSPHERIC DATA

Form adopted June 1946  
National Bureau of Standards  
(Institution)  
Scaled by: A.H.S.

$h'F_1$       km  
(Characteristic)      (Unit)  
May      1947  
Observed at Washington, D.C.

Lat 39.0°N, Long 77.5°W

Day	75° W												Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Median																									
Count	1	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4

Sweep 1 Mc to 7.0 Mc in min  
Manual  Automatic

U. S. GOVERNMENT PRINTING OFFICE: 1946 O-74711

TABLE 78  
IONOSPHERIC DATA

Control Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

f<sub>0</sub>F<sub>1</sub> — Mc (Characteristic)      Mc (Month)

May, 1947      (Unit)      Washington, D.C.

Observed at Lat 39°N Long 77°5'W

National Bureau Of Standards

(Institution)

Scaled by: A.H.S.      Calculated by: B.W.D.      V.C.A.

Day	75° W Mean Time																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	Q	Q	Q	Q	Q	Q	Q	Q	N	C	C	C	C	C	C	C	C	C	N	Q	Q	Q	Q	
2	Q	Q	Q	Q	Q	Q	Q	L	6.4	(6.6)	(7.6)	C	C	C	C	(6.6)	(6.4)	(6.3)	L	L	Q	Q	Q	
3	Q	Q	Q	Q	Q	Q	Q	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
4	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
5	C	C	C	C	C	C	C	L	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
6	Q	Q	Q	Q	Q	Q	Q	C	C	C	C	(7.0)	N	N	N	C	C	C	C	C	C	C	C	
7	Q	Q	L	6.2	C	N	(6.2)	N	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
8	Q	Q	(5.6)	(6.3)	(6.2)	(6.0)	(6.1)	(6.3)	(6.2)	(6.0)	(6.1)	(6.3)	(6.2)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	A	
9	C	C	C	5.9	N	N	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
10	Q	L	Q	L	L	6.1	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	Q
11	Q	N	N	(5.0)	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	A
12	Q	N	N	5.1	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	N
13	A	(5.2)	[5.2]	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	N
14	N	N	(4.8)	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	N
15	N	L	A	N	N	C	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
16	N	L	(4.9)	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	N
17	L	N	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	N
18	Q	N	N	C	N	N	N	N	N	N	N	N	N	N	N	N	N	C	C	C	C	C	C	C
19	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
20	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
21	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
22	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
23	Q	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
24	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
25	Q	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
26	C	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
27	A	N	C	N	N	N	N	N	N	N	N	N	N	N	N	N	N	C	C	C	C	C	C	
28	Q	N	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
29	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
30	Q	Q	N	N	B	R	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	(5.6)	N
31	Q	N	N	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	(6.0)	L
Median	1	3	5.2	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3
Count	1	3	6	11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

Sweep 2 — Mc to 70 Mc in min  
Manual  Automatic



TABLE 80  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
IONOSPHERIC DATA

Form adopted June 1946  
National Bureau Of Standards  
(Institution)  
Scaled by: A.H.S. Calculated by: B.W.D., V.C.A.

$f_{\text{OE}}$  Mc May 1947

(Characteristic) (Unit) (Month)  
Observed at Washington, D.C.

Lat. 39.0°N, Long. 77.5°W

Day	75° W Mean Time																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
2	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
3	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
4	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
5	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
6	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	B	C	C	C	C	C	C	C
7	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
8	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
9	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
10	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	(3.7)	(3.5)	(3.3)	(2.7)	(2.3)	(2.1)	(1.9)	(1.7)
11	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
12	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
14	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
15	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
16	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
17	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
18	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
19	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
20	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
21	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	B	B	B	B	B	B	B	B	B
22	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	B	B	B	B	B	B	B	B	B
23	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
24	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	B	B	B	B	B	B	B	B	B
25	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	B	B	B	B	B	B	B	B	B
26	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	B	B	B	B	B	B	B	B	B
27	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
28	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
29	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
30	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
31	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Median Count																								

Sweep 3.1 Mc to 7.0 Mc in min  
Manual  Automatic

TABLE 81  
Navigation Laboratory, National Bureau of Standards,  
IONOSPHERIC DATA

Central Rodia Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

Sweep 3. MC rate 0. MC in 0 min

TABLE 82  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
IONOSPHERIC DATA

F2-M1500 (Characteristic) Observed at Washington, D.C.		May (Month)		75° W - Mean Time																					
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									

Swept 3.1 Mc to 17.0 Mc in min  
Manual  Automatic

U.S. GOVERNMENT PRINTING OFFICE 1949-120-11

TABLE 83  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

F2 - M3000 (Characteristics) May, 1947

(Unit) (Month)

Observed at Washington, D. C.

Lat. 39°0'N., Long. 77.5°W.

Day	IONOSPHERIC DATA												Mean Time	V.G.A.											
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1								2.4	2.5	2.3	(2.4)	2.3	2.5	2.5	2.5	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.5		
2								2.8	2.8	2.6	2.6	2.5	2.5	2.4	(2.4)	2.4	2.4	2.5	2.5	2.6	2.6	2.5			
3								2.7	C	(2.6) <sup>4</sup>	2.7	(2.5) <sup>5</sup>	(2.4) <sup>5</sup>	(2.5)	C	2.3	2.3	2.2	2.2	2.4	2.3				
4								C	C	C	C	C	C	C	C	C	C	C	C	C	C	C			
5								C	C	C	(2.7)	2.7	2.7	(2.6)	(2.6)	2.6	2.6	2.7	(2.7)						
6								(2.9)	2.9	(3.0)	2.8	(2.6) <sup>3</sup>	(2.6) <sup>3</sup>	(2.5)	(2.2)	2.6	B	(2.7)	2.7	2.7	2.6				
7								(2.8)	2.7	(2.7)	C	(2.6) <sup>3</sup>	(2.6) <sup>3</sup>	(2.5)	(2.5)	2.6	2.5	2.6	2.6	2.6	2.6	2.6	2.6		
8								2.8	2.8	2.7	(2.6)	2.6	(2.7)	C	2.5	(2.6) <sup>3</sup>	(2.6)	2.6	2.6	2.6	2.7				
9								C	C	C	2.7	2.7	2.5	(2.6)	C	(2.5)	2.5	(2.6)	N	(2.7)					
10								(2.8)	(2.8)	(2.7)	(2.6)	(2.5)	(2.5)	(2.4)	(2.4)	2.4	2.3	2.4	2.4	2.4	2.4	2.5			
11								2.8	N	K	(2.6) <sup>3</sup>	2.4	N	K	G	K	(2.6) <sup>3</sup>	(2.4) <sup>3</sup>	2.5	K	2.7	2.6	K		
12								2.8	K	N	(2.3) <sup>5</sup>	(2.4) <sup>3</sup>	G	N	N	(2.2) <sup>3</sup>	(2.3) <sup>3</sup>	(2.2) <sup>3</sup>	K	2.3	2.4	K	2.5	K	
13								A	K	2.7	X	2.5	X	(2.3) <sup>3</sup>	2.4	(2.4) <sup>3</sup>	(2.5)	2.5	K	2.4	(2.3) <sup>3</sup>	(2.3) <sup>3</sup>	(2.3) <sup>3</sup>	(2.5) <sup>3</sup>	K
14								(2.2) <sup>3</sup>	(2.3) <sup>3</sup>	G	K	G	K	G	K	G	K	G	K	G	K	2.4	K		
15								N	K	NF	K	C	K	2.8	K	N	N	R	B	K	N	K	(2.6) <sup>3</sup>	2.6	K
16								(2.3) <sup>3</sup>	(2.2) <sup>3</sup>	G	K	G	K	G	K	G	K	(2.6) <sup>3</sup>	(2.4) <sup>3</sup>	2.5	K	2.7	2.6	K	
17								(2.6) <sup>3</sup>	(2.3) <sup>3</sup>	N	K	N	K	(2.0) <sup>3</sup>	C	K	C	K	G	K	G	K	N	G	K
18								(2.6)	(2.6) <sup>3</sup>	(2.6)	(2.6) <sup>3</sup>	(2.4)	(2.6)	(2.6)	(2.6)	(2.6)	(2.6)	(2.6)	N	C	(2.6)	2.6	2.7		
19								C	C	C	C	C	C	N	C	C	C	(2.6)	(2.6) <sup>3</sup>						
20								2.6	2.3	2.5	C	C	C	C	C	C	C	(2.5)	(2.4)	2.4	2.3	2.3	2.3		
21								(2.5)	2.2	(2.3)	B	B	2.3	2.3	2.2	B	2.3	N	2.2	2.2	2.2	2.2	2.2		
22								2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4			
23								2.4	(2.2)	2.4	C	C	C	C	C	C	C	C	C	C	C	C			
24								C	K	F	K	C	K	B	K	B	K	B	K	(2.5) <sup>3</sup>	N	K	2.5	K	
25								2.3	K	N	K	N	K	N	K	B	K	B	K	3.3	K	N	(2.5)	K	
26								(2.6) <sup>3</sup>	B	K	B	K	B	K	B	K	C	K	B	K	N	K	(2.2) <sup>3</sup>	K	
27								C	K	(2.5) <sup>3</sup>	C	C	K	N	K	C	X	N	K	C	X	(2.1) <sup>3</sup>	A	K	
28								(2.6) <sup>3</sup>	2.5	(2.5) <sup>3</sup>	(2.2)	N	2.3	(2.2)	(2.2)	C	C	C	C	C	C	C	C		
29								C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
30								(2.8) <sup>3</sup>	(2.6) <sup>3</sup>	N	K	B	K	B	K	G	K	C	K	C	K	(2.5) <sup>3</sup>	K		
31								(2.7)	N	N	(2.4)	(2.4)	(2.4)	(2.4)	(2.4)	C	C	C	C	(2.3) <sup>3</sup>	C	C	(2.4)	(2.4)	
Median								(2.6)	2.6	2.5	2.4	(2.4)	2.4	2.4	(2.4)	2.4	2.4	2.4	2.4	2.5	2.5	2.5	2.5		
Count								22	18	17	18	17	17	15	16	20	20	20	21	21	21	21	21		

Speed 3.1 Mc to 17.0 Mc in min  
Manual Automatic



TABLE 85  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

E - M 1500      May  
(Characteristic)      (Unit)      1947  
Observed at Washington, D.C.

Lat. 39°0'N. Long. 77.5°W

75° W      Mean Time

National Bureau of Standards  
(Institution)

Scaled by: A.H.S.

Calculated by: B.W.D.

V.C.A.

Mean

Time

10

00      01      02      03      04      05      06      07      08      09      10      11      12      13      14      15      16      17      18      19      20      21      22      23

1      C

2      C

3      C

4      C

5      C

6      C

7      C

8      C

9      C

10      C

11      C

12      C

13      C

14      C

15      C

16      C

17      C

18      C

19      C

20      C

21      C

22      C

23      C

24      C

25      C

26      C

27      C

28      C

29      C

30      C

31      C

Median  
Count

Table 86  
Ionospheric Storminess, May 1947

Day	Ionospheric character*		Principal storms		Geomagnetic character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
1	***	2			3	2
2	***	2			1	1
3	***	2			1	1
4	***	***			2	1
5	***	1			2	2
6	***	2			1	1
7	***	2			2	1
8	***	2			1	0
9	***	2			1	0
10	***	1			1	1
11	***	5	----/	--//	2	2
12	***	6	----/	--//	3	2
13	***	5	----/	--//	3	3
14	***	7	----/	--//	4	3
15	***	4	----/	--//	4	4
16	***	6	----/	--//	5	4
17	***	6	----/	--//	3	3
18	***	1			3	3
19	***	***			3	1
20	***	***			2	2
21	***	1			2	2
22	***	2			1	2
23	***	***			4	3
24	***	***	----/	--//	5	4
25	***	***	----/	--//	3	2
26	***	***	----/	--//	3	4
27	***	***	----/	--//	3	3
28	***	2			2	4
29	***	***			3	2
30	***	***	----/	--//	1	1
31	***	3			2	3

\*Ionospheric character figure (I-figure) for ionospheric storminess at Washington, D.C., during 12-hour period on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

\*\*Average for 12 hours of Cheltenham, Maryland, magnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

\*\*\*No readable record. Refer to table 75 for detailed explanation.

/Time of beginning unknown because of loss of record.

//Time of ending unknown because of loss of record.

Table 87  
Sudden Ionosphere Disturbances Observed at Washington, D. C.

1947 Day	GCT Beginning	Location of transmitters	Relative intensity at minimum*	Other phenomena	GCT		Location of transmitters	Relative intensity at minimum*	Other phenomena
					End	Beginning			
May 3	1226	1310 D.C., England, Ontario	0.2	Terr. mag. pulse** 1550-1600	22	1758	1820 Ohio, D.C., England, New Brunswick, Ontario	0.0	
5	1552	1605 Ohio, D.C., England, New Brunswick, Ontario	0.05		22	1848	2030 Ohio, D.C., England, New Brunswick, Ontario	0.0	
5	2016	2035 Ohio, D.C., England, Mexico, Ontario	0.05		22	2232	2245 Ohio, D.C., Mexico, Ontario	0.2	
8	1302	1340 England	0.05		23	1225	1310 Ohio, D.C., Ontario	0.05	Terr. mag. pulse** 1500-1510
8	2113	2155 England	0.05		24	1200	1610 Ohio, D.C., England, New Brunswick, Ontario	0.02	
9	1519	1535 Ohio, D.C., Ontario	0.2	Terr. mag. pulse** 1825-1835	24	1845	1910 Ohio, D.C., England, New Brunswick, Ontario	0.0	
15	1828	1840 Ohio, D.C., Ontario	0.1		25	1123	1450 Ohio, D.C., England, New Brunswick, Ontario	0.02	
15	2214	2230 Ohio, D.C., England, Mexico, New York, Ontario	0.1		25	1827	1905 Ohio, D.C., England, New Brunswick, Ontario	0.1	
16	1243	1320 Ohio, D.C., England, Mexico, Ontario	0.0		26	1159	1159 *** Ohio, D.C., England, New Brunswick, Ontario	0.0	
16	1453	1600 Ohio, D.C., England, Mexico, Ontario	0.0		26	1320	1520 Ohio, D.C., England, New Brunswick, Ontario	0.0	Terr. mag. pulse** 1320-1335
16	1819	1855 Ohio, D.C., Mexico, Ontario	0.2		26	1841	1855 Ohio, D.C., New Brunswick, Ontario	0.1	
17	1114	*** D.C., England, Ontario	0.02		27	2024	2150 Ohio, D.C., England, New Brunswick, Ontario	0.0	
17	2142	2155 Ohio, D.C., Mexico, Ontario	0.1		28	1715	1935 Ohio, D.C., Ontario	0.0	
18	1928	*** Ohio, D.C., England, Ontario	0.0		29	1128	1128 *** Ohio, D.C., England, Mexico, New Brunswick, Ontario	0.0	
18	1944	2030 Ohio, D.C., England, Ontario	0.0		30	1414	1420 Ohio, D.C., England, Mexico, New Brunswick, Ontario	0.0	
19	1139	1210 Ohio, D.C., England, Ontario	0.03						
19	1337	1400 Ohio, D.C., England, Mexico, Ontario	0.2						
19	1825	1900 Ohio, D.C., England, New Brunswick, Ontario	0.0						
20	1245	1320 England, Ontario	0.2						
20	1603	1650 Ohio, D.C., England, Mexico, New Brunswick, Ontario	0.01						
20	1840	1950 Ohio, D.C., England, Mexico, New Brunswick, Ontario	0.0						
20	2302	2315 Ohio, D.C., Mexico, Ontario	0.2						
21	1400	1410 Ohio, D.C., New Brunswick, Ontario	0.1						
21	1524	1550 Ohio, D.C., England, New Brunswick, Ontario	0.05						
21	1630	1650 Ohio, D.C., England, Ontario	0.1						
21	1821	2100 Ohio, D.C., England, New Brunswick, Ontario	0.0						

\*Ratio of received field intensity during SID to average field intensity before and after, for station WXA, 6080 kilocycles, 600 kilometers distant, for all SID except the following: Station GCH, 1325 kilocycles, received in New York, 574.0 kilometers distant, was used for the SID on May 3, May 8, May 9, May 17 at 114, and May 20 at 1245.

\*\*As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

\*\*\*Incomplete recovery of SID.

Sudden Ionosphere Disturbances Reported by Stations-in-Chief,  
Cable and Wireless, Ltd., at Observatory, England

1947 Day	GC Beginning End	Receiving station	Location of transmitters	1947 Day	GC Beginning End	Receiving station	Location of transmitters
April 15	1457	Brentwood	Austria, Belgian Congo, Brazil, Canary Is., Chile, Colombia, French Equatorial Africa, Greece, India, Iran, Madagascar, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Thailand, Turkey, U.S.S.R., Venezuela, Yugoslavia, Zanzibar	16	1247	Brentwood	Austria, Belgian Congo, Bulgaria, Canary Is., Chile, Colombia, Greece, India, Iran, Kenya, Madagascar, Malta, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Thailand, Turkey, U.S.S.R., Yugoslavia, Zanzibar
15	1458	1605	Argentina, Ascension I., Australia, Barbados, Canada, Ceylon, China, Egypt, Gold Coast, India, Japan, New York, Union of S. Africa	16	1245	1302	Somerton
15	1737	2140	Argentina, Barbados, New York	16	1455	1515	Brentwood
24	0850	0920	Bahrain I., Belgian Congo, India, Iran, Kenya, Madagascar, Southern Rhodesia, Syria, Zanzibar	16	1458	1530	Somerton
26	0725	0800	Austria, Bahrain I., Belgian Congo, French Equatorial Africa, Greece, India, Iran, Kenya, Palestine, Portugal, Southern Rhodesia, Syria, Turkey, U.S.S.R., Yugoslavia	17	0820	0840	Brentwood
May 6	1017	1020	Ascension I., Ceylon, India, Union of S. Africa	17	1025	1035	Brentwood
6	1015	1030	Austria, Belgian Congo, Brazil, Canary Is., Greece, India, Iran, Kenya, Madagascar, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Turkey, U.S.S.R., Yugoslavia, Zanzibar	17	1115	1130	Brentwood
7	0820	0840	Argentina, Ascension I., Australia, Barbados, Canada, Ceylon, China, Egypt, Gold Coast, India, Japan, New York, Union of S. Africa	17	1115	1130	Brentwood
8	1305	1330	Bahrain Congo, Iran, Kenya, Madagascar, Palestine, Southern Rhodesia, Spain, Switzerland, Syria, Thailand, Zanzibar	17	1115	1130	Brentwood
16	0830	0845	Kenya, Madagascar, Southern Rhodesia, Spain, Switzerland, Yugoslavia, Zanzibar	17	1115	1130	Brentwood

Note.—Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances, for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Table 59

Provisional Radio Propagation Quality Figures  
April 1947
Compared with CRPL Warnings and CRPL Probable Disturbed Period Forecasts

Day	Quality figure	North Atlantic						North Pacific						Quality Figure Scale:
		CRPL* Warning	CRPL probable disturbed period forecast	Geo- mag- netic K <sub>Ch</sub>		CRPL* Warning	CRPL probable disturbed period forecast	Geo- mag- netic K <sub>Ch</sub>		CRPL* Warning	CRPL probable disturbed period forecast	Geo- mag- netic K <sub>Ch</sub>		
		01-12 05 17	01-12 05 17	01-12 05 17		01-12 05 17	01-12 05 17	01-12 05 17		01-12 05 17	01-12 05 17	01-12 05 17	01-12 05 17	
1	6	6		2	2	6 (4)				2	2			
2	7	6		2	2	5 -				2	2			
3	6	6		2	3	(4) (4)				2	3			
4	5	5	X	X	3	3	7 5	X		X	3 3			
5	7	6	X	X	1 2	5 (3)	X			X	1 2			
6	6	5		X	4 2	(4) (4)				X	4 2			
7	7	5			1 2	6 (4)					1 2			
8	6	5			2 3	7 6					2 3			
9	(4)	5		X	5 3	5 5		X			5 3			
10	5	5	X	X	3 2	7 5	X			X	3 2			
11	6	6		X	3 2	6 5				X	3 2			
12	7	6			2 3	5 5					2 3			
13	6	6			2 2	6 9					2 2			
14	6	6			2 2	7 7					2 2			
15	6	(4)			3 3	6 (4)					3 3			
16	5	5			3 3	6 7					3 3			
17	6	(3)		X	3 7	6 (4)		X			3 7			
18	(2)	(3)	X	X	4 4	5 (4)	X	X			4 4			
19	(4)	5	X	X	4 3	(4) 6	X	X		X	4 3			
20	6	6			4 3	6 6					4 3			
21	7	6			3 1	7 7					3 1			
22	7	6			1 0	7 7					1 0			
23	7	6			1 2	7 7					1 2			
24	7	7		X	1 0	7 6				X	1 0			
25	7	5		X	1 2	6 6				X	1 2			
26	7	5		X	2 4	6 6				X	2 4			
27	5	6		X	3 3	6 7				X	3 3			
28	6	5			2 3	6 9					2 3			
29	6	5			3 2	5 9					3 2			
30	6	5			3 3	7 7					3 3			
<b>Scores:</b>														
H		3	1							3				
M		2	4							6				
G		22	16							18				
(S)		2	6							1				
S		1	3							2				
										4				

Symbols

X Warning given or probable disturbed date.

H Quality 4 or worse on day or half day of warning.

M Quality 4 or worse on day or half day of no warning.

G Quality 5 or better on day of no warning.

(S) Quality 5 on day of warning.

S Quality 6 or better on day of warning.

( ) Quality 4 or worse (disturbed).

Geomagnetic K<sub>Ch</sub> on the standard scale of 0 to 9, 9 representing the greatest disturbance.

\*Broadcast on WWV, Washington, D.C. Times of warnings recorded to nearest half day as broadcast.

Table 90

45

Daily Median Values of American Relative Sunspot Numbers\*May 1947

Date	No.	Date	No.
1	194	16	117
2	170	17	152
3	194	18	174
4	163	19	230
5	151	20	246
6	157	21	259
7	170	22	296
8	158	23	328
9	159	24	312
10	165	25	315
11	166	26	300
12	158	27	283
13	168	28	274
14	123	29	249
15	117	30	202
		31	208
No. of Days		31	Mean
			205.1

\*Median of data from 16 observers.

Table 91  
CORONAL OBSERVATIONS AT CLIMAX, COLORADO

DISCUSSION OF THE PAPER

卷之三

Debates from astronomical north

卷之三

First row - green line 5304  
 Second row - red line 6374  
 Third row - red line 6704

Date	Time of observation GCT	Degrees from astronomical north																																	
		160	165	170	175	200	205	210	215	220	225	230	235	240	245	250	255	260	265	270	275	280	285	290	295	300	305	310	315	320	325	330	335	340	345
13	2125-2201	-	-	-	-	6	11	14	19	23	23	24	26	13	10	9	11	16	17	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	1435-2220	-	5	6	6	7	1	1	2	2	2	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
21	1525-1550	-	-	5	5	4	4	4	5	11	15	22	22	18	11	9	10	13	23	20	24	13	11	9	8	6	7	6	7	7	6	5	4	5	
22	1526-1546	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	1506-1533	-	-	-	-	5	6	7	8	15	21	22	21	17	12	10	12	17	26	28	23	20	14	10	7	6	9	9	6	5	5	-	-		




Fig. 1. WASHINGTON, D.C.  
39.0°N, 77.5°W

MAY 1947




Fig. 2. WASHINGTON, D.C.

MAY 1947












Fig. 3. CLYDE, BAFFIN I.  
70.5°N, 68.6°W

APRIL 1947








Fig. 12. BOSTON, MASSACHUSETTS  
42.4°N, 71.2°W

APRIL 1947




Fig. 13. BOSTON, MASSACHUSETTS

APRIL 1947








Fig. 14. PEIPING, CHINA  
39.9°N, 116.4°E

APRIL 1947






Fig. 19. WUCHANG, CHINA  
 30.6°N., 114.4°E.

APRIL 1947




Fig. 20. WUCHANG, CHINA

APRIL 1947




Fig. 21. BATON ROUGE, LOUISIANA  
 30°5'N 91°2'W

APRIL 1947




Fig. 22. BATON ROUGE, LOUISIANA

APRIL 1947




Fig. 23 MAUI, HAWAII  
20.8°N, 156.5°W

APRIL 1947




Fig. 24 MAUI, HAWAII APRIL 1947




Fig. 25. SAN JUAN, PUERTO RICO

18.4°N, 66.1°W

APRIL 1947








Fig. 26 SAN JUAN, PUERTO RICO APRIL 1947






Fig. 31. PALMYRA I.  
5.9°N, 162.1°W

APRIL 1947




Fig. 32. PALMYRA I.  
APRIL 1947
















Fig. 33 CLYDE, BAFFIN I.  
70.5°N, 68.6°W

MARCH 1947










Fig. 46. PEIPING, CHINA  
39.9°N, 116.4°E

MARCH 1947




Fig. 47. SHIBATA, JAPAN  
38.0°N, 139.3°E

MARCH 1947




Fig. 48. SHIBATA, JAPAN

MARCH 1947




Fig. 49. LANCHOW, CHINA  
36.1°N, 103.8°E MARCH 1947




Fig. 50. LANCHOW, CHINA MARCH 1947




Fig. 51. TOKYO, JAPAN  
35.7°N, 139.5°E MARCH 1947








Fig. 52. TOKYO, JAPAN MARCH 1947






Fig. 57. CHUNGKING, CHINA  
 29.4°N, 106.8°E MARCH 1947




Fig. 58. CHUNGKING, CHINA MARCH 1947




Fig. 59. OKINAWA I.  
26.3°N, 127.8°E MARCH 1947




Fig. 60. OKINAWA I. MARCH 1947




Fig. 61. MAUI, HAWAII  
20.8°N, 156.5°W

MARCH 1947




Fig. 62 MAUI, HAWAII

MARCH 1947




Fig. 63. JOHANNESBURG, U.O.F.S. AFRICA  
26.2°S, 28.0°E

MARCH 1947












Fig. 64. JOHANNESBURG, U.O.F.S. AFRICA

MARCH 1947








Fig. 73. BRISBANE, AUSTRALIA

27.5°S, 153.0°E

FEBRUARY 1947




Fig. 74. BRISBANE, AUSTRALIA

FEBRUARY 1947




Fig. 75. KERMADEC IS.

29.2°S, 177.9°W

FEBRUARY 1947




Fig. 76. KERMADEC IS.

FEBRUARY 1947




Fig. 77. CANBERRA, AUSTRALIA  
35.3°S, 149.0°E      FEBRUARY 1947




Fig. 78. CANBERRA, AUSTRALIA      FEBRUARY 1947




Fig. 79. CHRISTCHURCH, N.Z.  
43.5°S, 172.7°E      FEBRUARY 1947




Fig. 80. CHRISTCHURCH, N.Z.      FEBRUARY 1947




Fig. 81. CAMPBELL I.  
52.5°S, 169.2°E      FEBRUARY 1947




Fig. 82 SLOUGH, ENGLAND  
51.5°N, 0.6°W      JANUARY 1947








Fig. 83. SLOUGH, ENGLAND      JANUARY 1947






Fig. 88. BOMBAY, INDIA  
19.0°N, 73.0°E

JANUARY 1947




Fig. 89. BOMBAY, INDIA

JANUARY 1947








Fig. 90. MADRAS, INDIA

13.0°N, 80.2°E

JANUARY 1947






Fig. 95. CANBERRA, AUSTRALIA  
35.3°S, 149.0°E




Fig. 96. CANBERRA, AUSTRALIA JANUARY 1947




Fig. 97. CAMPBELL I.  
52.5°S, 169.2°E JANUARY 1947




Fig. 98. PESHAWAR, INDIA  
34.0°N, 71.5°E

DECEMBER 1946




Fig. 99. PESHAWAR, INDIA DECEMBER 1946




Fig. 100. DELHI, INDIA  
28.6°N, 77.1°E

DECEMBER 1946




Fig. 101. DELHI, INDIA DECEMBER 1946




Fig. 102 BOMBAY, INDIA

19.0°N, 73.0°E

DECEMBER 1946




Fig. 103. BOMBAY, INDIA

DECEMBER 1946




Fig. 104. MADRAS, INDIA

13.0°N, 80.2°E

DECEMBER 1946




Fig. 105. MADRAS, INDIA

DECEMBER 1946




Fig. 106. CALCUTTA, INDIA  
22.6°N, 88.4°E

OCTOBER 1946




Fig. 107. CALCUTTA, INDIA

OCTOBER 1946




Fig. 108. FALKLAND IS.  
51.7°S, 57.7°W

AUGUST 1946




Fig. 109. FALKLAND IS.

AUGUST 1946




Fig. II0. BUKHTA TIKHAYA, U.S.S.R.

80.3°N, 52.7°E

MAY 1946




Fig. III. SVERDLOVSK, U.S.S.R.

56.7°N, 61.1°E

MAY 1946




Fig. II2. TOMSK, U.S.S.R.

56.5°N, 84.9°E

MAY 1946




Fig. 113. MOSCOW (KRASNAJA PAKHRA), U.S.S.R.  
55.5°N, 37.3°E MAY 1946




Fig. 114. MOSCOW (KRASNAJA PAKHRA), U.S.S.R. MAY 1946




Fig. 115. ALMA ATA, U.S.S.R.  
43.2°N, 76.9°E MAY 1946




Fig. 116. BUKHTA TIKHAYA, U.S.S.R.  
80.3°N, 52.7°E APRIL 1946




Fig. 117. LENINGRAD, U.S.S.R. (WETKAS)  
60.0°N, 30.3°E  
APRIL 1946




Fig. 118. SVERDLOVSK, U.S.S.R.  
56.7°N, 61.1°E  
APRIL 1946




Fig. 119. TOMSK, U.S.S.R.  
56.5°N, 84.9°E  
APRIL 1946




Fig. I20. MOSCOW (KRASNAJA PAKHRA), U.S.S.R.  
55.5°N, 37.3°E APRIL 1946




Fig. I21. MOSCOW (KRASNAJA PAKHRA), U.S.S.R. APRIL 1946




Fig. I22. ALMA ATA, U.S.S.R.  
43.2°N, 76.9°E APRIL 1946




Fig. I23. SAN JUAN, PUERTO RICO  
18.4°N, 66.1°W

APRIL 1943




Fig. I24. SAN JUAN, PUERTO RICO APRIL 1943




Fig. I25. SAN JUAN, PUERTO, RICO  
18.4°N, 66.1°W

MARCH 1943








Fig. I26. SAN JUAN, PUERTO RICO MARCH 1943



	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
April 1947 . . . . .	10	48
Alma Ata, U.S.S.R.		
May 1946 . . . . .	25	77
April 1946 . . . . .	27	79
Baton Rouge, Louisiana		
April 1947 . . . . .	12	52
Bombay, India		
January 1947 . . . . .	21	70
December 1946 . . . . .	23	74
Boston, Massachusetts		
April 1947 . . . . .	11	50
Brisbane, Australia		
February 1947 . . . . .	19	66
January 1947 . . . . .	22	71
Bukhta Tikhaya, U.S.S.R.		
May 1946 . . . . .	24	76
April 1946 . . . . .	25	77
Calcutta, India		
October 1946 . . . . .	24	75
Campbell I.		
March 1947 . . . . .	18	64
February 1947 . . . . .	20	68
January 1947 . . . . .	22	72
Canberra, Australia		
February 1947 . . . . .	20	67
January 1947 . . . . .	22	72
Christchurch, New Zealand		
February 1947 . . . . .	20	67
Chungking, China		
March 1947 . . . . .	17	62
Churchill, Canada		
March 1947 . . . . .	14	56
Clyde, Baffin I.		
April 1947 . . . . .	10	47
March 1947 . . . . .	14	55
Delhi, India		
January 1947 . . . . .	21	69
December 1946 . . . . .	23	73
Fairbanks, Alaska		
April 1947 . . . . .	10	48
Falkland Is.		
August 1946 . . . . .	24	75
Guam I.		
April 1947 . . . . .	13	54
Johannesburg, Union of S. Africa		
March 1947 . . . . .	18	63
Kermadec Is.		
March 1947 . . . . .	18	64
February 1947 . . . . .	19	66
January 1947 . . . . .	22	71

Index (Continued)

	<u>Table page</u>	<u>Figure page</u>
Lanchow, China		
March 1947 . . . . .	16	60
February 1947 . . . . .	19	65
Leningrad (WETKAS), U.S.S.R.		
April 1946 . . . . .	26	78
Madras, India		
January 1947 . . . . .	21	70
December 1946 . . . . .	23	74
Maui, Hawaii		
April 1947 . . . . .	13	53
March 1947 . . . . .	18	63
Moscow (Krasnaja Pakhra), U.S.S.R.		
May 1946 . . . . .	25	77
April 1946 . . . . .	26	79
Okinawa I.		
March 1947 . . . . .	17	62
Ottawa, Canada		
April 1947 . . . . .	11	49
Palmyra I.		
April 1947 . . . . .	14	55
Peiping, China		
April 1947 . . . . .	11	50
March 1947 . . . . .	16	59
Peshawar, India		
January 1947 . . . . .	21	69
December 1946 . . . . .	23	73
Portage la Prairie, Manitoba		
April 1947 . . . . .	11	49
March 1947 . . . . .	15	57
Prince Rupert, Canada		
March 1947 . . . . .	14	56
St. John's, Newfoundland		
March 1947 . . . . .	15	58
San Francisco, California		
April 1947 . . . . .	12	51
San Juan, Puerto Rico		
April 1947 . . . . .	13	53
April 1943 through January 1943 . . . . .	27-28	80-81
Shibata, Japan		
March 1947 . . . . .	16	59
Slough, England		
March 1947 . . . . .	15	57
February 1947 . . . . .	19	65
January 1947 . . . . .	20	68
Sverdlovsk, U.S.S.R.		
May 1946 . . . . .	24	76
April 1946 . . . . .	26	78
Tokyo, Japan		
March 1947 . . . . .	16	60

Index (Continued)

	<u>Table page</u>	<u>Figure page</u>
Tomsk, U.S.S.R.		
May 1946 . . . . .	25	76
April 1946 . . . . .	26	78
Trinidad, Brit. West Indies		
April 1947 . . . . .	13	54
Wakkanai, Japan		
March 1947 . . . . .	15	58
Washington, D. C.		
May 1947 . . . . .	10	47
White Sands, New Mexico		
April 1947 . . . . .	12	51
Wuchang, China		
April 1947 . . . . .	12	52
March 1947 . . . . .	17	61
Yamakawa, Japan		
March 1947 . . . . .	17	61

## CRPL and IRPL REPORTS

### Daily:

Radio disturbance warnings, every half hour from broadcast station WWV of the National Bureau of Standards.  
Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

### Weekly:

CRPL-J. Radio Propagation Forecast (of days most likely to be disturbed during following month).

### Semimonthly:

CRPL-Ja. Semimonthly Frequency Revision Factors for CRPL Basic Radio Propagation Prediction Reports.

### Monthly:

CRPL-D. Basic Radio Propagation Predictions—Three months in advance. (War Dept. TB 11-499-, monthly supplements to TM 11-499; Navy Dept. DNC-13-1 ( ), monthly supplements to DNC-13-1.)  
CRPL-F. Ionospheric Data.

### Quarterly:

\*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.  
\*IRPL-H. Frequency Guide for Operating Personnel.  
Reports on high-frequency standards.  
Reports on microwave standards.

### Nonscheduled reports:

CRPL-1-1. Prediction of Annual Sunspot Numbers.

### Reports issued in past:

IRPL Radio Propagation Handbook, Part 1. (War Dept. TM 11-499; Navy Dept. DNC-13-1.)

IRPL-C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

IRPL-R. Unscheduled reports:

- R4. Methods Used by IRPL for the Prediction of Ionospheric Characteristics and Maximum Usable Frequencies.
  - R5. Criteria for Ionospheric Storminess.
  - R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.
  - R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.
  - R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.
  - R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.
  - R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.
  - R12. Short Time Variations in Ionospheric Characteristics.
  - R14. A Graphical Method for Calculating Ground Reflection Coefficients.
  - R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle.
  - R16. Predicted F2-layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season.
  - R17. Japanese Ionospheric Data—1943.
  - R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.
  - R19. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for June.
  - R20. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for September.
  - R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)
  - R22. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for December.
  - R23. Solar-Cycle Data for Correlation With Radio Propagation Phenomena.
  - R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.
  - R25. The Prediction of Solar Activity as a Basis for Predictions of Radio Propagation Phenomena.
  - P26. The Ionosphere as a Measure of Solar Activity.
  - I 27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.
  - R28. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for January.
  - R29 and 29-A. Revised Classification of Radio Subjects Used in National Bureau of Standards and First Supplement (N. B. S. Letter Circular LC-814 and Supplement, superseding Circular C385).
  - R30. Disturbance Rating in Values of IRPL Quality—Figure Scale From A. T. & T. Co. Transmission Disturbance Reports to Replace T. D. Figures as Reported.
  - R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.
  - R32. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for February.
  - R33. Ionospheric Data on File at IRPL.
  - R34. The Interpretation of Recorded Values of fEs.
  - R35. Comparison of Percentage of Total Time of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.
- IRPL-T. Reports on Tropospheric Propagation.
- T1. Radar operation and weather. (Superseded by JANP 101.)
  - T2. Radar coverage and weather. (Superseded by JANP 102.)
- CRPL-T3. Tropospheric Propagation and Radio-Meteorology. (Reissue of Columbia Wave Propagation Group WPG-5.)

\*Items bearing this symbol are distributed only by U. S. Navy in NONREGISTERED PUBLICATIONS MEMORANDA (NRPM). IRPL-A and -H issued under one cover with NRPM identifying numbers.

