

IONOSPHERIC DATA

ISSUED
NOVEMBER 1947

PREPARED BY CENTRAL RADIO PROPAGATION LABORATORY
National Bureau of Standards
Washington, D.C.

CENTRAL RADIO PROPAGATION LABORATORY
NATIONAL BUREAU OF STANDARDS
WASHINGTON, D.C.Issued
25 Nov. 1947

Organized under Joint U.S. Communications Board

IONOSPHERIC DATA

CONTENTS

	Page
Terminology and Scaling Practices	2
Monthly Average and Median Values of World-Wide Ionospheric Data	4
Ionospheric Data for Every Day and Hour at Washington, D. C.	7
Ionosphere Disturbances	7
American and Zurich Provisional Relative Sunspot Numbers	8
Solar Coronal Intensities Observed at Climax, Colorado	8
Tables of Ionospheric Data	9
Graphs of Ionospheric Data	41
Index of Tables and Graphs of Ionospheric Data .	67

TERMINOLOGY AND SCALING PRACTICES

The symbols and terminology used in this report are those adopted by the International Radio Propagation Conference, and given in detail on pages 24 to 26 of the report IRPL-C61, "Report of International Radio Propagation Conference," and in the section on "Terminology" in report IRPL-F5.

Beginning with IRPL-F14 the symbol L, defined as follows, is used in detailed tabulations of hourly values of ionosphere characteristics observed at Washington:

L or l = critical frequency, muf, or muf factor for F1 layer omitted because no definite and abrupt change in slope of the h'f curve occurs either for the first reflection or for any of the multiples.

In the past, ionospheric conditions were summarized on a monthly basis by using average or mean values for each hour of the day for each month. However, following the recommendations of the International Radio Propagation Conference, held in Washington 17 April to 5 May 1944, beginning with data for 1 January 1945, median values were used by IRPL wherever possible. Thus, median values are given for Washington, for all stations reporting directly to the CRPL, for the Canadian stations, and for all others sending to the CRPL detailed tabulations from which medians can be computed.

Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The monthly median values used here are the values equaled or exceeded on half the days of the month at the given hour. The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in the report referred to above, IRPL-C61.

a. For all ionospheric characteristics:

Values missing because of A, B, C, or F (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of f^oF2 (and f^oE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F2 (and h'E near sunrise and sunset) missing for this reason are counted as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count. See CRPL-F38, page 9.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For f^oF2, as equal to or less than f^oF1.

2. For h'F2, as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing because of G are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because no Es reflections appeared, the equipment functioning normally otherwise, are counted as equal to or less than the median f^{OE} , or equal to or less than the lower frequency count of the recorder.

Values of fEs missing for any other reason, and values of hEs missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D.C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

Beginning with CRPL-F33, an additional group of symbols is used in recording the Washington, D. C. data. The list of additional symbols and their meanings follows:

N - unable to make logical interpretation.

P - trace extrapolated to a critical frequency.

Q - the F1 layer not present as a distinct layer.

R - curve becomes incoherent near the F2 critical frequency.

S - no observation obtainable because of interference.

V - forked record (previously denoted by U. This change should also be made in CRPL-7-1).

Z - triple split near critical frequency.

For a more detailed explanation of the meaning and use of these symbols, see the report CRPL-7-1, Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records.

MONTHLY AVERAGE AND MEDIAN VALUES OF WORLD-WIDE IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 55 and figures 1 to 101 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL predictions of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data:

Australian Council for Scientific and Industrial Research,
Radio Research Board:
Brisbane, Australia
Canberra, Australia
Hobart, Tasmania
Townsville, Australia

Australian Department of Supply and Shipping, Bureau of
Mineral Resources, Geophysical Section:
Watheroo, W. Australia

British Department of Scientific and Industrial Research,
Radio Research Board:
Slough, England

Canadian Radio Wave Propagation Committee:
Churchill, Canada
Clyde, Baffin I.
Ottawa, Canada
Portage la Prairie, Canada
Prince Rupert, Canada
St. John's, Newfoundland

New Zealand Radio Research Committee:
Campbell I.
Christchurch, New Zealand (Canterbury University College Observatory)
Fiji Is.
Kermadec Is.
Rarotonga I.

South African Council for Scientific and Industrial Research:
Capetown, Union of S. Africa
Johannesburg, Union of S. Africa

Scientific Research Institute of Terrestrial Magnetism, Moscow, U.S.S.R.:
Alma Ata, U.S.S.R.
Bay Tiksey, U.S.S.R.
Bukhta Tikhaya, U.S.S.R.
Chita, U.S.S.R.
Leningrad, U.S.S.R.
Moscow, U.S.S.R.
Sverdlovsk, U.S.S.R.
Tomsk, U.S.S.R.

United States Army Signal Corps:

Fukaura, Japan
Okinawa I.
Shibata, Japan
Tokyo, Japan
Wakkanai, Japan
Yamakawa, Japan

National Bureau of Standards (Central Radio Propagation Laboratory):

Adak, Alaska
Baton Rouge, Louisiana (Louisiana State University)
Boston, Massachusetts (Harvard University)
Fairbanks, Alaska (University of Alaska, College, Alaska)
Guam I.
Huancayo, Peru (Geophysical Institute of Huancayo)
Maui, Hawaii
Palmyra I.
San Francisco, California (Stanford University)
San Juan, Puerto Rico (University of Puerto Rico)
Trinidad, British West Indies
Washington, D. C.
White Sands, New Mexico
Wuchang, China (National Wuhan University)

All India Radio (Government of India), New Delhi, India:

Bombay, India
Delhi, India
Madras, India

Indian Council of Scientific and Industrial Research,

Radio Research Committee:
Calcutta, India

Radio Wave Research Laboratory, Central Broadcasting Administration:

Chungking, China
Lanchow, China
Peiping, China

French Ministry of Naval Armaments (Section for Scientific Research):

Fribourg, Germany

National Laboratory of Radio-Electricity (French Ionospheric Bureau):

Bagneux, France

Philippine Republic, Department of National Defense:

Leyte, Philippine Is.

Norwegian Defense Research Establishment, Florida, Bergen, Norway:

Tromso, Norway

Beginning with CRPL-F26, publication of tables of so-called "provisional data" reported to the CRPL by telephone or telegraph was discontinued. The reason for this change in policy is that users of the data hitherto published in this form receive them through established channels sooner than through the F-series. Furthermore, having two sets of data, "provisional" and "final," for the same station for the same month leads to confusion.

It must be emphasized that there is no change in the methods used for rapid reporting and exchange of data. The change has to do only with the printing of provisional data in the F-series.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of these errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when f^0F2 is less than or equal to f^0F1 , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts.

Month	Predicted Sunspot No.	Month	Predicted Sunspot No.
October 1947	119	October 1946	81
September 1947	121	September 1946	79
August 1947	122	August 1946	77
July 1947	116	July 1946	73
June 1947	112	June 1946	67
May 1947	109	May 1946	67
April 1947	107	April 1946	62
March 1947	105	March 1946	51
February 1947	90	February 1946	46
January 1947	88	January 1946	42
December 1946	85	December 1945	38
November 1946	83	November 1945	36

IONOSPHERIC DATA FOR EVERY DAY AND HOUR AT WASHINGTON, D. C.

The data given in tables 56 to 67 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Terminology and Scaling Practices."

IONOSPHERE DISTURBANCES

Table 68 presents ionosphere character figures for Washington, D.C., during October 1947, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, magnetic K-figures, which are usually covariant with them.

Table 69 lists for the stations whose locations are given the sudden ionosphere disturbances observed on the continuous field intensity recordings made at the Sterling Radio Propagation Laboratory during October 1947.

Table 70 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Brentwood and Somerton, England, receiving stations of Cable and Wireless Ltd. from September 22 through October 3, 1947.

Table 71 gives provisional radio propagation quality figures for the North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, September 1947, compared with the CRPL daily radio disturbance warnings, which are primarily for the North Atlantic paths, the CRPL weekly radio propagation forecasts of probable disturbed periods, and the half-day Cheltenham, Maryland, geomagnetic K-figures.

The radio propagation quality figures for the North Atlantic are prepared from radio traffic and ionospheric data reported to the CRPL, in the manner described in detail in report IRPL-R31, "North Atlantic Radio Propagation Disturbances, October 1943 through October 1945," issued 1 February 1946.

The radio propagation quality figures for the North Pacific are prepared from radio traffic and ionospheric data reported to the CRPL, in a manner similar to that of IRPL-R31. The master scale of IRPL-R31 was used to formulate conversion scales for the North Pacific reports. Beginning with CRPL-F23, issued July 1946, the North Pacific radio propagation quality figures reported are prepared from these revised conversion scales.

These radio propagation quality figures give a consensus of opinion of actual radio propagation conditions as reported by the half day over the two general areas. It should be borne in mind, however, that though the quality may be disturbed according to the CRPL scale, the cause of the disturbance is not necessarily known. There are many variables that must be considered. In addition to ionospheric storminess itself as the cause, conditions may be reported as disturbed because of seasonal characteristics, such as are particularly evident in the pronounced day and night contrast

over North Pacific paths during the winter months, or because of improper frequency usage for the path and time of day in question. Insofar as possible, frequency usage is included in rating the reports. Where the actual frequency is not shown in the report to the CRPL, it has been assumed that the report is made on the use of optimum working frequencies for the path and time of day in question. Since there is a possibility that all the disturbance shown by the quality figures is not due to ionospheric storminess alone, care should be taken in using the quality figures in research correlations with solar, auroral, geomagnetic, or other data. Nevertheless, these quality figures do reflect a consensus of opinion of actual radio propagation conditions as found on any one half day in either of the two general areas.

SOLAR CORONAL INTENSITIES OBSERVED AT CLIMAX, COLORADO

In tables 72 and 73 the intensities of the green ($\lambda 5303\text{A}$), first red ($\lambda 6374\text{A}$), and second red ($\lambda 6704\text{A}$) lines of the solar corona as observed from September 20, 1947, through October 31, 1947, by the High Altitude Observatory of Harvard University and the University of Colorado at Climax, Colorado, are given for every 5° measured from astronomical north positively through the east for each day on which observations were possible. An arbitrary intensity-scale of approximately 0 to 40 is used. To convert from astronomical north and to determine the positions relative to the solar rotational equator, subtract the algebraic value of the position-angle of the solar axis. This quantity varies from -26 to +26 degrees during the year, and is tabulated in the nautical almanacs. If observations are uncertain, the initials l.w. (low weight) follow the date. The time of observation in hours GCT is listed. Dashes indicate that the intensity for that position is below the observable threshold. Absence of observation made at a given position is indicated by X.

AMERICAN AND ZÜRICH PROVISIONAL RELATIVE SUNSPOT NUMBERS

Table 74 presents the daily median values of relative sunspot numbers as reported by American observers for October 1947. The reports are reduced, by appropriate constants, approximately to the Zürich scale of relative sunspot numbers. The monthly relative sunspot number is the mean of the daily median values listed in the table. In addition, table 74 lists the daily provisional Zürich sunspot numbers. The first issue in which these numbers appear is CRPL-F35.

TABLES OF IONOSPHERIC DATA

9

Table 1

Washington, D. C. (39.0°N, 77.5°W)

October 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'F1	f'F2	F2-M3000
00	260	7.0						2.8
01	260	6.7						2.8
02	265	6.2						2.7
03	260	6.0						(2.6)
04	260	(5.8)						(2.7)
05	250	5.2						2.7
06	265	5.4						(2.8)
07	250	8.5	240		120	2.2		3.1
08	240	10.1	230		110	(2.8)		3.1
09	230	11.5	220		100	(3.2)		3.1
10	240	12.4	220		110	(3.6)		3.0
11	240	12.8	220		110	3.7		3.0
12	230	13.0	220		110	(3.9)		2.9
13	250	13.0	230		110	3.8		2.8
14	240	(12.7)	230		110	3.6		(2.8)
15	240	12.6	230		110	3.3		2.8
16	240	(12.4)	240		110	2.8		(2.8)
17	240	(11.2)	245		120	(2.1)		(2.9)
18	230	(10.2)						(3.0)
19	230	(9.4)						(2.9)
20	240	9.0						2.9
21	250	8.0						2.8
22	250	7.4						2.8
23	255	7.2						2.8

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 2

Clyde, Baffin I. (70.5°N, 68.6°W)

September 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'F1	f'F2	F2-M3000
00		300						4.6
01		310						3.7
02		290						3.4
03		320						3.3
04		300						4.7
05		300						4.7
06		310						5.5
07		320						5.3
08		395						6.4
09		350						6.0
10		350						6.4
11		455						5.9
12		440						5.8
13		440						5.8
14		455						5.6
15		400						5.8
16		380						5.4
17		300						5.4
18		300						5.4
19		300						5.6
20		300						4.8
21		300						4.8
22		285						5.4
23		295						4.5

Time: 75.0°W.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

Table 3

Fairbanks, Alaska (64.9°N, 147.8°W)

September 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'F1	f'F2	F2-M3000
00	400	4.8						2.4
01	435	4.7						2.4
02	431	4.6						2.2
03	435	4.2						2.3
04	368	5.0						2.4
05	320	5.0						2.4
06	295	5.6						2.5
07	298	5.5	270					2.6
08	352	6.6	250	4.7				2.6
09	360	6.6	242	4.4				2.5
10	465	6.8	258	4.9				2.5
11	480	6.7	260	4.7				2.5
12	470	6.3	255	4.6				2.4
13	450	6.0	242	4.7				2.5
14	390	6.4	245	4.6				2.5
15	355	6.7	255	4.5				2.5
16	295	7.0	260	4.6				2.6
17	290	6.8	270					2.6
18	280	5.6						2.6
19	300	5.0						2.6
20	292	4.6						2.6
21	290	4.6						2.6
22	322	4.4						2.6
23	325	4.1						2.4

Time: 150.0°W.

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes.

Table 4

Churchill, Canada (58.8°N, 94.2°W)

September 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'F1	f'F2	F2-M3000
00		(355)						3.5
01		(355)						3.4
02		(400)						3.3
03		(360)						3.0
04		360						3.2
05		350						2.4
06		350						2.5
07		350						2.5
08		305						2.7
09		350						2.7
10		425						2.5
11		(140)						(2.9)
12		(360)						(3.0)
13		355						(3.0)
14		395						2.6
15		390						2.4
16		375						2.4
17		320						2.5
18		355						2.5
19		350						2.5
20		350						2.5
21		350						2.5
22		(350)						2.4
23		(360)						2.4

Time: 90.0°W.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

Table 5

Prince Rupert, Canada (54.3°N , 130.3°W)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	f°S	$\text{F}_2\text{-M3000}$
00	330	4.1				3.0	2.7	
01	370	3.5				3.5	2.6	
02	355	3.8				3.8	2.5	
03	370	4.0				3.6	2.5	
04	370	3.8				3.4	2.5	
05	350	3.6				2.5	2.6	
06	310	4.0			3	2.3	2.6	
07	305	5.4	270	3.7	120	2.2	2.6	2.8
08	400	6.2	250	4.2	120	2.8	3.4	2.5
09	480	6.2	240	4.5	120	3.0	3.1	2.5
10	460	6.4	230	4.5	110	3.3	2.4	
11	480	6.6	220	4.8	110	3.4	3.7	2.4
12	445	6.8	240	5.1	110	3.5	4.0	2.4
13	420	7.2	230	5.3	110	3.5	2.5	
14	390	7.6	230	5.3	110	3.5	3.4	2.5
15	370	7.8	240	5.1	110	3.5	3.7	2.6
16	340	8.0	240	5.0	120	2.8	3.1	2.6
17	300	8.1	250	4.5	120	2.8	2.7	
18	265	8.3	270	4.2	120	2.4	2.0	2.8
19	260	7.5			3	1.9	2.2	2.8
20	260	6.1						2.8
21	260	4.9						2.8
22	280	4.9						2.7
23	290	4.2						2.7

Time: 120.0°W .

Sweep: Manual operation.

Table 6

Adak, Alaska (51.9°N , 176.6°W)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	f°S	$\text{F}_2\text{-M3000}$
00	360	4.4						2.2
01	350	4.1						2.4
02	360	3.5						2.4
03	370	3.4						2.0
04	360	3.3						2.4
05	355	3.4						2.4
06	300	4.2			290	3.4	120	2.1
07	290	6.0			260	4.0	110	(2.8)
08	340	7.9			240	4.5	110	3.2
09	305	6.8			280	5.4	110	3.4
10	300	5.9			230	(5.5)	110	3.6
11	345	6.7			230	6.0	110	3.6
12	330	6.3			230	5.0	110	3.6
13	330	6.6			250	5.2	110	3.6
14	340	6.2			240	5.1	110	3.5
15	275	8.2			240	5.2	110	3.3
16	250	8.2			250	(4.4)	110	2.8
17	260	8.0			260	7.8	120	2.5
18	260	6.2			260	6.2	120	2.3
19	265	5.9			260	6.2		2.1
20	265	5.9			260	5.4		2.7
21	280	5.4			260	5.4		2.6
22	300	5.0			280	5.0		2.6
23	330	4.5			280	5.0		2.5

Time: 180.0°W .

Sweep: 1.2 Mc to 15.5 Mc in 12 minutes, manual operation.

Table 7

Portage la Prairie, Canada (49.9°N , 98.3°W)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	f°S	$\text{F}_2\text{-M3000}$
00	320	5.1				3.8	2.5	
01	325	4.6				3.8	2.5	
02	300	4.4				3.9	2.4	
03	345	4.6				3.8	2.4	
04	320	4.6				2.6	2.4	
05	320	4.7				2.6	2.4	
06	300	4.8			3	(1.8)	2.2	(2.6)
07	250	5.8			110	2.4		2.8
08	250	6.4			105	2.8		2.8
09	240	6.8		4.8	100	3.3		2.6
10	235	7.1		4.7	100	3.5		2.7
11	300	7.6		5.1	100	3.5		2.5
12	375	7.9		5.4	100	3.6		2.4
13	335	8.2		5.1	100	3.6		2.5
14	370	8.3		5.2	100	3.6		2.4
15	250	8.4		5.0	100	3.4		2.4
16	240	8.8		5.0	100	3.2		2.4
17	250	8.9		5.0	100	2.7		(2.5)
18	255	8.2		110	2.3			2.6
19	270	8.0		3				2.6
20	260	7.2				2.0		(2.5)
21	260	6.5				2.8		(2.6)
22	305	6.4				3.6		(2.5)
23	330	5.8				3.9		2.6

Time: 90.0°W .

Sweep: 1.0 Mc to 16.0 Mc in 2 minutes 30 seconds.

Table 8

St. John's, Newfoundland (47.6°W , 52.7°W)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	f°S	$\text{F}_2\text{-M3000}$
00	290	2.7						2.7
01	290	2.9						2.6
02	290	3.0						1.8
03	280	3.2						2.5
04	285	3.0						1.7
05	260	3.9						2.5
06	240	5.2			230	4.0	100	2.0
07	230	6.2			220	4.0	90	2.6
08	250	7.2			220	4.5	100	3.0
09	285	7.4			215	5.0	100	3.2
10	300	7.8			210	5.2	100	3.4
11	320	8.0			200	5.4	100	3.5
12	320	8.2			200	5.6	100	3.6
13	315	8.3			210	5.6	100	3.6
14	320	8.2			210	5.6	100	3.7
15	310	8.0			210	5.3	90	3.3
16	290	8.2			220	5.0	100	3.0
17	260	8.3			220	4.6	90	2.6
18	240	8.2			235	3.8	100	2.2
19	230	8.0						2.5
20	235	6.6						1.6
21	250	3.2						2.7
22	270	3.6						1.8
23	290	3.0						3.1

Time: 52.5°W .

Sweep: 1.2 Mc to 20.0 Mc, manual operation.

Table 9

Ottawa, Canada (45.5°N , 75.8°W)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Ea}$	F2-M3000
00	340	3.5				2.6		
01	330	3.6				2.7		
02	350	3.6				2.7		
03	330	4.0				2.7		
04	335	3.8				2.7		
05	305	3.7				2.7		
06	280	5.2				2.8		
07	270	6.6	245	4.0	115	2.7		
08	280	7.4	240	4.5	110	3.0	2.8	
09	300	7.8	235	5.0	110	3.3	2.8	
10	310	8.3	220	5.1	110	3.5	2.6	
11	315	8.7	220	5.2	110	3.6	2.6	
12	360	8.6	220	5.2	110	3.7	2.6	
13	365	9.4	230	5.4	110	3.7	2.5	
14	330	9.4	230	5.2	110	3.5	2.5	
15	315	9.4	240	5.0	110	3.3	2.6	
16	300	9.6	240	5.2	110	3.0	2.6	
17	260	8.8	250	3.7	110	2.7	2.7	
18	270	8.7				2.7		
19	270	7.7				2.7		
20	280	7.5				2.7		
21	285	6.0				2.7		
22	315	5.5				2.7		
23	320	4.2				2.7		

Time: 75.0°W .

Sweep: 1.7 Mc to 18.0 Mc, manual operation.

Table 10

Boston, Massachusetts (42.4°N , 71.2°W)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Ea}$	F2-M3000
00	330	6.0						2.5
01	350	5.6						2.5
02	320	5.4						2.6
03	315	4.7						2.5
04	325	4.4					135	1.4
05	320	4.5					125	1.7
06	300	6.4					130	2.3
07	300	7.2	270	4.9		120	2.7	2.9
08	300	7.8	255	5.0	115	3.2		3.0
09	310	8.0	250	5.1				2.9
10	305	8.2						2.9
11	360	8.3						2.8
12	340	8.4						2.8
13	330	8.2						2.8
14	345	8.0	250	5.2				2.8
15	350	7.6	265	5.1				2.8
16	325	7.7	280	5.1				2.8
17	300	7.8						2.8
18	300	7.5						2.8
19	290	7.6						2.8
20	295	7.5						2.7
21	300	6.9						2.6
22	305	6.7						2.6
23	320	6.5						2.5

Time: 75.0°W .

Sweep: 0.8 Mc to 14.0 Mc in 1 minute.

Table 11

San Francisco, California (37.4°W , 122.2°W)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Ea}$	F2-M3000
00	320	5.4				2.4		
01	320	5.4				2.4		
02	320	5.4				2.4		
03	320	5.2				2.4		
04	320	5.0				2.4		
05	300	4.9				2.4		
06	260	6.1			120	2.0	2.7	
07	240	8.0			120	2.7	2.9	
08	240	9.5	225	4.5	110	3.2	2.8	
09	240	9.8	220		110	3.5	2.8	
10	285	10.6	220	5.6	110	3.7	2.7	
11	295	11.0	220	6.2	110	3.8	2.6	
12	320	11.5	220	6.1	110	3.9	2.6	
13	300	11.2	230	6.8	110	3.8	2.5	
14	295	11.0	240	5.6	110	3.8	2.6	
15	260	10.4	240	6.0	110	3.5	2.6	
16	240	10.1	240	5.6	110	3.2	2.6	
17	240	9.9			110	2.7	2.8	
18	240	9.4			120	2.3	2.8	
19	240	5.4				2.4	2.8	
20	240	7.0				2.4	2.8	
21	260	6.4				2.6	2.4	
22	280	5.8				2.6	2.6	
23	300	5.5				2.5	2.5	

Time: 120.0°W .

Sweep: 1.3 Mc to 18.5 Mc in 4 minutes 30 seconds, automatic operation.

Table 12

White Sands, New Mexico (32.6°N , 106.5°W)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Ea}$	F2-M3000
00	310	5.6						2.5
01	300	5.7						2.5
02	300	5.6						2.5
03	300	5.4						2.4
04	300	5.2						2.4
05	300	5.2						2.6
06	270	6.4						2.6
07	240	9.0					120	2.6
08	240	10.0	240				120	3.6
09	265	10.6	220				120	4.2
10	280	11.2	220	5.2	115	3.7	4.0	2.7
11	320	11.5	230	5.5	120	3.9	4.2	2.7
12	320	11.9	230	5.5	120	4.0	4.1	2.6
13	320	12.0	230	6.0	110	4.0	4.1	2.6
14	300	11.6	230	5.7	120	3.8	4.0	2.7
15	260	11.4	240	5.0	110	3.6	3.8	2.7
16	260	11.0	240		110	3.3	3.9	2.7
17	250	10.2				120	2.9	2.8
18	250	10.0				120	2.3	2.9
19	240	8.4						2.8
20	250	6.8						2.5
21	280	6.2						2.4
22	300	6.2						2.6
23	310	6.0						2.5

Time: 105.0°W .

Sweep: 0.79 Mc to 14.0 Mc in 2 minutes.

Table 13

Wuchang, China (30.5°N , 114.4°E)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	fB	F2-M3000
00	260	9.2				3.0	2.8	
01	260	8.6				2.0	2.8	
02	260	7.8				1.8	2.8	
03	265	6.9					2.8	
04	250	6.4					2.7	
05	260	5.8					2.7	
06	260	6.8					2.7	
07	230	10.0			120	1.4	2.8	
08	220	11.0			100	2.3	3.1	
09	220	12.3	220	7.4	100	3.4	4.5	3.0
10	295	13.2	215	7.5	100	3.7	5.1	2.9
11	280	13.5	220	7.0	100	3.8	5.0	2.8
12	305	14.0	218	6.8	100	4.0	4.4	2.8
13	312	14.4	220	7.1	100	3.9		2.8
14	310	14.5	225	7.0	100	3.7		2.8
15	310	14.8	230	6.8	100	3.6		2.8
16	255	14.2	230	6.1	100	3.5		2.9
17	240	13.8	240	6.0	100	3.0	4.1	3.0
18	240	13.0			100	2.3	4.2	3.0
19	240	12.0					4.1	3.0
20	240	11.6					3.7	2.9
21	250	11.0					2.8	2.8
22	270	11.2					2.8	2.8
23	272	10.0					3.2	2.9

Time: 120.0°E .

Sweep: 1.2 Mc to 19.2 Mc, manual operation.

Table 14

Baton Rouge, Louisiana (30.5°N , 91.2°W)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	fB	F2-M3000
00	310	6.0						2.7
01	310	6.0						2.7
02	310	5.6						2.6
03	310	5.3						2.6
04	310	5.0						2.7
05	300	5.4						2.6
06	290	6.5						3.0
07	290	8.9			250	(4.0)	120	2.6
08	300	10.2			240	(4.8)	120	3.3
09	300	11.0			240	(5.0)	120	3.7
10	320	11.5			235	(5.5)	120	3.8
11	355	11.8			240	(5.5)	120	3.9
12	380	12.0			240	(6.5)	120	3.9
13	360	11.8			240	(6.2)	120	3.9
14	360	11.7			240	(6.0)	120	3.8
15	365	11.7			250	(5.6)	120	3.6
16	330	11.5			250	(5.0)	120	3.4
17	310	11.0			250		120	2.6
18	270	9.8						2.9
19	265	8.5						2.8
20	270	7.1						2.7
21	290	6.5						2.6
22	300	6.1						2.7
23	310	6.0						2.7

Time: 90.0°W .

Sweep: 2.0 Mc to 15.0 Mc in 5 minutes, automatic operation.

Table 15

Okinawa I. (26.3°E , 127.8°E)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	fB	F2-M3000
00		9.2				3.6	2.6	
01		9.0				3.5	2.6	
02		8.4				3.2	2.6	
03		7.2				3.2	2.6	
04		6.9				3.0	2.5	
05		6.7				3.2	2.5	
06		6.5				3.0	2.5	
07		5.9				3.6	2.9	
08		(10.6)				4.4	(2.8)	
09		(11.2)				4.8	(2.6)	
10		(12.8)				5.1	(2.5)	
11		(13.7)				5.3	(2.5)	
12		(14.5)				5.6	2.5	
13		(14.9)	(7.5)			5.8	(2.5)	
14		(14.7)	(7.1)			5.0	(2.5)	
15		15.1	(7.1)			5.0	2.5	
16		(14.9)				5.2	(2.5)	
17		15.1				5.0	(2.6)	
18		14.3				4.8	2.6	
19		(14.3)				4.1	(2.6)	
20		11.0				4.0	2.6	
21		(10.3)				3.6	(2.6)	
22		9.8				3.6	2.4	
23		(9.5)				3.7	(2.5)	

Time: 135.0°E .

Sweep: 1.8 Mc to 18.0 Mc in 15 minutes, manual operation.

Table 16

Mani, Hawaii (20.8°N , 156.5°W)

September 1947

Time	$\text{h}^{\circ}\text{F}_2$	$\text{f}^{\circ}\text{F}_2$	$\text{h}^{\circ}\text{F}_1$	$\text{f}^{\circ}\text{F}_1$	h°E	f°E	fB	F2-M3000
00	230	10.3						2.8
01	220	9.6						2.8
02	220	9.2						2.8
03	230	7.4						2.8
04	255	6.4						2.7
05	270	5.6						2.6
06	260	5.5						2.6
07	220	8.2						3.0
08	220	10.3	210	4.1	100	3.2		3.1
09	230	11.9	205	5.4	95	3.6		2.8
10	290	13.3	200	6.6	100	4.0		2.8
11	315	14.4	200	7.6	100	4.3		2.7
12	300	15.1	200	7.3	90	4.4		2.8
13	330	15.5	200	7.0	100	4.4		2.8
14	325	15.7	200	7.0	100	4.1		2.8
15	305	15.6	210	6.8	100	3.9	4.5	2.8
16	290	15.1	210	6.1	100	3.3	4.8	2.9
17	225	14.4	200	4.2	90	3.0	3.5	2.8
18	210	14.2			100	2.4	3.1	2.8
19	210	13.8					3.3	2.9
20	230	13.6					3.3	2.8
21	230	13.1					3.1	2.8
22	230	13.0					2.8	2.6
23	230	10.7					2.5	2.6

Time: 150.0°W .

Sweep: 2.2 Mc to 16.0 Mc in 1 minute, automatic operation; above 16.0 Mc, manual operation.

Table 17

San Juan, Puerto Rico (18.4°N , 66.1°W)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{r}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{r}^{\circ}\text{Fl}$	h°E	r°E	fEa	F2-M3000
00		8.0					2.7	
01		8.0					2.8	
02		7.2					2.8	
03		6.7					2.7	
04		6.6					2.8	
05		6.3					2.8	
06		6.8					2.8	
07	270	9.1	2.9				2.9	
08	290	11.0					2.8	
09	310	11.5					3.0	
10	330	12.2					2.7	
11	350	12.3					2.7	
12	360	12.8					2.7	
13	365	12.5					2.6	
14	370	12.6					2.6	
15	350	12.2					2.6	
16	350	12.0					2.7	
17	310	11.5					2.7	
18	300	11.0					2.8	
19	315	9.8					2.7	
20		9.0					2.6	
21		9.2					2.7	
22		8.8					2.7	
23		8.7					2.7	

Time: 60.0°W .Sweep: 2.5 to 13.0 Mc in 5 minutes, automatic; supplemented by manual operation.

Table 18

Guam I. (13.5°N , 144.8°E)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{r}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{r}^{\circ}\text{Fl}$	h°E	r°E	fEa	F2-M3000
00		255						5.0
01		240						3.1
02		230						4.8
03		230						3.0
04		230						4.9
05		235						3.1
06		230						4.8
07		250						3.0
08		230						7.0
09		230						7.5
10		220						5.8
11		220						5.5
12		220						6.0
13		230						6.0
14		(220)						2.2
15		(220)						5.8
16		205						2.3
17		255						6.9
18		270						2.4
19		330						5.6
20		355						2.3
21		320						2.4
22		270						4.6
23		270						2.6

Time: 150.0°E .

Sweep: 1.25 Mc to 18.8 Mc, manual operation.

Table 19

Trinidad, Brit. West Indies (10.6°N , 61.2°W)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{r}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{r}^{\circ}\text{Fl}$	h°E	r°E	fEa	F2-M3000
00	280	10.2					2.8	
01	270	8.9					2.8	
02	270	7.8					2.8	
03	270	7.4					2.8	
04	270	6.7					2.5	
05	280	5.5					2.6	
06	280	7.2					2.7	
07	250	9.6					2.7	
08	250	11.2					2.8	
09	270	12.6	240	5.3	120	2.8	2.2	3.0
10	280	13.2	240	(5.6)	120	3.7	3.0	2.8
11	320	13.9	230	5.9	120	4.1	4.8	2.6
12	320	14.1	240	6.0	120	4.2	4.9	2.6
13	315	14.2	240	6.2	120	4.2	5.4	2.6
14	355	14.0	240	6.4	120	4.2	5.0	2.6
15	380	13.4	250	6.4	120	3.9	5.1	2.5
16	300	12.9	250	6.2	120	3.5	4.7	2.6
17	270	12.2	260		120	2.9	4.7	2.6
18	280	11.8					2.6	
19	285	11.4					2.6	
20	300	11.1					2.6	
21	285	10.9					2.6	
22	290	10.9					2.6	
23	290	10.5					2.7	

Time: 60.0°W .

Sweep: 1.2 Mc to 15.5 Mc, manual operation.

Table 20

Palmyra I. (5.9°N , 162.1°W)

September 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{r}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{r}^{\circ}\text{Fl}$	h°E	r°E	fEa	F2-M3000
00		250						1.7
01		250						3.0
02		245						1.6
03		250						(2.9)
04		250						2.4
05		250						2.9
06		260						2.6
07		270						2.8
08		250						2.6
09		240						2.5
10		230						2.4
11		280						2.4
12		290						2.4
13		290						2.4
14		280						2.4
15		280						2.4
16		280						2.4
17		250						2.4
18		280						2.4
19		350						2.4
20		400						2.4
21		350						2.0
22		280						1.8
23		260						2.8

Time: 157.5°W .Sweep: 1.0 Mc to 13.0 Mc in 1 minute, 36 seconds; 13.0 Mc to 15.5 Mc , manual operation.

Table 21

Peiping, China (39.9°N , 116.4°E)

August 1947

Time	h^1F_2	r^0F_2	h^1F_1	r^0F_1	h^1E	f^0E	f^0E	$\text{F}_2\text{-M3000}$
00	8.8					3.0		
01	8.4					3.0		
02	8.2					2.9		
03	8.1					2.9		
04	8.2					2.9		
05	8.2					2.9		
06	8.8					3.1		
07	9.6					3.2		
08	10.0					3.2		
09	10.0					3.2		
10	10.5					3.2		
11	10.8					3.2		
12	10.7					3.3		
13	11.0					3.2		
14	11.1					3.3		
15	11.2					3.2		
16	11.0					3.2		
17	11.0					3.1		
18	10.6					3.2		
19	10.5					3.0		
20	9.6					3.1		
21	9.3					2.9		
22	9.2					3.1		
23	8.9					3.0		

Time: 120.0°E .

Sweep: 1.7 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 22

Chungking, China (29.4°N , 106.5°E)

August 1947

Time	h^1F_2	r^0F_2	h^1F_1	r^0F_1	h^1E	f^0E	f^0E	$\text{F}_2\text{-M3000}$
00	320	9.7						3.9
01	330	9.4						3.6
02	295	8.5						3.6
03	295	7.8						3.4
04	290	7.0						3.3
05	300	7.2						2.8
06	270	8.0						4.5
07	260	9.5						6.4
08	270	9.8	260			110	3.6	2.7
09	320	10.4	250					7.2
10	370	11.5	240	6.6				7.4
11	370	12.4	240	6.4				6.1
12	405	12.8	250	6.6				6.8
13	400	14.1	245	6.2	110	4.4		5.8
14	400	14.7	250	6.3				5.6
15	380	15.0	250	6.1	100	4.1		5.7
16	360	15.4	260	6.0	110	3.7		5.0
17	320	15.0	260		110	3.1		4.6
18	290	14.0						4.2
19	300	14.1						4.2
20	300	12.8						3.7
21	310	12.3						3.6
22	310	11.0						3.6
23	320	10.2						3.4

Time: 105.0°E .

Sweep: 1.7 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 23

Okinawa I. (26.3°N , 127.8°E)

August 1947

Time	h^1F_2	r^0F_2	h^1F_1	r^0F_1	h^1E	f^0E	f^0E	$\text{F}_2\text{-M3000}$
00	10.1				3.6	(2.7)		
01	9.0				3.4	2.6		
02	8.3				3.3	2.6		
03	8.3				3.8	2.5		
04	7.0				3.0	2.4		
05	7.1				3.0	2.3		
06	6.6				2.6	2.7		
07	8.3				3.6	2.9		
08	9.3		3.2		5.7	2.5		
09	9.4		3.5		5.1	2.6		
10	10.5				5.7	2.5		
11	11.8	6.4			5.8	2.5		
12	12.5	6.5			6.0	2.5		
13	13.3				6.0	2.5		
14	14.2	7.0			6.0	2.5		
15	14.8	6.4			5.6	2.5		
16	15.1				5.4	2.6		
17	14.5				5.2	2.7		
18	14.2				4.8	2.7		
19	13.8				4.3	2.7		
20	13.3				3.7	2.6		
21	13.0				4.0	2.6		
22	12.4				3.6	2.6		
23	12.0				3.6	2.6		

Time: 135.0°E .

Sweep: 1.8 Mc to 18.0 Mc in 15 minutes, manual operation.

Table 24

Guam I. (13.5°N , 144.6°E)

August 1947

Time	h^1F_2	r^0F_2	h^1F_1	r^0F_1	h^1E	f^0E	f^0E	$\text{F}_2\text{-M3000}$
00	280	13.0						3.9
01	275	12.0						3.0
02	250	11.2						3.5
03	260	10.1						2.8
04	250	9.3						4.1
05	235	8.6						2.8
06	250	7.8						4.6
07	250	9.1						4.0
08	240	10.9						3.0
09	230	12.1						5.4
10	230	12.7						2.9
11	(275)	12.8	220			110	4.0	5.0
12	(350)	12.9	220			110	4.3	5.2
13	(440)	13.2	210			110	4.4	5.2
14	(410)	13.7	220			(4.3)	5.3	2.1
15	(425)	13.6	220			110	4.2	5.4
16	(435)	13.6	240			110	3.8	2.3
17	240	13.6						6.5
18	260	13.7						2.2
19	310	13.0						7.0
20	390	12.2						2.2
21	345	12.5						5.0
22	310	12.8						3.4
23	290	12.9						2.1

Time: 150.0°E .

Sweep: 1.25 Mc to 15.8 Mc, manual operation.

Table 25

Leyte, Philippine Is. (11.0°N , 125.0°E)

August 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Es}$	F2-M3000
00		9.8				2.9		
01		8.8			1.8	2.9		
02		8.2				2.9		
03		7.8				3.1		
04		7.0			2.0	3.0		
05		5.9			2.1	3.0		
06		8.7			2.6	3.2	2.5	
07	10.6				3.5	5.0	2.8	
08	11.7					5.2	2.6	
09	12.3					5.1	2.4	
10	12.1					7.1	2.2	
11	11.9					6.2	2.2	
12	11.6					5.5	2.1	
13	11.8				<6.4	2.1		
14	11.5				<5.8	2.1		
15	11.5				4.0	6.2	2.1	
16	11.5				3.4	5.0	2.2	
17	11.2				2.6	5.0	2.2	
18	10.6					3.1	2.2	
19	9.6						2.0	
20	8.7						2.1	
21	9.5						2.3	
22	9.6						2.3	
23	10.5						<2.1	
							2.7	

Time: 120.0°E .

Sweep: 1.6 Mc to 16.0 Mc, manual operation.

Table 26

Johannesburg, Union of S. Africa (26.2°S , 25.0°E)

August 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Es}$	F2-M3000
00	260	4.3						2.9
01	(270)	4.0						2.9
02	(270)	3.8						2.9
03	250	3.5						2.9
04	(260)	3.4						2.9
05	(255)	3.4						2.9
06	(270)	3.5						2.9
07	280	7.9						2.9
08	220	10.4						3.3
09	250	11.6	220					3.3
10	250	12.5	210					3.1
11	250	12.5	210					3.0
12	250	12.5	200					2.9
13	250	12.6	200					2.8
14	(290)	12.5	210					2.8
15	(270)	12.3	220					2.8
16	(260)	11.9	220					2.6
17	250	11.7						2.9
18	230	11.2						3.0
19	220	9.9						3.1
20	220	9.0						3.1
21	220	7.6						3.2
22	230	5.9						3.2
23	250	4.7						3.0

Time: 30.0°E .

Sweep: 2.0 Mc to 15.0 Mc in 5 seconds.

Table 27

Christchurch, New Zealand (43.5°S , 172.7°E)

August 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Es}$	F2-M3000
00	300	5.4			2.7	2.6		
01	290	5.2			2.8	2.6		
02	300	5.0			2.8	2.7		
03	290	4.7			2.7	2.7		
04	285	4.3			2.6	2.8		
05	280	3.9			2.6	2.8		
06	270	3.8			2.6	2.8		
07	260	5.7			1.7	2.6	3.0	
08	240	9.2			2.5		3.1	
09	240	10.8			3.0		3.1	
10	240	11.8			3.3		3.0	
11	240	11.9	250	5.4	3.5		3.0	
12	250	12.4			5.5	3.5	2.9	
13	240	11.5	240	4.8	3.5		2.9	
14	250	11.4	230	4.7	3.3		2.9	
15	240	11.0			3.0		2.8	
16	250	10.6			2.6		2.9	
17	250	10.1			1.8	2.9	2.8	
18	240	8.9			2.6	2.8	2.8	
19	250	8.3			2.6	2.7	2.8	
20	260	7.0			2.7	2.7	2.8	
21	270	6.3			2.8	2.7	2.8	
22	280	6.0			2.7	2.7	2.8	
23	280	5.7			2.7	2.6	2.8	

Time: Local.

Sweep: 1.0 Mc to 13.0 Mc.

Table 28*

Slough, England (51.5°N , 0.6°W)

July 1947

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	h°E	f°E	$\text{f}^{\circ}\text{Es}$	F2-M3000
00	271	7.6						2.8
01	261	7.0						2.5
02	285	6.8						2.1
03	285	6.5						2.5
04	292	6.5						2.5
05	304	6.9	247					2.5
06	335	7.2	218					2.5
07	333	7.7	210					2.5
08	370	7.5	208					2.5
09	352	8.0	202					2.5
10	379	8.0	206					2.5
11	395	8.0	204					2.5
12	407	7.9	208					2.5
13	412	7.8	209					2.5
14	393	7.8	211					2.5
15	394	7.9	214					2.5
16	369	7.6	213					2.5
17	332	7.8	219					2.5
18	285	8.0	226					2.6
19	250	8.2	240**					2.6
20	256	8.0						2.6
21	258	8.2						2.6
22	266	8.1						2.5
23	271	7.9						2.5

Time: Local.

Sweep: 0.5 Mc to 16.0 Mc in 4 minutes.

*Average values except $\text{f}^{\circ}\text{F2}$ and $\text{f}^{\circ}\text{Es}$, which are median values.

**Less than three observations.

Table 29

Lanchow, China (36.1°N , 103.8°E)

July 1947

Time	h^1F_2	f^0F_2	h^1F_1	f^0F_1	h^1E	f^0E	f_{Es}	F2-M3000
00	360	9.0				4.8	2.3	
01	360	8.4				4.0	2.3	
02	360	8.2				4.3	2.3	
03	360	8.0				4.0	2.2	
04	360	7.7				3.8	2.3	
05	360	7.5				4.2	2.3	
06	320	8.0				4.0	2.4	
07	320	10.0				5.1	2.4	
08	360	10.2	275	5.5	140	3.2	5.1	
09	390	10.2	280	6.2	130		5.8	
10	430	10.6	265	6.2	140		6.2	
11	465	11.0	280	6.7	140		6.7	
12	480	(11.0)	280	6.2	130		6.4	
13	440	11.0	280	6.6	130		6.8	
14	440	11.5	280	6.4	130		6.4	
15	420	11.0	280	6.4	140		6.4	
16	400	10.4	260	5.8	130		5.9	
17	400	10.7	260	5.6	140		5.2	
18	360	10.5	280		140		4.6	
19	340	9.8					2.4	
20	(340)	(9.3)					(2.4)	
21	(350)							
22	360	9.4					4.6	
23	360	9.2					4.9	

Time: 105.0°E .Sweep: 2.5 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 30

Tokyo, Japan (35.7°N , 139.5°E)

July 1947

Time	h^1F_2	f^0F_2	h^1F_1	f^0F_1	h^1E	f^0E	f_{Es}	F2-M3000
00	300	9.2						5.2
01	295	8.5						6.1
02	280	8.2						4.9
03	270	7.9						2.7
04	285	7.9						4.0
05	260	8.0						3.8
06	290	9.4	245					2.6
07	290	9.5	235					2.6
08	320	9.0	240					2.6
09	370	9.1	205					2.5
10	390	9.2	200					2.5
11	390	9.8						2.6
12	390	10.2	220					2.6
13	380	10.1	220					2.6
14	360	9.8	230					2.7
15	370	9.4	240					2.6
16	360	9.4	240					2.7
17	330	9.2	245					2.7
18	300	9.2	240					2.8
19	265	8.8						2.8
20	270	8.6						4.6
21	300	8.8						2.5
22	300	9.0						4.8
23	300	9.0						2.6

Time: 135.0°E .Sweep: 1.0 Mc to 15.0 Mc , manual operation.

Table 31

Yamakawa, Japan (31.2°N , 130.6°E)

July 1947

Time	h^1F_2	f^0F_2	h^1F_1	f^0F_1	h^1E	f^0E	f_{Es}	F2-M3000
00	330	9.3				4.8	2.5	
01	310	9.2				4.0	2.6	
02	290	9.0				4.2	2.6	
03	290	8.0				3.2	2.6	
04	300	7.5				2.8	2.5	
05	310	7.4				2.5	2.5	
06	280	8.4				2.5	2.5	
07	280	9.0				2.2	2.7	
08	300	9.0	240			2.9	2.8	
09	400	8.8	220			5.1	2.6	
10	430	9.0	210			6.0	2.5	
11	420	9.5	220	5.8		6.2	2.4	
12	420	10.4	210	5.8		4.2	2.4	
13	410	10.4	220	5.8		4.2	2.5	
14	400	10.5				4.0	2.5	
15	400	10.3	220	5.4		6.2	2.5	
16	380	10.1	220			3.8	2.6	
17	365	10.3				3.4	2.6	
18	310	10.2				2.8	2.7	
19	300	9.8				5.0	2.7	
20	300	9.1				3.8	2.5	
21	310	8.9				3.8	2.4	
22	320	9.5				4.2	2.4	
23	330	9.3				3.8	2.4	

Time: 135.0°E .Sweep: 0.6 Mc to 18.5 Mc in 15 minutes, manual operation.

Table 32

Fiji Is. (18.0°S , 178.2°E)

July 1947

Time	h^1F_2	f^0F_2	h^1F_1	f^0F_1	h^1E	f^0E	f_{Es}	F2-M3000
00	220	7.2						2.6
01	220	6.4						2.5
02	220	5.6						2.5
03	215	4.8						2.6
04	220	3.5						2.5
05	255	3.5						2.6
06	260	4.3						2.6
07	240	5.2						2.7
08	220	12.6						2.6
09	220	D						4.6
10	220	D	210			5.6		
11	220	D	200			5.3		
12	260	12.4	190			7.0		
13	280	12.0	210			6.5		
14	285	11.6	205			6.5		
15	320	11.6	210			6.3		
16	230	11.6	220			5.7		
17	240	11.8						2.6
18	230	11.2						3.9
19	210	10.3						4.0
20	235	9.3						3.0
21	230	9.4						2.9
22	230	8.9						2.8
23	210	8.3						2.6

Time: 180.0°E .Sweep: Upper limit, 13.0 Mc .

Table 33

Rarotonga I. (21.3°S, 159.8°W)

July 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E	fE	F2-M3000
00		7.0						
01		6.5						
02		6.5						
03		5.9						
04		4.5						
05		3.9						
06		4.6						
07		9.5						
08		12.1						
09		13.1						
10		13.4						
11		12.8						
12		12.3						
13		11.7						
14		11.7						
15		11.6						
16		11.5						
17		11.7						
18		11.6						
19		10.5						
20		10.0						
21		9.9						
22		9.2						
23		8.1						

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 34

Yamakawa, Japan (31.2°N, 130.6°E)

June 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E	fE	F2-M3000
00	330	9.4						4.8
01	320	9.4						4.7
02	300	8.5						4.4
03	300	8.2						3.0
04	300	7.5						2.8
05	315	7.4						2.5
06	290	8.3					120	2.3
07	285	9.0					110	2.9
08	305	8.9	230				110	4.5
09	390	9.3	230				110	5.4
10	410	9.6	250				110	7.6
11	430	9.7	215				110	7.6
12	420	10.2	210				110	6.3
13	400	10.4	240		5.6		140	6.4
14	400	10.7			5.6			6.2
15	400	11.0				110	4.2	2.5
16	390	10.8	240		5.2	110	3.9	6.2
17	360	10.7	230		4.8	100	3.6	6.2
18	320	10.4				110	2.9	5.0
19	300	9.6				120	1.8	4.9
20	300	9.0						5.0
21	320	8.6						4.0
22	350	9.1						4.1
23	350	9.0						4.8

Time: 135.0°E.

Sweep: 0.6 Mc to 18.5 Mc in 15 minutes, manual operation.

Table 35

Miji Is. (15.0°S, 178.2°E)

June 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E	fE	F2-M3000
00	240	7.3						
01	225	6.8						
02	230	5.4						
03	220	4.6						
04	230	3.5						
05	260	3.6						
06	265	5.3						
07	250	10.0						
08	240	13.0			105	2.8	4.8	
09	235	D			105	3.4	5.0	
10	235	D	230	5.7	100	3.7	5.0	
11	260	D	220	6.4	100	3.9	5.1	
12	290	12.8	220	6.5	100	4.0	4.9	
13	320	12.4	215	6.6	100	4.0	5.3	
14	325	11.9	220	6.5	10	3.7	5.2	
15	260	12.0	225	6.0	110	3.5	4.8	
16	250	11.5	230		100	3.1	4.8	
17	250	11.7			2.4	4.8		
18	240	11.7				3.4		
19	230	10.6				3.0		
20	240	9.3				2.8		
21	240	8.9				2.6		
22	230	8.5				2.6		
23	250	8.3				2.6		

Time: 180.0°E.

Sweep: Upper limit, 13.0 Mc.

Table 36

Rarotonga I. (21.3°S, 159.8°W)

June 1947

Time	h'F2	f'F2	h'F1	f'F1	h'E	f'E	fE	F2-M3000
00		7.2						
01		6.8						
02		6.2						
03		5.9						
04		5.7						
05		6.1						
06		6.8						
07		9.6						
08		12.5						
09		13.8						
10		13.6						
11		13.5						
12		12.8						
13		12.4						
14		12.5						
15		12.4						
16		12.5						
17		12.6						
18		12.7						
19		11.8						
20		11.2						
21		10.7						
22		9.2						
23		8.2						

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 37

Fiji Is. (15.0°S , 175.2°E)

May 1947

Time	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$F_{2-\text{N}3000}$
00	230	8.5					2.5
01	230	7.2					2.5
02	230	8.2					2.5
03	230	5.8					2.5
04	230	4.6					2.5
05	250	4.3					2.6
06	270	5.4					2.7
07	290	10.4		100	2.3	3.1	
08	230	D		110	3.1	4.8	
09	230	D		110	3.5	4.6	
10	220	D		100	3.8		
11	300	D	215	7.2	100	4.0	
12	290	D	220	7.2	105	4.1	
13	305	D	220	7.3	100	4.0	
14	365	13.0	220	7.0	100	3.8	5.0
15	360	13.0	220	7.0	100	3.6	4.8
16	290	D	230		100	3.2	5.0
17	290	12.8				2.5	5.1
18	250	12.5					4.2
19	290	12.0					3.8
20	250	10.8					3.4
21	290	11.1					2.9
22	250	11.2					2.8
23	290	10.0					2.5

Time: 150.0°W .

Sweep: Upper limit, 13.0 Mc.

Table 38*

Glyde, Baffin I. (70.5°W , 68.6°N)

December 1943

Time	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$F_{2-\text{N}3000}$
00	264						3.5
01	294						3.6
02	276						3.5
03	250						3.6
04	287						3.7
05	304						4.0
06	297						4.0
07	297						4.5
08	294						4.4
09	264						4.6
10	249						4.7
11	246						4.8
12	251						4.9
13	242						5.1
14	247						5.2
15	247						5.5
16	247						4.6
17	267						4.8
18	262						4.2
19	278						4.0
20	280						4.0
21	292						4.6
22	285						4.5
23	301						4.4

Time: 150.0°W .

Sweep: 2.0 Mc to 16.0 Mc in 1 minute, supplemented by manual apparatus with low frequency limit 1.6 Mc.

*Average values.

Table 39*

Glyde, Baffin I. (70.5°W , 68.6°N)

November 1943

Time	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$F_{2-\text{N}3000}$
00	332	2.8					3.6
01	313	2.8					3.5
02	316	3.2					4.0
03	298	2.7					4.0
04	304	2.8					4.2
05	309	2.7					4.2
06	298	2.5					4.7
07	309	2.8					5.2
08	277	3.3					5.1
09	258	3.5					4.6
10	255	3.7					6.4
11	256	4.0					6.0
12	256	3.9					4.6
13	257	4.1					4.2
14	252	4.1					4.9
15	251	4.1					4.8
16	263	4.0					4.4
17	281	3.8					5.1
18	275	3.6					4.8
19	260	3.5					4.8
20	282	3.4					5.3
21	298	3.1					4.1
22	288	3.0					4.1
23	326	2.8					3.8

Time: 150.0°W .

Sweep: 2.0 Mc to 16.0 Mc in 1 minute, supplemented by manual apparatus with low frequency limit 1.6 Mc.

*Average values.

Table 40*

Great Britain, England (51.7°E , 0.5°N)

April 1943

Time	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$\Delta'F_2$	$F_{2-\text{N}3000}$
00							3.3
01							3.2
02							3.1
03							2.9
04							2.7
05							3.0
06							3.8
07							4.5
08							4.9
09							5.3
10							5.6
11							5.7
12							5.6
13							5.7
14							5.7
15							5.6
16							5.7
17							5.7
18							5.9
19							5.9
20							5.7
21							4.9
22							4.2
23							3.6

Time: 0.0° .

*Average values.

Table 41*

Great Baddow, England (51.7°N , 0.5°E)

March 1943

Time	h'P2	r'P2	h'P1	r'P1	h'E	r'E	Tm	P2-M3000
00		3.1						
01		2.9						
02		2.8						
03		2.8						
04		2.5						
05		2.1						
06		2.9						
07		4.1						
08		4.8						
09		5.3						
10		5.8						
11		6.0						
12		6.3						
13		6.4						
14		6.4						
15		6.3						
16		6.2						
17		6.0						
18		6.0						
19		5.5						
20		4.7						
21		3.8						
22		3.3						
23		3.1						

Table 42*

Great Baddow, England (51.7°N , 0.5°E)

February 1943

Time	h'P2	r'P2	h'P1	r'P1	h'E	r'E	Tm	P2-M3000
00		2.9						
01		3.0						
02		2.9						
03		2.9						
04		2.5						
05		2.4						
06		2.3						
07		3.1						
08		4.7						
09		5.4						
10		5.8						
11		5.9						
12		5.9						
13		6.1						
14		6.0						
15		5.9						
16		5.9						
17		5.5						
18		4.7						
19		3.9						
20		3.1						
21		2.9						
22		2.9						
23		2.8						

Time: 0.0° .

*Average values.

Table 43*

Great Baddow, England (51.7°N , 0.5°E)

January 1943

Time	h'P2	r'P2	h'P1	r'P1	h'E	r'E	Tm	P2-M3000
00		2.7						
01		2.7						
02		2.7						
03		2.5						
04		2.0						
05		2.1						
06		2.0						
07		2.1						
08		3.5						
09		4.8						
10		5.1						
11		5.8						
12		5.9						
13		5.5						
14		5.5						
15		5.2						
16		4.8						
17		4.2						
18		3.4						
19		2.9						
20		2.4						
21		2.4						
22		2.5						
23		2.7						

Time: 0.0° .

*Average values.

Table 44*

San Juan, Puerto Rico (18.4°N , 66.1°W)

December 1942

Time	h'P2	r'P2	h'P1	r'P1	h'E	r'E	Tm	P2-M3000
00		3.6						
01		3.7						
02		4.0						
03		4.1						
04		4.0						
05		4.1						
06		4.1						
07		3.8						
08		3.4						
09		3.5						
10		3.8						
11	253	5.0			3.1		2.5	2.4
12	252	6.5	254	5.6	3.0	3.1		
13	258	7.8	240	6.0	3.2	3.2		
14	247	8.0	234	5.3	3.5	3.7		
15	251	8.0	233	4.4	3.7	5.5		
16	256	7.3	226	4.4	3.7	5.5		
17	280	7.3	230	4.4	3.8	6.1		
18	273	7.7	234	4.4	3.7	5.5		
19	265	7.6	231	4.1	3.4	5.2		
20	252	7.2	235	3.8	3.2	5.4		
21	246	6.8	234	3.6	3.0	5.1		
22	232	6.0	3.1				4.9	
23	254	4.4					4.4	

Time: 0.0° .

*Average values.

Table 45°

San Juan, Puerto Rico (18.4°N , 66.1°W)

November 1942

Time	h'P2	f'P2	h'P1	f'P1	h'N	f'N	f'Ns	F2-M3000
00		3.9				4.6		
01		4.0				3.3		
02		4.0				4.3		
03		4.1				3.1		
04		4.2				2.9		
05		4.1				2.4		
06		4.1				2.4		
07		3.8				2.4		
08		3.2				2.4		
09		3.1				2.4		
10		3.2				2.4		
11	254	5.4				3.5		
12	254	7.2	238	3.1		2.4	2.4	
13	258	8.0	236	4.2		3.0	4.5	
14	256	8.6	237	4.4		3.4	3.4	
15	258	8.5	242	4.5		3.8	4.5	
16	266	8.4	241	4.5		3.9	5.1	
17	263	8.5	245	4.4		3.9	4.7	
18	266	8.4	240	4.4		3.8	4.8	
19	262	8.3	232	4.2		3.5	4.4	
20	253	7.9	227	3.9		3.0	4.6	
21	245	7.4	230	3.6		2.5	4.1	
22	243	6.2					3.6	
23	263	4.9					4.7	

Time: 0.0° .

*Average values.

Table 46°

San Juan, Puerto Rico (18.4°N , 66.1°W)

October 1942

Time	h'P2	f'P2	h'P1	f'P1	h'N	f'N	f'Ns	F2-M3000
00						4.2		3.5
01						3.9		4.0
02						3.9		4.6
03						3.9		3.2
04						4.0		4.0
05						4.2		2.4
06						3.8		3.3
07						3.5		3.7
08						3.0		3.9
09						3.0		3.9
10						3.2		2.4
11						2.5		2.5
12						221	3.1	3.2
13						226	3.6	3.4
14						232	4.3	5.0
15						232	4.8	3.7
16						239	4.5	6.7
17						238	4.5	5.6
18						241	4.5	6.1
19						240	4.3	5.0
20						243	3.8	5.0
21						234	3.8	4.4
22						237	3.5	2.7
23						247	5.3	3.7

Time: 0.0° .

*Average values.

Table 47°

San Juan, Puerto Rico (18.4°N , 66.1°W)

September 1942

Time	h'P2	f'P2	h'P1	f'P1	h'N	f'N	f'Ns	F2-M3000
00		5.2				3.3		
01		4.2				2.6		
02		4.0				3.6		
03		3.8				3.7		
04		3.7				2.8		
05		3.7				2.4		
06		3.8				2.6		
07		3.5				3.2		
08		3.4				3.0		
09		3.4				2.9		
10		3.5				2.9		
11	236	5.2				2.9		
12	258	5.6	200	3.2		2.4	2.9	
13	284	6.0	202	4.2		3.0	2.8	
14	311	6.4	208	4.4		3.7	6.5	
15	336	7.0	215	4.5		3.9	5.2	
16	321	8.4	227	4.6		4.0	5.6	
17	301	9.0	238	4.5		4.0	5.2	
18	290	9.3	236	4.5		3.9	5.2	
19	280	9.6	233	4.3		3.8	5.3	
20	267	9.4	222	4.1		3.4	5.8	
21	275	8.9	220	3.8		3.1	4.5	
22	245	8.2	230	3.2		2.8	3.5	
23	238	6.9					2.8	

Time: 0.0° .

*Average values.

Table 48°

San Juan, Puerto Rico (18.4°N , 66.1°W)

August 1942

Time	h'P2	f'P2	h'P1	f'P1	h'N	f'N	f'Ns	F2-M3000
00						5.9		5.5
01						4.9		4.6
02						4.4		4.3
03						4.2		4.0
04						4.2		4.7
05						4.2		3.2
06						4.1		3.1
07						3.9		3.8
08						3.5		3.5
09						3.2		4.5
10						3.0		4.0
11						4.9		4.0
12						291	3.8	2.4
13						296	3.8	3.6
14						348	4.0	3.4
15						360	6.0	6.0
16						355	7.8	7.3
17						327	7.9	6.9
18						310	8.4	5.9
19						296	9.3	5.8
20						280	9.2	5.6
21						274	8.8	5.6
22						255	8.4	5.1
23						241	7.6	5.4

Time: 0.0° .

*Average values.

Table 49*

San Juan, Puerto Rico (18.4°N , 66.1°W)

July 1942

Time	A'F2	F'F2	A'F1	F'F1	A'E	F'E	T'G	T'S	F2-M3000
00	320	6.6					4.0		
01	320	6.0					3.3		
02	317	5.4					3.0		
03	324	5.0					2.8		
04	326	4.8					2.9		
05	315	4.8					3.9		
06	300	4.6					3.4		
07	307	4.1					3.1		
08	312	3.9					1.6		
09	300	3.6					4.4		
10	285	3.7					3.9		
11	270	4.6					3.4		
12	295	5.3	209	3.9			2.4		
13	322	5.6	202	4.2			3.0		
14	363	6.0	197	4.3			3.4		
15	316	6.6	197	4.4			3.8		
16	336	7.4	190	4.4			7.2		
17	338	7.9	200	4.5			4.0		
18	328	8.0	203	4.4			3.9		
19	321	8.1	202	4.4			3.7		
20	309	8.1	206	4.2			3.4		
21	301	8.0	217	3.9			3.0		
22	288	7.7	220	3.4			2.4		
23	292	7.1					4.4		

Time: 0.0° .

*Average values.

Table 50*

San Juan, Puerto Rico (18.4°N , 66.1°W)

Case 2422

Time	A'F2	F'F2	A'F1	F'F1	A'E	F'E	T'G	T'S	F2-M3000
00	294						7.0		4.1
01	312						6.1		3.6
02	316						5.6		3.2
03	339						5.4		2.9
04	306						5.3		2.5
05	317						5.4		2.8
06	276						5.0		2.5
07	278						4.4		2.6
08	276						4.1		3.9
09	277						3.8		3.0
10	262						4.3		2.8
11	279						5.2		3.7
12	295						5.9	195	3.1
13	304						6.6	193	4.3
14	334						6.7	197	4.6
15	344						7.3	192	5.3
16	344						7.9	205	6.1
17	335						8.9	195	5.7
18	338						9.1	206	5.5
19	330						9.2	200	6.1
20	323						9.5	210	5.3
21	261						9.9	203	5.2
22	285						9.4	205	4.3
23	277						8.4	201	4.3

Time: 0.0° .

*Average values.

Table 51*

San Juan, Puerto Rico (18.4°N , 66.1°W)

May 1942

Time	A'F2	F'F2	A'F1	F'F1	A'E	F'E	T'G	T'S	F2-M3000
00	300	7.6					4.8		
01	318	6.8					4.3		
02	315	6.5					5.3		
03	311	6.3					5.5		
04	328	6.3					4.7		
05	312	6.1					5.6		
06	292	5.8							
07	291	5.3					5.6		
08	282	5.0					6.6		
09	274	4.5					4.8		
10	258	5.0					5.6		
11	254	6.1	180	3.5			4.7		
12	269	6.5	195	4.2			3.2		
13	284	6.9	191	4.5			3.5		
14	333	7.4	188	4.7			5.6		
15	350	8.6	193	4.8			4.0		
16	349	9.7	203	4.8			4.1		
17	331	10.4	216	4.8			4.1		
18	326	10.8	209	4.8			4.0		
19	310	10.9	207	4.6			3.8		
20	300	11.0	198	4.3			3.5		
21	285	10.9	210	4.1			3.3		
22	271	10.5	220	3.6			5.4		
23	265	9.2					4.5		

Time: 0.0° .

*Average values.

Table 52*

San Juan, Puerto Rico (18.4°N , 66.1°W)

April 1942

Time	A'F2	F'F2	A'F1	F'F1	A'E	F'E	T'G	T'S	F2-M3000
00							6.8		4.0
01							6.3		6.4
02							6.3		5.7
03							6.3		7.8
04							6.5		4.6
05							6.3		4.6
06							6.0		3.5
07							5.5		3.2
08							4.6		3.6
09							4.0		3.4
10							4.3		3.5
11							5.9		2.4
12							6.8		4.6
13							7.5		4.8
14							8.1		6.0
15							9.2		5.8
16							10.1		5.2
17							10.6		5.6
18							10.7		5.6
19							10.5		5.8
20							10.2		5.9
21							10.2		5.9
22							9.5		5.3
23							8.0		5.4

Time: 0.0° .

*Average values.

Table 53°

San Juan, Puerto Rico (18.4°W, 66.1°N)

March 1942

Time	h°F2	°F°2	h°F1	°F°1	h°F	°F°	Ths	F2-M3000
00	5.6							
01	5.0							
02	5.5							
03	4.9							
04	5.0							
05	5.1							
06	5.0							
07	4.6							
08	4.1							
09	3.6							
10	3.2							
11	5.6							
12	7.2		4.0		2.3			
13	5.6		4.1		3.0			
14	9.9		4.3		3.4			
15	10.4		4.6		3.7			
16	10.8		4.8		4.0			
17	11.1		4.9		4.1	6.5		
18	11.2		4.7		4.1	5.0		
19	11.0		4.6		3.9	5.9		
20	10.9		4.3		3.6	5.2		
21	10.4		4.1		3.0	5.1		
22	9.2		3.8		2.4			
23	7.5							

Time: 0.0°.

*Average values.

Table 54°

San Juan, Puerto Rico (18.4°W, 66.1°N)

February 1942

Time	h°F2	°F°2	h°F1	°F°1	h°F	°F°	Ths	F2-M3000
00		4.7						
01		3.9						
02		3.9						
03		4.0						
04		4.0						
05		4.2						
06		4.2						
07		4.3						
08		4.0						
09		3.8						
10		3.8						
11		4.9						
12		6.7						
13		7.5						
14		8.1						
15		8.7						
16		8.8						
17		8.9						
18		9.0						
19		8.9						
20		9.1						
21		8.9						
22		8.3						
23		6.6						

Time: 0.0°.

*Average values.

Table 55°

San Juan, Puerto Rico (18.4°W, 66.1°N)

January 1942

Time	h°F2	°F°2	h°F1	°F°1	h°F	°F°	Ths	F2-M3000
00	4.7					5.0		
01	4.2					7.5		
02	4.0					6.8		
03	4.0							
04	4.0							
05	4.2							
06	4.2							
07	4.1					6.5		
08	4.0							
09	3.8							
10	3.8							
11	5.0							
12	6.8		3.4		2.7			
13	7.9		3.9		3.2	4.8		
14	8.2		4.3		3.5			
15	7.9		4.4		3.7			
16	7.7		4.6		3.8	5.0		
17	8.2		4.6		3.8	6.4		
18	8.3		4.4		3.7	6.4		
19	8.2		4.3		3.5	4.9		
20	8.1		4.0		3.2	5.8		
21	7.8		3.8		2.7	6.4		
22	7.0		3.4		2.6	5.2		
23	5.6					7.3		

Time: 0.0°.

*Average values.

TABLE 56
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

National Bureau of Standards
(Institution) E. J. W., J. M. C.

Scaled by:

M. C. F., N. M.

National Bureau of Standards

Calculated by:

N. M.

hF2 Km October, 1947
(Characteristic) (Unit) (Month)

Observed at

Lat 39°N, Long 77.5°W

75°W Mean Time													
Day	00	01	02	03	04	05	06	07	08	09	10	11	12
1	(320)	300	330	300	320	320	300	280	220	280	340	360	350
2	300	320	350	400	360	360	320	350	3	G	(560)	520	350
3	400	420	440	440	360	360	320	350	250	350	(360)	330	320
4	380	320	290	220	250	300	250	250	260	(220)	(300)	340	320
5	260	260	250	240	250	240	250	250	260	(480)	(330)	350	320
6	260	250	250	250	250	270	220	260	260	330	340	340	320
7	250	250	250	250	250	270	270	270	(300)	340	360	360	350
8	A	230	220	250	240	260	260	280	290	300	(280)	270	260
9	280	260	250	250	(360)	330	320	320	260	260	280	280	280
10	300	320	350	400	400	380	320	360	240	220	220	220	220
11	(350)	370	320	220	200	230	250	250	220	220	220	220	220
12	280	290	(340)	(300)	F	300	320	350	240	220	230	230	230
13	C	C	C	C	C	C	C	C	C	C	C	C	C
14	260	350	F	C	C	C	C	C	C	C	C	C	C
15	300	(280)	(240)	(270)	(230)	(230)	(300)	(340)	(240)	(230)	(230)	(230)	(230)
16	240	250	270	300	270	220	250	250	230	230	230	230	230
17	250	260	260	270	250	230	250	250	230	230	230	230	230
18	250	260	250	250	240	260	260	240	230	230	230	230	230
19	260	260	260	250	260	250	250	240	230	230	230	230	230
20	270	250	260	260	220	280	300	240	220	220	220	220	220
21	260	250	270	280	260	250	270	270	230	230	230	230	230
22	280	270	280	270	220	(320)	240	240	230	230	230	230	230
23	260	300	320	300	260	250	340	230	250	250	250	250	250
24	220	250	230	30	240	230	240	240	230	230	230	230	230
25	250	260	260	250	250	260	260	A	230	230	230	230	230
26	250	250	270	260	250	250	240	240	230	230	230	230	230
27	250	250	250	250	240	240	240	240	230	230	230	230	230
28	250	250	250	250	240	240	250	250	230	230	230	230	230
29	250	250	240	240	240	240	240	240	230	230	230	230	230
30	240	240	240	250	260	260	250	240	230	230	230	230	230
31	250	250	250	250	(250)	250	240	230	230	230	230	230	230
Median	260	260	260	260	260	260	260	260	260	260	260	260	260
Count	29	30	29	31	27	27	31	31	30	31	30	30	30

Sweep 0 Mc 10-20 Mc in 0.25-min

Manual □ Automatic ■

TABLE 57
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

National Bureau of Standards
(Institution) J. M. C.

Scaled by:
E. J. W.

M. C. E.

Calculated by:
J. M. C.

f_{eff}^2 , Mc
(Characteristic)
Mc
(Unit)
Observed at
Washington, D.C.
Lat. 39°0'N., Long. 77°55'W.

Month)
October, 1947

Day	39°0'N		75°W Mean Time																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
1	(5.8)F	5.9	6.0	5.7	(5.9)F	5.4	6.0	7.4	9.1	(10.2)P	12.0	12.1	12.0	(11.7)P	(11.4)F	S	S	(8.5)F	(7.5)F	(7.2)F	(6.1)F	(6.1)F	(6.1)F				
2	(5.2)K	5.8	K	5.2	K	(3.9)F	3.5	K	3.9	4.8	K	6.4	K	(6.8)F	G	K	7.6	K	7.7	K	7.8	K	8.6	K	8.6	K	
3	3.1	K	3.5	K	3.7	F	4.2	K	3.9	K	3.4	K	5.2	F	(9.3)	1.2	1.2	1.2	1.3	1.3	1.3	1.3	1.2	1.2	1.2	1.2	1.2
4	6.9	5.8	5.7	5.8	(5.8)F	(5.9)F	(6.4)F	5.7	5.8	(5.8)F	(5.9)F	(6.4)F	12.0	(2.5)F	(3.5)F												
5	(8.2)F	(7.4)F	(7.0)F	(6.7)F	(6.7)F	(6.2)F	(6.2)F	(6.0)F	(6.0)F	(6.7)F	(6.7)F	(6.7)F	11.5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3		
6	(7.7)F	(7.2)F	(7.2)F	(7.2)F	(7.2)F	(6.9)F	(6.9)F	(6.6)F	(6.6)F	(7.2)F	(7.2)F	(7.2)F	11.6	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2		
7	7.9	7.4	7.3	6.6	5.7	(6.0)F	5.7	(6.0)F	9.0	10.2	11.2	11.5	12.5	12.4	12.5	12.5	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4			
8	7.6	7.6	7.8	7.1	7.2	(6.2)F	(5.6)F	(5.6)F	9.5	11.5	12.5	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8			
9	7.7	7.4	(6.6)F	(6.6)F	(6.0)F	(6.2)F	(6.4)F	(8.7)F	8.7	9.0	10.8	12.5	12.6	12.5	12.6	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5			
10	(5.4)K	(3.2)F	(3.3)F	3.4	K	3.5	K	4.0	K	5.7	K	6.4	K	9.8	K	9.4	K	8.5	K	8.5	K	9.4	K	9.4	K		
11	(5.4)F	F	K	3.4	F	(3.3)F	F	K	(4.1)F	8.1	9.8	11.1	11.6	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2			
12	(5.6)F	F	K	(4.6)F	(4.6)F	(3.3)F	F	K	(4.1)F	8.1	9.4	(10.2)F	(10.7)P	11.6	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5		
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C			
14	(6.8)F	(5.0)F	(3.4)F	(3.4)F	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C			
15	4.7	(3.6)F	3.3	3.4	3.4	(3.2)F	3.5	4.6	(7.6)F	(9.2)F	(10.4)P	11.4	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0			
16	(5.5)F	5.1	4.7	4.0	2	3.5	F	3.1	F	4.0	F	7.7	(8.7)F	10.7	11.7	12.7	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9		
17	(6.0)F	(6.0)F	(5.6)F	(5.6)F	(5.6)F	(5.2)F	(5.2)F	(5.2)F	(5.2)F	(4.7)F	(4.7)F	(4.7)F	9.4	(10.3)F	(10.3)F	11.5	11.9	12.1	12.5	12.5	12.5	12.5	12.5	12.5			
18	(7.6)F	(6.7)F	(6.4)F	(6.4)F	(6.4)F	(5.0)F	(5.0)F	(5.0)F	(5.0)F	(5.0)F	(5.0)F	(5.0)F	(10.0)	(10.7)F													
19	(6.6)F	(6.4)F	(5.9)F	(5.9)F	(5.6)F	(5.3)	(5.3)	(5.5)	(5.5)	(5.3)	(5.3)	(5.3)	(5.3)	(9.8)	(11.3)F												
20	(7.1)F	(6.7)F	5.2	4.7	(4.7)F	4.1	2	4.2	(8.7)F	9.2	(11.6)	12.1	12.5	12.8	(12.4)P	(12.6)P											
21	(7.2)F	(6.9)F	(6.3)F	(6.2)F	(6.2)F	(6.3)F	(6.1)F	(7.2)F	8.3	(10.8)F	11.5	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2				
22	6.9	6.4	5.9	6.2	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9			
23	6.4	6.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9			
24	7.2	7.2	7.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0			
25	(7.0)F	(6.8)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F	(6.7)F				
26	7.0	6.7	(6.2)F	(6.2)F	(6.5)F	(5.7)F	5.8	(6.2)F	9.0	12.5	12.8	13.1	12.6	12.7	(12.6)P	(12.7)P											
27	7.3	7.0	6.8	(6.3)F	(6.3)F	(5.9)F	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4			
28	7.2	7.2	7.2	7.8	7.8	(6.1)F	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5			
29	7.6	7.2	(6.4)F	(6.0)F	(5.4)F	(4.9)F	(4.9)F	(8.7)F	11.2	(12.4)P	12.7	12.9	13.1	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4				
30	7.2	7.0	6.3	5.6	5.0	4.8	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0			
31	7.4	6.5	6.8	6.3	6.1	5.5	(5.8)F	(9.0)	12.5	14.0	(14.0)	(14.3)	15.5	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0			
Median	6.7	6.2	6.0	(5.8)F	5.2	5.4	8.5	10.1	11.5	12.4	12.8	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0			
Count	30	29	29	28	28	28	28	28	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31			

Manual □ Automatic ■

Scale 1.0 Mc in 25.0 min

National Bureau of Standards
IONOSPHERIC DATAMc- October, 1947
(Characteristic) (Month)Washington, D.C.
Observed at

Lat. 39.0°N, Long. 77.5°W

Day	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330	Mean Time								
1	C	6.1	5.6	6.8	5.7	5.6	6.9	8.4	10.1	11.8	11.8	12.5	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3						
2	S	5.6	K	4.9	K	3.6	K	3.4	K	3.6	K	3.5	K	3.6	K	3.6	K	3.6	K														
3	F	K	3.4	K	4.1	K	4.3	K	3.6	K	3.6	K	3.9	K	3.6	K	3.6	K	3.6	K													
4	5.9	5.9	5.8	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2					
5	(1.79)	0	(7.1)	1/2	(6.9)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)				
6	[1.27]	5	(1.1)	1/2	(1.0)	1/2	(1.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)				
7	7.6	7.4	7.0	(6.3)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)	1/2	(6.0)			
8	7.7	7.6	7.6	(6.6)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)	1/2	(6.7)			
9	7.6	7.1	6.1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0			
10	(5.6)	0	3.2	2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)	1/2	(3.7)		
11	F	K	F	X	F	X	F	X	F	X	F	X	F	X	F	X	F	X	F	X	F	X	F	X	F	X	F	X	F	X			
12	(5.6)	F	(4.0)	F	(3.8)	F	(3.8)	F	(3.8)	F																							
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C				
14	(6.0)	0	3.6	F	(3.2)	F	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C				
15	4.2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)	1/2	(3.4)			
16	(6.6)	P	4.8	4.5	Z	3.9	Z	3.2	F	3.2	F	3.2	F																				
17	(6.2)	1/2	(5.9)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)	1/2	(5.7)		
18	6.7	6.2	6.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0			
19	(6.5)	1/2	(6.1)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)	1/2	(5.4)		
20	(7.1)	1/2	(5.7)	1/2	(5.2)	1/2	(4.4)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)	1/2	(4.2)		
21	(6.8)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)	1/2	(6.2)		
22	6.6	(6.6)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)			
23	6.0	5.8	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0		
24	(7.2)	1/2	(7.0)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)	1/2	(6.6)		
25	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)	1/2	(6.9)		
26	7.0	(6.2)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)			
27	7.2	6.8	[6.4]	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)	1/2	(6.4)		
28	7.3	7.1	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
29	7.2	7.0	(6.3)	V	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9		
30	7.9	6.6	5.9	5.3	5.0	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6		
31	6.6	6.7	6.6	5.8	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4		
Median	6.9	6.2	6.0	5.8	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4		
Count	37	29	29	28	27	27	28	28	29	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31

Sweep...10 Mc to 250 Mc in 0.125 min

Manual □

Automatic □

U.S. GOVERNMENT PRINTING OFFICE 1-12011

25

TABLE 59
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

hF1 (Characteristic)	Km (Unit)	October (Month)	1947	Washington, D. C.	Observed at Lat. 39°0'N., Long 77°5'W.	75°W Mean Time														National Bureau of Standards (Institution)	Scaled by: E. J. W. □ M. G. E. □ N. M. □ J. M. C.								
						00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1						Q	260	240	230	220	(230)	230	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	
2						Q	280	280	280	280	280	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110
3						Q	A	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
4						260	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	
5						240	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	
6						240	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
7						230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
8						240	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
9						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
10						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
11						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
12						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
13						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
14						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
15						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
16						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
17						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
18						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
19						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
20						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
21						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
22						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
23						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
24						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
25						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
26						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
27						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
28						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
29						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
30						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
31						Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
Median						230	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220
Count						3	7	9	15	20	20	18	20	18	20	18	20	18	20	18	20	18	20	18	20	18	20	18	20

Swept L.O. Mc to 25.0 Mc in 0.25 min
Manual □ Automatic □

TABLE 60
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

f ^o F _i (Chronocentrite)	Mc (Unit)	October, 1947		Lat. 39°N, Long. 77.5°W		75°W Mean Time																				
		Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1																										
2																										
3																										
4																										
5																										
6																										
7																										
8																										
9																										
10																										
11																										
12																										
13																										
14																										
15																										
16																										
17																										
18																										
19																										
20																										
21																										
22																										
23																										
24																										
25																										
26																										
27																										
28																										
29																										
30																										
31																										
	Median Count																									

Sweep I.Q. Mc to 250. Mc in 0.25 min.

Manual Automatic

TABLE 6
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

Form adopted June 1946
Notional Bureau of Standards
Scaled by: E. J. W. (Institution) J. M. C.
Calculated by: M. C. E. N. M.

Observed at	Lat. $39^{\circ}0'N$	Long $77^{\circ}5'W$	IONOSPHERIC DATA												M. C. E.										
			75°W						M. C. E.						N. M.										
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Median																									
Count	24	28	31	30	27	25	26	27	28	29	30	29	28	27	26	25	24	23	22	21	20	19	18	17	

Sweep 10 Mc to 250 Mc in 0.25 min
Manual Automatic

TABLE 62
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

Form adopted June 1946
National Bureau of Standards
Scaled by: E. J. W. (Institution) J. N. G.

f ⁰ E (Characteristic)	Mc (Unit)	October (Month)	847	Washington, D. C.	75°W Mean Time												N. M.											
					00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23				
1																												
2																												
3																												
4																												
5																												
6																												
7																												
8																												
9																												
10																												
11																												
12																												
13																												
14																												
15																												
16																												
17																												
18																												
19																												
20																												
21																												
22																												
23																												
24																												
25																												
26																												
27																												
28																												
29																												
30																												
31																												
Median																												
Count	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22

Sweep 1.0 Mc to 25.0 Mc in 22 min.
Manual Automatic

U. S. GOVERNMENT PRINTING OFFICE 1946 O-10510

TABLE 63
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

Form adopted June 1946
30

E _s (Characteristic)	Mc, Km (Height)	October, 1947 (Month)	Washington, D.C.	Observed at Lat. 39.0°N, Long. 77.5°W	National Bureau of Standards																				
					Scaled by: F. J. W. (Institution)		J. M. C. (Institution)		Calculated by: J. T. D. (Institution)		E. H. L. (Institution)		Mean Time		75°W										
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									

* * MEDIAN FEES LESS THAN MEDIAN F₀E, OR LESS THAN LOWER FREQUENCY LIMIT OF RECORDER.

** MEDIAN I.O. Mc to 25.0 Mc in 0.25 min

Manual □ Automatic ■

U. S. GOVERNMENT PRINTING OFFICE 14M-5-105313

TABLE 64
Central Radio Propagation Laboratory, National Bureau of Standards Washington 25, D.C.
IONOSPHERIC DATA

F2-M 1500 (Unit) Oct 1947
(Characteristic) (Month)
Observed at Washington, D.C.

Lot 390N, Long 77°W

National Bureau of Standards
(Institution) J. M. C.
Scaled by E. J. W.

Day	75°W Mean Time												N.M.													
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	(1.7) ³	1.6	1.7	1.5	(1.6) ³	1.7	1.8	1.9	(1.8) ³	1.9	(2.2) ³	1.9	(1.8) ³	1.7	(1.8) ³	1.7	(2.0)	1.8	(2.0)	(1.7)	(1.8) ³	(1.8) ³	1.9	1.9		
2	(1.5) ³	1.4	1.5	1.4	(1.4) ³	1.5	1.6	1.7	1.9	2.0	(1.8) ³	G	K	1.5	K	1.5	K	1.5	K	1.7	K	1.7	K	1.8		
3	1.6	(1.5) ³	1.4	1.5	1.5	1.6	1.6	1.7	1.8	F	(2.0)	2.2	2.1	2.0	1.9	(1.8) ³	1.9	1.7	1.7	K	1.7	K	1.7	1.7		
4	1.7	1.6	1.7	1.7	1.7	1.6	1.7	1.7	1.7	(1.6) ³	(1.7) ³	2.1	2.1	2.0	1.9	(1.8) ³	1.8	(1.8) ³	1.8	P	(1.7)	P	(1.7)	1.7		
5	(1.9) ³	(2.0) ³	(1.9) ³	1.9	1.9	1.9	1.9	1.9	1.9	(1.9) ³	(2.2) ³	2.0	1.9	(1.8) ³	1.9	(1.8) ³	1.8	(1.8) ³	1.8	P	(1.7)	P	(1.7)	1.7		
6	(1.9) ³	(2.0) ³	(1.9) ³	2.1	2.0	2.0	1.9	1.8	1.8	1.8	1.8	(1.9) ³	C	1.8	1.9	1.9										
7	2.0	2.0	2.1	(1.8) ³	(1.8) ³	1.6	(1.9) ³	1.6	(1.9) ³	1.6	(1.8) ³	1.9	2.2	2.0	2.0	1.8	1.8	1.8	1.8	(1.8) ³	(1.8) ³	1.8	1.8	1.8		
8	1.7	1.7	1.8	(1.9) ³	(1.7) ³	(1.8) ³	(1.8) ³	2.1	2.2	2.0	2.0	(2.0) ³	(1.9) ³	1.8	(1.8) ³	1.8	(1.8) ³	1.8	(1.8) ³	(1.8) ³	P	1.8	1.8	1.6	1.7	
9	1.8	1.7	1.7	(1.7) ³	1.5	(1.5) ³	(1.6) ³	(1.7) ³	(1.7) ³	2.0	2.0	1.7	1.8	1.8	1.9	1.9	1.9	2.0	2.0	1.8	K	1.7	K	1.8	1.8	
10	K	(1.9) ³	1.4	K	1.6	K	1.5	K	1.5	K	1.5	K	1.5	K	1.8	K	2.1	K	1.8	K	2.0	K	1.9	K	2.0	K
11	(1.6) ³	F	K	F	K	K	(1.9) ³	F	K	K	(1.9) ³	(1.6) ³	F	K	K	(1.9) ³	2.3	2.2	2.1	2.0	2.0	2.0	2.0	2.0	2.0	
12	(1.7) ³	(1.8) ³	(1.6) ³	(1.6) ³	F	(1.8) ³	F	(1.8) ³	F	(1.6) ³	2.1	2.0	2.4	(2.2) ³	(2.1) ³	2.0	2.0	2.0	2.0	1.9	C	C	C	C		
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
14	(1.9) ³	(1.9) ³	(1.9) ³	(1.6) ³	(2.0)	2.3	2.1	2.1	2.1	2.1	2.0	(1.9) ³	S	C	(2.1)	(2.1)	(1.9) ³	1.6								
15	2.0	2.0	(1.7)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)		
16	(1.7) ³	1.8	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7		
17	(1.9) ³																									
18	(1.9) ³																									
19	(1.9) ³	(2.0) ³	(1.8) ³																							
20	(1.7) ³	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	(2.1)	2.1	2.2	2.3	2.2	2.1	2.1	2.1	2.1	2.1	2.2	2.2	2.1	2.1		
21	(1.9) ³																									
22	1.7	1.7	1.8	1.7	1.6	(1.7) ³	1.8	2.4	(2.3)	(2.0)	(2.0)	2.1	1.9	(2.0)	(2.0)	2.1	(1.9)	(2.1)	2.1	(1.9)	(2.1)	1.8	1.8	1.8		
23	1.9	1.8	1.8	1.6	1.6	(1.6) ³	1.7	1.8	F	1.9	2.1	2.0	2.1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9		
24	1.7	1.9	1.9	1.9	2.0	1.9	1.7	C	C	C	(2.1)	C	(2.0)	2.0	1.9	(1.9)	1.8	1.9	1.9	2.0	N	1.9	1.9	2.0		
25	(1.7) ³	(1.9) ³																								
26	1.7	1.9	(1.9) ³																							
27	1.8	1.9	1.8	1.8	1.8	1.8	1.7	1.7	2.0	2.3	2.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.0	(1.9)	1.9	1.9	1.9	1.9		
28	1.8	1.9	1.9	1.9	1.7	(1.9) ³	2.0	1.9	2.1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2		
29	1.9	1.9	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)		
30	1.9	2.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9		
31	1.8	1.7	1.8	1.9	1.8	1.6	(1.7) ³	(2.0)	(2.0)	(2.0)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)	(2.1)		
Median	1.8	1.8	1.8	1.8	1.8	1.9	2.1	2.2	2.1	2.1	2.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9		
Count	20	24	21	21	21	23	23	23	23	23	21	31	31	31	31	31	31	31	31	31	31	31	31	31		

1.0 Mc 10²⁵ min 0.25 min
Sweep 1.0 Mc 10²⁵ min 0.25 min
Manual □ Automatic ■

TABLE 65
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA
F2 - M3000, October, 1947
(Characteristics) (Unit) (Month)
Observed at Washington, D.C.
Lat 39°N, Long 77.5°W

Day	75° W													Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	(2.6) ^f	2.6	2.5	2.3	(2.4) ^f	2.6	2.7	2.8	3.0	(3.2) ^f	2.9	2.8	(2.7) ^f	(2.8) ^f	5	5	(2.9) ^f	(2.8) ^f	(2.9) ^f	(2.7) ^f	(2.7) ^f	(2.7) ^f	(2.7) ^f			
2	(2.4) ^k	2.1	2.2	2.0	(2.2) ^f	2.1	2.5	2.8	2.9	(2.5) ^k	G	K	2.3	K	(2.4) ^k	(2.4) ^k	2.6	K	2.7	K	(2.4) ^k	C	K	(2.3) ^k	(2.6) ^k	
3	2.4	(2.3) ^k	2.2	2.1	2.3	2.5	2.4	2.6	2.8	(3.1)	3.1	2.9	3.0	2.7	(2.7) ^f	(2.7) ^f	2.7	2.7	2.8	S	2.7	N	2.7	(2.7) ^f		
4	2.6	2.4	2.6	2.6	(2.5) ^d	(2.6) ^d	(2.7) ^d	(2.8) ^d	3.1	(2.7) ^f	(2.9) ^f	(2.8) ^f	(2.8) ^f	(2.6) ^f	(2.6) ^f	(2.7) ^f	(2.6) ^f	(2.6) ^f	S	2.7	N	2.7	(2.7) ^f			
5	(2.8) ^f	(2.9) ^f	(2.6) ^f	(2.6) ^f	(2.7) ^f	(2.8) ^f	(2.8) ^f	(2.8) ^f	(3.1) ^d	3.0	2.8	2.9	(2.8) ^f	2.7	2.7	2.7	2.7	2.8	C	(2.8) ^f	S	<	(2.6) ^f	(2.8) ^f		
6	(2.9) ^f	(2.6) ^d	2.5	(2.6) ^f	3.0	2.9	2.8	2.8	2.7	2.7	2.7	(2.9) ^f	C	2.8	2.7	3.0	2.8									
7	2.9	2.7	2.7	2.7	(2.7) ^d	(2.6) ^d	(2.6) ^d	(2.8) ^d	2.9	3.0	3.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	(2.7) ^f	(2.8) ^f	2.6	(2.7) ^f	2.7	(2.7) ^f		
8	2.5	2.8	2.8	2.8	(2.6) ^d	(2.6) ^d	(2.6) ^d	(2.6) ^d	3.2	3.1	3.0	3.0	(3.0) ^d	(2.9) ^f	(2.7) ^f	2.5										
9	2.7	2.6	(2.5) ^d	2.3	(2.3) ^d	(2.4) ^d	(2.4) ^d	(2.5) ^d	(3.2) ^d	2.9	2.8	2.6	2.7	2.8	2.8	2.7	2.7	2.8	2.8	3.1	3.8	2.7	2.9	(2.5) ^d	2.7	
10	(3.0) ^d	2.2	2.2	2.2	(2.4) ^d	(2.4) ^d	(2.4) ^d	(2.4) ^d	2.2	K	(3.1) ^d	2.8	K	2.8	K	(2.5) ^d										
11	(2.4) ^d	F	K	F	K	(2.5) ^d	(2.5) ^d	(2.5) ^d	(2.5) ^d	F	K	(2.5) ^d	3.5	3.3	3.1	2.9	2.9	2.9	3.0	(3.3) ^d	(3.1) ^d	(3.2) ^d	(3.2) ^d	(3.0) ^d	(2.9) ^d	
12	(2.6) ^d	(2.5) ^d	(2.4) ^d	(2.5) ^d	F	(2.7) ^d	(2.7) ^d	(2.7) ^d	2.8	3.0	3.4	(3.1) ^d	(3.2) ^d	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	2.5
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
14	(2.8) ^d	(2.8) ^d	(2.4) ^d	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
15	3.4	(3.0) ^d	(2.7)	(3.0)	(3.0) ^d	(3.4)	(3.2)	(2.7) ^c	(2.7) ^c	(3.2)	(3.2)	(3.1)	(3.1)	(3.0) ^d	(3.0) ^d	3.1	(3.0) ^d	(3.0) ^d	3.1	(3.1) ^d	(3.1) ^d	3.2	3.2	3.1	(2.9) ^d	3.0
16	(3.1) ^d	2.9	3.1	2.5	2.5	3.0	2.6	2.7	2.7	3.0	3.6	(3.3) ^d	3.4	3.1	(3.0) ^d	(3.0) ^d	3.1	(3.2)	(3.2)	(3.2)	(3.2)	(3.2)	(3.2)	(3.2)	(3.1) ^d	
17	(2.7) ^d	(2.7) ^d	(2.8) ^d																							
18	(2.9) ^d	(2.8) ^d																								
19	(2.7) ^d	(2.7) ^d	(2.8) ^d																							
20	(2.7) ^d	(2.6) ^d	3.4	2.7	(2.7) ^d																					
21	(2.9) ^d	(2.7) ^d																								
22	2.8	2.6	2.7	2.6	2.5	(2.6) ^d	2.6	3.2	(3.3) ^d	3.2	(3.2) ^d	3.0	(3.2) ^d	3.3	3.6	(3.2) ^d	(3.2) ^d	(3.2) ^d	(3.2)	(3.2)	(3.2)	(3.2)	(3.2)	3.0	2.8	
23	2.8	2.7	2.5	2.5	2.5	(2.5) ^d	2.5	2.7	2.9	3.1	3.0	3.1	3.1	3.2	(3.3) ^d	(3.2) ^d	(3.2) ^d	(3.2) ^d	(3.2)	(3.1)	(3.1)	(3.1)	(3.1)	(3.1)	2.8	
24	2.5	2.8	2.9	3.0	2.9	2.4	C	C	C	(3.1) ^c	(3.0) ^d	5	C	C	(3.1)	(3.1)	(3.1)	(3.1)	(3.1)	(3.1)	(3.1)	(3.1)	(3.1)	(3.1)	2.8	
25	(2.8) ^d																									
26	2.7	2.7	(2.8) ^d																							
27	2.9	2.9	2.8	2.8	(2.9) ^d	2.9	2.7	2.6	3.0	3.3	3.1	3.1	3.0	(3.0) ^d	(2.9) ^d	N	S	(2.9) ^d	2.8							
28	2.9	2.9	2.5	2.5	(2.9) ^d	2.9	2.8	2.8	3.1	3.1	3.2	(3.2) ^d	3.0	(2.8) ^d	2.9	2.8	2.7	2.7	2.8	2.7	2.7	2.7	2.6	2.6		
29	2.8	2.9	(3.0)	(3.2) ^d	2.9	(3.0) ^d	(2.9) ^d																			
30	2.8	2.9	2.9	2.9	2.7	2.6	3.1	3.3	3.2	(3.1)	(2.9) ^d	2.7	(2.7)	(2.8)	(2.8)	(2.8)	(2.8)	(2.8)	(2.8)	(2.8)	(2.8)	(2.8)	(2.8)			
31	2.7	2.8	2.6	2.6	2.9	2.4	(2.7) ^d	(2.6)	(2.6)	3.0	(3.0)	(2.9) ^d	2.8	2.9	2.9	(2.9) ^d	3.1	3.0	N	S	(3.1) ^d	(2.9) ^d	(2.9) ^d	2.8	3.1	
Median	2.8	2.7	(2.6)	(2.7)	2.7	(2.8)	3.1	3.1	3.1	3.0	3.0	2.9	2.9	2.8	(2.8)	2.8	(2.9)	(2.9)	(2.9)	(2.9)	(2.9)	(2.9)	(2.9)	2.8		
Count	30	29	29	28	28	27	28	30	31	31	31	29	30	30	29	29	30	23	24	28	29	30	30	30	30	

Form adopted June 1946
Sweep 1.0 Mc to 25.0 Mc in 0.25 min
Manual □ Automatic □

TABLE 66
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

Day	F - M 3000		October 1947		Washington, D. C.		75°W Mean Time																							
	Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23					
Observed at	Lat. 39.0°N, Long. 77.5°W																													
1	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q	Q		
2	Q	L	K	(3.4)K	3.4K	3.4K	3.4K	3.4K	(3.2)K	3.5K	3.5K	3.3K	3.4K																	
3	Q	A	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q	Q	
4	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
5	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
6	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
7	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
8	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
9	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
10	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K	Q	K
11	Q	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	Q	Q	Q	Q	Q	Q	Q	Q	Q		
12	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	C	C	C	C	C	C	C	C	C	
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
14	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
15	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
16	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
17	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
18	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
19	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
20	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
21	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
22	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
23	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
24	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
25	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
26	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
27	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
28	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
29	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
30	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
31	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
Median																														
Count																														

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Manual Automatic

TABLE 67
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

E- M1500 October, 1947
(Characteristic) (Month)
Observed at Washington, D.C.
Lat. 39.0°N. Long. 77.5°W.

Day	75° W													Mean Time									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
21																							
22																							
23																							
24																							
25																							
26																							
27																							
28																							
29																							
30																							
31																							
Median																							
Count																							

Form adopted June 1946

National Bureau of Standards

Scaled by: E. J. W.

(Institution)

J.M.C.

U. S. GOVERNMENT PRINTING OFFICE 160-10119
Sweep 10 Mc in 0.25 min
Manual Automatic

Table 68Ionospheric Storminess at Washington, D.C.October 1947

Day	Ionospheric Character*		Principal storms Beginning End GCT GCT		Geomagnetic character** 00-12-GCT 12-24 GCT	
	00-12 GCT	12-24 GCT				
1	2	3			4	3
2	4	6	0400	---	5	4
3	6	0	----	1100	5	3
4	1	1			2	2
5	1	2			1	2
6	0	2			1	2
7	0	2			2	3
8	1	1			3	3
9	1	2			4	4
10	5	4	0100	----	5	4
11	4	2	----	1200	5	4
12	3	2			5	4
13	***	1			3	3
14	1	2			4	4
15	3	2			4	2
16	1	2			3	3
17	1	1			3	3
18	0	1			3	3
19	1	1			3	3
20	1	1			2	2
21	1	1			3	2
22	1	1			3	2
23	2	3			3	2
24	1	1			1	1
25	0	2			1	0
26	1	2			0	1
27	1	2			0	1
28	1	2			1	1
29	1	2			0	2
30	2	2			1	2
31	1	0			2	2

*Ionospheric character figure (I-figure) for ionospheric storminess at Washington, D.C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of Cheltenham, Maryland, geomagnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

***No readable record. Refer to table 57 for detailed explanation.

/Dashes indicate continuing storm.

Table 69
Sudden Ionosphere Disturbances Observed
at Washington, D.C., October 1947

No sudden ionosphere disturbances were observed from October 1 to 16, although data were insufficient to assure that none occurred. With the regular data available, no SID was observed during the remainder of the month.

Table 70
Sudden Ionosphere Disturbances Reported by Engineer-in-Chief,
Cable and Wireless, Ltd., as Observed in England

1947 Day	GCT		Receiving station	Location of transmitters
	Beginning	End		
September 22	1308	1340	Somerton	Australia, Canada, Ceylon, India, New York
	25	1405 1430	Brentwood	Belgian Congo, Bulgaria, Canary Is., Chile, Colombia, Greece, Madagascar, Malta, Southern Rhodesia, Spain, Switzerland, Venezuela, Yugoslavia, Zanzibar
	25	1405 1430	Somerton	Barbados, Egypt, Gold Coast, New York, Union of S. Africa
27	0945	1030	Brentwood	Canary Is., Kenya, Southern Rhodesia, Spain, Switzerland, Yugoslavia, Zanzibar
October 3	0930	1015	Brentwood	Belgian Congo, Greece, India, Iran, Kenya, Madagascar, Palestine, Southern Rhodesia, Spain, Switzerland, Syria, Turkey, U.S.S.R., Zanzibar
	3	0935 1015	Somerton	Argentina, Ascension I., Brazil, Ceylon, China, Egypt, Gold Coast, India, Nigeria, Union of S. Africa

Note: Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Table 71

Provisional Radio Propagation Quality Figures
 (Including Comparisons with CRPL Warnings and CRPL Probable Disturbed Period Forecasts)
September 1947

Day	North Atlantic					North Pacific					<u>Quality Figure Scale:</u>
	Quality figure	CRPL* Warning	CRPL** Forecast of probable disturbed periods	Geo-magnetic X _{Ch}	Quality figure	CRPL* Warning	CRPL** Forecast of probable disturbed periods	Geo-magnetic X _{Ch}			
	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	01-12 GCF 13-24 GCF	<u>1 - Useless</u> 2 - Very poor 3 - Poor 4 - Poor to fair 5 - Fair 6 - Fair to good 7 - Good 8 - Very good 9 - Excellent
1	6	6	X	2 2	7	7	X		2	2	
2	6	6		2 3	7	5			2	3	
3	5	5	X	5 5	6	(4)	X	X	5	5	
4	5	5	X X	5 3	6	5	X X		5	3	
5	5	5	X X	3 3	6	5	X X		3	3	
6	5	5	X X	4 4	6	6	X X		3	3	
7	5	5	X X	3 2	5	5	X X		4	4	
8	5	5	X X	2	8	6	X X		3	2	
9	7	6		1 1	7	5			1	1	
10	6	6		1 1	7	5			1	1	
11	6	5		1 3	8	5			1	3	
12	6	5		3 2	7	7			3	2	
13	(3) (4)		X	5 4	7	6	X	X	5	4	
14	(3) (4)		X X	5 4	5	7	X X		5	4	
15	(4) (4)		X X	5 4	5	(3)	X X	X	5	4	
16	(4) 5		X	3 3	5	6	X		3	3	
17	(4) (4)		X	3 4	5	7	X		3	4	
18	(4) (4)		X X	4 4	(4)	6	X X		4	4	
19	(4) (3)		X X	4 3	5	6	X X		4	3	
20	(4) (4)		X	3 2	5	6			3	2	
21	5	5		4 2	6	7			4	2	
22	5	5		4 4	6	7			4	4	
23	(4) 5		X	5 3	7	7	X		5	3	
24	(4) (3)		X X	4 6	5	(2)	X X		4	6	
25	(2) (3)		X X	7 4	5	5	X X		7	4	
26	5 6		X	3 3	6	5	X		3	3	
27	5 6			2 3	7	7			2	3	
28	6 6			2 2	7	6			2	2	
29	5 5			2 2	5	5			2	2	
30	5 6			X	1 2	6	6	X	1	2	
<u>Score:</u>											
H		9	8			4		3			
M		1	3			0		1			
G		11	15			12		17			
(S)		8	2			7		6			
S		1	2			7		3			

*Broadcast on WWV, Washington, D.C. Times of warnings recorded to nearest half day as broadcast.

**In addition to datee marked X, the following was designated as a probable disturbed day on forecasts more than 8 days in advance of said date:
 September 11.

Symbols:

X Warning given or probable disturbed date

H Quality 4 or worse on day or half day of warning

M Quality 4 or worse on day or half day of no warning

G Quality 5 or better on day of no warning

(S) Quality 5 on day of warning

S Quality 6 or better on day of warning

() Quality 4 or worse (disturbed)

Geomagnetic X_{Ch} on the standard scale of 0 to 9, 9 representing the greatest disturbance.

Table 72

CORONAL OBSERVATIONS AT CLIMAX, COLORADO

September 1947

Table 72 (continued)

*These measurements are in addition to those for September 1947 published in Table 99, p. 38.

Table 13

MATERIALS AND METHODS

October 1947

Table 73 (continued)

Day	Time of observation GCT	Degrees from astronomical north																																		
		180	185	190	195	200	205	210	215	220	225	230	235	240	245	250	255	260	265	270	275	280	285	290	295	300	305	310	315	320	325	330	335	340	345	350
8	2111-2219	--	--	9	8	9	8	--	--	8	8	7	8	8	10	11	13	16	28	21	20	18	25	22	31	28	25	21	26	13	11	--	--	--		
16	1710-1745	6	9	11	13	13	13	12	13	12	9	8	13	13	14	11	12	13	13	11	33	40	15	13	11	15	28	26	27	30	25	18	14	12	8	5
21	No observation																																			
27	1829-1904	5	4	6	8	8	7	4	--	--	--	--	--	--	--	--	10	10	18	20	15	11	13	11	12	12	16	19	16	12	11	12	9	8	8	
31	1949-2035	8	8	10	9	9	9	11	10	12	8	6	6	10	12	13	18	22	22	21	27	21	15	17	17	19	21	20	10	8	--	--	--	--		

Table 74American and Zürich Provisional Relative Sunspot NumbersOctober 1947

Day	American* number	Zürich** number	Day	American* number	Zürich** number
1	207	235	16	152	112
2	272	242	17	156	121
3	322	273	18	171	136
4	288	304	19	163	147
5	249	262	20	166	129
6	217	275	21	158	149
7	171	227	22	167	170
8	172	235	23	221	191
9	158	222	24	248	228
10	142	160	25	250	237
11	124	132	26	240	239
12	106	125	27	215	204
13	90	93	28	186	182
14	97	111	29	160	129
15	122	129	30	143	120
			31	128	111

No. of Days: 31

Monthly means: 182.6





181.6

*Median of data from 18 observers.

**Dependent on observations at Zürich Observatory and its stations
at Locarno and Arosa.

GRAPHS OF IONOSPHERIC DATA

41






Fig. 5. FAIRBANKS, ALASKA
64.9°N, 147.8°W SEPTEMBER 1947




Fig. 6. FAIRBANKS, ALASKA SEPTEMBER 1947




Fig. 7. CHURCHILL, CANADA
58.8°N, 94.2°W SEPTEMBER 1947








Fig. 8. CHURCHILL, CANADA SEPTEMBER 1947






Fig. 13. PORTAGE LA PRAIRIE, CANADA
49.9°N, 98.3°W SEPTEMBER 1947




Fig. 14. PORTAGE LA PRAIRIE, CANADA SEPTEMBER 1947




Fig. 15. ST. JOHN'S, NEWFOUNDLAND
47.6°N, 52.7°W SEPTEMBER 1947




Fig. 16. ST. JOHN'S, NEWFOUNDLAND SEPTEMBER 1947




Fig. 17. OTTAWA, CANADA
45.5°N, 75.8°W

SEPTEMBER 1947






Fig. 19. BOSTON, MASSACHUSETTS
42.4°N, 71.2°W

SEPTEMBER 1947






Fig. 21. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W SEPTEMBER 1947




Fig. 22. SAN FRANCISCO, CALIFORNIA SEPTEMBER 1947




Fig. 23. WHITE SANDS, NEW MEXICO
32.6°N, 106.5°W SEPTEMBER 1947




Fig. 24. WHITE SANDS, NEW MEXICO SEPTEMBER 1947




Fig. 25. WUCHANG, CHINA

30.6°N, 114.4°E

SEPTEMBER 1947




Fig. 26. WUCHANG, CHINA

SEPTEMBER 1947




Fig. 27. BATON ROUGE, LOUISIANA

30.5°N, 91.2°W

SEPTEMBER 1947



















Fig. 28. BATON ROUGE, LOUISIANA

SEPTEMBER 1947












Fig. 44. OKINAWA I.
26.3°N, 127.8°E AUGUST 1947




Fig. 45. OKINAWA I. AUGUST 1947




Fig. 46. GUAM I.
13.5°N, 144.8°E AUGUST 1947




Fig. 47. GUAM I. AUGUST 1947




Fig. 48. LEYTE, PHILIPPINE IS.

II. 0°N, 125.0°E

AUGUST 1947




Fig. 49. LEYTE, PHILIPPINE IS.

AUGUST 1947




Fig. 50. JOHANNESBURG, U.OF S. AFRICA

26.2°S, 28.0°E

AUGUST 1947




Fig. 51. JOHANNESBURG, U.OF S. AFRICA AUGUST 1947




Fig. 52. CHRISTCHURCH, N.Z.

43.5°S, 172.7°E

AUGUST 1947




Fig. 53. CHRISTCHURCH, N.Z.

AUGUST 1947




Fig. 54. SLOUGH, ENGLAND

51.5°N, 0.6°W

JULY 1947












Fig. 55. SLOUGH, ENGLAND

JULY 1947








Fig. 64. RAROTONGA I.
21.3°S, 159.8°W JULY 1947




Fig. 65. YAMAKAWA, JAPAN
31.2°N, 130.6°E JUNE 1947















Fig. 66. YAMAKAWA, JAPAN JUNE 1947










Fig. 78. SAN JUAN, PUERTO RICO
18 4°N, 66 1°W DECEMBER 1942




Fig. 79. SAN JUAN, PUERTO RICO DECEMBER 1942




Fig. 80. SAN JUAN, PUERTO RICO
18 4°N, 66 1°W NOVEMBER 1942




Fig. 81. SAN JUAN, PUERTO RICO NOVEMBER 1942




Fig. 82. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W

OCTOBER 1942




Fig. 83. SAN JUAN, PUERTO RICO

OCTOBER 1942




Fig. 84. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W

SEPTEMBER 1942




Fig. 85. SAN JUAN, PUERTO RICO

SEPTEMBER 1942




Fig. 86. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W AUGUST 1942




Fig. 87. SAN JUAN, PUERTO RICO AUGUST 1942




Fig. 88. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W JULY 1942












Fig. 89. SAN JUAN, PUERTO RICO JULY 1942








Fig. 98. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W FEBRUARY 1942






Fig. 100. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W JANUARY 1942



Index of Tables and Graphs of Ionospheric Data

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
September 1947	10	43
Baton Rouge, Louisiana		
September 1947	12	47
Boston, Massachusetts		
September 1947	11	45
Christchurch, New Zealand		
August 1947	15	54
Chungking, China		
August 1947	14	51
Churchill, Canada		
September 1947	9	42
Clyde, Baffin I.		
September 1947	9	41
December 1943	18	59
November 1943	18	59
Fairbanks, Alaska		
September 1947	9	42
Fiji Is.		
July 1947	16	56
June 1947	17	58
May 1947	18	59
Great Baddow, England		
April 1943	18	60
March 1943	19	60
February 1943	19	60
January 1943	19	60
Guam I.		
September 1947	13	49
August 1947	14	52
Johannesburg, Union of S. Africa		
August 1947	15	53
Lanchow, China		
July 1947	16	55
Leyte, Philippine Is.		
August 1947	15	53
Maui, Hawaii		
September 1947	12	48
Okinawa I.		
September 1947	12	48
August 1947	14	52
Ottawa, Canada		
September 1947	11	45
Palmyra I.		
September 1947	13	50
Peiping, China		
August 1947	14	51
Portage la Prairie, Canada		
September 1947	10	44

Index (Continued)

	<u>Table page</u>	<u>Figure page</u>
Prince Rupert, Canada		
September 1947	10	43
Rarotonga I.		
July 1947	17	57
June 1947	17	58
St. John's, Newfoundland		
September 1947	10	44
San Francisco, California		
September 1947	11	46
San Juan, Puerto Rico		
September 1947	13	49
December 1942	19	61
November 1942	20	61
October 1942	20	62
September 1942	20	62
August 1942	20	63
July 1942	21	63
June 1942	21	64
May 1942	21	64
April 1942	21	65
March 1942	22	65
February 1942	22	66
January 1942	22	66
Slough, England		
July 1947	15	54
Tokyo, Japan		
July 1947	16	55
Trinidad, Brit. West Indies		
September 1947	13	50
Washington, D. C.		
October 1947	9	41
White Sands, New Mexico		
September 1947	11	46
Wuchang, China		
September 1947	12	47
Yamakawa, Japan		
July 1947	16	56
June 1947	17	57

CRPL and IRPL Reports

Daily:

Radio disturbance warnings, every half hour from broadcast station WWV of the National Bureau of Standards. Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL-J. Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL-Ja. Semimonthly Frequency Revision Factors for CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL-D. Basic Radio Propagation Predictions—Three months in advance. (War Dept. TB 11-499-, monthly supplements to TM 11-499; Navy Dept. DNC-13-1 (), monthly supplements to DNC-13-1.)

CRPL-F. Ionospheric Data.

Quarterly:

*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

*IRPL-H. Frequency Guide for Operating Personnel.

Reports on high-frequency standards.

Reports on microwave standards.

Nonscheduled reports:

CRPL-1-1. Prediction of Annual Sunspot Numbers.

CRPL-7-1. Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

Reports issued in past:

IRPL Radio Propagation Handbook, Part 1. (War Dept. TM 11-499; Navy Dept. DNC-13-1.)

IRPL-C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

IRPL-R. Nonscheduled reports:

R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.

R5. Criteria for Ionospheric Storminess.

R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.

R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.

R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.

R12. Short Time Variations in Ionospheric Characteristics.

R14. A Graphical Method for Calculating Ground Reflection Coefficients.

R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle.

R16. Predicted F2-layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season.

R17. Japanese Ionospheric Data—1943.

R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.

R19. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for June.

R20. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for September.

R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)

R22. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for December.

R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.

R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.

R25. The Prediction of Solar Activity as a Basis for Predictions of Radio Propagation Phenomena.

R26. The Ionosphere as a Measure of Solar Activity.

R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.

R28. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for January.

R29 and 29-A. Revised Classification of Radio Subjects Used in National Bureau of Standards and First Supplement (NBS Letter Circular LC-814 and Supplement, superseding Circular C385).

R30. Disturbance Rating in Values of IRPL Quality-Figure Scale From A. T. & T. Co. Transmission Distribution Reports to Replace T. D. Figures as Reported.

R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.

R32. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for February.

R33. Ionospheric Data on File at IRPL.

R34. The Interpretation of Recorded Values of fEs.

R35. Comparison of Percentage of Total Time of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.

IRPL-T. Reports on Tropospheric Propagation.

T1. Radar operation and weather. (Superseded by JANP 101.)

T2. Radar coverage and weather. (Superseded by JANP 102.)

CRPL-T3. Tropospheric Propagation and Radio-Meteorology. (Reissue of Columbia Wave Propagation Group WPG-5.)

