

CRPL-F54

National Bureau of Standards  
Library, N. W. Bldg.

MAR 4 1949

Reference book not to be  
taken from the Library.

## IONOSPHERIC DATA

ISSUED

FEBRUARY 1949

PREPARED BY CENTRAL RADIO PROPAGATION LABORATORY  
National Bureau of Standards  
Washington, D.C.



## IONOSPHERIC DATA

## CONTENTS

	Page
Symbols and Terminology; Conventions for Determining Median Values . . . . .	2
Monthly Average and Median Values of World-Wide Ionospheric Data . . . . .	4
Ionospheric Data for Every Day and Hour at Washington, D. C. . . . .	6
Ionosphere Disturbances . . . . .	6
American and Zurich Provisional Relative Sunspot Numbers . . . . .	8
Solar Coronal Intensities Observed at Climax, Colorado. .	8
Tables of Ionospheric Data . . . . .	9
Graphs of Ionospheric Data . . . . .	40
Index of Tables and Graphs of Ionospheric Data in CRPL-F54 . . . . .	64

SYMBOLS AND TERMINOLOGY;  
CONVENTIONS FOR DETERMINING  
MEDIAN VALUES

Beginning with data reported for January 1949, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Fifth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Stockholm, 1948, and given in detail on pages 2 to 10 of the report CRPL-F53, "Ionospheric Data," issued January 1949.

For symbols and terminology used with data prior to January 1949, see report IRPL-C61, "Report of International Radio Propagation Conference, Washington, 17 April to 5 May, 1944," previous issues of the F series, in particular, IRPL-F5, CRPL-F24, F33, F50, and report CRPL-7-1, "Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records."

Following the recommendations of the Washington (1944) and Stockholm (1948) conferences, beginning with data for January 1945, wherever possible median values are published. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

In addition to the conventions for the determination of medians given in Appendix 5 of Document No. 293 E of the Stockholm conference, which are listed on pages 9 and 10 of CRPL-F53, the following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given on pages 2-9 of CRPL-F53 (Appendices 1-4 of Document No. 293 E referred to above).

a. For all ionospheric characteristics:

Values missing because of A, B, C, F, L, M, N, Q, R, S, or T (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F2 (and h'E near sunrise and sunset) missing for this reason are counted as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count. See CRPL-F38, page 9.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of the G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

Values missing because of W are counted:

1. For foF2, as equal to or less than the median.
2. For h'F2, as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing because of G or  $\overline{W}$  are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of G (no Es reflections observed, the equipment functioning normally otherwise) are counted as equal to or less than the median foE, or equal to or less than the lower frequency count of the recorder.

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

## MONTHLY AVERAGE AND MEDIAN VALUES OF WORLD-WIDE IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 48 and figures 1 to 94 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL predictions of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Australian Council for Scientific and Industrial Research,  
Radio Research Board:

Brisbane, Australia  
Canberra, Australia  
Hobart, Tasmania

Australian Department of Supply and Shipping, Bureau of Mineral  
Resources, Geophysical Section:  
Watheroo, W. Australia

British Department of Scientific and Industrial Research,  
Radio Research Board:  
Lindau/Harz, Germany

New Zealand Radio Research Committee:  
Christchurch, New Zealand (Canterbury University College Observatory)  
Rarotonga I.

South African Council for Scientific and Industrial Research:  
Capetown, Union of S. Africa  
Johannesburg, Union of S. Africa

Japanese Physical Institute for Radio Waves (under supervision of  
Supreme Commander, Allied Powers):  
Fukaura, Japan  
Shibata, Japan  
Tokyo, Japan  
Wakkai, Japan  
Yamaka, Japan

United States Army Signal Corps:  
Okinawa I.

National Bureau of Standards (Central Radio Propagation Laboratory):  
Baton Rouge, Louisiana  
Boston, Massachusetts  
Huancayo, Peru  
Maui, Hawaii  
Palmyra I.

National Bureau of Standards (continued):

San Francisco, California  
 San Juan, Puerto Rico  
 Trinidad, British West Indies  
 Washington, D. C.  
 White Sands, New Mexico

All India Radio (Government of India), New Delhi, India:

Bombay, India  
 Delhi, India  
 Madras, India

Radio Wave Research Laboratory, Central Broadcasting Administration:

Chungking, China  
 Lanchow, China  
 Nanking, China  
 Peiping, China

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when  $f_{oF2}$  is less than or equal to  $f_{oF1}$ , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily a blank space in the  $f_{Es}$  column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder. Blank spaces at the beginning and end of columns of  $h'F_1$ ,  $f_{oF1}$ ,  $h'E$ , and  $f_{oE}$  are usually the result of diurnal variation in these characteristics. Complete absence of medians of  $h'F_1$  and  $f_{oF1}$  is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.

- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

Month	Predicted Sunspot No.				
	1949	1948	1947	1946	1945
December	114	126	85	38	
November	115	124	83	36	
October	116	119	81	23	
September	117	121	79	22	
August	123	122	77	20	
July	125	116	73		
June	129	112	67		
May	130	109	67		
April	133	107	62		
March	133	105	51		
February	133	90	46		
January	112	130	88	42	

## IONOSPHERIC DATA FOR EVERY DAY AND HOUR AT WASHINGTON, D. C.

The data given in tables 49 to 60 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols and Terminology; Conventions for Determining Median Values."

## IONOSPHERE DISTURBANCES

Table 61 presents ionosphere character figures for Washington, D. C., during January 1949, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, geomagnetic K-figures, which are usually covariant with them.

Table 62 lists for the stations whose locations are given the sudden ionosphere disturbances observed on the continuous field intensity recordings made at the Sterling Radio Propagation Laboratory during January 1949.

Table 63 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Brentwood and Somerton, England, receiving stations of Cable and Wireless, Ltd., for December 23 and 30, 1948.

Table 64 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Point Reyes, California, Receiving Station of RCA Communications, Inc., for January 14, 15, and 23, 1949.

Table 65 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Platanos, Argentina, receiving station of the International Telephone and Telegraph Corporation for December 3, 7, 9, 20, 23, 24, and 27, 1948.

Table 66 gives provisional radio propagation quality figures for the North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, December 1948, compared with the CRPL daily radio disturbance warnings, which are primarily for the North Atlantic paths, the CRPL weekly radio propagation forecasts of probable disturbed periods, and the half-day Cheltenham, Maryland, geomagnetic K-figures.

The radio propagation quality figures are prepared from radio traffic and ionospheric data reported to the CRPL, in a manner basically the same as that described in IRPL-R31, "North Atlantic Radio Propagation Disturbances, October 1943 through October 1945," issued February 1, 1946. The scale conversions for each report are revised for use with the data beginning January 1948, and statistical weighting replaces what was, in effect, subjective weighting. Separate master distribution curves of the type described in IRPL-R31 were derived for the part of 1946 covered by each report; data received only since 1946 are compared with the master curve for the period of the available data. A report whose distribution is the same as the master is thereby converted linearly to the Q-figure scale. Each report is given a statistical weight which is the reciprocal of the departure from linearity. The half-daily radio propagation quality figure, beginning January 1948, is the weighted mean of the reports received for that period.

These radio propagation quality figures give a consensus of opinion of actual radio propagation conditions as reported by the half day over the two general areas. It should be borne in mind, however, that though the quality may be disturbed according to the CRPL scale, the cause of the disturbance is not necessarily known. There are many variables that must be considered. In addition to ionospheric storminess itself as the cause, conditions may be reported as disturbed because of seasonal characteristics such as are particularly evident in the pronounced day and night contrast over North Pacific paths during the winter months, or because of improper frequency usage for the path and time of day in question. Insofar as possible, frequency usage is included in rating the reports. Where the actual frequency is not shown in the report to the CRPL, it has been assumed that the report is made on the use of optimum working frequencies for the path and time of day in question. Since there is a possibility that all the disturbance shown by the quality figures is not due to ionospheric storminess alone, care should be taken in using the quality figures in research correlations with solar, auroral, geomagnetic, or other data. Nevertheless, these quality figures do reflect a consensus of opinion of actual radio propagation conditions as found on any one half day in either of the two general areas.

## AMERICAN AND ZÜRICH PROVISIONAL RELATIVE SUNSPOT NUMBERS

Table 67 presents the daily American relative sunspot number,  $R_A$ , computed from observations communicated to CRPL by observers in America and abroad. Beginning with the observations for January 1948, a new method of reduction of observations is employed such that each observer is assigned a scale-determining "observatory coefficient," ultimately referred to Zürich observations in a standard period, December 1944 to September 1945, and a statistical weight, the reciprocal of the variance of the observatory coefficient. The daily numbers listed in the table are the weighted means of all observations received for each day. Details of the procedure will be published shortly. The American relative sunspot number computed in this way is designated  $R_A$ . It is noted that a number of observatories abroad, including the Zürich observatory, are included in  $R_A$ . The scale of  $R_A$  was referred specifically to that of the Zürich relative sunspot numbers in the standard comparison period; since that time,  $R_A$  is influenced by the Zürich observations only in that Zürich proves to be a consistent observer and receives a high statistical weight. In addition, this table lists the daily provisional Zürich sunspot numbers,  $R_Z$ .

## SOLAR CORONAL INTENSITIES OBSERVED AT CLIMAX, COLORADO

In tables 68a and 68b are listed the intensities of green (5303A) line of the emission spectrum of the solar corona as observed during January 1949 by the High Altitude Observatory of Harvard University and the University of Colorado at Climax, Colorado, for east and west limbs, respectively, at  $5^\circ$  intervals of position angle north and south of the solar equator at the limb computed to the nearest  $5^\circ$ . A correction,  $P$ , as listed, has been applied to the position angles of the actual observations which were on astronomical coordinates. The time of observation is given to the nearest tenth of a day, GCT. The tables of coronal observations in CRPL-F29 to F41 listed the data on astronomical coordinates; the present format on solar rotation coordinates is in conformity with the tables of CRPL-1-4, "Observations of the Solar Corona at Climax, 1944-46."

Tables 69a and 69b give similarly the intensities of the first red (6374A) coronal line; tables 70a and 70b list the intensities of the second red (6704A) coronal line. The following symbols are used in tables 68, 69, and 70: a, observation of low weight; -, corona not visible; and x, position angle not included in plate estimates.

# TABLES OF IONOSPHERIC DATA

9

Table 1Washington, D.C. ( $38.9^{\circ}\text{N}$ ,  $77.5^{\circ}\text{W}$ )

January 1949

Time	$h^{\circ}\text{F2}$	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$
00	270	4.2				2.9		
01	280	4.1				2.8		
02	270	4.0				2.9		
03	260	3.9				2.9		
04	250	4.0				2.9		
05	250	3.7				2.9		
06	250	3.3				3.0		
07	250	4.1				3.0		
08	220	7.6			130	2.2		3.4
09	220	9.4			110	2.7		3.3
10	225	10.6	210		100	3.1	3.2	3.2
11	230	11.8	220		100	3.4	2.9	3.2
12	230	12.1	210		100	3.4	3.1	
13	235	12.0	210		100	3.4	3.1	
14	230	11.5	210		100	3.2	3.0	
15	230	11.5	220		100	3.0	3.1	
16	230	11.3			110	2.6	1.9	3.1
17	220	(10.6)			130	2.0	2.0	3.1
18	210	(9.4)						3.1
19	220	8.0						3.1
20	220	6.6						3.0
21	230	5.1						3.0
22	250	4.7						2.9
23	250	4.7						2.9

Time:  $75.0^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 2Lindau/Harz, Germany ( $51.6^{\circ}\text{N}$ ,  $10.1^{\circ}\text{E}$ )

December 1948

Time	$h^{\circ}\text{F2}$	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$
00		310			3.0			2.4
01		305			3.1			2.4
02		305			3.1			2.4
03		305			2.7			2.3
04		300			2.5			2.4
05		295			2.6			2.1
06		270			2.7			2.4
07		285			2.6			2.4
08		210			5.1			2.2
09		205			8.1			2.2
10		205			10.1			3.2
11		205			11.0			3.5
12		205			11.3			3.4
13		205			11.2			3.4
14		205			11.3			3.4
15		200			10.6			3.4
16		200			9.0			2.9
17		200			7.1			2.7
18		205			6.1			2.6
19		205			4.6			2.4
20		220			3.4			2.1
21		290			2.8			2.2
22		300			2.9			
23		300			3.0			2.2

Time:  $15.0^{\circ}\text{E}$ .

Sweep: 1.4 Mc to 16.0 Mc in 7 minutes.

Table 3Boston, Massachusetts ( $42.4^{\circ}\text{N}$ ,  $71.2^{\circ}\text{W}$ )

December 1948

Time	$h^{\circ}\text{F2}$	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$
00	285	4.4				2.7		
01	275	4.2				2.6		
02	272	4.2				2.6		
03	250	3.8				2.7		
04	242	3.8				2.8		
05	250	3.8				2.7		
06	260	3.8				2.8		
07	240	5.8				3.0		
08	225	9.0				3.2		
09	230	10.6				3.1		
10	240	10.9				3.1		
11	245	11.2				3.1		
12	248	11.3				3.1		
13	240	11.4				3.0		
14	242	11.2				3.0		
15	232	11.3				3.0		
16	225	10.8				3.0		
17	230	10.0				3.0		
18	235	8.1				2.9		
19	240	6.8				2.9		
20	248	5.8				2.9		
21	260	5.0				2.7		
22	275	4.8				2.7		
23	282	4.6				2.6		

Time:  $75.0^{\circ}\text{W}$ .

Sweep: 0.8 Mc to 14.0 Mc in 1 minute.

Table 4San Francisco, California ( $37.4^{\circ}\text{N}$ ,  $122.2^{\circ}\text{W}$ )

December 1948

Time	$h^{\circ}\text{F2}$	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$
00		300			3.0			2.6
01		290			3.0			2.6
02		285			3.1			2.6
03		280			3.1			2.7
04		280			3.1			2.6
05		290			3.0			2.5
06		300			3.0			2.5
07		260			5.0			2.6
08		230			8.2			3.1
09		230			9.8			3.1
10		220			10.4			3.0
11		220			11.5			2.9
12		230			12.0			2.9
13		240			12.0			2.9
14		230			11.5			2.9
15		230			11.0			2.9
16		230			10.5			3.0
17		210			9.2			3.0
18		220			6.6			2.8
19		220			5.4			2.5
20		230			4.0			3.0
21		240			2.8			2.5
22		280			2.6			2.6
23		320			2.9			2.6

Time:  $120.0^{\circ}\text{W}$ .

Sweep: 1.3 Mc to 18.0 Mc in 4 minutes 30 seconds.

Table 5White Sands, New Mexico ( $32.3^{\circ}\text{N}$ ,  $106.5^{\circ}\text{W}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N3000}$
00	300	3.2				2.8		2.6
01	280	3.3				3.1		2.7
02	280	3.5				2.9		2.7
03	270	3.6				2.9		2.7
04	260	3.5				2.6		2.8
05	280	3.4				2.6		2.6
06	280	3.4				2.6		2.7
07	260	6.0				(1.8)		3.0
08	240	9.5			120	2.5	3.2	3.2
09	240	10.4			120	3.0	3.9	3.2
10	230	10.9			120	3.3	3.9	3.1
11	230	11.6			120	3.5	4.3	3.0
12	240	12.1			120	3.5		3.0
13	240	11.8			120	3.5	4.6	2.9
14	240	11.5			110	3.3	4.4	2.9
15	240	11.2			110	2.9	4.1	3.0
16	230	10.6			115	2.5	3.8	3.0
17	220	9.6				3.7	3.0	
18	220	7.2				3.4	(3.0)	
19	230	6.3				3.8	3.1	
20	230	4.6				3.3	3.1	
21	250	3.4				3.3	3.1	
22	270	3.1				3.3	2.8	
23	300	3.1				3.3	2.6	

Time:  $105.0^{\circ}\text{W}$ .

Sweep: 0.78 Mc to 14.0 Mc in 2 minutes.

Table 6Baton Rouge, Louisiana ( $30.5^{\circ}\text{N}$ ,  $91.2^{\circ}\text{W}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N3000}$
00	300	3.7						2.9
01	290	3.8						2.9
02	290	3.8						3.0
03	280	3.8						3.0
04	290	3.8						3.0
05	300	3.8						2.9
06	280	3.8						3.0
07	260	7.2						3.2
08	260	10.0	230			130	2.6	3.3
09	270	10.8	230			120	3.1	3.2
10	280	11.2	230			120	3.4	3.2
11	280	11.5	220			120	3.5	3.1
12	290	11.8	230			120	3.6	3.0
13	290	11.8	230			120	3.6	3.0
14	290	11.5	230			120	3.4	3.0
15	290	11.3	240			120	3.1	3.0
16	280	10.7	230			125	2.7	3.0
17	260	9.6						3.1
18	230	7.7						3.1
19	230	6.6						3.1
20	240	5.1						3.1
21	250	4.2						3.1
22	270	3.7						3.1
23	290	3.7						3.0

Time:  $90.0^{\circ}\text{W}$ .

Sweep: 2.12 Mc to 15.3 Mc in 8 minutes 30 seconds, automatic operation.

Table 7Okinawa 1. ( $26.3^{\circ}\text{N}$ ,  $127.7^{\circ}\text{E}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N3000}$
00		5.8				2.8		
01		5.5				2.8		
02		5.8				2.8		
03		5.2				2.9		
04		4.2				3.2		
05		3.8				(3.2)		
06		3.0				3.0		
07		5.4	E			2.9		
08		9.3	E			3.2		
09		12.4	E			3.4	3.3	
10		13.0				3.8	3.3	
11		12.2				4.0	3.2	
12		13.3				4.2	3.0	
13		14.2				4.2	3.0	
14		14.2				4.0	3.0	
15		14.5				3.8	3.1	
16		13.4	E			3.6	3.0	
17		13.4	E			3.1		
18		11.9	E			3.2		
19		10.3				(3.1)		
20		9.8				3.1		
21		9.2				3.1		
22		(8.4)				(3.2)		
23		7.3				3.0		

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 3.2 Mc to 18.0 Mc in 15 minutes, manual operation.

Table 8Maui, Hawaii ( $20.8^{\circ}\text{N}$ ,  $156.5^{\circ}\text{W}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N3000}$
00	240	4.1						3.2
01	250	3.6						3.2
02	250	3.8						3.3
03	250	3.4						3.1
04	300	3.0						2.8
05	330	2.8						2.8
06	300	2.8						2.9
07	260	5.6						3.0
08	240	9.8					110	2.6
09	250	12.8	230				110	3.2
10	240	13.5	220				110	3.4
11	250	12.6	210				110	3.6
12	250	13.2	210				100	3.7
13	260	14.0	210				105	3.0
14	260	14.2	205				100	3.6
15	250	14.2	210				100	3.4
16	240	14.4					100	3.0
17	220	13.0					115	2.6
18	210	12.2						3.3
19	200	9.2						(3.3)
20	220	7.8						3.0
21	225	7.8						3.1
22	225	7.8						3.2
23	230	6.0						3.2

Time:  $150.0^{\circ}\text{W}$ .

Sweep: 2.2 Mc to 16.0 Mc in 1 minute; above 16.0 Mc, manual operation.

Table 9San Juan, Puerto Rico ( $18.4^{\circ}\text{N}$ ,  $66.1^{\circ}\text{W}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N}^{\circ}\text{3000}$
00		5.2				2.9		
01		5.3				2.9		
02		4.8				3.0		
03		4.5				3.0		
04		4.1				2.7		
05		4.3				2.8		
06		4.6				2.8		
07	250	7.6		3.0		3.0		
08	250	10.4		3.6		3.1		
09	260	12.0		4.2		3.1		
10	250	12.1				3.6		
11	260	11.5				3.8		
12	265	11.1				3.8		
13	280	11.1				3.9		
14	290	11.5				3.8		
15	280	11.5				3.5		
16	260	11.1				3.2		
17	250	11.0		3.6		2.9		
18	250	10.0				3.0		
19	240	8.3				2.9		
20		6.6				2.9		
21		6.4				2.9		
22		6.2				2.9		
23		5.9				2.9		

Time:  $60.0^{\circ}\text{W}$ .

Sweep: 2.8 Mc to 13.0 Mc in 9 minutes, supplemented by manual operation.

Table 10Trinidad, Brit. West Indies ( $10.6^{\circ}\text{N}$ ,  $61.2^{\circ}\text{W}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N}^{\circ}\text{3000}$
00		230			6.6			3.2
01		230			5.2			3.1
02		250			4.2			1.9
03		260			3.6			3.0
04		300			3.6			2.0
05		280			3.9			2.8
06		270			5.0			2.6
07	250			8.8			2.4	2.9
08	240			11.4			3.1	3.8
09	250			12.7	230	4.6	120	4.0
10	260			12.9	220	4.9	120	3.7
11	270			12.6	220	5.0	120	3.8
12	270			11.6	220	5.1	120	3.8
13	280			11.7	220	5.1	120	3.8
14	280			11.5	225	5.0	120	3.7
15	260			11.3	230	4.6	120	3.5
16	250			11.2	240	(5.0)	120	3.2
17	250			11.2			2.6	3.8
18	250			10.8				3.6
19	230			9.6				3.2
20	230			8.4				3.0
21	260			7.6				2.8
22	260			7.5				2.1
23	250			7.2				2.0

Time:  $60.0^{\circ}\text{W}$ .

Sweep: 1.2 Mc to 18.0 Mc, manual operation.

Table 11Palmyra 1. ( $5.9^{\circ}\text{N}$ ,  $162.1^{\circ}\text{W}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N}^{\circ}\text{3000}$
00	250	9.2			4.0	(3.0)		
01	250	(8.0)			3.7	(3.0)		
02	260	(6.8)			3.0	(2.9)		
03	270	6.1			2.8	(2.8)		
04	260	5.9			3.2	(2.9)		
05	250	5.4			2.8	3.0		
06	280	5.2			2.6	2.8		
07	280	8.2	140	2.4	3.3	2.8		
08	250	11.5	120	3.1	3.8	2.8		
09	250	13.0	240	120	3.6	4.0		
10	280	13.5	230	120	3.8	2.5		
11	280	12.8	230	120	4.1	2.4		
12	280	12.4	220	120	4.0	2.4		
13	270	12.4	220	120	4.1	2.4		
14	270	12.4	220	120	3.8	4.1		
15	255	13.0	200	4.0	120	3.6		
16	250	13.5	200	3.6	120	3.3		
17	260	13.8			130	4.3		
18	280	13.8			160	3.8		
19	300	13.7				2.6		
20	290	14.0				3.4	(2.5)	
21	270	13.4				3.6	2.6	
22	270	12.4				4.0	2.8	
23	250	11.3				4.5	(2.9)	

Time:  $157.5^{\circ}\text{W}$ .

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 36 seconds, automatic operation; 13.0 Mc to 18.0 Mc, manual operation.

Table 12Huancayo, Peru ( $12.0^{\circ}\text{S}$ ,  $75.3^{\circ}\text{W}$ )

December 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-N}^{\circ}\text{3000}$
00		345			7.6			(2.6)
01		305			(7.2)			(2.9)
02		280			(7.0)			(3.2)
03		250			6.4			1.3
04		230			5.5			3.2
05		250			4.4			3.0
06		260			8.2			2.3
07		240			10.6			3.0
08		230			12.4			5.5
09		270			13.0	220	5.5	2.9
10		290			13.4	210	5.4	4.1
11		260			13.2	210	5.4	4.2
12		275			13.0	210	5.4	4.2
13		280			12.8	200	5.3	4.2
14		270			13.1	210	5.4	4.0
15		220			13.0			3.8
16		220			12.9			3.3
17		250			13.0			2.7
18		280			12.4			1.8
19		320			11.5			0.8
20		360			11.0			
21		380			9.6			
22		380			9.4			
23		350			(8.0)			(2.6)

Time:  $75.0^{\circ}\text{W}$ .

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes, automatic operation.

Table 13

Lindau/Harz, Germany ( $51.6^{\circ}\text{N}$ ,  $10.1^{\circ}\text{E}$ )

November 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	300	3.4				3.0		
01	300	3.4				3.0		
02	300	3.5				2.9		
03	300	3.2				2.9		
04	300	3.0				3.0		
05	280	2.9				2.9		
06	280	2.7				2.9		
07	250	4.3				2.9		
08	210	7.6	110	2.0	3.0			
09	210	9.1	105	2.4	3.2			
10	210	11.1	105	2.7	3.1			
11	210	11.8	100	2.9	3.2			
12	210	11.8	100	3.0	3.2			
13	210	11.6	100	2.9	3.1			
14	220	11.6	100	2.8	3.0			
15	210	11.6	105	2.4	3.1			
16	205	10.3	100	2.0	3.1			
17	205	9.6			3.0			
18	205	7.4			3.0			
19	210	6.5			3.0			
20	210	4.8			2.9			
21	270	3.8			3.0			
22	305	3.9			2.9			
23	305	3.7			2.7			

Time:  $15.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 16.0 Mc in 12 minutes.

Table 14

Peiping, China ( $39.9^{\circ}\text{N}$ ,  $116.4^{\circ}\text{E}$ )

November 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00								
01								
02						5.8		
03						6.2		
04						5.7		
05						5.3		
06						5.3		
07						7.1		
08								
09								
10						12.0		
11						12.0		
12						12.0		
13						12.3		
14						11.8		
15						11.7		
16								
17								
18						9.2		
19						8.3		
20						7.4		
21						7.0		
22						6.4		
23						5.8		

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 2.3 Mc to 15.0 Mc in 15 minutes, manual operation.

Table 15

Chungking, China ( $29.4^{\circ}\text{N}$ ,  $106.8^{\circ}\text{E}$ )

November 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	260	6.6				2.6		
01	250	5.9				2.6		
02	260	5.1				2.7		
03	260	4.7				2.8		
04	260	3.9				2.8		
05	280	3.6				2.6		
06	240	4.4				2.9		
07	240	6.7	240			3.3		
08	240	11.0	220	100	3.3	4.2	3.0	
09	250	12.8	220	100	3.3	4.3	2.9	
10	260	14.2	230	100	3.4	4.4	2.8	
11	280	14.6	220	100	3.8	4.4	2.8	
12	290	14.6	230	6.2	100	3.7	4.5	2.6
13	310	16.5	230	5.4	120	3.8	4.5	2.6
14	295	16.3	240		120	3.4	4.2	2.6
15	260	15.3	240		100	3.2	4.2	2.7
16	240	15.0	240		100	2.6	4.0	2.7
17	240	15.1	220			3.7	2.9	
18	220	14.3				3.6	2.7	
19	230	13.0				2.8	2.7	
20	220	14.0					2.8	
21	230	10.3					2.7	
22	240	8.4					2.7	
23	260	7.8					2.6	

Time:  $105.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 16

Okinawa I. ( $26.3^{\circ}\text{N}$ ,  $127.7^{\circ}\text{E}$ )

November 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00						9.0		2.9
01						8.3		3.0
02						8.0		3.0
03						6.4		3.1
04						5.6		3.2
05						3.8		2.8
06						3.9		2.8
07						7.5		(3.1)
08						11.2		3.2
09						13.0		(3.2)
10						13.8		4.0
11						14.0		3.1
12						14.3		4.2
13						15.3		(3.0)
14						15.7		4.4
15						15.6		4.2
16						16.0		(2.9)
17						15.1		3.8
18						14.5		(3.0)
19						(14.0)		(2.9)
20						(14.9)		(3.0)
21						14.0		(3.1)
22						(11.6)		3.0
23						10.0		

Time:  $136.0^{\circ}\text{E}$ .

Sweep: 3.2 Mc to 18.0 Mc in 15 minutes, manual operation.

Table 17

Johannesburg, Union of S. Africa ( $26.2^{\circ}$ S,  $28.0^{\circ}$ E)

November 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F2-N3000$
00	(275)	7.0				1.7	2.8	
01	(260)	6.5				2.8		
02	(260)	5.9				2.8		
03	(260)	5.5				2.8		
04	(270)	5.3				2.7		
05	280	5.6				2.8		
06	250	7.6	240		110	2.4	3.1	
07	260	8.8	230		110	3.0	2.9	
08	265	10.0	210	4.4	110	3.4	2.8	
09	300	10.6	210	5.5	110	3.7	3.8	2.7
10	320	11.0	200	5.8	110	(3.8)	4.0	2.6
11	350	11.7	200	5.9	110	(4.0)	4.1	2.6
12	340	12.0	210	5.9	110	(4.1)	2.6	
13	350	12.0	215	6.0	110	4.0	2.6	
14	350	12.0	220	6.0	110	3.9	2.6	
15	330	11.8	220	5.9	110	3.7	2.7	
16	310	11.5	230	5.1	110	3.4	3.5	2.7
17	280	11.1	235		100	2.9	3.3	2.7
18	250	10.9			100	2.1	2.3	2.8
19	240	10.5				2.4	2.8	
20	240	9.7				2.0	2.8	
21	260	8.8				2.1	2.8	
22	(260)	8.0				1.9	2.8	
23	(280)	7.3				1.6	2.7	

Time:  $30.0^{\circ}$ E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 18

Watheroo, W. Australia ( $30.3^{\circ}$ S,  $115.9^{\circ}$ E)

November 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F2-N3000$
00	300	6.9						3.6
01	285	6.6						3.8
02	300	5.9						3.9
03	300	5.7						2.5
04	300	5.4						3.1
05	300	5.6						3.0
06	260	6.2						2.5
07	340	7.0	240			4.8		2.6
08	350	8.0	245			5.1		3.4
09	360	8.2	230			5.3		4.2
10	385	9.8	230			5.6		2.6
11	365	10.3	230			5.6		3.8
12	385	11.3	235			5.6		4.5
13	390	10.2	240			5.7		2.5
14	390	10.0	240			5.6		3.6
15	330	9.8	240			5.4		4.1
16	360	9.6	250			5.3		3.8
17	285	9.3	260			4.5		2.6
18	270	9.2						2.1
19	270	9.0						2.8
20	270	9.2						3.1
21	290	7.4						2.6
22	300	7.1						3.2
23	320	7.2						3.4

Time:  $120.0^{\circ}$ E.

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes, automatic operation.

Table 19

Capetown, Union of S. Africa ( $34.2^{\circ}$ S,  $18.3^{\circ}$ E)

November 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F2-N3000$
00	(290)	5.7				2.1	2.7	
01	(290)	5.6				2.1	2.7	
02	(290)	5.4				2.1	2.7	
03	(290)	5.1				2.0	2.8	
04	(280)	4.8				1.7	2.6	
05	(300)	4.7					2.7	
06	260	6.4			110	2.0	2.9	
07	260	8.0	240		120	2.7	2.9	
08	280	9.1	230	5.0	110	3.1	2.8	
09	310	10.1		5.0	110	(3.5)	2.7	
10	340	10.8		(5.9)	110		2.6	
11	340	11.1		5.7	110		2.6	
12	350	(11.6)		6.1	110		(2.6)	
13	360	11.8		6.1	110		(2.6)	
14	360	11.8		5.8	110		2.6	
15	340	11.6		5.8	110		2.6	
16	330	11.2		5.5	110	3.4	3.6	2.7
17	300	11.0	230	4.0	110	3.1	2.7	
18	270	10.7	245		110	2.7	2.8	
19	250	10.0			110	2.0	2.9	
20	240	9.0				2.1	2.9	
21	(250)	7.9				2.5	2.8	
22	(250)	7.1				2.3	2.8	
23	(270)	6.4				2.0	2.8	

Time:  $30.0^{\circ}$ E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 20

Christchurch, New Zealand ( $43.5^{\circ}$ S,  $172.7^{\circ}$ E)

November 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}F1$	$f^{\circ}F1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F2-N3000$
00	305	7.8						2.8
01	310	7.3						2.5
02	300	6.8						2.7
03	300	6.3						2.5
04	300	6.1						2.6
05	275	6.0						2.6
06	260	6.4	250			4.2		2.8
07	310	7.0	250			4.7		2.8
08	340	7.7	240			5.0		2.8
09	340	8.2	230			5.3		2.8
10	365	8.6	240			5.6		2.7
11	360	8.8	230			5.7		2.7
12	370	8.8	230			5.7		2.7
13	370	8.6	230			5.6		2.7
14	360	8.9	230			5.7		2.7
15	350	8.9	230			5.5		2.7
16	320	9.0	240			5.2		2.7
17	270	8.8	250			4.6		2.7
18	270	9.2						2.7
19	270	9.3						2.3
20	280	9.1						3.4
21	290	8.8						3.2
22	300	8.5						2.8
23	310	8.0						2.5

Time:  $172.5^{\circ}$ E.

Sweep: 1.0 Mc to 13.0 Mc.

Table 21

Akamai, Japan ( $35.4^{\circ}\text{N}$ ,  $131.7^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M}^{\circ}\text{2000}$
00	290	4.8				2.6	2.6	
01	300	4.6				2.3	2.6	
02	290	4.4				2.2	2.6	
03	290	4.6				2.1	2.7	
04	280	4.6				2.3	2.6	
05	280	4.6				2.4	2.7	
06	230	6.5	100	1.7	2.5	3.1		
07	220	9.1	100	2.4	2.7	3.2		
08	210	11.3	210	1.0	2.8	3.4	3.2	
09	220	11.2		100	3.2	3.7	3.1	
10	230	11.6	210		3.3	7.5	3.2	
11	230	12.2	210	100	3.4	3.9	(3.1)	
12	240	12.1	220	1.0	3.4	3.7	3.1	
13	245	11.8	225	1.0	3.1	3.6	3.1	
14	240	11.6		100	3.2	3.2	3.0	
15	220	11.4		100	2.8	3.4	3.1	
16	220	10.5		100	2.5	2.9	3.2	
17	210	9.4			1.8	3.1	3.2	
18	210	8.4				3.0	3.0	
19	215	7.2				3.2	3.0	
20	220	6.2				2.9	3.0	
21	230	5.6				2.7	2.7	
22	270	5.3				2.5	2.6	
23	290	5.0				2.2	2.7	

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 17.0 Mc, manual operation.

Table 22

Peiping, China ( $39.9^{\circ}\text{N}$ ,  $116.4^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M}^{\circ}\text{2000}$
00								
01								
02		7.2						
03		7.2						
04		7.2						
05		7.0						
06		7.8						
07		9.0						
08								
09								
10		12.0						
11		12.3						
12		12.2						
13		12.3						
14		11.8						
15		11.8						
16								
17								
18		10.7						
19		9.4						
20		8.4						
21		8.0						
22		7.7						
23		7.4						

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 2.3 Mc to 15.0 Mc in 15 minutes.

Table 22

Fukaura, Japan ( $40.6^{\circ}\text{N}$ ,  $137.9^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M}^{\circ}\text{2000}$
00								
01								
02								
03								
04								
05								
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 17.0 Mc, manual operation.

Table 23

Peiping, China ( $39.9^{\circ}\text{N}$ ,  $116.4^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M}^{\circ}\text{2000}$
00								
01								
02		7.2						
03		7.2						
04		7.2						
05		7.0						
06		7.8						
07		9.0						
08								
09								
10		12.0						
11		12.3						
12		12.2						
13		12.3						
14		11.8						
15		11.8						
16								
17								
18		10.7						
19		9.4						
20		8.4						
21		8.0						
22		7.7						
23		7.4						

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 2.3 Mc to 15.0 Mc in 15 minutes.

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M}^{\circ}\text{2000}$
00								
01								
02								
03								
04								
05								
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 25

Lanchow, China ( $36.1^{\circ}\text{N}$ ,  $103.8^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}^{\circ}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fEs}$	$\text{F2-M3000}$
00	340	6.8				3.0	2.4	
01	355	6.6				2.4		
02	365	6.1				2.3		
03	360	6.2				2.3		
04	360	5.3				2.3		
05	380	5.5				2.3		
06	340	6.4				2.5		
07	330	9.6	300		140	3.0	3.3	2.6
08	320	13.0	290		150	3.2	4.2	2.6
09	320	13.5	290		140	3.4	4.4	2.6
10	340	14.1	280		140	3.5	4.5	2.5
11	335	14.5	280	5.4		4.4	2.5	
12	340	14.5	280			4.3	2.5	
13	340	14.0	300			4.0	2.4	
14	370	14.1	300			4.4	2.4	
15	355	14.2	300			4.0	2.4	
16	340	14.4	300		150	3.2	3.3	2.5
17	340	13.5	300			3.5	2.4	
18	340	12.4	285			3.6	2.4	
19	320	(9.2)				3.0	(2.5)	
20	320	(9.1)				3.4	(2.5)	
21	320	8.4				3.0	2.4	
22	340	8.0				3.2	2.3	
23	345	7.2				2.4		

Time:  $105.0^{\circ}\text{E}$ .

Sweep: 2.4 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 26

Tokyo, Japan ( $35.7^{\circ}\text{N}$ ,  $139.5^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}^{\circ}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fEs}$	$\text{F2-M3000}$
00	280					5.2		2.6
01	285					5.2		2.8
02	280					5.0		2.5
03	260					5.0		2.6
04	270					4.4		2.7
05	270					4.6		2.6
06	230					7.1		2.2
07	220					10.2		2.8
08	220					12.0		3.3
09	230					12.8		3.2
10	230					215		3.2
11	240					210		3.2
12	240					220		3.0
13	250					220		3.1
14	250					220		3.0
15	240					220		3.2
16	230					11.6		3.2
17	220					11.2		3.3
18	210					9.2		3.2
19	220					7.5		3.2
20	230					6.5		3.1
21	250					5.8		3.0
22	270					5.4		2.9
23	280					5.1		2.9

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 27

Yamakawa, Japan ( $31.2^{\circ}\text{N}$ ,  $130.6^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}^{\circ}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fEs}$	$\text{F2-M3000}$
00	300	6.7				2.6	2.7	
01	285	6.5				2.7		
02	260	6.0				2.8		
03	275	5.6				2.8		
04	250	5.1				2.7		
05	285	4.8				2.7		
06	290	5.4	260			2.8		
07	240	9.1	230		120	2.1	3.2	
08	230	11.2	220		110	2.9	3.2	
09	240	13.0	220		110	3.3	3.6	
10	250	13.2	220		110	3.6	3.1	
11	290	13.8	230		110	4.4	2.9	
12	290	14.0	230		105	5.3	2.9	
13	290	14.5	235		110	(5.2)	2.9	
14	290	14.8	230		110	(5.0)	2.9	
15	290	14.2	230		110	3.4	4.3	2.9
16	260	13.6	230		110	3.1	3.6	3.0
17	250	13.4	240		110	2.5	4.1	3.0
18	230	12.2			110	1.9	3.9	3.1
19	220	10.9				3.6	3.0	
20	240	9.0				3.6	2.9	
21	250	8.5				3.6	2.9	
22	250	7.7				2.8	2.8	
23	290	6.9				2.6	2.7	

Time:  $135.0^{\circ}\text{E}$ .

Sweep: 1.2 Mc to 18.5 Mc in 15 minutes, manual operation.

Table 28

Nanking, China ( $32.1^{\circ}\text{N}$ ,  $119.0^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{Fl}$	$\text{f}^{\circ}\text{Fl}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{fEs}$	$\text{F2-M3000}$
00								
01								
02								
03								
04								
05	260	4.6						2.0
06	280	5.7						2.7
07	250	9.9	240					3.0
08	240	12.4	240					2.9
09	260	12.8	240					3.0
10	260	14.0	240					2.8
11	280	14.5	240					2.8
12	280	14.5	240		6.2	120	4.0	2.7
13	295	14.5	240		6.4	120	4.0	2.7
14	280	14.6	240		6.0	120	3.9	2.8
15	260	14.5	235			120	3.8	2.8
16	250	14.5	240			120	3.1	2.8
17	250	13.8	240			120	2.6	2.9
18	230	12.3						2.8
19	240	11.0						2.7
20	240	10.4						2.8
21	240	9.0						2.7
22	240	8.2						2.7
23								

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 1.7 Mc to 15.0 Mc in 15 minutes, manual operation.

Table 29

Chungking, China ( $29.4^{\circ}\text{N}$ ,  $106.8^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	250	8.0				2.6	2.8	
01	240	7.1				2.6	2.8	
02	240	6.2				2.7		
03	260	5.2				2.7		
04	260	4.2				2.7		
05	290	4.3				2.6		
06	250	5.8				2.8		
07	240	10.2	220		110	2.5	4.1	3.3
08	235	11.8	220		100	3.2	4.4	3.0
09	240	13.0	220		100	3.4	5.0	3.0
10	250	13.6	210		100	3.7	4.9	2.9
11	260	14.6	200				4.8	2.8
12	280	16.0	200	6.8	100	4.0	4.8	2.6
13	300	17.3	220	6.6	110	3.8	4.5	2.6
14	300	17.0	230		120	3.8	4.5	2.7
15	250	17.0	220		90	3.5	4.5	2.8
16	240	17.0	240		100	3.2	4.0	2.9
17	240	16.7	230		100	2.7	4.2	2.9
18	230	15.0				3.6	2.8	
19	225	14.0				3.6	2.8	
20	220	12.7				4.2	2.7	
21	230	11.4				3.7	2.8	
22	245	9.8				3.1	2.7	
23	240	9.0				3.0	2.8	

Time:  $105.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 30

Rarotonga I. ( $21.3^{\circ}\text{S}$ ,  $159.8^{\circ}\text{W}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00								
01								
02								
03								
04								
05								
06	275	10.3	265					1.9
07	250	11.7	250		110	2.6	3.2	3.1
08	250	12.2	240		6.6	110	3.2	4.3
09	290	12.7	240		6.6	110	3.4	4.2
10	300	13.4	230		6.5	110	3.7	5.2
11	300	14.3	250		7.1	110	3.7	5.1
12	330	14.7	250		6.7	110	3.8	5.1
13	340	14.5	250		7.1	110	3.8	4.4
14	350	14.2	250		6.7	110	3.7	4.5
15	350	13.8	250		6.6	110	3.6	4.3
16	340	13.6	250		6.4	110	3.3	4.0
17	310	13.7	260		6.5	110	2.7	3.8
18	290	13.0	280		6.9		2.1	3.5
19								
20								
21								
22								
23								

Time:  $157.5^{\circ}\text{W}$ .

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 31

Brisbane, Australia ( $27.5^{\circ}\text{S}$ ,  $153.0^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00	270	7.6				2.1	2.8	
01	250	7.5				2.1	2.7	
02	250	6.9				2.5	2.7	
03	260	6.6				2.1	2.7	
04	270	6.6				2.8		
05	280	6.5				2.8		
06	250	8.5			140	1.6		
07	230	10.0			110	2.5		
08	240	10.5	220		100	3.0		
09	260	11.2	220		100	3.4		
10	260	11.2	210		5.0	100	3.6	3.0
11	270	11.2	210		5.0	100	3.7	2.9
12	275	11.5	210		5.2	100	3.8	2.9
13	275	11.2	210		5.0	100	3.9	2.8
14	260	11.0	210		5.0	100	3.8	2.8
15	250	10.4	220	4.9	110	3.5		
16	240	10.1			110	3.3		
17	250	10.0			110	2.5		
18	245	9.8				2.9		
19	250	9.0				3.2	3.0	
20	260	8.7				2.6	2.9	
21	260	8.7					2.9	
22	280	8.5				2.0	2.8	
23	260	8.0				2.1	2.8	

Time:  $150.0^{\circ}\text{E}$ .

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 32

Watherco, W. Australia ( $30.3^{\circ}\text{S}$ ,  $115.9^{\circ}\text{E}$ )

October 1948

Time	$\text{h}^{\circ}\text{F2}$	$\text{f}^{\circ}\text{F2}$	$\text{h}^{\circ}\text{F1}$	$\text{f}^{\circ}\text{F1}$	$\text{h}^{\circ}\text{E}$	$\text{f}^{\circ}\text{E}$	$\text{f}^{\circ}\text{Es}$	$\text{F2-M3000}$
00								
01	290	6.2						3.0
02	262	6.0						2.7
03	280	5.4						3.0
04	290	5.0						2.5
05	295	4.8						2.6
06	305	4.8						3.1
07	270	6.1						3.0
08	252	7.6	250	4.2				3.0
09	282	8.6	240	4.8				3.6
10	300	9.4	235	5.0				2.8
11	320	10.3	225	5.4				4.3
12	328	10.8	230	5.2				2.7
13	370	10.9	230	5.5				4.4
14	320	10.7	230	5.4				2.7
15	318	10.4	240	5.0				4.0
16	255	10.1	245	4.8				3.5
17	260	10.3						2.7
18	260	9.9						3.1
19	240	9.0						2.8
20	250	8.2						2.7
21	265	7.1						2.8
22	280	7.0						2.7
23	290	6.7						3.0

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes, automatic operation.

Table 32

Canberra, Australia ( $35.3^{\circ}$ S,  $149.0^{\circ}$ E)

October 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}Fl$	$f^{\circ}Fl$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	F2-M3000
00	280	6.8				2.7	2.6	
01	280	6.6				3.0	2.5	
02	280	6.2				2.6	2.5	
03	280	5.8				2.4	2.5	
04	275	5.4				2.2	2.5	
05	285	5.4			135	1.5		2.6
06	250	6.0			110	2.2	2.9	3.0
07	250	7.1	250	4.4	100	2.9	3.4	2.9
08	250	7.4	240	4.6	100	3.2		2.9
09	280	8.2	220	5.0	100	3.5		2.8
10	300	9.1	210	5.0	100	3.6		2.8
11	300	9.4	200	5.2	100	3.7		2.7
12	300	10.1	200	5.2	100	3.8		2.7
13	300	9.4	200	5.2	100	3.8		2.7
14	300	9.5	205	5.0	100	3.6		2.7
15	240	9.1	220	5.2	100	3.5		2.7
16	240	9.0			100	3.2		2.7
17	250	9.0			100	2.7	3.2	2.8
18	250	8.7			120	2.0	3.2	2.8
19	250	8.8						2.7
20	250	8.1				2.0		2.6
21	270	7.6				2.8		2.6
22	270	7.5				2.5		2.6
23	280	7.1				2.7		2.6

Time:  $150.0^{\circ}$ E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 34

Hobart, Tasmania ( $42.8^{\circ}$ S,  $147.4^{\circ}$ E)

October 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}Fl$	$f^{\circ}Fl$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	F2-M3000
00		300	5.3					2.0
01		300	4.8					2.7
02		295	4.6					(2.9)
03		300	3.7					2.3
04		300	3.4					(2.8)
05		300	3.7					2.0
06		270	4.8					(2.7)
07		270	5.6	250	4.1	100	2.7	2.8
08		335	6.0	250	4.5	100	3.1	2.8
09		380	6.5	230	4.8	100	3.4	2.8
10		370	7.2	220	4.9	100	3.5	2.7
11		380	7.2	200	5.0	100	3.7	2.8
12		350	7.6	210	5.0	100	3.7	2.8
13		360	8.0	220	5.1	100	3.7	2.7
14		330	8.3	220	5.0	100	3.5	2.8
15		335	8.2	230	5.0	100	3.4	2.8
16		300	8.1	240	4.8	100	3.2	2.8
17		255	8.4	250	4.5	100	2.7	2.8
18		260	8.5			100	2.0	2.9
19		250	8.2			125	1.5	2.9
20		240	7.7					2.2
21		250	7.0					2.6
22		270	6.2					1.8
23		295	5.8					2.7

Time:  $150.0^{\circ}$ E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 35

Christchurch, New Zealand ( $43.5^{\circ}$ S,  $172.7^{\circ}$ E)

October 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}Fl$	$f^{\circ}Fl$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	F2-M3000
00	300	6.4				2.6	2.4	
01	310	6.0				2.8	2.5	
02	300	5.5				2.7	2.5	
03	290	5.1				2.6	2.5	
04	290	4.5				2.6	2.7	
05	290	4.2			1.2	2.7	2.8	
06	270	5.5			1.9	2.8	2.8	
07	250	6.2	250	4.3		2.8	2.9	
08	300	6.8	240	4.7		3.2	2.9	
09	330	7.8	230	4.8		3.4	2.9	
10	310	8.3	230	5.2		3.5	2.8	
11	315	8.7	220	5.2		3.6	2.8	
12	300	8.8	235	5.3		3.6	2.7	
13	290	9.3	230	5.2		3.6	2.8	
14	260	9.1	230	5.0		3.5	2.8	
15	255	9.0	240	4.8		3.4	2.8	
16	250	8.8	240	4.3		3.0	2.7	
17	260	8.8				2.6	2.7	
18	270	8.9			1.5	2.7	2.7	
19	260	9.0				2.6	2.6	
20	270	8.5				2.5	2.6	
21	280	7.9					2.6	
22	280	7.4					2.5	
23	290	7.0				2.6	2.4	

Time:  $172.5^{\circ}$ E.

Sweep: 1.0 Mc to 13.0 Mc.

Table 36

Lanchow, China ( $36.1^{\circ}$ N,  $103.8^{\circ}$ E)

September 1948

Time	$h^{\circ}F2$	$f^{\circ}F2$	$h^{\circ}Fl$	$f^{\circ}Fl$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	F2-M3000
00		360	7.2					2.4
01		360	7.0					2.3
02		360	7.1					2.3
03		360	7.0					2.3
04		360	6.6					2.3
05		375	6.4					2.3
06		340	7.2					2.5
07		325	9.0	300		155	3.2	2.7
08		340	10.8	300		150	3.2	2.7
09		335	10.8	285	5.4	140	3.4	2.6
10		350	11.5	280	5.9	130	3.7	2.5
11		380	12.6	280	6.0			2.4
12		380	13.0	280				2.5
13		380	12.9	280				2.4
14		380	12.8	280	6.4			2.4
15		380	13.0	290	5.9	140	3.6	2.4
16		360	12.8	300		140	3.2	2.4
17		340	12.5	310		140	3.0	2.5
18		340	11.7	300				2.6
19		320	10.5					2.5
20		(290)	(10.0)					(2.6)
21		320	8.7					2.5
22		340	7.8					2.3
23		360	7.4					2.3

Time:  $105.0^{\circ}$ E.

Sweep: 2.4 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 37

Nanking, China ( $32.1^{\circ}\text{N}$ ,  $119.0^{\circ}\text{E}$ )

September 1948

Time	$h^{\circ}\text{F2}$	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$
00								
01								
02								
03								
04	260	5.6				(1.9)	(2.7)	
05	260	5.8				1.9	2.7	
06	260	7.8				2.2	2.8	
07	255	9.7	240	130	2.7	3.3	3.0	
08	250	10.7	240	120	3.0	4.0	3.0	
09	260	10.5	240	120	3.7	4.4	2.9	
10	280	11.0	240	120	4.0	4.0	2.7	
11	300	12.5	240	120	4.0	4.2	2.6	
12	320	13.3	235	5.8	120	4.0	2.6	
13	330	13.5	240	6.0	120	4.0	4.2	2.5
14	320	13.3	240	6.0	120	4.0	2.6	
15	320	13.6	240	5.8	120	3.7	4.2	2.6
16	285	13.6	240	4.9	120	3.4	3.9	2.6
17	280	13.1	245		120	3.1	3.8	2.7
18	280	12.2	250			3.1	2.8	
19	225	10.9				2.1	2.8	
20	240	9.6				2.1	2.7	
21	260	8.8				2.1	2.5	
22								
23								

Time:  $120.0^{\circ}\text{E}$ .

Sweep: 1.5 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 38

Delhi, India ( $28.6^{\circ}\text{N}$ ,  $77.1^{\circ}\text{E}$ )

September 1948

Time	*	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$	**
00		450							2.5
01		440							
02		460							
03		440							
04		440							2.5
05		400							
06		360							2.7
07		360							
08		360							
09		380							
10		440							
11		440							
12		440							
13		440							
14		430							2.4
15		440							
16		410							
17		410							
18									
19									
20		440							2.6
21		460							
22		460							
23		450							

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 39

Bombay, India ( $19.0^{\circ}\text{N}$ ,  $73.0^{\circ}\text{E}$ )

September 1948

Time	*	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$	**
00									
01									
02									
03									
04									
05									
06									
07	330	10.6							
08	405	11.2				2.7			
09	480	12.5							
10	510	13.2							
11	510	13.8							
12	510	14.6				2.4			
13	600	14.5							
14	570	14.7							
15	540	14.8							
16	510	14.5				2.4			
17	480	14.8							
18	480	14.5							
19	480	14.2							
20	480	14.0				2.5			
21	480	13.5							
22	480	13.2				2.6			
23									

Time: Local.

Sweep: 1.8 Mc to 18.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 40

Madras, India ( $13.0^{\circ}\text{N}$ ,  $80.2^{\circ}\text{E}$ )

September 1948

Time	*	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M3000}$	**
00									
01									
02									
03									
04									
05									
06									
07		430				10.2			
08		480				10.8			2.4
09		495				11.4			
10		540				11.8			
11		540				12.0			
12		540				12.2			
13		540				12.1			2.2
14		540				12.2			
15		540				12.8			
16		540				13.0			2.2
17		540				13.0			
18		540				13.1			
19		540				12.5			
20						13.0			
21						11.5			
22						11.0			
23									

Time: Local.

Sweep: 1.8 Mc to 15.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 41

Karotonga I. ( $21.3^{\circ}$ S,  $159.8^{\circ}$ W)

September 1948

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F_2-N3000$
00								
01								
02								
03								
04								
05								
06	300	6.5			1.7	2.9	2.7	
07	250	10.6			115	2.4	3.2	3.1
08	250	12.2			110	2.9	3.6	3.1
09	260	12.6	240	6.5	110	3.4	3.9	3.1
10	290	13.2	250	6.5	110	3.7	4.2	2.9
11	280	12.6	250	6.0	110	3.8	4.4	2.9
12	300	12.7	240	6.0	110	3.9	4.4	2.8
13	300	12.1	250	6.8	110	3.8	4.6	2.6
14	305	12.2	245	6.5	110	3.7	4.6	2.6
15	345	12.2	250	6.5	110	3.5	4.2	2.7
16	340	12.0	250	6.2	110	3.2	4.3	2.7
17	300	12.0	260	6.4	110	2.7	3.8	2.7
18	290	12.2	280	7.0		2.0	3.5	2.7
19								
20								
21								
22								
23								

Time:  $157.5^{\circ}$ W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 42

Hobart, Tasmania ( $42.8^{\circ}$ S,  $147.4^{\circ}$ E)

September 1948

Time	$h^{\circ}F_2$	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F_2-N3000$
00								
01								
02								
03								
04								
05								
06	290	4.0						
07	250	5.5						
08	250	6.7	220					
09	260	7.5	220					
10	290	8.6	212	4.7	100	3.3		
11	280	9.2	213	4.7	100	3.5		
12	275	10.2	210	4.8	100	3.6	2.0	3.0
13	272	9.8	210	4.8	105	3.5	2.1	3.0
14	270	9.6	210	4.5	105	3.5		
15	250	9.2	205	4.0	100	3.2		
16	242	9.1	220	(3.8)	100	2.9		
17	242	8.7						
18	242	8.5						
19	(245)	(8.6)						
20	255	7.1						
21	250	6.0						
22	250	5.6						
23	260	5.2						

Time:  $150.0^{\circ}$ E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 43

Delhi, India ( $28.6^{\circ}$ N,  $77.1^{\circ}$ E)

August 1948

Time	*	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F_2-N3000$	**
00									
01	460	8.6							
02	440	8.2							
03	440	7.6							
04	440	(7.4)							
05	440	7.0							
06	400	6.6							
07	360	7.5							
08	360	8.8							
09	400	9.4							
10	440	10.0							
11	480	11.3							
12	480	12.2							
13	480	12.6							
14	460	12.9							
15	460	13.0							
16	440	13.0							
17	440	12.8							
18									
19									
20	440	10.4							
21	460	9.6							
22	460	8.8							
23	460	8.3							

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 44

Bombay, India ( $19.0^{\circ}$ N,  $73.0^{\circ}$ E)

August 1948

Time	*	$f^{\circ}F_2$	$h^{\circ}F_1$	$f^{\circ}F_1$	$h^{\circ}E$	$f^{\circ}E$	$f^{\circ}Es$	$F_2-N3000$	**
00									
01	420	(12.4)							
02	360	(9.7)							
03	360	(7.3)							
04	370	(6.0)							
05	300	(5.6)							
06	330	(7.2)							
07	330	9.0							
08	360	10.1							
09	420	11.0							
10	510	11.8							
11	540	13.0							
12	540	13.5							
13	540	14.0							
14	540	14.0							
15	540	14.2							
16	510	14.4							
17	480	14.5							
18	480	14.4							
19	480	13.8							
20	480	13.6							
21	480	13.2							
22	480	12.1							
23	480	12.3							

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 45Madras, India ( $13.0^{\circ}\text{N}$ ,  $80.2^{\circ}\text{E}$ )

August 1948

Time	*	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M}3000$	**
00									
01									
02									
03									
04									
05									
06									
07	360	8.9							
08	420	10.6							
09	510	11.3							
10	540	11.1							
11	570	10.9							
12	570	11.0							
13	600	10.9							
14	600	11.2							
15	600	11.1							
16	600	11.6							
17	600	11.8							
18	540	11.6							
19	570	11.7							
20	540	11.0							
21	540	10.8							
22	510	10.5							
23									

Table 46Delhi, India ( $28.6^{\circ}\text{N}$ ,  $77.1^{\circ}\text{E}$ )

July 1948

Time	*	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M}3000$	**
00		480	8.9						2.3
01		500	8.6						
02		(480)	8.5						
03		460	8.2						
04		(480)	(7.4)						2.3
05		440	7.5						
06		400	8.2						
07		400	9.0						
08		440	9.2						2.4
09		520	9.8						
10		520	10.7						
11		520	11.8						
12		520	12.3						2.2
13		520	12.8						
14		500	12.8						
15		500	(12.8)						
16		480	(12.6)						2.3
17		480	12.5						
18									
19									
20		480	9.3						2.4
21		500	9.2						
22		500	9.0						
23		520	8.8						

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Table 47Bombay, India ( $19.0^{\circ}\text{N}$ ,  $73.0^{\circ}\text{E}$ )

July 1948

Time	*	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M}3000$	**
00		(450)	(7.4)						
01		(420)	(6.9)						
02		(420)	(6.6)						
03		(480)	(5.7)						
04		(480)	(5.6)						
05		(420)	(5.7)						
06		(330)	(7.3)						
07		330	8.8						
08		390	9.7						
09		480	10.4						
10		540	11.3						
11		555	12.0						
12		570	12.8						
13		570	13.2						
14		540	13.5						
15		510	14.0						
16		480	14.2						
17		480	14.4						
18		450	13.6						
19		480	12.8						
20		480	11.8						
21		480	10.3						
22		490	9.5						
23		480	9.0						

Table 48Madras, India ( $13.0^{\circ}\text{N}$ ,  $80.2^{\circ}\text{E}$ )

July 1948

Time	*	$f^{\circ}\text{F2}$	$h^{\circ}\text{F1}$	$f^{\circ}\text{F1}$	$h^{\circ}\text{E}$	$f^{\circ}\text{E}$	$f^{\circ}\text{Es}$	$F2-\text{M}3000$	**
00									
01									
02									
03									
04									
05									
06									
07		420	9.1						
08		480	10.3						
09		540	10.4						
10		600	10.3						
11		600	10.5						
12		600	10.6						
13		600	10.8						
14		600	10.8						
15		600	11.2						
16		600	11.7						
17		600	12.1						
18		600	12.2						
19		570	11.6						
20		540	10.5						
21		480	(9.7)						
22		480	(9.4)						
23									

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

\*Height at 0.83 foF2.

\*\*Average values; other columns, median values.

TABLE 49  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
IONOSPHERIC DATA

National Bureau of Standards  
Scales by: E. J. W. [Institution] J. M. C.  
Calculated by: J. J. S. [Institution] J. L. S.

$h'F_2$  Km (Units) January, 1949

(Month) (Month)

Observed at Washington, D.C.

Lat. 39.0° N Long. 77.5° W

Day	75° W Mean Time											
	00	01	02	03	04	05	06	07	08	09	10	11
1	2.60	2.50	2.70	2.30	2.50	2.30	2.40	2.50	2.30	2.40	2.50	2.30
2	2.90	3.30	3.00	2.60	2.50	2.60	2.70	2.40	2.20	2.30	2.00	2.20
3	2.70	2.50	2.50	2.30	2.40	2.60	2.50	2.30	2.30	2.40	2.10	2.30
4	2.60	2.50	2.50	2.50	2.50	2.50	2.60	2.40	2.30	2.40	2.30	2.30
5	[2.80] <sup>A</sup>	2.80	2.70	2.50	2.50	2.60	2.40	2.30	2.30	2.50	2.50	2.30
6	2.70	[2.80] <sup>A</sup>	(3.00) <sup>A</sup>	2.60	2.50	2.60	2.50	2.40	2.50	2.40	2.20	2.40
7	2.60	2.60	3.10	[3.50] <sup>S</sup>	2.70	2.60	2.30	2.50	2.20	2.20	2.20	2.20
8	A	(2.90) <sup>A</sup>	2.70	2.60	2.70	2.40	2.20	2.00	2.20	2.30	2.10	2.30
9	2.50	(3.00) <sup>A</sup>	2.50	[2.70] <sup>A</sup>	(3.00) <sup>A</sup>	2.60	2.50	2.20	2.20	2.50	2.30	2.30
10	(3.00) <sup>A</sup>	2.80	2.70	2.50	2.70	2.80	2.60	2.20	2.20	2.40	2.30	2.30
11	2.70	2.90	3.40	3.20 <sup>F</sup>	2.90	2.60	2.50	2.30	2.10	2.30	(2.30) <sup>S</sup>	2.30
12	(2.90) <sup>S</sup>	3.00	3.00	2.80	(2.50) <sup>S</sup>	2.50	2.40	2.20	2.20	2.20	2.20	2.20
13	3.00	2.90	(2.70) <sup>A</sup>	2.50	2.50	2.50	2.10	2.20	2.20	2.30	2.30	2.30
14	2.70	2.90	(2.50) <sup>S</sup>	2.50	2.70	2.60	2.40	2.20	2.30	2.30	2.30	2.30
15	2.80	2.80	2.80	2.70	2.60	2.30	2.50	2.30	2.10	2.20	2.30	2.30
16	2.80	2.80	2.70	2.70	2.70	2.50	2.20	2.10	2.00	2.00	2.10	2.10
17	2.50	2.50	2.50	2.40	2.60	2.60	2.20	2.30	2.30	2.30	2.30	2.30
18	3.00	3.00	2.70	2.70	2.30	(2.70) <sup>S</sup>	2.30	2.10	2.10	2.30	2.30	2.30
19	2.50	2.50	2.40	2.50	2.50	2.30	2.10	2.30	2.30	2.30	2.30	2.30
20	2.60	2.50	2.50	2.60	2.70	2.70	2.20	2.20	2.30	2.20	2.20	2.20
21	2.50	2.80	2.90	2.70	2.60	2.50	2.30	2.10	2.00	2.00	2.00	2.00
22	2.50	3.00	2.80	2.70	2.50	2.30	2.20	2.30	2.30	2.30	2.30	2.30
23	2.50	2.70	2.60	2.40	2.20	2.30	2.20	2.20	2.30	2.30	2.30	2.30
24	4.80	2.60	2.50	2.30	2.30	2.50	2.20	2.10	2.00	2.00	2.00	2.00
25	C <sup>K</sup>	3.50 <sup>K</sup>	(3.00) <sup>K</sup>	(3.40) <sup>K</sup>	4.00 <sup>K</sup>	3.70 <sup>K</sup>	3.30 <sup>K</sup>	2.70 <sup>K</sup>	2.50 <sup>F</sup>	2.40 <sup>K</sup>	2.30 <sup>K</sup>	2.30 <sup>K</sup>
26	2.70 <sup>K</sup>	2.90 <sup>K</sup>	2.50 <sup>K</sup>	3.00 <sup>K</sup>	3.20 <sup>K</sup>	(2.80) <sup>K</sup>	2.40 <sup>K</sup>	2.60	2.30	2.50	2.30	2.30
27	2.80 <sup>K</sup>	3.00 <sup>K</sup>	3.00 <sup>K</sup>	3.00 <sup>K</sup>	3.00 <sup>K</sup>	(3.00) <sup>A</sup>	2.60	2.30	2.30	2.30	2.30	2.30
28	2.70	2.60	2.70	2.80	2.60	[2.60] <sup>A</sup>	2.50	2.20	2.30	2.40	2.30	2.30
29	2.50	2.50	(2.30) <sup>S</sup>	2.50	2.60	(2.60) <sup>S</sup>	2.50	2.30	2.10	2.40	2.30	2.30
30	(2.50) <sup>S</sup>	2.60	2.50	2.70	2.60	(2.60) <sup>A</sup>	2.40	2.20	2.30	2.30	2.20	2.20
31	2.50	2.50	2.50	2.60	2.50	2.50	2.40	2.20	2.10	2.40	2.30	2.30
Median	2.70	2.80	2.70	2.60	2.50	2.50	2.20	2.20	2.30	2.30	2.20	2.20
Count	21	30	31	31	31	31	30	30	30	30	31	31

Sweep 10 Mc to 25 Mc in 25 min  
Manual  Automatic





**h'F1**      **Km**      **January, 1949**  
 (Characteristic)    (Unit)    (Month)  
 Observed at      **Washington, D. C.**

**TABLE 52**  
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.  
**IONOSPHERIC DATA**

**Lat. 39°0' N., Long. 77°5' W.**

Day	75° W. Mean Time																						
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
21																							
22																							
23																							
24																							
25																							
26																							
27																							
28																							
29																							
30																							
31																							
Median																							
Count																							

Sweep 10 Mc to 25.0 Mc in 0.25 min  
 Manual  Automatic



TABLE 54  
 IONOSPHERIC DATA  
 Observed at Washington, D.C.  
 Lat. 39.0°N, Long. 77.5°W

Day	75°W Mean Time												Calculated by E.J.W. J.J.S. J.M.C. J.L.S.												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Median																									
Count																									

 Sweep LO Mc to 25.0 Mc in 0.25 min  
 Manual  Automatic

**f<sub>0</sub>E**, **M<sub>c</sub>**, **January, 1949**  
(Chronocentric), **(Unit)**  
Observed at **Washington, D.C.**

**TABLE 55**  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
**IONOSPHERIC DATA**  
Lat **39.0°N**, Long **77.5°W**

Form adopted June 1946  
National Bureau of Standards  
Scaled by: **E.J.W.** **[J.S.]** **J.M.C.**  
Calculated by: **J.J.S.** **J.L.S.**

Day	75°W Mean Time											
	00	01	02	03	04	05	06	07	08	09	10	11
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Median	2.2	2.7	3.1	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Count	24	25	26	27	28	29	27	29	27	29	27	29

Sweep 1.0 Mc to 2.5 Qmc in 0.25 min  
Manual  Automatic

TABLE 56  
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
IONOSPHERIC DATA

Form adopted June 1946

Es Mc Km January 1949  
(Characteristic) (Um) (Month)

Observed at Washington, D.C.

Lat 39°0' N Long 77.5° W

National Bureau of Standards

Scaled by E.J.W. J.J.S. [Institution] J.M.C.

Calculated by J.J.S. J.L.S.

75° W Mean Time													
Day	00	01	02	03	04	05	06	07	08	09	10	11	12
1	G	G	G	G	G	G	G	G	G	G	G	G	G
2	G	G	G	G	G	G	G	G	G	G	G	G	G
3	G	G	G	G	G	G	G	G	G	G	G	G	G
4	G	G	G	G	G	G	G	G	G	G	G	G	G
5	58/100	G	32/100	29/100	32/100	32/100	35/100	36/100	36/100	36/100	36/100	36/100	36/100
6	36/110	56/100	52/100	35/110	35/110	35/110	35/110	35/110	35/110	35/110	35/110	35/110	35/110
7	G	27/100	G	30/100	32/100	32/100	G	G	G	G	G	G	G
8	54/100	59/100	43/100	27/100	27/100	27/100	G	G	G	G	G	G	G
9	37/100	37/100	59/100	50/100	59/100	39/100	38/100	34/100	24/100	27/100	27/100	G	G
10	61/100	G	G	G	G	G	G	G	G	G	G	G	G
11	39/120	43/110	59/110	45/100	39/100	39/100	G	35/100	23/100	21/100	21/100	G	G
12	G	G	G	G	G	G	G	G	G	G	G	G	G
13	50/110	40/100	76/100	45/100	G	G	G	G	G	G	G	G	G
14	G	24/100	22/110	38/110	31/100	39/100	38/100	38/100	38/100	37/100	37/100	37/100	37/100
15	G	52/100	60/100	28/100	33/100	24/100	41/100	48/100	45/100	60/100	61/100	75/100	45/100
16	G	G	G	G	38/110	G	G	G	G	G	G	G	G
17	G	G	G	G	G	G	G	G	37/110	36/100	38/100	73/100	70/100
18	34/100	44/100	44/100	38/100	G	G	G	G	G	G	G	G	G
19	G	G	G	35/110	G	G	G	40/110	39/130	80/110	49/110	64/100	44/100
20	G	G	G	G	35/100	G	G	G	G	G	G	G	G
21	G	G	G	G	G	G	G	G	G	G	G	G	G
22	G	G	G	G	G	G	G	G	G	G	G	G	G
23	G	35/100	44/100	44/100	38/100	31/100	G	G	G	G	G	G	G
24	G	33/110	G	G	G	G	G	C	C	C	C	G	G
25	C	28/120	26/100	23/100	23/130	G	G	G	G	G	G	G	G
26	G	38/100	G	G	G	G	G	G	G	G	G	G	G
27	G	G	G	G	G	G	G	G	G	G	G	G	G
28	20/100	39/100	32/90	G	40/100	72/100	G	G	G	G	G	G	G
29	G	G	G	G	G	G	G	G	G	G	G	G	G
30	37/100	21/100	G	G	G	66/100	40/80	56/100	G	G	G	G	G
31	G	G	G	G	G	20/120	G	G	G	G	G	G	G
Median	*	*	*	*	*	*	*	*	*	*	*	*	*
Count	30	31	31	31	31	31	31	31	30	30	30	30	30

\* \* MEDIAN YES LESS THAN MEDIAN i.e., OR LESS THAN  
LO' ER FREQUENCY LIMIT OF RECORDER.

Sweep 10 Mc to 250 Mc in 0.25 min  
Manual □ Automatic ☒

U.S. GOVERNMENT PRINTING OFFICE : 1946 O - 1215



TABLE 58  
Central Radio Propagation Laboratory, National Bureau of Standards Washington 25, D.C.  
IONOSPHERIC DATA

(M3000)F2 January, 1949

(Unit) (Month)

Washington, D.C.

Observed at Lat 39°0'N, Long 77°5'W

Day	National Bureau of Standards												J.M.C.											
	Calculated by E.J.W.				J.J.S.				J.J.S.				J.J.S.				J.J.S.				J.J.S.			
00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	2.9 F <sup>s</sup> (3.0) <sup>F</sup>	3.0 F	3.3 F <sup>s</sup> (2.9) <sup>F</sup>	3.1	3.2 F <sup>s</sup> (3.1) <sup>F</sup>	3.3	3.4	3.3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.0	3.2	3.2	3.4	2.7 F	2.9	(2.6) <sup>s</sup>	2.5	
2	F <sup>s</sup>	F <sup>s</sup>	F <sup>s</sup> (2.7) <sup>F</sup>	F <sup>s</sup> (2.9) <sup>F</sup>	F <sup>s</sup>	F <sup>s</sup> (3.0) <sup>F</sup>	3.1	3.0	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.2	3.2	3.1	3.1	(3.2) <sup>F</sup>	3.2	2.9	(2.8) <sup>s</sup>	
3	(2.8) <sup>F</sup>	(2.8) <sup>F</sup>	2.7 F	2.9	(2.9) <sup>F</sup>	3.1 F	3.0 F	(2.8) <sup>s</sup>	3.4	3.4	3.4	3.3	3.1	3.0	5	(3.2) <sup>T</sup>	3.0	3.1	(2.9) <sup>T</sup>	3.2	(3.0) <sup>T</sup>	2.9	(3.0) <sup>s</sup>	
4	3.3	(2.9) <sup>s</sup>	3.1 F	3.1 F	3.2	3.4 F	3.0	(3.1) <sup>F</sup>	3.5	3.4	3.1	3.2	3 /	3.0	3 /	3.1	(3.0) <sup>P</sup>	3.1	(3.1) <sup>P</sup>	(3.2) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(2.8) <sup>s</sup>	
5	A	2.9	3.0	3.1	3.1	(3.0) <sup>s</sup>	(2.4) <sup>F</sup>	(3.1) <sup>F</sup>	3.1 F	3.4	3.5	3.3	3 /	3.2	(3.1) <sup>s</sup>	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	3.2	3.2	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	
6	2.9	A	3.0	(3.0) <sup>s</sup>	(2.6) <sup>F</sup>	(2.8) <sup>s</sup>	(2.9)	C	(3.4) <sup>F</sup>	3.2	3 /	3.3	3 /	(3.2) <sup>S</sup>	(3.2) <sup>F</sup>	3.2	C	(3.2) <sup>S</sup>	5	C	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>
7	(3.0) <sup>s</sup>	(2.8) <sup>F</sup>	(2.8) <sup>F</sup>	(2.6) <sup>F</sup>	(2.8) <sup>s</sup>	(2.9)	C	(3.4) <sup>F</sup>	3.3	3.2	3.3	3.2	3.2	3.2	3 /	(3.1) <sup>S</sup>	(3.1) <sup>F</sup>	3.2	3.2	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	
8	(3.1) <sup>A</sup>	(3.0) <sup>A</sup>	2.9 F	2.9 F	2.9 F	3.0 F	3.1 F	3.5	3.3	3.3	3.2	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	(3.2) <sup>S</sup>	(3.2) <sup>S</sup>	(3.2) <sup>S</sup>	(3.2) <sup>S</sup>	
9	(3.0) <sup>F</sup>	5 F	(2.8) <sup>F</sup>	(3.1) <sup>s</sup>	5 A	(2.7) <sup>F</sup>	(2.9) <sup>F</sup>	(2.9) <sup>F</sup>	(3.0) <sup>F</sup>	3 /	3.2	3.3	3.2	3.2	3.2	3 /	(3.0) <sup>S</sup>	(3.0) <sup>F</sup>	(3.3) <sup>F</sup>	(3.3) <sup>F</sup>	(3.3) <sup>F</sup>	(3.3) <sup>F</sup>	(3.0) <sup>F</sup>	
10	2.9	(2.8) <sup>F</sup>	(3.0) <sup>F</sup>	5 F	2.7 F	2.7 F	3.2 F	3.0 F	(3.4) <sup>F</sup>	3.5	3.3	3.2	3.2	3.2	3 /	(3.3) <sup>S</sup>	(3.3) <sup>F</sup>	3 /	3 /	(3.2) <sup>S</sup>	5 F	(3.3) <sup>S</sup>	(3.3) <sup>S</sup>	
11	2.8 F	2.7 F	(2.9) <sup>F</sup>	2.6 F	2.6 F	2.9 F	2.9 F	3.0 F	(3.9) <sup>F</sup>	(3.2) <sup>S</sup>	3.2	3.3	(3.4) <sup>S</sup>	(3.1) <sup>H</sup>	3 /	(3.1) <sup>S</sup>	(3.1) <sup>F</sup>	C	C	(3.0) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	(3.1) <sup>S</sup>	
12	(2.9) <sup>s</sup>	C	(2.9) <sup>F</sup>	(2.9) <sup>F</sup>	(2.9) <sup>F</sup>	(3.1) <sup>F</sup>	(3.1) <sup>F</sup>	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	3.4	3.3	3.3	3 /	(3.2) <sup>F</sup>	(3.0) <sup>S</sup>	3 /	(3.2) <sup>S</sup>	(3.2) <sup>F</sup>	2.8	(2.8) <sup>F</sup>	(2.7) <sup>F</sup>	(2.7) <sup>F</sup>		
13	2.6	(2.8) <sup>F</sup>	3.0	2.9 F	2.9 F	2.9 F	3.0 F	3.0 F	3.0 F	3.4	3.2	3 /	3 /	(3.1) <sup>S</sup>	(3.2) <sup>F</sup>	(3.1) <sup>F</sup>	(3.2) <sup>F</sup>	(3.2) <sup>S</sup>	3 /	3 /	3 /	2.9	2.9	
14	2.9	2.8 F	3.0 F	3.2 F	5 (3.1) <sup>F</sup>	2.9 F	3.0 F	(2.9) <sup>F</sup>	3.4	3.4	3.3	3.2	3 /	3 /	3 /	3 /	(2.2) <sup>S</sup>	(3.1) <sup>F</sup>	3 /	3 /	3 /	3 /	(3.3) <sup>S</sup>	(3.3) <sup>S</sup>
15	2.8	2.8 F	2.8 F	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	(2.8) <sup>F</sup>	(2.8) <sup>F</sup>	(2.8) <sup>F</sup>	(3.0) <sup>F</sup>	3.3	3.3	3.3	3.4	3 /	(3.0) <sup>S</sup>	3 /	3 /	(3.0) <sup>S</sup>	(3.0) <sup>S</sup>	(3.0) <sup>S</sup>	(2.9) <sup>S</sup>	2.7	(2.7) <sup>S</sup>	
16	2.7	2.8	2.7	2.7	2.7	(2.7) <sup>F</sup>	2.8	2.7 F	3.2	3.2	3.2	3.2	3 /	3.0	2.9	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	(3.1) <sup>S</sup>
17	(2.9) <sup>s</sup>	(2.8) <sup>F</sup>	3.0	2.8	2.8	(2.9) <sup>F</sup>	(2.9) <sup>F</sup>	(2.9) <sup>F</sup>	3.4	3.4	3.3	3.2	3 /	3 /	3 /	3 /	(3.1) <sup>S</sup>	(3.2) <sup>F</sup>	(3.1) <sup>F</sup>	(2.9) <sup>S</sup>	(2.9) <sup>S</sup>	(2.9) <sup>S</sup>	(2.9) <sup>S</sup>	
18	2.6	2.6	2.9	2.9	3 /	2.8 F	2.8 F	3.1 F	3.3	3.4	3.0	3 /	3 /	3 /	3 /	(3.0) <sup>S</sup>	(3.0) <sup>F</sup>	(3.0) <sup>F</sup>	3 /	3 /	3 /	3 /	2.8 F	
19	3.0 F	2.8 F	2.9 F	2.8	2.9 F	2.9	(3.0) <sup>F</sup>	3.2	3.4	(3.0) <sup>F</sup>	3.3	3 /	3 /	3 /	3 /	2.9	2.9	3 /	3 /	(3.0) <sup>S</sup>	3 /	3 /	2.9	
20	2.9 F	3.0 F	3.0 F	2.9 F	2.8 F	2.7 F	2.9 F	3.0 F	3.5	3.2	(3.2) <sup>F</sup>	(3.0) <sup>F</sup>	3 /	3 /	2.9	3 /	3 /	3 /	3 /	3 /	3 /	3 /	(3.0) <sup>S</sup>	
21	2.8 F	(2.6) <sup>F</sup>	(2.6) <sup>F</sup>	2.8 F	(2.8) <sup>F</sup>	(2.8) <sup>F</sup>	3.2	(3.0) <sup>F</sup>	3.0	3.5	3.4	(3.2) <sup>F</sup>	3.2	3 /	3 /	3 /	3 /	3 /	(2.9) <sup>S</sup>	(3.1) <sup>F</sup>	3 /	2.9	(2.8) <sup>S</sup>	
22	2.8	2.6	2.7	2.7	2.9 F	2.9 F	3.0 F	3.1 F	3.4	3.2	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	2.8	
23	3.0	3.0 F	3.0 F	3.0 F	3.1 F	2.9 F	3.0 F	3.0 F	3.5	3.3	3.2	3.0	(3.1) <sup>F</sup>	3 /	(2.9) <sup>S</sup>	3 /	3 /	3 /	3 /	3 /	3 /	3 /	2.8	
24	2.8	2.7	3.0	3.0	(3.0) <sup>F</sup>	3.0 F	3.0 F	3.1 F	3.2	C	C	C	C	C	C	C	C	C	C	C	C	C		
25	C	2.5 F	2.8 F	2.8 F	2.4 F	2.6 F	2.6 F	2.7 F	2.9 F	(3.1) <sup>F</sup>	2.9 F	2.9 F	2.9 F	2.7 F	2.5 K	N F								
26	2.8 F	(2.9) <sup>F</sup>	(2.7) <sup>F</sup>	3.0 F	3.1 F	3.0 F	F	(3.0) <sup>F</sup>	3.4	3.2	3 /	3 /	3 /	3 /	(3.0) <sup>F</sup>	3 /	3 /	3 /	3 /	3 /	3 /	3 /	2.8	
27	2.7 F	2.8 F	2.7 F	2.8 F	2.8 F	3.0 F	3.0 F	3.0 F	3.5	3.3	3.4	3.2	3.0	3 /	(3.0) <sup>F</sup>	(3.1) <sup>F</sup>	3 /	3 /	3 /	3 /	3 /	3 /	2.8	
28	3.0 F	3.0 F	2.9 F	2.9 F	2.8 F	2.8 F	2.8 F	2.7	2.9 F	3.0 F	3.4	3.3	3.2	3.1	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	2.8	
29	3.0	3.1 F	3.0	3.0	2.9	2.9	2.9	2.9	3.0	3.5	3.4	3.4	3.3	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	2.9	
30	2.9	3.0	3.0	3.0	2.8	2.8	3.0	3.0	3.4	3.5	3.4	3.2	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	2.9	
31	3.1	(2.9) <sup>F</sup>	2.9	2.8 F	3.0	2.9	5 (3.0) <sup>F</sup>	3.0 F	3.4	3.5	3.1	3 /	3 /	3 /	3 /	(3.0) <sup>P</sup>	3 /	3 /	(3.2) <sup>F</sup>	3 /	3 /	3 /	3 /	
Median	2.9	2.8	2.9	2.9	2.9	3.0	3.0	3.4	3.3	3.2	3.1	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	3 /	2.9	
Count	27	30	30	30	29	30	31	30	30	30	30	30	30	30	30	28	29	30	31	30	31	30	29	

Sweep 10 Mc to 250 Mc in 0.25 min

Manual □ Automatic ■

U. S. GOVERNMENT PRINTING OFFICE: 1946 O - 70219

(M3000) F1, (Characteristic) Washington, D.C.  
 (Unit) (Month) January, 1949  
 Observed at Lat 39°0'N, Long 77.5°W

TABLE 59  
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.  
 IONOSPHERIC DATA

Form adopted June 1946

Day	75° W Mean Time																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1											L		L												
2											L		L												
3											L		L												
4											L		L												
5											L		L												
6											L		L												
7											L		L												
8											L		L												
9											L		L												
10											L		L												
11											L		L												
12											L		L												
13											L		L												
14											L		L												
15											L		L												
16											L		L												
17											L		L												
18											L		L												
19											L		L												
20											L		L												
21											L		L												
22											L		L												
23											L		L												
24											Q <sup>K</sup>	Q <sup>K</sup>	Q <sup>K</sup>	Q <sup>K</sup>	32 <sup>K</sup>	Q <sup>K</sup>	Q <sup>K</sup>								
25											L		L			L	L	L	L						
26											L		L			L	L	L	L						
27											L		L			L	L	L	L						
28											L		L		C	C									
29											L		L		L	H									
30											L		L		L		L								
31											L		L		L		L								
Median																									
Count																									

Sweep 1.0 Mc to 25.0 Mc in 25 min  
 Manual  Automatic

(M1500) E, January, 1949  
(Characteristic), (Unit)

**TABLE 60**  
**IONOSPHERIC DATA**

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Observed at Washington, D. C.  
Lat. 39° N., Long. 77.5° W.**National Bureau of Standards**

[Transmission]

Scaled by E. J. W. J. M. C. J. J. S. J. L. S.

Day	75° W												Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1									3.5 <sup>H</sup>	3.5 <sup>S</sup>	4.0 <sup>H</sup>	4.0 <sup>S</sup>	(4.3) <sup>A</sup>	A	4.1 <sup>/</sup>	4.5	4.3	4.6							
2									4.1 <sup>/</sup>	4.1 <sup>/</sup>	(4.2) <sup>A</sup>	4.4 <sup>/</sup>	4.3	(4.2) <sup>H</sup>	4 <sup>/</sup>	4.0	4.1								
3									3.8 <sup>F</sup>	3.7 <sup>F</sup>	4.0 <sup>/</sup>	4 <sup>/</sup>	4.2 <sup>/</sup>	3.9 <sup>H</sup>	4.2	(3.8) <sup>H</sup>	C								
4									4.1 <sup>/</sup>	3.6 <sup>/</sup>	4.0 <sup>/</sup>	4 <sup>/</sup>	4.1 <sup>/</sup>	4.3	A	4 <sup>/</sup>	A								
5									4.0 <sup>H</sup>	A	3.8 <sup>F</sup>	4.2 <sup>/</sup>	4.2	4.0 <sup>/</sup>	4.2	C	4.4 <sup>H</sup>								
6									4.1 <sup>/</sup>	4.2 <sup>H</sup>	4.0 <sup>F</sup>	A	(4.2) <sup>A</sup>	(4.3) <sup>A</sup>	C	A	A								
7									C	A	4.2	4.2	4.2	4.2	A	4 <sup>/</sup>	3.9								
8									3.8 <sup>H</sup>	3.9 <sup>/</sup>	A	3.9	A	4.0	4.2	4 <sup>/</sup>	3.7								
9									A	A	4.1 <sup>/</sup>	4.2 <sup>F</sup>	C	4.2	4.4	4 <sup>/</sup>	5								
10									3.9 <sup>H</sup>	3.7 <sup>/</sup>	3.9 <sup>/</sup>	4.2	4.2	4.2	4.1	4.5	4.3								
11									A	(3.8) <sup>S</sup>	4.2 <sup>/</sup>	4 <sup>/</sup>	4 <sup>/</sup>	4.4 <sup>H</sup>	4.4	4.0	3.9								
12									4.1 <sup>H</sup>	4.3 <sup>/</sup>	4 <sup>H</sup>	A	4.2	4.4	4 <sup>/</sup>	C	(3.8) <sup>S</sup>								
13									3.8 <sup>/</sup>	A	4.2	4.2 <sup>F</sup>	4.3	4.3	4.4	4.5	A								
14									4.2 <sup>H</sup>	4.2 <sup>H</sup>	4.2 <sup>H</sup>	4 <sup>/</sup>	4.3	4.5	4.4	4.4	3.7	3.6							
15									A	A	A	A	(4.4) <sup>A</sup>	4.2	4.2	A	A	(3.8) <sup>S</sup>	3.8						
16									A	A	A	A	(4.4) <sup>A</sup>	4.2	4.2	4.2	3.8								
17									3.9 <sup>H</sup>	4.2 <sup>/</sup>	4.0 <sup>/</sup>	4.2	4.2	4.2	4.2	4.2									
18									3.7 <sup>H</sup>	(4.3) <sup>A</sup>	4 <sup>/</sup>	4 <sup>/</sup>	4.5	4.5	4.6	4.0	4.1	(4.1) <sup>F</sup>							
19									4.0 <sup>/</sup>	4.1 <sup>H</sup>	4.3 <sup>H</sup>	4.4 <sup>/</sup>	4.5	4.5	(4.4) <sup>A</sup>	A	(4.1) <sup>S</sup>	3.6							
20									3.4 <sup>/</sup>	4.4 <sup>/</sup>	4.5 <sup>/</sup>	4.4 <sup>/</sup>	4.4	4.3	(3.9) <sup>H</sup>	3.9	3.9	4.2							
21									A	4.2 <sup>H</sup>	4.3 <sup>/</sup>	A	A	4.4	(4.4) <sup>A</sup>	4.2	4.4	3.9							
22									3.7 <sup>H</sup>	A	A	4.4 <sup>/</sup>	4.5	4.2 <sup>H</sup>	4.2	4.3	4.4	4.1							
23									3.8 <sup>/</sup>	4.3 <sup>H</sup>	4.4 <sup>/</sup>	4.4 <sup>/</sup>	4.5	A	4.2	4.2	4 <sup>/</sup>	4.3							
24									3.7 <sup>/</sup>	C	C	C	C	4.2	4.2	4.4	4 <sup>/</sup>								
25									4.1 <sup>H</sup>	4.1 <sup>F</sup>	4.2 <sup>H</sup>	4.1 <sup>H</sup>	4.4 <sup>H</sup>	4.2 <sup>H</sup>	4.1 <sup>H</sup>	B	x								
26									4 <sup>/</sup>	4.3 <sup>/</sup>	4 <sup>/</sup>	(4.1) <sup>S</sup>	4.4	4.4	4.2	4.0	5								
27									4 <sup>/</sup>	4.1 <sup>/</sup>	A	4.3	(4.1) <sup>B</sup>	4 <sup>/</sup>	4 <sup>/</sup>	4.2									
28									3.7 <sup>H</sup>	(4.3) <sup>A</sup>	4 <sup>/</sup>	4 <sup>/</sup>	4.3	C	C	4.3	A								
29									A	4 <sup>/</sup>	A	(4.3) <sup>A</sup>	4.5	4.6	4.2	(4.4) <sup>A</sup>	4.6								
30									(3.6) <sup>H</sup>	A	4.2	4.4	4.2	4.3	4.6	4.4	4 <sup>/</sup>								
31									3.8 <sup>H</sup>	4.1 <sup>H</sup>	4.2 <sup>/</sup>	4.4 <sup>/</sup>	4.5	4.3	4.4	4 <sup>/</sup>	B	3.6							
Median									3.9	4 <sup>/</sup>	4.2	4.2	4.3	4.3	4.2	4.2	4 <sup>/</sup>	4.0							
Count									24	22	25	24	26	27	25	25	23	8							

Sweep I.O. Mc to 25.0 Mc in 0.25 min

Manual Automatic 

U. S. GOVERNMENT PRINTING OFFICE: 1946 O-70519

Table 61Ionospheric Storminess at Washington, D. C.January 1949

Day	Ionospheric character*		Principal storms Beginning End GCT GCT		Geomagnetic character** 00-12 GCT 12-24 GCT	
	00-12 GCT	12-24 GCT				
1	1	2			3	2
2	3	2			5	3
3	1	3			1	1
4	1	3			0	1
5	2	3			1	1
6	2	1			2	1
7	2	1			3	2
8	2	1			2	3
9	2	2			3	3
10	2	1			2	2
11	3	2			3	3
12	3	2			2	3
13	2	2			3	2
14	2	2			2	1
15	2	2			1	2
16	2	1			2	2
17	0	2			2	2
18	1	1			3	3
19	0	1			3	2
20	1	1			2	2
21	2	1			3	2
22	1	1			3	1
23	1	1			1	2
24	1	1			2	4
25	4	4	0000	----	6	7
26	4	1	----	1200	7	3
27	4	1	0500	1200	4	2
28	2	2			2	2
29	1	1			2	2
30	1	1			1	1
31	1	2			1	2

\*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D. C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

\*\*Average for 12 hours of Cheltenham, Maryland, geomagnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

----Dashes indicate continuing storm.

Table 62Sudden Ionosphere Disturbances Observed at Washington, D. C.January 1949

1949 Day	GCT		Location of transmitters	Relative intensity at minimum*	Other phenomena
	Beginning	End			
January 15	1945	2025	Ohio, D.C.	0.05	
15	2154	2215	Ohio, D.C.	0.3	Terr.mag.pulse** 2149-2155
16	1658	1715	Ohio, D.C., England	0.1	
19	2025	2100	Ohio, D.C.	0.2	Terr.mag.pulse** 2023-2040 Solar flare*** 2030
20	1730	1755	Ohio, D.C., England	0.1	Terr.mag.pulse** 1727-1750
20	1902	1940	Ohio, D.C., England	0.1	
24	1545	1600	Ohio, D.C., England	0.3	
25	2043	2100	Ohio, D.C.	0.1	
31	1946	2020	Ohio, D.C.	0.05	

\*Ratio of received field intensity during SID to average field intensity before and after, for station W2XAL, 6080 kilocycles, 600 kilometers distant.

\*\*As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

\*\*\*Time of observation at McMath-Hulbert Observatory, Michigan.

Table 63Sudden Ionosphere Disturbances Reported by Engineer-in-Chief,Cable and Wireless, Ltd., as Observed in England

1948 Day	GCT		Receiving station	Location of transmitters
	Beginning	End		
December 23	1215	1300	Brentwood	Austria, Bahrein I., Belgian Congo, Bulgaria, Canary Is., Chile, Greece, India, Iran, Kenya, Madagascar, Malta, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Trans-Jordan, Turkey, U.S.S.R., Yugoslavia, Zanzibar
23	1215	1240	Somerton	Aden, Argentina, Ascension I., Australia, Barbados, Brazil, Canada, Ceylon, China, Egypt, Gold Coast, India, Malay States, New York, Union of S. Africa
30	1600	1620	Somerton	Argentina, Barbados, Brazil, Canada, New York

Table 64  
Sudden Ionosphere Disturbances Reported by  
RCA Communications, Inc., as Observed  
at Point Reyes, California

1949 Day	GCT		<u>Location of transmitters</u>
	Beginning	End	
January 14	0430	0830	China, Chosen, Japan, Philippine Is.
15	2153	2230	Australia, Hawaii, Japan, Philippine Is.
23	0120	0230	Australia, Hawaii, Japan, Philippine Is.

Table 65  
Sudden Ionosphere Disturbances Reported by  
International Telephone and Telegraph Corporation,  
as Observed at Platanos, Argentina

1948. Day	GCT		<u>Location of transmitters</u>
	Beginning	End	
December 3	1345	1420	Bolivia, Brazil, Chile, Colombia, Denmark, England, Germany, New York, Peru, Switzerland, Venezuela
7	1355	1410	Bolivia, Brazil, Chile, Denmark, England, New York, Switzerland, Venezuela
9	1154	1225	Brazil, Chile, Denmark, Germany, Netherlands, New York, Spain, Venezuela
20	1728	1755	Bolivia, Brazil, Chile, Denmark, England, France, New York, Spain, Venezuela
23	1215	1330	Bolivia, Brazil, Chile, Denmark, England, Germany, Italy, Netherlands, New York, Peru, Switzerland, Venezuela
24	1643	1710	Brazil, Chile, Denmark, Germany, Netherlands, New York, Peru, Spain
27	1430	1445	Bolivia, Brazil, Chile, Denmark, England, Germany, New York, Peru, Switzerland, Venezuela
27	1713	1725	Bolivia, Brazil, Chile, Germany, Netherlands, New York, Peru, Spain, Venezuela

Note: Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Table 66

Provisional Radio Propagation Quality Figures  
 (Including Comparisons with CRPL Warnings and CRPL Probable Disturbed Period Forecasts)  
December 1948

Day	North Atlantic						North Pacific						
	Quality figure	CRPL* Warning	Forecast of probable disturbed periods	Geo-magnetic K <sub>Ch</sub>	Quality figure	CRPL* Warning	Forecast of probable disturbed periods	Geo-magnetic K <sub>Ch</sub>	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT	
1	7	7		1	1	6	5				1	1	
2	6	7		2	1	7	5				2	1	
3	6	6		3	0	6	6				3	0	
4	6	6		1	1	6	5				1	1	
5	7	7		2	1	6	6				2	1	
6	8	7		3	4	6	5				3	4	
7	6	6	X X		4	3	5 (4)	X X			4	3	
8	7	6	X		2	2	5 5	X			2	2	
9	6	7			2	1	5 5				2	1	
10	7	6			1	2	5 6				1	2	
11	7	6			3	2	5 6				3	2	
12	6	7			1	0	6 5				1	0	
13	6	6			1	3	6 5				1	3	
14	5	6	X		X	4	3	5 6	X		X	4	3
15	5	6			2	2	6 5				X	2	2
16	6	6			2	3	6 5				X	2	3
17	6	7	X		X	2	1	6 5	X		X	2	1
18	6	6			2	1	5 6				X	2	1
19	6	6			2	1	7 5				X	2	1
20	6	6			1	2	5 6				X	1	2
21	6	6			3	3	6 5				X	3	3
22	6	6	X		X	3	1	5 (3)	X		X	3	1
23	6	6			X	1	2	6 6			X	1	2
24	6	7			3	2	6 7				X	3	2
25	6	6			X	3	4	6 5			X	3	4
26	6	6	X		X	2	1	6 5	X		X	2	1
27	6	5			2	2	6 5				X	2	2
28	6	7			0	1	6 6				X	0	1
29	6	6			2	2	5 6				X	2	2
30	5	6			2	4	5 5				X	2	4
31	5	5	X		4	3	5 6	X			X	4	3

Score:	H	0	0		1	1	
	M	0	0		1	1	
	G	24	23		24	22	
(S)	S	2	2		3	6	
		5	6		2	1	

Quality Figure Scale:  
 1 - Useless  
 2 - Very poor  
 3 - Poor  
 4 - Fair to fair  
 5 - Fair  
 6 - Fair to good  
 7 - Good  
 8 - Very good  
 9 - Excellent

Symbols:  
 X Warning given or probable disturbed date  
 H Quality 4 or worse on day or half day of warning  
 M Quality 4 or worse on day or half day of no warning  
 G Quality 5 or better on day of no warning  
 (S) Quality 5 on day of warning  
 S Quality 5 or better on day of warning  
 ( ) Quality 4 or worse (disturbed)

Geomagnetic K<sub>Ch</sub> on the standard scale of 0 to 9, 9 representing the greatest disturbance

\*Broadcast on WWV, Washington, D.C. Times of warnings recorded to nearest half day as broadcast.

\*\*In addition to dates marked X, the following was designated as a probable disturbed day on forecasts more than eight days in advance of said date: December 18.

Table 67

American and Zürich Provisional Relative Sunspot NumbersJanuary 1949

Date	R <sub>A</sub> *	R <sub>Z</sub> **	Date	R <sub>A</sub> *	R <sub>Z</sub> **
1	128	108	17	212	143
2	144	95	18	217	161
3	112	82	19	221	177
4	111	88	20	221	169
5	103	70	21	187	167
6	105	87	22	182	153
7	124	91	23	179	158
8	135	94	24	182	152
9	145	106	25	169	152
10	155	118	26	139	139
11	147	109	27	117	90
12	130	114	28	109	86
13	166	122	29	95	80
14	165	125	30	127	90
15	158	118	31	185	119
16	183	138	Mean:	153.3	119.4

\*Combination of reports from 46 observers; see page 8.

\*\*Dependent on observations at Zürich Observatory and its stations at Locarno and Arosa.

Table 68a

Coronal observations at Climax, Colorado (5303A), east limb

Date GCT	Degrees north of the solar equator															Degrees south of the solar equator															P					
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	00	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85
1949 Jan. 6.8	X	X	X	X	X	X	X	?	?	5	15	18	17	18	20	25	28	18	19	19	14	18	18	16	10	8	6	2	2	-	-	-	-	-	-	0
7.8	-	-	-	-	-	?	?	3	5	6	15	24	23	22	33	35	30	25	22	22	21	22	27	16	12	10	6	4	3	3	2	-	-	0		
11.9	X	-	-	-	-	-	-	3	5	7	7	10	20	22	25	17	15	13	11	9	12	15	29	20	13	8	8	4	3	3	2	-	-	*		
12.8	3	-	-	-	-	-	-	2	1	6	6	12	14	31	25	24	26	22	20	27	28	30	10	23	20	15	12	13	10	5	3	2	-	*		
13.8	-	-	-	-	-	-	-	3	4	7	9	10	12	13	15	14	14	13	12	16	15	15	14	12	11	5	7	9	3	2	2	-	-	*		
17.8	-	-	-	-	-	-	-	-	-	3	3	4	8	8	13	13	14	13	10	15	16	14	12	12	9	3	3	7	6	4	3	-	-	*		
19.7	-	-	-	-	-	-	-	-	-	1	2	3	3	3	3	4	4	7	10	13	9	17	13	9	8	4	-	-	-	-	-	-	*			
21.7	-	-	1	1	2	3	1	6	2	5	9	9	10	13	18	24	27	20	23	29	25	21	15	15	11	9	3	4	4	5	5	4	3	2	*	
25.8	-	-	-	-	-	-	-	-	-	-	-	2	8	10	14	16	14	13	12	19	23	20	13	22	13	13	11	9	8	6	5	5	4	2	-	*
29.8	-	-	2	2	3	4	5	4	3	3	8	11	12	12	12	13	11	12	14	16	25	28	14	14	13	3	?	-	-	-	-	-	*			

\*Beginning January 11, measurements are made directly on solar rotation coordinates.

Table 69a

Coronal observations at Climax, Colorado (6374A), east limb

Date GCT	Degrees north of the solar equator															Degrees south of the solar equator															P					
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	00	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85
1949 Jan. 6.8	X	X	X	X	X	X	X	-	-	10	?	1	?	13	10	8	10	2	?	5	14	12	3	1	1	1	1	1	1	1	-	-	-	0		
7.8	4	6	5	1	1	-	-	-	-	-	?	1	1	16	4	13	11	9	7	11	14	3	2	1	1	1	1	1	1	1	1	1	0			
11.9	X	-	2	3	3	3	2	1	1	-	1	?	1	12	1	1	4	1	3	1	1	5	8	?	1	-	-	-	-	1	2	1	1	*		
12.8	2	3	4	3	2	1	1	1	1	1	1	?	2	2	9	12	1	1	1	12	12	10	7	2	1	1	-	-	-	1	1	1	2	*		
13.8	2	2	2	3	2	1	1	1	1	1	1	1	1	1	13	?	?	?	3	5	4	3	3	-	-	-	-	1	1	1	1	1	1	*		
17.8	2	2	2	?	-	-	-	-	-	1	1	2	8	12	10	?	?	3	13	12	2	3	1	1	1	-	1	1	1	-	-	1	*			
19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	1	3	9	1	-	-	-	-	-	-	-	-	1	*			
21.7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	1	-	-	1	7	1	3	4	-	-	-	-	-	-	1	*			
25.8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	10	?	1	1	-	-	-	-	-	-	-	-	-	*			
29.8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	10	11	8	2	1	-	-	-	-	-	-	-	-	-	*			

\*Beginning January 11, measurements are made directly on solar rotation coordinates.

Table 70a

Coronal observations at Climax, Colorado (6704A), east limb

Date GCT	Degrees north of the solar equator															Degrees south of the solar equator															P					
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	00	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85
1949 Jan. 6.8	X	X	X	X	X	X	X	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	
7.8	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0			
11.9	X	-	-	-	-	-	-	1	2	3	3	3	2	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	*			
12.8	-	-	-	-	-	-	-	1	2	2	2	2	2	2	1	1	1	1	1	2	2	3	2	1	-	-	-	-	-	-	-	-	*			
13.8	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	*				
17.8	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	*				
19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*				
21.7	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	*				
25.8	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	*				
29.8	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	*				

\*Beginning January 11, measurements are made directly on solar rotation coordinates.

Table 68b

## Coronal observations at Climax, Colorado (5303A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator															P						
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90		
1949																																						
Jan. 6.8	-	-	-	-	-	2	2	2	3	4	5	8	3	11	25	20	22	23	23	18	19	19	19	20	19	15	10	5	4	4	3	X	X	X	X	X	X	0
7.8	-	-	2	2	3	3	4	5	5	6	8	10	12	20	25	30	32	22	23	24	24	22	16	14	12	11	8	7	5	5	4	4	-	-	-	-	0	
11.9	-	-	-	-	2	3	3	3	3	4	7	10	14	23	15	13	12	10	12	15	17	14	13	8	7	6	5	3	2	2	X	X	X	X	*			
12.8	-	-	-	-	3	6	10	9	9	10	12	12	18	27	31	15	9	8	9	20	23	23	22	21	17	10	6	6	9	8	8	9	5	4	3	*		
13.8	-	-	-	-	4	6	6	7	8	10	11	15	19	23	22	19	10	-	10	14	14	14	10	12	13	10	3	6	5	3	3	-	-	-	*			
17.8	-	-	-	2	3	3	4	5	5	3	9	10	12	15	22	24	24	14	4	4	6	8	9	10	8	5	4	3	2	2	2	2	-	*				
19.7	-	-	-	-	-	-	-	-	-	-	5	6	10	14	26	26	15	12	11	14	15	15	15	14	13	13	9	3	3	-	-	-	*					
21.7	2	-	-	-	-	-	2	2	5	10	20	20	24	28	23	20	20	26	25	34	25	25	25	19	14	9	5	-	-	-	-	*						
25.8	-	-	-	-	-	-	-	-	4	7	14	16	27	20	20	17	15	14	16	17	16	17	18	11	9	5	4	3	2	-	-	-	*					
29.8	-	-	-	-	-	4	6	9	10	11	12	13	13	16	14	13	13	14	15	18	12	12	17	13	12	10	8	5	-	-	-	-	*					

\*Beginning January 11, measurements are made directly on solar rotation coordinates.

Table 69b

## Coronal observations at Climax, Colorado (6374A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator															P				
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
1949																																				
Jan. 6.8	-	-	-	-	-	-	-	-	-	1	2	4	3	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	X	X	X	X	X	X	0	
7.8	1	-	-	-	-	-	1	1	1	1	1	2	2	2	1	7	10	6	7	8	8	3	1	-	-	-	-	-	1	1	2	2	4	0		
11.9	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	3	3	1	-	-	-	-	-	-	-	X	X	X	X	X	*			
12.8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	1	1	1	1	-	-	-	-	1	1	2	*				
13.8	1	1	1	1	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	-	-	-	-	1	1	1	2	3	*			
17.8	-	-	-	-	1	1	1	2	2	2	1	1	3	4	4	4	-	1	1	1	1	1	-	-	-	-	1	1	1	1	1	2	*			
19.7	-	-	-	-	-	3	2	2	3	2	1	3	4	12	14	1	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	*			
21.7	1	1	1	1	-	1	3	1	3	2	6	1	5	13	10	12	11	9	10	12	5	1	-	1	5	2	2	3	2	2	2	*				
25.8	1	1	1	1	1	1	1	1	-	1	1	1	1	10	3	4	2	-	2	4	5	3	3	1	1	1	2	2	2	2	2	1	*			
29.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	11	10	9	9	8	10	8	7	7	1	-	-	-	1	1	2	2	*	

\*Beginning January 11, measurements are made directly on solar rotation coordinates.





Table 70b

## Coronal observations at Climax, Colorado (6704A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator															P					
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1949																			1	1	1	1	1	1	1	-	-	-	-	-	-	X	X	X	X	X	0
Jan. 6.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	2	2	2	2	2	2	1	1	-	-	-	-	0			
7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*				
11.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*				
12.8	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	1	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	*			
13.8	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	*			
17.8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	*				
19.7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	*				
21.7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	1	2	2	2	2	2	1	-	-	-	-	-	-	*					
25.8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	*					
29.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	*				

\*Beginning January 11, measurements are made directly on solar rotation coordinates.

## GRAPHS OF IONOSPHERIC DATA






Fig. 5. BOSTON, MASSACHUSETTS  
42.4°N, 71.2°W DECEMBER 1948




Fig. 6 BOSTON, MASSACHUSETTS DECEMBER 1948




Fig. 7. SAN FRANCISCO, CALIFORNIA  
37.4°N, 122.2°W DECEMBER 1948




Fig. 8. SAN FRANCISCO, CALIFORNIA DECEMBER 1948




Fig. 9. WHITE SANDS, NEW MEXICO  
32.3°N, 106.5°W DECEMBER 1948




Fig. 10. WHITE SANDS, NEW MEXICO DECEMBER 1948




Fig. 11. BATON ROUGE, LOUISIANA  
30.5°N, 91.2°W DECEMBER 1948








Fig. 12. BATON ROUGE, LOUISIANA DECEMBER 1948






Fig. 17. SAN JUAN, PUERTO RICO  
18.4°N, 66.1°W DECEMBER 1948




Fig. 18. SAN JUAN, PUERTO RICO DECEMBER 1948




Fig. 19. TRINIDAD, BRIT. WEST INDIES  
10.6°N, 61.2°W DECEMBER 1948








Fig. 20. TRINIDAD, BRIT. WEST INDIES DECEMBER 1948






Fig. 25. LINDAU/HARZ, GERMANY  
51.6°N, 10.1°E NOVEMBER 1948




Fig. 26. LINDAU/HARZ, GERMANY NOVEMBER 1948




Fig. 27. PEIPING, CHINA  
39.9°N, 116.4°E NOVEMBER 1948




Fig. 28. CHUNGKING, CHINA

29.4°N, 106.8°E

NOVEMBER 1948




Fig. 29 CHUNGKING, CHINA NOVEMBER 1948




Fig. 30. OKINAWA I.

26.3°N, 127.7°E

NOVEMBER 1948




Fig. 31. OKINAWA I. NOVEMBER 1948




Fig. 32. JOHANNESBURG, U. OF S. AFRICA  
26 2°S, 28 0°E NOVEMBER 1948




Fig. 33. JOHANNESBURG U OF S AFRICA NOVEMBER 1948




Fig. 34. WATHEROO, W. AUSTRALIA  
30. 3°S, 115. 9°E NOVEMBER 1948




Fig. 35. WATHEROO, W. AUSTRALIA NOVEMBER 1948




Fig. 36 CAPETOWN, U. OF S. AFRICA  
34.2°S, 18.3°E NOVEMBER 1948




Fig. 37 CAPETOWN, U. OF S. AFRICA NOVEMBER 1948




Fig. 38. CHRISTCHURCH, N. Z.  
43.5°S, 172.7°E NOVEMBER 1948




Fig. 39. CHRISTCHURCH, N. Z. NOVEMBER 1948




Fig. 40. WAKKANAI, JAPAN  
45.4°N, 141.7°E OCTOBER 1948




Fig. 41. WAKKANAI, JAPAN OCTOBER 1948




Fig. 42. FUKAURA, JAPAN  
40.6°N, 139.9°E OCTOBER 1948







Fig. 43. FUKAURA, JAPAN OCTOBER 1948






Fig. 47. LANCHOW, CHINA  
36.1°N, 103.8°E OCTOBER 1948




Fig. 48. LANCHOW, CHINA OCTOBER 1948




Fig. 49. TOKYO, JAPAN  
35.7°N, 139.5°E OCTOBER 1948




Fig. 50. TOKYO, JAPAN OCTOBER 1948




Fig. 51. YAMAKAWA, JAPAN  
31.2°N, 130.6°E OCTOBER 1948




Fig. 52. YAMAKAWA, JAPAN OCTOBER 1948




Fig. 53. NANKING, CHINA  
32.1°N, 119.0°E OCTOBER 1948
















Fig. 54. NANKING, CHINA OCTOBER 1948










Fig. 67. CHRISTCHURCH, N.Z.  
43.5°S, 172.7°E OCTOBER 1948




Fig. 68. CHRISTCHURCH, N.Z. OCTOBER 1948




Fig. 69. LANCHOW, CHINA  
36.1°N, 103.8°E SEPTEMBER 1948




Fig. 70. LANCHOW, CHINA SEPTEMBER 1948




Fig. 71 NANKING, CHINA

32.1°N, 119.0°E

SEPTEMBER 1948




Fig. 72. NANKING, CHINA

SEPTEMBER 1948




Fig. 73. DELHI, INDIA

28.6°N, 77.1°E

SEPTEMBER 1948




Fig. 74. DELHI, INDIA

SEPTEMBER 1948




Fig. 75. BOMBAY, INDIA  
19. 0°N, 73. 0°E      SEPTEMBER 1948




Fig. 76. BOMBAY, INDIA      SEPTEMBER 1948




Fig. 77. MADRAS, INDIA  
13. 0°N, 80. 2°E      SEPTEMBER 1948












Fig. 78. MADRAS, INDIA      SEPTEMBER 1948








Fig. 87. MADRAS, INDIA  
13.0°N, 80.2°E AUGUST 1948




Fig. 88. MADRAS, INDIA AUGUST 1948




Fig. 89. DELHI, INDIA  
 28. 6°N, 77. 1°E JULY 1948




Fig. 90. DELHI, INDIA . JULY 1948




Fig. 91. BOMBAY, INDIA

19.0°N, 73.0°E

JULY 1948




Fig. 92. BOMBAY, INDIA

JULY 1948




Fig. 93 MADRAS, INDIA

13.0°N, 80.2°E

JULY 1948




Fig. 94. MADRAS, INDIA

JULY 1948

Index of Tables and Graphs of Ionospheric Datain CRPL-F54

	Table page	Figure page
Baton Rouge, Louisiana		
December 1948 . . . . .	10	42
Bombay, India		
September 1948 . . . . .	18	59
August 1948 . . . . .	19	61
July 1948 . . . . .	20	63
Boston, Massachusetts		
December 1948 . . . . .	9	41
Brisbane, Australia		
October 1948 . . . . .	16	55
Canberra, Australia		
October 1948 . . . . .	17	56
Capetown Union of S. Africa		
November 1948 . . . . .	13	49
Christchurch, New Zealand		
November 1948 . . . . .	13	49
October 1948 . . . . .	17	57
Chungking, China		
November 1948 . . . . .	12	47
October 1948 . . . . .	16	54
Delhi, India		
September 1948 . . . . .	18	58
August 1948 . . . . .	19	61
July 1948 . . . . .	20	62
Fukaura, Japan		
October 1948 . . . . .	14	50
Hobart, Tasmania		
October 1948 . . . . .	17	56
September 1948 . . . . .	19	60
Tuancayo, Peru		
December 1948 . . . . .	11	45
Johannesburg, Union of S. Africa		
November 1948 . . . . .	13	48
Lanchow, China		
October 1948 . . . . .	15	52
September 1948 . . . . .	17	57
Lindau/Harz, Germany		
December 1947 . . . . .	9	40
November 1948 . . . . .	12	56
Madras, India		
September 1948 . . . . .	18	59
August 1948 . . . . .	20	62
July 1948 . . . . .	20	63

## Index (CRPL-F54, continued)

	<u>Table page</u>	<u>Figure page</u>
Maui, Hawaii		
December 1948 . . . . .	10	43
Nanking, China		
October 1948 . . . . .	15	53
September 1948 . . . . .	18	58
Okinawa I.		
December 1948 . . . . .	10	43
November 1948 . . . . .	12	47
Palmyra I.		
December 1948 . . . . .	11	45
Peiping, China		
November 1948 . . . . .	12	46
October 1948 . . . . .	14	51
Rarotonga I.		
October 1948 . . . . .	16	54
September 1948 . . . . .	19	60
San Francisco, California		
December 1948 . . . . .	9	41
San Juan, Puerto Rico		
December 1948 . . . . .	11	44
Shibata, Japan		
October 1948 . . . . .	14	51
Tokyo, Japan		
October 1948 . . . . .	15	52
Trinidad, Brit. West Indies		
December 1948 . . . . .	11	44
Wakkanai, Japan		
October 1948 . . . . .	14	50
Washington, D. C.		
January 1949 . . . . .	9	40
Watheroo, W. Australia		
November 1948 . . . . .	13	48
October 1948 . . . . .	16	55
White Sands, New Mexico		
December 1948 . . . . .	10	42
Yamakawa, Japan		
October 1948 . . . . .	15	53



# CRPL and IRPL Reports

## Daily:

Radio disturbance warnings, every half hour from broadcast station WWV of the National Bureau of Standards.  
Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

## Weekly:

CRPL-J. Radio Propagation Forecast (of days most likely to be disturbed during following month).

## Semimonthly:

CRPL-Ja. Semimonthly Frequency Revision Factors for CRPL Basic Radio Propagation Prediction Reports.

## Monthly:

CRPL-D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499-, monthly supplements to TM 11-499; Dept. of the Navy, DNC-13-1 ( ), monthly supplements to DNC-13-1.)

CRPL-F. Ionospheric Data.

## Quarterly:

\*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

\*IRPL-H. Frequency Guide for Operating Personnel.

## Nonscheduled reports:

CRPL-1-1. Prediction of Annual Sunspot Numbers.

CRPL-1-2, 3-1. High Frequency Radio Propagation Charts for Sunspot Minimum and Sunspot Maximum.

CRPL-1-3. Some Methods for General Prediction of Sudden Ionospheric Disturbances.

CRPL-1-4. Observations of the Solar Corona at Climax, 1944-46.

CRPL-1-5. Comparison of Predictions of Radio Noise with Observed Noise Levels.

CRPL-1-6. The Variability of Sky-Wave Field Intensities at Medium and High Frequencies.

CRPL-7-1. Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records.

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

## Reports issued in past:

IRPL-C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

IRPL-R. Nonscheduled reports:

R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.

R5. Criteria for Ionospheric Storminess.

R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.

R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.

R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.

R12. Short Time Variations in Ionospheric Characteristics.

R14. A Graphical Method for Calculating Ground Reflection Coefficients.

R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle.

R16. Predicted F2-layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season.

R17. Japanese Ionospheric Data—1943.

R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.

R19. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for June.

R20. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for September.

R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)

R22. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for December.

R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.

R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.

R25. The Prediction of Solar Activity as a Basis for the Prediction of Radio Propagation Phenomena.

R26. The Ionosphere as a Measure of Solar Activity.

R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.

R28. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for January.

R30. Disturbance Rating in Values of IRPL Quality-Figure Scale from A. T. & T. Co. Transmission Disturbance Reports to Replace T. D. Figures as Reported.

R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.

R32. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for February.

R33. Ionospheric Data on File at IRPL.

R34. The Interpretation of Recorded Values of fEs.

R35. Comparison of Percentage of Total Time of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.

IRPL-T. Reports on tropospheric propagation:

T1. Radar operation and weather. (Superseded by JANP 101.)

T2. Radar coverage and weather. (Superseded by JANP 102.)

CRPL-T3. Tropospheric Propagation and Radio-Meteorology. (Reissue of Columbia Wave Propagation Group WPG-5.)

\*Items bearing this symbol are distributed only by U. S. Navy. They are issued under one cover as the DNC-14 series.

