

CRPL-F64

nal Bureau of Standards
Library, N. W. Bldg.

JAN 6 1950
DEC 6 1949

Reference book not to be
taken from the Library.

IONOSPHERIC DATA

ISSUED
DECEMBER 1949

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
WASHINGTON, D. C.

IONOSPHERIC DATA

CONTENTS

	Page
Symbols and Terminology; Conventions for Determining Median Values	2
Monthly Average and Median Values of World-Wide Ionospheric Data	4
Ionospheric Data for Every Day and Hour at Washington, D. C.	6
Ionosphere Disturbances	7
Solar Coronal Intensities Observed at Climax, Colorado	8
American and Zürich Provisional Relative Sunspot Numbers	9
Preliminary Mean K-Indices, Preliminary International Character Figures, Magnetically Selected Days	9
Erratum	10
Index of Ionospheric Data Published in 1949 (CRPL-F53 through F64)	10
Tables of Ionospheric Data	13
Graphs of Ionospheric Data	47
Index of Tables and Graphs of Ionospheric Data in CRPL-F64	64

SYMBOLS AND TERMINOLOGY; CONVENTIONS FOR DETERMINING MEDIAN VALUES

Beginning with data reported for January 1949, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Fifth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Stockholm, 1948, and given in detail on pages 2 to 10 of the report CRPL-F53, "Ionospheric Data," issued January 1949.

For symbols and terminology used with data prior to January 1949, see report IRPL-C61, "Report of International Radio Propagation Conference, Washington, 17 April to 5 May, 1944," previous issues of the F series, in particular, IRPL-F5, CRPL-F24, F33, F50, and report CRPL-7-1, "Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records."

Following the recommendations of the Washington (1944) and Stockholm (1948) conferences, beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

In addition to the conventions for the determination of medians given in Appendix 5 of Document No. 293 E of the Stockholm conference, which are listed on pages 9 and 10 of CRPL-F53, the following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given on pages 2-9 of CRPL-F53 (Appendices 1-4 of Document No. 293 E referred to above).

a. For all ionospheric characteristics:

Values missing because of A, B, C, F, L, M, N, Q, R, S, or T (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F2 (and h'E near sunrise and sunset) missing for this reason are counted as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count. See CRPL-F38, page 9.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

Values missing because of W are counted:

1. For foF2, as equal to or less than the median when it is apparent that h'F2 is unusually high; otherwise, values missing because of W are omitted from the median count.
2. For h'F2, as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of G (no Es reflections observed, the equipment functioning normally otherwise) are counted as equal to or less than the median foE, or equal to or less than the lower frequency count of the recorder.

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

MONTHLY AVERAGE AND MEDIAN VALUES OF WORLD-WIDE IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 34 and figures 1 to 68 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

British Department of Scientific and Industrial Research,
Radio Research Board:
Lindau/Harz, Germany

Radio Wave Research Laboratory, Central Broadcasting Administration:
Chungking, China
Lanchow, China

French Ministry of Naval Armaments (Section for Scientific Research):
Dakar, French West Africa
Fribourg, Germany

All India Radio (Government of India), New Delhi, India:
Bombay, India
Delhi, India
Madras, India
Tiruchirapalli, India

Indian Council of Scientific and Industrial Research,
Radio Research Committee:
Calcutta, India

Electrical Communications Laboratory, Ministry of Communications:
Fukaura, Japan
Shilata, Japan
Tokyo (Kokubunji), Japan
Wakanai, Japan
Yamakawa, Japan

Norwegian Defense Research Establishment, Kjeller per Lillestrom, Norway:
Oslo, Norway

South African Council for Scientific and Industrial Research:
Capetown, Union of South Africa

National Bureau of Standards (Central Radio Propagation Laboratory):
Baton Rouge, Louisiana (Louisiana State University)
Boston, Massachusetts (Harvard University)
Guam I.
Huancayo, Peru (Instituto Geofisico de Huancayo)
Maui, Hawaii
Palmyra I.
San Francisco, California (Stanford University)
San Juan, Puerto Rico (University of Puerto Rico)
Trinidad, British West Indies
Washington, D. C.
White Sands, New Mexico

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when f_{oF2} is less than or equal to f_{oF1} , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily a blank space in the fEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of f_{oE} . Blank spaces at the beginning and end of columns of $h'F1$, f_{oF1} , $h'E$, and f_{oE} are usually the result of diurnal variation in these characteristics. Complete absence of medians of $h'F1$ and f_{oF1} is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.
- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

<u>Month</u>	<u>Predicted Sunspot No.</u>				
	1949	1948	1947	1946	1945
December		114	126	85	38
November	112	115	124	83	36
October	114	116	119	81	23
September	115	117	121	79	22
August	111	123	122	77	20
July	108	125	116	73	
June	108	129	112	67	
May	108	130	109	67	
April	109	133	107	62	
March	111	133	105	51	
February	113	133	90	46	
January	112	130	88	42	

IONOSPHERIC DATA FOR EVERY DAY AND HOUR AT WASHINGTON, D. C.

The data given in tables 35 to 46 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols and Terminology; Conventions for Determining Median Values." Beginning with September 1949, the data are taken at a new location, Ft. Belvoir, Virginia.

IONOSPHERE DISTURBANCES

Table 47 presents ionosphere character figures for Washington, D. C., during November 1949, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, geomagnetic K-figures, which are usually covariant with them.

Table 48 lists for the stations whose locations are given the sudden ionosphere disturbances observed on the continuous field intensity recordings made at the Sterling Radio Propagation Laboratory and at Ft. Belvoir, Virginia, during November 1949. The taking of SID records at Sterling, Virginia, was discontinued on November 14, 1949, at 1350 GCT. Any SID reported after November 14, 1949, were observed at Ft. Belvoir, Virginia.

Table 49 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Brentwood and Somerton, England, receiving stations of Cable and Wireless, Ltd., for various days in October and November 1949.

Table 50 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Platanos, Argentina, receiving station of the International Telephone and Telegraph Corporation for various days in September, October, and November 1949.

Table 51 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Riverhead, New York, receiving station of RCA Communications, Inc., for November 19, 1949.

Table 52 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Point Reyes, California, receiving station of RCA Communications, Inc., for November 6-7, 1949.

Table 53 gives provisional radio propagation quality figures for the North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, October 1949, compared with the CRPL daily radio disturbance warnings, which are primarily for the North Atlantic paths, the CRPL weekly radio propagation forecasts of probable disturbed periods, and the half-day Cheltenham, Maryland, geomagnetic K-figures.

The radio propagation quality figures are prepared from radio traffic and ionospheric data reported to the CRPL, in a manner basically the same as that described in IRPL-R31, "North Atlantic Radio Propagation Disturbances, October 1943 through October 1945," issued February 1, 1946. The scale conversions for each report are revised for use with the data beginning January 1948, and statistical weighting replaces what was, in effect, subjective weighting. Separate master distribution curves of the type described in IRPL-R31 were derived for the part of 1946 covered by each report; data received only since 1946 are compared with the master curve for the period of the available data. A report whose distribution is the same as the master is thereby converted linearly to the Q-figure scale. Each report is given a statistical weight which is the reciprocal of the departure from linearity. The half-daily radio propagation quality figure, beginning January 1948, is the weighted mean of the reports received for that period.

These radio propagation quality figures give a consensus of opinion of actual radio propagation conditions as reported by the half day over the two general areas. It should be borne in mind, however, that though the quality may be disturbed according to the CRPL scale, the cause of the disturbance is not necessarily known. There are many variables that must be considered. In addition to ionospheric storminess itself as the cause, conditions may be reported as disturbed because of seasonal characteristics such as are particularly evident in the pronounced day and night contrast over North Pacific paths during the winter months, or because of improper frequency usage for the path and time of day in question. Insofar as possible, frequency usage is included in rating the reports. Where the actual frequency is not shown in the report to the CRPL, it has been assumed that the report is made on the use of optimum working frequencies for the path and time of day in question. Since there is a possibility that all the disturbance shown by the quality figures is not due to ionospheric storminess alone, care should be taken in using the quality figures in research correlations with solar, auroral, geomagnetic, or other data. Nevertheless, these quality figures do reflect a consensus of opinion of actual radio propagation conditions as found on any one half day in either of the two general areas.

SOLAR CORONAL INTENSITIES OBSERVED AT CLIMAX, COLORADO

In tables 54a and 54b are listed the intensities of the green (5303A) line of the emission spectrum of the solar corona as observed during November 1949 by the High Altitude Observatory of Harvard University and the University of Colorado at Climax, Colorado, for east and west limbs, respectively, at 5-degree intervals of position angle north and south of the solar equator at the limb. Beginning January 11, 1949, the actual measurements are on solar rotation coordinates rather than astronomical coordinates; thus values of the correction P given in previous coronal tables are omitted. The time of observation is given to the nearest tenth of a day, GCT. The tables of coronal observations in CRPL-F29 to F41 listed the data on astronomical coordinates; the present format on solar rotation coordinates is in conformity with the tables of CRPL-1-4, "Observations of the Solar Corona at Climax, 1944-46."

Tables 55a and 55b give similarly the intensities of the first red (6374A) coronal line; tables 56a and 56b list the intensities of the second red (6704A) coronal line. The following symbols are used in tables 54, 55, and 56: a, observation of low weight; -, corona not visible; and x, position angle not included in plate estimates.

AMERICAN AND ZÜRICH PROVISIONAL RELATIVE SUNSPOT NUMBERS

Table 57 presents the daily American relative sunspot number, R_A , computed from observations communicated to CRPL by observers in America and abroad. Beginning with the observations for January 1948, a new method of reduction of observations is employed such that each observer is assigned a scale-determining "observatory coefficient," ultimately referred to Zürich observations in a standard period, December 1944 to September 1945, and a statistical weight, the reciprocal of the variance of the observatory coefficient. The daily numbers listed in the table are the weighted means of all observations received for each day. Details of the procedure are given in the Publication of the Astronomical Society of the Pacific, issued February 1949, in an article entitled "Reduction of Sunspot-Number Observations." The American relative sunspot number computed in this way is designated R_A . It is noted that a number of observatories abroad, including the Zürich observatory, are included in R_A . The scale of R_A was referred specifically to that of the Zürich relative sunspot numbers in the standard comparison period; since that time, R_A is influenced by the Zürich observations only in that Zürich proves to be a consistent observer and receives a high statistical weight. In addition, this table lists the daily provisional Zürich sunspot numbers, R_Z .

PRELIMINARY MEAN K-INDICES, PRELIMINARY INTERNATIONAL CHARACTER FIGURES, MAGNETICALLY SELECTED DAYS

Table 58 gives preliminary mean K-indices for January through September 1949 from magnetic observatories widely distributed over the Earth's surface.

Table 59 gives preliminary C-figures for January through September 1949 from many world observatories.

Table 60 gives the quiet and disturbed days preferentially selected by the four magnetic criteria: C-figures, sums of the eight daily mean K-indices, the greatest daily K-index, and the sums of the squares of the eight daily mean K-indices.

These three tables have been furnished by the courtesy of the Committee on Characteristics of Magnetic Disturbance, Association of Terrestrial Magnetism and Electricity, International Union of Geodesy and Geophysics. The majority of the world's magnetic observatories have cooperated in supplying the data, and the Meteorological Office, De Bilt, Holland, has efficiently assembled and compiled the summary tables.

ERRATUM

CRPL-F63, p. 57, fig. 65: The upper curve of critical frequency at 14, 15, and 16 hours should be labeled "F2" instead of "Es."

INDEX OF IONOSPHERIC DATA PUBLISHED IN 1949

(CRPL-F53 THROUGH F64)

The following index of tables and graphs of ionospheric data published in the CRPL-F series in 1949 is divided into three parts. Part I is an index of data observed in 1948 and 1949. Part II is an index of data observed prior to 1948. Part III is an index of errata published in 1949 concerning tables and graphs of data from ionosphere stations.

Both table and graph for the given station for a given month appear in the same issue.

Indexes of ionospheric data published prior to 1949 are in IRPL-F17, CRPL-F28, F40, and F52.

PART IIndex of Tables and Graphs of Ionospheric Data Observed in 1948 and 1949 and Published in 1949 (CRRL-F53 through F64)

Station	1948												1949															
	J	F	M	A	M	J	JY	A	S	O	N	D	J	F	H	A	M	J	JY	A	S	O	N	D				
Bagneux, France							53*	56*	57*	57*	59								63									
Baton Rouge, Louisiana								53	54	55	54	56	55	56	57	58	59	60	61	62	63	64						
Bombay, India							54	54	54	55	54	57	57	58	60	61	62	63		64								
Boston, Massachusetts								53	51	51	51	56	55	56	57	58	59	60	61	62	63	64						
Brisbane, Australia							55	53	54	55	56	58	59	59	60	61	63		63									
Calcutta, India	62	62	62	62	62	62	62	62	57	57	59	59	60	60	62	62	64	64										
Canberra, Australia								53	54	55	56	58	58	59	59	60	61	63		63								
Capetown, Union of S. Africa								53	54	55	56	58	56	57	58	59	60	62		62	64							
Christchurch, New Zealand								54	54	55	55	58	56	58	59	60	61	62		63	63							
Chungking, China								54	54	56	56	58	56	58	60	59	60	62		64	64							
Dakar, French West Africa																			64	64								
Delhi, India							54	54	54	55	56	57*	57	58	60	61	62	63		64								
Falkland Is.							53	57	56	56	59	59	60															
Fraserburgh, Scotland							53	53	57	56	56	59	59	60														
Fribourg, Germany							53	53	53	59	58	58	61	61	61	64	64	64										
Fukaura, Japan									54	54	56	56	61	61	60	60	61	62		63	64							
Guam I.											53																	
Hobart, Tasmania								54	54	56	56	58	59	59	59	60	61	63		61	62	63	64					
Huancayo, Peru								53	53	54	54	55	55	56	57	58	59	60		61	62	64	64					
Johannesburg, Union of S. Africa								53	54	55	55	56	56	57	58	59	60	61		62	63							
Lanchow, China								54	54	56	56	58	58	60	59	60	62	64										
Lindau/Harz, Germany								53	54	54	54	56	56	57	58	58	59	62		62	63	64						
Madras, India								54	54	55	56	57	57	58	60	61	62	63		64								
Maui, Hawaii									53	54	54	55	55	56	57	58	59	60		61	62	63	64					
Nanking, China									54	54	56	56																
Okinawa I.									54*	54*	54*	55*	56*	57*	60	61	61	61		61								
Oslo, Norway									53	54	54	55	56	57	58	58	59	60		61	62	63	64					
Palmyra I.									54	54	54	55	56	57	58	58	59	60		61	62	64	64					
Peiping, China									56**	57*	57*	57*	59*	59*	61*	61*	61*	63										
Poitiers, France																												
Rarotonga I.									54	54	55	56	58	59	60	60	60	63	63		63							
San Francisco, California									53	54	54	55	55	56	57	58	59	60		61	62	63	64					
San Juan, Puerto Rico									53	54	54	55	55	56	57	58	59	60		61	62	63	64					
Shibata, Japan									53	54	55	56	61	61	60	60	61	62		63	64							
Singapore, British Malaya									56*	59*	59*	59*	60															
Slough, England									53	53	57	56	56	59	60													
Tiruchirapalli, India													58		60*	61	62	63		64								
Tokyo, Japan									54	55	56	61	61	60	60	61	62		63	64								
Trinidad, British West Indies									53	54	54	55	55	56	57	58	59	60		61	62	63	64					
Wakkai, Japan									54	55	56	61	61	60	60	61	62		63	64								
Washington, D. C.											53	54	55	56	57	58	59		60	61	62	63	64					
Watheroo, West Australia										55	54	54	56	56	58	58	60	60	62		63							
White Sands, New Mexico										53	54	55	55	56	57	58	59	60		61	62	63	64					
Wuchang, China										53	55	55	55	56	57	60												
Yamakawa, Japan										54	55	56	61	61	60	60	61	62		63	64							

*See part III for index to errata on these data.

PART II

Index of Tables and Graphs of Ionospheric Data Observed Prior to 1948
and Published in 1949 (CRPL-F53 through F64)

Station	Month and year of data	F issue
Calcutta, India	January 1947 through September 1947 November 1947 and December 1947	62 62

PART III

Index of Errata Published in 1949* Concerning Tables and Graphs of Data
from Ionosphere Stations

Station	Month and year of data	F issue	Page	Erratum No.
Bagneux, France	March 1947 through October 1948 (not complete)	58	9	2
Delhi, India	December 1948	58	9	1
Hobart, Tasmania	June 1949	64	10	1
Okinawa I.	October 1948 through March 1949	58	9	2
Poitiers, France	July 1948 through April 1949	61	9	2
Singapore, British Malaya	November 1948	58	9	2
	December 1948	60	9	1
	January 1949	60	9	2
Tiruchirapalli, India	March 1949	61	9	1

*An individual erratum may refer to issues prior to CRPL-F53.

TABLES OF IONOSPHERIC DATA

Table 1							November 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	260	5.7					2.8	
01	265	(5.5)					(2.8)	
02	260	5.4					2.8	
03	270	5.2					2.8	
04	260	(4.7)					(2.8)	
05	270	4.4					2.8	
06	260	4.2					2.8	
07	230	7.2		120	1.8		3.1	
08	220	10.0		110	2.4		3.3	
09	220	11.8		100	2.9		3.2	
10	220	12.0	---	---	100	2.1	3.1	
11	230	13.0	---	---	110	3.4	3.0	
12	220	13.1	---	---	110	3.4	2.9	
13	230	13.0	---	---	110	3.4	2.9	
14	230	13.0	---	---	110	3.2	2.9	
15	230	12.9	---	---	110	2.9	2.9	
16	220	12.4	---	---	110	2.2	3.0	
17	210	11.4		(100)	---		3.0	
18	220	10.1					2.9	
19	220	8.6					3.0	
20	230	7.2					3.0	
21	240	(6.6)					(2.9)	
22	250	(6.3)					(2.9)	
23	250	(6.0)					(2.9)	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 2							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	350	3.2						(2.4)
01	350	3.4						(2.4)
02	350	2.0						2.4 (2.5)
03	350	2.9						2.4 (2.5)
04	340	2.8						(2.5)
05	310	3.2						(2.6)
06	285	3.9						(2.6)
07	260	5.0					150	2.0
08	240	7.0	---	---	120	2.3	2.0	2.0
09	240	7.8	---	---	115	2.6		2.9
10	240	> 8.5	---	---	115	2.8		2.8
11	240	> 8.7	255	---	110	2.9		2.8
12	240	> 9.0	260	---	110	3.0		2.8
13	240	> 9.0	---	---	110	3.0		(2.8)
14	240	> 9.0	---	---	110	2.9		(2.8)
15	240	> 9.0	---	---	118	2.6		(2.9)
16	240	> 9.0	---	---	122	2.4		(2.9)
17	240	> 8.5	---	---	140	2.1		(3.0)
18	240	> 8.0	---	---				(3.0)
19	240	6.0						2.8
20	245	5.0						(2.8)
21	270	4.0						(2.6)
22	310	3.8						2.6
23	320	3.6						(2.6)

Time: 15.0°E.

Sweep: 1.6 Mc to 10.0 Mc in 5 minutes, automatic operation.

Table 3							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	275	5.9					2.6	
01	292	5.4					2.6	
02	275	5.3					2.6	
03	282	4.8					2.6	
04	300	4.4					2.5	
05	290	4.2					2.6	
06	280	5.2					2.8	
07	260	9.0					3.0	
08	255	9.7					3.1	
09	268	10.8					3.0	
10	275	11.2					2.0	
11	268	11.5					3.0	
12	260	11.7					3.0	
13	260	11.7					2.9	
14	275	11.4					2.9	
15	265	11.0					2.9	
16	260	11.4					3.0	
17	260	10.6					3.0	
18	250	9.9					2.9	
19	262	9.2					2.8	
20	265	7.6					2.8	
21	275	7.2					2.7	
22	280	6.8					2.6	
23	295	8.3					2.6	

Time: 75.0°W.

Sweep: 0.8 Mc to 14.0 Mc in 1 minute.

Table 4							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	300	4.4						2.7, 2.6
01	310	4.4						3.0, 2.6
02	320	4.6						2.0, 2.6
03	300	4.4						2.9, 2.6
04	300	4.5						3.0, 2.7
05	300	4.4						2.9, 2.6
06	280	5.0	---	---	110	1.6	2.9	2.8
07	235	7.6	---	---	120	2.4	2.2	3.1
08	230	10.0	240	---	110	2.8	4.7	2.1
09	230	11.2	220	---	110	---	4.4	3.0
10	240	12.0	220	---	110	3.6		2.0
11	240	13.1	220	4.6	110	3.7	4.1	2.9
12	250	13.2	230	---	110	3.7		2.9
13	—	13.4	230	---	110	---		2.8
14	240	13.4	240	---	110	---		2.8
15	240	13.1	240	---	110	3.2		2.9
16	240	12.4	240	---	110	2.8	2.4	3.0
17	230	11.6	---	---	100	2.2	3.1	3.0
18	220	9.8						2.9, 3.0
19	220	7.6						2.0, 3.0
20	230	6.0						3.0, 3.0
21	250	5.1						2.7, 3.0
22	265	4.8						2.9, 2.9
23	280	4.6						2.6, 2.8

Time: 120.0°W.

Sweep: 1.2 Mc to 18.0 Mc in 4 minutes.

Table 5							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	290	6.1					3.1	2.6
01	290	5.0					2.2, 2.6	
02	300	5.0					2.3	
03	280	4.7					3.0, 2.6	
04	280	4.8					2.6	
05	290	4.7					2.6	
06	270	5.5		120	(1.7)	2.8	2.7	
07	240	9.0		110	(2.4)	3.8	3.1	
08	230	10.8	---	110	2.8	4.0	3.1	
09	230	11.9	220	---	110	3.2	4.3	2.9
10	230	12.5	220	4.5	110	3.5	4.1	2.8
11	230	13.1	220	4.4	110	3.6	4.1	2.8
12	230	13.3	220	---	110	3.7	4.2	2.8
13	230	12.4	230	---	110	3.7	4.8	2.8
14	240	13.3	230	---	110	3.8	4.6	2.7
15	240	13.1	240	---	110	3.3	4.2	2.8
16	240	12.6	---	---	110	2.7	4.0	2.8
17	240	12.0	---	---	110	(2.2)	3.6	2.9
18	220	10.5					3.1	2.9
19	220	8.2					3.1	2.8
20	240	6.6					3.3	2.8
21	260	5.4					2.6	2.6
22	270	5.2					3.1	2.6
23	280	5.2					2.7	2.6

Time: 105.0°W.

Sweep: 0.8 Mc to 14.0 Mc in 2 minutes.

Time: 90.0°W.

Sweep: 2.12 Mc to 14.1 Mc in 5 minutes, automatic operation.

Table 7

Maui, Hawaii (20.8° N, 156.5° W)							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	270	9.1					2.9	
01	250	7.6				1.1	3.0	
02	240	6.0					3.0	
03	250	4.8					2.8	
04	300	3.9					2.6	
05	310	4.0					2.5	
06	350	4.5					2.5	
07	280	8.3					3.0	
08	260	11.3	260	---	130	2.3	3.0	
09	280	12.5	250	---	120	3.3	2.9	
10	310	(14.2)	240	---	120	3.6	(2.9)	
11	310	(14.6)	240	---	120	3.7	(2.9)	
12	350	(15.0)	230	6.9	120	3.8	(2.8)	
13	360	(15.4)	240	7.0	120	3.8	4.0	(2.8)
14	340	(16.0)	250	7.0	115	3.6	4.2	(2.9)
15	320	(15.9)	240	6.9	110	3.4	4.0	(2.8)
16	300	15.1	260	---	115	3.1	4.2	(2.9)
17	270	14.5	---	---	120	---	4.5	(2.9)
18	250	14.2	---	---	---	4.8	(2.9)	
19	250	13.6					5.6	(2.9)
20	260	13.5					4.6	(2.8)
21	260	12.9					4.3	(2.9)
22	260	11.2					2.8	(2.9)
23	260	9.9					2.6	2.9

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 9

Guam I. (13.6°N, 144.9°E)							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	240	(12.1)					3.8	3.0
01	240	11.8					3.4	3.1
02	220	10.3					3.0	3.2
03	230	8.0					2.9	3.0
04	240	7.5					3.9	3.0
05	240	6.2					4.6	3.0
06	250	6.2					4.6	3.0
07	250	9.8			120	3.3	5.4	3.0
08	240	12.0	---	---	110	3.2	4.6	2.9
09	250	(12.4)	230	---	100	---	5.4	(2.6)
10	245	(12.8)	210	---	100	3.8	6.9	(2.4)
11	270	(11.6)	210	---	100	4.0	5.9	---
12	270	(11.9)	210	---	110	4.0	5.2	(2.4)
13	280	(13.4)	220	---	100	---	6.0	(2.4)
14	260	---	220	---	100	---	6.2	---
15	240	---	230	---	110	---	5.0	---
16	250	---	240	---	110	3.2	4.5	---
17	260	---	---	---	120	3.6	5.4	---
18	290	---					5.2	---
19	350	---					2.3	---
20	320	---					3.4	---
21	290	---					3.4	---
22	260	---					3.7	---
23	250	10.6					3.8	(2.9)

Time: 150.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 11

Huancayo, Peru (12.0° S, 75.3° W)							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	240	11.2					3.8	
01	240	9.4					2.8	
02	250	8.6					2.9	
03	240	8.2					3.9	
04	240	6.4					3.0	
05	240	4.9					3.0	
06	260	8.6			2.2		3.1	
07	245	11.8			3.0		3.0	
08	230	13.3			3.5	10.4	2.8	
09	270	14.4	220	5.5	3.8	12.0	3.5	
10	270	14.3	220	5.5	4.0	12.0	2.2	
11	(275)	13.2	210	5.4	4.1	11.2	2.2	
12	---	12.1	210	---	4.2	11.6	2.2	
13	---	12.2	210	---	4.0	11.7	3.2	
14	---	12.2	210	---	3.9	11.7	2.1	
15	220	12.3			3.6	11.7	2.2	
16	240	12.2			3.2	10.8	2.1	
17	270	12.4			2.4	7.4	3.2	
18	320	12.0			1.2		2.2	
19	420	11.2					2.0	
20	400	12.0					2.2	
21	320	11.7					2.4	
22	300	11.7					2.6	
23	260	11.6					2.7	

Time: 75.0°W.

Sweep: 1.0 Mc to 0.5 Mc in 15 minutes, automatic operation.

Table 8

San Juan, Puerto Rico (18.4°N, 66.1°W)							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	260	8.7						2.9
01	250	8.0						2.9
02	230	7.0						3.0
03	240	5.6						2.9
04	---	4.7						2.8
05	---	4.5						2.8
06	260	5.4						2.9
07	230	9.6					3.5	3.1
08	240	11.0					3.0	3.1
09	260	12.5					3.5	3.0
10	275	(13.0)					3.7	2.9
11	280	(13.0)					3.8	2.8
12	300	(13.0)					---	2.6
13	300	(13.0)					---	(2.7)
14	300	(13.0)					---	2.6
15	290	13.0					3.6	2.7
16	285	13.0					3.3	2.7
17	260	12.1					E	3.8
18	250	11.4						2.8
19	250	10.3						2.8
20	250	9.5						2.8
21	255	8.9						2.7
22	270	8.7						2.8
23	270	8.6						2.8

Time: 60.0°W.

Sweep: 2.8 Mc to 13.0 Mc in 9 minutes, automatic operation; supplemented by manual operation.

Table 10

Trinidad, Brit. West Indies (10.6°N, 61.2°W)							October 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	230	10.2						3.2
01	220	8.8						3.2
02	220	6.6						3.2
03	220	5.2						3.1
04	250	4.6						3.0
05	250	4.6						3.0
06	240	6.8						2.4
07	220	10.2					3.5	3.3
08	220	12.7	210	---	100	2.7	3.5	3.3
09	240	13.7	220	5.2	100	3.4	4.0	3.3
10	240	13.8	210	5.2	100	4.0	4.4	3.1
11	250	13.8	200	5.4	100	4.1	4.6	3.0
12	250	14.4	210	5.4	100	4.1	4.6	2.9
13	250	14.3	210	5.2	100	4.1	4.6	2.9
14	250	13.8	220	5.2	100	3.9	4.8	2.8
15	250	13.8	220	5.1	100	3.6	4.8	2.8
16	250	13.3	220	5.2	100	3.2	4.6	2.8
17	240	13.2	220	---	100	2.3	4.1	2.9
18	250	13.0						2.9
19	250	12.5						3.0
20	230	12.0						2.9
21	230	11.0						3.0
22	250	10.6						2.9
23	240	10.6						3.1

Time: 60.0°W.

Sweep: 1.5 Mc to 18.0 Mc in 8 minutes.

Table 12

Linden/Hartz, Germany (51.6°N, 10.1°E)							September 1949	
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	300	5.4						2.8
01	300	5.0						2.8
02	300	4.8						2.0
03	300	4.5						2.2
04	300	4.5						2.3
05	290	4.1						2.2
06	260	5.1						2.1
07	240	6.3	240	3.7	110	1.5		
08	230	7.2	230	4.2	100	2.8	3.4	
09	250	8.4	230	4.5	100	3.0	4.4	
10	250	8.7	220	4.7	100	3.2	4.5	
11	280	8.9	210	4.8	100	3.3	4.5	
12	270	9.1	200	4.9	100	3.4	4.7	
13	280	9.2	210	4.8	100	3.3	4.8	
14	250	9.0	230	5.1	100	3.3	4.8	
15	240</td							

Palmyra I. (5.9°N, 150.1°W)

Table 13

September 1949

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2
00	250	>13.0					2.0	(2.9)
01	240	11.7					3.0	
02	235	10.2					3.0	
03	240	8.9					1.7	3.0
04	250	7.0					2.0	3.0
05	250	5.7					2.0	3.0
06	290	5.5			140	1.4	2.8	
07	260	8.3			120	2.6	2.8	
08	250	10.0			120	3.3	2.5	
09	250	10.8	---	---	120	3.7	2.4	
10	270	11.5	220	---	120	---	2.3	
11	300	12.2	---	---	120	---	2.3	
12	300	12.7	---	---	120	---	2.3	
13	300	13.2	---	---	120	---	2.3	
14	325	13.5	250	---	120	---	2.4	
15	325	13.8	240	---	120	3.8	2.3	
16	250	13.4	240	---	120	3.5	2.4	
17	250	13.4	250	---	120	3.0	2.3	
18	280	12.8			115	2.1	2.6	
19	360	11.6					2.6	2.2
20	380	10.6					(2.2)	
21	365	11.7					1.8	2.4
22	270	13.2					2.1	2.6
23	260	13.2					2.0	(2.7)

Time: 157.5°W.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 36 seconds, automatic operation;
13.0 Mc to 18.0 Mc, manual operation.

Table 15

August 1949

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2
00	300	6.2					3.4	2.6
01	300	6.1					3.6	2.6
02	300	6.2					3.0	2.7
03	300	5.9					3.3	2.7
04	300	5.6					3.2	2.7
05	285	5.6	---	---	100	2.0	3.2	2.9
06	285	6.3	230	---	100	2.5	3.8	2.9
07	280	6.8	220	4.4	100	2.9	4.5	3.1
08	300	7.2	240	4.5	100	3.3	4.9	3.1
09	300	7.3	230	4.7	100	---	6.0	3.0
10	300	6.9	220	5.0	100	---	5.5	(3.0)
11	310	6.8	220	5.0	100	3.6	5.0	2.8
12	310	7.0	210	5.0	100	3.7	4.8	2.9
13	315	7.2	200	4.8	100	---	4.9	(3.0)
14	310	7.0	220	4.8	100	3.6	4.0	(3.0)
15	315	6.8	240	4.8	100	3.4	4.1	3.0
16	300	7.2	230	4.5	100	3.2	4.2	3.0
17	295	6.9	240	---	100	2.7	5.8	3.1
18	280	6.7	250	---	100	2.0	3.7	(3.0)
19	270	7.0	---	---	---	---	3.6	(2.9)
20	290	6.9					5.6	2.8
21	295	6.8					5.0	2.8
22	285	6.5					4.0	2.8
23	300	6.4					3.8	2.7

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 17

August 1949

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2
00	280	6.8					3.8	2.9
01	240	6.4					3.5	2.9
02	270	6.4					3.2	2.9
03	255	5.9					3.0	2.9
04	260	5.8					3.1	2.9
05	270	6.0	245	---	100	1.7	3.2	3.0
06	230	7.2	220	---	100	2.3	4.1	3.1
07	240	7.9	220	---	100	3.0	4.6	3.2
08	260	8.2	210	4.6	100	3.3	5.6	3.2
09	300	8.3	200	4.9	100	3.5	5.9	3.0
10	300	8.1	200	5.2	100	3.5	5.8	3.0
11	300	8.2	200	5.2	100	3.8	5.4	2.9
12	300	8.6	200	5.2	100	---	5.9	2.9
13	305	9.0	200	5.2	100	3.7	5.8	2.9
14	300	9.2	200	5.2	100	3.6	5.6	3.0
15	300	8.9	210	5.0	100	3.5	4.9	3.0
16	275	8.7	220	4.5	100	3.3	5.4	3.1
17	260	8.4	220	---	100	2.9	4.7	3.2
18	240	8.6	230	---	100	2.1	3.9	3.1
19	230	7.6	---	---	---	---	3.8	3.1
20	240	7.2	---	---	---	---	3.9	3.0
21	270	7.1					3.9	2.9
22	280	7.0					3.6	2.9
23	280	6.6					4.3	2.9

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 14

September 1949

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2
00	230	9.4						2.9
01	240	8.2						3.0
02	230	7.4						3.0
03	240	6.4						3.0
04	240	5.8						3.0
05	240	5.6						3.1
06	280	7.3					1.9	3.0
07	245	10.0					2.8	3.0
08	230	12.0					3.4	10.7
09	290	12.7	220				3.8	11.4
10	290	12.0	220				4.0	11.8
11	(280)	12.0	210				4.1	12.2
12	280	12.0	210				4.2	12.2
13	280	11.8	210				4.1	12.2
14	---	11.6	210				3.9	12.2
15	220	11.5					3.7	11.9
16	240	11.4					3.2	10.8
17	260	11.4					2.5	5.6
18	320	10.6					1.2	2.2
19	425	9.1						2.1
20	410	8.9						2.2
21	310	9.0						2.5
22	250	9.8						2.7
23	230	8.7						2.9

Time: 75.0°W.

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes, automatic operation.

Table 16

August 1949

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2
00	300	6.8						3.1
01	290	6.4						3.2
02	(2)	300	6.5					3.0
03	290	6.5						2.4
04	300	6.2						2.8
05	285	6.2	250	---	---		8	3.0
06	260	7.2	230	---	110	2.4	3.4	3.0
07	270	8.2	230	---	110	3.0	4.2	3.0
08	290	8.1	230	4.6	110	3.2	4.4	3.0
09	300	7.9	215	5.2	110	---	5.8	2.9
10	330	7.9	200	---	---	---	5.6	2.9
11	330	8.0	---	5.2	110	---	5.7	2.8
12	330	8.4	270	(5.4)	---	---	5.1	2.8
13	330	8.5	240	5.3	---	---	5.2	2.8
14	320	8.5	225	5.1	110	---	5.4	2.9
15	310	8.4	220	5.0	110	---	5.0	2.9
16	300	8.3	245	4.6	110	3.3	5.0	2.9
17	290	8.3	250	---	120	2.8	4.8	3.0
18	280	8.0	255	---	110	2.2	4.2	3.0
19	270	8.0	---	---	---	---	3.5	3.0
20	265	7.4						3.6
21	280	7.2						4.2
22	290	7.0						4.8
23	300	7.0						3.5

Time: 135.0°E.

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 17

August 1949

Time	h'F2	f0F2	h'F1	f0F1	h'E	f0E	fEs	(M3000)F2
00	270	6.9						3.0
01	260	6.8						3.6
02	260	6.7						3.2
03	255	6.5						3.2
04	250	5.8						2.0
05	250	6.2	---	---	100	1.8	3.0	3.1
06	230	7.1	215	---	100	2.5	3.7	3.2
07	230	8.3	220	---	100	2.9	4.6	3.3
08	240	8.4	200	4.9	100	3.5	4.7	3.3
09	250	8.4	200	5.1	100	3.6	6.2	3.0
10	290	9.2	200	5.4	100	---	6.0	3.0
11	300	9.2	190	5.3	100	3.9	6.0	3.0
12	300	9.7	190	5.4	100	---	5.8	3.0
13	290	10.0	200	5.2	100	3.9	5.6	3.0
14	290	9.8	210	5.2	100	3.7	5.2	3.0
15	280	9.6	210	5.0	100	3.5	5.8	3.1
16	260	9.1	215	4.9	100	3.4	5.4	3.2
17	250	8.8	210	4.4	100	2.9	4.6	3.2
18	230	8.7	210	---	1			

Table 19

Yokohama, Japan (35.2°N, 130.6°E)		August 1949						
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	7.1				3.0	2.7		
01	7.3				3.2	2.7		
02	7.0				2.8	2.8		
03	6.8				2.5	2.8		
04	6.2				2.6	2.9		
05	5.9				3.1	2.8		
06	6.6	250	---	---	2.0	2.8	3.0	
07	8.2	225	---	---	110	2.7	3.6	3.2
08	8.2	220	---	---	100	3.2	4.4	3.2
09	8.2	220	4.7	110	3.4	4.6	3.0	
10	8.3	215	5.2	110	(3.7)	5.0	2.9	
11	9.2	210	5.6	---	---	5.0	2.8	
12	10.1	220	5.7	100	---	5.4	2.7	
13	10.6	225	5.6	100	---	5.1	2.8	
14	10.6	220	5.4	110	---	5.0	2.8	
15	10.8	230	5.4	100	---	4.8	2.8	
16	10.7	240	5.2	110	3.6	4.8	2.8	
17	10.4	245	5.0	100	3.2	5.1	3.0	
18	9.8	230	---	100	2.5	4.4	3.0	
19	9.4	---	---	---	4.0	3.0		
20	8.2				4.2	2.9		
21	8.0				4.4	2.8		
22	7.4				3.8	2.8		
23	7.2				3.8	2.8		

Time: 135.0°E.

Sweep: 1.2 Mc to 18.5 Mc in 15 minutes, manual operation.

Table 21

Cape Town, Union of S. Africa (34.2°S, 18.3°E)		August 1949						
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	---	2.8			2.8			
01	(260)	3.0			2.8			
02	---	3.1			2.9			
03	---	3.1			2.9			
04	(240)	3.2			3.0			
05	(250)	3.1			3.0			
06	(240)	3.2			3.0			
07	(210)	3.0			3.0			
08	230	(6.1)	---	---	2.1	3.3		
09	240	(8.0)	220	---	2.7	(3.3)		
10	250	(9.2)	210	---	110	---	(3.2)	
11	260	9.3	200	---	110	---	3.1	
12	270	9.4	---	---	110	---	3.0	
13	270	9.6	---	---	110	---	3.0	
14	280	9.9	---	---	110	---	2.9	
15	230	(10.2)	---	---	110	3.6	(3.0)	
16	260	10.4	220	---	(11.0)	(3.0)	3.0	
17	240	10.2	---	---	---	2.5	3.1	
18	230	9.4	---	---	(1.7)	3.2		
19	210	6.8				(3.2)		
20	220	5.6				3.2		
21	220	4.0				3.2		
22	(220)	3.0				3.1		
23	(240)	2.8				2.9		

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 23

Delhi, India (28.6°N, 77.1°E)		July 1949						
Time	*	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	415	8.2				2.5		
01	430	8.0						
02	---	---						
03					2.6			
04								
05	380	7.4						
06	360	7.7						
07	360	9.6						
08	400	8.6			2.7			
09	400	9.5						
10	440	9.8						
11	450	10.8						
12	440	11.3			2.5			
13	(440)	(11.5)						
14	440	(12.0)						
15	(420)	(12.0)						
16	(410)	(11.6)			2.5			
17	(410)	(11.5)						
18	400	(11.1)						
19	400	(10.6)						
20	400	(9.6)			2.5			
21	400	9.0						
22	400	8.6			2.3			
23	420	8.3						

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

**Average values; other columns, median values.

Table 20

Chungking, China (29.4°N, 106.8°E)		August 1949						
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	260	9.6					3.2	2.5
01	260	8.6					3.2	2.6
02	230	7.9					2.6	2.7
03	240	7.2					2.7	
04	240	6.4					2.7	
05	260	5.4					2.8	2.7
06	240	7.2	---	---	---	---	3.6	3.0
07	240	8.4	220	---	---	---	4.2	3.2
08	260	9.0	220	---	---	---	5.4	3.0
09	300	8.7	210	---	5.4	---	5.4	2.7
10	320	9.6	210	---	5.4	---	5.5	2.5
11	360	11.0	200	5.8	---	6.0	2.5	
12	340	12.2	200	5.7	90	4.4	6.2	2.6
13	330	13.3	200	5.5	90	4.4	6.6	2.7
14	330	14.2	200	5.4	---	---	5.9	2.7
15	340	14.4	200	5.2	---	---	6.2	2.8
16	280	14.0	200	4.9	80	3.4	5.4	2.8
17	270	13.0	230	---	85	3.2	5.0	2.8
18	240	12.4	215	---	---	---	4.2	2.8
19	220	11.8	---	---	---	---	3.9	2.8
20	220	9.9	---	---	---	---	4.2	2.7
21	270	9.3	---	---	---	---	3.8	2.6
22	280	8.8	---	---	---	---	4.2	2.5
23	260	8.8	---	---	---	---	4.3	2.5

Time: 105.0°E.

Sweep: 1.5 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 21

Chungking, China (29.4°N, 106.8°E)		July 1949						
Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	270	9.1					5.1	2.7
01	240	8.4					5.3	2.7
02	220	8.0					4.5	2.7
03	220	7.0					3.8	2.8
04	260	6.8					4.0	2.7
05	260	6.4					3.6	2.7
06	240	7.8					4.8	2.9
07	250	8.6	220	---	---	---	6.1	2.9
08	285	8.6	220	---	---	---	7.4	2.8
09	305	8.8	210	5.4	---	---	8.6	2.7
10	320	9.6	195	5.4	---	---	8.9	2.6
11	350	10.4	200	5.7	---	---	8.2	2.6
12	360	11.3	195	5.4	90	4.3	7.8	2.5
13	350	12.0	200	5.6	---	---	6.8	2.6
14	350	12.5	200	5.4	---	---	6.3	2.6
15	290	14.0	200	5.3	80	4.0	6.4	2.8
16	280	13.6	200	5.0	80	3.5	6.4	2.9
17	280	12.0	200	4.6	80	3.1	5.4	2.9
18	260	12.4	230	---	---	---	5.6	2.8
19	230	12.0	---	---	---	---	5.0	2.8
20	250	10.2	---	---	---	---	4.5	2.7
21	260	9.2	---	---	---	---	3.8	2.6
22	280	9.0	---	---	---	---	4.1	2.6
23	280	9.0	---	---	---	---	4.5	2.6

Time: 105.0°E.

Sweep: 1.5 Mc to 20.0 Mc in 15 minutes, manual operation.

Table 23

Bombay, India (19.0°N, 73.0°E)		July 1949						
Time	*	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06								
07	390	7.9						
08								
09	480	9.7						
10	510	10.4						
11	600	11.6						
12	(600)	(12.2)						2.4
13								
14								
15								
16								
17								
18								
19	585	11.4						
20	540	10.8						
21	525	10.1						
22	510	9.2						

Madras, India (13.0°N , 80.2°E)

Table 25

July 1949

Time	*	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06								
07	360	7.6						
08	420	9.0						
09	480	9.5						
10	480	9.8						
11	480	9.8						
12	540	9.8						
13	540	9.7						
14	540	10.0						
15	540	10.4						
16	540	10.8						
17	540	11.0						
18	540	10.9						
19	540	10.8						
20	480	10.0						
21	480	(9.2)						
22	480	(9.0)						
23								

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

**Average values; other columns, median values.

Table 27

June 1949

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	290	7.4				2.2	2.7	
01	290	7.1				2.1	2.6	
02	295	6.7					2.7	
03	290	6.6				1.8	2.7	
04	295	6.5	302	---				2.8
05	300	7.0	260	3.6	120	2.1	3.2	2.8
06	315	7.3	250	4.1	110	2.6	4.0	2.8
07	342	7.8	240	4.6	107	3.0	4.5	3.0
08	340	7.8	225	4.9	105	3.3	4.8	2.8
09	332	7.9	215	5.3	103	3.5	5.2	2.8
10	350	7.7	225	5.4	105	3.6	5.4	2.7
11	355	8.0	230	5.5	103	3.7	4.5	2.8
12	370	7.8	210	5.4	103	3.7	4.9	2.7
13	360	8.0	220	5.4	105	3.8	5.0	2.8
14	375	7.6	225	5.4	105	3.7	4.4	2.8
15	355	7.6	225	5.2	107	3.5	5.2	2.8
16	345	7.6	230	5.0	109	3.4	4.2	2.8
17	345	7.5	250	4.8	109	3.1	4.6	2.8
18	315	8.0	250	4.2	113	2.6	4.8	(2.9)
19	275	8.0	---	---	121	2.1	4.5	2.8
20	270	8.3				3.6	2.9	
21	260	8.3				3.2	(2.8)	
22	270	7.8				2.7	2.8	
23	278	7.7				2.3	2.7	

Time: Local.

Sweep: 1.6 Mc to 17.6 Mc in 10 minutes, automatic operation.

Table 29

June 1949

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	270	8.8			1.2	(3.0)	(2.9)	
01	7.9				1.3			
02	7.6				1.1	(3.0)		
03	--	7.4			1.0		---	
04	7.2				1.0			
05	7.8				1.2	(4.0)		
06	240	8.0			2.3	(3.2)	(2.9)	
07	9.7				3.0	(4.5)		
08	10.4				3.6	5.0		
09	300	10.7			4.0	5.6	2.7	
10	11.1				4.2	5.0		
11	11.8				4.1			
12	--	12.6			---	---		
13	12.6				---			
14	12.6				---			
15	--	12.6			---			
16	12.6				3.9			
17	12.6				3.4	(4.8)		
18	300	12.5			3.1	(4.9)	(2.7)	
19	270	12.9			3.0	(4.5)		
20	11.9				2.0	4.1		
21	9.9				1.8	(3.8)	2.8	
22	9.2				1.5	(3.6)		
23	8.8				1.3	(3.1)		

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Tiruchirapalli, India (12.8°N , 78.8°E)

July 1949

Time	*	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06		360			7.0			
07		360			8.0			
08		420			9.5			
09		470			9.7			
10		480			9.8			
11		510			9.5			
12		540			9.7			
13		570			9.8			
14		540			9.5			
15		495			9.9			
16		500			10.2			
17		510			10.8			
18		480			11.0			
19		480			10.5			
20		480			9.5			
21		480			9.6			
22		620			(5.3)			
23								

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

**Average values; other columns, median values.

Table 28

June 1949

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	360	8.0						3.9
01	380	7.9						4.0
02	380	7.7						4.2
03	360	7.7						4.1
04	360	7.8						2.4
05	360	7.6						3.9
06	340	8.2						2.4
07	360	9.8	320	---	150	3.2	4.9	2.4
08	380	10.0	320	---	150	3.6	5.0	2.4
09	400	11.0	340	---	150	3.6	5.0	2.4
10	380	11.0	350	---	150	3.6	4.8	2.4
11	400	11.5	330	---	150	3.6	5.0	2.3
12	400	12.0	350	---	150	3.6	5.0	2.3
13	400	12.0	340	---	150	3.1	4.8	2.4
14	400	10.5	320	---	150	3.1	4.0	2.4
15	320	10.2						4.6
16	300	9.5						4.5
17	(320)	(8.4)						(2.4)
18	340	8.4						4.2
19	360	8.0						4.0

Time: 105.0°E .

Sweep: 2.4 Mc to 16.0 Mc in 15 minutes, manual operation.

Table 30

June 1949

Time	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs	(M3000)F2
00	(380)	(5.0)						3.0
01	370	(4.4)						4.2
02	(340)	(4.6)						3.8
03	(360)	(4.4)						
04	(360)	(4.2)						
05	(325)	(4.2)						
06	(260)	6.9						4.6
07	(250)	8.2						5.4
08	(250)	8.6	---	---	120	---		8.7
09	--	9.0	---	---	120	---		3.9
10	--	10.3	---	5.3	---	4.1		6.4
11	(390)	11.2	230	5.6	118	4.2		4.3
12	(410)	12.0	225	5.8	110	4.2		5.8
13	(425)	13.1	240	5.9	110	4.2		
14	(405)	13.4	222	5.4	110	4.0		6.4
15	(390)	(13.6)	245	5.3	---	---		5.4
16	(350)	(13.7)	240	---	120	---		4.4
17	(310)	13.2	240	---	120	---		4.8
18	(285)	(12.2)	---	---	125	---		4.3
19	--	(10.4)						5.3
20	(400)	8.6						4.8
21	(430)	7.8						5.2
22	(410)	(6.8)						5.3
23	(400)	(5.8)						4.1

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 31

Time	May 1949						
	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs (M3000)F2
00	300	7.4				2.6	
01	300	7.2			1.9	2.6	
02	300	7.0				2.7	
03	300	6.5				2.6	
04	290	6.4				2.7	
05	280	7.0	258	---	128	1.9	2.0
06	272	7.5	240	4.2	109	2.5	3.3
07	295	8.0	232	4.7	106	2.9	3.7
08	320	8.2	225	5.2	105	3.3	4.2
09	320	8.4	220	5.3	108	3.5	4.4
10	350	8.8	220	6.4	106	3.6	4.6
11	350	9.0	216	6.7	105	3.7	5.1
12	348	9.3	220	6.7	107	3.8	4.6
13	340	9.3	220	6.8	108	3.5	4.7
14	340	9.2	226	6.6	109	3.7	4.0
15	340	9.0	230	6.4	110	3.6	3.9
16	325	8.8	240	5.1	109	3.3	4.7
17	298	(9.0)	240	(4.7)	111	3.0	3.6
18	266	(9.2)	245	---	111	2.4	3.8
19	260	(9.0)	---	---	123	---	3.2
20	260	(8.8)				3.2	(2.9)
21	260	8.4				2.2	(2.6)
22	272	7.8				2.6	(2.8)
23	280	7.6				2.2	(2.6)

Time: Local.

Sweep: 1.6 Mc to 17.6 Mc in 10 minutes, automatic operation.

Table 33

Time	May 1949						
	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs (M3000)F2
00		7.8				4.4	
01		7.7				4.0	
02		7.4					
03		7.2					
04		7.0					
05		6.2					
06		7.6					
07		9.0					
08		9.7					
09		10.8					
10		11.7					
11		13.2					
12		(13.7)					
13		(13.7)					
14		(14.2)					
15		(13.7)					
16		(13.8)					
17		(13.7)					
18		(13.7)					
19		(11.7)					
20		(10.3)					
21		(8.9)					
22		(8.3)					
23		(8.2)				4.6	

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 31

Table 32

Time	May 1949						
	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs (M3000)F2
00	(225)		10.5				1.1
01			10.0				1.1
02			8.8				1.0
03		(240)	(8.2)				1.0
04					(8.3)		(3.0)
05					(9.0)		1.0
06		---	---				1.1
07			(10.8)				---
08			10.8				3.4
09		(270)	11.6				3.3
10			12.3				3.6
11			12.5				(3.7)
12		---	12.8				3.5
13			12.6				(3.6)
14			12.7				---
15		---	12.8				---
16			12.				4.0
17			12.6				3.3
18		255	12.4				2.8
19			12.7				2.3
20			(12.6)				2.6
21		255	12.5				1.4
22			12.2				1.3
23			11.0				1.3

Time: Local.

Sweep: 1.6 Mc to 17.6 Mc in 10 minutes, automatic operation.

Table 34

Time	April 1949						
	h'F2	foF2	h'Fl	foFl	h'E	foE	fEs (M3000)F2
00	290	7.7					3.6
01	292	7.3					2.6
02	300	7.1					2.6
03	300	8.8					2.6
04	300	6.4					2.6
05	265	6.8					2.6
06	240	7.3	---	---	120	2.0	3.0
07	235	(8.2)	235	---	110	2.6	(3.1)
08	228	9.4	226	6.0	105	3.1	(3.0)
09	238	10.0	220	(8.4)	104	3.4	3.6
10	260	10.6	226	---	104	3.6	2.8
11	290	11.0	220	6.0	106	3.7	4.1
12	308	11.4	210	6.2	108	3.7	3.9
13	326	11.6	220	6.0	109	3.6	2.8
14	320	11.4	226	6.0	109	3.6	2.8
15	250	11.4	226	6.0	108	3.6	3.8
16	240	11.1	230	---	106	3.2	2.8
17	240	11.0	---	---	110	2.7	(3.9)
18	246	11.0	---	---	120	2.0	2.9
19	246	(10.4)	---	---			2.0
20	240	(9.2)	---	---			(3.9)
21	250	(8.5)	---	---			(3.8)
22	260	8.1	---	---			2.7
23	260	7.8	---	---			(2.7)

Time: Local.

Sweep: 1.6 Mc to 17.6 Mc in 10 minutes, automatic operation.

TABLE 35
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

Form adopted June 1946

National Bureau of Standards
(Institution)

Scaled by: **B.E.B., J.D.**, **J.E.L.**

Calculated by: **B.E.B.**, **R.E.C.**

75°W

Mean Time

75°W

Mean Time

hF2, Km November, 1949
(Characteristic) (Unit)

Observed at Washington, D.C.

Lat 38.7°N, Long 77.1°W

Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	260	270	270	250	250	270	280	240	230	230	240	240	240	240	240	240	240	240	240	240	240	240	240	240
2	A	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	A
3	260	250	270	280	280	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290
4	260	250	270	270	260	[260] ¹	290	300	220	220	210	210	210	210	210	210	210	210	210	210	210	210	210	210
5	270	270	280	290	300	310	290	290	250	250	240	240	240	240	240	240	240	240	240	240	240	240	240	240
6	260	260	260	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
7	260	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
8	260	250	250	260	260	250	250	240	230	230	220	220	220	220	220	220	220	220	220	220	220	220	220	220
9	260	270	270	280	280	300	300	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290
10	260	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
11	290	330	330	300	290	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260
12	230	260	260	280	280	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
13	290	270	270	260	260	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
14	270	260	260	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
15	260	280	280	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
16	290	280	280	260	260	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
17	260	270	270	260	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250
18	270	260	260	270	280	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250
19	260	260	260	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
20	230	300	320	350	310	300	240	240	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
21	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
22	240	240	240	250	250	250	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260
23	260	250	250	260	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
24	280	300	300	270	260	240	(230) ³	230	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220
25	270	240	240	260	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270
26	270	260	260	250	240	230	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250
27	300	280	260	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
28	230	260	260	290	300	260	240	240	230	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220
29	280	270	260	270	290	310	300	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280
30	270	250	250	300	300	350	350	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320
31																								
Median	260	265	260	270	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260
Count	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28

Manual Automatic

SwEEP 1.0 Mc to 25.0 Mc in 0.25 min

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

1

TABLE 36
IONOSPHERIC DATA
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

f_{0F2} , Mc
(Characteristic)
Observed at Washington, D.C.
(Month) November, 1949

Lat 38.7°N, Long 77.1°W

Day	75°W Mean Time												75°W Mean Time													
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	5.4	5.3	5.2	5.1	4.8	4.5	4.2	4.5	4.2	4.5	4.2	4.5	4.2	4.5	4.2	4.5	4.2	4.5	4.2	4.5	4.2	4.5	4.2	4.5		
2	6.2	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	A		
3	(5.7)	(5.5)	4.8	F	5.4	F	5.5	5.3	5.0	5.1	11.0	12.4	12.8	13.4	13.4	13.5	13.5	13.0	12.1	11.1	(10.8)	9.4	7.2	6.5	(5.7)	
4	(5.4)	(5.0)	(5.0)	J	(4.7)	J	(4.7)	(4.7)	(4.7)	(4.7)	10.0	12.1	11.6	13.0	13.1	13.0	13.0	12.6	12.4	11.3	9.7	(9.0)	7.1	(6.7)	(6.9)	
5	(6.2)	(5.9)	(5.5)	J	(5.0)	J	(5.0)	(5.0)	(5.0)	(5.0)	9.5	10.4	11.8	12.8	13.1	13.6	13.8	13.2	12.8	11.1	10.5	(9.0)	8.0	(7.8)	6.5	
6	6.5	6.5	6.6	5.7	(4.7)	J	4.6	7.5	10.5	12.6	11.9	13.2	13.7	13.3	13.1	13.1	12.3	11.5	(10.1)	8.8	(8.1)	6.9	(5.8)	5.6		
7	(5.5)	5.3	5.2	5.0	4.9	(4.1)	J	3.8	7.4	10.4	11.8	12.0	13.0	13.1	13.0	12.9	12.8	12.4	11.5	10.7	8.9	8.2	(7.4)	6.4	(6.0)	
8	5.7	5.7	5.7	(5.4)	J	5.2	4.9	4.8	7.9	11.2	12.5	13.0	13.4	13.8	13.4	13.2	13.2	13.0	12.0	11.3	10.7	8.5	8.1	7.4	6.3	
9	5.9	5.8	6.0	5.3	4.9	4.9	5.5	8.1	10.6	12.3	13.4	13.2	13.6	13.4	13.1	13.4	13.2	12.8	12.7	11.6	9.3	8.4	7.9	(7.5)	7.0	
10	(6.8)	(6.7)	J	6.6	5.8	(4.7)	J	5.2	(8.3)	J	11.3	13.2	13.3	13.3	14.0	13.9	14.0	13.8	13.5	(11.6)	(10.9)	9.6	8.8	(8.0)	(7.1)	
11	6.0	(6.0)	(5.9)	J	6.8	(6.4)	J	(5.8)	J	(5.5)	7.5	11.0	12.4	13.3	14.2	14.0	14.0	14.1	14.1	13.5	13.6	10.8	9.0	7.7	7.0	
12	(5.8)	5.5	(5.2)	J	5.2	5.0	4.6	(4.3)	J	(2.7)	10.7	11.9	13.8	13.1	14.0	13.8	13.4	13.9	13.5	13.7	12.6	11.1	(8.9)	(6.7)	(5.1)	
13	5.5	5.7	(5.9)	J	(5.5)	J	5.2	(4.4)	J	4.2	10.2	11.9	13.4	13.2	14.2	14.2	14.2	14.2	13.7	13.7	13.0	11.8	10.4	9.5	(6.6)	(6.1)
14	(5.7)	(5.5)	J	(5.5)	J	(5.1)	J	(4.5)	J	3.9	6.8	10.4	[2.7]	[3.6]	[3.7]	[3.9]	[4.0]	[4.0]	[4.0]	[4.0]	[4.0]	[4.0]	[4.0]	[4.0]	[4.0]	[4.0]
15	(5.6)	5.4	(5.4)	J	(5.1)	J	(5.6)	J	(5.6)	J	10.3	12.0	13.8	13.4	13.3	13.2	13.4	13.4	13.8	(3.8)	[3.8]	13.0	11.9	10.0	7.5	
16	6.6	(6.5)	6.6	5.6	5.7	6.0	6.3	(7.5)	J	9.5	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
17	5.0	4.9	4.8	4.5	3.9	3.7	6.4	9.9	11.1	12.5	12.7	13.0	13.0	12.6	(11.6)	(11.3)	(11.3)	(10.9)	(10.9)	(10.9)	(10.8)	7.0	(6.1)	6.0	5.0	
18	6.0	(5.8)	J	5.7	(5.6)	J	5.0	(4.7)	J	4.7	10.9	12.0	12.3	13.0	13.7	(13.4)	(13.4)	(13.4)	(13.4)	(13.4)	(13.4)	(13.4)	(13.4)	(13.4)	(13.4)	
19	(7.1)	6.9	(6.5)	J	(5.7)	J	(5.7)	J	(5.4)	J	7.3	10.8	11.8	12.4	12.9	13.0	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	
20	8.0	F	F	6.0	F	F	(1.6)	F	F	(7.3)	9.9	14.1	13.0	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	
21	C	C	C	C	C	C	C	C	C	C	10.8	11.5	12.8	13.3	13.1	12.6	12.3	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	
22	6.1	(5.7)	J	5.0	4.7	(4.2)	J	3.8	(6.1)	J	9.3	11.4	12.8	12.6	12.9	[2.2]	[2.2]	[2.2]	[2.2]	[2.2]	[2.2]	[2.2]	[2.2]	[2.2]	[2.2]	
23	(4.9)	(4.2)	J	4.0	(4.0)	J	(3.9)	J	(4.0)	J	7.1	10.4	(10.8)	[12.7]	[12.7]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]
24	(5.7)	J	(5.7)	J	5.7	(5.6)	J	(4.7)	J	5.7	9.0	10.8	11.7	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	
25	4.3	4.2	(4.2)	J	(4.2)	J	(4.0)	J	3.6	(3.2)	J	(9.2)	J	10.3	12.0	(12.4)	J	13.0	[12.6]	[12.6]	[12.6]	[12.6]	[12.6]	[12.6]	[12.6]	[12.6]
26	(5.1)	J	(4.8)	J	(5.0)	J	(4.8)	J	(3.7)	J	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	(3.6)	
27	5.1	(5.0)	J	(5.4)	J	(4.6)	J	(4.0)	J	(3.9)	J	10.9	11.6	(12.1)	J	12.8	[12.4]	[12.4]	[12.4]	[12.4]	[12.4]	[12.4]	[12.4]	[12.4]	[12.4]	
28	4.6	(3.8)	J	(3.8)	J	(4.1)	J	(3.7)	J	3.9	3.8	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	(3.7)	
29	5.9	5.5	5.0	4.6	4.1	F	4.2	F	4.2	4.2	10.2	11.2	11.7	12.2	12.7	(12.9)	J	11.9	(11.9)	10.2	(11.8)	8.2	K	7.4	K	
30	4.8	4.6	(3.4)	J	(2.9)	J	(3.1)	J	(3.2)	J	4.4	F	(7.9)	J	9.2	(9.9)	J	12.2	[11.8]	J	12.0	11.4	11.0	(11.3)	J	(9.5)
31																										
Median	5.7	(5.5)	5.4	5.2	(4.7)	J	4.4	4.2	7.2	10.0	11.8	12.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	
Count	29	27	27	28	27	27	28	28	29	29	30	30	30	30	30	30	30	30	30	30	30	29	29	29	28	28

Calculated by: B.E.B., J.D., J.E.L.

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Manual □ Automatic X

Form adopted June 1946

1946 O - 70218

TABLE 37
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

foF2 **Mc** **November, 1949**
(Characteristic) (Unit) (Month)

Observed at **Washington, D. C.**
Lat. **38°7'N**, Long. **77°10'W**

National Bureau of Standards

Scaled by: **B.E.B., J.D.**

Calculated by: **B.E.B., R.E.C.**

Day	75°W												Mean Time													
	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330		
1	5.3	5.2	(5.0)	5	4.7	(4.4)	5	(5.4)	5	8.1	9.2	9.7	8.9	7.7	10.2	10.6	11.2	9.1	8.3	9.6	9.1	8.3	7.6	A		
2	C	C	C	C	C	C	C	C	C	(9.9)	10.9	12.9	13.7	14.9	(13.5)	(13.4)	(12.4)	(10.9)	(9.4)	(7.1)	(7.0)	(5.7)	(5.6)	A		
3	(5.1)	5	4.9	F	(5.2)	5	(5.5)	5	5.4	4.9	6.4	9.1	11.7	12.3	13.2	13.7	14.3	14.9	14.9	14.9	14.9	14.9	14.9	14.9	F	
4	(5.2)	5	(5.2)	J	(4.8)	5	(4.7)	5	(4.1)	5	(3.5)	(5.9)	8.5	11.3	12.4	12.8	(13.8)	(13.2)	12.9	(11.5)	11.0	10.1	8.6	6.9	F	
5	(6.0)	5	5.6	5.5	(5.0)	5	(5.0)	5	4.9	5.7	8.2	10.0	11.0	12.3	13.3	13.1	13.7	13.0	12.9	11.9	10.5	9.1	6.6	(5.8)	J	
6	6.6	6.6	6.3	6.3	6.4	6.4	6.4	6.8	5.8	10.6	11.7	12.4	12.4	12.9	13.2	13.5	13.4	13.0	12.8	12.2	10.9	9.6	6.4	(6.2)	J	
7	5.3	5.4	(5.3)	5	5.0	4.5	4.5	3.9	5.5	9.1	10.6	11.8	12.9	13.0	13.1	12.9	12.9	12.5	(12.1)	11.0	9.9	8.1	(7.7)	6.8	J	
8	(5.7)	5	5.7	5.6	(5.3)	5	5.0	(4.7)	5	5.6	9.7	11.6	12.7	(13.8)	13.5	13.4	(13.3)	13.1	12.7	11.2	10.1	8.4	7.8	(7.0)	6.8	J
9	6.0	5.8	5.9	5.0	4.8	5.0	6.3	10.0	11.4	12.6	13.0	13.2	13.5	13.5	13.2	12.9	12.4	11.7	10.7	8.6	8.0	7.8	(7.4)	6.0		
10	6.7	6.5	(6.9)	5	5.5	4.8	(4.8)	5	5.5	10.0	12.9	13.0	12.9	13.7	13.7	13.5	13.5	13.0	12.8	12.2	10.9	9.6	(8.3)	5	J	
11	(6.0)	J	(6.1)	J	(6.2)	J	(6.2)	J	6.4	6.5	(5.4)	(5.4)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	(5.9)	J
12	(5.5)	5	5.4	5.0	5.0	4.9	(4.4)	5	(5.4)	5	8.7	11.7	12.8	(13.9)	(13.4)	(13.5)	(13.5)	(13.9)	13.6	13.0	11.7	(10.2)	(4.7)	5.5	(3.8)	J
13	(5.5)	5	(5.7)	S	(5.9)	S	(5.2)	J	4.6	4.1	[6.6]	9.0	11.0	(13.3)	14.0	14.0	14.0	14.0	13.3	12.6	11.1	10.3	(8.6)	5	(6.9)	S
14	(5.6)	J	(5.5)	J	(5.6)	J	(5.6)	J	(5.3)	F	(5.1)	(5.1)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	(5.3)	J	
15	5.4	(5.2)	J	(5.6)	J	(5.6)	J	4.7	(4.4)	5	(5.9)	(5.9)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	(8.8)	J
16	6.7	(6.5)	5	6.4	6.3	6.3	6.1	6.5	9.0	10.8	[11.8]	11.4	13.0	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	6.5	
17	5.0	5.0	[4.9]	C	4.7	(4.0)	J	3.8	4.7	8.5	10.8	11.0	12.6	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	C	
18	6.0	5.6	(5.5)	J	(5.2)	J	(5.2)	J	(5.2)	J	(5.2)	8.8	11.0	12.2	13.0	13.8	14.0	14.0	13.9	13.9	13.9	13.9	13.9	13.9	13.9	J
19	(6.8)	F	(6.3)	J	(5.9)	J	(5.7)	J	(5.9)	J	(5.7)	8.9	11.0	12.0	12.6	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	J	
20	(6.4)	J	F	F	F	F	F	F	F	F	F	12.0	12.9	13.0	14.0	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	J
21	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
22	(5.9)	J	5.5	4.8	(5.2)	J	(5.2)	J	(5.2)	J	(5.2)	8.8	9.9	11.0	12.2	13.0	13.8	14.0	14.0	13.9	13.9	13.9	13.9	13.9	13.9	J
23	5.0	[4.1]	S	[4.0]	S	[4.0]	S	[4.0]	S	[4.0]	4.7	7.9	10.0	10.2	12.0	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	[12.8]	S	
24	(5.5)	5	5.7	5.4	4.4	F	(5.0)	J	4.3	(4.2)	F	(8.0)	S	(9.8)	J	10.5	11.6	(12.7)	(12.5)	(12.5)	11.2	10.9	(9.2)	J	8.3	J
25	4.2	(4.2)	J	4.2	4.1	F	(3.8)	J	(3.2)	S	3.9	7.9	(9.9)	J	11.4	12.0	12.9	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	[13.0]	J
26	(5.0)	J	(4.6)	J	4.0	3.9	(4.2)	J	7.7	(7.6)	F	(7.6)	J	(7.6)	J	(7.6)	J	(7.6)	J	(7.6)	J	(7.6)	J	(7.6)	J	
27	(5.0)	J	(5.4)	J	(4.8)	J	(4.2)	J	(4.1)	J	4.7	7.9	(10.0)	J	10.9	12.1	12.4	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	J
28	(4.6)	J	(4.6)	J	(4.9)	J	(4.0)	J	(3.9)	J	(3.8)	S	(8.2)	J	(8.2)	J	(8.2)	J	(8.2)	J	(8.2)	J	(8.2)	J	(8.2)	J
29	5.7	5.6	(4.8)	J	4.3	4.1	F	4.2	F	4.2	F	6.9	9.8	11.3	11.8	12.8	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	(12.8)	J	
30	J	(5.7)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	(3.9)	J	
31																										

Mean Time
Sweep I.O. Mc to 22.0 Mc in 0.25 min

Manual □ Automatic ■

TABLE 38
IONOSPHERIC DATA

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

$h^{\prime}F_1$ Km November, 1949
(Characteristics) (Unit) (Month)

Observed at Washington, D.C.

Lat 38.7°N, Long 77.1°W

Day	75°W Mean Time												75°W Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									

Median Count

Sweep LO Mc to 35.0 Mc in 0.25-min

Manual Automatic

Form adopted June 1946
National Bureau of Standards
(Institution) J.D., J.E.L.
Scaled by B.E.B., Calculated by B.E.B., R.E.C., J.J.S.

U. S. GOVERNMENT PRINTING OFFICE: 1946 12-1111

TABLE 39
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA
foF1, Mc, November, 1949
 (Characteristic) (Unit) (Month)
Washington, D.C.
 Observed at Lot 38.7°N, Long 77.1°W

Form adopted June 1946

Day	75°W Mean Time																						
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22
1									Q	Q	Q	Q	K	L	K	Q	K	L	K	Q	Q	Q	Q
2									Q	Q	C	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
3									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
4									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
5									Q	Q	L	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
6									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
7									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
8									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
9									Q	Q	M	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
10									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
11									Q	Q	J	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
12									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
13									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
14									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
15									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
16									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
17									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
18									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
19									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
20									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
21									Q	Q	L	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
22									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
23									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
24									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
25									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
26									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
27									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
28									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
29									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
30									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
31									Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
Median	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Count																							

Sweep 1.0 Mc to 2.0 Mc in 0.25 min
 Manual Automatic

U.S. GOVERNMENT PRINTING OFFICE 1946 O - 10159

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
TABLE 40
IONOSPHERIC DATA

Washington, D.C.
Observed at

h^E, Km
(Characteristic)
Km
(Unit)

November, 1949
(Month)

Lat. 38.7°N, Long. 77.1°W

Mean Time

Day	75°W												77.1°W												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
	National Bureau of Standards												Calculated by:												
	Scaled by: B.E.B., J.D., J.E.L.												B.E.B., R.E.C.												
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Median	120	110	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Count	16	25	28	27	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	

Sweep 1.0 Mc to 25.0 Mc in 0.25 min
Manual Automatic

TABLE 41
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA
foE, Mc, November, 1949
(Characteristic), (U/m), (Month)
Washington, D. C.
Observed at Lat. 38.7°N, Long 77.1°W

Day	75°W Mean Time												Mean Time
	00	01	02	03	04	05	06	07	08	09	10	11	
1								1.8	[2.4] ^B	2.9 ^K	3.1 ^K	3.4 ^K	(3.3) ^S
2								C	B	A	C	3.5	(3.4) ^B [3.2] ^B
3								2.6	3.1	3.3	3.4	3.4	3.3
4								1.9	2.7	3.1	3.3	3.4	3.4
5								1.9	2.5	3.1	3.3	3.4	3.5
6								1.8	2.6	3.1	A	B	3.6
7								1.9	(2.5) ^S	3.1	3.4	3.5	3.6
8								1.8	[2.4] ^A	3.0	3.4	3.5	3.6
9								(1.7) ^S	(2.6) ^S	[2.9] ^A	3.2	A	(3.3) ^B
10								2.0	2.4	2.9	[3.2] ^A	3.4	3.6
11								1.8	(2.5) ^S	[2.8] ^S	3.1	B	B
12								1.8	2.4	3.0	[3.2] ^B	3.4	3.5
13								A	A	A	(3.3) ^B	B	B
14								A	(2.5) ^S	2.8	[3.0] ^M (3.2) ^B	3.5	(3.4) ^S
15								A	A	A	(3.3) ^A	A	A
16								A	C	C	3.1	3.5	(3.3) ^S
17								1.9	2.5	3.1	3.5	3.4	(3.4) ^B
18								1.9	2.5	2.9	3.1	3.4	(3.5) ^B
19									B	B	B	B	B
20								2.4	2.9	2.9	B	A	3.3
21								C	C	A	B	3.1	3.3
22								A	A	B	3.0	3.0	3.2
23								(2.4) ^S	2.8	3.2	3.3	[3.2] ^C	3.1
24								(2.1) ^B	2.5	[2.8] ^B	3.1	B	B
25								2.4	2.7	2.7	3.5	3.4	M
26								2.4	2.8	B	B	3.5	(3.4) ^P
27								2.3	2.8	2.7	B	B	A
28								(2.4) ^A	2.7	3.1	3.4	3.3	3.5
29								2.9	3.1	3.2	3.2	3.1	2.8
30								2.7	2.6	B	[3.1] ^C	3.0	(3.0) ^B
31													
Median	1.8	2.4	2.9	3.1	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Count	12	21	23	22	21	21	21	21	21	21	21	21	21

Sweep 1.0 Mc to 25.0 Mc in 0.25-min
 Manual Automatic

U. S. GOVERNMENT PRINTING OFFICE 1946 O - 52518

TABLE 42
IONOSPHERIC DATA

Mc.Km
(Characteristic)
Observed at
Lat 38°27'N., Long 77°10'W.
(Unit)
Washington, D.C.

November, 1949
(Month)

Day	75°W												Mean Time													
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
2	6.0/100	C	C	C	C	C	C	C	C	C	C	27/100	G	G	G	28/100	G	G	G	G	G	G	G	84/100		
3	G	G	G	G	G	34/100	G	G	G	G	G	26/100	G	G	G	28 1/2/100	36 1/2/100	24 1/2/100	G	G	G	G	G	G	G	
4	20 1/2/100	G	13/100	G	56 1/2/100	43 1/2/100	57 1/2/100	G	G	G	G	G	G	G	G	66 1/2/100	52 1/2/100	19 1/2/100	G	G	G	G	G	G	G	
5	G	G	G	G	G	G	G	G	G	G	G	27/100	G	G	G	G	G	G	G	G	G	G	G	G		
6	G	G	G	G	G	G	G	G	G	G	G	26/100	34/100	G	G	G	22/100	G	G	G	G	G	G	G		
7	G	G	G	G	G	G	G	G	19 1/10	26/100	25/100	G	G	19 1/100	23 1/100	25 1/100	20 1/100	G	G	G	G	G	G	G	G	
8	G	G	G	G	G	G	G	G	18 1/10	27 1/100	30 1/100	G	G	18 1/100	27 1/100	24 1/100	20 1/100	G	G	51 1/100	20 1/100	34 1/100	35 1/100	G	G	
9	G	G	43 1/2/100	39 1/100	G	G	G	G	24 1/100	30 1/100	27 1/100	43 1/2/100	47 1/2/100	27 1/100	30 1/100	19 1/100	20 1/100	34 1/100	20 1/100	33 1/100	35 1/100	G	G	21 1/100		
10	G	G	G	G	G	G	G	G	G	G	G	28 1/10	G	G	G	G	G	G	G	G	G	G	G	G		
11	G	G	G	G	G	G	G	G	G	G	G	M	G	G	G	G	G	G	G	G	G	G	G	G		
12	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
13	G	G	G	G	G	30 1/10	G	24 1/100	35 1/100	80 1/100	70 1/100	35 1/100	G	G	G	G	G	G	G	G	G	G	G	G	G	
14	G	G	G	G	G	G	G	G	18 1/10	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
15	G	G	G	G	30 1/100	G	27 1/100	42 1/100	40 1/100	39 1/100	42 1/100	30 1/100	52 1/100	36 1/100	36 1/100	31 1/100	24 1/100	26 1/100	42 1/100	26 1/100	19 1/100	26 1/100	19 1/100	28 1/100	G	G
16	G	G	G	G	G	G	G	G	17 1/100	25 1/100	C	C	G	G	G	26 1/100	24 1/100	G	G	G	50 1/100	37 1/100	49 1/100	G	G	
17	G	G	G	G	G	G	G	G	G	G	G	27 1/100	G	G	G	G	G	G	G	G	G	G	G	G		
18	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
19	1.9/100	30 1/2/100	28 1/100	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
20	G	G	G	G	25 1/20	G	20 1/20	G	G	G	G	36 1/200	G	G	G	G	G	G	G	G	G	G	G	G		
21	C	C	C	C	C	C	C	C	C	C	C	36 1/200	G	G	G	G	G	G	G	C	C	C	C	C		
22	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
23	20 1/200	G	33 1/200	G	G	G	G	G	G	G	G	C	C	C	C	C	C	C	C	C	G	G	G	G		
24	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	30 1/200	G	G	G		
25	G	G	G	G	G	G	G	G	G	G	G	22 1/10	G	G	G	G	G	G	G	G	G	G	G	G		
26	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	27 1/100	22 1/100	G	S	G	G	G	G	G		
27	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	41 1/10	G	G	35 1/100	G	G	G	G	G		
28	G	31 1/2/100	G	G	G	G	G	G	28 1/100	22 1/100	G	G	G	G	G	26 1/100	32 1/100	18 1/100	G	G	G	G	G	G	G	
29	G	G	15 1/10	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
30	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
31																										

** MEDIAN FEES LESS THAN MEDIAN τ_{E_L} OR LESS
THAN LOWER FREQUENCY LIMIT OF RECORDER.

** MEDIAN FEES LESS THAN MEDIAN τ_{E_L} OR LESS
THAN LOWER FREQUENCY LIMIT OF RECORDER.

Form adopted June 1946
Scaled by: B.E.B., J.D., J.E.L.
Calculated by: B.E.B., R.E.C.
Sweep I.Q.—Mc to 25.0 Mc in 0.25 min
Manual Automatic

Form adopted June 1946

TABLE 43
IONOSPHERIC DATA

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

(M1500)F2, November, 1949

(Characteristic) (Unit) Washington, D.C.

Observed at Lat. 38.7°N., Long. 77.1°W.

National Bureau of Standards
 (Institution)
 Scaled by: B.E.B., J.D., J.E.L.

75°W Mean Time

Day	75°W												R.E.C.												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	1.8 F	1.9 P	1.9 F	1.9	1.8	1.7	1.8	2.1	2.2	2.1	1.9 K	1.8 K	1.8 K	1.7 K	1.6 K	1.8 K	1.8 K	1.7 K	1.6 K	1.7 K	1.7 K	1.7 K	1.7 K	A	
2	1.8 C	C	C	C	C	C	C	C	2.2	2.1	C	2.0	(2.0)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
3	(1.9)	(1.9)	F	1.7 F	1.7	1.9	1.9	1.8	2.3	2.1	2.1	2.0	2.0	2.0	2.0	2.0	2.1	2.0	2.0	2.1	1.9	2.0	2.0	2.0	
4	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	
5	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	1.7	1.6	2.1	2.2	2.0	1.9	1.9	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.8	
6	1.7	1.8	1.9	1.9	1.7	1.7	1.8	1.8	2.1	2.2	2.1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	
7	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	1.9	2.0	(1.9)	2.0	2.2	2.2	2.0	1.9	1.9	1.8	1.8	1.8	2.0	2.0	2.0	(1.9)	
8	1.9	1.9	1.8	1.8	1.9	1.9	2.0	2.3	2.4	2.2	2.1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	
9	1.8	1.8	1.8	1.8	1.7	1.7	1.7	1.7	2.0	2.1	2.0	2.1	2.0	2.1	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.9	1.9	
10	(1.8)	(1.9)	(1.9)	(1.9)	1.9	1.9	1.6	1.6	(2.0)	(2.0)	2.1	2.2	2.1	2.0	(1.9)	2.1	2.0	2.0	2.0	2.0	(1.9)	2.0	2.0	(1.8)	
11	1.7	(1.6)	(1.6)	(1.6)	1.6	1.7	1.8	1.8	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	(1.6)	1.9	
12	(1.9)	(1.9)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	
13	1.7	1.7	1.7	1.7	1.7	1.8	1.8	1.8	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	
14	(1.9)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	
15	(1.9)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	
16	1.8	(1.7)	(1.7)	(1.7)	(1.7)	(1.7)	(1.7)	(1.7)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	1.9	
17	1.8	1.8	1.9	1.9	1.9	2.0	1.8	1.8	1.9	1.9	2.0	2.3	2.3	2.1	2.0	2.0	2.0	2.0	2.0	2.1	2.1	2.0	2.0	2.0	
18	1.9	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	
19	(1.9)	1.9	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	1.8	2.0	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	
20	1.9	F	F	F	F	F	F	F	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)		
21	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		
22	1.9	(2.0)	2.0	2.0	(2.0)	(2.0)	(2.0)	(2.0)	1.9	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	
23	(2.0)	(2.0)	1.8	1.8	1.8	1.8	1.8	1.8	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	
24	(1.8)	(1.8)	1.8	1.8	1.8	1.8	1.8	1.8	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	
25	1.9	2.1	S	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	1.9	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	
26	(2.0)	(1.9)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	S	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	
27	1.7	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	1.8	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	
28	2.0	(2.0)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	(1.8)	1.8	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	(2.0)	
29	1.8	1.7	1.7	1.7	1.7	F	1.6	F	1.7	F	1.6	F	1.6	F	1.6	F	1.6	F	1.6	K	1.6	K	1.6	K	1.6
30	1.8	K	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	(1.9)	1.7	F	1.7	F	1.7	F	1.7	F	1.7	F	1.7	F	1.7	F	1.7	F	1.7
31																									

Sweep 10 Mc to 25 Mc in 0.25 min

Manual □ Automatic X

U.S. GOVERNMENT PRINTING OFFICE: 1946 O-1246

National Bureau of Standards

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

TABLE 44
ionosphere DATA
National Bureau of Standards

Sweep 1.0 Mc to 25.0 Mc in 0.25 min
Manual Automatic

TABLE 45
IONOSPHERIC DATA
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
 (M3000)F1, (Unit) (Month)
 Observed at Washington, D. C.

Day	75°W Mean Time																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									

Sweep 1.0 Mc to 25.0 Mc in 0.25 min
 Manual Automatic

Form adopted June 1946
 National Bureau of Standards, Washington 25, D. C.
 Scaled by: B.E.B., J.D., J.E.L.
 Calculated by: B.E.B., R.E.C., J.J.S.

U. S. GOVERNMENT PRINTING OFFICE: 1946 O-745219

TABLE 46
IONOSPHERIC DATA
National Bureau of Standards
 (Institution)

 Scaled by: **B.E.B.**, **J.D.**, **J.E.L.**
 Calculated by: **B.E.B.**, **R.E.C.**
(M1500) E, **Washington, D.C.**
 (Characteristic)

November, 1949
 (Month)

 Lat **38.7°N**, Long **77.0°W**

Observed at

Day	75°W												Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Median	3.8	4.1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	
Count	12	19	21	18	21	18	21	18	19	21	21	18	19	21	21	16	16	16	16	16	16	16	16	16	

 Sweep i.o. Mc 15.0 Mc in 0.25 min
 Manual Automatic

U. S. GOVERNMENT PRINTING OFFICE 1946 O - 70319

Table A7Ionospheric Storminess at Washington, D. C.November 1949

Day	Ionospheric character*		Principal storms		Geomagnetic character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
1	1	5	1400	----	2	4
2	1	1	----	0200	4	3
3	1	1			3	2
4	1	2			2	1
5	2	1			3	3
6	0	1			2	1
7	1	2			1	1
8	1	1			0	0
9	2	1			2	2
10	1	1			2	3
11	2	1			4	2
12	1	1			3	3
13	2	0			3	1
14	1	0			2	2
15	2	2			2	2
16	2	2			3	1
17	1	2			0	1
18	2	2			1	3
19	1	2			3	4
20	3	1			4	2
21	***	2			2	2
22	1	2			1	1
23	2	2			2	2
24	2	2			2	0
25	2	1			1	1
26	1	2			0	2
27	2	1			3	2
28	2	2			2	1
29	2	2	2300	----	4	3
30	4	2	----	1100	4	4

*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D. C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of Cheltenham, Maryland, geomagnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

***No readable record. Refer to table 36 for detailed explanation.

----Dashes indicate continuing storm.

Table 48

Sudden Ionosphere Disturbances Observed at Washington, D. C.

November 1949

1949 Day	GCT		Location of transmitters	Relative intensity at minimum*	Other phenomena
	Beginning	End			
November					
1	1642	1720	Ohio, D. C., England	0.1	Solar flare*** 1650
1	1824	1945	Ohio, New Brunswick	0.2	
5	1151	1205	England	0.3	
5	1830	1905	Ohio, D. C., England, New Brunswick	0.0	Terr. mag. pulse** 1829-1850
6	1451	****	Ohio, D. C.	0.01	
6	1639	1700	Ohio, D. C., Canal Zone	0.1	
11	1520	1600	Ohio, D. C., England, New Brunswick	0.01	
17	1131	1215	England	0.1	
18	1130	1150	England	0.2	
18	1606	1620	Ohio, England	0.1	
19	1032	1100	England	0.0	
20	1555	1615	Ohio, D. C., England	0.05	Terr. mag. pulse** 1550-1600
29	1939	****	Ohio, D. C.	0.1	Solar flare***
29	2100	2150	Ohio, D. C.	0.2	1932

*Ratio of received field intensity during SID to average field intensity before and after, for station KQ2XAU (formerly W8XAL), 6080 kilocycles, 600 kilometers distant, for all SID except the following: Station GIH, 13525 kilocycles, received in New York, 5340 kilometers distant, was used for the SID on November 5 at 1151, on November 17 at 1131, on November 18 at 1130, and on November 19 at 1032.

**As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

***Time of observation at McMath-Hulbert Observatory, Michigan.

****Incomplete recovery of SID.

Table 49Sudden Ionosphere Disturbances Reported by Engineer-in-Chief,Cable and Wireless, Ltd., as Observed in England

1949 Day	GCT		Receiving station	Location of transmitters	
	Beginning	End			
October	15	1100	1150	Brentwood	Canary Is., Chile, Palestine, Southern Rhodesia, Spain, Uruguay, Yugoslavia, Zanzibar
	22	1400	1445	Brentwood	Canary Is., Chile, Greece, Spain, Thailand, Uruguay, Venezuela
	22	1400	1420	Somerton	Argentina, Brazil, Gold Coast, Union of S. Africa
	23	1113	1130	Brentwood	Afghanistan, Austria, Bahrein I., India, Iran, Palestine, Spain, Switzerland, Turkey, U.S.S.R., Yugoslavia
	23	1112	1155	Somerton	Union of S. Africa
	28	0815	0845	Brentwood	Belgian Congo, Canary Is., Eritrea, French Equatorial Africa, Greece, India, Iran, Kenya, Madagascar, Southern Rhodesia, Spain, Trans-Jordan, Zanzibar
	28	0813	0900	Somerton	Aden, Ceylon, India, Union of S. Africa
	29	1058	1120	Brentwood	Barbados, India, Kenya, Southern Rhodesia, Switzerland, Zanzibar
	November				
	5	1158	1210	Brentwood	Austria, Belgian Congo, Bulgaria, Canary Is., Greece, Iran, Kenya, Madagascar, Malta, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Zanzibar
November	17	0943	0955	Brentwood	Belgian Congo, Canary Is., Eritrea, Greece, India, Iran, Kenya, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Thailand, Trans-Jordan, Zanzibar
	17	0942	1010	Somerton	Aden, Argentina, Brazil, Ceylon, Gold Coast, India, Union of S. Africa
	17	1135	1200	Brentwood	Afghanistan, Bahrein I., Barbados, Belgian Congo, Canary Is., Greece, India, Iran, Kenya, Madagascar, Malta, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Trans-Jordan, Uruguay, U.S.S.R., Zanzibar
	17	1133	1215	Somerton	Aden, Argentina, Brazil, Ceylon, Gold Coast, Union of S. Africa
	19	1030	1115	Brentwood	Austria, Bahrein I., Barbados, Belgian Congo, Canary Is., Eritrea, Greece, India, Iran, Kenya, Malta, Portugal, Southern Rhodesia, Spain, Syria, Switzerland, Trans-Jordan, Turkey, U.S.S.R., Yugoslavia, Zanzibar
	19	1030	1100	Somerton	Aden, Argentina, Australia, Brazil, Ceylon, China, Egypt, Gold Coast, India, New York, Union of S. Africa

Table 50

Sudden Ionosphere Disturbances Reported by International Telephone
and Telegraph Corporation, as Observed at Platanos, Argentina

1949 Day	GCT		Location of transmitters	Other phenomena
	Beginning	End		
September	5	1232	1250	Brazil, Denmark, Germany, Netherlands, New York
				Terr.mag. pulse* 1231-1233
	12	1315	1345	Bolivia, Brazil, Chile, Cuba, Denmark, England, Germany, New York, Peru, Switzerland, Venezuela
	12	1520	1545	Bolivia, Brazil, Chile, Cuba, Denmark, France, Germany, New York, Peru, Switzerland, Venezuela
	13	1305	1350	Bolivia, Brazil, Chile, Cuba, Denmark, England, New York, Peru, Switzerland, Venezuela
	15	1518	1640	Bolivia, Brazil, Chile, Cuba, Denmark, France, Germany, New York, Switzerland, Venezuela
	17	1722	1800	Bolivia, Brazil, Chile, Cuba, Denmark, Eng- land, France, Germany, Netherlands, New York, Peru, Spain, Venezuela
	October 1	1715	1730	Bolivia, Brazil, Denmark, England, Germany, Netherlands, New York, Peru, Spain, Venezuela
	2	1408	1435	Bolivia, Brazil, Chile, Colombia, Cuba, Eng- land, Germany, New York, Peru, Switzerland, Venezuela
	8	1315	1345	Bolivia, Brazil, Chile, Cuba, Germany, New York, Peru, Switzerland, Venezuela

Table 50 (continued)

1949 Day	GCT		Location of transmitters	Other phenomena
	Beginning	End		
October	11	1519	1630	Belgium, Bolivia, Brazil, Chile, Cuba, Denmark, France, Germany, New York, Peru, Spain, Switzerland, Venezuela
	13	1158	1431	Belgium, Bolivia, Brazil, Chile, Colombia, Cuba, Denmark, Germany, Netherlands, New York, Peru, Venezuela
	15	1512	1625	Belgium, Bolivia, Brazil, Chile, Cuba, Denmark, France, Germany, Netherlands, New York, Peru, Spain, Switzerland, Venezuela
	15	1640	1725	Belgium, Bolivia, Brazil, Chile, Cuba, Denmark, England, Germany, Netherlands, New York, Peru, Spain, Venezuela
	22	1355	1445	Bolivia, Brazil, Chile, Cuba, Denmark, Germany, New York, Peru, Switzerland, Venezuela
	November 5	1833	1840	Bolivia, Brazil, Chile, Cuba, Denmark, England, France, Germany, Netherlands, New York, Peru, Spain, Venezuela
November	17	1137	1220	Belgium, Brazil, Cuba, Denmark, Germany, Netherlands, New York, Venezuela
	19	1036	1105	Brazil, Denmark, Germany

*As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

**Time of observation at Meudon Observatory, France.

***Time of observation at McMath-Hulbert Observatory, Michigan.

Terr.mag.
pulse*
1829-1850

Table 51Sudden Ionosphere Disturbances Reported by RCA Communications, Inc.,as Observed at Riverhead, New York.

1949 Day	GCT		Location of transmitters
	Beginning	End	
November 19	1035	1100	Argentina, Canada, England, Italy, Morocco

Table 52Sudden Ionosphere Disturbances Reported by RCA Communications, Inc.,as Observed at Point Reyes, California

1949 Day	GCT		Location of transmitters
	Beginning	End	
November 6-7	2348	0000	Australia, China, Hawaii, Japan, Java, Philippine Is.

Note: Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Table 53

Provisional Radio Propagation Quality Figures
 (Including Comparisons with CRPL Warnings and CRPL Probable Disturbed Period Forecasts)
October 1949

Day	North Atlantic						North Pacific						Quality Figure Scale:	
	Quality figures	CRPL* Warning	CRPL Forecast of probable disturbed periods	Gao- mag- netic K _{Ch}	Quality figure	CRPL* Warning	CRPL Forecast of probable disturbed periods	Gao- mag- netic K _{Ch}	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT		
	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT	01-12 GCT	13-24 GCT
1	6 6			2 2	6 6								2 2	
2	7 5			2 1	6 7								2 1	
3	7 6			1 1	6 7								1 1	
4	7 6			3 3	6 5								3 3	
5	5 6			3 2	6 6								3 2	
6	6 6			2 3	6 7								2 3	
7	5 5	X		4 5	5 5	X							4 5	
8	(3) (4)	X X	X	4 3	(4) 5	X X	X						4 3	
9	(4) 5	X X	X	3 2	6 5	X X	X						3 2	
10	6 6		X	1 2	6 7								1 2	
11	6 5			2 3	7 7								2 3	
12	7 6			2 1	7 7								2 1	
13	7 6			1 3	7 7								1 3	
14	6 (4)	X X		4 6	5 5	X X							4 6	
15	(3) (2)	X X	X	6 6	5 5	X X	X						6 6	
16	(3) (3)	X X	X	6 3	(4) 5	X X	X						6 3	
17	5 5	X		3 2	6 6	X							3 2	
18	6 5			3 1	6 5								2 1	
19	6 6			2 2	5 6								2 2	
20	6 6			2 3	6 6								2 3	
21	6 6			2 1	6 7								2 1	
22	7 7			2 2	6 6								2 2	
23	7 6			2 3	6 6								2 3	
24	6 6			3 1	6 6								3 1	
25	6 6			2 0	6 7								2 0	
26	7 6			1 1	6 7								1 1	
27	7 5			2 4	6 6								2 4	
28	(4) 5	X X		4 2	6 6	X X							4 2	
29	5 6	X		3 2	6 6	X							3 2	
30	6 6			2 2	5 6								2 2	
31	6 6			3 1	6 7								3 1	
<hr/>														
Score:														
H		6	4					2	2					
M		0	2					0	0					
G		22	24					22	26					
(S)		3	0					4	2					
S		0	1					3	1					

*Broadcast on WWV, Washington, D.C. Times of warnings recorded to nearest half day as broadcast.

Quality Figure Scale:

- 1 - Useless
- 2 - Very poor
- 3 - Poor
- 4 - Poor to fair
- 5 - Fair
- 6 - Fair to good
- 7 - Good
- 8 - Very good
- 9 - Excellent

Symbols:

- X Warning given or probable disturbed date
- H Quality 4 or worse on day or half day of warning
- M Quality 4 or worse on day or half day of no warning
- G Quality 5 or better on day of no warning
- (S) Quality 5 on day of warning
- S Quality 6 or better on day of warning
- () Quality 4 or worse (disturbed)

Geomagnetic K_{Ch} on the standard scale of 0 to 9, 9 representing the greatest disturbance.

Table 54a

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																		
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1949	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	22	21	19	17	15	14	12	6	3	3	3	3	3	3	3	-	-	-	
Nov. 1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	23	25	24	20	15	14	13	9	8	7	3	2	-	-	-	-	-		
2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	17	20	20	13	12	12	8	4	2	-	-	-	-	-	-	-	-	-	
3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	15	15	14	14	13	9	9	8	7	4	-	-	-	-	-	-	-	-	
4.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	13	15	15	15	10	9	13	15	15	14	14	13	3	2	-	-	-		
5.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	15	14	14	13	11	10	10	13	17	17	14	11	9	4	3	2	-	-	
6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	18	12	10	12	13	13	14	13	12	10	8	3	2	-	-	-	-	-	
7.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	27	26	24	22	11	5	2	2	-	-	-	-	-	-	-	-	-	-	
8.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	17	17	13	14	12	8	?	-	-	-	-	-	-	-	-	-	-	-	
9.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	20	15	17	18	13	10	3	2	-	-	-	-	X	X	X	X	X	X	
12.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	20	19	16	15	14	13	10	7	2	-	-	-	-	-	-	-	-	-	-
13.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	17	16	15	13	12	9	8	6	4	2	-	-	-	-	-	-	-	-	-
14.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	15	18	19	22	22	25	18	15	10	9	9	8	7	4	3	2	2	2	
15.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	13	12	13	12	13	16	12	8	8	6	4	-	-	-	-	-	-	-	
16.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	10	11	12	10	10	10	11	12	8	7	8	5	3	2	-	-	-	X	X
17.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6	7	8	13	14	15	14	15	16	11	11	10	4	-	-	-	-	-	-
*19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	10	12	17	20	19	19	21	21	15	17	17	14	14	13	9	7	7	5	4
20.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	22	24	23	17	26	23	22	22	15	19	15	13	13	14	14	7	5	4	3
21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	16	15	13	13	13	14	14	14	15	13	12	10	10	10	9	3	2	2	
22.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	14	14	23	28	28	28	17	15	13	13	10	9	9	6	6	5	4	4	
25.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	11	11	22	30	26	23	22	25	14	7	5	4	8	6	8	8	4	4	4
26.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	10	17	17	16	17	17	14	10	10	8	8	8	7	8	3	2	-	-	
27.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	11	13	15	15	15	15	14	13	12	10	9	7	6	5	-	-	-	-	
29.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	10	13	14	13	15	15	14	12	12	10	9	10	5	3	2	-	-	-	
30.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	1	5	11	13	15	14	12	12	12	12	12	13	13	12	11	8	7	6	4

Table 55a

Table 54b

Coronal observations at Climax, Colorado (5303A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																			
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90		
1949	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Nov. 1.7	-	-	-	-	-	-	2	2	2	2	3	5	7	10	11	12	18	25	30	20	15	20	18	13	10	3	3	2	-	-	-	-				
2.7	-	-	-	-	-	2	2	4	5	5	6	6	6	7	9	10	13	20	17	14	13	12	11	10	8	4	2	-	-	-	-	-				
3.7	-	-	-	-	-	2	2	3	3	3	3	2	2	-	2	5	7	11	12	11	12	12	10	8	9	7	3	-	-	-	-	-				
4.6	-	-	-	-	-	-	2	2	2	3	3	2	-	-	4	9	11	16	15	14	14	15	13	12	10	11	8	2	-	-	-	-				
5.8	-	-	-	-	-	-	2	3	3	2	2	2	4	4	5	10	10	14	14	13	11	11	10	9	7	3	3	2	-	-	-	-				
6.7	-	-	-	-	-	2	2	3	3	3	3	4	8	11	12	11	8	13	14	15	15	22	24	16	18	17	11	9	4	4	2	-				
7.6	-	-	-	-	-	2	2	2	2	2	2	3	4	12	14	13	12	15	19	19	20	26	26	22	20	13	7	4	3	3	2	2				
8.7	-	-	-	-	-	-	-	-	-	-	2	3	3	10	9	10	13	14	17	18	18	16	15	15	15	13	10	5	3	2	2	-				
9.6	X	X	X	X	X	X	X	X	X	X	X	X	X	7	8	10	10	9	12	9	10	10	9	8	4	-	-	-	-	-	-					
12.8	-	-	-	-	-	-	-	2	2	2	3	4	5	5	6	9	9	8	9	11	12	13	15	16	23	24	23	13	3	1	-	-	-			
13.6	-	-	-	-	-	-	2	2	3	3	4	4	7	8	10	12	11	12	13	13	14	17	17	20	27	25	23	23	10	2	-	-	-			
14.7	-	-	-	-	-	-	-	2	2	2	3	5	9	11	13	15	17	18	17	18	18	19	29	29	27	23	18	12	2	-	-	-				
15.9	-	-	-	-	-	-	-	2	2	3	5	7	10	11	12	14	25	23	15	15	15	16	30	30	29	20	13	11	2	-	-	-	-			
16.9a	X	X	X	X	X	-	-	-	3	4	5	7	11	13	14	14	15	12	11	14	17	16	15	13	10	5	2	-	-	-	-	-				
17.8	-	-	-	-	-	-	-	-	2	2	3	5	9	10	12	13	15	12	14	14	15	16	18	16	17	14	10	4	2	-	-	-	-			
*19.7	-	-	-	-	-	-	-	-	2	2	3	5	9	10	12	15	17	21	20	22	22	21	22	31	25	21	2	3	3	2	2	1	1	1		
20.7	-	-	-	-	-	-	-	-	2	3	4	6	11	10	16	15	25	22	22	26	25	25	24	18	14	9	4	2	1	1	1	-	-			
21.7	-	-	-	-	-	-	-	-	2	4	7	9	10	11	12	15	21	20	25	35	33	32	21	12	3	1	3	2	2	2	-	-	-			
22.8	-	-	-	-	-	-	-	-	2	4	10	12	13	9	13	14	13	14	29	25	25	17	10	6	2	-	-	-	-	-	-	-	-	-		
25.7	-	-	-	-	-	-	-	-	3	5	10	11	13	14	15	20	20	19	17	16	12	9	3	-	-	-	-	-	-	-	-	-	-			
26.8	-	-	-	-	-	-	-	-	-	-	3	5	10	11	13	15	15	18	14	13	13	12	7	2	-	-	-	-	-	-	-	-	-	-		
27.7	-	-	-	-	-	-	-	-	-	-	3	2	4	10	12	13	13	16	15	15	14	13	8	2	1	-	-	-	-	-	-	-	-	-		
29.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	6	7	7	8	8	8	7	5	-	-	-	-	-	-	-	-	-
30.7	-	-	-	-	-	-	-	-	1	1	1	1	2	3	5	10	15	16	15	14	13	13	14	13	12	9	8	8	7	3	1	-	-	-		

Table 55b

Coronal observations at Climax, Colorado (6374A), west limb

Date GCT	Degrees south of the solar equator															Degrees north of the solar equator																						
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	0°	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1949																																						
Nov. 1.7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	12	12	10	7	-	-	-	5	3	1	1	2	2	3	3	3	3	2	2	1	2	
2.7	1	1	1	1	1	1	1	1	1	1	-	-	1	7	12	14	13	1	1	-	1	4	5	1	1	1	2	2	3	4	3	2	2	1	1	1		
3.7	1	1	1	1	1	1	2	1	1	1	1	-	2	3	3	3	4	4	3	3	3	1	1	1	1	-	2	2	4	5	6	5	3	2	1	1		
4.6	-	-	-	-	-	-	-	-	-	-	1	3	5	-	1	5	-	3	2	10	-	-	-	1	1	1	2	2	2	2	2	2	1	1	1	1		
5.8	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	2	3	2	8	6	7	7	1	-	-	1	1	2	3	3	5	5	-	-	1			
6.7	1	-	-	-	-	-	-	-	-	-	2	2	3	10	5	4	3	9	8	9	9	10	6	1	-	-	-	-	2	3	3	2	1	1	1			
7.6	1	1	1	1	1	-	1	1	-	-	-	-	-	1	3	6	9	9	9	11	13	13	8	1	1	1	1	3	4	4	4	3	2	2	2			
8.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	5	5	4	4	6	5	*	-	-	-	-	1	1	3	3	2	2		
9.6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	1	1	1	1	1	1	2	1	1	1	1	1	-	-	-	3	3	3	2	2	1		
12.8	1	1	1	1	1	1	1	2	2	.2	1	-	-	1	1	1	1	-	1	5	-	1	10	14	14	1	-	-	1	1	2	2	2	2	1	1		
13.6	1	1	1	1	2	2	2	3	4	2	1	2	2	1	-	-	4	4	5	5	2	3	13	14	13	11	-	-	1	1	2	2	2	2	2	2		
14.7	2	2	2	3	3	3	4	8	9	2	3	2	1	1	2	11	12	14	13	10	8	12	12	14	6	1	4	3	3	4	3	3	3	3	3	3		
15.9	-	-	-	1	1	1	1	1	1	-	-	-	1	1	10	12	11	10	12	-	9	10	12	10	3	2	3	3	4	3	3	2	2	2	3			
16.9a	X	X	X	X	X	1	1	1	-	-	-	-	-	-	1	4	4	5	1	1	2	8	7	2	1	1	1	1	1	1	-	-	-	-	-	-		
17.8	1	1	1	1	1	1	1	2	2	2	1	1	-	-	1	1	1	2	-	1	2	5	5	5	5	-	-	2	3	3	2	2	2	3	3	3	3	
*19.7	2	1	1	1	1	2	2	2	2	2	1	1	-	-	1	1	4	5	14	-	4	-	1	2	-	-	1	2	2	3	3	2	2	2	1	1		
20.7	1	1	1	1	1	1	2	2	2	2	1	1	1	1	-	-	13	9	10	-	9	13	1	-	-	1	1	-	-	1	1	1	1	1	1	1		
21.7	1	1	1	1	1	-	1	2	2	2	-	-	1	1	2	1	5	14	10	13	12	5	3	1	1	1	-	-	1	2	3	1	1	1	1			
22.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	5	14	10	15	14	10	4	1	-	-	-	-	-	-	2	3	3	2	1	2		
25.7	1	1	1	1	1	1	3	3	2	2	1	-	-	3	4	-	10	2	10	9	10	9	13	7	3	5	2	1	1	1	1	1	1	1	1	1		
26.8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	5	2	10	4	10	11	11	3	1	2	1	-	-	-	1	1	1	1	1	1	1		
27.7	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3	10	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-		
29.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	2	4	5	5	6	1	-	-	-	-	1	2	2	2	2	2	3	

Table 56a

Coronal observations at Climax, Colorado (6704A), east limb

Table 56b

Coronal observations at Climax, Colorado (6704A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																			
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90		
1949	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Nov. 1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9.6	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
14.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
15.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	2	2	2	2	1	1	1	1	1	1	1	
16.9a	x	x	x	x	x	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
17.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
*19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	3	3	3	3	3	3	2	1	1	1	1	1	1	
20.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1
21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	3	2	1	1	1	1	1	1	1	1	1	1
22.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1
25.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

*Intensity of yellow line (5694A) on November 19.7; west limb: 1 at south 30° ; 1 at south 5° ; 1 at 0° ; 1 at north 5° ; not visible at other position angles.

Table 57American and Zurich Provisional Relative Sunspot NumbersNovember 1949

Date	R _A *	R _Z **	Date	R _A *	R _Z **
1	137	120	17	204	167
2	136	130	18	216	172
3	153	97	19	214	147
4	166	120	20	191	124
5	179	135	21	184	161
6	193	116	22	161	138
7	205	118	23	173	118
8	215	130	24	226	156
9	235	157	25	211	143
10	192	125	26	148	153
11	201	125	27	208	170
12	202	133	28	209	152
13	194	129	29	225	199
14	173	80	30	206	197
15	180	124	Mean:		
16	190	133	190.9		139.0

*Combination of reports from 44 observers; see page 9.

**Dependent on observations at Zurich Observatory and its stations at Locarno and Arosa.

Table 58

Mean K-indices from 31 Observatories for January to March 1949

Values K_4

Day	Jan			Feb			Mar			Sum
	Sum			Sum			Sum			
1	2.1	2.6	2.7	2.0	2.1	2.7	3.5	20.4	0.7	0.5 1.0 1.2
2	4.3	5.2	3.4	4.2	4.6	3.3	2.5	35.1	0.9	0.5 0.7 1.5
3	1.9	1.7	1.0	0.4	0.5	0.5	2.0	1.4	1.8	0.9 1.6
4	1.4	0.4	0.6	0.9	1.8	1.1	1.0	0.8	5.0	4.3 3.4 3.0
5	1.2	1.7	0.5	0.5	0.8	0.7	0.9	1.7	8.0	0.8 1.6 1.0
6	1.0	1.5	1.7	2.0	1.0	1.9	1.4	14.0	2.2	1.0 1.5 3.5
7	3.0	3.5	2.8	1.6	0.6	1.6	2.4	19.3	4.0	4.2 3.0 3.4
8	2.3	1.0	1.0	2.5	2.2	3.3	2.9	2.7	17.9	1.0 0.4 0.3
9	2.0	2.2	2.1	2.8	3.0	2.9	3.9	2.9	21.8	0.6 0.5 1.0
10	2.0	2.0	2.5	2.0	2.8	3.1	2.7	4.1	21.2	1.9 0.7 0.9
11	1.2	2.1	2.3	2.4	2.3	1.5	3.1	18.8	2.2	2.1 3.6 3.1
12	3.1	1.7	1.8	1.7	1.3	3.6	3.9	21.3	2.5	2.8 3.0 2.5
13	4.2	2.2	2.8	2.5	1.9	1.1	2.5	18.5	3.5	2.9 1.9 2.6
14	1.0	0.5	1.1	2.1	1.3	1.1	2.0	2.3	11.3	3.1 2.6 2.6
15	0.6	0.5	0.8	1.7	1.5	0.7	0.6	2.4	8.8	1.9 1.7 1.2
16	2.1	1.5	0.9	2.2	2.3	1.8	2.2	1.5	14.5	2.5 1.9 2.3 1.6
17	3.1	1.1	1.1	1.5	2.0	1.5	1.4	1.3	13.0	2.7 2.5 2.9 3.0
18	1.9	3.1	1.6	3.0	2.6	3.4	3.8	4.0	23.4	3.4 3.0 3.1 2.8
19	3.8	2.9	2.9	2.2	2.4	2.3	2.7	2.5	21.1	2.4 1.6 1.7 1.9
20	1.6	1.3	1.6	1.7	2.1	1.8	1.1	1.3	12.5	0.4 0.4 0.5 1.3
21	1.5	2.4	1.8	1.9	1.4	1.8	1.9	3.5	16.2	2.9 2.3 1.9 2.2
22	2.8	2.5	3.0	2.7	2.4	1.4	0.9	1.1	16.8	5.1 4.9 4.1 3.6
23	0.8	0.9	0.8	1.9	2.0	2.8	3.1	3.4	15.7	2.5 0.8 0.9 2.5
24	2.5	2.9	2.1	2.1	2.3	2.8	2.7	5.7	24.9	4.5 3.1 2.8 3.2
25	7.9	6.7	5.2	3.7	2.1	1.6	1.2	7.3	14.8	1.4 0.8 1.4 1.7
26	7.1	6.3	5.5	4.7	4.5	4.5	4.7	3.6	41.2	1.1 1.4 1.4 1.4
27	3.5	3.7	2.1	1.9	2.6	2.6	3.7	1.8	21.9	2.4 3.0 3.8 3.4
28	1.7	2.0	2.0	1.5	1.5	2.0	1.4	1.4	14.1	0.7 11.3 2.2 1.3
29	2.0	1.2	1.6	1.8	1.9	1.6	1.9	1.7	13.7	0.8 2.8 0.8 1.2
30	0.9	0.7	0.8	0.4	0.5	0.4	0.7	0.8	5.2	1.0 0.4 0.7 0.8
31	0.6	0.9	1.3	1.0	1.4	1.9	2.7	1.1	10.9	1.1 1.1 1.1 1.0
Mean	2.42	1.94	2.04	2.04	2.18	2.66	2.69	2.27	2.31	2.00 2.18 2.30 2.01
	2.20	2.04								2.17 2.42 2.31
										2.35 2.17 2.42 2.66
										2.39 2.39

Table 58 (continued)

Mean K-Indices from 33 Observatories for April and May, and 32 for June 1949

Values K_v

Day	Apr	Sum	May	Sum	June	Sum	Sum		
1	0.3 0.6 1.1 1.5	1.5 1.6 2.5 2.3	11.4	0.4 0.5 0.6 0.5	0.8 2.1 2.1 1.9	8.9	3.5 3.4 2.7 2.3	2.1 1.3 0.9 2.6	18.8
2	2.9 0.7 1.0 1.4	1.3 1.0 1.3 1.1	10.7	2.2 2.0 0.7 0.6	2.0 3.4 2.6 2.0	15.5	2.0 1.2 3.1 2.9	2.5 2.1 1.8 1.9	17.7
3	1.2 1.4 2.5 2.3	2.9 3.0 1.0 0.7	15.0	2.6 2.3 1.2 1.7	0.6 0.8 3.5 5.8	18.5	1.9 1.0 2.1 2.3	1.5 1.0 1.0 3.9	14.4
4	0.8 0.8 2.0 2.2	2.1 1.2 1.2 1.1	11.4	5.2 4.0 3.1 3.3	3.5 3.5 1.9 1.0	25.5	5.2 3.8 4.8 2.6	3.4 2.5 2.4 4.8	35.0
5	0.5 1.4 1.1 2.0	1.8 1.2 0.6 1.9	10.5	0.8 1.2 1.9 2.4	2.8 3.5 3.6 4.3	20.3	3.3 4.4 4.2 3.9	4.5 4.6 4.2 5.3	34.4
6	1.8 1.5 1.2 1.5	0.8 0.9 0.7 0.9	9.3	3.8 3.3 2.4 2.2	2.0 2.9 2.7 2.3	21.6	4.3 3.9 2.1 1.6	1.6 2.1 2.3 5.0	22.9
7	1.7 0.6 0.9 2.7	2.3 1.4 1.7 6.0	22.0	2.2 2.2 1.0 1.2	1.3 2.5 2.2 2.7	15.3	3.3 3.0 2.8 2.3	2.5 1.5 2.0 1.5	18.9
8	5.5 5.2 5.0 5.5	5.7 4.7 4.7 2.5	38.5	2.4 2.0 1.3 1.7	2.3 1.8 2.4 3.5	17.4	1.6 1.5 1.8 1.8	1.5 1.4 1.8 1.3	12.7
9	1.8 2.1 2.0 2.2	2.2 1.8 1.4 2.5	16.7	2.9 1.9 2.7 2.2	2.8 4.0 2.4 1.6	20.5	2.3 1.6 2.2 2.1	1.2 4.2 2.9 2.1	15.6
10	3.6 3.3 2.9 2.6	3.0 3.8 4.5 4.3	28.0	2.0 1.4 1.7 1.5	2.7 2.5 2.4 2.8	17.0	0.9 1.2 0.7 1.9	1.4 0.9 0.6 0.3	7.9
11	3.7 2.4 3.5 3.1	4.4 4.4 3.1 2.4	27.0	4.4 3.5 2.8 2.8	2.0 1.2 1.9 1.1	19.7	0.4 0.4 0.6 0.9	1.5 2.2 2.0 1.8	9.8
12	1.1 1.8 3.1 3.2	3.8 5.3 3.3 2.8	24.1	1.6 1.8 6.0 6.1	7.6 7.9 6.8 6.1	43.9	3.4 2.8 2.9 3.2	4.2 4.2 4.2 4.2	29.1
13	4.2 4.1 2.9 3.0	3.5 2.7 3.1 2.9	26.8	6.7 6.5 2.8 6.1	4.4 7.9 6.1 6.8	27.6	4.7 2.3 2.5 3.7	2.4 2.1 1.8 2.1	21.2
14	3.0 3.7 2.9 2.9	2.3 2.4 2.5 3.2	22.9	3.2 2.5 2.6 3.2	2.8 3.1 2.1 2.8	22.3	0.8 0.9 1.2 1.7	2.3 0.8 2.2 2.6	12.5
15	3.2 2.3 2.4 1.7	1.5 1.5 1.5 2.6	16.8	2.8 2.7 1.8 1.8	1.8 0.8 0.4 0.1	12.5	2.8 2.6 2.1 2.3	2.8 3.2 3.1 1.8	20.7
16	1.7 1.8 1.8 3.2	3.2 3.5 2.2 2.9	20.7	1.1 2.8 2.9 2.7	3.2 2.6 2.0 3.5	20.8	1.9 2.0 2.1 2.3	1.7 2.5 2.1 2.7	17.7
17	3.0 1.9 2.2 2.5	2.4 1.8 1.9 2.5	19.1	3.3 2.8 2.2 1.8	1.1 1.8 2.0 1.4	14.6	0.4 0.8 0.9 1.0	1.7 1.8 2.5 3.5	15.6
18	2.5 2.1 0.8 1.2	0.7 1.5 2.7 2.0	13.5	0.3 0.8 0.7 1.2	0.8 0.7 1.5 1.3	7.3	3.8 2.2 2.3 2.6	2.5 2.7 2.3 2.4	20.8
19	1.3 1.0 1.9 1.9	1.7 0.9 1.6 2.4	12.7	1.1 0.9 0.5 0.8	1.4 2.9 1.3 0.9	9.8	2.4 2.5 1.7 2.4	2.2 2.2 2.1 0.9	15.4
20	1.3 0.8 1.3 0.7	1.0 1.0 2.2 1.6	9.9	1.1 1.1 0.9 0.8	1.2 1.0 1.1 1.0	8.2	1.0 1.5 1.8 1.7	2.2 2.1 1.9 1.5	13.5
21	1.7 1.6 0.8 0.8	1.0 0.8 1.5 1.6	9.8	0.6 0.9 2.1 2.5	2.9 2.1 1.5 1.2	13.8	0.9 1.2 1.2 2.2	2.1 1.4 1.3 1.1	11.5
22	1.2 1.1 1.4 0.9	2.0 1.2 0.8 0.8	10.6	2.9 2.5 1.4 2.2	2.3 2.1 1.7 1.0	17.2	0.6 1.4 1.2 2.6	2.9 3.5 2.6 1.6	16.4
23	0.6 1.5 1.7 1.8	1.8 2.2 2.5 1.1	13.2	1.9 1.8 2.2 1.8	2.1 1.7 1.9 2.7	16.1	1.5 1.8 1.0 1.8	1.4 1.1 0.7 0.4	10.0
24	2.6 1.8 1.7 2.3	1.5 2.0 1.2 2.1	15.2	2.3 2.3 2.7 1.5	1.2 1.3 0.9 0.7	12.9	0.5 1.2 1.5 2.1	1.8 2.2 2.5 2.1	13.9
25	2.3 1.7 1.1 1.3	1.8 1.6 0.9 1.8	12.8	0.5 0.5 1.2 3.1	2.7 2.6 1.3 0.8	12.7	3.1 2.4 3.2 3.5	3.0 2.0 1.8 0.8	19.8
26	2.5 2.0 1.4 1.6	1.8 2.1 1.3 1.5	14.7	1.0 1.2 1.5 1.8	2.0 2.7 1.4 1.0	12.6	1.1 1.5 1.7 1.6	2.8 2.3 2.1 2.6	15.4
27	3.0 3.8 2.8 2.9	2.1 1.6 1.0 0.9	18.1	0.8 0.8 0.9 2.5	2.6 1.9 1.7 1.0	12.2	2.6 1.4 1.6 1.6	1.5 1.8 1.5 1.9	15.0
28	0.7 1.4 1.9 2.1	1.1 2.2 2.3 2.0	13.7	2.5 1.8 1.5 1.5	0.6 1.4 0.7 0.4	10.4	1.3 1.1 1.8 2.1	1.7 2.5 2.0 2.8	15.3
29	2.0 1.0 0.8 0.8	2.0 1.6 4.2 2.2	16.6	0.5 0.9 0.6 0.9	1.2 0.6 0.5 0.4	5.6	2.6 2.8 2.2 2.3	1.7 2.6 3.3 2.8	20.5
30	2.3 0.9 1.1 1.4	1.3 0.5 0.7 0.2	8.4	0.4 0.8 0.8 0.9	4.0 4.3 5.3 5.4	21.9	2.0 1.8 1.6 2.1	2.1 1.9 1.4 2.1	15.3
31			4.0	4.7 2.9 3.1	3.7 3.2 3.5 3.4	28.5			
Mean	2.13 1.92 2.11	2.12 2.23 2.15	2.08	2.16 1.86 2.08	2.34 2.00 2.45	2.12 2.13	2.14 2.25 2.02 2.03	2.17 2.23 2.22	2.19

Table 58 (concluded)

Mean K-indices from 33 Observatories for July to September 1949

Values K_w

Day	Jul	Sun	Aug	Sat	Sep	Sum	
1	1.9 1.9 1.7 2.1	1.0 1.1 1.5 1.6	12.8	0.5 1.0 1.4 2.1	2.0 0.9 1.8 1.5	11.2	2.2 1.1 3.2 2.8
2	1.6 1.6 1.1 0.5	0.6 0.8 0.8 0.8	7.8	1.1 1.6 1.8 3.8	4.8 3.6 1.8 2.0	22.5	3.0 3.8 3.4 1.7
3	0.7 0.8 0.6 0.9	0.9 1.4 2.0 1.2	8.5	4.6 4.9 5.9 5.5	4.1 3.4 3.0 3.5	34.9	1.1 4.6 5.1 3.5
4	0.9 0.6 0.7 0.5	0.8 1.3 0.8 0.9	6.5	5.1 5.6 5.0 2	4.5 3.5 4.4 3.8	35.7	3.0 2.8 2.2 2.6
5	0.4 1.1 1.0 1.5	1.6 0.5 0.5 1.3	7.9	3.5 2.8 2.3 2.7	3.5 3.7 3.5 3.2	25.2	2.8 1.8 1.8 2.4
6	0.7 1.4 0.8 0.8	1.7 0.5 1.3 1.2	8.4	2.7 1.7 0.8 3.4	1.8 1.2 2.4 2.2	16.2	1.8 1.5 2.3 3.0
7	2.5 1.1 1.2 1.7	3.5 3.3 1.2 0.8	15.3	1.2 1.1 1.2 1.1	2.8 4.0 2.5 2.9	17.1	0.6 1.2 1.9 1.8
8	1.6 1.6 1.3 2.1	1.4 3.2 3.3 2.4	16.9	5.2 5.4 3.1 3.2	3.7 1.7 1.4 1.1	24.8	1.8 1.1 2.0 3.4
9	1.3 1.8 3.1 3.1	1.9 1.2 0.7 0.4	13.5	1.6 1.5 1.2 2.4	2.6 3.1 3.1 1.8	17.3	3.0 1.4 1.2 1.6
10	0.7 1.0 0.7 0.9	1.4 1.3 2.5 0.5	8.0	1.4 2.1 2.6 2.3	2.5 3.2 1.6 3.2	19.2	0.2 0.4 0.5 0.6
11	0.3 1.4 0.7 1.1	1.2 1.5 1.8 2.1	10.1	0.6 0.8 1.0 0.8	1.5 1.3 0.9 1.5	8.4	1.8 2.4 2.3 2.4
12	0.6 0.7 0.9 1.1	2.1 1.7 3.9 2.5	13.3	1.1 0.8 1.2 1.3	1.3 1.2 1.6 0.6	9.2	2.2 2.8 3.9 3.8
13	3.5 4.2 2.9 2.7	2.8 3.2 1.2 1.1	21.3	1.6 0.7 1.6 2.1	2.1 2.4 1.8 2.9	15.6	2.3 2.8 2.7 2.7
14	0.9 1.9 2.2 1.8	2.5 1.2 1.1 2.1	12.8	4.5 3.1 3.3 3.7	4.1 3.1 3.2 4.2	29.2	1.5 2.5 1.7 2.6
15	0.8 0.5 0.6 0.6	0.8 1.0 0.7 0.4	5.5	4.8 4.5 3.2 2.9	2.7 2.5 3.1 4.1	26.5	4.3 3.5 1.8 2.0
16	0.5 1.1 1.6 2.2	4.3 3.5 4.2 3.3	20.6	3.2 2.2 1.9 2.5	1.7 1.7 1.1 1.0	15.3	3.0 2.7 1.6 1.6
17	2.5 1.7 3.0 3.4	3.4 3.0 1.0 2.1	19.5	1.8 2.2 1.3 2.4	3.5 3.4 2.6 2.5	20.0	0.2 0.8 1.5 3.2
18	1.6 1.2 1.5 2.8	2.7 3.1 2.0 2.8	18.8	0.8 1.0 2.0 2.9	2.8 3.1 2.3 3.1	18.2	1.8 1.0 0.6 2.9
19	3.1 3.4 2.9 3.0	3.0 2.6 1.8 2.5	21.8	3.0 2.1 1.5 2.5	2.3 2.2 1.8 2.5	17.7	0.5 0.5 0.3 0.7
20	3.4 0.9 1.1 1.7	1.9 1.9 0.9 1.0	12.8	2.5 3.1 2.4 1.6	2.5 3.5 1.7 2.0	17.3	0.3 0.4 0.3 0.5
21	0.3 1.2 1.1 2.3	2.4 1.7 1.1 1.9	12.0	1.4 1.9 1.0 2.1	1.6 1.8 2.2 2.3	14.2	0.4 0.5 0.5 0.7
22	1.0 1.4 2.0 2.2	2.6 2.7 3.3 3.3	18.6	2.0 2.1 1.5 1.8	1.8 1.6 1.0 1.1	12.9	1.6 1.2 1.7 2.4
23	3.7 3.3 2.0 2.5	3.6 1.9 2.3 2.2	21.6	0.8 1.2 2.1 2.0	0.8 0.7 0.4 0.5	6.0	1.4 1.4 1.2 1.5
24	2.6 1.9 1.6 0.7	2.0 2.0 1.0 1.7	15.6	0.6 1.2 0.6 0.9	0.8 0.8 0.4 0.5	5.8	1.1 1.6 1.8 1.2
25	2.0 2.7 3.1 1.5	1.9 1.8 2.1 2.2	17.3	0.4 0.3 0.4 0.5	0.7 0.7 0.5 0.9	4.4	1.3 3.8 2.3 3.4
26	1.9 1.3 2.5 1.1	1.0 0.9 1.2 1.6	11.1	0.8 0.4 1.2 1.5	0.6 1.2 1.4 1.2	8.3	3.5 3.1 2.8 2.7
27	1.4 0.6 0.5 0.8	0.8 1.0 1.5 0.6	7.0	1.1 1.2 1.0 1.3	2.0 2.7 2.1 1.8	18.2	2.5 3.7 3.4 2.4
28	0.2 0.6 0.6 0.8	0.9 0.9 1.6 1.2	7.0	1.8 2.3 1.3 2.0	2.0 1.5 1.3 1.2	13.2	3.8 2.7 2.9 2.0
29	0.8 1.1 1.4 1.5	2.5 1.9 1.4 0.6	11.2	0.6 1.0 2.1 0.8	1.0 4 1.5 2.3	13.0	1.0 1.8 1.5 2.1
30	0.7 1.5 2.2 1.7	1.3 1.0 1.2 1.9	11.6	2.6 2.7 1.5 2.1	1.9 1.6 1.3 1.1	14.8	0.6 1.5 3.1 3.0
31	1.5 1.8 1.4 1.7	1.0 5 2.3 1.8 1.0	13.0	2.2 1.3 1.5 0.8	1.0 2 2.1 2.2 2.5	13.8	2.5 2.5 4.5 2.6
Mean	1.48 1.55 1.66	1.95 1.80 1.47	1.65	2.13 2.00	2.34 1.95	2.32	
			2.10	2.21	2.16	2.10	
					2.02	2.04	
					1.88	2.13	
					1.98	2.09	
					1.98	2.09	

2.04
2.04

Table 59
Preliminary International
Character-Figure C, 1949

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.8	0.3	1.1	0.3	0.2	0.7	0.4	0.3	1.0
2	1.4	0.1	1.1	0.3	0.5	0.6	0.0	1.2	1.1
3	0.1	1.1	1.1	0.5	1.2	0.7	0.3	1.6	1.5
4	0.1	1.2	0.5	0.2	1.3	1.7	0.1	1.7	0.8
5	0.0	0.3	0.5	0.2	0.9	1.6	0.2	1.1	0.5
6	0.7	1.3	0.0	0.1	0.8	1.2	0.1	0.7	0.2
7	0.8	1.1	0.1	1.4	0.4	0.7	0.7	0.8	0.3
8	0.7	0.1	0.3	1.8	0.6	0.2	0.7	1.3	0.8
9	1.0	0.0	1.2	0.6	0.9	0.4	0.7	0.7	0.4
10	1.0	0.3	0.1	1.2	0.6	0.1	0.1	0.7	0.2
11	0.8	1.1	0.1	1.2	1.0	0.2	0.2	0.1	0.4
12	1.1	0.6	0.6	1.4	2.0	1.3	0.8	0.1	1.2
13	0.8	0.8	1.1	1.2	1.6	1.0	1.0	0.5	0.6
14	0.2	0.6	1.3	0.9	0.8	0.4	0.4	1.2	1.0
15	0.1	0.8	1.0	0.6	0.3	0.7	0.0	1.2	0.5
16	0.4	0.5	1.5	0.8	0.9	0.4	1.1	0.5	0.5
17	0.6	1.4	1.4	0.7	0.5	0.6	0.8	0.7	0.3
18	1.1	1.0	1.2	0.5	0.0	0.8	0.9	0.7	0.2
19	0.9	0.1	0.5	0.3	0.3	0.4	0.9	0.6	0.0
20	0.2	0.7	0.7	0.1	0.1	0.2	0.5	0.5	0.0
21	0.6	1.3	1.3	0.2	0.5	0.2	0.3	0.4	0.1
22	0.5	1.5	1.8	0.2	0.5	0.7	0.7	0.3	0.3
23	0.8	0.7	1.3	0.4	0.4	0.1	0.9	0.0	0.2
24	1.6	1.1	0.2	0.4	0.3	0.3	0.6	0.0	1.0
25	2.0	0.1	0.5	0.3	0.5	0.8	0.6	0.0	1.3
26	1.9	0.5	0.6	0.3	0.4	0.5	0.3	0.0	1.0
27	0.8	0.9	0.0	0.7	0.4	0.3	0.1	0.6	1.2
28	0.3	0.3	0.9	0.3	0.2	0.4	0.1	0.3	0.8
29	0.2	0.7	0.9	0.0	0.7	0.5	0.5	0.4	
30	0.0	0.4	0.1	1.4	0.4	0.2	0.6	1.0	
31	0.3	0.0		1.3		0.3	0.4		
Mean	0.70	0.75		0.67		0.47		0.63	
	0.71	0.60		0.61		0.62			

Table 60Selected Days, 1949

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Five Quiet								
3	1	6	5	1	8	2	11	10
4	2	10	6	18	10	4	23	19
5	8	11	20	20	11	15	24	20
15	9	27	21	28	21	27	25	21
30	25	31	30	29	23	28	26	23
Five Disturbed								
2	4	14	7	4	4	13	3	2
18	6	16	8	12	5	16	4	3
24	17	17	10	13	6	17	8	12
25	21	22	11	30	12	19	14	25
26	22	23	12	31	13	23	15	27
Ten Quiet								
3	1	4	1	1	8	2	1	7
4	2	6	2	15	10	3	11	10
5	5	7	4	18	11	4	12	17
14	8	8	5	19	14	5	21	18
15	9	10	6	20	20	6	22	19
20	10	11	20	24	21	10	23	20
28	19	24	21	26	23	11	24	21
29	25	27	22	27	24	15	25	22
30	26	30	25	28	27	27	26	23
31	28	31	30	29	30	28	28	29

GRAPHS OF IONOSPHERIC DATA




Fig. I. WASHINGTON, D.C.
38.7°N, 77.1°W NOVEMBER 1949




Fig. II. WASHINGTON, D.C. NOVEMBER 1949




Fig. III. OSLO, NORWAY
60.0°N, 11.0°E OCTOBER 1949




Fig. IV. OSLO, NORWAY OCTOBER 1949




Fig. 5. BOSTON, MASSACHUSETTS
42.4°N, 71.2°W OCTOBER 1949




Fig. 6. BOSTON, MASSACHUSETTS OCTOBER 1949





Fig. 7. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W OCTOBER 1949






Fig. 9. WHITE SANDS, NEW MEXICO
32.3°N, 106.5°W OCTOBER 1949




Fig. 10. WHITE SANDS, NEW MEXICO OCTOBER 1949




Fig. 11. BATON ROUGE, LOUISIANA
30.5°N, 91.2°W OCTOBER 1949








Fig. 12. BATON ROUGE, LOUISIANA OCTOBER 1949






Fig. 17. GUAM I.
13.6°N, 144.9°E OCTOBER 1949




Fig. 18. GUAM I. OCTOBER 1949




Fig. 19. TRINIDAD, BRIT. WEST INDIES
10.6°N, 61.2°W OCTOBER 1949




Fig. 20. TRINIDAD, BRIT. WEST INDIES OCTOBER 1949




Fig. 21. HUANCAYO, PERU
12°0'S, 75.3°W OCTOBER 1949




Fig. 22. HUANCAYO, PERU OCTOBER 1949




Fig. 23. LINDAU/HARZ, GERMANY
51.6°N, 10.1°E SEPTEMBER 1949




Fig. 24. LINDAU/HARZ, GERMANY SEPTEMBER 1949




Fig. 25. PALMYRA I.
5. 9°N, 162.1°W
SEPTEMBER 1949




Fig. 26. PALMYRA I.
SEPTEMBER 1949




Fig. 27. HUANCAYO, PERU
12.0°S, 75.3°W
SEPTEMBER 1949




Fig. 28. HUANCAYO, PERU
SEPTEMBER 1949




Fig. 29. WAKKANAI, JAPAN
45.4°N, 141.7°E

AUGUST 1949




Fig. 30. WAKKANAI, JAPAN

AUGUST 1949




Fig. 31. FUKAURA, JAPAN
40.6°N, 139.9°E

AUGUST 1949




Fig. 32. FUKAURA, JAPAN

AUGUST 1949




Fig. 33. SHIBATA, JAPAN
37.9°N, 139.3°E AUGUST 1949




Fig. 34. SHIBATA, JAPAN AUGUST 1949




Fig. 35. TOKYO, JAPAN
35.7°N, 139.5°E AUGUST 1949




Fig. 36. TOKYO, JAPAN AUGUST 1949




Fig. 37. YAMAKAWA, JAPAN
31.2°N, 130.6°E

AUGUST 1949




Fig. 38. YAMAKAWA, JAPAN AUGUST 1949




Fig. 39. CHUNGKING, CHINA*
29.4°N, 106.8°E

AUGUST 1949












Fig. 40. CHUNGKING, CHINA AUGUST 1949








Fig. 49. MADRAS, INDIA
13.0°N, 80.2°E JULY 1949




Fig. 50. MADRAS, INDIA JULY 1949




Fig. 51. TIRUCHIRAPALLI, INDIA
10.8°N, 78.8°E JULY 1949








Fig. 52. TIRUCHIRAPALLI, INDIA JULY 1949






Fig. 57. CALCUTTA, INDIA

22.6°N, 88.4°E

JUNE 1949




Fig. 58. CALCUTTA, INDIA

JUNE 1949




Fig. 59. DAKAR, FRENCH W. AFRICA

14.6°N, 17.4°W

JUNE 1949




Fig. 60. DAKAR, FRENCH W. AFRICA

JUNE 1949




Fig. 61. Fribourg, Germany
48.1°N, 7.8°E

MAY 1949




Fig. 62. Fribourg, Germany

MAY 1949




Fig. 63. CALCUTTA, INDIA
22.6°N, 88.4°E

MAY 1949




Fig. 64. CALCUTTA, INDIA

MAY 1949




Fig. 65. DAKAR, FRENCH W. AFRICA
14.6°N, 17.4°W

MAY 1949




Fig. 66. DAKAR, FRENCH W. AFRICA

MAY 1949




Fig. 67. FRIBOURG, GERMANY

48.1°N, 7.8°E

APRIL 1949




Fig. 68. FRIBOURG, GERMANY

APRIL 1949

Index of Tables and Graphs of Ionospheric Datain CRPL-F64

	Table page	Figure page
Baton Rouge, Louisiana		
October 1949	13	49
Bombay, India		
July 1949	16	58
Boston, Massachusetts		
October 1949	13	48
Calcutta, India		
June 1949	17	61
May 1949	18	62
Capetown, Union of S. Africa		
August 1949	16	57
Chungking, China		
August 1949	16	56
July 1949	16	57
Dakar, French West Africa		
June 1949	17	61
May 1949	18	63
Delhi, India		
July 1949	16	58
Fribourg, Germany		
June 1949	17	60
May 1949	18	62
April 1949	18	63
Fukaura, Japan		
August 1949	15	54
Guam I.		
October 1949	14	51
Huancayo, Peru		
October 1949	14	52
September 1949	15	53
Lanchow, China		
June 1949	17	60
Lindau/Harz, Germany		
September 1949	14	52
Madras, India		
July 1949	17	59
Maui, Hawaii		
October 1949	14	50
Oslo, Norway		
October 1949	13	47
Palmyra I.		
September 1949	15	53
San Francisco, California		
October 1949	13	48

Index (CRPL-F64, continued)

	<u>Table page</u>	<u>Figure page</u>
San Juan, Puerto Rico		
October 1949	14	50
Shibata, Japan		
August 1949	15	55
Tiruchirapalli, India		
July 1949	17	59
Tokyo, Japan		
August 1949	15	55
Trinidad, British West Indies		
October 1949	14	51
Wakkanai, Japan		
August 1949	15	54
Washington, D. C.		
November 1949	13	47
White Sands, New Mexico		
October 1949	13	49
Yamakawa, Japan		
August 1949	16	56

CRPL and IRPL Reports

[A list of CRPL Section Reports is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance warnings, every half hour from broadcast station WWV of the National Bureau of Standards.
Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL-J. Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL-Ja. Semimonthly Frequency Revision Factors for CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL-D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499—
monthly supplements to TM 11-499; Dept. of the Navy, DNC-13-1 (), monthly supplements to
DNC-13-1.)

CRPL-F. Ionospheric Data.

Quarterly:

*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

*IRPL-H. Frequency Guide for Operating Personnel.

Circulars of the National Bureau of Standards:

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

Reports issued in past:

IRPL-C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

IRPL-R. Nonscheduled reports:

R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.
R5. Criteria for Ionospheric Storminess.

R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.

R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.

R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.

R12. Short Time Variations in Ionospheric Characteristics.

R14. A Graphical Method for Calculating Ground Reflection Coefficients.

R15. Predicted Limits for F2-Layer Radio Transmission Throughout the Solar Cycle.

R17. Japanese Ionospheric Data—1943.

R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.

R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)

R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.

R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.

R25. The Prediction of Solar Activity as a Basis for the Prediction of Radio Propagation Phenomena.

R26. The Ionosphere as a Measure of Solar Activity.

R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.

R30. Disturbance Rating in Values of IRPL Quality-Figure Scale from A. T. & T. Co. Transmission Disturbance Reports to Replace T. D. Figures as Reported.

R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.

R33. Ionospheric Data on File at IRPL.

R34. The Interpretation of Recorded Values of fEs.

R35. Comparison of Percentage of Total Time of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.

IRPL-T. Reports on tropospheric propagation:

T1. Radar operation and weather. (Superseded by JANP 101.)

T2. Radar coverage and weather. (Superseded by JANP 102.)

CRPL-T3. Tropospheric Propagation and Radio-Meteorology. (Reissue of Columbia Wave Propagation Group WPG-5.)

*Items bearing this symbol are distributed only by U. S. Navy. They are issued under one cover as the DNC-14 series.

~~W. H. D.~~