

CRPL-F 93

Reference book not to be
taken from the Library.

National Bureau of Standards
Library, N. W. Edge

APR 4 1952

IONOSPHERIC DATA

ISSUED

MAY 1952

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
WASHINGTON, D. C.

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	2
World-Wide Sources of Ionospheric Data	5
Hourly Ionospheric Data at Washington, D. C. . .	7, 12, 23, 46
Ionospheric Storminess at Washington, D. C. . . .	7, 35
Radio Propagation Quality Figures	8, 36
Observations of Solar Flares	9, 37
Observations of the Solar Corona	9, 38
Relative Sunspot Numbers	10, 42
Indices of Geomagnetic Activity	11, 44
Sudden Ionosphere Disturbances	11, 45
Tables of Ionospheric Data	12
Graphs of Ionospheric Data	46
Index of Tables and Graphs of Ionospheric Data in CRPL-F93	79

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in Document No. 626-E referred to above.

a. For all ionospheric characteristics:

Values missing because of A, C, F, L, M, N, Q, S, or T are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of f_{oF2} (and f_{oE} near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of $h'F2$ (and $h'E$ near sunrise and sunset) missing for this reason are counted as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For f_{oF2} , as equal to or less than f_{oFl} .
2. For $h'F2$, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic. This practice represents a change from that listed in issues previous to CRPL-F78.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of f'Es missing because of E or G (and B when applied to the daytime E region only) are counted as equal to or less than the median foE, or equal to or less than the lower frequency count of the recorder.

Values of f'Es missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D. C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of the errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when f_{oF2} is less than or equal to f_{oF1} , leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

Ordinarily, a blank space in the f_{Es} column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of f_{oE} . Blank spaces at the beginning and end of columns of $h'F1$, f_{oF1} , $h'E$, and f_{oE} are usually the result of diurnal variation in these characteristics. Complete absence of medians of $h'F1$ and f_{oF1} is usually the result of seasonal effects.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. The following points are worthy of note:

- a. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. Thus, inasmuch as the predicted contours are for the center of each zone, part of the discrepancy between the predicted and observed values as given in the F series may be caused by the fact that the station is not centrally located within the zone.
- b. The final presentation of the predictions is dependent upon the latest available ionospheric and radio propagation data, as well as upon predicted sunspot number.

- c. There is no indication on the graphs of the relative reliability of the data; it is necessary to consult the tables for such information.

The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts:

Month	Predicted Sunspot Number							
	1952	1951	1950	1949	1948	1947	1946	1945
December	53	86	108	114	126	85	38	
November	52	87	112	115	124	83	36	
October	52	90	114	116	119	81	23	
September	54	91	115	117	121	79	22	
August	57	96	111	123	122	77	20	
July	60	101	108	125	116	73		
June	63	103	108	129	112	67		
May	68	102	108	130	109	67		
April	52	74	101	109	133	107	62	
March	52	78	103	111	133	105	51	
February	51	82	103	113	133	90	46	
January	53	85	105	112	130	88	42	

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 66 and figures 1 to 132 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

University of Graz:
Graz, Austria

British Department of Scientific and Industrial Research,
Radio Research Board:
Falkland Is.
Inverness, Scotland
Singapore, British Malaya
Slough, England

Defence Research Board, Canada:

Baker Lake, Canada
Churchill, Canada
Fort Chimo, Canada
Ottawa, Canada
Prince Rupert, Canada
Resolute Bay, Canada
St. John's, Newfoundland
Winnipeg, Canada

French Ministry of Naval Armaments (Section for Scientific Research):

Dakar, French West Africa
Djibouti, French Somaliland
Fribourg, Germany

Institute for Ionospheric Research, Lindau Über Hortheim, Hannover,
Germany:

Lindau/Harz, Germany

The Royal Netherlands Meteorological Institute:

De Bilt, Holland

Icelandic Post and Telegraph Administration:

Reykjavik, Iceland

Radio Regulatory Commission, Tokyo, Japan:

Akita, Japan
Tokyo (Kokubunji), Japan
Wakkanai, Japan
Yamagawa, Japan

Christchurch Geophysical Observatory, New Zealand Department of Scientific
and Industrial Research:

Christchurch, New Zealand
Rarotonga, Cook Is.

Norwegian Defense Research Establishment, Kjeller per Lillestrom, Norway:

Oslo, Norway
Tromso, Norway

South African Council for Scientific and Industrial Research:

Capetown, Union of South Africa
Johannesburg, Union of South Africa

Research Laboratory of Electronics, Chalmers University of Technology.

Gothenburg, Sweden:
Kiruna, Sweden

Research Institute of National Defence, Stockholm, Sweden:
Uppsala, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzerland:
Schwargenburch, Switzerland

United States Army Signal Corps:
Adak, Alaska
Okinawa I.
White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Laboratory):
Anchorage, Alaska
Batavia, Ohio (mobile unit)
Baton Rouge, Louisiana (Louisiana State University)
Fairbanks, Alaska
Guam I.
Huancayo, Peru (Instituto Geofisico de Huancayo)
Maui, Hawaii
Narsarssuak, Greenland
Panama Canal Zone
Point Barrow, Alaska
Puerto Rico, W. I.
San Francisco, California (Stanford University)
Washington, D. C.

HOURLY IONOSPHERIC DATA AT WASHINGTON, D. C.

The data given in tables 67 to 78 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Symbols, Terminology, Conventions." Beginning with September 1949, the data are taken at Ft. Belvoir, Virginia.

IONOSPHERIC STORMINESS AT WASHINGTON, D.C.

Table 79 presents ionosphere character figures for Washington, D. C., during April 1952, as determined by the criteria given in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, geomagnetic K-figures, which are usually covariant with them.

RADIO PROPAGATION QUALITY FIGURES

Table 80 gives provisional radio propagation quality figures for the North Atlantic area, for 01 to 12 and for 13 to 24 GCT, for each day in March 1952. Also indicated in the table are: (1) CRPL radio disturbance warnings for North Atlantic paths, (2) CEPL semi-weekly advance forecasts of probable disturbed periods, and (3) half-day averages of geomagnetic K-indices measured by the Cheltenham Magnetic Observatory of the U. S. Coast and Geodetic Survey.

The radio propagation quality figures are prepared from radio traffic and ionospheric data reported to CRPL by a method similar to that described in IRPL-R31, "North Atlantic Radio Propagation Disturbances, October 1943 through October 1945," now out of print. The reports are submitted on various scales and for various time intervals. The observations for each Greenwich half day are averaged on the quality scale of the original reports. These half-day indices are then adjusted to the 1 to 9 quality figure scale. The conversion table was prepared by comparing the distribution of these indices for at least four months, usually a year, with a master distribution originally determined from analysis of many reports in 1946 made on the 1 to 9 quality figure scale. A report whose distribution is the same as the master is thereby converted linearly to the Q-figure scale. Each report is given a statistical weight which is the reciprocal of the departure from linearity. The half-daily radio propagation quality figures, beginning January 1948, is the weighted mean of the reports received for that period.

These quality figures are, in effect, a consensus of reported radio propagation conditions in the North Atlantic area. The reasons for low quality are not necessarily known and may not be ionospheric storminess alone. For instance, low quality may result from improper frequency usage for the path and time of day. Although, wherever it is reported, frequency usage is included in the rating of reports, it must often be an assumption that the reports refer to optimum working frequencies. It is more difficult to eliminate from the indices conditions of low quality because of multipath, interference, etc. These considerations should be taken into account in interpreting research correlations between the Q-figures and solar, auroral, geomagnetic or similar indices.

Note. The North Pacific quality figures which have been published through October 1951 have been temporarily discontinued. Since the establishment of the North Pacific Radio Warning Service at Anchorage, Alaska, a larger number of reports are being received than were previously available in Washington. The preparation of the quality figures will be resumed when sufficient data have been accumulated for determination of conversion tables for these new reports.

OBSERVATIONS OF SOLAR FLARES

Table 81 gives the preliminary record of solar flares reported to the CRPL. These reports are communicated on a rapid schedule at the sacrifice of detailed accuracy. Definitive and complete records are published later in the Quarterly Bulletin of Solar Activity, I.A.U., in various observatory publications, and elsewhere. The present listing serves to identify and roughly describe the phenomena observed. Details should be sought from the reporting observatory.

Reporting directly to the CRPL are the following observatories: Mt. Wilson, McMath-Hulbert, U. S. Naval, Wendelstein, Kanzel and High Altitude at Sacramento Peak, New Mexico. The remainder report to Meudon (Paris), and the data are taken from the Paris-URSIGram broadcast, monitored fairly regularly by the CRPL. The data on solar flares reported from Sacramento Peak, New Mexico, communicated by the High Altitude Observatory at Boulder, Colorado, are provided by Harvard University as the result of work undertaken on an Air Materiel Command Research and Development Contract administered by the Air Force Cambridge Research Laboratories.

The table lists for each flare the reporting observatory, date, times of beginning and ending of observation, duration (when known), total area (corrected for foreshortening), and heliographic coordinates. For the maximum phase of the flare is given the time, intensity, area relative to the total area, and the importance. The column "SID observed" is to indicate when a sudden ionosphere disturbance, noted elsewhere in these reports, occurred at the time of a flare. Times are in Universal Time (GCT).

OBSERVATIONS OF THE SOLAR CORONA

Tables 82 through 84 give the observations of the solar corona during April 1952 obtained at Climax, Colorado, by the High Altitude Observatory of Harvard University and the University of Colorado. Tables 85 through 87 list the coronal observations obtained at Sacramento Peak, New Mexico, during April 1952, derived by the High Altitude Observatory from spectrograms taken by Harvard University as a part of its performance of an Air Materiel Command Research and Development Contract administered by the Air Force Cambridge Research Laboratories. The data are listed separately for east and west limbs at 5-degree intervals of position angle north and south of the Solar Equator at the limb. The time of observation is given to the nearest tenth of a day, GCT.

Table 82 gives the intensities of the green (5303A) line of the emission spectrum of the solar corona; table 83 gives similarly the intensities of the first red (6374A) coronal line; and table 84, the intensities of the second red (6702A) coronal line; all observed at Climax in April 1952.

Table 85 gives the intensities of the green (5303A) coronal line; table 86, the intensities of the first red (6374A) coronal line; and table 87, the intensities of the second red (6702A) coronal line; all observed at Sacramento Peak in April 1952.

The following symbols are used in tables 82 through 87: a, observation of low weight; -, corona not visible; and X, position angle not included in plates estimates.

RELATIVE SUNSPOT NUMBERS

Table 88 lists the daily provisional Zürich relative sunspot number, R_Z , as communicated by the Swiss Federal Observatory. Table 89 continues the new series of American relative sunspot numbers, R_A' . Beginning with 1951, the observations collected by the Solar Division, AAVSO, have been reduced according to a new procedure, such that only high quality observations of experienced observers are combined into R_A' . Observatory coefficients for each of the 28 selected observers were recomputed on data for 1948-1950, years when there was a wide range of solar activity. Otherwise, the procedure is that outlined in Publication of the Astronomical Society of the Pacific, 61, 13, 1949. The scale of the American numbers in 1951 differs from that of the reports for earlier years because of these changes, and the new series is designated R_A' rather than R_A . The American relative sunspot numbers appear monthly in these pages, as communicated by the Solar Division.

INDICES OF GEOMAGNETIC ACTIVITY

Table 90 lists various indices of geomagnetic activity based on data from magnetic observatories widely distributed throughout the world. The indices are: (1) preliminary international character-figures, C; (2) geomagnetic planetary three-hour-range indices, K_p; (3) magnetically selected quiet and disturbed days.

The C-figure is the arithmetic mean of the subjective classification by all observatories of each day's magnetic activity on a scale of 0 (quiet) to 2 (storm). The magnetically quiet and disturbed days are selected by the international scheme outlined on pages 219-227 in the December 1943 issue of Terrestrial Magnetism and Atmospheric Electricity. The details of the currently used method follow. For each day of a month, its geomagnetic activity is assigned by weighting equally the following four criteria: (1) C; (2) the sum of the eight K_p's; (3) the greatest K_p; and (4) the sums of the squares of the eight K_p's.

K_p is the mean standardized K-index from 11 observatories between geomagnetic latitudes 47 and 63 degrees. The scale is 0 (very quiet) to 9 (extremely disturbed), expressed in thirds of a unit, e.g., 5- is 4 2/3, 5_o is 5 0/3, and 5+ is 5 1/3. This planetary index is designed to measure solar particle-radiation by its magnetic effects, specifically to meet the needs of research workers in the ionospheric field. A complete description of K_p has appeared in Bulletin 12b, "Geomagnetic Indices C and K, 1948," published in Washington, D. C., 1949, by the Association of Terrestrial Magnetism and Electricity, International Union of Geodesy and Geophysics. Tables of K_p for 1945-48 are in Bulletin 12b; for 1940-44 and 1949, in these CRPL-F reports, F65-67; for 1950, monthly in F68 and following issues. Current tables are also published quarterly in the Journal of Geophysical Research along with data on sudden commencements (sc) and solar flare effects (sfe).

The Committee on Characterization of Magnetic Disturbance, ATME, IUGG, has kindly supplied this table. The Meteorological Office, De Bilt, Holland, collects the data and compiles C and selected days. The Chairman of the Committee computes the planetary index.

SUDDEN IONOSPHERE DISTURBANCES

Table 91 lists the sudden ionosphere disturbances observed at Ft. Belvoir, Virginia, April 1952.

TABLES OF IONOSPHERIC DATA

Table 1

Washington, D. C. (38.7°N, 77.1°W)							April 1952
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	3.0				2.8	
01	(300)	2.6				2.8	
02	300	2.4				2.8	
03	300	2.0				2.8	
04	(300)	1.8				3.0	
05	(300)	2.0				2.9	
06	270	3.2	250	—	120	1.7	3.2
07	320	3.9	230	3.4	110	2.3	3.1
08	380	4.3	220	3.8	110	2.6	2.9
09	400	4.7	210	4.0	110	2.8	2.8
10	420	4.9	200	4.2	100	3.0	2.8
11	420	5.1	200	4.3	100	3.1	2.8
12	400	5.4	200	4.3	100	3.2	2.8
13	360	5.7	200	4.2	100	3.2	2.8
14	350	5.8	210	4.2	100	3.1	3.0
15	330	5.6	220	4.1	100	3.0	3.0
16	340	5.4	230	3.9	100	2.7	3.0
17	300	5.4	230	3.5	110	2.4	3.0
18	280	5.6	250	—	120	1.9	3.1
19	250	5.6				3.1	
20	240	5.1				3.1	
21	240	3.8				3.0	
22	280	3.4				2.9	
23	290	3.0				2.8	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 3

Tromso, Norway (69.7°N, 19.0°E)							March 1952
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	---	---				3.8	---
01	---	---				3.5	---
02	---	---				4.0	---
03	---	(2.5)				4.0	(3.0)
04	(295)	(2.4)				3.6	(3.0)
05	(325)	3.0				2.8	2.8
06	(315)	3.3	---	---	1.8	3.1	
07	(265)	3.7	245	—	2.0	3.2	
08	---	4.4	240	—	120	2.2	3.2
09	(300)	4.5	230	3.6	125	2.4	3.2
10	(305)	4.5	240	3.6	120	2.6	2.7
11	300	4.7	240	3.7	130	2.6	3.1
12	290	4.9	235	3.8	130	2.5	3.1
13	275	4.7	240	(3.6)	—	2.5	3.2
14	280	4.4	260	(3.5)	120	2.3	3.1
15	270	4.3	250	—	125	2.1	3.2
16	280	4.0	265	—	2.0	3.0	3.2
17	270	4.1	—	—	120	2.0	3.6
18	270	3.8	—	—	—	3.6	3.2
19	(275)	(3.9)	—	—	—	4.0	(3.1)
20	(295)	(2.8)	—	—	—	4.1	(2.9)
21	---	(2.6)	—	—	—	4.0	—
22	---	---	—	—	—	4.6	—
23	---	---	—	—	—	4.0	—

Time: 15.0°W.

Sweep: 0.6 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 5

Narsarsuaq, Greenland (61.2°N, 45.4°W)							March 1952
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(110)	(2.4)				4.0	(2.6)
01	(400)	—				4.7	—
02	—	—				4.9	—
03	—	—				4.8	—
04	—	—				4.6	—
05	—	—				4.6	—
06	(360)	(3.1)	—	—	—	3.0	(2.8)
07	320	3.6	—	—	—	4.0	(2.9)
08	310	4.0	290	—	140	2.4	2.9
09	400	4.1	(280)	(3.5)	(140)	(2.5)	2.7
10	420	4.6	260	3.6	(140)	(2.6)	2.6
11	400	5.0	270	3.8	(150)	(2.7)	2.7
12	450	5.0	280	3.8	(110)	2.7	2.6
13	460	5.1	300	3.8	(110)	(2.6)	2.7
14	410	(5.0)	300	3.5	150	2.7	(2.7)
15	400	(4.8)	300	(3.5)	(140)	—	2.9
16	380	(4.6)	300	—	140	2.4	2.8
17	(330)	(4.1)	310	—	150	(2.0)	4.4
18	(330)	(3.9)	—	—	—	5.4	(2.7)
19	(360)	(3.5)	—	—	—	5.6	(2.7)
20	(370)	(3.0)	—	—	—	5.5	(2.6)
21	(370)	(3.0)	—	—	—	6.5	(2.6)
22	(100)	(3.0)	—	—	—	6.0	(2.6)
23	(410)	(2.5)	—	—	—	5.2	(2.5)

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 2

Point Barrow, Alaska (71.3°N, 156.8°W)							March 1952
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(250)	(3.1)					7.0 (3.1)
01	—	—	(3.2)				6.5 —
02	—	—					6.8 —
03	(260)	(2.8)					5.0 (3.0)
04	(310)	(2.8)					5.2 (2.9)
05	(300)	(>3.0)					5.2 (3.0)
06	(310)	(>3.1)					4.9 (3.0)
07	(300)	(3.1)					5.0 (3.1)
08	—	(3.7)	—	—	100	—	5.3 (3.0)
09	—	—	—	—	100	2.3	4.5 (3.0)
10	(310)	3.8	210	—	3.3	100	2.5 4.4
11	280	4.0	230	—	3.4	100	2.5 4.1
12	320	3.9	220	—	3.5	110	2.6 3.2
13	360	4.1	230	—	3.5	100	2.7 3.1
14	330	4.4	220	—	3.5	110	2.5 3.0
15	290	4.4	230	—	3.4	110	2.4 3.2
16	260	4.0	230	—	3.2	110	2.3 3.1
17	240	3.9	230	—	2.9	110	2.0 2.0
18	250	3.6	—	—	—	—	3.0 3.1
19	250	(3.2)	—	—	—	—	3.9 (3.1)
20	280	2.6	—	—	—	—	5.0 (3.1)
21	(310)	(2.1)	—	—	—	—	7.3 (2.9)
22	—	—	—	—	—	—	7.0 —
23	—	(3.0)	—	—	—	—	6.8 —

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 4

Anchorage, Alaska (61.2°N, 149.9°W)							March 1952
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	2.0					2.7 3.0
01	(320)	(1.9)					3.0 (2.8)
02	(360)	(2.5)					2.6 3.0
03	360	2.7					2.5 2.8
04	340	2.3					3.0 3.0
05	320	2.1					3.0 3.0
06	290	2.7					3.1 3.1
07	280	3.4	210	—	110	1.8	3.2 3.2
08	270	3.9	220	—	110	2.3	3.2 3.2
09	310	4.2	220	—	3.4	100	2.4 3.0
10	350	4.4	220	—	3.6	100	2.6 3.1
11	330	4.6	210	—	3.8	100	2.7 3.2
12	300	5.0	220	—	3.8	100	2.8 3.2
13	340	4.5	220	—	3.7	110	2.9 3.0
14	320	4.9	220	—	3.9	110	2.6 3.1
15	270	5.1	225	—	3.8	110	2.5 3.1
16	295	5.1	225	—	3.7	115	2.6 3.2
17	265	5.2	225	—	3.6	115	2.4 3.2
18	250	4.4	235	—	120	1.8	3.2 3.2
19	245	4.4	—	—	—	E	3.1 3.1
20	250	4.1	—	—	—	—	3.1 3.1
21	280	2.9	—	—	—	—	3.2 3.2
22	305	2.9	—	—	—	—	3.0 3.0
23	320	2.6	—	—	—	—	2.9 2.9

Time: 15.0°W.

Sweep: 1.3 Mc to 14.0 Mc in 8 minutes, automatic operation.

Table 7

Uppsala, Sweden (59.8°N , 17.6°E)

March 1952

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	325	2.1						(2.6)
01	330	2.2						2.6
02	355	2.0						(2.6)
03	350	2.0						(2.5)
04	350	1.9						2.6
05	320	2.0						2.8
06	280	2.8						3.0
07	260	3.5	235	---	130	1.9		3.1
08	260	4.1	230	3.3	120	2.2		3.1
09	320	4.5	225	3.7	120	2.4		3.1
10	320	4.8	220	3.8	115	2.5		3.1
11	320	5.0	220	3.9	115	2.6		3.1
12	305	5.0	220	4.0	115	2.7		3.1
13	300	5.2	220	3.9	115	2.6		3.1
14	300	5.2	230	3.8	115	2.6		3.2
15	270	5.1	230	3.5	115	2.5		3.2
16	250	5.0	235	(3.3)	120	2.2		3.2
17	260	4.7	250	---	135	1.8		3.1
18	250	4.8	---	---	---	E		3.0
19	250	4.2						3.0
20	250	3.2						3.0
21	300	2.8						2.9
22	315	2.3						2.7
23	325	2.2						(2.7)

Time: 15.0°E .

Sweep: 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 9

Graz, Austria (47.1°N , 15.5°E)

March 1952

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	310	3.1						
01	310	3.0						
02	300	3.0						
03	300	3.0						
04	300	2.9						
05	265	2.6						
06	270	2.8						
07	210	4.2						
08	210	4.9	200	3.7				
09	270	5.6	210	3.9				
10	270	5.9	200	4.0	115	3.0		
11	280	6.0	200	4.1				
12	280	6.4	200	4.2	110	3.2		
13	280	6.5	200	4.1	110	3.2		
14	260	6.2	200	4.0	110	3.2		
15	250	6.1	210	3.9	3.1			
16	250	6.0	210	3.8				
17	210	6.2						
18	240	6.1						
19	210	5.8						
20	250	5.1						
21	260	3.6						
22	300	3.3						
23	310	3.2						

Time: 15.0°E .

Sweep: 2.5 Mc to 12.0 Mc in 2 minutes.

Table 11

San Francisco, California (37.8°N , 122.2°W)

March 1952

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	3.2						2.9
01	280	3.2						
02	280	3.2						2.9
03	280	3.1						
04	270	3.1						2.9
05	270	3.0						
06	270	3.2						3.1
07	270	4.4	250	3.1	---	---		3.2
08	280	5.2	230	3.6	120	2.5	2.7	3.2
09	310	5.3	210	4.0	110	2.8	3.1	
10	310	5.6	210	4.2	110	3.0	3.2	
11	330	5.3	210	4.2	110	3.1	3.0	
12	330	6.4	210	4.3	110	3.2	3.0	
13	310	6.4	220	4.3	120	3.2	3.0	
14	300	6.5	220	4.2	120	3.1	3.2	
15	280	6.1	220	4.1	120	3.0	3.2	
16	270	5.9	230	3.8	120	2.7	3.2	
17	250	5.3	230	---	120	2.2	3.3	
18	230	5.4						3.4
19	230	4.2						3.2
20	250	3.6						3.1
21	270	3.2						3.0
22	280	3.3						3.0
23	270	3.2						3.0

Time: 120.0°W .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 8

Adak, Alaska (51.9°N , 176.6°W)

March 1952

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	290							2.9
01	300							2.8
02	300							2.8
03	290	(2.6)						(2.9)
04	290	(2.5)						(2.9)
05	290	2.4						(3.0)
06	280	(2.9)	290	2.7	130	1.6	2.5	3.1
07	260	4.1	250	3.1	120	2.0	1.9	3.1
08	(280)	4.7	230	3.6	120	2.3	3.6	3.1
09	320	5.0	220	3.8	110	2.6	5.4	3.1
10	300	5.6	220	4.0	110	2.8	4.0	3.0
11	300	6.1	210	4.1	120	2.9	5.1	3.2
12	280	6.1	210	4.1	110	3.0	4.0	3.1
13	280	6.1	220	4.1	110	2.8	3.9	3.2
14	270	6.2	220	4.0	110	(2.8)	3.6	3.3
15	260	6.6	220	4.1	120	2.6	2.2	3.3
16	260	6.1	240	---	120	2.4	2.3	3.3
17	240	5.7	240	---	120	2.0	1.8	3.4
18	230	5.2						3.3
19	240	4.8						3.1
20	240	4.0						3.2
21	250	3.4						3.1
22	260	3.1						3.0
23	280	2.8						2.9

Time: 180.0°W .

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 10

Batavia, Ohio (39.1°N , 84.1°W)

March 1952

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	---							2.9
01	---							(2.9)
02	---							(2.8)
03	---							(2.9)
04	---							(2.9)
05	---							(2.9)
06	---							(2.9)
07	250	3.3						3.2
08	250	4.2	230	3.4	110	(2.1)		3.3
09	280	4.8	210	3.7	110	2.5		3.2
10	310	5.0	200	4.0	110	2.7		3.1
11	320	5.8	190	4.1	110	2.8		3.1
12	300	6.1	190	4.3	110	2.9		3.1
13	300	6.4	210	4.3	110	3.1		3.0
14	300	6.8	210	4.2	110	3.0		3.1
15	290	6.6	220	4.1	120	2.8		3.1
16	290	6.6	220	3.8	110	2.7		3.2
17	260	7.4	200	4.3	110	3.2		3.0
18	300	7.4	220	4.3	110	3.2		3.1
19	290	7.3	220	4.3	110	3.1		3.2
20	290	7.1	220	4.2	110	3.0		3.2
21	270	6.9	220	3.8	110	2.7		3.2
22	250	6.9	240	---	110	2.4		3.2
23	290	6.3						3.3

Time: 75.0°W .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 12

White Sands, New Mexico (32.3°N , 106.5°W)

March 1952

Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	280	3.2						2.9
01	280	3.2						
02	270	3.2						3.0
03	260	3.2						3.0
04	260	3.1						3.0
05	280	3.0						3.0
06	260	3.3						3.1
07	250	4.8	240	---	120	1.9	3.3	
08	270	5.4	220	3.7	110	2.4	3.0	
09	300	5.7	210	4.0	100	2.8	3.2	
10	300	6.0	200	4.2	100	3.0	3.3	
11	320	6.9	200	4.3	100	3.1	3.4	
12	300	7.4	200	4.3	110	3.2	3.3	
13	300	7.4	220	4.3	110	3.2	3.0	
14	290	7.3	220	4.3	110	3.1	3.2	
15	290	7.1	220	4.2	110	3.0	2.7	
16	270	6.9	220	3.8	110	2.7	2.4	
17	250	6.9	240	---	110	2.4	3.1	
18	230	6.2						3.4
19	220	4.5						2.3
20	250	3.7						3.3
21								

Table 13

Baton Rouge, Louisiana (30.5°N, 91.2°W)								March 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	300	3.6						2.9	
01	300	3.5						2.9	
02	280	3.6						2.9	
03	250	3.3						3.0	
04	280	3.2						2.9	
05	300	3.2						2.9	
06	270	3.6						3.0	
07	260	5.1	240	---	130	2.1		3.3	
08	280	5.5	240	---	120	2.5	3.9	3.2	
09	300	6.0	220	(4.0)	120	(2.8)	4.7	3.1	
10	330	6.3	210	4.4	110	3.0	4.0	3.0	
11	330	7.1	210	4.5	110	3.2	4.0	3.0	
12	320	7.7	240	4.5	110	3.3	3.7	3.0	
13	310	8.4	240	4.4	120	3.2	4.2	3.0	
14	300	8.0	230	4.4	120	3.2	4.0	3.0	
15	300	8.0	210	4.3	120	2.9	4.6	3.1	
16	280	7.5	240	(4.0)	120	2.7	3.9	3.2	
17	260	7.2	250	---	130	2.2		3.2	
18	240	6.6						3.3	
19	240	5.0						3.2	
20	270	3.7						2.9	
21	300	3.6						2.9	
22	300	3.6						2.8	
23	300	3.6						2.9	

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 15

Maui, Hawaii (20.8°N, 156.5°W)								March 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	270	3.6						3.0	
01	260	3.1						3.0	
02	270	3.1						3.0	
03	250	2.9						1.6	
04	260	2.8						3.2	
05	270	2.4						3.2	
06	280	2.6						1.8	
07	250	5.2						1.7	
08	(260)	6.7	240	---	130	1.7	1.5	3.3	
09	(290)	7.6	220	---	120	2.1	3.1	3.2	
10	300	9.1	210	4.5	120	3.0	4.1	2.9	
11	310	9.9	210	(4.6)	120	3.2	4.6	2.8	
12	340	11.0	210	4.7	120	3.3	4.3	2.8	
13	320	12.3	210	4.7	120	3.3	4.2	2.9	
14	300	13.2	220	4.6	110	3.3	3.9	3.0	
15	280	13.1	210	4.5	110	3.1	3.6	3.1	
16	270	12.2	210	4.2	120	2.9	4.0	3.2	
17	250	11.9	240	---	120	2.4	3.9	3.2	
18	230	10.1						3.4	
19	220	7.0						3.3	
20	240	5.5						2.7	
21	260	4.1						3.0	
22	280	3.8						2.8	
23	280	3.7						2.9	

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 17

Panama Canal Zone (9.1°N, 79.9°W)								March 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	300	4.0						2.7	
01	260	4.3						2.8	
02	240	3.6						2.2	
03	240	3.3						3.1	
04	270	2.8						2.7	
05	280	2.8						2.8	
06	300	(3.0)						2.9	
07	260	5.3	---	---	130	1.9	3.9	3.2	
08	280	6.7	240	---	120	2.6	3.4	3.0	
09	310	7.9	210	4.5	120	3.0	4.1	2.9	
10	330	9.0	210	4.7	110	3.3	4.1	2.8	
11	330	10.3	220	4.7	110	3.5	4.2	2.8	
12	340	10.8	220	4.7	110	3.5	4.1	2.8	
13	350	11.6	220	4.7	110	3.5	3.9	2.7	
14	330	12.7	220	4.7	110	3.4	4.5	2.8	
15	300	13.8	220	4.6	110	3.2	4.4	3.0	
16	280	13.1	210	4.4	110	3.0	4.6	3.0	
17	270	12.0	250	---	120	2.6	4.2	3.0	
18	240	10.6	---	---				3.1	
19	230	9.0						3.0	
20	250	6.9						2.9	
21	250	5.6						2.8	
22	270	4.1						2.7	
23	300	3.8						2.7	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 14

Okinawa I. (26.3°N, 127.8°E)								March 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	300	4.6							2.8
01	280	4.6							2.9
02	270	4.3							3.0
03	250	3.7							3.1
04	270	3.0							3.0
05	(280)	2.7							3.0
06	280	3.8							3.1
07	250	6.2	---	---	130	2.0	2.0		3.4
08	260	7.2	250	---	120	2.5	3.2		3.2
09	290	8.2	240	---	120	(3.0)	3.8		3.1
10	310	9.4	230	---	120	(3.2)	4.2		2.9
11	320	10.9	240	4.5	120	3.3	4.7		2.8
12	320	12.8	(240)	4.5	120	3.3	4.7		3.0
13	310	13.7	250	(4.5)	120	3.3	4.4		3.0
14	300	14.2	250	---	120	3.4	4.1		3.0
15	290	13.2	250	---	120	3.1	4.1		3.0
16	280	12.2	250	---	120	2.8	3.8		3.1
17	260	11.4	260	---	130	2.3	3.5		3.2
18	250	9.6							3.2
19	230	8.0							3.3
20	(250)	5.9							2.9
21	(300)	4.8							2.6
22	(320)	4.8							2.7
23	320	4.8							2.7

Time: 127.5°E.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 16

Puerto Rico, W.I. (18.5°N, 67.2°W)								March 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	280	4.3							3.0
01	260	4.4							3.1
02	250	4.1							3.2
03	230	4.0							3.3
04	240	3.6							3.1
05	250	3.2							2.9
06	(270)	3.1							3.0
07	230	4.9	---	---	(120)	1.8			3.5
08	240	5.8	220	---	100	(2.4)			3.4
09	270	6.6	220	---	100	2.8			3.3
10	280	7.8	220	(4.4)	100	3.1			3.2
11	280	8.9	220	(4.5)	100	3.3			3.1
12	280	9.4	210	4.5	100	3.4			3.1
13	280	9.5	220	(4.5)	100	3.4			3.1
14	280	9.9	220	(4.5)	100	3.3			3.2
15	270	9.9	220	(4.4)	100	3.2			3.2
16	260	9.5	220	---	100	3.0			3.0
17	250	8.6	220	---	100	2.5			3.0
18	220	8.1	230	---	110	---			3.4
19	210	6.8							3.4
20	220	5.2							3.1
21	240	4.6							3.0
22	280	4.2							2.9
23	290	4.2							2.9

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 18

Huancayo, Peru (12.0°S, 75.3°W)								March 1952	
Time	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2	
00	210	8.1							3.4
01	210	7.6							3.3
02	230	5.6							3.2
03	240	4.7							3.3
04	240	3.8							3.4
05	250	3.6							3.3
06	250	4.1							3.2
07	230	7.3	---	---	110	2.2	5.1		3.4
08	(260)	8.9	220	---	110	---			

Table 19
Resolute Bay, Canada (74.7°N , 94.9°W)

Time	February 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	250	3.2					3.0
01	250	2.8					2.9
02	260	3.0					2.9
03	250	3.3					2.9
04	270	3.0					3.0
05	270	3.0					3.0
06	260	3.2					3.0
07	250	3.3					2.9
08	260	3.8					3.0
09	250	3.4					3.0
10	250	3.6					3.0
11	250	3.8					3.0
12	260	4.2					3.0
13	260	4.4					3.0
14	250	4.4					3.0
15	250	4.2					3.0
16	240	4.5					3.0
17	250	4.2					2.9
18	250	4.0					2.9
19	250	3.9					2.9
20	260	3.7					3.0
21	270	3.5					2.9
22	260	3.4					2.9
23	260	3.4					2.9

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 21

Time	February 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	---	---					5.2
01	---	---					5.7
02	---	---					6.2
03	---	---					6.0
04	---	---					5.9
05	(310)	(3.0)					5.5
06	(300)	(3.0)					(2.8)
07	(290)	(3.0)					3.0
08	(260)	(3.5)					(3.1)
09	260	4.2					3.2
10	260	4.6					3.2
11	260	5.1					3.2
12	260	5.2					3.2
13	260	5.4					3.2
14	240	5.6					3.2
15	250	5.4					3.3
16	210	5.4					3.3
17	250	4.8					3.2
18	240	4.3					(3.1)
19	(240)	(3.0)					3.2
20	(280)	(2.5)					2.6
21	---	---					5.0
22	---	---					5.0
23	---	---					5.0

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 23

Time	February 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	320	(2.9)					6.1
01	320	(3.0)					6.0
02	320	(3.0)					6.0
03	(310)	(2.6)					5.0
04	(310)	(3.0)					5.0
05	(300)	(3.4)					2.7
06	---	(3.5)					2.7
07	(400)	(4.1)					3.0
08	330	4.0					4.0
09	280	4.6					3.0
10	290	5.0					2.7
11	280	5.4					3.2
12	300	5.5	230		2.7		3.0
13	300	6.0	250	3.7			3.0
14	300	6.3	240	3.6	120	(2.6)	3.0
15	280	5.8	240	3.6	130	2.5	3.1
16	260	5.2	---	---	120	2.7	3.0
17	260	5.0	---	---	130	2.6	3.0
18	280	4.3	---	---	120	2.6	3.0
19	300	3.8	---	---	120	2.5	3.0
20	300	(3.6)	---	---	120	2.4	(3.0)
21	260	(3.4)	---	---	120	(2.3)	7.0
22	300	(3.0)	---	---	120	7.0	(3.2)
23	300	(2.8)	---	---	120	7.0	(3.2)

Time: 90.0°W.

Sweep: 0.6 Mc to 20.0 Mc in 15 seconds.

Table 20
Kiruna, Sweden (67.8°N , 20.5°E)

Time	February 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	---	---	(2.9)				4.1
01	---	---	(3.0)				3.5
02	---	---	2.8				4.1
03	(300)		3.0				3.4
04	(310)		3.0				2.7
05	(280)		3.2				2.2
06	(280)		2.7				
07	260	3.1					1.0
08	240	3.8					
09	215	4.4					
10	240	5.0					
11	240	5.6					2.3
12	240	5.7					2.2
13	250	5.5					2.1
14	240	5.2					
15	235	4.5					
16	220	4.2					
17	240	3.9					2.4
18	250	3.2					2.3
19	(260)	3.2					4.0
20	(260)	(2.8)					4.0
21	---	(3.0)					4.0
22	---	(3.2)					4.2
23	---	(2.9)					3.9

Time: 15.0°E.

Sweep: 0.8 Mc to 15.0 Mc in 30 seconds.

Table 22

Time	February 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	300	2.8					7.5
01	300	2.8					6.9
02	300	2.7					5.1
03	310	2.7					5.0
04	330	2.7			150	1.8	2.6
05	350	(2.6)			160	(1.8)	2.7
06	300	2.7			120	(1.7)	2.6
07	300	(2.8)			120	1.9	6.0
08	320	3.2			120	2.3	7.0
09	310	3.5			120	2.4	4.0
10	310	4.0			110	2.9	2.9
11	300	4.4			120	3.1	2.9
12	300	5.0			120	2.9	2.8
13	320	5.2	300	3.5	130	3.0	2.8
14	320	5.8	290	3.3	120	2.6	2.7
15	300	5.2	290	3.1	120	2.5	2.8
16	300	5.0	---	---	130	2.4	2.8
17	300	4.3	---	---	120	2.5	2.4
18	300	3.8	---	---	130	(1.8)	3.7
19	300	3.5	---	---	130	1.8	5.0
20	300	3.3	---	---	100	2.8	2.7
21	290	3.3	---	---	100	2.8	5.0
22	300	3.0	---	---	110	2.3	5.2
23	300	2.9	---	---	100	2.5	2.7

Time: 90.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 24

Time	February 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(280)	3.0			100	2.9	4.6
01	(300)	2.7			100	2.6	4.2
02	---	(2.6)			100	3.1	4.0
03	---	(3.3)			100	3.3	4.0
04	(310)	(3.0)			100	3.0	4.0
05	(300)	(2.7)			100	2.8	4.1
06	(310)	(2.7)			100	2.8	4.5
07	270	3.6			100	2.7	3.2
08	260	4.4			100	2.7	3.2
09	250	4.8			100	2.7	3.2
10	260	5.3			100	2.6	3.2
11	290	5.9	240	3.7	100	2.7	3.0
12	300	6.0	220	3.8	110	2.7	3.0
13	300	5.5	230	3.8	100	2.6	3.0
14	270	5.2	200	3.6	100	2.4	3.1
15	250	5.1	240	3.6	110	2.3	3.0
16	260	4.2	---	---	100	2.5	1.7
17	260	3.8	---	---	100	2.8	1.3
18	300	3.3	---	---	100	2.8	4.6
19	260	3.2	---	---	100	2.8	4.6
20	(240)	3.2	---	---	100	2.8	5.9
21	(300)	2.8	---	---	100	2.3	5.0
22	270	2.8	---	---	100	2.0	5.1
23	(280)	2.8	---	---	100	2.5	---

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 21

Time	February 1952							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	310	1.7					3.0	
01	310	1.8					3.0	
02	300	1.9					3.0	
03	320	1.9					2.9	
04	330	1.8					3.0	
05	310	1.9					2.8	
06	350	1.9					2.8	
07	300	2.0					2.9	
08	280	3.0					3.0	
09	240	4.2	---	---	110	2.0	3.1	
10	260	5.0	230	3.3	110	2.3	3.1	
11	290	5.4	220	3.1	110	2.5	3.0	
12	290	5.8	220	3.7	110	2.7	3.0	
13	290	6.2	220	3.5	110	2.7	3.0	
14	280	6.5	220	3.7	120	2.7	3.0	
15	250	6.5	230	---	120	2.4	3.1	
16	240	5.8	240	---	110	2.2	3.2	
17	240	6.0	---	---	120	2.0	3.1	
18	230	5.2					3.1	
19	230	4.1					3.0	
20	240	3.0					3.0	
21	270	2.0					3.0	
22	290	1.9					3.0	
23	280	1.8					3.0	

Time: 120.0°W.

Sweep: 0.6 Mc to 20.0 Mc in 15 seconds.

Table 22

Time	February 1952							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	2.6				2.0	2.0	
01	280	2.6				2.1	2.0	
02	280	2.6				2.2	2.0	
03	280	2.6				2.2	2.0	
04	280	2.4				2.2	2.0	
05	280	2.0				2.2	2.0	
06	290	2.0				2.2	2.0	
07	270	2.5				2.1	2.0	
08	230	4.6	---	---	E	2.0	3.1	
09	230	>5.6	220	100	2.2	3.2	3.1	
10	210	6.1	210	120	2.1	3.2	3.1	
11	240	6.5	210	110	2.6	3.4	3.1	
12	240	6.6	210	110	2.6	3.4	3.1	
13	240	6.4	210	100	2.7	3.4	3.1	
14	240	6.6	210	100	2.6	3.1	3.1	
15	240	6.2	220	110	2.4	3.2	3.4	
16	230	5.9	230	100	2.2	2.9	3.4	
17	220	5.4	---	---	E	3.1	3.4	
18	220	5.0				3.0	3.2	
19	220	4.4				2.9	3.2	
20	250	3.5				2.0	3.1	
21	280	2.9				2.1	3.0	
22	310	2.9				2.1	3.1	
23	290	2.6				2.1	2.7	

Time: 120.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute.

Table 23

Time	February 1952							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	310	2.4					2.9	
01	310	2.4					2.9	
02	310	2.2					2.9	
03	300	2.0					3.0	
04	300	2.1					3.0	
05	300	2.0					3.1	
06	300	2.2					3.1	
07	250	4.0	---	---	120	1.9	3.4	
08	230	5.0	210	2.2	110	2.3	3.4	
09	250	5.6	220	3.6	110	2.5	3.4	
10	290	6.0	210	3.0	110	2.8	3.3	
11	280	6.4	210	1.0	110	2.8	3.3	
12	290	6.6	210	1.0	110	2.9	3.3	
13	280	6.7	220	1.0	110	2.8	3.3	
14	280	6.8	220	3.0	110	2.7	3.3	
15	260	6.7	230	3.5	120	2.4	3.3	
16	250	6.1	240	2.9	110	2.0	3.3	
17	240	5.6	---	---			3.3	
18	240	5.5					3.2	
19	250	4.4					3.2	
20	260	3.8					3.2	
21	300	3.2					3.0	
22	300	2.8					2.9	
23	300	2.7					3.0	

Time: 60.0°W.

Sweep: 0.6 Mc to 20.0 Mc in 15 seconds.

Table 24

Prince Rupert, Canada (54.3°N, 130.3°W)

February 1952

(M3000)F2

February 1952

Table 25

De Bilt, Holland (52.1°N, 5.2°E)

February 1952

(M3000)F2

February 1952

Table 26

Winnipeg, Canada (49.9°N, 97.1°W)

February 1952

(M3000)F2

February 1952

Table 27

Lindau/Harz, Germany (51.6°N, 10.1°E)

February 1952

(M3000)F2

February 1952

Table 28

Schwarzenburg, Switzerland (46.8°N, 7.3°E)

February 1952

(M3000)F2

February 1952

Table 29

St. John's, Newfoundland (47.6°N, 52.7°W)

February 1952

(M3000)F2

February 1952

Table 30

Timaru, New Zealand (37.8°S, 175.0°E)

February 1952

(M3000)F2

February 1952

Table 31

Tasmania, Australia (40.8°S, 145.0°E)

February 1952

(M3000)F2

February 1952

Table 32

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 33

Auckland, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 34

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 35

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 36

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 37

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 38

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 39

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 40

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 41

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 42

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 43

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 44

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 45

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 46

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 47

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 48

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 49

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 50

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 51

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 52

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 53

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

(M3000)F2

February 1952

Table 54

Wellington, New Zealand (36.8°S, 174.7°E)

February 1952

Table 31

Ottawa, Canada (45.4°N , 75.7°W)

February 1952

Time	$\text{h}^{\circ}\text{F2}$	foF2	$\text{h}^{\circ}\text{F1}$	foF1	h°E	foE	fEs	(M3000)F2
00	300	2.1						2.8
01	320	2.3						2.8
02	300	2.2						2.8
03	300	1.9						2.5
04	300	2.0						2.8
05	310	2.0						2.8
06	(300)	1.9						2.9
07	260	3.1	110	1.9				3.0
08	210	4.6	---	---	120	2.1		3.2
09	250	5.3	220	3.2	110	2.4		3.2
10	260	6.0	220	3.8	120	2.7		3.1
11	280	6.1	220	3.9	110	2.8		3.1
12	280	6.6	220	4.0	110	2.8		3.1
13	280	6.7	220	4.0	110	2.9		3.0
14	280	7.0	220	3.9	110	2.8		3.0
15	270	7.0	230	3.7	120	2.6		3.0
16	250	6.7	240	---	120	2.2		3.1
17	240	6.2	---	---	---			3.0
18	210	5.5						3.0
19	240	5.0						3.0
20	250	3.9						3.0
21	280	3.0						3.0
22	300	2.7						2.9
23	300	2.7						2.8

Time: 75.0°W .

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 32

Reykjavik, Iceland (64.1°N , 21.8°W)

January 1952

Time	$\text{h}^{\circ}\text{F2}$	foF2	$\text{h}^{\circ}\text{F1}$	foF1	h°E	foE	fEs	(M3000)F2
00	---	---						4.4
01	---	---						4.6
02	(340)	(3.4)						4.2
03	---	---						4.6
04	(310)	(2.5)						3.9
05	290	2.8						3.0
06	280	2.8						(2.9)
07	(270)	(2.4)						(2.2)
08	(260)	(2.3)						(3.2)
09	(240)	2.9						(3.1)
10	240	4.0						3.2
11	220	4.8						3.3
12	230	5.4						3.5
13	230	5.6						3.4
14	230	5.2						3.3
15	240	5.0						3.3
16	220	4.7						3.3
17	250	(3.3)						2.0
18	(260)	(3.0)						3.0
19	(310)	(2.7)						(3.1)
20	---	---						4.1
21	(300)	---						4.2
22	---	---						4.5
23	---	---						5.5

Time: 15.0°W .

Sweep: 1.0 Mc to 25.0 Mc in 18 seconds.

Table 33

Wakkanai, Japan (45.4°N , 141.7°E)

January 1952

Time	$\text{h}^{\circ}\text{F2}$	foF2	$\text{h}^{\circ}\text{F1}$	foF1	h°E	foE	fEs	(M3000)F2
00	310	3.2						2.8
01	320	3.1						2.7
02	310	3.2						2.7
03	300	3.3						2.8
04	290	3.0						2.8
05	280	3.0						2.8
06	300	2.6						2.9
07	290	4.2	---	---				2.9
08	270	5.7	120	2.2				3.2
09	280	7.4	130	2.6				3.1
10	280	8.4	140	2.8				3.1
11	270	8.2	---	---	120	2.8		3.2
12	280	7.7	260	4.0	130	---		3.1
13	280	7.1	---	---	120	2.8		3.1
14	280	7.2	---	---	130	2.6		3.2
15	270	6.5	---	---	120	---		3.2
16	260	5.6	---	---	---			3.2
17	280	4.1						3.0
18	290	4.0						3.0
19	300	3.2						3.0
20	300	3.0						2.8
21	370	3.0						2.7
22	350	3.0						2.6
23	350	3.2						2.7

Time: 135.0°E .

Sweep: 1.0 Mc to 15.5 Mc in 2 minutes.

Table 34

Akita, Japan (39.7°N , 140.1°E)

January 1952

Time	$\text{h}^{\circ}\text{F2}$	foF2	$\text{h}^{\circ}\text{F1}$	foF1	h°E	foE	fEs	(M3000)F2
00	300	3.2						1.4
01	290	3.2						1.8
02	260	3.3						1.4
03	250	3.1						1.6
04	250	3.0						1.2
05	280	2.8						3.0
06	270	2.6						3.0
07	240	4.6						3.3
08	220	6.1	---	---	120	2.0		3.5
09	240	7.3	230		---	110	2.6	3.3
10	250	8.9	230		4.0	110	2.8	3.4
11	240	9.2	230		4.2	110	2.9	3.4
12	230	7.8	220		4.2	110	3.0	3.5
13	230	7.0	220		4.0	110	2.9	3.4
14	230	7.0	220		3.7	110	2.8	3.4
15	230	6.6	220		3.3	110	2.4	3.5
16	220	5.8	---	---	120	2.0		3.5
17	220	4.5						1.7
18	230	3.8						2.0
19	230	3.7						3.2
20	250	3.2						3.2
21	290	2.9						2.9
22	300	3.0						2.8
23	300	3.4						2.8

Time: 135.0°E .

Sweep: 1.0 Mc to 17.0 Mc in 15 minutes, manual operation.

Table 35

Tokyo, Japan (35.7°N , 139.5°E)

January 1952

Time	$\text{h}^{\circ}\text{F2}$	foF2	$\text{h}^{\circ}\text{F1}$	foF1	h°E	foE	fEs	(M3000)F2
00	300	3.0			2.0			2.8
01	300	3.1			2.0			2.9
02	260	3.3			2.0			3.0
03	260	3.0			1.8			3.0
04	290	2.6			1.7			2.9
05	300	2.6						2.9
06	280	2.6						3.1
07	240	4.7	---	---	150	1.6		3.3
08	210	6.3	210	2.2	110	2.6		3.1
09	210	7.0	210	---	110	2.6		3.3
10	270	9.3	230	4.1	120	2.9		3.3
11	260	10.0	230	4.5	110	3.0		3.3
12	260	8.1	230	---	110	3.1		3.4
13	260	7.5	230	4.3	110	3.0		3.3
14	260	7.0	230	---	110	2.9		3.3
15	250	7.1	230	---	110	2.5		3.1
16	230	5.9	---	---	110	2.1		3.1
17	230	4.8	---	---	110	1.5		3.3
18	210	4.0				1.7		3.1
19	250	3.7						3.2
20	250	3.4				1.8		3.2
21	270	3.0						3.0
22	310	2.8				1.7		2.8
23	320	3.0						2.8

Time: 135.0°E .

Sweep: 1.0 Mc to 17.2 Mc in 2 minutes.

Table 36

Yamagawa, Japan (31.2°N , 130.6°E)

January 1952

Time	$\text{h}^{\circ}\text{F2}$	foF2	$\text{h}^{\circ}\text{F1}$	foF1	h°E	foE	fEs	(M3000)F2
00	300	3.0						2.2
01	280	3.0						2.0
02	260	3.2						2.5
03	240	3.2						2.5
04	230	2.7						2.0
05	300	2.4						2.2
06	290	2.1						1.9
07	250	3.2						3.1
08	230	6.0						3.5
09	230	6.7	210		---	110	2.5	3.4
10	250	7.6	220		---	100	2.8	3.3
11	250	9.3	220		4.5	100	3.1	3.4
12	250	9.6	220		4.6	100	3.2	4.5
13	250	8.1	220		4.5	100	3.2	4

Table 37

Time	January 1952					
	h'F2	foF2	h'F1	foF1	h'E	foE
						(M3000)F2
00	240	5.4				3.1
01	260	5.0			3.2	
02	250	4.6			3.2	
03	240	3.8			3.3	
04	250	3.4			3.2	
05	270	2.6			3.2	
06	(270)	2.8			3.2	
07	260	4.6			3.3	
08	(270)	7.2	240	---	120	2.5
09	290	9.4	220	---	110	2.9
10	310	9.8	220	4.5	110	3.1
11	310	8.9	210	4.7	(110)	(3.3)
12	330	8.1	200	4.7	(110)	---
13	340	8.4	200	(4.7)	(120)	---
14	340	8.6	220	---	---	4.1
15	320	9.0	230	---	(110)	---
16	300	9.8	240	---	(120)	---
17	270	10.1	240	---	(120)	2.5
18	250	9.8				3.0
19	240	9.2				3.1
20	240	8.8				2.7
21	240	8.5				3.1
22	240	7.2				2.7
23	230	6.2				2.4

Time: 150.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 39

Time	January 1952					
	h'F2	foF2	h'F1	foF1	h'E	foE
						(M3000)F2
00	260	4.6			2.2	2.9
01	270	4.2			2.2	2.9
02	260	3.8			2.2	2.9
03	270	3.7			2.1	3.0
04	260	3.3			2.0	3.0
05	260	3.3			1.9	3.0
06	250	4.9	210	---	120	2.0
07	290	5.6	220	4.0	110	2.6
08	350	6.3	220	4.5	110	3.0
09	340	7.0	210	4.6	110	3.4
10	350	7.6	200	4.8	110	4.1
11	340	8.5	200	4.9	110	4.2
12	330	8.5	200	4.9	110	4.3
13	340	8.5	210	4.9	110	4.3
14	330	8.7	210	4.8	110	4.0
15	310	8.7	210	4.6	110	4.0
16	300	8.3	220	4.5	110	3.8
17	280	7.6	220	4.1	110	3.8
18	260	6.9	230	3.4	120	2.4
19	250	6.5	---	---	---	2.8
20	250	6.5				2.5
21	240	5.8				2.0
22	260	5.0				2.2
23	280	4.7				2.4

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 41

Time	January 1952					
	h'F2	foF2	h'F1	foF1	h'E	foE
						(M3000)F2
00	260	5.3			3.2	2.7
01	260	4.7			3.8	2.8
02	260	4.2			3.2	2.8
03	260	3.5			3.2	2.8
04	290	3.1			3.1	2.9
05	270	3.5	---	---	1.4	3.5
06	280	4.2	250	3.6	2.3	3.0
07	380	4.8	240	4.0	2.7	5.2
08	380	5.5	230	4.3	3.0	5.6
09	350	5.9	220	4.5	3.2	6.2
10	370	6.0	220	4.6	3.4	6.6
11	360	5.5	240	4.7	3.5	6.5
12	390	6.0	220	4.7	3.5	5.9
13	360	6.2	220	4.7	3.5	5.2
14	380	6.1	220	4.6	3.5	6.0
15	350	6.2	230	4.6	3.3	4.8
16	350	6.3	210	4.4	3.1	4.4
17	330	6.7	240	4.2	2.8	4.4
18	290	6.9	250	3.7	2.4	3.0
19	270	7.0	270	2.9	1.6	3.0
20	260	6.3			1.2	3.0
21	270	6.2				2.5
22	280	6.0				2.8
23	280	5.8				2.8

Time: 172.5°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 38

Time	January 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	
						(M3000)F2	
00	270	8.8					3.2
01	250	7.5					3.0
02	270	6.1					2.8
03	300	5.7					3.0
04	300	5.7					3.1
05	280	5.0					2.8
06	280	5.6	---	---	---	E	3.5
07	250	6.9	250	4.2	120	2.5	3.9
08	300	7.5	240	4.5	110	3.0	3.0
09	320	8.3	220	4.9	110	3.3	4.6
10	350	9.4	210	5.0	110	3.5	5.3
11	360	11.0	210	5.0	110	3.6	6.8
12	340	12.5	220	5.0	110	3.6	7.7
13	330	12.6	230	5.0	110	3.6	5.1
14	320	13.3	240	4.9	110	3.6	2.8
15	310	12.2	220	4.8	110	3.4	4.7
16	300	12.0	240	4.6	110	3.2	4.4
17	280	10.0	250	4.2	110	2.9	3.0
18	250	8.2	---	---	---	2.3	3.0
19	280	7.5	---	---	---	E	4.1
20	330	8.2	---	---	---	4.2	2.6
21	320	8.4	---	---	---	4.0	2.7
22	320	8.1	---	---	---	3.9	2.7
23	300	8.3	---	---	---	3.6	2.8

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc, manual operation.

Table 39

Time	January 1952					
	h'F2	foF2	h'F1	foF1	h'E	foE
						(M3000)F2
00	280	4.6			2.2	2.9
01	270	4.2			2.2	2.9
02	260	3.8			2.2	2.9
03	270	3.7			2.1	3.0
04	260	3.3			2.0	3.0
05	260	3.3			1.9	3.0
06	250	4.9	210	---	120	2.0
07	290	5.6	220	4.0	110	2.6
08	350	6.3	220	4.5	110	3.0
09	340	7.0	210	4.6	110	3.4
10	350	7.6	200	4.8	110	4.0
11	340	8.5	200	4.9	110	4.2
12	330	8.5	200	4.9	110	4.3
13	340	8.5	210	4.9	110	4.3
14	330	8.7	210	4.8	110	4.0
15	310	8.7	210	4.6	110	4.0
16	300	8.3	220	4.5	110	3.8
17	280	7.6	220	4.1	110	3.8
18	260	6.9	230	3.4	120	2.4
19	250	6.5	---	---	---	2.8
20	250	6.5				2.5
21	240	5.8				2.0
22	260	5.0				2.2
23	280	4.7				2.4

Time: 30.0°E.

Sweep: 1.0 Mc to 15.0 Mc in 7 seconds.

Table 40

Time	January 1952						
	h'F2	foF2	h'F1	foF1	h'E	foE	
						(M3000)F2	
00	290	3.9					2.1
01	300	3.9					2.2
02	290	3.8					2.2
03	280	3.7					2.0
04	270	3.5					1.9
05	280	3.2					2.2
06	260	4.0	---	---	120	1.8	3.1
07	280	5.1	210	3.7	120	2.2	3.0
08	350	5.3	230	4.1	110	2.8	2.8
09	350	6.8	220	4.5	110	3.1	3.7
10	360	6.9	220	4.6	110	3.4	2.8
11	350	7.7	200	4.8	110	3.6	4.3
12	340	7.6	210	4.7	110	3.5	2.9
13	340	7.2	210	4.7	110	3.4	4.0
14	330	7.1	220	4.4	110	3.1	3.0
15	300	6.8	220	4.0	110	2.8	3.3
16	245	4.0					3.2
17	230	5.7					3.3
18	230	6.4					3.4
19	235	7.0	285 #		135	2.3	3.4
20	230	7.4	250 #		130	2.3	3.4
21	235	7.2			150	2.1	3.4
22	220	6.3			140	1.9	2.4
23	230	5.8					3.3

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

†One or two observations only.

Table 42*

Time	December 1951					
h'F2	foF2	h'F1	foF1	h'E	foE	
						(M3000)F2

<tbl_r cells="7" ix="

Table 43*

Time	December 1951							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	310	2.7				2.6	2.6	
01	295	2.8				3.2	2.7	
02	290	2.8				3.2	2.7	
03	295	2.3				3.1	2.7	
04	280	2.2				3.4	2.8	
05	285	2.1				4.0	2.9	
06	305	2.0				3.3	2.8	
07	290	2.2				3.7	2.8	
08	240	4.1			140	1.7	3.8	3.2
09	235	5.7	290 #	3.2 #	135	2.0	4.1	3.4
10	235	7.0	240	3.5	135	2.3	4.4	3.4
11	235	7.5	235	3.5	135	2.4	4.5	3.4
12	235	7.3	235	3.6	135	2.5	4.6	3.3
13	235	7.5	235	3.6	135	2.4	4.5	3.3
14	235	7.6	240 #	3.4 #	135	2.3	4.2	3.3
15	230	7.0	275 #	3.7 #	140	2.0	4.2	3.4
16	225	5.8				1.7 #	3.9	3.3
17	230	5.0					2.9	3.2
18	245	4.1					2.4	3.1
19	265	3.0					3.0	
20	285	2.9					2.8	
21	305	2.6					2.3	2.8
22	310	2.8					2.5	2.7
23	320	2.8					2.5	2.6

Times: 0.0°.

Sweep: 0.55 Mc to 16.5 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

#One or two observations only.

Table 45

Time	November 1951							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	370	(3.6)				5.1	(3.0)	
01	390	(3.9)				4.5	(2.9)	
02	390	(3.8)				4.6	(2.8)	
03	340	(3.7)				4.8	3.0	
04	320	3.9				4.3	3.1	
05	300	3.5				3.4	3.1	
06	290	2.8				3.1		
07	300	2.4				3.1		
08	270	2.6				3.1		
09	250	4.2			120	1.5	3.3	
10	240	5.2					3.5	
11	240	6.0					3.4	
12	240	6.3	240				3.4	
13	250	6.4					3.3	
14	250	5.6					3.4	
15	260	5.0			140	2.7	3.3	
16	270	4.4			120	---	3.2	
17	300	3.6				3.6	3.2	
18	320	(3.4)				4.1	3.1	
19	330	(4.1)				5.0	(3.2)	
20	(370)	(3.8)				5.0	(2.8)	
21	380	(3.5)				5.6	(3.0)	
22	360	(3.7)				4.6	(3.0)	
23	310	(3.7)				4.8	(3.0)	

Times: 15.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 18 seconds.

Table 47*

Time	November 1951							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	315	2.7				2.5	2.6	
01	305	2.6				2.9	2.6	
02	305	2.7				2.8	2.6	
03	295	2.4				2.9	2.7	
04	280	2.2				3.2	2.8	
05	280	2.2				3.3	2.9	
06	295	2.1				3.0	2.8	
07	250	3.4			160	1.8	3.2	3.0
08	240	5.4	255	3.5	140	2.0	3.9	3.3
09	240	6.6	240	3.6	125	2.3	4.0	3.4
10	235	7.6	230	3.7	120	2.5	4.0	3.3
11	240	8.0	225	3.9	125	2.7	4.3	3.3
12	240	8.0	220	3.9	125	2.7	4.2	3.4
13	235	8.0	235	3.7	125	2.7	4.5	3.2
14	235	7.9	250 #	3.6	125	2.7	4.5	3.3
15	230	7.4	250 #	3.6	130	2.2	3.6	3.3
16	230	6.9			145	1.8	3.2	3.3
17	225	6.1				3.2	3.2	
18	230	4.8				3.0	3.2	
19	250	3.6				2.4	3.0	
20	295	2.8				2.1	2.8	
21	320	2.7				2.1	2.6	
22	330	2.8				2.2	2.7	
23	330	2.8				2.6		

Times: 0.0°.

Sweep: 0.55 Mc to 16.5 Mc in 5 minutes.

*Average values except foF2 and fEs, which are median values.

#One or two observations only.

Table 43*

Table 44*

Time	Singapore, British Malaya (1.3°N, 103.8°E)							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	275	5.1						2.6
01	280	4.9						2.7
02	270	4.5						2.9
03	285	3.8						2.3
04	295	3.5						2.8
05	260	3.6						3.0
06	265	4.1						2.9
07	270	6.6			245		120	2.5
08	305	>7.4			230		120	2.9
09	325	8.3			215	(4.4)	(115)	3.9
10	360	8.8			210	(1.7)	(110)	2.5
11	375	9.0			210	4.8	(115)	4.0
12	395	9.4			210	4.8		4.1
13	365	9.7			210	4.7		2.1
14	345	10.0			205	(1.7)		4.0
15	360	10.1			220	(1.4)		2.3
16	340	10.1			235		(120)	2.4
17	305	10.4			255		(130)	2.4
18	280	10.2					4.0	2.4
19	275	9.1						2.5
20	315	9.2						2.6
21	270	9.6						3.0
22	230	8.3						3.2
23	250	5.5						2.8

Times: 105.0°E.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

*Average values except foF2 and fEs, which are median values.

#One or two observations only.

Table 45

Time	Inverness, Scotland (57.4°N, 4.2°W)							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	(365)	(2.2)						2.4
01	355	(2.0)						2.4
02	340	1.6						2.5
03	330	(2.0)						2.6
04	310	(1.9)						2.7
05	310	(1.9)						2.9
06	300	(2.0)						2.7
07	290	(2.4)						2.7
08	245	3.9	(270) #	(3.1) #	140	1.8	2.3	3.0
09	235	5.1			130	2.0	2.9	3.3
10	240	6.6	240 #	3.5 #	130	2.3	3.3	3.3
11	245	6.8	225	(3.7) #	130	2.4	3.4	3.4
12	235	7.4	230	3.7 #	130	2.5	3.4	3.4
13	235	7.2	225		130	2.4	2.3	3.3
14	235	7.2	225		135	2.4	2.3	3.3
15	230	6.8			145	2.1	2.1	3.3
16	230	6.8			145	2.1	2.1	3.2
17	225	5.9			120	2.0	2.2	3.4
18	225	4.8			115	2.4	3.0	3.5
19	230	4.1			111	2.7	3.2	3.4
20	250	3.4			110	2.8	3.0	3.4
21	325	3.4			115	2.8	3.1	3.4
22	240	7.8	235		119	2.8	2.0	3.3
23	220	6.8			122	2.3	3.0	3.4

Times: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 47*

Time	Fribourg, Germany (48.1°N, 7.8°E)							
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs	(M3000)F2
00	300	3.3						2.7
01	290	3.2						2.8
02	290	3.1						2.8
03	270	3.1						2.8
04	260	2.8						2.9
05	240	2.7						3.1
06	270	2.5						2.9
07	235	4.2						3.2
08	225	6.1			123	2.0	2.2	3.4
09	225	7.4			115	2.4	3.0	3.5
10	230	8.0			111	2.7	3.2	3.4
11	240	8.3			110	2.8	3.0	3.4
12	235	8.8	225	(4.1)	115	2.8	3.1	3.4

Table 49

Djibouti, French Somaliland (11.5°N, 43.1°E)							November 1951	
Time	b'F2	foF2	b'F1	foF1	b'E	foE	fEs	(M3000)F2
00		(8.6)				(3.2)		
01		---						
02		(7.7)						
03		(5.8)						
04		4.4						
05		(4.0)						
06		6.1						
07		8.4						
08		9.9						
09		10.0						
10		10.0						
11		11.0						
12		11.4						
13		12.1						
14		12.6						
15		12.7						
16		12.4						
17		11.9						
18		10.6						
19		9.4						
20		(9.4)						
21		(9.4)						
22		(9.4)						
23		(8.9)						

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes. automatic operation.

Table 51*

Falkland Is. (51.7°S, 57.8°W)							November 1951	
Time	b'F2	foF2	b'F1	foF1	b'E	foE	fEs	(M3000)F2
00	310	7.6						2.5
01	310	7.4						2.6
02	300	7.0						2.6
03	310	6.8						2.6
04	300	7.0	300#	3.2				2.5
05	290	7.4	280	4.0	150	2.3	2.6	2.6
06	300	8.2	260	4.1	140	2.6	3.4	2.6
07	320	8.2	240	4.5	130	2.9	4.2	2.7
08	330	8.6	240	4.7	120	3.1	4.6	2.7
09	330	9.0	240	4.8	120	3.2	5.0	2.7
10	330	9.2	230	4.9	120	3.3	4.6	2.7
11	340	9.2	230	5.0	120	3.4	4.7	2.7
12	330	9.4	230	4.9	120	3.4	4.4	2.8
13	320	9.6	240	4.9	120	3.5	4.3	2.9
14	310	8.8	240	4.7	120	3.3	4.6	3.0
15	310	7.8	240	4.7	120	3.2	4.3	3.0
16	300	7.4	240	4.5	120	3.0	4.2	3.0
17	280	7.8	250	4.1	130	2.6	4.6	3.0
18	270	7.7			150#	2.3	4.2	2.9
19	280	8.0						2.9
20	290	8.0						2.7
21	300	7.9						2.6
22	310	8.0						2.6
23	310	7.8						2.5

Time: 60.0°W.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

*Average values except foF2 and fEs, which are median values.

#One or two observations only.

Table 52

Reykjavik, Iceland (64.1°N, 21.8°W)							October 1951	
Time	b'F2	foF2	b'F1	foF1	b'E	foE	fEs	(M3000)F2
00	390	(3.8)						4.7 (2.8)
01	(380)	(3.8)						4.6 (2.8)
02	360	(3.5)						4.3 (2.8)
03	340	(3.3)						4.4 (2.9)
04	300	(3.0)						3.6 (3.0)
05	290	(2.8)						3.0 (3.0)
06	300	(2.8)						(3.1)
07	280	3.2						3.1
08	260	4.3						2.0 3.3
09	260	5.1	210			120	2.3	3.3
10	270	5.6	240	(3.5)	110	2.4		3.2
11	280	6.0	250	(3.6)	110	2.4		3.2
12	280	6.0	230	(3.5)	120	2.5		3.2
13	270	5.8	240	3.5	120	2.6		3.2
14	260	5.9	210	(3.5)	110	2.5		3.2
15	260	5.9	240	3.4	120	2.4		3.2
16	250	5.1			120	2.2		3.2
17	260	(5.1)			120	1.9		(3.1)
18	300	(4.2)						3.1 (3.0)
19	310	(3.7)						4.3 (3.0)
20	340	(3.8)						3.4 (3.0)
21	330	(3.5)						4.1 (3.1)
22	350	(3.8)						5.6 (3.0)
23	350	(3.8)						4.8 (2.8)

Time: 15.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 18 seconds.

Table 53

Dakar, French West Africa (14.0°N, 17.4°W)							October 1951	
Time	b'F2	foF2	b'F1	foF1	b'E	foE	fEs	(M3000)F2
00	255	(>12.8)						
01	240	(>12.8)						
02	225	(>10.0)						
03	230	(>7.0)						
04	235	5.6						
05	240	4.6						
06	255	6.1						
07	240	9.0	240	---	111	2.5	3.5	
08	255	11.2	230	---	104	3.0	3.7	
09	270	12.4	225	---	104	3.4	3.3	
10	285	13.4	215	5.1	102	3.6	<3.2	
11	295	13.6	210	5.1	101	3.7	3.0	
12	295	(13.7)	205	5.2	101	3.8	2.8	
13	320	13.4	210	---	101	3.6	2.8	
14	(310)	(11.0)	225	---	101	3.5	4.0	2.8
15	(300)	(11.0)	230	---	101	3.2	3.8	2.9
16	(290)	(11.0)	240	---	101	2.8	3.7	(3.0)
17	255	(11.0)	255	---	202	3.2	3.8	2.9
18	280	(13.6)						
19	302	(>11.0)						
20	255	11.0						
21	248	11.0						
22	265	(>11.0)						
23	265	(13.0)						

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 54

Djibouti, French Somaliland (11.5°N, 43.1°E)							October 1951	
Time	b'F2	foF2	b'F1	foF1	b'E	foE	fEs	(M3000)F2
00								
01								
02								
03								
04								
05								
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 55*

Time	(M3000)F2						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs
00	330	6.2					2.6
01	330	5.9					2.5
02	310	5.8					2.6
03	310	5.5					2.7
04	310	5.4					2.7
05	270	5.9	250#	4.0#	110	2.3	2.8
06	210	6.7	240#	3.3#	110	2.3	3.1
07	260	7.2	210	4.2	120	2.6	3.1
08	260	7.8	210	4.4	120	2.9	4.2
09	290	9.0	230	4.7	120	3.1	4.7
10	280	9.8	230	4.8	120	3.2	4.8
11	290	9.8	230	4.9	120	3.3	4.6
12	290	10.0	230	4.8	110	3.3	4.6
13	280	9.7	230	4.7	120	3.2	4.3
14	270	8.8	230	4.5	110	3.1	3.8
15	260	8.4	230	4.3	120	3.0	3.2
16	260	8.2	250	4.1	130	2.7	2.6
17	250	8.0			110	2.3	
18	250	8.1					3.1
19	260	7.9					2.7
20	280	7.6					2.8
21	280	7.0					2.7
22	300	6.6					2.6
23	310	6.2					2.6

Time: 60.0°W.

Sweep: 2.2 Mc to 16.0 Mc in 1 minute.

*Average values except foF2 and fEs, which are median values.

#One or two observations only.

Table 57

Time	(M3000)F2						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs
00	350	4.6					2.4
01	340	4.3					2.5
02	310	4.1					2.6
03	295	4.2					2.7
04	280	4.0					2.8
05	270	3.8					3.0
06	245	5.6					3.2
07	240	6.5	230	---	111	1.7	3.4
08	270	7.3	220	4.3	109	3.1	4.6
09	310	7.6	220	4.8	105	3.5	4.5
10	340	8.6	220	5.1	105	3.8	5.9
11	360	10.2	215	5.3	103	3.9	5.9
12	375	11.2	210	5.3	103	4.0	5.0
13	365	11.3	210	5.3	103	3.9	4.4
14	365	12.6	220	5.2	105	3.7	4.4
15	345	12.9	225	5.0	105	3.5	4.8
16	330	13.3	210	4.8	103	3.1	4.0
17	300	(>11.0)	215	---	107	2.6	3.8
18	260	13.0	255	---	---	2.0	3.8
19	265	10.4					2.8
20	300	8.0					2.6
21	330	6.2					2.5
22	350	5.5					2.4
23	355	5.2					2.4

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 59

Time	(M3000)F2						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs
00	220	6.4			110	2.2	3.1
01	220	4.8					3.4
02	210	3.3					3.2
03	210	2.9					3.2
04	210	3.0					3.2
05	210	2.8					3.2
06	260	2.9					3.0
07	260	3.0					3.0
08	260	3.2					3.0
09	260	3.3					3.0
10	260	3.2					3.0
11	250	3.2					3.0
12	260	3.4					3.0
13	260	3.2					3.0
14	270	3.2					3.0
15	240	3.8					3.2
16	220	5.8	220	2.5	120	2.0	3.0
17	220	6.5	220	3.4	115	2.4	3.2
18	230	6.6	220	3.8	110	2.7	3.6
19	240	7.3	220	4.0	110	2.9	3.5
20	210	7.6	220	4.0	110	3.0	3.4
21	210	7.6	220	3.9	110	3.0	3.2
22	210	7.2	220	3.6	110	2.8	3.2
23	230	6.5	220	3.4	110	2.5	3.2

Time: 0.0°.

Table 56

Time	(M3000)F2						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs
00	(380)	(3.9)					4.7
01	---	---					4.6
02	340	(1.2)					4.7
03	---	(3.8)					5.0
04	(330)	(3.3)					(2.9)
05	300	3.4					(3.0)
06	280	3.9					3.0
07	260	4.6					3.2
08	290	5.2					3.2
09	310	5.1					3.2
10	320	5.4					3.1
11	310	5.6					3.1
12	360	5.1					2.8
13	320	5.5					3.1
14	310	5.4					3.1
15	330	5.2					3.1
16	310	5.0					3.0
17	300	4.9					3.0
18	320	4.6					3.0
19	300	4.2					3.0
20	310	(1.0)					4.4
21	310	(1.0)					5.3
22	360	(1.1)					4.9
23	360	(1.0)					4.4

Time: 15.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 18 seconds.

Table 59

Time	(M3000)F2						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs
00	220	6.8					3.2
01	210	5.6					3.4
02	220	3.4					3.2
03	230	3.2					3.2
04	210	2.8					3.2
05	250	2.8					3.0
06	250	3.0					3.2
07	260	3.2					3.0
08	250	3.3					3.0
09	250	3.3					3.0
10	260	3.3					3.0
11	250	3.4					2.8
12	250	3.3					3.0
13	250	3.3					2.9
14	240	3.2					3.0
15	230	5.0				120	1.6
16	230	6.8	220	3.2	115	2.3	3.2
17	210	7.0	220	3.5	110	2.6	3.4
18	210	7.9	220	4.0	110	2.8	3.3
19	260	8.7	220	4.1	110	3.0	3.2
20	250	8.8	220	4.1	110	3.0	3.2
21	250	8.2	230	4.1	110	3.0	3.2
22	250	8.0	220	3.9	110	2.8	3.2
23	210	7.4	230	3.4	110	2.6	3.2

Time: 0.0°.

Table 60

Time	(M3000)F2						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs
00	220	6.8					3.4
01	210	5.6					3.4
02	220	3.4					3.2
03	230	3.2					3.2
04	210	2.8					3.2
05	250	2.8					3.0
06	250	3.0					3.2
07	260	3.2					3.0
08	250	3.3					3.0
09	250	3.3					3.0
10	260	3.3					3.0
11	250	3.4					2.8
12	250	3.3					3.0
13	250	3.3					2.9
14	240	3.2					3.0
15	230	5.0					3.2
16	230	6.8	220	3.2	115	2.3	3.2
17	210	7.0	220	3.5	110	2.6	3.4
18	210	7.9	220	4.0	110	2.8	3.3
19	260	8.7	220	4.1	110	3.0	3.2
20	250	8.8	220	4.1	110	3.0	3.2
21	250	8.2	230	4.1	110	3.0	3.2
22	250	8.0	220	3.9	110	2.8	3.2
23	210	7.4	230	3.4	110	2.6	3.2

Table 61

Time	October 1942						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	240	7.1	230	3.4	120	2.4	3.0
01	230	6.1	240	2.7	---	2.1	3.4
02	220	4.4				3.1	3.2
03	240	3.3				2.7	3.2
04	260	3.0				2.8	3.2
05	300	2.9				2.8	3.0
06	280	3.1				2.8	3.0
07	280	3.2				2.8	3.0
08	290	3.2				3.2	3.0
09	280	3.2				2.6	3.0
10	280	3.2				2.4	3.0
11	280	3.2				2.6	3.0
12	270	3.2				2.6	3.0
13	270	3.2				2.4	3.0
14	260	3.4				2.4	3.0
15	250	5.5	240	3.1	---	2.1	2.2
16	250	6.1	220	3.6	120	2.5	3.2
17	260	6.5	210	4.0	120	2.8	3.2
18	290	6.9	240	4.2	120	3.0	3.2
19	280	7.3	200	4.4	115	3.1	3.0
20	270	8.0	210	4.3	115	3.2	>3.0
21	280	8.0	220	4.3	120	3.1	>3.0
22	280	7.6	230	4.2	120	3.0	3.0
23	260	7.6	230	4.0	120	2.8	3.2

Time: 0.0°.

Table 63

Time	May 1942						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	310	6.2	230	3.3	120	2.7	3.0
01	300	5.9	230	3.2	120	2.4	3.0
02	280	6.0	240	2.8	---	(2.2)	3.0
03	250	6.3				3.0	3.2
04	240	5.9				3.0	3.2
05	260	5.4				2.9	3.0
06	290	3.6				3.2	3.0
07	320	3.3				2.8	3.0
08	320	3.3				2.8	2.8
09	320	3.3				2.8	2.8
10	320	3.3				2.6	2.8
11	320	3.2				2.5	2.8
12	310	3.1				2.7	3.0
13	310	3.1				2.6	3.0
14	320	3.6	240	2.9	(130)	(2.2)	2.8
15	340	5.3	240	3.2	120	2.4	2.8
16	370	5.7	240	3.3	120	2.6	3.2
17	350	6.0	220	3.4	120	2.8	2.8
18	370	6.0	220	3.5	115	2.9	5.3
19	350	6.2	210	3.4	115	2.8	5.3
20	350	6.3	220	3.5	115	2.7	5.3
21	310	6.5	(220)	3.5	115	2.9	5.3
22	340	6.5	(220)	3.4	115	2.9	3.0
23	320	6.5	235	3.4	120	2.8	3.0

Time: 0.0°.

Table 65

Time	March 1942						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(260)	---	250	4.5	130	2.0	
01	270	---			140	2.4	
02	260	---			---	---	
03	250	(5.0)					
04	270	4.8				2.5	
05	300	4.6					
06	320	4.0					
07	320	4.0					
08	340	4.1					
09	350	3.8					
10	350	3.6					
11	350	3.6					
12	350	3.5					
13	350	3.3					
14	320	3.5					
15	280	---	---	---	---	---	
16	---	---	270	---	130	2.6	
17	---	---	250	---	130	3.1	
18	240	---	---	---	130	3.3	
19	240	---	---	---	130	3.3	
20	250	---	---	---	130	3.4	
21	240	---	---	---	120	3.4	
22	240	---	---	---	130	3.4	
23	250	---	---	---	120	3.1	

Time: 0.0°.

Table 62

Time	September 1942						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	280	6.1	230	3.8	120	2.6	3.2
01	250	6.0	230	3.2	120	2.2	3.2
02	230	5.5	---	---	---	---	2.8
03	240	4.2	---	---	---	---	3.0
04	250	3.3					3.0
05	260	3.2					2.8
06	280	3.2					2.6
07	280	3.2					2.4
08	260	3.1					2.6
09	270	3.2					2.8
10	260	3.2					2.5
11	280	3.1					2.4
12	260	3.2					2.5
13	270	3.0					3.0
14	260	4.0					2.6
15	290	4.6	230	3.5	115	2.2	3.0
16	310	5.6	220	3.9	120	2.6	3.4
17	300	6.2	210	4.0	115	2.9	3.2
18	320	6.2	210	4.2	115	3.1	3.3
19	320	6.1	200	4.3	115	3.2	2.8
20	310	7.2	200	4.3	115	3.2	2.8
21	300	7.4	220	4.3	115	3.2	3.0
22	290	7.2	220	4.2	110	3.1	>3.0
23	280	6.5	220	4.0	115	3.0	3.0

Time: 0.0°.

Table 64

Time	April 1942						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	250	7.1	225	---	110	2.8	
01	240	7.1	235	---	115	2.5	2.8
02	235	7.1	---	---	---	---	2.8
03	220	6.9					2.4
04	215	6.2					2.4
05	260	4.6					2.4
06	270	4.1					2.4
07	270	4.0					2.8
08	295	3.7					
09	305	3.6					
10	310	3.6					
11	300	3.5					
12	290	3.4					
13	290	3.4					
14	250	5.0	---	---	---	---	2.0
15	240	5.9	220	3.1	120	2.4	2.8
16	270	6.1	220	---	115	2.6	3.0
17	290	6.9	---	---	115	2.9	
18	300	6.8	---	---	115	3.1	
19	320	7.1	---	---	110	3.2	
20	310	7.1	---	---	110	3.3	
21	325	7.6	---	---	100	3.1	
22	280	7.3	---	---	110	3.3	
23	260	7.1	---	---	105	3.0	

Time: 0.0°.

Table 66

Time	February 1942						
	h'F2	foF2	h'F1	foF1	h'E	foE	fEs (M3000)F2
00	(260)	---	---	---	120	2.6	
01	250	---	---	---	---	2.3	
02	240	---	---	---	---	2.4	
03	260	3.2					
04	(300)	3.2					
05	300	3.0					
06	330	3.0					
07	330	3.2					
08	330	3.2					
09	310	3.2					
10	340	3.1					
11	330	3.2					
12	330	3.2					
13	350	3.2					
14	340	3.1					
15	280	---	---	---	---	---	
16	260	---	---	---	120	2.4	
17	250	---	---	---	120	2.8	
18	250	---	---	---	120	3.1	
19	---	---	---	---	120	3.2	
20	---	---	---	---	120	3.3	
21	---	---	---	---	110	3.2	
22	(250)	---	---	---	120	3.2	
23	(260)	---	---	---	120	3.0	

Time: 0.0°.

National Bureau of Standards
(Institution)Sealed by: **McC. C. A.C.K.**Calculated by: **E.J.W. ACK.**

TABLE 67
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.
IONOSPHERIC DATA

HF2, **Km**, **April**, **52**
(Characteristic) **(Unit)**
Observed at **Washington, D. C.**

Lat 38°7'N., Long 77°W.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean Time							
																									75°W							
1	300	K	(300)	S	(330)	S	(350)	S	E	K	E	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K		
2	(300)	S	(280)	K	280	K	250	K	E	K	E	K	L	K	L	K	290	K	300	K	[300]	L	300	K	300	K	300	K	300	K	300	K
3	(300)	S	(320)	K	(370)	S	(320)	S	E	K	E	K	260	K	450	K	300	K	350	F	500	F	370	H	360	H	330	H	370	H	370	H
4	(310)	S	(320)	K	(340)	K	(340)	K	E	K	E	K	300	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K		
5	(370)	S	(330)	K	280	K	390	K	S	K	S	K	270	K	230	K	230	K	230	K	230	K	230	K	230	K	230	K	230	K		
6	S	K	S	K	E	K	E	K	E	K	E	K	280	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K		
7	(250)	S	(270)	S	310	S	370	S	350	H	(320)	S	270	K	L	K	400	H	420	H	400	N	350	N	320	N	310	N	350	N		
8	(310)	S	(320)	K	S	K	S	K	E	K	E	K	260	K	L	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K		
9	S	K	S	K	S	K	E	K	E	K	E	K	270	K	L	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K		
0	300	S	320	S	(310)	S	(300)	S	370	S	370	S	410	H	380	H	420	H	380	N	340	N	340	N	360	N	360	N	360	N		
1	(280)	S	240	S	290	S	300	S	(360)	S	(370)	S	250	310	H	[320]	4	430	H	370	S	320	S	350	S	310	S	310	S	310	S	
2	240	S	(270)	S	280	S	270	S	290	S	300	S	260	(280)	4	320	H	380	H	410	H	360	M	520	K	470	K	470	K	470	K	
3	(360)	S	(280)	S	230	S	270	S	(310)	S	(370)	S	270	370	H	[320]	4	380	H	360	H	360	H	360	H	360	H	360	H	360	H	
4	290	S	270	S	260	S	250	S	(280)	S	(260)	S	260	360	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H	
5	(270)	S	(270)	S	260	S	260	S	270	S	(220)	S	240	(320)	4	300	H	370	H	370	H	370	H	370	H	370	H	370	H	370	H	
6	(280)	S	280	S	300	S	(300)	S	(300)	S	(300)	S	240	250	H	[320]	4	400	H	400	H	450	H	410	H	360	H	350	H	350	H	
7	(310)	S	(310)	S	280	S	(280)	S	280	S	(300)	S	270	320	H	[320]	4	320	H	320	H	320	H	320	H	320	H	320	H	320	H	
8	290	S	(310)	S	300	S	300	S	300	S	300	S	270	320	H	[320]	4	320	H	320	H	320	H	320	H	320	H	320	H	320	H	
9	(280)	S	(280)	S	240	S	(270)	S	(270)	S	(320)	S	240	(320)	4	320	H	320	H	320	H	320	H	320	H	320	H	320	H	320	H	
0	E	K	E	K	E	K	E	K	E	K	E	K	280	S	270	[320]	4	360	S	360	(320)	4	330	S	340	S	320	S	310	S		
1	270	S	270	S	270	S	(260)	S	(270)	S	(310)	S	250	350	H	[320]	4	370	K	370	K	370	K	370	K	370	K	370	K	370	K	
2	E	K	E	K	E	K	E	K	E	K	E	K	270	S	270	S	(310)	S	(310)	S	(310)	S	(310)	S	(310)	S	(310)	S	(310)	S		
3	300	K	(310)	S	(350)	S	(350)	S	E	K	E	K	260	K	370	S	380	H	370	S	370	H	370	H	370	H	370	H	370	H		
4	270	S	290	S	300	S	270	S	270	S	270	S	250	270	H	[320]	4	360	S	360	H	360	H	360	H	360	H	360	H	360	H	
5	300	S	350	S	310	S	(370)	S	(370)	S	(370)	S	270	320	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H	
6	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
7	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
8	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
9	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
0	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
1	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
2	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
3	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
4	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
5	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
6	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
7	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
8	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
9	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
0	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
1	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
2	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
3	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
4	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
5	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
6	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
7	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
8	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
9	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
0	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
1	300	S	270	300	H	[320]	4	360	H	360	H	360	H	360	H	360	H	360	H	360	H											
2	300	S	270	300																												

TABLE 68
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

40°F2 (Characteristic)		Mc (Unit)		April (Month)		Lat 38.7°N Long 77.1°W		75°W Mean Time										
00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	
1	2.5°E	2.1°K	1.8°S	(1.5)K	<1.6°K	<1.0°K	2.6°K	<3.4°K	<3.6°K	<4.0°K	<4.4°K	4.7°K	4.7°K	4.9°K	4.6°K	4.8°K	4.6°K	
2	3.9°K	3.7°K	3.3°K	2.4°K	<1.0°K	<1.0°K	2.7°K	K 3.8°S	4.6°K	6.0°K	5.6°K	7.0°K	6.7°K	7.0°K	8.0°K	8.6°K	9.0°K	
3	(3.2)°F	3.0°K	6.6°S (1.4)F	(1.5)F	(2.0)S	(2.2)F	1.9°K	2.8°K	3.1°K	3.9°K	<3.8°K	4.6	5.0°F	5.8	5.8	5.8	5.2	
4	(2.4)°S	(2.2)F	(2.1)F	<1.0°K	<1.0°K	<1.0°K	2.5°K	<3.2°K	<3.5°K	<3.8°K	<4.0°K	<4.0°K	4.7°K	4.7°K	5.0°K	5.2	5.1	
5	2.1°K	2.2°F	2.2°K	K 1.5°S	S	K	2.8°K	3.3°K	<3.6°K	<3.8°K	<3.9°K	<4.0°K	<4.1°K	<4.0°K	4.6°K	4.7°K	4.3°S	
6	1.7°K	1.7°S	1.7°S	<1.0°K	<1.0°K	<1.0°K	(1.8)F	2.7°K	<3.4°K	<3.7°K	<3.8°K	<4.0°K	<4.0°K	<4.1°K	4.3°K	4.6°K	4.3°S	
7	3.0°F	2.5°F	2.0°F	1.9°S	1.8°F	1.9°F	3.0°	3.8°S	4.2°	4.4°	(4.8)S	5.1	5.4°H	5.8	6.0	5.6	5.3	
8	2.4°F (1.7)F	F	K	F	K	(1.7)F	<1.0°E	2.9°K	K 3.7°S	<3.9°S	<3.9°S	<4.0°K	<4.1°K	<4.2°K	4.4°K	4.5°K	4.5°K	
9	K (1.9)S	(1.7)F	F	K	<1.0°K	<1.0°K	F	K	3.0°K	3.6°S	<3.7°S	<3.9°S	4.3°K	4.3°K	4.6°K	4.7°K	5.0°K	5.1°K
0	3.4°	2.9°F	2.5°F	2.4°F	2.4°F	2.3°F	(2.1)F	3.1	3.9°S	4.3	4.7°H	5.2	5.1	5.4	5.7	6.0	6.3	
-	2.7°F	2.5°F	2.3°F	2.1°F	(1.8)F	(1.8)F	3.4	4.2	4.9°H	4.7°H	5.0	5.4	5.6	5.5	5.5	5.3	5.1	
2	2.9	2.8°F	2.4°F	2.3°F	2.0°F	(2.0)F	3.3	4.0°H	4.6	4.7°H	4.9°H	5.1°H	5.2	5.3	5.4	5.5	5.6	
3	(3.4)S	3.2	3.1	3.0	2.0	2.1	3.7H	4.5	4.7H	5.0	5.6H	6.1	5.9	5.8	6.0	5.7	5.4	
5	3.1°F	(3.0)F	2.8°F	2.8°F	(2.0)F	(2.0)F	1.8°F	3.6	4.8°H	5.0°H	[5.0]H	5.3	5.4	6.4	5.8	6.3	5.6	
6	3.3	3.1	3.0	2.9°S	2.4°F	2.3	4.0	4.4	5.0	5.2	5.5	5.9H	6.0H	6.6	6.3	6.4	5.8	
8	(3.5)S	3.1	3.0	2.5	2.5	3.2	3.9	4.4	4.5	4.5	4.7	5.0	5.0	5.2	5.4	5.5	5.0	
7	2.7	2.4	2.5°F	2.4	2.2	2.1	3.3	3.9	4.3H	4.4H	4.8H	5.1H	5.2	5.7	6.0	5.9	5.2	
8	2.4	2.3°F	2.2	2.2	2.2	2.5	3.8	4.5H	5.3	5.5H	5.6H	5.2	5.6	6.0	6.4	6.4	5.4	
9	3.0°F	2.8°F	2.6°F	2.4°F	2.1°F	1.8°F	1.9°F	1.8°F	1.9	3.2	(3.8)S	<4.0°K	<4.0°K	4.2K	4.3°K	4.5°K	4.6°F	
0	K 1.5°S	K 1.7°S	1.9°K	1.8°K	2.0	3.5	3.9	4.2	5.0	5.4	5.4	5.4	5.5	5.5	5.5	5.5	5.5	
1	3.5	3.1	2.9	2.8	2.5	2.4	3.7	4.7	5.3	5.6	6.0H	5.0K	5.3K	5.0K	4.3°K	4.8°K	5.4°K	
2	<1.0°K	<1.0°K	F	K	(1.8)F	(1.8)F	(1.8)F	2.7°K	3.2°K	<3.3°K	<3.7°K	<3.8°K	<4.0°K	<4.0°K	<3.8°K	4.0°K	4.1°K	4.2°K
1	1.9°F	[1.9]F	(1.4)F	<1.0°F	<1.0°F	(1.7)F	3.0°K	<3.3°K	4/6	5.3	5.7	5.8	6.0	6.2	6.2	6.4	7.2	7.5
4	3.0	2.4°F	(2.2)F	(1.9)F	1.7°F	2.5	4.3	5.1	5.6	5.4	5.4	5.5	5.8	5.7	5.7	5.4	4.7	3.5
5	3.4	3.0°F	2.7°F	2.5°F	2.2°F	2.6	4.4	4.8	5.4	5.4	5.8H	5.7	5.6	5.9	6.4	6.4	6.3	5.0
6	3.2	3.0	2.7	2.5	2.3	2.5	3.6	4.2°H	5.1°H	5.3H	5.2	5.6	5.6	6.3	6.2	6.3	5.7	5.0
7	2.7°F	2.8°F	C	C	C	C	C	C	C	C	C	C	C	C	C	C	4.0	
8	3.3	3.1°F	3.2	3.0°F	3.1	2.8	3.8	4.6	4.8°H	5.0	5.0°H	5.2	5.6	5.6	6.4	6.4	6.6	5.4
9	3.1	(2.7)S	(2.1)F	(1.5)S	(1.7)F	3.4	3.6	3.8°G	4.5	5.0	5.1	5.6	6.4	6.5°H	6.2	6.2	6.1	5.2
0	(2.6)F	(2.5)F	(1.7)F	(1.4)F	<1.0°F	3.0°K	<3.5°K	<3.6°K	<3.9°K	<4.0°K	<4.0°K	<4.1°K	<4.0°K	4.1°K	4.3°K	4.5°K	4.7°K	4.7°F
1																		
10	3.0	2.6	2.4	2.0	1.8	2.0	3.2	3.9	4.3	4.7	4.9	5.1	5.4	5.7	5.6	5.6	5.1	3.4
11	30	30	26	28	28	27	29	29	29	29	29	30	29	29	29	30	30	30

Scale by: Mc G., A.C.K.
Calculated by: E.I.W., A.C.K.

Form adopted June 1946

Manual Automatic

Model McIndoe min

TABLE 69
 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

 No. F2, Mc
 (Characteristic) April
 (Unit) 1952
 Observed at Washington, D.C.

Lat. 38.7°N., Long 77.1°W.

 National Bureau of Standards
 (Institution)

Scored by: McC. + ACK

Calculated by: E.M.W. + ACK

75°W Mean Time											
	IONOSPHERIC DATA										
	75°W Mean Time										
	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030
	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130
	2230	2330									
0	0	0	0	0	0	0	0	0	0	0	0
1	(2.5) ^F	2.0 ^S	(1.0) ^F	(1.0) ^S	3.1 ^N	<3.6 ^G	(3.9) ^G	(4.0) ^G	(4.0) ^G	4.7 ^N	4.5 ^N
2	(0.9) ^S	3.5 ^S	3.0 ^F	1.7 ^N	1.7 ^N	2.2 ^N	5.3 ^N	6.0 ^F	6.5 ^N	6.4 ^N	5.0 ^N
3	3.2 ^N	(2.3) ^F	(1.7) ^F	2.5 ^N	2.1 ^F	3.1 ^N	3.4 ^N	<3.8 ^G	(4.0) ^G	4.9	5.4
4	(2.3) ^S	(2.1) ^F	(1.0) ^E	(1.0) ^S	3.0 ^N	<3.4 ^G	<3.7 ^G	(3.8) ^G	(4.0) ^G	(4.3) ^S	4.9
5	2.1 ^F	2.3 ^F	2.0 ^S	5 ^F	5 ^F	3.1 ^N	3.4 ^N	<3.8 ^G	(3.9) ^G	(4.0) ^S	4.6
6	1.7 ^S	1.6 ^S	<1.0 ^E	(1.0) ^S	2.1 ^F	3.1 ^N	(3.9) ^S	(3.9) ^G	(4.0) ^G	(4.0) ^S	4.5
7	2.9 ^F	2.2 ^F	2.0 ^S	1.9 ^S	2.4 ^F	3.4 ^N	4.2 ^N	4.4	4.7	(4.7) ^S	5.2
8	2.6 ^F	(1.7) ^F	F ^N	F ^N	2.2 ^F	3.3 ^S	3.7 ^S	<3.8 ^G	(4.0) ^G	(4.0) ^G	4.4
9	W(1.7) ^S	F ^N	<1.0 ^E	<1.0 ^E	2.2 ^N	3.4 ^F	<3.6 ^G	<3.9 ^G	(4.0) ^G	4.3 ^N	5.3
10	3.2 ^S	(2.7) ^S	2.6 ^S	2.4 ^S	2.3 ^F	2.4 ^F	3.6	4.2 ^H	5.1	5.3	5.4
11	2.7 ^F	2.4 ^F	2.4 ^F	(2.0) ^F	(1.7) ^F	2.4 ^F	4.0 ^H	4.6	4.9	(4.1) ^G	4.5
12	2.8 ^F	2.6 ^F	2.5 ^F	(2.2) ^F	1.9 ^F	2.5	(3.8) ^S	4.3 ^H	4.5 ^H	5.2 ^H	5.4
13	3.2 ^S	3.1	(3.0) ^S	2.4	1.9	2.8	3.9	4.8 ^H	5.0 ^H	5.7	6.0
14	(3.0) ^F	2.9 ^F	(2.5) ^S	(2.2) ^F	(1.8) ^S	2.8	4.4	5.0	5.7	6.4 ^F	6.4
15	3.2	3.0	2.9	2.8 ^F	2.3 ^F	3.0	4.2	4.8	5.0	6.6	6.6
16	3.1	3.3	3.0	2.8	2.5	3.4	4.2	4.7	5.0	5.9	5.9
17	2.5	2.5	2.4	2.3	2.1	2.7	3.6	(4.2) ^H	4.3 ^H	5.4	6.0
18	4.6 ^F	2.3	2.2	2.2	2.2	3.1	4.2	4.8	5.4	5.5 ^H	5.8
19	2.9	2.5	(2.3) ^S	1.9 ^F	1.7 ^F	2.7	3.5	4.2 ^H	3.9	4.3 ^K	4.3 ^K
20	1.5 ^S	1.8 ^S	1.9 ^F	1.9 ^F	1.6 ^S	2.9	3.7	4.1	4.5	5.5 ^K	5.5 ^K
21	3.2	3.0	2.8	2.7	2.0	3.1	4.3	4.8	5.2	5.6	5.6
22	(1.0) ^E	(2.0) ^F	(1.7) ^F	[2.0] ^F	2.4 ^K	3.0 ^N	<3.3 ^G	<3.6 ^G	(4.0) ^G	(4.0) ^G	4.5 ^H
23	1.9 ^F	(1.6) ^F	(1.4) ^S	<1.0 ^E	2.6 ^K	3.2 ^N	(3.9) ^S	5.3	5.6	5.7	5.6
24	2.8 ^F	2.3 ^F	(2.0) ^F	1.8 ^F	1.6 ^F	3.5 ^H	4.7	4.8 ^H	5.2	5.4	5.4
25	3.2 ^F	2.7 ^F	2.7 ^F	2.4 ^F	2.2	3.5	4.8	5.2	5.8	5.7	6.0
26	3.0	2.9	2.7	2.4 ^F	2.1 ^F	3.3	3.9	4.6	5.2	5.3 ^H	5.6
27	2.8 ^F	C	C	C	C	C	C	C	C	C	C
28	3.2	2.9	3.1	3.3	2.9	3.3	(3.9) ^S	4.6 ^H	4.7	5.1	5.4
29	2.7	2.7 ^N	[1.6] ^S	1.5 ^S	2.0 ^F	2.8	3.5	(3.8) ^F	4.2 ^H	5.1	5.2
30	2.6 ^F	[2.7] ^F	(1.5) ^S	<1.0 ^E	F ^N	2.8 ^H	3.3	<3.5 ^G	<3.7 ^G	4.1 ^K	4.5 ^K
31											
o	Median	2.8	2.5	2.2	2.0	1.9	2.7	3.5	4.2	4.6	5.4
o	Count	30	27	29	27	28	29	29	29	29	30

 Sweep 1.0 Mc in 25 min
 Manual □ Automatic □

TABLE 70
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

hF km April 1952
(Characteristic) (Units) (Month)

Observed at Washington, D.C.
Lat. 38.7°N, Long. 77.0°W

National Bureau of Standards
(Institution)
Scaled by: McC., A.G.K.

Calculated by: E.J.W., A.G.K.

75°W

Mean Time

D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Sweep LO - Mc 10850 Mc 10850 Mc 10850 Mc 10850
Manual □ Automatic □

TABLE 71
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

Form adopted June 1946
National Bureau of Standards
(Institution)
Scaled by: McC. A.C.K.
Calculated by: E.U.W. A.C.K.

fo F _i (Characteristics)	Mc (Unit)	April (Month)	1952	Lat 38.7°N, Long 77.1°W	75°W Mean Time																			
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16							
1					3.4 ^H	3.6 ^K	3.8 ^K	4.0 ^H	4.0 ^K	4.1 ^K	4.1 ^K	4.0 ^K	4.0 ^K	3.9 ^K	3.9 ^K	3.9 ^K	3.9 ^K							
2					4.1 ^K	4.1 ^K	4.1 ^K	4.2 ^H	4.3 ^K	4.5 ^K	4.4 ^K	4.3 ^K	4.2 ^K	4.2 ^K	4.2 ^K	4.2 ^K	4.2 ^K							
3					Q K	3.5 ^K	3.8 ^K	(4.0) ^S	4.2 ^H	4.2 ^K	4.2 ^K	4.2 ^K	4.0 ^K	4.0 ^K	3.8 ^K	3.8 ^K	3.8 ^K	3.8 ^K						
4					3.2 ^K	3.5 ^K	3.8 ^H	4.0 ^H	4.0 ^K	4.0 ^K	4.0 ^K	4.0 ^K	4.0 ^K	3.9 ^K	3.7 ^K	3.4 ^K	3.4 ^K	3.4 ^K						
5					Q K	3.6 ^K	(3.8) ^S	(3.9) ^S	4.0 ^K	4.1 ^H	4.1 ^K	4.0 ^K	4.0 ^K	(3.0) ^S	(3.0) ^K	3.7 ^K	3.4 ^K	3.4 ^K	3.4 ^K					
6					3.4 ^K	3.7 ^K	(3.8) ^S	4.0 ^H	4.0 ^K	4.0 ^K	4.0 ^K	4.0 ^K	4.0 ^K	3.9 ^K	3.8 ^K	3.8 ^K	3.4 ^K	3.4 ^K	3.4 ^K					
7					4.2	4.1	4.0	4.1 ^H	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K				
8					4.2	3.8 ^K	3.9 ^H	4.0 ^H	4.1 ^K	4.2 ^H	4.2 ^K	4.2 ^K	4.2 ^K	4.1 ^K	4.1 ^K	4.0 ^K	3.7 ^K	3.5 ^K	3.5 ^K	3.5 ^K	3.5 ^K			
9					4.2	3.7 ^K	3.9	4.0 ^K	4.1 ^K	4.2 ^H	4.2 ^K	4.2 ^K	4.2 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K			
10					4.2	3.8	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H			
11					3.4 ^H	3.9	(4.1) ^S	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H	4.1 ^H			
12					(3.2) ^L	3.8	4.0	4.2 ^H	(4.4) ^H	4.4 ^H	4.4 ^H	4.4 ^H	4.4 ^H	M	M	M	M	M	M	M	M	M		
13					Q	3.4	3.8	4.1	4.3	4.4	4.4	4.4	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
14					Q	4	3.8	(4.1, 7) ^m	[4.4, 7] ^A	4.4	4.4	4.4	4.4	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A	4.3 ^A
15					Q	4	4	4.2	4.2	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	
16					Q	4	3.8	4.0	4.1	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H					
17					4	3.7 ^H	3.9	4.2 ^H	4.2 ^H	4.2 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H	4.3 ^H		
18					4	4	4.0	4.1 ^H	4.2	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3		
19					4	3.6 ^K	3.7 ^K	3.9 ^K	4.0 ^K	4.0 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K		
20					4	3.4	3.7	4.0 ^H	4.2	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3		
21					4	4	4.1	4.1 ^H	4.3 ^K	4.3 ^K	4.0 ^K	4.0 ^K	4.0 ^K	4.0 ^K	3.9 ^K	3.7 ^K	3.6 ^K	3.4 ^K						
22					Q	3.5 ^K	3.7 ^K	3.9	4.2 ^H	4.2 ^H	4.0 ^K	4.0 ^K	4.0 ^K	4.0 ^K	4.0 ^K	3.8 ^K	3.7 ^K	3.5 ^K	3.0 ^K	3.0 ^K	3.0 ^K	3.0 ^K		
23					Q	3.5 ^K	3.8	4.3 ^H	4.3 ^H	4.3 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H		
24					4	4	4.2	4.5 ^H	4.5 ^H	4.5 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H	4.6 ^H		
25					4	4	4.0	4.2 ^H	4.2 ^H	4.4 ^H	4.4 ^H	4.4 ^H	4.4 ^H	4.4 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H		
26					4	3.5 ^K	3.8	4.1 ^H	4.1 ^H	4.1 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H	4.5 ^H		
27					4	C	C	C	C	C	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5		
28					Q	3.2	(4.0) ^L	4.1 ^H	4.1 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	4.2 ^H	
29					Q	(3.3) ^L	3.8	4.0 ^H	4.0 ^H	4.2 ^H	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
30					Q	3.5 ^K	3.6 ^K	3.9 ^K	4.0 ^K	4.0 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.1 ^K	4.0 ^K	4.0 ^K	3.9 ^K	3.8 ^K	3.7 ^K	3.6 ^K	3.6 ^K	3.6 ^K	3.6 ^K	
31					—	3.4	3.8	4.0	4.2	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
						2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	
						14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	

Sweep I.O. Mc 1025.0 Mc 1025.0 min
Manual Automatic

TABLE 73
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

Form adopted June 1946
National Bureau of Standards
Bureau of Standards
Scale by: Mc C. (Institution), A.C.K.

Frequency, Mc
Characteristic, (Unit)
April, 1952
Month
Observed at 38.7°N Long 77.1°W

Day	75°W Mean Time												75°W Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									

Sweep I.O. Mc 1515.0 Mc in 0.25 min
Manual Automatic

TABLE 74
IONOSPHERIC DATA

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Es Mc, Km April
 (Characteristic) (Unit) 1952
 Observed at Lat 38° 7' N, Long 77° 10' W

National Bureau of Standards

Scaled by McC, ACK
 (Institution)

Doy	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean Time				
																									75°W				
1	E	E	E	E	E	E	S	G	G	G	G	28/100	G	G	G	G	G	G	G	C	E	E	E	E	E	E	E	E	E
2	E	E	E	E	E	E	S	30/30	G	68/100	G	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	E	
3	E	E	E	E	E	E	G	G	G	68/100	G	G	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
4	E	E	E	E	E	E	G	G	G	60/30	G	G	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
5	E	E	E	E	E	E	S	G	G	G	G	60/100	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
6	E	E	E	E	E	E	G	G	G	96/100	G	G	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
7	E	E	E	E	E	E	S	G	G	G	G	10/0	40/100	G	G	G	G	G	G	21/20	31/20	E	E	E	E	E	E	E	E
8	E	E	E	E	E	E	G	G	G	G	G	34/100	G	G	G	G	G	G	G	G	22/20	E	E	E	E	E	E	E	E
9	E	36/10	E	E	E	E	G	G	G	G	G	54/100	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
10	E	E	E	E	E	E	G	G	G	G	G	94/100	35/100	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
11	E	E	E	E	E	E	G	G	G	33/100	42/100	80/100	36/100	G	G	G	G	G	G	M	M	M	M	M	M	M	M	M	
12	E	E	E	E	E	E	G	56/100	74/40	G	G	33/100	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
13	E	E	E	E	E	E	G	60/200	G	G	45/120	42/20	42/100	G	37/100	G	G	G	G	G	E	E	E	E	E	E	E	E	E
14	E	E	E	E	E	E	G	G	M	58/100	50/100	70/20	70/100	60/20	G	90/100	G	G	G	G	E	E	E	E	E	E	E	E	E
15	E	E	E	E	E	E	G	G	G	45/100	45/100	45/100	45/100	45/100	G	52/100	60/120	64/120	64/120	56/120	56/120	56/120	56/120	56/120	56/120	56/120	56/120	56/120	56/120
16	E	E	E	E	E	E	S	G	G	G	10/0	20	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
17	E	E	E	E	E	E	G	G	G	G	G	53/20	50/20	47/20	47/20	47/20	G	17/10	G	G	G	E	E	E	E	E	E	E	
18	2-2/10	E	E	E	E	E	G	G	G	G	G	32/10	20	G	G	G	G	G	G	G	35/130	35/130	35/130	35/130	35/130	35/130	35/130	35/130	
19	E	21/130	54/100	23/10	E	E	G	G	G	G	G	43/100	30/20	30/120	G	45/120	G	G	G	G	G	E	E	E	E	E	E	E	E
20	E	23/130	23/120	E	E	E	46/110	G	G	G	G	72/30	G	G	G	G	G	G	G	G	E	E	E	E	E	E	E	E	
21	E	E	E	E	E	E	36/120	E	G	G	G	35/110	G	G	G	G	G	G	G	44/120	32/120	(38)/130	32/130	32/130	32/130	32/130	32/130	32/130	
22	E	E	S	38/20	E	E	22/40	70/100	G	G	G	G	G	G	G	G	G	G	G	30/120	32/110	41/110	E	E	E	E	E	E	
23	E	E	E	E	E	E	E	E	E	G	G	G	G	G	G	G	G	G	G	33/120	26/110	26/110	E	E	E	E	E	E	
24	E	E	23/100	28/100	E	E	E	E	G	G	G	G	G	G	G	G	G	G	G	40/120	1/2/130	1/1/120	E	E	E	E	E	E	
25	27/110	E	1/9/120	25/110	33/110	37/120	22/20	G	43/20	33/120	33/120	80/120	41/110	40/110	36/110	36/110	35/110	33/110	33/110	33/110	33/110	33/110	33/110	33/110	33/110	33/110	33/110	33/110	
26	E	50/120	22/110	74/110	37/110	1/2/110	7/10	G	G	G	G	74/120	35/20	G	G	G	G	G	G	G	12/20	33/110	30/110	E	E	E	E	E	E
27	E	26/110	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	13/100	13/100	13/100	E	E	E	E	E	E	
28	E	E	E	E	E	E	35/130	E	G	58/100	43/110	40/110	G	66/110	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G
29	E	E	E	E	E	E	38/110	E	E	E	E	1/2/20	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
30	28/130	E	38/110	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	
31																													

Median ** * * * LESS THAN f_{0E} OR LESS THAN LOWER FREQUENCY LIMIT OF THE RECORDER

Manual □ Automatic ■

Sweepup Q

Mc 10250 Mc 1025 min

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

TABLE 75
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

(M1500)F2 (Unit)
(Characteristic) Observed at Washington, D.C.

April 1952

(Month)

Lat 38.7°N, Long 77.1°W

Form adopted June 1946
National Bureau of Standards
(Institution) A.C.K.

Scaled by: Mc C. E. J. W. A. C. K.
Calculated by: A. C. K.

Day	75°W Mean Time												75°W Mean Time												
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	K	S	L	R	S	(1.8)	G	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K	G	K	S
2	K	S	L	R	S	2.0	K	2.2	S	2.0	K	2.2	S	2.0	K	2.0	K	1.9	K	2.0	K	2.0	K	1.9	S
3	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	S
4	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
5	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
6	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
7	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
8	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
9	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
10	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
11	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
12	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
13	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
14	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
15	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
16	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
17	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
18	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
19	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
20	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
21	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
22	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
23	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
24	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
25	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
26	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
27	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
28	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
29	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
30	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
31	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
Avg	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
Median	K	S	L	R	S	1.8	K	1.8	S	1.8	K	1.7	S	1.7	K	1.9	K	1.8	N	2.0	K	2.0	S	1.8	F
Count	28	24	20	20	20	23	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	

Sweep 1.0 Mc 10.25.0 Mc in 0.25 min
Manual Automatic

TABLE 76
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.
IONOSPHERIC DATA

(M3000)F2, (Unit) (Characteristic)		April, 1952 (Month)		Washington, D.C.		Lat 38.7°N, Long 77.1°W		75°W Mean Time																				
Observed at		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
1	K 28°F	28°F	27°F	27°F	(27)S	E K	E K	G K	G K	G K	G K	G K	G K	(27)S	(27)K	27 K	28 K	29 K	30 K	30 K	30 K	C K	29 K	(27)S	(27)K			
2	27 S	28 S	29 S	32 S	E K	E K	30 K	30 K	32 S	30 K	32 K	30 K	32 K	30 K	28 K	29 K	29 K	30 K	32 K	32 K	30 S	31 K	32 K	30 S	29 K			
3	K(27)S	27 K(29)S	K(29)S	K(27)S	(27)F	E K	E K	26 S	26 S	26 S	26 S	26 S	26 S	26 S	25 F	27	28	29	30 H	28 H	28 H	28	30	28 S	26 S	(27)F		
4	(27)S	(27)S	S F	E K	E K	E K	30 K	G K	G K	G K	G K	G K	G K	G K	26 K	26 K	26 K	27 K	28 K	28 K	30 K	30 K	30 K	30 K	26 S	27 K		
5	26 S	27 S	28 S	K(25)S	S F	E K	30 K	30 K	33 S	G K	G K	G K	G K	G K	26 K	26 K	26 K	27 K	28 K	28 K	30 K	30 K	30 K	30 K	26 S	27 K		
6	27 K(27)S	E K	E K	E K	(26)F	31 K	G K	G K	G K	G K	G K	G K	G K	G K	25 K	25 K	25 K	27 K	28 K	28 K	30 K	30 K	30 K	30 K	29 S	30 S		
7	30 F	30 F	28 F	26 S	27 F	27 F	33	32 S	29	29	29	29	29	29	(28)S	28	27 H	27 H	27 H	27 H	27 H	27 H	29	30	30	29	29	28 F
8	30 K	K(29)F	F K	F K	K(26)F	E K	E K	33 K	K(31)S	G K	G K	G K	G K	G K	25 K	25 K	25 K	26 K	26 K	26 K	26 K	26 K	26 K	26 K	26 K	26 K	(26)S	
9	K(27)S	K(28)F	F K	E K	F K	E K	31 K	29 S	G K	G K	G K	G K	G K	G K	24 K	24 K	24 K	25 K	25 K	25 K	25 K	25 K	25 K	25 K	25 K	25 K	(26)K	
10	28	28 F	27 F	26 S	(28)F	(27)F	32	33 S	29	28 H	29	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28 F		
11	29 F	29 F	28 F	27 F	(27)F	(26)F	32	32	31 H	28 H	27	29	29	29	29	29	29	29	29	29	29	29	29	29	29	28 F		
12	29	29 F	29 F	29 F	28 F	(28)F	31	27 H	32	30 H	29 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H	28 H			
13	(27)S	28	28	32	30	28	31 H	31	30 H	29	30 H	33	33	33	33	33	33	33	33	33	33	33	33	33	33	27		
14	28 F	(28)F	29 F	(29)F	(30)S	(30)F	30 F	32	32	32	33 H	M	30	30	27	27	27	29	31	31	32	33	32	31	30	29 F		
15	30	30	30	31 S	30 F	30	35	33	32	30	30	28 H	30 H	31	30	32	32	31	31	32	32	33	32	31	30	29 F		
16	(27)F	(28)F	28	28	27	27	27	29	32	30	30	30	28 H	30 H	31	30	32	32	31	31	32	32	31	30	29	(27)F		
17	28	28	28 F	30	31	30	32	31	31 H	30 H	29	29	29	29	29	29	29	29	29	29	29	29	29	29	28			
18	28	28 F	27	28	30	30	34	33 H	34	28 H	30 H	32	30	30	29 H	29 H	29 H	30	30	30	30	30	30	30	28			
19	30 F	30 F	(31)S	30 F	32 F	30	32	(25)S	(26)S	G K	G K	G K	G K	G K	25 K	25 K	25 K	27 K	26 K	26 K	26 K	26 K	26 K	26 K	(26)S			
20	K(26)S	K(27)S	28 S	27 K	30	29	33	30	26	30	28	31	29	31	29	31	32	32	30	31	31	32	31	29	28			
21	30	30	28	30	31	28	32	28	30	29	27 K	21 K	25 K	24 K	(21)K	23 K	27 K	27 K	27 K	(27)K	30 K	30 K	32 K	K(26)S	E K			
22	E K	E K	F S	(29)F	F S	(25)F	31 K	34 K	G K	G K	G K	G K	G K	G K	25 K	23 K	23 K	28 K	30 K	31 S	30 K	30 K	30 K	30 K	29 K			
23	30 F	F K	(28)F	E K	E K	(31)S	33 K	G K	30	32	30	29	30	30	31	32	31	32	31	31	30	31	30	30	29			
24	30	29 F	(27)F	(30)S	31 F	31	34	34	32 H	34	31	30 H	28	28	30	31	31	31	33	33	32	32	31	30	30			
25	30	30 F	28 F	29 F	29 F	33	34	32	32	32	31 H	33	33	32	31	31	31	31	32	32	32	31	31	30	30			
26	29	30	29	30	31	32	30 H	30 H	32	34 H	31	31	34 H	32	30	30	30	30	31	31	30	30	30	30	30	30 F		
27	29 F	30 F	C	C	C	C	C	C	C	C	C	C	C	C	31	31	32	32	31	31	30	31	30	30	30	30		
28	29	28 F	27	28 F	32	30	32	32	28 H	30	26 H	24	26 H	24	27 H	27	28	27	28	28	28	28	28	28	28			
29	28	(27)S	(26)F	(26)S	(26)F	31	31	33	G	28	29	29	29	29	29	25 H	25 H	25 H	27	27	27	27	27	27	27			
30	(28)F	(26)F	(27)F	(27)F	E K	29 K	32 K	G K	G K	G K	G K	G K	G K	G K	22 K	22 K	27 K	30 K	30 K	30 K	28 K	25 K	26 K	26 K	(27)F			
31																												
edition	28	28	28	28	30	29	32	31	29	28	28	28	28	28	28	28	28	30	30	30	30	30	30	29	28			
month	29	28	24	24	20	23	29	29	29	28	29	29	29	29	28	29	29	29	29	29	29	30	30	30	29			

Swept L.O. Mc 10.25.0 Mc In 0.25. min
Manual Automatic

National Bureau of Standards

(Institution) A.C.K.

Calculated by: E.J.W. -

Mc C. -

A.C.K.

TABLE 77
IONOSPHERIC DATA
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D.C.

April 1952

(Month)

38°7'N

Wash., D.C.

Observed at

77.1°W

(Characteristic)

(Unit)

Mc C. (Institution)

A.C.K. (Institution)

Form adopted June 1946

National Bureau of Standards

Scaled by: Mc C. A.C.K.

Calculated by: E.J.W. A.C.K.

75°W Mean Time

75°W

Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1																								
2																								
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
15																								
16																								
17																								
18																								
19																								
20																								
21																								
22																								
23																								
24																								
25																								
26																								
27																								
28																								
29																								
30																								
31																								
	-	3.5	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.6	3.6	3.6	3.6	
	14	2.5	2.8	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.8	2.8	2.8	2.8	

Manual Automatic

Sweep L.Q. Mc to 2.0 Mc in 0.25 min

IONOSPHERIC DATA

National Bureau of Standards

Scaled by: M.C.C. (Institution) A.C.K.

Calculated by: E.J.W. A.C.K.

Day	75°W Mean Time										
	00	01	02	03	04	05	06	07	08	09	10
1	4.1	4.0	4.2	4.2	4.0	4.2	4.2	4.0	4.2	4.1	4.2
2	5	4.2	4.2	4.1	4.1	4.1	4.2	4.1	4.2	4.1	4.2
3	4.2	4.1	3.9	4.1	4.0	4.1	4.0	4.2	4.2	4.2	4.2
4	4.4	4.3	4.1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
5	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
6	4.4	4.4	4.4	4.3	4.3	4.3	4.2	4.2	4.2	4.2	4.2
7	5	4.1	4.1	4.2	4.2	4.1	4.2	4.2	4.2	4.1	4.1
8	4.2	4.3	4.2	4.3	4.4	5	5	A	A	4.4	4.4
9	4.2	4.2	4.2	4.4	4.3	4.3	4.3	4.2	4.2	4.2	4.2
10	4.3	4.3	4.2	4.2	4.2	4.3	4.3	4.2	4.2	4.2	4.2
11	A	4.1	4.2	4.2	4.3	4.3	A	A	A	4.3	4.3
12	4.2	4.2	4.3	4.3	4.3	4.4	A	A	A	A	A
13	4.2	4.1	4.1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
14	4.2	4.3	4.2	M	A	A	A	(4.2)	4.2	4.2	4.2
15	4.3	4.3	(4.1)	4.1	4.1	(4.1)	(4.2)	4.2	A	4.2	A
16	S	4.2	4.2	4.2	4.2	4.2	(4.2)	(4.1)	(4.1)	4.2	4.2
17	4.0	3.9	4.1	4.1	4.1	4.0	4.0	4.1	4.2	4.2	4.2
18	4.1	4.1	(4.1)	4.2	4.3	4.2	(4.1)	4.0	4.2	4.1	3.7
19	4.1	4.2	(4.1)	4.2	3.9	4.1	3.9	4.2	4.0	4.1	4.0
20	(4.3)	4.3	4.2	(4.3)	4.4	4.2	4.1	4.2	4.2	4.2	4.2
21	4.2	3.9	4.2	4.5	4.2	A	A	4.1	4.2	4.2	4.2
22	(4.2)	A	4.1	4.2	4.1	4.2	4.2	4.2	4.2	4.3	4.2
23	3.8	4.1	4.1	4.1	4.3	(4.2)	4.3	4.3	4.3	3.8	4.1
24	3.8	3.9	4.0	4.1	(4.2)	4.1	4.0	4.0	4.2	4.2	4.2
25	4.0	4.2	4.2	A	A	4.4	A	(4.1)	4.1	4.1	4.0
26	4.2	4.1	4.3	(4.3)	4.0	4.2	4.2	4.1	4.1	4.1	4.1
27	C	C	C	C	C	C	A	4.4	4.5	4.6	4.4
28	4.0	3.9	4.2	A	(4.1)	(4.2)	A	(4.2)	4.2	4.2	4.2
29	4.3	4.3	4.3	4.3	4.3	A	A	4.4	4.3	4.4	3.7
30	4.1	4.0	4.4	4.4	4.4	4.4	4.3	4.3	4.3	4.2	4.2
31	4.2	4.1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2

Sweep 1.0 Mc to 25.0 Mc in 0.25 min
Manual Automatic (M1500) E, (Month) April, 1952
(Characteristics) Washington, D.C.
Observed at Lat. 38.7°N, Long. 77.1°W

Table 79

Ionospheric Storminess at Washington, D. C.April 1952

Day	Ionospheric character*		Principal storms		Geomagnetic character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
1	4	4	###	----	4	4
2	4	4	----	----	5	5
3	4	3	----	1500	6	4
4	4	4	0700	----	5	5
5	4	4	----	----	5	4
6	4	4	----	----	5	4
7	2	1	----	0100	5	4
8	4	5	0500	----	4	4
9	4	4	----	2400	4	3
10	2	1			5	3
11	2	2			3	2
12	1	1			3	2
13	1	2			3	2
14	0	1			2	3
15	1	1			3	3
16	1	3			4	3
17	2	2			4	2
18	2	2			1	3
19	1	5	1300	----	3	4
20	5	2	----	0900	3	2
21	1	4	1500	----	4	7
22	7	5	----	----	5	3
23	4	1	----	1300	4	3
24	1	3			2	3
25	1	2			2	2
26	1	2			2	2
27	1	2			2	2
28	1	2			4	3
29	3	2			5	5
30	4	6	0600	---	5	4

*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D. C., during 12-hour period, on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of Cheltenham, Maryland, geomagnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

----Dashes indicate continuing storm.

###Storm began at 1700 GCT on March 30, 1952.

Table 80

Provisional Radio Propagation Quality Figures
 (Including Comparisons with CRPL Warnings and Forecasts)
March 1952

Day	North Atlantic quality figure	CRPL* Warning		GRPL Forecasts (J-reports)	Geo- mag- netic K_{Ch}
		Half day GCT (1)	Half day GCT (2)		
1	(3) (4)	U	U	X	(4) 2
2	(4) 5				1 1
3	5 (4)		W		1 (5)
4	(2) (3)	W	W		(5) (4)
5	(2) (3)	W	W	X	(5) (5)
6	(2) (2)	W	W	X	(6) (4)
7	(3) (2)	W	W	X	(4) (4)
8	(2) (2)	W	W	X	(4) (4)
9	(3) (3)	W	W	X	(4) (4)
10	(3) (3)	W	W	X	(4) (4)
11	(4) (3)	W	W	X	(4) 3
12	(4) (3)	U		X	3 3
13	(4) 5				3 3
14	5 5				2 2
15	6 5				2 3
16	5 5				3 3
17	(3) (4)				(4) 3
18	5 5				(4) 2
19	5 6				1 2
20	6 6				2 1
21	6 (4)		W		(4) (5)
22	(3) (3)	W	W	X	(4) 3
23	(3) (3)	W	W	X	(5) (4)
24	(2) (3)	W	W	X	(5) (4)
25	(3) (3)	W	W	X	(4) (4)
26	5 (4)	W	W	X	3 3
27	5 (4)	U	U	X	3 3
28	5 6	U			1 2
29	7 6				1 2
30	6 5				3 (5)
31	(2) (3)	W	W	X	(6) (4)
Score:		Warning	Forecast		
H		N.A.	N.A.		
(M)		34	30		
M		1	0		
G		5	8		
O		21	22		
		1	2		

Scales:
 Quality Figures
 (1) - Useless
 (2) - Very poor
 (3) - Poor
 (4) - Poor to fair
 5 - Fair
 6 - Fair to good
 7 - Good
 8 - Very good
 9 - Excellent

Geomagnetic K_{Ch} - 0 to 9,
 9 representing the greatest
 disturbance; $K_{Ch} \geq 4$ indicates
 significant disturbance,
 enclosed in () for emphasis.

Symbols:
 W Disturbed conditions
 expected
 U Unstable conditions
 expected
 N No disturbance expected
 X Probable disturbed date

Scoring:
 H Storm ($K \geq 4$) hit
 (M) Storm severer than
 predicted

M Storm missed

G Good day forecast

O Overwarning

Scoring by half day according
 to following table:

Quality Figure			
<3	4	5	>6
W	H	H	O
U	(M)	H	O
N	M	M	G
X	H	H	O

*Broadcast on WWV, Washington, D.C. Times of warnings recorded to nearest half day as broadcast.

() broadcast for one-quarter day. Blanks signify N.

Table 81Solar Flares, March 1952

Observatory	Date	Time Observed		Duration (Min)	Area (Mill) (of) (Visible)	Position		Int. of Maxi- mum (GCT)	Rela- tive Area of Maximum (Tenths)	Import- ance	SID Obser- ved
		Begin- ning (GCT)	End- ing (GCT)			Latit- ude (Deg)	Long- itude (Deg)				
Boulder	Mar. 14	2101B	2130	-	70	S08	E02	2110	10	1 -	
"	27	1621	1630	9	60	S08	W13	1625	10	1 -	
"	27	2250B	2328Q	-	120	S08	W13	2315	15	3	

NOTE: Flare on March 14 was observed visually; position, area, and intensity were estimated.

B Flare started before given time

A Flare ended after given time

Q Time reported as questionable

ERRATUM: CRPL-F92, p.44, table 82--The second box heading should read, "Date 1952."

Table 822

Coronal observations at Climax, Colorado (5303A), east limb

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																	
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
1952																																		
Apr. 1.7	-	-	-	-	3	6	9	10	10	10	8	9	9	10	18	21	17	33	10	3	2	2	2	3	3	3	3	3	4	3	2	-	-	-
4.8	-	-	-	-	-	2	3	3	4	4	3	3	3	3	3	3	3	3	4	6	16	11	12	10	5	3	3	5	4	3	3	-	-	-
5.7	-	-	-	-	-	-	2	3	3	3	2	-	-	-	3	3	3	4	10	12	20	18	15	12	6	5	3	3	3	3	3	3	-	-
7.8a	X	X	X	-	-	-	-	3	3	-	-	-	-	-	3	4	5	6	6	6	3	3	2	2	2	2	3	3	3	3	3	3	-	-
8.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	2	2	2	3	3	3	2	3	3	3	3	3	-	-	
10.0a	-	-	-	-	-	X	X	X	4	4	3	3	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	-	-	-	-	-	-	
11.7a	-	-	-	-	-	-	3	3	3	3	2	2	2	3	3	2	2	2	2	3	3	4	3	3	3	3	2	2	2	-	-	-		
1h.8	X	X	X	X	-	-	a	a	a	a	a	a	a	a	a	a	a	5	7	12	7	7	4	3	3	3	3	3	3	3	3	3	3	a
15.8	-	-	-	-	-	-	a	a	a	a	a	a	a	a	a	a	5	12	15	21	18	16	10	6	6	5	5	5	5	5	5	5	5	a
16.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	4	4	9	13	13	14	6	4	4	4	4	4	4	4	4	4	3
17.7	-	-	-	-	-	-	-	3	3	3	3	4	5	6	6	6	6	6	9	12	12	10	4	3	3	3	3	3	3	3	3	3	3	
18.6	-	-	-	-	-	-	-	-	-	-	-	3	3	5	6	6	8	9	10	12	10	10	5	3	3	3	3	3	3	3	3	3	3	
19.6	-	-	-	-	-	-	-	3	3	3	3	3	6	9	10	10	10	10	10	12	8	6	3	3	-	-	-	-	-	-	-	-	-	
23.6	-	-	-	-	3	3	5	4	6	4	3	3	4	7	8	12	8	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
24.6	-	-	-	-	3	3	3	5	5	3	3	3	6	8	12	15	13	18	15	3	3	3	3	3	-	-	-	-	-	-	-	-	-	
25.6	-	-	-	3	3	3	3	3	3	3	5	9	13	20	18	16	22	6	6	5	3	3	-	-	-	-	-	-	-	-	-	-	-	
26.6	-	-	-	-	-	-	3	3	3	6	9	18	20	15	18	22	13	6	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	
27.6	-	-	-	-	3	3	3	4	4	4	4	6	12	25	22	18	18	28	15	13	5	4	4	4	4	4	4	3	3	-	-	-		

Table 83a

Coronal observations at Climax, Colorado (6374A), east limb

Date GCT	Degrees north of the solar equator														0°	Degrees south of the solar equator																								
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90				
1952																																								
Apr. 1.7	3	3	3	3	3	3	3	3	2	2	2	2	2	2	3	4	3	4	3	21	28	8	6	4	4	4	3	3	3	3	3	3	3	3	2	3	4	3	3	5
4.8	3	3	3	3	3	3	3	2	2	2	3	4	5	5	4	4	4	4	4	4	2	2	4	2	2	3	3	3	3	3	3	3	3	3	4	3	4	4	5	
5.7	3	3	3	3	3	3	2	2	3	3	3	4	4	3	4	3	4	4	3	5	5	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3
7.8a	X	X	X	2	2	2	2	2	2	3	3	3	4	6	4	6	12	4	2	2	2	3	3	3	3	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3
8.8a	2	2	2	2	2	2	-	-	2	2	2	3	3	2	3	3	2	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	
10.0a	3	3	3	3	3	3	X	X	X	X	3	3	3	4	5	3	3	3	3	3	2	3	3	3	3	3	4	3	2	2	2	2	2	2	2	2	3	3	3	3
11.7a	3	3	3	3	3	2	2	-	-	-	-	-	-	-	-	-	2	2	2	4	3	3	3	2	2	2	2	4	3	3	3	2	2	2	3	3	3	4		
14.8	X	X	X	2	2	2	2	2	2	2	2	3	3	4	4	4	4	4	4	2	3	18	4	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	
15.8	3	3	3	4	3	3	2a	2a	2a	2a	2a	2a	3a	5a	4a	4a	4a	4a	3	3	12	3	4	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2a		
16.6	3	4	3	3	3	3	3	3	3	3	4	4	3	3	3	3	3	3	3	6	4	6	3	2	2	2	3	3	3	2	2	2	3	3	3	3	3	3	3	
17.7	3	3	3	3	5	3	3	3	3	5	4	3	2	3	3	3	3	2	3	4	4	4	4	3	2	3	2	3	3	3	3	3	3	4	3	3	3	3		
18.6	3	3	3	3	3	3	3	3	3	4	3	3	3	3	3	3	3	3	3	10	9	6	3	3	3	3	3	3	4	4	4	3	3	3	3	3	3	3	3	
19.6	4	4	4	4	4	4	2	2	2	2	2	2	2	5	3	6	2	6	9	15	5	2	2	2	3	4	3	4	4	4	3	3	3	3	3	3	5			
23.6	4	4	4	5	4	4	2	-	-	-	-	2	3	3	3	4	11	5	6	4	4	4	5	4	3	3	4	3	3	3	3	3	3	3	3	3	3	3		
24.6	4	4	5	5	3	3	3	3	3	3	3	3	3	3	3	9	3	6	13	7	9	3	3	4	5	3	3	3	3	3	3	3	3	3	3	3	3	4		
25.6	3	3	4	4	4	3	-	-	-	-	-	-	-	-	3	6	3	2	12	3	3	2	2	2	3	3	2	2	2	2	2	2	2	2	2	2	2	2		
26.6	3	-	3	3	4	4	3	2	2	2	2	2	2	2	3	6	6	3	6	3	3	3	3	2	2	2	2	2	3	3	2	2	2	2	2	3	2			
27.6	3	3	4	4	3	3	2	2	2	2	2	2	2	2	3	6	3	2	2	13	4	3	3	5	3	3	2	2	2	3	3	2	2	2	2	2	3	3	3	

Table 84a

Coronal observations at Climax, Colorado (6702A), east limb

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																						
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90			
1952																																							
Apr.	1.7	-	-	-	-	-	-	-	-	2	2	2	2	2	3	4	4	5	3	3	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-				
	4.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	3	2	2	-	-	-	-	-	-	-	-	-	-			
	5.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	3	2	2	2	2	2	2	-	-	-	-	-				
	7.8a	X	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	-				
	8.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-				
	10.0a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	-				
	11.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	-				
	14.8	X	X	X	X	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	3	3	3	3	3	3	3	3	2	-	-	-				
	15.8	-	-	-	-	-	-	a	a	a	a	a	a	a	a	a	a	2a	2a	2a	2a	2a	3	4	5	3	3	3	3	2	2	2	-a	a	a	a	a	a	a
	16.6	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-		
	17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-
	18.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-
	19.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	-	-	-
	23.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-
	24.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	-	-	-
	25.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	-	-	-
	26.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	4	4	3	3	3	3	3	3	3	3	3	3	3	-	-	-
	27.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	4	4	3	3	3	2	2	2	2	2	2	2	2	2	-	-	-

Table 82b

Coronal observations at Climax, Colorado (5303A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																									
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90						
1952	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Apr.	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	13	10	5	4	4	3	3	4	4	4	3	3	-	-	-	-	-						
	4.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	12	10	7	8	5	4	5	4	4	4	4	3	3	3	3	3	-						
	5.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	21	18	15	8	4	3	3	5	6	5	4	3	3	-	-	-	-						
	7.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	9	13	18	15	18	3	3	3	3	3	3	3	3	3	-						
	8.8a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	-						
	10.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	3	3	6	8	12	10	8	6	4	4	4	6	5	4	3	2					
	11.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	12	21	26	23	22	21	17	12	8	6	6	7	7	6	3	-					
	14.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	23	18	15	17	9	5	4	4	5	5	5	4	3	X	X	X	X						
	15.8	a	a	a	a	a	-	-	-	-	-	-	-	-	-	-	-	-	3	4	4	3	3	6	8	9	9	12	16	16	16	16	16	16	16	-						
	16.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	16	16	16	16	16	7	6	5	6	6	4	3	-	-	-	-	-						
	17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	16	14	11	13	8	6	4	4	5	6	6	5	4	-	-	-	-						
	18.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	20	11	13	9	8	6	5	4	4	3	-	-	-	-	-	-	-						
	19.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	3	3	6	8	9	16	15	16	9	8	8	10	6	4	3	3	3	3		
	23.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	6	3	3	5	3	4	5	6	8	12	6	5	5	4	6	5	4	3	3		
	24.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	3	6	13	16	18	21	5	4	4	5	5	5	4	6	5	4	3	-			
	25.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	4	3	3	6	9	6	4	4	4	4	4	4	4	4	4	3	-			
	26.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	3	3	3	5	9	12	16	15	18	10	9	15	7	4	3	3	4	6	4	4	-
	27.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	4	4	3	8	12	13	12	12	13	11	12	18	6	4	3	3	3	3	3	3	-

Table 83b

Coronal observations at Climax, Colorado (6374A), west limb

Table 84b

Coronal observations at Climax, Colorado (6702A), west limb

Table 85a

Coronal observations at Sacramento Peak, New Mexico (5303A), east limb

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																				
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90			
1952																																					
Apr. 1.8	2	2	2	2	2	3	3	4	5	6	5	5	6	10	14	12	20	20	12	3	2	2	2	2	3	3	3	3	2	2	2	2	-	2	2		
2.8	2	2	2	2	3	3	3	3	4	4	3	5	7	7	6	14	12	11	14	5	4	4	3	2	2	2	2	2	2	2	2	2	3	3	3		
3.7	3	3	3	2	2	2	2	2	5	5	4	5	5	5	8	6	5	3	5	5	6	7	5	6	5	4	2	2	2	2	2	2	2	2	2	2	
7.7 ^E	2	2	2	2	2	2	2	2	3	3	3	3	3	4	4	3	3	5	5	4	4	4	5	5	6	5	4	4	3	3	3	3	3	3	2	2	
9.7	-	-	-	-	-	-	-	3	8	5	7	7	7	6	5	5	5	6	6	8	7	7	8	7	6	5	4	4	4	4	4	5	5	4	3	3	2
13.9 ^a	2	2	2	2	2	2	3	3	2	3	3	3	3	3	3	3	2	2	2	2	2	3	4	4	5	5	6	5	4	3	2	3	3	3	3		
14.7	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	4	3	3	5	8	5	5	5	4	3	3	3	3	3	3	3	2	3	3	
15.8	3	2	2	2	2	2	2	2	3	3	4	3	3	3	4	4	4	4	5	8	14	16	14	11	9	5	5	4	3	4	5	4	2	2	2	2	
18.8	-	-	2	2	2	2	3	3	2	3	2	3	4	4	5	8	11	11	14	15	15	18	16	14	11	5	4	3	4	6	4	3	2	2	-	1	
26.9 ^a	3	3	3	3	4	4	5	8	4	4	5	5	6	20	23	19	16	23	22	15	12	8	5	3	4	5	4	3	2	2	3	4	3	3	4		
29.7 ^a	2	3	3	3	3	3	5	7	11	15	10	8	11	20	30	39	32	41	34	20	16	11	13	8	8	8	6	8	9	10	10	5	5	5	4	4	2
30.9 ^a	3	4	4	4	3	3	5	8	6	7	7	11	12	14	22	26	28	27	16	11	8	8	8	9	10	8	6	5	6	6	6	6	8	4	4	4	

Table 86a

Coronal observations at Sacramento Peak, New Mexico (6374A), east limb

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																				
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
1952																																					
Apr. 1.8	2	2	2	2	2	2	2	-	2	2	-	-	2	2	2	2	3	3	9	10	5	3	3	4	3	2	5	3	2	2	2	2	-	-	-	3	2
2.8	2	3	3	3	3	2	2	2	2	2	2	2	2	3	2	3	3	14	12	5	4	3	2	3	3	3	3	2	-	-	3	2	2	2	-	2	2
3.7	-	2	2	2	2	2	2	2	-	-	-	2	3	3	3	3	3	3	3	3	2	3	2	2	2	2	2	-	3	2	2	2	-	3	3		
7.7a	2	2	2	3	3	3	2	2	2	2	2	3	2	3	3	4	4	5	4	4	2	2	2	2	2	3	3	2	2	2	2	2	2	2	2	2	
9.7	3	2	4	3	2	3	2	2	2	2	-	-	2	3	4	4	4	4	3	4	2	3	3	2	2	2	2	5	5	4	3	2	2	2	2	4	
13.9a	3	2	2	2	2	2	-	-	2	2	2	3	2	3	2	2	2	2	2	2	2	3	3	4	2	2	2	2	2	2	2	2	2	3	2		
14.7	2	3	3	3	3	2	2	2	2	2	3	4	4	5	5	5	5	5	5	5	4	13	11	3	2	2	2	2	2	-	-	-	3	2	2		
15.8	2	2	3	2	-	-	2	-	-	-	2	2	3	3	3	3	2	2	2	2	3	3	-	-	-	-	-	-	-	-	2	-	-	2	2		
18.8	2	3	3	3	4	3	2	2	5	5	3	3	3	4	4	4	3	3	10	14	7	4	3	2	4	4	4	4	4	3	3	4	3	3	2	2	
26.9a	3	2	3	2	2	2	3	3	2	-	-	2	2	3	2	2	2	2	2	4	3	3	3	3	2	2	2	2	2	-	2	2	2	2	2		
29.7a	5	5	5	7	4	4	3	2	3	3	2	4	3	2	3	3	5	5	14	15	6	3	3	4	4	4	3	2	5	5	5	5	3	5	4	4	5
30.9a	6	5	7	7	5	4	3	3	4	4	2	3	8	9	10	7	11	16	13	13	8	5	3	4	3	2	2	2	3	4	4	3	3	4	4		

Table 87a

Coronal observations at Sacramento Peak, New Mexico (6702A), east limb

Date GCT	Degrees north of the solar equator															0°	Degrees south of the solar equator																			
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
1952	-	-	-	-	-	-	-	-	-	2	2	2	2	2	3	2	2	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Apr. 1.8	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2.8	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.7a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
9.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13.9a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
15.8	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26.9a	-	-	-	-	-	-	-	-	-	2	2	2	2	2	3	3	4	4	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29.7a	-	-	-	-	-	-	-	-	-	-	2	2	3	2	3	4	5	5	5	5	4	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2
30.9a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	4	4	5	5	4	4	4	4	3	3	3	3	-	-	-	-		

Table 85b

Coronal observations at Sacramento peak, New Mexico (53Q3A), west limb

Date GCT	Degrees south of the solar equator															0°	Degrees north of the solar equator																									
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90						
1952																																										
Apr. 1.8	2	2	2	2	2	2	3	3	3	4	2	5	5	6	8	8	13	18	16	10	11	10	4	3	3	3	3	2	2	2	2	2	-	-	2	2						
2.8	3	3	2	2	2	2	3	3	4	3	4	4	4	5	6	6	11	16	18	14	8	8	5	5	5	4	3	3	3	4	4	3	3	3	2	2	3	3				
3.7	-	-	-	-	-	-	2	3	4	4	4	3	4	4	5	5	5	9	11	10	8	5	4	5	5	3	3	3	3	3	3	3	3	2	2	3	3					
7.7a	2	2	2	2	2	2	3	3	3	2	2	2	3	3	3	3	4	4	5	10	10	4	4	4	3	3	4	4	3	4	5	4	4	4	4	3	2	2				
9.7a	2	2	2	2	2	2	2	2	2	3	-	-	-	2	2	2	2	3	3	3	3	4	6	6	5	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
13.9	3	3	2	2	2	2	-	-	-	2	2	2	2	3	3	3	4	4	5	12	12	14	13	11	14	13	10	12	6	4	3	5	4	4	3	3	2	2	3	2		
14.7	3	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	4	4	5	8	9	14	14	12	13	13	11	14	3	4	5	6	4	2	2	2	3	3	2		
15.8	2	2	2	2	2	2	3	3	3	4	4	4	5	5	5	5	5	4	5	5	6	11	12	12	11	10	5	5	5	4	4	4	3	3	3	2	2	3	3			
18.8	-	-	-	-	-	-	2	2	3	3	3	4	5	4	3	8	8	9	10	12	13	7	6	9	6	5	3	3	3	4	4	4	4	3	3	2	2	3	3			
26.9a	2	2	2	3	3	3	5	5	6	5	5	3	3	3	3	4	5	8	11	12	8	12	13	7	5	3	3	3	4	4	4	4	4	3	3	2	2	2	2			
29.7a	2	-	-	-	-	-	2	8	10	11	8	7	8	7	5	6	11	16	20	22	18	11	11	6	6	5	5	3	3	3	3	3	3	2	2	2	2					
30.2a	4	5	5	4	4	5	5	6	8	6	6	6	7	7	8	9	11	14	15	15	12	11	10	8	8	7	6	5	5	5	4	5	6	5	3	3						

Table 86b

Coronal observations at Sacramento Peak, New Mexico (6374A), west limb

Date GCT	Degrees south of the solar equator															Degrees north of the solar equator																							
	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90			
1952																																							
Apr. 1.8	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2	-	2	11	16	3	11	11	7	5	5	2	3	2	-	-	-	-	-	-	-	2	2
2.8	2	2	2	-	3	2	-	2	2	3	4	2	3	2	.2	13	16	13	12	5	8	7	7	6	6	2	5	4	3	2	2	3	2	2	3	2	3	2	
3.7	2	2	2	-	2	2	2	2	2	2	2	2	-	3	3	10	15	12	8	4	3	2	2	2	2	2	3	3	2	2	2	-	-	-	-	-	-		
7.7a	2	2	3	2	3	2	2	2	2	3	2	2	2	2	2	2	3	3	5	9	5	2	5	4	3	2	2	2	2	2	2	2	2	2	2	2	2		
9.7a	4	3	3	4	4	3	3	3	3	2	2	2	4	4	5	4	5	5	4	4	5	4	3	2	X	X	X	X	X	X	X	X	X	X	X	3	3		
13.9	2	-	-	2	2	2	2	-	2	3	3	2	3	2	3	2	8	6	5	8	6	5	5	3	2	2	-	2	2	2	2	2	2	2	2	3	3		
14.7	3	2	2	3	2	2	2	2	3	2	3	3	5	5	5	4	5	3	2	3	3	4	2	-	2	-	-	-	-	-	-	-	-	-	2	2			
15.8	-	2	2	2	3	2	2	-	-	2	-	3	2	-	-	3	3	1	6	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2		
18.8	2	-	-	3	-	2	2	2	3	3	3	3	3	3	3	3	2	2	2	8	7	6	6	4	3	3	-	-	2	2	3	4	4	2	2				
26.9a	2	3	3	3	3	2	2	4	4	2	2	2	2	2	2	2	2	2	4	3	8	13	4	4	2	2	2	2	2	2	2	3	3	3	3	3			
29.7a	4	5	3	4	3	3	2	2	2	2	3	3	X	X	X	2	3	2	3	4	3	5	5	4	5	8	10	7	4	3	4	3	4	2	3	4			
30.9a	5	5	5	6	4	4	3	3	3	3	3	3	X	X	X	3	3	4	3	2	2	4	5	8	6	5	5	3	3	5	5	5	5	5	5	5			

Table 87b

Coronal observations at Sacramento Peak, New Mexico (6702A), west limb

Table 88

Zürich Provisional Relative Sunspot NumbersApril 1952

Date	R _Z *	Date	R _Z *
1	28	17	7
2	16	18	17
3	21	19	33
4	26	20	53
5	37	21	62
6	33	22	50
7	37	23	38
8	40	24	26
9	32	25	15
10	30	26	26
11	46	27	16
12	28	28	17
13	22	29	32
14	19	30	42
15	7		
16	8	Mean:	28.8

* Dependent on observations at Zürich Observatory and its stations at Locarno and Arosa.

Table 89
American Relative Sunspot Numbers
March 1952

Date	R _A , *	Date	R _A , *
1	0	17	16
2	0	18	14
3	0	19	11
4	0	20	0
5	8	21	0
6	11	22	0
7	14	23	0
8	13	24	10
9	14	25	31
10	31	26	35
11	30	27	56
12	34	28	85
13	30	29	80
14	25	30	85
15	26	31	44
16	20	Mean:	23.3

* Combination of reports from 28 observers; see page 10.

Table 90

Indices of Geomagnetic Activity for March 1952

Preliminary values of international Character-figures, C;
Geomagnetic planetary three-hour-range indices, K_p;
Magnetically selected quiet and disturbed days

Table 89
American Relative Sunspot Numbers
March 1952

Date	R _A *	Date	R _A *
1	0	17	16
2	0	18	14
3	0	19	11
4	0	20	0
5	8	21	0
6	11	22	0
7	14	23	0
8	13	24	10
9	14	25	31
10	31	26	35
11	30	27	56
12	34	28	85
13	30	29	80
14	25	30	85
15	26	31	44
16	20	Mean:	23.3

* Combination of reports from 28 observers; see page 10.

Table 90

Indices of Geomagnetic Activity for March 1952

Preliminary values of international Character-figures, C;
Geomagnetic planetary three-hour-range indices, K_p;
Magnetically selected quiet and disturbed days

Table 91Sudden Ionosphere Disturbances Observed at Washington, D. C.April 1952

1952 Day	GCT	Location of transmitters	Relative intensity at minimum*	Other phenomena
	Beginning End			
April 4	2225 2310	Mexico	0.2	Terr. mag. pulse** 2215-2235 Solar flare*** 2218

*Ratio of received field intensity during SID to average field intensity before and after, for station XEWW, 9500 kilocycles, 3000 kilometers distant.





**As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

***Time of observation at High Altitude Observatory, Boulder, Colorado.

Note: Observers are invited to send to the CRPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

GRAPHS OF IONOSPHERIC DATA

46






Fig. 5. TROMSO, NORWAY
69.7°N, 19.0°E

MARCH 1952




Fig. 6. TROMSO, NORWAY

MARCH 1952




Fig. 7. ANCHORAGE, ALASKA

61.2°N, 149.9°W

MARCH 1952




















Fig. 8. ANCHORAGE, ALASKA

MARCH 1952












Fig. 25. BATON ROUGE, LOUISIANA

30.5°N, 91.2°W

MARCH 1952




Fig. 26. BATON ROUGE, LOUISIANA

MARCH 1952




Fig. 27. OKINAWA I.

26.3°N, 127.8°E

MARCH 1952




Fig. 28. OKINAWA I.

MARCH 1952




Fig. 29. MAUI, HAWAII

20.8°N, 156.5°W

MARCH 1952




Fig. 30. MAUI, HAWAII

MARCH 1952




Fig. 31. PUERTO RICO, W.I.

18.5°N, 67.2°W

MARCH 1952




Fig. 32. PUERTO RICO, W.I.

MARCH 1952

NBS 430




Fig. 33. PANAMA CANAL ZONE

9.4°N, 79.9°W

MARCH 1952




Fig. 34. PANAMA CANAL ZONE

MARCH 1952




Fig. 35. HUANCAYO, PERU

12.0°S, 75.3°W

MARCH 1952




Fig. 36. HUANCAYO, PERU

MARCH 1952




Fig. 37. RESOLUTE BAY, CANADA
74.7°N, 94.9°W FEBRUARY 1952




Fig. 38. RESOLUTE BAY, CANADA FEBRUARY 1952




Fig. 39. KIRUNA, SWEDEN
67.8°N, 20.5°E FEBRUARY 1952




Fig. 40. KIRUNA, SWEDEN FEBRUARY 1952




Fig. 41. FAIRBANKS, ALASKA
64.9°N, 147.8°W FEBRUARY 1952




Fig. 42. FAIRBANKS, ALASKA FEBRUARY 1952




Fig. 43. BAKER LAKE, CANADA
64.3°N, 96.0°W FEBRUARY 1952




Fig. 44. BAKER LAKE, CANADA FEBRUARY 1952




Fig. 45. CHURCHILL, CANADA
58.8°N, 94.2°W

FEBRUARY 1952




Fig. 46. CHURCHILL, CANADA

FEBRUARY 1952




Fig. 47. FORT CHIMO, CANADA
58.1°N, 68.3°W

FEBRUARY 1952




Fig. 48. FORT CHIMO, CANADA

FEBRUARY 1952




Fig 49. PRINCE RUPERT, CANADA
54.3°N, 130.3°W FEBRUARY 1952




Fig 50. PRINCE RUPERT, CANADA FEBRUARY 1952




Fig 51. De BILT, HOLLAND
52.1°N, 5.2°E FEBRUARY 1952




Fig 52. De BILT, HOLLAND FEBRUARY 1952




Fig. 53. LINDAU/HARZ, GERMANY
51.6°N, 10.1°E FEBRUARY 1952




Fig. 54. LINDAU/HARZ, GERMANY FEBRUARY 1952




Fig. 55. WINNIPEG, CANADA
49.9°N, 97.4°W FEBRUARY 1952




Fig. 56. WINNIPEG, CANADA FEBRUARY 1952




Fig. 57. ST JOHN'S, NEWFOUNDLAND
47.6°N, 52.7°W FEBRUARY 1952




Fig. 58. ST JOHN'S, NEWFOUNDLAND FEBRUARY 1952




Fig 59. SCHWARZENBURG, SWITZERLAND
46.8°N, 7.3°E FEBRUARY 1952




Fig 60 SCHWARZENBURG, SWITZERLAND FEBRUARY 1952




Fig. 61. OTTAWA, CANADA
45.4°N, 75.7°W FEBRUARY 1952




Fig. 62. OTTAWA, CANADA FEBRUARY 1952




Fig. 63. REYKJAVIK, ICELAND
64.1°N, 21.8°W JANUARY 1952








Fig. 64. REYKJAVIK, ICELAND JANUARY 1952






Fig. 69. TOKYO, JAPAN
35.7°N, 139.5°E JANUARY 1952




Fig. 70. TOKYO, JAPAN JANUARY 1952




Fig. 71. YAMAGAWA, JAPAN
31.2°N, 130.6°E JANUARY 1952




Fig. 72. YAMAGAWA, JAPAN JANUARY 1952




Fig. 73. GUAM I.
13.6°N, 144.9°E JANUARY 1952




Fig. 74. GUAM I. JANUARY 1952




Fig. 75. RAROTONGA I.
21.3°S, 159.8°W JANUARY 1952




Fig. 76. RAROTONGA I. JANUARY 1952




Fig. 77. JOHANNESBURG, U. OF S. AFRICA
26.2°S, 28.1°E JANUARY 1952




Fig. 78. JOHANNESBURG, U. OF S. AFRICA JANUARY 1952




Fig. 79. CAPETOWN, U. OF S. AFRICA
34.2°S, 18.3°E JANUARY 1952




Fig. 80. CAPETOWN, U. OF S. AFRICA JANUARY 1952




Fig. 81. CHRISTCHURCH, N.Z.
43°6'S, 172.7°E JANUARY 1952




Fig. 82. CHRISTCHURCH, N.Z. JANUARY 1952




Fig. 83. INVERNESS, SCOTLAND
57°4'N, 4.2°W DECEMBER 1951




Fig. 84. INVERNESS, SCOTLAND DECEMBER 1951




Fig. 85. SLOUGH, ENGLAND
51.5°N, 0.6°W DECEMBER 1951




Fig. 86. SLOUGH, ENGLAND DECEMBER 1951




Fig. 87. SINGAPORE, BRIT. MALAYA
1.3°N, 103.8°E DECEMBER 1951








Fig. 88. SINGAPORE, BRIT. MALAYA DECEMBER 1951






Fig. 93. SLOUGH, ENGLAND

51.5°N, 0.6°W

NOVEMBER 1951




Fig. 94. SLOUGH, ENGLAND

NOVEMBER 1951




Fig. 95. FRIBOURG, GERMANY

48.1°N, 7.8°E

NOVEMBER 1951




Fig. 96. FRIBOURG, GERMANY

NOVEMBER 1951







Fig. 97. DJIBOUTI, FRENCH SOMALILAND
11°5'N, 43.1°E NOVEMBER 1951






Fig. 101. FALKLAND IS.
51.7°S, 57.8°W NOVEMBER 1951




Fig. 102. FALKLAND IS. NOVEMBER 1951




Fig. 103. REYKJAVIK, ICELAND
64.1°N, 21.8°W OCTOBER 1951




Fig. 104. REYKJAVIK, ICELAND OCTOBER 1951




Fig. 105. DAKAR, FRENCH W. AFRICA
14.6°N, 17.4°W OCTOBER 1951




Fig. 106. DAKAR, FRENCH W. AFRICA OCTOBER 1951




Fig. 107. DJIBOUTI, FRENCH SOMALILAND
11.5°N, 43.1°E OCTOBER 1951




Fig. 108. DJIBOUTI, FRENCH SOMALILAND OCTOBER 1951




Fig. 109. FALKLAND IS.
51.7°S, 57.8°W OCTOBER 1951




Fig. 110. FALKLAND IS. OCTOBER 1951




Fig. 111. REYKJAVIK, ICELAND
64.1°N, 21.8°W SEPTEMBER 1951












Fig. 112. REYKJAVIK, ICELAND SEPTEMBER 1951








Fig. 121. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W OCTOBER 1942




Fig. 122. SAN FRANCISCO, CALIFORNIA OCTOBER 1942




Fig. 123. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W SEPTEMBER 1942








Fig. 124. SAN FRANCISCO, CALIFORNIA SEPTEMBER 1942






Fig. 129. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W MARCH 1942




Fig. 130. SAN FRANCISCO, CALIFORNIA MARCH 1942




Fig. 131. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W FEBRUARY 1942




Fig. 132. SAN FRANCISCO, CALIFORNIA FEBRUARY 1942

Index of Tables and Graphs of Ionospheric Data

in CRPL-F93

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
March 1952	13	49
Akita, Japan		
January 1952	17	62
Anchorage, Alaska		
March 1952	12	47
Baker Lake, Canada		
February 1952	15	56
Batavia, Ohio		
March 1952	13	50
Baton Rouge, Louisiana		
March 1952	14	52
Capetown, Union of South Africa		
January 1952	18	65
Christchurch, New Zealand		
January 1952	18	66
Churchill, Canada		
February 1952	15	57
Dakar, French West Africa		
October 1951	20	72
August 1951	21	74
July 1951	21	74
De Bilt, Holland		
February 1952	16	58
Djibouti, French Somaliland		
November 1951	20	70
October 1951	20	72
Fairbanks, Alaska		
February 1952	15	56
Falkland Is.		
November 1951	20	71
October 1951	21	73
Fort Chimo, Canada		
February 1952	15	57
Fribourg, Germany		
November 1951	19	69
Graz, Austria		
March 1952	13	50
Guam I.		
January 1952	18	64
Huancayo, Peru		
March 1952	14	54
Inverness, Scotland		
December 1951	18	66
November 1951	19	68

Index (CRPL-F93, continued)

	<u>Table page</u>	<u>Figure page</u>
Johannesburg, Union of South Africa		
January 1952	18	65
Kiruna, Sweden		
February 1952	15	55
Lindau/Harz, Germany		
February 1952	16	59
Maui, Hawaii		
March 1952	14	53
Narsarssuak, Greenland		
March 1952	12	48
Okinawa I.		
March 1952	14	52
Oslo, Norway		
March 1952	12	48
Ottawa, Canada		
February 1952	17	61
Panama Canal Zone		
March 1952	14	54
Point Barrow, Alaska		
March 1952	12	46
Prince Rupert, Canada		
February 1952	16	58
Puerto Rico, W. I.		
March 1952	14	53
Barotonga I.		
January 1952	18	64
Resolute Bay, Canada		
February 1952	15	55
Reykjavik, Iceland		
January 1952	17	61
November 1951	19	68
October 1951	20	71
September 1951	21	73
St. John's, Newfoundland		
February 1952	16	60
San Francisco, California		
March 1952	13	51
December 1942	21	75
November 1942	21	75
October 1942	22	76
September 1942	22	76
May 1942	22	77
April 1942	22	77
March 1942	22	78
February 1942	22	78

Index (CRPL-F93, concluded)

	<u>Table page</u>	<u>Figure page</u>
Schwarzenburg, Switzerland		
February 1952	16	60
Singapore, British Malaya		
December 1951	19	67
November 1951	20	70
Slough, England		
December 1951	19	67
November 1951	19	69
Tokyo, Japan		
January 1952	17	63
Tromso, Norway		
March 1952	12	47
Upsala, Sweden		
March 1952	13	49
Wakkanai, Japan		
January 1952	17	62
Washington, D. C.		
April 1952	12	46
White Sands, New Mexico		
March 1952	13	51
Winnipeg, Canada		
February 1952	16	59
Yamagawa, Japan		
January 1952	17	63



CRPL and IRPL Reports

[A list of CRPL Section Reports is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance warnings, every half hour from broadcast station WWV of the National Bureau of Standards. Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL—J. Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11-499, monthly supplements to TM 11-499; Dept. of the Navy, DNC 13 () series; Dept. of the Air Force, TO 16-1B-2 series.)

CRPL—F. Ionospheric Data.

*IRPL—A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

*IRPL—H. Frequency Guide for Operating Personnel.

Circulars of the National Bureau of Standards:

NBS Circular 462. Ionospheric Radio Propagation.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

Reports issued in past:

IRPL—C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL—G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

IRPL—R. Nonscheduled reports:

R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.

R5. Criteria for Ionospheric Storminess.

**R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.

R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.

**R11. A Nomographic Method for both Prediction and Observation Correlation of Ionosphere Characteristics.

**R12. Short Time Variations in Ionospheric Characteristics.

R14. A Graphical Method for Calculating Ground Reflection Coefficients.

**R15. Predicted Limits for F2-Layer Radio Transmission Throughout the Solar Cycle.

**R17. Japanese Ionospheric Data—1943.

R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.

**R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)

**R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.

**R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.

**R25. The Prediction of Solar Activity as a Basis for the Prediction of Radio Propagation Phenomena.

**R26. The Ionosphere as a Measure of Solar Activity.

R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.

**R30. Disturbance Rating in Values of IRPL Quality-Figure Scale from A. T. & T. Co. Transmission Disturbance Reports to Replace T. D. Figures as Reported.

**R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.

**R33. Ionospheric Data on File at IRPL.

**R34. The Interpretation of Recorded Values of fEs.

**R35. Comparison of Percentage of Total Time of Second-Multiple Es Reflections and That of fEs in Excess of 3 Mc.

IRPL—T. Reports on tropospheric propagation:

T1. Radar operation and weather. (Superseded by JANP 101.)

T2. Radar coverage and weather. (Superseded by JANP 102.)

CRPL—T3. Tropospheric Propagation and Radio-Meteorology. (Reissue of Columbia Wave Propagation Group WPG—5.)

*Items bearing this symbol are distributed only by U. S. Navy. They are issued under one cover as the DNC 14() Series.

**Out of print; information concerning cost of photostat or microfilm copies is available from CRPL upon request.

