

CRPL-F158 PART B

FOR OFFICIAL USE

PART B

SOLAR - GEOPHYSICAL DATA

ISSUED
OCTOBER 1957

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

SOLAR - GEOPHYSICAL DATA

CONTENTS

INTRODUCTION

Description of Tables and Graphs

I DAILY SOLAR INDICES

- (a) Relative Sunspot Numbers and 2800 Mc Solar Flux
- (b) Graph of Sunspot Cycle

II SOLAR CENTERS OF ACTIVITY

- (a) Calcium Plage and Sunspot Regions
- (b) Coronal Line Emission Indices

III SOLAR FLARES

- (a-m) Optical Observations
- (n-p) Flare Patrol Observations
- (q-r) Ionospheric Effects

IV SOLAR RADIO WAVES

- (a-d) 2800 Mc -- Outstanding Occurrences (Ottawa)
- (e) 200 Mc -- Daily Data (Cornell)
- (f) 200 Mc -- Outstanding Occurrences (Cornell)
- (g) 170 Mc -- Daily Data (Boulder)
- (h) 450 Mc -- Daily Data (Boulder)

Note: Outstanding Occurrences (Boulder) on 170 Mc and 450 Mc for Sept. will be published next month.

V GEOMAGNETIC ACTIVITY INDICES

- (a) C, K_p, A_p, and Selected Quiet and Disturbed Days
- (b) Charts of K_p by Solar Rotations

VI RADIO PROPAGATION QUALITY INDICES

North Atlantic:

- (a) CRPL Quality Figures and Forecasts
- (b) Graphs Comparing Forecast and Observed Quality
- (c,d) Graphs of Useful Frequency Ranges (data for Aug. not received)

North Pacific

- (e) CRPL Quality Figures and Forecasts
- (f) Graphs Comparing Forecast and Observed Quality

VII ALERT PERIODS AND SPECIAL WORLD INTERVALS

- (a) IGY World Warning Agency Decisions for Alerts and SWI

SOLAR - GEOPHYSICAL DATA

INTRODUCTION

This monthly report series is intended to keep research workers abreast of the major particulars of solar activity and the associated ionospheric, radio propagation and other geophysical effects. It is made possible through the cooperation of many observatories, laboratories and agencies as recorded in the detailed description of the tables and graphs which follows. The report is edited by Miss J. V. Lincoln of the Sun-Earth Relationships Section.

I DAILY SOLAR INDICES

Relative Sunspot Numbers -- The table includes (1) the daily American relative sunspot numbers, R_A' , as compiled by the Solar Division of the American Association of Variable Star Observers, and (2) the provisional daily Zürich relative sunspot numbers, R_Z , as communicated by the Swiss Federal Observatory. Because of the time required to collect and reduce the observations, R_A' will normally appear one month later than R_Z .

The relative sunspot number is an index of the activity of the entire visible disk. It is determined each day without reference to preceding days. Each isolated cluster of sunspots is termed a sunspot group and it may consist of one or a large number of distinct spots whose size can range from 10 or more square degrees of the solar surface down to the limit of resolution (e.g. 1/8. square degrees). The relative sunspot number is defined as $R=K(10g+s)$, where g is the number of sunspot groups and s is the total number of distinct spots. The scale factor K (usually less than unity) depends on the observer and is intended to effect the conversion to the scale originated by Wolf. The observations for sunspot numbers are made by a rather small group of extraordinarily faithful observers, many of them amateurs, each with many years of experience. The counts are made visually with small, suitably protected telescopes.

Final values of R_Z appear in the IAU Quarterly Bulletin on Solar Activity, the Journal of Geophysical Research and elsewhere. They usually differ slightly from the provisional values. The American numbers, R_A' , are not revised.

Solar Flux Values, 2800 Mc -- The table also lists the daily values of solar flux at 2800 Mc recorded in watts/ $\text{m}^2/\text{cycle/second}$ bandwidth ($\times 10^{-22}$) in two polarizations by the National Research Council at Ottawa, Canada. These solar radio noise indices are being published in accordance with CCIR Report 25 that a basic solar index for ionospheric propagation should be measured objectively and "preferably refer to a property of the sun such as radiation flux which has direct physical relationship to the ionosphere."

Graph of Sunspot Cycle -- The graph illustrates the recent trend of Cycle 19 of the 11-year sunspot cycle and some predictions of the future level of activity. The customary "12-month" smoothed index, \bar{R} , is used throughout, the data being final R_Z numbers except for the current year. Predictions shown are those made for one year after the latest available datum by the method of A. G. McNish and J. V. Lincoln (Trans. Am. Geophys. Union, 30, 673-685, 1949) modified by the use of regression coefficients and mean cycle values recomputed for Cycles 8 through 18. Cycle 19 began April 1954, when the minimum \bar{R} of 3.4 was reached.

II SOLAR CENTERS OF ACTIVITY

Calcium Plage and Sunspot Regions -- The table gives particulars of the centers of activity visible on the solar disk during the preceding month. These are based on estimates made and reported on the day of observation and are therefore of limited reliability.

The table gives the heliographic coordinates of each center (taken as the calcium plage unless two or more significantly and individually active sunspot groups are included in an extended plage) in terms of the Greenwich date of passage of the sun's central meridian (CMP) and the latitude; the serial number of the plage as assigned by McMath-Hulbert Observatory; the serial number of the center in the previous solar rotation, if it is a persisting region; particulars of the plage at CMP: area, central intensity; a summary of the development of the plage during the current transit of the disk, where b = born on disk, l = passed to or from invisible hemisphere, d = died on disk, and $/$ = increasing, $-$ = stable, \backslash = decreasing; and age in solar rotations; particulars of the associated sunspot group, if any, at CMP: area and spot count and the summary of development during the current disk transit, similar to the above. The unit of area is a millionth of the area of a solar hemisphere; the central intensity of calcium plages is roughly estimated on a scale of 1 = faint to 5 = very bright.

Calcium plage data are available through the cooperation of the McMath-Hulbert Observatory of the University of Michigan and the Mt. Wilson Observatory. The sunspot data are compiled from reports from the U. S. Naval Observatory, Mt. Wilson Observatory, and from reports from Europe and Japan received through the daily Ursigram messages.

Coronal Line Emission Indices -- In the table are summarized solar coronal emission intensity indices for the green (Fe XIV at λ 5303) and red (Fe X at λ 6374) coronal lines. The indices are based on measurements made at 5° intervals around the periphery of the solar disk by the High Altitude Observatory at Climax, Colorado, and by Harvard University observers at Sacramento Peak (The USAF Upper Air Research Observatory at Sunspot, New Mexico, under contract AF 19(604)-146). The measurements are expressed as the number of millionths of

an Angstrom of the continuum of the center of the solar disk (at the same wavelength as the line) that would contain the same energy as the observed coronal line. The indices have the following meanings:

G_6 = mean of six highest line intensities in quadrant for $\lambda 5303$.

R_6 = same for $\lambda 6374$.

G_1 = highest value of intensity in quadrant, for $\lambda 5303$.

R_1 = same for $\lambda 6374$.

The dates given in the table correspond to the approximate time of CMP of the longitude zone represented by the indices. The actual observations were made for the North East and South East quadrants 7 days before; for the South West and North West quadrants 7 days after the CMP date given.

To obtain rough measures of the integrated emission of the entire solar disk in either of the lines, assuming the coronal changes to be small in a half solar rotation, it is satisfactory to perform the following type of summation given in example for 15 October:

$$(\text{MEAN DISK EMISSION IN } \lambda 5303)_{15 \text{ OCT}} = \frac{1}{N} \left[\sum_{15 \text{ OCT}}^{22 \text{ OCT}} \left\{ (G_6)_{\text{NE}} + (G_6)_{\text{SE}} \right\} + \sum_{8 \text{ OCT}}^{14 \text{ OCT}} \left\{ (G_6)_{\text{SW}} + (G_6)_{\text{NW}} \right\} \right]$$

where N is the number of indices entering the summation.

Such integrated disk indices as well as integrated whole-sun indices are computed for each day and are published quarterly in the "Solar Activity Summary" issued by the High Altitude Observatory at Boulder, Colorado. In the same reports are given maps of the intensity distribution of coronal emission derived from all available Climax and Sacramento Peak observations, as well as other information on solar activity, such as maps made from daily limb prominence surveys in H α and notes regarding the history of active regions on the solar disk.

Preliminary summaries of solar activity, prepared on a fast schedule, are issued Friday of each week from High Altitude Observatory in conjunction with CRPL and include solar activity through the preceding day. These are useful to groups needing information on the current status of activity on the visible solar disk, but are not recommended for research uses unless such a prompt schedule of reporting is essential. The same information is included in the subsequent quarterly reports, with extensive additions, corrections and evaluations.

III SOLAR FLARES

Optical Observations -- The table presents the preliminary record of solar flares as reported to the CRPL on a rapid schedule at the sacrifice of detailed accuracy. Definitive and complete data are published later in the Quarterly Bulletin on Solar Activity, I.A.U., in various observatory publications and elsewhere. The present listing serves to identify and roughly describe the phenomena observed.

Reporting directly to the CRPL are the following observatories: McMath-Hulbert, Wendelstein, Sacramento Peak, Mitaka and Swedish Astrophysical Station on Capri. The remainder report through the URSGram centers or are available through the IGY World Data Center for Solar Activity in Boulder. Observations are in the light of the center of the H-alpha line unless noted otherwise. The reports from Sacramento Peak, New Mexico (communicated to CRPL by the High Altitude Observatory at Boulder) are from observations at the USAF Upper Air Research Observatory at Sunspot, New Mexico, by Harvard University observers, under contract AF 19(604)-146.

For each flare are listed the reporting observatory, the date, beginning and ending times, time of maximum phase, the heliographic coordinates in degrees, McMath serial number of the region, duration, the flare importance on the IAU scale of 1- to 3+, observing conditions where 1 means poor, 2 fair and 3 good, time of measurement for tabulated width of H α or tabulated area, measured (i.e. projected) maximum area in square degrees, corrected maximum area in square degrees which equals measured area times secant h where h is the heliocentric angle, maximum effective line-width in H α expressed in Angstroms, and maximum intensity of H α expressed in per cent of the continuous spectrum. The following symbols are used in the table:

D = Greater than
E = Less than

F = Approximately
G = Plus

A final column lists provisionally the occurrence of simultaneous ionospheric effects as observed on selected field-strength recordings of distant high-frequency radio transmissions; a more nearly definitive list of these ionospheric effects, including particulars, appears in these reports after the lapse of a month (see below). All times are Universal Time (UT or GCT). Subflares (importance 1-) are listed by date, time of beginning and their heliographic coordinates. A graph presents intervals for which there were no patrols for flare observations from the observatories whose complete data are published in the table.

Ionospheric Effects -- STD (and GID--gradual ionospheric disturbances) may be detected in a number of ways: short wave fadeouts, enhancement of low frequency atmospherics, increases in cosmic absorption, and so forth. The table lists events that have been recognized on field-strength recordings of distant high-frequency radio transmissions.

Under a coordinated program, the staffs at the following ionospheric sounding stations contribute reports that are screened and synthesized at CRPL-Boulder: Puerto Rico, Ft. Belvoir, Va., and Anchorage, Alaska (CRPL Stations: PR, BE, AN); Huancayo, Peru, and College, Alaska (CRPL-Associated Laboratories: HU, CO); and White Sands, N. Mex., Adak, Alaska, and Okinawa (U.S. Signal Corps Stations: WS, AD, OK). McMath-Hulbert Observatory (MC) also contributes such reports. In addition, reports are volunteered by RCA Communications Inc., Marconi Wireless, Netherlands Postal and Telecommunications Services, Swedish Telecommunications, and others; these usually specify times of SID and the radio paths involved.

In the coordinated program, the abnormal fades of field strength not obviously ascribable to other causes, are described as short wave fadeouts with the following further classification:

- S-SWF: sudden drop-out and gradual recovery
- Slow S-SWF: drop-out taking 5 to 15 minutes and gradual recovery
- G-SWF: gradual disturbance; fade irregular in both drop-out and recovery.

When there is agreement among the various reporting stations on the time (UT) of an event, it is accepted as a widespread phenomenon and listed in the table.

The degree of confidence in identifying the event, a subjective estimate, is reported by the stations and this is summarized in an index of certainty that the event is widespread, ranging from 1 (possible) to 5 (definite). The times given in the table for the event are from the report of a station (underlined in table) that identified it with high confidence. The criteria for the subjective importance rating assigned by each station on a scale of 1- to 3+ include amplitude of the fade, duration and confidence; greater consideration is given to reports on paths near the subsolar point in arriving at the summary importance rating given in the table.

Note: The tables of SID observed at Washington included in CRPL F-reports prior to F-135 were restricted to events classed here as S-SWF.

IV SOLAR RADIO WAVES

2800 Mc Observations

The data on solar radio wave events made in Ottawa, Canada by the Radio and Electrical Engineering Division of the National Research Council (A. E. Covington) at 2800 Mc (10-cm emission) are presented. Near local noon (about 1700 UT) the sensitivity of the radiometer is determined and a mean flux for the whole day calculated. These values are given in a tabular form (see table I-1) in units of 10^{-22} watts/ $M^2/c/s$. Burst phenomena are measured above this level and are given in terms especially suitable for the variations

observed on this frequency. The basis for the classifications is described by Covington - J.R. Astro. Soc. Can. 45, 49, 1951 and Dodson, Hedeman and Covington, Ap. J. 119, 541, 1954. A modification in terminology with a view to simplification has been introduced and consists essentially of the omission of the descriptive word "Single" from the "Single-Simple" and "Single-Complex" classes; in designating the "Single", "Single-Simple" and "Rise and Fall" bursts into a single classification designated as "Simple Bursts" with an appropriate type number; in the addition of the letter "f" to indicate that the burst deviates from the basic pattern by the presence of one or more small fluctuations in intensity; and by the addition of the letter "A" to indicate that the event has another smaller duration event superimposed upon it.

Simple Burst

Any single burst which rises to one maximum and then decreases to the pre-burst level.

1 - Simple 1 -- Simple burst, type 1 (formerly "single"). Bursts of intensity less than 7 1/2 flux units and duration less than 7 1/2 minutes.

2 - Simple 2 -- Simple burst, type 2 (formerly "single-simple"). Bursts of impulsive nature with intensity greater than 7 1/2 flux units.

3 - Simple 3 -- Simple burst, type 3 (formerly "rise and fall"). Bursts of moderate intensity with duration greater than 7 1/2 minutes.

4 - Post-burst increase -- Postburst level is greater than the preburst level. The gradual return to normal flux may require as long as several hours.

5 - Absorption following burst (negative post).

6 - Complex -- (formerly "single-complex"). A single burst which shows two or more comparable maxima before the activity has declined to zero.

7 - Period of irregular activity or fluctuations -- Series of overlapping bursts of moderate intensity and duration.

8 - Group -- Series of single isolated bursts occurring in succession with intensity between the events equal to the level before and after the group.

9 - Precursor -- A small increase of intensity occurring before a larger increase.

Great Burst

Infrequently occurring bursts of great intensity, often of complicated structure.

Letter "A"

Indicates that this event has another event superimposed upon it.

Letter "f"

Indicates that the basic form of the event is modified by secondary fluctuations.

CLASS TYPE



START DURATION

200 Mc Observations

Data on solar radio waves made at Cornell University, Ithaca, N.Y. (Marshall Cohen) on 201.5 Mc are presented. All times are in Universal Time (UT or GCT). The antenna is linearly polarized and has a pattern appreciably broader than the solar disk. Flux is reported in units of 10^{-22} watts/m²/cps and the tabulated numbers are twice the values observed in the one linear component.

Tables of flux and outstanding occurrences are given in general according to the systems used for the NBS 170 Mc and 450 Mc data.

170 Mc and 450 Mc Observations

Data on solar radio emission at the nominal frequencies of 170 Mc and 450 Mc recorded at the Gunbarrel Hill (Boulder) station of the National Bureau of Standards (O. D. Remmier) are presented. The half width of the antenna lobe is appreciably greater than the solar disk. Polarization is not determined, but the dipole is oriented E-W. All times are in Universal Time (UT or GCT).

3-Hourly and Daily Flux Density and Variability -- Flux density is given in power units. These units are approximately 10^{-22} watts meter⁻²(c/s)⁻¹ for both polarizations together. They will be subject to a correction factor when gain measurements of the antenna have been made. The median flux is measured for every one-hour period having at least thirty minutes of usable record and an applicable gain calibration. A three-hour value of flux is obtained by averaging the available one-hour medians (at least two required). A daily value of flux is obtained by averaging all available one-hour medians (at least four required). A blank indicates that insufficient measurements were made to meet the above requirements or that the records were not of usable quality. Flux values may be followed by the qualifying symbols D, S, and X defined subsequently.

The variability index, given for each three-hour interval, is on a scale 0 to 3 defined as follows:

0 - The instantaneous flux did not drop below one-half the median level or exceed twice the median level at any time.

1 - The instantaneous flux made from one to ten excursions

outside the range described above.

2 - The instantaneous flux made from ten to one hundred excursions outside the range described above.

3 - The instantaneous flux made more than one hundred excursions outside the range described above.

For the purpose of the variability index, an excursion whose maximum intensity is M times the median level is counted as M excursions. The variability index is omitted if measurements were made for less than one hour during the period. The variability for the day is the mean of the three-hourly values. The letter S follows variability indices which are in doubt because of atmospherics or local interference.

The observing periods are given in U. T. to the nearest 1/10 hour and they usually extend into the next Greenwich day.

Outstanding Occurrences -- A separate table lists the occurrences which are not adequately described by the three-hourly values of flux density and variability. Two classifications are given: (1) A system in general accord with that described and illustrated by Dodson, Hedeman, and Owren (Ap. J. 118, 169, 1953) and (2) the system described in the IGY Solar Activity Instruction Manual, prepared by the Radio Emission editor of the I.A.U. Quarterly Bulletin on Solar Activity.

In system (1) the occurrences are identified by numbers which do not necessarily indicate the magnitude of the event, as follows:

0 - Rise in base level -- A temporary increase in the continuum with duration of the order of tens of minutes to an hour.

1 - Series of bursts -- Bursts or groups of bursts, occurring intermittently over an interval of time of the order of minutes or hours. Such series of bursts are assigned as distinctive events only when they occur on a smooth record or show as a distinct change in the activity.

2 - Groups of bursts -- A cluster of bursts occurring in an interval of time of the order of minutes.

3 - Minor burst -- A burst of moderate or small amplitude, and duration of the order of one or two minutes.

4 - Minor burst and second part -- A double rise in flux in which the early rise is a minor burst.

6 - Noise storm -- A temporary increase in radiation characterized by numerous closely spaced bursts, by an increase in the continuum, or by both. Duration is of the order of hours or days.

7 - Noise storm begins -- The onset of a noise storm occurs at some time during the observing period.

8 - Major burst -- An outburst, or other burst of large amplitude and more than average duration. A major burst is usually complex, with a duration of the order of one to ten minutes.

9A, 9B, or 9 - Major burst and second part or large event without distinct first and second parts -- If there is a double rise in flux, the first part, a major burst, is listed as 9A and the second part as 9B. The second part may consist of a rise in base level, a group or series of bursts, a noise storm. A major increase in flux with duration greater than ten minutes but without distinct first and second parts, is listed simply as 9.


O-RISE IN BASE LEVEL




I - SERIES




2 - GROUP




3 - MINOR



4 - MINOR +




7 - ONSET OF NOISE STORM




6 - NOISE STORM IN PROGRESS



8 - MAJOR



9 - MAJOR +



In system (2) combinations of the following letters are used to describe some distinctive characteristics of the recorded disturbances:

- S = simple rise and fall of intensity,
- C = complex variation of intensity,
- A = appears to be part of general activity,
- D = distinct from (i.e. apparently superimposed upon) the general background,
- M = multiple peaks separated by relatively long periods of quietness,
- F = multiple peaks separated by relatively short periods of quietness,
- E = sudden commencement or rise of activity.

Starting and maximum times are read to the nearest 1/10 minute if they are very definite and otherwise to the nearest minute. If the duration is less than five minutes, it is given to the nearest 1/10 minute; otherwise to the nearest minute (see also qualifying symbols below).

Maximum flux densities are given in units of 10^{-22} watts meter $^{-2}(c/s)^{-1}$. The instantaneous maximum flux density is the highest peak in the disturbance measured above the sky level. The smoothed maximum flux density is the maximum value of a smooth curve drawn through the outstanding occurrence with a smoothing period of 20 to 50 percent of the total duration; it is measured above the estimated level in the absence of the disturbance. The intention is that (smoothed maximum) \times (duration) should give a measure of the energy radiated in the disturbance.

A blank indicates missing or insignificant data. Observations are interrupted during the period from 31 to 34 minutes after each hour for calibrations. Observing periods are given in the Daily Data tables. The following qualifying symbols are used:

- B - Event in progress before observations began.
- D - Greater than...
- I - Event apparently continued during an interruption of the observations. The period of the interruption may be given in the remarks.
- N - See footnotes.
- X - Measurement is uncertain or doubtful.
- S - Measurement may be influenced by interference or atmospherics.

V GEOMAGNETIC ACTIVITY INDICES

C, K_p, Ap, and Selected Quiet and Disturbed Days -- The data in the table are: (1) preliminary international character figures, C; (2) geomagnetic planetary three-hour range indices, K_p; (3) daily "equivalent amplitude," Ap; (4) magnetically selected quiet and disturbed days.

This table is made available by the Committee on Characterization of Magnetic Disturbance of IAGA, IUGG. The Meteorological Office, De Bilt, Holland collects the data from magnetic observatories distributed throughout the world, and compiles C and selected days. The Chairman of the Committee computes the planetary and equivalent amplitude indices. The same data are also published quarterly in the Journal of Geophysical Research along with data on sudden commencements (sc) and solar flare effects (sfe).

The C-figure is the arithmetic mean of the subjective classification by all observatories of each day's magnetic activity on a scale of 0 (quiet) to 2 (storm).

K_p is the mean standardized K-index from 12 observatories between geomagnetic latitudes 47 and 63 degrees. The scale is 0 (very quiet) to 9 (extremely disturbed), expressed in thirds of a unit, e.g. 5- is 4 2/3, 5o is 5 0/3, and 5+ is 5 1/3. This planetary index is designed to measure solar particle-radiation by its magnetic effects, specifically to meet the needs of research workers in the ionospheric field. A complete description of K_p has appeared in Bulletin 12b, "Geomagnetic Indices C and K, 1948" of the Association of Terrestrial Magnetism and Electricity (IATME), International Union of Geodesy and Geophysics.

Ap is a daily index of magnetic activity on a linear scale rather than on the quasi-logarithmic scale of the K-indices. It is the average of the eight values of an intermediate 3-hourly index "ap," defined as one-half the average gamma range of the most disturbed of the three force components, in the three-hour interval at standard stations; in practice, ap is computed from the K_p for the 3-hour interval. The extreme range of the scale of Ap is 0 to 400. The method is described in IATME Bulletin No. 12h (for 1953) p. viii f. Values of Ap (like K_p and Cp) have been published for the Polar Year 1932/33 and for the years 1937 onwards.

The magnetically quiet and disturbed days are selected in accordance with the general outline in Terr. Mag. (predecessor to J. Geophys. Res.) 48, pp 219-227, December 1943. The method in current use calls for ranking the days of a month by their geomagnetic activity as determined from the following three criteria with equal weight: (1) the sum of the eight K_p's; (2) the sum of the squares of the eight K_p's; and (3) the greatest K_p.

Chart of K_p by Solar Rotations -- The graph of K_p by solar rotations is furnished through the courtesy of Dr. J. Bartels, Geophysikalisches Institute, Göttingen.

VI RADIO PROPAGATION QUALITY INDICES

One can take as the definition of a radio propagation quality index: the measure of the efficiency of a medium-powered radio circuit operated under ideal conditions in all respects, except for the variable effect of the ionosphere on the propagation of the transmitted signal. The indices given here are derived from monitoring and circuit performance reports, and are the nearest practical approximation to the ideal index of propagation quality.

Quality indices are usually expressed on a scale that ranges from one to nine. Indices of four or less are generally taken to represent significant disturbance. (Note that for geomagnetic K-indices, disturbance is represented by higher numbers.) The adjectival equivalents of the integral quality indices are as follows:

1 = useless	4 = poor-to-fair	7 = good
2 = very poor	5 = fair	8 = very good
3 = poor	6 = fair-to-good	9 = excellent

CRPL forecasts are expressed on the same scale. The tables summarizing the outcome of forecasts include categories P-Perfect; S-Satisfactory; U-Unsatisfactory; F-Failure. The following conventions apply:

P - forecast quality equal to observed	U - forecast quality two or more grades different from observed when <u>both</u> forecast and observed were > 5 , or both < 5
--	---

S - forecast quality one grade different from observed	F - other times when forecast quality two or more grades different from observed
--	--

Full discussion of the reliability of forecasts requires consideration of many factors besides the over-simplified summary given.

The quality figures represent a consensus of experience with radio propagation conditions. Since they are based entirely on monitoring or traffic reports, the reasons for low quality are not necessarily known and may not be limited to ionospheric storminess. For instance, low quality may result from improper frequency usage for the path and time of day. Although, wherever it is reported, frequency usage is included in the rating of reports, it must often

be an assumption that the reports refer to optimum working frequencies. It is more difficult to eliminate from the indices conditions of low quality for reasons such as multipath or interference. These considerations should be taken into account in interpreting research correlations between the Q-figures and solar, auroral, geomagnetic or similar indices.

North Atlantic Radio Path -- The CRPL quality figures, Q_a, are compiled by the North Atlantic Radio Warning Service (NARWS), the CRPL forecasting center at Ft. Belvoir, Virginia, from radio traffic data for North Atlantic transmission paths closely approximating New York-to-London. These are reported to CRPL by the Canadian Defense Research Board, Canadian Broadcasting Corporation, and the following agencies of the U. S. Government:--Coast Guard, Navy, Army Signal Corps, U. S. Information Agency. Supplementing these data are CRPL monitoring, direction-finding observations and field-strength measurements of North Atlantic transmissions made at Belvoir.

The original reports are submitted on various scales and for various time intervals. The observations for each 6-hour interval are averaged on the original scale. These 6-hour indices are then adjusted to the 1 to 9 quality-figure scale by a conversion table prepared by comparing the distribution of these indices for at least four months, usually a year, with a master distribution determined from analysis of the reports originally made on the 1 to 9 quality-figure scale. A report whose distribution is the same as the master is thereby converted linearly to the Q-figure scale. The 6-hourly quality figure is the mean of the reports available for that period.

The 6-hourly quality figures are given in this table to the nearest one-third of a unit, e.g. 5_o is 5 and 0/3; 5- is 4 and 2/3; 5+ is 5 and 1/3. Other data included are:

(a) Whole-day radio quality indices, which are weighted averages of the four 6-hourly indices, with half weight given to quality grades 5 and 6. This procedure tends to give whole-day indices suitable for comparison with whole-day advance forecasts which seek to designate the days of significant disturbance or unusually quiet conditions.

(b) Short-term forecasts, issued every six hours by the North Atlantic Radio Warning Service. These are issued one hour before 00^h, 06^h, 12^h, 18^h, UT and are applicable to the period 1 to 7 hours ahead.

(c) Advance forecasts, issued twice weekly by the NARWS (CRPL-J reports) and applicable 1 to 3 or 4 days ahead, 4 or 5 to 7 days ahead, and 8 to 25 days ahead. These forecasts are scored against the whole-day quality indices.

(d) Half-day averages of the geomagnetic K indices measured by the Fredericksburg Magnetic Observatory of the U. S. Coast and Geodetic Survey.

A chart compares the short-term forecasts with Qa-figures. A second chart compares the outcome of advance forecasts (1 to 3 or 4 days ahead) with a type of "blind" forecast. For the latter, the frequency for each quality grade, as determined from the distribution of quality grades in the four most recent months of the current season, is partitioned among the grades observed in the current month in proportion to the frequencies observed in the current month.

Ranges of useful frequencies on the North Atlantic radio path are shown in a series of diagrams, one for each day. The shaded area indicates the range of frequencies for which transmissions of quality 5 or greater were observed. The blacker the diagram, the quieter the day has been; a narrow strip indicates either high LUHF, low MUF, or both. These diagrams are based on data reported to CRPL by the German Post Office through the Fernmeldetechnischen Zentralamtes, Darmstadt, Germany, being observations every one and a half hours of selected transmitters located in the eastern portion of North America. The magnetic activity index, A_{Fr}, from Fredericksburg, Va., is also given for each day.

Note: Beginning with data for September 1955, Qa has been determined from reports that are available within a few hours or at most within a few days, including for the first time, the CRPL observations. Therefore these are the indices by which the forecasters assess every day the conditions in the recent past. Over a period of several years, they have closely paralleled the former Qa indices which excluded CRPL observations and included three additional reports received after a considerable lag. Qa was first published to the nearest one-third of a unit at the same time.

North Pacific Radio Path -- The CRPL quality figures, Qp, are compiled by the North Pacific Radio Warning Service (NPRWS), the CRPL forecasting center at Anchorage, Alaska, from radio traffic data for moderately long transmission paths in the North Pacific equivalent to Seattle-to-Anchorage or Anchorage-to-Tokyo. These include reports to CRPL by the Alaska Communications System, Aeronautical Radio, Inc., U. S. Air Force and Civil Aeronautical Administration. In addition, there are CRPL monitoring, direction finder observations and field strength measurements of suitable transmissions.

The original reports are on various scales and for various time intervals. The observations for each 8 hours or 24 hour period are averaged on the original scale. This average is compared with reports for the same period in the preceding two months and expressed

as a deviation from the 3-month mean. The deviations are put on the 1 to 9 scale of quality which is assumed to have a standard deviation of 1.25 and a mean for the various periods as follows:

03-10 hours UT	5.33
11-18	5.33
19-02	6.00
00-24	5.67

The 8-hour and 24-hour indices Q_p are determined separately. Each index is a weighted mean where the CRPL observations have unit weight and the others are weighted by the correlation coefficient with the CRPL observations.

The table, analogous to that for Q_a , includes the 8-hourly quality figures; whole day quality figures; short-term forecasts issued by NPRWS three times daily at 02^h , 10^h , and 18^h UT, applicable to the stated 8-hour periods; advance forecasts issued twice weekly by NPRWS (CRPL-Jp report); and half-day averages of geomagnetic K indices from Sitka.

The chart compares the outcome of advance forecasts, on the same basis as the similar chart for the North Atlantic Radio Path.

Note: Beginning with November 1956 the short-term forecast formerly made at 0900 UT was changed to 1000 UT. The North Pacific quality figures used for evaluation are now 8-hourly rather than 9-hourly.


VII ALERT PERIODS AND SPECIAL WORLD INTERVALS

A table gives the Alert Periods and Special World Intervals (SWI) as designated by the IGY World Warning Agency at Ft. Belvoir, Va. For each day of the Alert or SWI are given the number of flares of importance two or greater reported promptly to the IGY World Warning Agency and the magnetic activity index A_{Be} observed at the IGY World Warning Agency.

DAILY SOLAR INDICES

Aug. 1957	American Relative Sunspot Numbers R_A
1	102
2	126
3	132
4	126
5	116
6	142
7	125
8	126
9	114
10	90
11	97
12	95
13	109
14	133
15	163
16	173
17	175
18	175
19	173
20	125
21	112
22	95
23	86
24	99
25	145
26	144
27	167
28	191
29	210
30	236
31	228
Mean:	139.7.

Sept. 1957	Zurich Provisional Relative Sunspot Numbers R_Z	Daily Values Solar Flux at 2800 Mc, Ottawa, Canada Flux
1	257	275
2	230	268
3	201	273
4	166	247
5	184	237
6	160	223
7	137	222
8	175	227
9	250	233
10	265	245
11	255	268
12	264	277
13	260	268
14	263	259
15	265	255
16	283	264
17	258	271
18	295	275
19	317	301
20	294	302
21	334	327
22	302	328
23	268	294
24	239	285
25	234	261
26	220	270
27	227	259
28	249	259
29	249	256
30	229	262
Mean:	244.3	266.4



CALCIUM PLAGUE AND SUNSPOT REGIONS

SEPTEMBER 1957

CMP Sept. 1957	Lat	McMath Plage Number	Return of Region	Calcium Plague Data				Sunspot Data		
				CMP Values		History, Age		CMP Values	Area Count	History
				Area	Int.					
04.2	S16	4137	New	200	2.5	b-d	1	20	1	b-d
07.4	S27	4136	New	2600	3	b-r-l	1	660	40	b-r-d
08.1	N32	4135	New	300	2	b-d	1	40	5	b-d
08.2	S14	4133	4093	1800	2	l-l	2	40	1	b-r-d
09.1	N12	4134	*	7600	3.5	l-l	2	1540	54	l-d
09.7	S07	4147	New	200	2	b/l	1	(410)	(8)	b-r-l
10.6	S12	4138	4099	2900	3.5	l-r-l	3	810	26	l-d
11.7	S09	4140	4099	300	1.5	l\l	3			
11.7	S17	4141	New	1500	3.5	b-r-l	1	980	12	b-r-l
12.5	N26	4139	4101	400	1.5	l\l d	4			
14.3	S22	4143	4105	1000	1	l-l	5	190	1	l-l
14.4	N24	4142	4101	1400	2.5	l-r-l	4	120	6	b/l
15.2	S43	4144	4108	2400	2	l-l	5	530	3	l-r-l
15.6	S35	4146	4106	700	1.5	l-l	3			
16.1	S26	4149	4105	1700	2	l-r-l	5			
16.1	N40	4153	New	700	1	b\l d	1	10	2	b\l d
16.4	S08	4154	New	500	2.5	b/l	1	(50)	(2)	b-l
17.3	N16	4148	4112	3900	2.5	l-r-l	5	620	20	l-r-l
18.2	S24	4150	New	500	1	l-d	1	50	1	b-r-d
18.9	N11	4152	4114	3500	3	l-r-l	2	(1050)	(15)	l-r-l
19.1	N20	4151	4112	8000	4	l-r-l	5	2260	34	l-r-l
20.2	S22	4155	4120	1300	2.5	l-r-l	5	(390)	19	b/l
23.9	S25	4156	4117	600	1	l\l	5			
24.6	S18	4157	4121	(3200)	(2.5)	l-r-l	2	100	6	l-l
24.9	N14	4158	4122	1100	2	l-d	3			
25.4	S28	4163	New	1600	1.5	b\l	1			
27.0	S21	4160	New	1000	2	b-d	1			
27.8	N22	4159	4124	22,000	3	l-l	4	1660	51	l-l
28.6	S26	4161	New	3900	2.5	l\l	1	640	12	l-d

* 4100, 4098.

CMP Sept. 1957	North East Quadrant (observed 7 days earlier)				South East Quadrant (observed 7 days earlier)				South West Quadrant (observed 7 days later)				North West Quadrant (observed 7 days later)				
	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	
1	207	252	40	86	157	191	19	33	116	180	13	18	186	268	36	50	
2	x	x	x	x	x	x	x	x	82	92	13	3C	102	31	48	31	
3	x	x	x	x	x	x	x	x	9C	128	20	42	112	2C	36	64	
4	x	x	x	x	x	x	x	x	133	212	16	24	104	238	27	54	
5	x	x	x	x	x	x	x	x	84	122	48	66	35	44	25	30	
6	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
7	59	88	x	x	116	132	x	x	x	168	36	54	x	x	x	x	
8	123	196	23	39	201	240	30	52	149*	246	47	87	59	124	27	39	
9	112	198	29	57	155	208	25	42	148	238	39	66	107	187	59	88	
10	99	164	30	48	121	170	18	28	188a	255a	x	x	162a	234a	x	x	
11	123	138	36	51	104	156	19	30	x	x	115	35a	91a	150a	61a	150a	
12	x	x	x	x	x	x	x	x	x	x	153	21	33	148	32	66	
13	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
14	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
15	121	189	55	120	194	252	20	24	258	360	33	74	70	80	x	62	
16	121	140	18	28	151	175	21	34	200	230	30	78	125	174	36	96	
17	145	180	18	24	128	175	31	45	83	94	22	36	161	232	21	37	
18	218*	352	21	28	101	119	22	30	x	x	x	x	x	x	x	x	
19	106	176	36	54	71	98	29	42	x	x	x	x	x	x	x	86	
20	x	x	x	x	x	x	x	x	x	141	185	18	42	149	248	50	x
21	67	88	26	44	71	96	26	30	97	120	20	30	33	105	x	x	
22	95	120	23	34	66	78	27	38	x	x	x	x	x	x	x	x	
23	108	133	28	44	62	72	35	60	x	x	x	x	x	x	x	x	
24	182a	248a	x	155a	*20Ca	x	121	172	34	x	x	x	x	x	x	x	
25	160	212	40	60	x	x	x	x	x	x	x	x	x	x	x	x	
26	108	128	x	x	86	117	x	x	x	x	x	x	x	x	x	x	
27	163	228	x	x	143	200	x	x	x	x	x	x	x	x	x	x	
28	x	320	56	66	107	222	x	x	x	x	x	x	x	x	x	x	
29	182	320	48	60	124	209	15	24	x	x	x	x	152	x	x	x	
30	161	250	x	x	x	x	x	x	x	x	x	x	x	x	x	x	

* = yellow line observed.

a = index computed from low weight data.

x = no observations.

SOLAR FLARES

SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed		Time Max. Phaee UT	Approx. Position Lat. Mer. Diat.	McMath Region Number	Duration Min.	Importance	Obs. Cond.	Time of Meas. UT	Meas. Max. Area Sq.Deg.	Corr. Max. Area Sq.Deg.	Max. Width Ha	Max. Int. %	Provia. Iono-spheric Effect
		Start UT	End UT												
* CAPRI S	01	0622	E	0637		N13 W09	4124	15 D	1	3	0623	2.00	2.10		
* ATHENS	01	0656		0720		S31 W19	4125	24	1	3		1.90	2.50		
(CAPRI S	01	0801		0824 D		N14 W11	4124	23 D	1	3	0811	3.00	3.30		
MEUDON	01	0805	E	0810 D		N15 W15	4124	05 D	1				3.00		
MEUDON	01	0906		1000		S15 W55	4121	54	16				9.00		
(ARCETRI	01	0945	E	1015		N13 W10	4124	30 D	2	2					
MEUDON	01	0946		1030	0950	N13 W15	4124	44	2				11.00		
(CAPRI S	01	0949		1008		N13 W11	4124	19	16	3	0956	3.50	3.80		
(OTTAWA	01	1255		1330	1302	N15 W16	4124	35	26	2	1302	8.24	8.70		
SCHAUINS	01	1256	E	1350		N15 W13	4124	54 D	2						
(CAPRI S	01	1256		1420		N16 W15	4124	84	26	3	1304	7.00	7.50		
(ONDREJOV	01	1299	E	1318 D		N10 W15	4124	19 D	26	2	1301			5.30	
(MC MATH	01	1301	E	1325 D		N16 W14	4124	24 D	16						
(ONDREJOV	01	1322		1402		N12 W20	4124	30	16	2	1323			3.00	
* USNRL	01	1322	E	1437		N15 W21	4124	75 D	1	1	1322	2.26	2.41		9.8
(R O EDIN	01	1330	E	1345 D		N13 W26	4124	15 D	1	1	1330	4.00	4.20		
* ONDREJOV	01	1341		1353		N14 W08	4124	12	1	1					
+ MC MATH	01	1723	E	1735 D		N16 W14	4124	12 D	1						
* OTTAWA	01	1919	E	1937		S32 W14	4125	18 D	1	1	1920	1.74	2.34		
(OTTAWA	01	1945		2000		N25 W17	4124		2	1	2000	5.62	6.22		
SAC PEAK	01	1945		2036	2002	N26 W15	4124	51	2	2		5.70			
(MC MATH	01	2005	E	2005 D		N20 W10	4124		16						
SAC PEAK	01	2105		2140	2112	N14 W21	4124	35	1	2		2.90			
SAC PEAK	01	2350		2400 D	2400 F	N15 W26	4124	10 D	1	2		2.10			
(TASHKENT	02	0409	E	0445		N15 W25	4124	36 D	16						
(NIZAMIAH	02	0434	E	0445		N14 W24	4124	11 D	1	2	0434	2.13	2.34	1.00	G-SWF
MEUDON	02	0801		0812		S28 W28	4125	11	1						
(ABASTUMANI	02	0802		0815		S30 W25	4125	13	2						
CAPRI S	02	1015		1053		N13 W29	4124	38	1	3	1025	2.00	2.40		
(ARCETRI	02	1045				S27 W30	4125	1	2						
(CAPRI S	02	1046		1610		S30 W33	4125	324	26	3	1331	10.00	13.00		
(R O HERST	02	1298	E	1322	1301	N12 W25	4124	24 D	1	1	1301	3.10	3.40		
(CAPRI S	02	1259		1335		N10 W26	4124	36	2	3	1326	7.00	7.70		
(USNRL	02	1312	E	1346	1313	N11 W28	4124	34 D	1	2	1313	1.36	1.55		
(USNRL	02	1313		1408	1316	S32 W36	4125	55	2	2	1316	4.63	8.10	1.00	129 96
(CLIMAX	02	1346	E	1507 D		S34 W37	4125	81 D	2		4125	6.00			
(SAC PEAK	02	1338	E	1830 F	1425 F	S35 W36	4125	292 D	3	3		15.90			
* SAC PEAK	02	1415		1505 F	1427	N12 W28	4124	50 D	1	3		2.50			
MT WILSON	02	1509		1513		N20 W17	4124	04	1						
(CAPRI S	02	1535	E	1608		N27 W28	4124	33 D	1	3	1550	2.00	2.60		
(MT WILSON	02	1547		1604		N24 W24	4124	17	1						
(HUANCAYO	02	1550	E	1603	1556	N26 W22	4124	13 D	1	2					
(ARCETRI	02	1600		1611		N20 W25	4124	11	1	3					
MT WILSON	02	1554		1606		N20 W30	4124	12	1						
(CAPRI S	02	1554		1609		N10 W29	4124	15	1	3	1600	2.80	3.20		
(HUANCAYO	02	1557		1611	1558	N12 W23	4124	14	1	2					
(MT WILSON	02	1806	E			N12 W37	4124	1							
* USNRL	02	1810	E	1858	1812	N14 W36	4124	48 D	1	2	1812	1.13	1.51		133 Slow S-SWF
MT WILSON	02	1814		1831		N12 W38	4124	17	1						
(MT WILSON	02	2100		2112	2101	S28 W30	4125	12	1	2					
SAC PEAK	02	2130		2300	2147	S32 W43	4125	90	1	3		2.30			
* (SAC PEAK	02	2212		2250	2221	N14 W37	4124	38	1	3		2.25			
(MT WILSON	02	2218		2220		N12 W40	4124	02	1						
WT WILSON	02	2323		2335		N24 W30	4124	12	1						
MT WILSON	03	0026		0033		N24 W27	4124	07	1						
MT WILSON	03	0101				N24 W29	4124		1						
(ABASTUMANI	03	0754		0841		N14 W38	4124	47	26						
(ATHENS	03	0755		0818		N14 W39	4124	23	1	4		2.00	2.40		
(R O EDIN	03	1022	E	1103	1023	N15 W38	4124	41	2	3	1023	5.00	6.10	9.27	Slow S-SWF
(NIZAMIAH	03	1024	E	1052 D	1028 U	N17 W42	4124	28 D	2	2	1028	5.47	7.37	2.60	
(ONDREJOV	03	1026	E	1050 D		N15 W39	4124	24 D	26	2	1034			4.40	S-SWF
(STOCKHOLM	03	1041	E	1045 D		N15 W40	4124	4 D	2	2					
* CAPRI S	03	1124	E	1133 D		N22 W27	4124	9 D	2	2	1132	4.40	5.70		
* (ONDREJOV	03	1320		1323 D		N23 W44	4124	03 D	1	1					
* OTTAWA	03	1339				S14 E67	4133	1	1	1	1341	1.04	3.50		
SAC PEAK	03	1412		1630	1431	N25 W30	4124	138	3	3		20.60			
CAPRI S	03	1417		1604 D		N22 W29	4124	107 D	3	2	1435	14.00	16.20		
R O EDIN	03	1417		1727	1425 U	N24 W29	4124	190	3	2	1425	15.00	17.70	6.38	
(CLIMAX	03	1418		1656	1426	N24 W30	4124	158	2		1426	8.50			
MC MATH	03	1428	E	1536 D		N20 W30	4124	68 D	26						
OTTAWA	03	1422	E			N23 W30	4124	26	1	1	1428	11.25	13.56		

Capri S. = Anacapri (Swedish).

Krasnya = Krasnaya Pakhra.

RO Edin = Royal Observatory, Edinburgh.

RO Herst = Greenwich Royal Observatory, Herstmonceux.

Sac Peak = Sacramento Peak.

Schauins = Schauinsland.

USNRL = United States Naval Research Laboratory.

Wendel = Wendelstein

* Rated as importance 1- by other observatory (ies).

Sac Peak: All values in Max. Int. column are arbitrary units (0-40), not percent of continuous spectrum.

E = less than.

D = greater than.

U = uncertain.

F = approximate.

G = plus.

SOLAR FLARES

SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed Start UT	Time Max. Phase UT	Approx. Position Lat. Mer. Dist.	McMath Region Number	Dura- tion Min.	Im- portance	Obs. Cond.	Time of Meas. UT	Meas. Max. Area Sq.Deg.	Corr. Max. Area Sq.Deg.	Max. Width H _a	Max. Int.	Prov. Iono- atmospheric Effect
MT WILSON	03	1422 E	1634	1459	N12 W40 4124	105 0	3	1	1459	6.90	9.06	1.80	108	
USNRL	03	1449 E			N26 W32 4124	2		2	1521	6.00	7.00		58	
R O HERST	03	1521 E	1605	1521 E	N22 W31 4124	44 D	2							
HUANCAYO	03	1525 E	1559 D	1525 U	N24 W29 4124	29 D	16	2						
* HUANCAYO	03	1615	1647 D	1616	N24 W48 4124	32 0	1	2						S-SWF
SAC PEAK	03	1855	1945		N15 W45 4124	60	1	3		2.25				
{ SAC PEAK	03	2035	2045	2040 F	N15 W40 4122	10	1	3		2.40				
MT WILSON	03	2040	2044		N14 W86 4122	04	1							
MT WILSON	03	2040	2043		N25 W47 4124	03	1							G-SWF
{ SAC PEAK	03	2110	2210	2120	N15 W47 4124	60	2	3		5.50				
HAWAII	03	2114	2142	2118	N16 W46 4124	28	16	1	0610	3.10	5.40			
MC MATH	03	2115 E	2142 D		N20 W50 4124	27 D	16							Slow S-SWF
MT WILSON	03	2116	2147		N15 W47 4124	31	1							
SAC PEAK	03	2217	2240	2220	N15 W49 4124	23	1	3		2.10				
* MT WILSON	03	2254	2323		S25 W48 4125	19	1							
MITAKA	04	0435 E	0445		N15 W49 4124	10 0	1	1	0437	2.78	4.06	1.12	81	G-SWF
{ MITAKA	04	0531	0538 D	0545 U	N13 W51 4124	07 D	1	1	0533	1.84	2.76	1.77	98	
(NIZAMIAH	04	0541	0555		N13 W49 4124	14	1	2	0545	2.13	3.24	1.80		
MITAKA	04	0555	0600 D		N13 W51 4124	05 D	1	1	0555	2.78	4.17	2.05	85	
* { MITAKA	04	0707 E	0719 D	0711 U	N25 W39 4124	12 0	1	1	0716	1.84	2.34	2.56	107	
{ ONOREJOV	04	0715 E	0724		N23 W42 4124	09 D	1	3	0715			3.30		
ONOREJOV	04	0839 E	0856	0850	N24 W42 4124	17 D	1	3	0850			2.80		
STOCKHOLM	04	0913 E	0924 D		N18 W40 4124	11 D	1							
{ CAPRI S	04	1029	1052 D		N23 W43 4124	23 0	1	2	1036	3.00	4.50			
WENDEL	04	1030 E	1052 D		N26 W41 4124	22 D	16			7.00				
WENOEL	04	1156 E	1234 D		N17 W44 4124	38 D	1			3.00				
{ WENOEL	04	1156 E	1236 D		N15 W54 4124	40 D	2			10.00				
CAPRI S	04	1157	1210 O		N14 W53 4124	13 0	16	3	1206	3.50	5.60	4.10	S-SWF	
{ ONOREJOV	04	1200 E	1246		N12 W52 4124	46 D	16	3	1200					S-SWF
SAC PEAK	04	1317 E	1412	1325	N16 W54 4124	55 D	1	3		3.00				G-SWF
MT WILSON	04	1805	1845		N15 W59 4124	40	1							
* MT WILSON	04	2245	2300		N15 W63 4124	15	1							
{ MITAKA	04	2320	2337 D	2325 U	N13 W61 4124	17 D	1	1	2320	1.84	3.91	2.16	107	
{ MT WILSON	04	2320	2439		N15 W64 4124	79	16							
* MT WILSON	04	2340	2350		N15 E81 4134	10	1							Slow S-SWF
MITAKA	05	0010	0028	0014 U	N14 W63 4124	18	2	1	0010	7.57	16.10	2.27	118	
MT WILSON	05	0145	0200		N15 W65 4124	15	1							
TASHKENT	05	0319	0321		N12 W68 4124	02	16							Slow S-SWF
ONDREJOV	05	0702	0717	0710	N15 W67 4124	15	1	3	0710			2.50		S-SWF
WENDEL	05	0910 E	0926 D		N09 E75 4138	16 D	1			5.00				
{ CAPRI S	05	1206	1320		N15 W73 4124	74	16	2	1223	2.00	5.20			
WENDEL	05	1211 E	1233 O		N18 W59 4124	22 D	1			2.00				
{ ONDREJOV	05	1211 E	1312 D	1215	N16 W68 4124	61 D	16			7.00				
1210	1226				N13 W68 4124	16	16	3	1215		3.90		Slow S-SWF	
ONDREJOV	05	1230	1303		N12 W70 4124	33	16	2	1231		3.80			
R O HERST	05	1231	1300	1240 F	N14 W70 4124	29	1	3	1234	.90	2.10	2.80	77	
KIEV	05	1234			N12 W69 4124	2								
{ MC MATH	05	1235 E	1305 D		N20 W60 4124	30 D	16							
SAC PEAK	05	1327	1500	1332	S25 E16 4136	93	1	2		2.25				
{ ONDREJOV	05	1330 E	1344		S25 E17 4136	14 D	16	3	1331		2.90			
* SAC PEAK	05	1532	1547	1535	S31 W90 4125	15	1	2		2.30				
* USNRL	05	1656	1709	1659	N05 E86 4134	13	1	2	1659	.68	3.46		71	
* SAC PEAK	05	1823 E	1847 D	1835 E	S25 E14 4136	24 D	1	1		2.06				
HUANCAYO	05	1942	2009		S10 W90 4125	27	1	2						
HAWAII	05	1948	1956	1950	N09 E70 4134	8	1	2	0530	1.20	2.50			
{ MT WILSON	05	1949	1957		N14 E66 4134	08	1							
HUANCAYO	05	1950 E	2017 D	1951 U	N12 E70 4134	27 D	16	2						Slow S-SWF
* MT WILSON	05	2039	2106		N16 E54 4134	27	1							
HAWAII	05	2042	2050	2042	N09 E70 4134	8	16	2	0530	2.60	3.20			Slow S-SWF
MT WILSON	05	2100	2101		N13 E64 4134	01	1							
MT WILSON	05	2116	2200		N13 E75 4134	44	16							
{ MT WILSON	05	2116	2200		N09 E70 4134	44	16							
HAWAII	05	2120	2150	2128	N04 E75 4134	30	2	2	0530	3.30	6.60			
HAWAII	06	0006	0018	0006	N14 W72 4124	12	1	2	0530	1.40	2.90			
SIMFEROPOL	06	0506 E			N15 W80 4124	2								
ATHENS	06	0536 E	0620		N11 W86 4124	44 D	1	3		.30	2.10			
KRASHAYA	06	0615 E			S25 E10 4136	2								
SIMEIZ	06	0751	0849		N25 W65 4124	58	26							
R O HERST	06	0753	0840 D	0805 F	N21 W61 4124	47 D	2	1	0802	2.70	6.00			G-SWF
CAPRI S	06	0755	0835		N28 W61 4124	40	2	3	0803	7.00	14.70			

SOLAR FLARES

SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed		Time Max. Phase	Approx. Position	McMath Flare	Duration	Importance	Obs. Cond.	Time of Meas.	Meas. Max. Area	Corr. Max. Area	Max. Width Ha	Max. Int.	Provis. Ionospheric Effect
		Start UT	End UT	UT	Lat. Mer. Dist.	Region Number	Min.			UT	Sq.Deg.	Sq.Deg.			
* SIMEIZ	06	0815	0900		N12 E65	4134	45	16							
CAPRI S	06	0816	E 0909 D		N09 E62	4134	53 D	1	3	0831	1.50	3.20			
STOCKHOLM	06	0842	E 0853 D		N10 E60	4134	11 D	2	2						
STOCKHOLM	06	0842	E 0853 D		N20 W70	4124	11 D	16	2						
SAC PEAK	06	1332	1402	1340	S28 W90	4125	30	1	2						G-SWF
* HUANCAYO	06	1618	E 1627	1618 U	S29 W41	4129	9 D	1	1						Slow S-SWF
* MT WILSON	06	1907	1934		N14 E52	4134	27	1							
MT WILSON	06	1923	1928		S28 W90	4125	05	1							
SAC PEAK	06	1947	E 2012	1947 E	N26 W72	4124	25 D	1	1						
* MT WILSON	06	2225	2235		S25 E00	4136	10	1							
* MT WILSON	06	2310	2320		S28 W90	4125	10	1							
MT WILSON	07	0045	0050		S28 W90	4125	05	1							
MT WILSON	07	0110	0125		N16 W90	4124	15	1							G-SWF
* WENDEL	07	0748	0808		N28 W85	4124	20	1							S-SWF
WENDEL	07	0810	0833		N19 W88	4124	23	2							
* ONDREJOV	07	0811	E 0831	0823	N15 W85	4124	20 D	2	2	0823					
ARCTRI	07	0815	E 0831		N13 W88	4124	16	2							
SIMEIZ	07	0817	0829		N13 W90	4124	12	16							
CAPRI S	07	0818	E 0830 D		N10 W90	4124	12 D	1	3	0818	2.00				
STOCKHOLM	07	0844	E 0925 D		N10 E50	4134	41 D	1	1						
ZURICH	07	1043	E 1045		N16 E47	4134	02 D	1	3	1043	1.00				
ONDREJOV	07	1355	1405	1356	N14 E55	4139	10	1	3	1356	2.20				
WENDEL	07	1418	1439		N10 E46	4134	21	1							
* ONDREJOV	07	1421	E 1455	1432	N17 E56	4134	34 D	1	3	1432					
WENDEL	07	1424	1506		N10 E50	4134	42	1							
R O EDIN	07	1433	E 1440 D		N11 E47	4134	7 D	1	1	1437	5.00	3.00			
MT WILSON	07	1913	1940		S25 W6	4136	27	1							
MT WILSON	07	1916	1940		N07 E49	4134	24	1							
HAWAII	07	2134	2210	2144	N10 E43	4134	36	2	3	0545	4.10	5.80			
MT WILSON	07	2136	2219		N14 E39	4134	43	1							G-SWF
MC MATH	07	2138	E 2138 D		N15 E40	4134	2								
SAC PEAK	07	2147	E 2252 F	2159 F	N12 E46	4134	65 D	26	1			12.20			
SAC PEAK	07	2314	2405 D	2405 D	S24 W17	4133	51 D	1	1			3.00			
MITAKA	08	0126	0145 D	0131 U	S23 W18	4136	19 D	16	1	0133	5.67	6.75	2.33	14.9	
ZURICH	08	0919	0932		N08 E37	4134	13	1	3	0923	3.00				
WENDEL	08	0920	0934		N07 E42	4134	14	1							
ZURICH	08	0923	0936	0931 U	S41 E63	4144	13	1	3	0931	4.00				
WENDEL	08	0928	0936		S43 E66	4146	8	16							
* ZURICH	08	0936	0942		N12 E37	4134	06	1	3	0937	2.00				
ZURICH	08	1013	E 1030		S12 E31	4140	17 D	1	3	1013	2.00				
* CAPRI S	08	1308	E 1320		S41 E75	4144	12 D	1	3	1316	.80	3.00			
{ SAC PEAK	08	1717	1730	1722	S50 E90	4144	13	1	2		2.06				
{ MT WILSON	08	1720	1727		S43 E90	4144	07	1							G-SWF
MT WILSON	08	1828	E 1830		S18 E21	4138	02 D	1							G-SWF
* MT WILSON	08	1828	E 1915		N13 E25	4134	47 D	1							
{ SAC PEAK	08	2242	2322	2247	N05 E30	4134	40	16	2		3.80				
{ MT WILSON	08	2256	E 2304		N02 E31	4134	08 D	1							
{ HAWAII	09	0136	0200 D	0150	S17 E22	4138	24 D	1	2	0600	2.10	2.40			
{ MT WILSON	09	0137	0150		S13 E19	4138	13	1							G-SWF
{ ONDREJOV	09	0759	E 0828	0813	N11 E21	4134	29 D	2	3	0813		2.60			
SIMEIZ	09	0801	0838		N14 E24	4134	37	2							
R O HERST	09	0801	E 0840	0812	N13 E20	4134	39 D	16	3	0817	3.70	4.00	2.90	11.0	
CAPRI S	09	0801	E 0851 D		N14 E19	4134	50 D	2	3	0813	6.00	6.60			G-SWF
ONDREJOV	09	0802	0829	0810	N17 E29	4134	27	16	3	0810		2.30			
ARCTRI	09	0810	E 0823 D		N10 E20	4134	13 D	16	2	0823	12.00	13.00			
* ARCTRI	09	0810	E 0825		N12 E25	4134	15 D	2	3						
* ONDREJOV	09	1334	E 1337 D		S11 E13	4138	03 D	1	2	1334		3.00			
SAC PEAK	09	1447	1510	1452	S48 E48	4144	23	1	2						
{ MT WILSON	09	1704	1718		S22 E70	4143	14	1							
{ ZURICH	09	1705	E 1707 D		S23 E63	4143	02 D	1	1	1705		3.00			
MT WILSON	09	1715	1740		N05 E35	4134	25	1							
MT WILSON	09	1848	1852		S17 E22	4138	04	1							
MT WILSON	10	0015	0030		S43 E47	4144	15	1							
* MT WILSON	10	0045	0105		N12 E10	4134	20	1							
{ WENDEL	10	0812	0914		S17 E17	4141	62	16							
SIMEIZ	10	0814	0915		S18 E15	4141	61	16							
* CAPRI S	10	0819	E 0910 D		S14 E14	4141	51 D	1	2	0830	2.00	2.20			
ARCTRI	10	0822	E 0852	0850	S18 E16	4141	1	2	2	0843	6.00	7.00			
ONDREJOV	10	0834	E 0852		S17 E15	4141	18 D	1	3	0850		3.30			

SOLAR FLARES
SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed Start UT	Time Max. Phase UT	Approx. Position Lat. Mer. Dist.	McMath Retion Number	Dura-tion Min.	Im-por-tance	Obs. Cond. Time of Meas. UT	Max. Max. Area Sq.Oeg.	Corr. Max. Area Sq. Deg.	Max. Width Ha	Max. Int. %	Provis. Iono-spheric Effect
LARCETRI	10	0855 E		S18 E16	4141		1	2 0923	2.00		2.00		
WENOEL	10	0928	0937	S07 W15	4147	9	1				3.00		
WENDEL	10	1044	1054	S17 E31	4141	10	1				3.00		
WENOEL	10	1135 E	1151 D	S21 W44	4136	16 D	16				6.00		
WENOEL	10	1324	1350	S18 E13	4138	26	16				4.00		
WENOEL	10	1357	1434	N10 E04	4134	37	2				11.00		
*ONOREJOV	10	1501 E	1503 D	S17 E13	4141	02 D	1	1					G-SWF
HUANCAYO	10	1636	1725	S16 E11	4141	49	1	1					G-SWF
MT WILSON	10	1645	1656	S17 E13	4141	11	1						
{SAC PEAK	10	1647 E	1840	S23 W55	4136	113 D	1	2	2.06				
* MT WILSON	10	1654	1663	S22 W48	4136	09	1						Slow S-SWF
{HUANCAYO	10	1656 E	1730 D	S20 W51	4136	34 0	1	1					
MT WILSON	10	1656	1703	S12 E13	4141	07	1						
* {MT WILSON	10	1735	1757	S22 W49	4136	22	1						
{HAWAII	10	1746 E	1814 D	S19 W58	4133	28 D	1	1 0800	2.00		4.50		
MT WILSON	10	1815	1821	S17 E12	4141	06	1						
MT WILSON	10	1853	1910	S17 E38	4143	17	1						
{HAWAII	10	1903	1916	N13 E90	4148	13	1	3 0800	2.10				G-SWF
{MT WILSON	10	1903	1928	N15 E90	4148	25	1						
SAC PEAK	10	1905	1952	S21 W47	4136	47	2	2					
* HAWAII	10	1936	1946	S14 W02	4138	10	1	3 0800	2.60		2.80		
* {HAWAII	10	1958	2052	N12 W00	4134	54	1	3 0800	2.50		2.50		
{MT WILSON	10	2009	2031	N12 E07	4134	22	1						
* {HAWAII	10	2032	2054	N13 E90	4148	22	1	3 0800	2.10				
{MT WILSON	10	2035	2055	N15 E90	4148	20	1						
* MT WILSON	10	2310	2317	S15 E08	4141	07	1						
MT WILSON	11	0035	0100	S17 E07	4141	25	1						G-SWF
HAWAII	11	0056	0114	S15 W07	4141	18	1	3 0800	2.70		2.90		
MT WILSON	11	0110	0120	S20 W08	4138	10	1						
MT WILSON	11	0120	0200	S20 W04	4138	40	1						
{HAWAII	11	0140	0200	N13 E90	4148	20	1	3 0800	2.10				
{MT WILSON	11	0143	0148	N16 E90	4148	05	1						
SYDNEY	11	0245 E	0303	N17 E05	4134	18 0	3						
ABASTUMANI	11	0449 E		N13 W01	4134	2							
CAPRI S	11	0856	0914 D	S23 W61	4136	18 D	1	2 0859	1.70		3.70		
CAPRI S	11	1142	1228 D	S17 W01	4141	46 0	1	2 1205	2.00		2.10		G-SWF
SAC PEAK	11	1512	1605	S15 W15	4138	53	1	3			3.90		Slow S-SWF
* HUANCAYO	11	1654	1705 D	S06 W32	4147	11 0	1	2					
{CLIMAX	11	1813	1853	S15 W13	4138	40	2						
{SAC PEAK	11	1812	1855	S15 W15	4138	43	2	3					
USNRL	11	1815	1851 D	S13 W17	4138	36 0	1	2 1824	2.15		2.42	105	
{MT WILSON	11	1819	1838	S20 W18	4138	19	1						
{USNRL	11	1834	1944	S43 E39	4144	70	2	2 1842	4.30		8.39	83	
{SAC PEAK	11	1835	1935	S43 E36	4144	60	1	3					
{MT WILSON	11	1839	1900	S43 E24	4144	21	1						
*{MT WILSON	11	2032	2049	S10 W30	4138	17	1						S-SWF
{SAC PEAK	11	2135	2205	S19 W02	4141	30	16	3			4.75		
{CLIMAX	11	2138 E	2212	S19 W01	4141	34 0	1	2138	4.50				G-SWF
*{MT WILSON	11	2355	2405	N25 E32	4142	10	1						
*{MT WILSON	12	0020	0040	N10 W10	4134	20	1						
{ATHENS	12	0708	0724	N08 W14	4134	16	1	3					
SIMFEROPOL	12	0709	0731	N12 W15	4134	22	2						
CAPRI S	12	0709	0736 D	N10 W20	4134	27 0	16	1 0711	3.50		3.80		
THE HAGUE	12	0710	0735	N09 W14	4134	25	16						
ONOREJOV	12	0710 E	0719	S19 W07	4141	09 D	2	2 0712			3.40		
* ONOREJOV	12	1029 E	1040	S23 E25	4143	11 D	1	2 1034			2.40		
{ONOREJOV	12	1029 E	1041	S17 W13	4138	12 0	16	2 1032			2.20		
CAPRI S	12	1030 E	1107 D	S14 W13	4138	37 D	1	1 1035	1.90		2.00		
ONOREJOV	12	1130	1143	S18 W12	4141	13	1	2 1135			2.60		
ONOREJOV	12	1213 E	1217 0	S18 W07	4141	04 D	16	2 1213			3.20		
ONOREJOV	12	1409 E	1422 D	N10 W17	4134	13 0	16	1 1421			2.10		
* ONDREJOV	12	1444	1451	S17 W15	4141	07	1	3 1448			2.20		
{SAC PEAK	12	1510	1550	N11 W19	4134	40	26	3					
CLIMAX	12	1510	1610	N11 W18	4134	60	1	1520					
MEUOON	12	1511	1522 D	N12 W15	4134	11 D	2+						
R O HERST	12	1512	1539	N10 W20	4134	27	16	2 1516	3.30		3.50	5.10	
ONDREJOV	12	1514	1536 D	N10 W18	4134	22 D	3	2 1516			6.80	150	
ZURICH	12	1514	1550	N10 W17	4134	36	2	3 1514					
USNRL	12	1517 E	1638	N11 W18	4134	81 D	2	1 1520	4.52		4.85	180	
* SAC PEAK	12	1535	1622	S16 W15	4141	47	1	3					
* USNRL	12	1547	1622	S17 W17	4141	35	1	2 1602	1.81		2.04	88	Slow S-SWF

SOLAR FLARES

SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed Start UT	Time Max. End UT	Time Phase UT	Approx. Position Lat. Mer.	McMath Plage Region Dist. Number	Dura- tion Min.	Impor- tance	Obs. Cond.	Time of Meas. UT	Meas. Max. Area Sq.Deg.	Corr. Max. Area Sq.Deg.	Max. Width H α	Max. Int. %	Provis. Iono- spheric Effect
SAC PEAK	12	1632	1642	1635	S16 W15	4141	10	1	3	3.00					
ONDREJOV	12	1635 E	1640 D		S17 W16	4141	05 D	16	2	1635			2.90		
*CAPRI S	12	1657 E	1705 D		S14 W15	4138	8 D	1	1	1657	2.50	2.60			S-SWF
{ SAC PEAK	12	1837	1917	1840	S16 W16	4141	40	16	3		2.75				
{ USNRL	12	1839	1915	1841	S18 W18	4141	36	16	2	1841	1.81	2.08	2.00	146	S-SWF
{ HAWAII	12	1838	1912	1840	S04 W20	4140	34	16	3	0500	5.20	6.00			
{ SAC PEAK	12	1902	1927	1910	S12 W31	4138	25	1	3		2.15				
{ USNRL	12	1903	1929	1908	S15 W28	4138	26	1	2	1908	1.70	2.06		88	Slow S-SWF
CLIMAX	12	1924	2000	1928	S15 W16	4141	36	1		1928	2.80				
SAC PEAK	12	2100	2112	2107	S15 W20	4141	12	1	3		2.35				
*HAWAII	12	2148	2222	2154	S22 W80	4136	34	1	3	0500	1.90				Slow S-SWF
ONDREJOV	13	0531 E	0537		S17 W26	4141	06 D	1	3	0533			2.60		
*{ ONDREJOV	13	0622	0633 D	0623	S18 W25	4141	11 D	2	2	0623	7.40				
{ CAPRI S	13	0642 E	0707		S13 W25	4141	25 D	1	3	0644	2.20	2.50			
ONDREJOV	13	0751 E	0755		S4 E11	4146	04 D	1	2	0753			2.50		
ONDREJOV	13	0801 E	0805 D		S18 W26	4141	04 D	1	2	0802			3.10		
USNRL	13	1214	1345	1220	N22 E77	4151	91	1	1	1220	.56	2.48	1.00	79	
ZURICH	13	1244	1258		S16 W27	4141	14	1	3	1244	2.00				
{ USNRL	13	1313	1341		S18 W25	4141	28	1	1	1322	2.94	3.56		84	
{ CAPRI S	13	1313 E	1342		S18 W23	4141	29 D	2	2	1316	5.00	5.50			
{ R O HERST	13	1317 E			S15 W25	4141		1	1	1317	3.10	3.70			
*{ CAPRI S	13	1343	1429		S12 W28	4141	46	16	2	1414	2.40	2.60			
{ R O HERST	13	1348 E	1420	1350	S15 W30	4141	32	1	1	1353	1.00	1.30	2.50	115	S-SWF
MEUDON	13	1348 E	1510		S17 W25	4141	22 D	1							
MEUDON	13	1411	1418 D		N10 W32	4134	07 D	16							
USNRL	13	1413	1508	1420	N08 W32	4134	55	16	2	1420	3.39	4.05	2.00	159	
{ R O HERST	13	1415	1450	1422	N10 W32	4134	35	16	3	1423	1.90	2.30	4.30	185	S-SWF
CAPRI S	13	1415	1500		N09 W30	4134	45	2	2	1422	4.00	4.80			
MT WILSON	13	1424	1452		N09 W33	4134	28	1							
*ONDREJOV	13	1508 E	1518		S17 W31	4141	10 D	1	2	1518			2.60		
ONDREJOV	13	1552 E	1559		S30 E58	4150	07 D	1	2	1552			2.80		
ONDREJOV	13	1556 E	1601		S16 W30	4138	05 D	1	3	1557			2.00		
*ONDREJOV	13	1603 E	1610 D		S16 W31	4138	07 D	1	2	1606			1.80	83	Slow S-SWF
*{ USNRL	13	1729	1817 D	1735	N22 E74	4151	48 D	1	2	1735	1.35	4.35			
{ HAWAII	13	1844 E	1922		S17 W32	4138	38 D	1	2	0615	3.10	4.10			S-SWF
MT WILSON	13	1845	1901		S17 W32	4138	16	1							
USNRL	13	1846 E	1933		S16 W32	4138	47 D	1	1	1846	1.70	2.35			
*{ USNRL	13	1941	2027 D	1955	S19 W28	4141	46 D	1	1	1955	2.60	3.34		108	
*{ MT WILSON	13	1942	2002		S15 W23	4141	20	16						111	Slow S-SWF
{ HAWAII	13	1942 E	2008	1946	S18 W28	4141	26 D	1	3	0615	2.60	3.40			
*{ MT WILSON	13	2005	2015		N24 E10	4142	10	1							Slow S-SWF
*{ MT WILSON	13	2052	2100		S17 W32	4138	08	1							
{ HAWAII	13	2052	2104	2052	S17 W32	4138	12	1	3	0615	3.10	4.10			
*{ MT WILSON	13	2130	2142		S15 W33	4138	12	1							Slow S-SWF
MT WILSON	14	0151	0200		S17 W29	4141	09	1							
{ MITAKA	14	0154 E	0201 D		S22 W36	4141	07 D	1	1	0157	3.80	4.87	1.99		Slow S-SWF
{ TASHKENT	14	0230	0300		M11 W40	4134	30	26							
{ SYDNEY	14	0240	0315		N10 W38	4134	35	2							
*ONDREJOV	14	0620 E	0643	0635	N23 E63	4151	23 D	1	2	0635			3.60		S-SWF
{ ATHENS	14	0722	0731		N10 E87	4152	9	2	4		.80	7.50			
{ ONDREJOV	14	0725 E	0729 D	0726	M10 E82	4152	04 D	1	3	0726			4.20		
SIMEIZ	14	0725	0810		N08 W81	4135	51	2							
OTTAWA	14	1215	1317	1224	S25 E02	4143	02	2	1	1224	5.28	6.27			
{ USNRL	14	1218	1326	1227	S25 E02	4143	68	1	2	1227	2.82	3.30		94	Slow S-SWF
CAPRI S	14	1222 E	1301		S22 W02	4143	39 D	2	1	1222	6.00	6.60			
USNRL	14	1336	1357	1338	N06 E85	4152	21	2	2	1338	1.47	7.40		76	Slow S-SWF
*{ USNRL	14	1348	1400	1354	S18 W40	4141	12	1	2	1354	1.81	2.54		73	
MC MATH	14	1350 E	1405 D		S16 W40	4141	15 D	1							
*{ USNRL	14	1402	1434	1408	S16 W40	4141	32	1	2	1408	2.03	3.00		83	
NIZAMIAH	15	0336 E	0349 D		N01 E18	4148	13 D	1	1	0339	1.52	4.63	1.80		G-SWF
TASHKENT	15	0426	0450		N12 W53	4134	24	2							S-SWF
*{ SAC PEAK	15	1927	2017	1947	N18 E45	4151	50	1	2		5.20				
{ SAC PEAK	15	2030	2107	2042	N11 W63	4134	37	16	2		3.85				Slow S-SWF
*{ HAWAII	15	2032	2044	2040	N07 E56	4152	12	16	3	0615	5.20	8.60			S-SWF
{ HAWAII	15	2040	2110	2042	N13 W64	4134	30	2	3	0615	6.20	10.40			
*{ SAC PEAK	15	2110	2200	2117	N22 E46	4151	50	16	2		5.10				
{ SAC PEAK	15	2222	2255	2230	N06 E58	4152	33	16	2		5.10				G-SWF
{ HAWAII	15	2224	2252	2228	N03 E57	4152	28	16	3	0615	4.70	8.60			
NIZAMIAH	16	0309	0321	0312	N25 E38	4151	12	1	3	0312	2.43	3.18	1.40		Slow S-SWF

SOLAR FLARES

SEPTEMBER 1957

SOLAR FLARES
SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed		Time Max. Phase UT	Approx. Position Lat. Mer. Dist.	McMath Region Number	Dura-tion Min.	Im-portance	Obs. Cond.	Time of Meas. UT	Meas. Max. Area Sq.Deg.	Corr. Max. Area Sq.Deg.	Max. Width Ha	Max. Int. %	Provis. Iono-spheric Effect
		Start UT	End UT												
R O HERST	18	1312 E	1418	1325 U	N23 E13	4151	6 0	16	2	1323	4.40	4.40	2.50	100	
ONOREJOV	18	1315	1404	1319	N23 E06	4151	49	2	2	1319	5.60		3.20		
CLIMAX	18	1353 E	1353 0		N23 E12	4151	0	2		1353	13.35				
SAC PEAK	18	1354 E	1515 F	1354 U	N22 E09	4151	81 0	26	2						
USNRL	18	1451 E	1538 0		N22 E06	4151	47 0	3	1	1513	11.98	12.50			
* USNRL	18	1511	1613 D	1528	N23 E11	4151	62 0	1	2	1528	2.60	2.78			
CLIMAX	18	1658 E	1800 0	1702	N22 E09	4151	62 0	2		1702	5.40				
SAC PEAK	18	1722	1742 0	1742	N23 E08	4151	20 0	26	2		12.05				
OTTAWA	18	1725		1740	N23 E08	4151			2	1	10.15	10.72			
MT WILSON	18	1725	1935		N22 E05	4151	170	3							
MC MATH	18	1727 E	1955 D		N25 E17	4151	148 0	3							
HAWAII	18	1735	1800	1738	N23 E09	4151	25	2	3	1007	9.70	10.20			
HAWAII	18	1818	2040	1840	N21 E03	4151	142	36	3	1007	31.00	32.00			
SAC PEAK	18	1840 E	2110 F	1840	N21 E04	4151	150 0	36	2		24.55				
CLIMAX	18	1845 E	1944 0	1846	N18 E03	4151	59 0	36		1846	33.00				
SAC PEAK	18	2145	2215	2148	N23 E06	4151	30	1	2		2.60				
HAWAII	18	2146	2156		N23 E08	4151	10	1	3	1007	4.10	4.30			
MT WILSON	18	2218	2224		S23 E15	4155	06	1							
SYONEY	18	2315	2400		N21 E20	4151	45	2							
SAC PEAK	18	2332	2400 0	2337	N16 E08	4151	28 0	1	2	2334	4.00				
MITAKA	18	2333	2352	2336 U	N14 E07	4151	19	16	2	2331	5.67	5.78	2.38	134	
MITAKA	18	2347	2424 D	2351 U	N14 E04	4151	37 D	1	2	2351	2.60	2.65	2.16	134	
MITAKA	19	0006 E	0014 0		S21 E16	4155	08 D	1	2	0006	.89	1.05	1.47	107	
MITAKA	19	0037	0047 0		N21 E02	4151	10 0	1	2	0042	1.84	1.91	1.60	96	
{ MITAKA	19	0246	0327 0	0301 U	N23 E03	4151	41 0	16	2	0302	5.67	5.90	2.50	134	
{ NIZAMIAH	19	0250 E	0320		N24 E02	4151	40 0	2	2	0250	7.29	7.61	1.60		
{ NIZAMIAH	19	0350 E	0536	0355 U	N24 E02	4151	106 D	3	2	0355	12.15	12.69	2.60		
SYONEY	19	0400	0500		N24 W10	4151	60	3							
-MITAKA	19	0400 E	0545	0400 U	N23 E03	4151	105 0	3	2	0405	18.70	19.40	3.70	232	
-TASHKENT	19	0402	0515		N21 E02	4151	113	3							
ALMA-ATA	19	0749	0858		N24 W00	4151	69	26							
CAPRI S	19	0749	0859 0		N22 E00	4151	10 0	16	3	0824	4.00	4.30			
MOSCOW	19	0750	0926		N22 E01	4151	136	26							
ATHENS	19	0751	0826		N25 E00	4151	35	2	4		5.00	5.20			
WENDEL	19	0808 E	0856 0		N24 E01	4151	48 D	26				16.00			
MEUOON	19	0809 E	0854		N26 E10	4151	45 D	1							
ZURICH	19	0826 E	1200	1025 U	N21 W01	4151	214 D	2	3						
ZURICH	19	0826 E	0858		N07 E06	4152	32 0	1	3	0843	2.00				
* ZURICH	19	0836	0855		S23 E08	4155	19	1	3	0836	2.00				
ZURICH	19	0922	0941		S23 E08	4155	19	1	3	0922	2.00				
WENOEL	19	0943 E	1025		N25 W12	4151	42 0	1							
{ CAPRI S	19	1002 E	1027 D		N22 W02	4151	25 0	1	3	1006	2.00	2.20			
{ R O EOIN	19	1003	1029	1006 U	N22 E00	4151	26	1	3	1006	2.50	2.60			
{ WENOEL	19	1005	1025		N23 E02	4151	20	16				6.00			
{ R O EDIN	19	1110	1140	1112 U	N23 W05	4151	30	1	3	1112	5.00	5.20	3.64		
WENDEL	19	1110	1147 0		N26 E05	4151	37 0	26				14.00			
CAPRI S	19	1112 E	1135 0		N27 W08	4151	48 0	16				6.00			
* ZURICH	19	1216	1245		N22 W04	4151	23 0	1	3	1116	2.50	2.70			
{ WENOEL	19	1332	1404		N07 E04	4152	29	1	3	1217	2.00				
{ ZURICH	19	1344 E	1358		N23 W00	4151	32	1				3.00			
* WENDEL	19	1623	1640 0		N23 W05	4151	14 D	1	3	1346	4.00				
{ OTTAWA	19	1625		1628	N23 W01	4151	17 0	16				7.00			
MT WILSON	19	1625	1640		N25 E03	4151	15	1	1	1628	2.78	2.92			
* MT WILSON	19	1718	1725		N26 E03	4151	07	1							
{ CLIMAX	19	1802	1812	1806	N24 W03	4151	10	1		1806	2.60				
HAWAII	19	1806	1810	1808	N24 W01	4151	4	1	1	0500	2.30	2.40			
MT WILSON	19	2210	2330		N25 E01	4151	80	1							
SYONEY	20	0345	0450		N23 W08	4151	105	2							
NIZAMIAH	20	0347	0434	0355 U	N23 W13	4151	47	16	2	0355	4.25	4.54	1.60		
{ NIZAMIAH	20	0443 E	0501	0448 U	S22 W03	4155	18 D	1	2	0448	2.43	2.79	1.50		
SYONEY	20	0445 E	0510		S23 E00	4155	25 0	16							
NIZAMIAH	20	0529 E	0552 0	0533 U	N23 W13	4151	23 0	1	2	0533	2.13	2.27	1.30		
ZURICH	20	0725 E	0830		N07 W06	4152	65 0	1	3	0725	3.00				
ZURICH	20	0725 E	0835		N23 W11	4151	70 0	1	3	0725	7.00				
WENDEL	20	1021 E	1040 D		N13 E85	4159	19 0	1					4.00		
USNRL	20	1204	1208 D		N23 W15	4151	4 D	1	1	1208	3.38	3.68			
MEUDON	20	1237	1430		S45 W45	4149	113	16							
* ZURICH	20	1318 E	1343		N07 W10	4152	25 D	1	3	1326	3.00				
ZURICH	20	1326	1338		N24 W09	4151	12	3	3	1326	1.00				
* ZURICH	20	1336	1352	1340 U	S24 W08	4155	16	1	3	1340	1.00				

SOLAR FLARES

SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed Start UT	Time Observed End UT	Time Max. Phase UT	Approx. Position Lst. Mer. Dia.	McMath Flsge Region Number	Dura- tion Min.	Im- portance	Obs. Cond.	Time of Meaa. UT	Mess. Max. Area Sq.Deg.	Corr. Max. Area Sq.Deg.	Max. Width Ha	Max. Int. %	Provia- Iono- spheric Effect
* WENDEL	20	1430 E	1455 D		N25 W25	4151	25 0	1			4.00				
* ATHENS	20	1432 E	1455 D		N24 W28	4151	23 0	1	4	2 00	2.30				S-SWF
ZURICH	20	1440 E	1447 D		N24 W16	4151	07 D	1	2	1440	3.00				
{ SAC PEAK	20	2030	2120	2040	N21 W23	4151	50	1	2		3.95				
{ HAWAII	20	2032	2044	2036	N22 W22	4151	12	1	2	0600	3.50	3.90			G-SWF
{ CLIMAX	20	2032	2100	2034	N18 W22	4151	28	1		2034	2.10				
{ SAC PEAK	20	2117	2222	2123	N07 W16	4152	65	2	2		5.90				
{ CLIMAX	20	2120	2135 D	2123	N06 W14	4152	15 D	1		2123	3.40				
{ HAWAII	20	2120 E	2146	2122	N07 W15	4152	26 D	2	2	0600	6.20	6.40			S-SWF
{ SAC PEAK	20	2205	2230	2215	N15 E90	4159	25	16	2		4.90				
{ SAC PEAK	20	2220	2250	2222	N23 W24	4151	30	1	2		3.30				
{ CLIMAX	20	2224 E	2230 D	2224	N21 W16	4151	6 D	1		2224	2.50				
MITAKA	21	0030 E	0105 O	0044 U	N21 W20	4151	35 0	1	1	0030	1.84	1.99	2.38	165	S-SWF
MITAKA	21	0341	0355	0344 U	N06 W21	4152	14	1	2	0342	1.84	1.95	2.21	115	S-SWF
MITAKA	21	0405	0433 D	0420 U	N24 W17	4151	28 0	2	1	0427	11.00	11.90	2.86	149	
TASHKENT	21	0410 E	0427		N23 W24	4151	017 D	2							
TASHKENT	21	0420	0528				068	26							Slow S-SWF
NIZAMIAH	21	0423 E	0456		N22 W28	4151	33 D	16	2	0423	4.25	4.96	1.80		
ATHENS	21	0602	0626		N22 W25	4151	24	16	4		3.80	4.20			
ATHENS	21	0656	0709		N16 E85	4159	13	1	4		4.40	3.50			
* ONORE JOV	21	0704 E	0711		N09 W01	4152	07 0	16	2	0705			3.70		S-SWF
{ WENDEL	21	0739 E	0755 D		N17 E77	4159	16 D	1							
{ ZURICH	21	0746	0753		N19 E76	4159	07	1	3	0746					
{ ZURICH	21	0740 E	1152		N10 W02	4152	252 0	2	3	0740					
{ ONDRE JOV	21	0808 E	0819	0813	N08 W03	4152	11 0	1	3	0813			2.60		
ZURICH	21	0813	0855	0828 U	N07 W21	4152	42	1		0828					
ZURICH	21	0827	0830		N23 W22	4151	03	1	3	0827					
CAPRI S	21	0908 E	0935 D		N11 W09	4152	27 0	1	2	0911	2.00	2.00			
{ ONDRE JOV	21	0938	0946	0942	N09 W02	4152	08	16	3	0942			4.10		
{ WENOEL	21	0938	1004 D		N07 W00	4152	26 0	16							
{ ONDRE JOV	21	0948	1003	0952	N09 W02	4152	15	2	3	0952			4.80		
{ ONDRE JOV	21	1006 E	1016	1009	N12 E85	4159	10 D	1	3	1009			5.00		
{ WENDEL	21	1006	1024 D		N11 E84	4159	18 D	1			3.00				
{ WENDEL	21	1012	1033 O		N23 W24	4151	21 0	1			4.00				
{ ONDRE JOV	21	1013 E	1023		N22 W27	4151	10 0	16	3	1013			2.80		S-SWF
ZURICH	21	1018 E	1136		N22 W26	4151	78 D	2	3	1045					
ONORE JOV	21	1114 E,	1123	1116	N22 W26	4151	09 D	16	3	1116			4.30		S-SWF
ONORE JOV	21	1134 E	1140		N07 W04	4152	06 D	1	3	1134			3.40		
* ONORE JOV	21	1230 E	1235		N07 W21	4152	05 D	1	3	1332			2.60		
ONORE JOV	21	1325	1337 E		N22 W30	4151	12 D	1	3	1330			2.40		
ONORE JOV	21	1319 E	1329		N05 W23	4152	10 0	1	3	1320			2.40		
{ CAPRI S	21	1332 E	1440 O		N10 W10	4152	68 0	26	2	1345	5.50	5.50			
{ WENOEL	21	1332	1447		N13 W08	4152	75	3			20.00				Slow S-SWF
ONORE JOV	21	1333 E	1433	1335	N12 W05	4152	60 D	2	3	1335			7.20		
USNRL	21	1334 E	1342 O		N10 W11	4152	8 D	26	1	1340	5.08	5.21		230	
{ SAC PEAK	21	1340 E	1510	1340 E	N10 W08	4152	90 D	3			13.45				
R O HERST	21	1342 E	1406 D	1342 E	N08 W25	4152	24 D	16	1		3.80	4.10			
SHAUINS	21	1348 E	1424		N10 W04	4152	36	2							
SAC PEAK	21	1400	1555	1455	N07 W24	4152	115	2	2		7.25				
ARCETRI	21	1420 E	1450		N09 W01	4152	30 D	16	3						
{ SAC PEAK	21	1410	1430	1417	N15 E85	4159	20	1	2		2.40				
{ ONDRE JOV	21	1418	1424 D		N12 E83	4159	06 0	1	3	1418			2.80		
MT WILSON	21	1430	1441		N22 W21	4151	011	1							
{ ONDRE JOV	21	1440	1535	1505	N05 W23	4152	55	16	3	1505			3.80		
WENOEL	21	1442 E	1538		N08 W17	4152	56 D	2							
USNRL	21	1443 E	1559		N05 W23	4152	76 D	16	1	1500	1.47	1.61		220	S-SWF
ARCETRI	21	1445	1525		N10 W16	4152	40	16	3						
R O HERST	21	1451 E	1517 D	1451 E	N10 W07	4152	26 D	1	1		2.10	2.10			
MEUDON	21	1501 E			N05 W25	4152	1								
{ SAC PEAK	21	1510	1630	1540	N08 W07	4152	80	16	2		5.20				
{ USNRL	21	1539 E	1601 D		N08 W08	4152	22 D	1	1	1549	2.92	3.04		110	
{ ONDRE JOV	21	1542 E	1600		N08 W06	4152	18 D	2	3	1543			2.60		
{ ARCETRI	21	1515	1540		N23 W26	4151	25	1	3						
{ ONDRE JOV	21	1517	1522	1519	N22 W30	4151	05	1	3	1519			2.70		
SAC PEAK	21	1630	1850	1730	N09 W08	4152	140	16	2		7.25				
{ SAC PEAK	21	1950	2002 D	1955	N24 W33	4151	12 0	1	2		4.15				
{ MT WILSON	21	1952	2001		N24 W31	4151	09	1							Slow S-SWF
{ MT WILSON	21	2120	2145		N08 W10	4152	025	16							
{ SAC PEAK	21	2322	2345 D	2327	N08 W13	4152	23 D	1	2		2.80				
HAWAII	21	2324	2342	2328	N08 W12	4152	18	1	3	0740	2.30	2.30			
MT WILSON	21	2354	2358		N15 E68	4159	04	1							
* MT WILSON	22	0031	0042		N24 W34	4151	11	1							

SOLAR FLARES
SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed		Time Max. Phase	Approx. Position	McMath Lat. Mer.	Dura-tion	Im-portance	Obs. Cond.	Time of Meaa. UT	Meaa. Max. Area Sq.Deg.	Corr. Max. Area Sq.Deg.	Max. Width Eq	Max. Int. %	Provia. Iono-spheric Effect
		Start UT	End UT	UT	Lat. Number	Region	Min.								
CAPRI S	22	0623 E	0713		N11 W14	4152	50 D	1	3	0632	5.00	5.20			
CAPRI S	22	0644	0732		N08 W33	4152	48	1	3	0649	2.00	2.40			
ATHENS	22	0658	0709		N08 W35	4152	11	1	4		2.00	2.40			
ATHENS	22	0741	0832		N23 W37	4151	51	1&	4		3.70	4.70			
CAPRI S	22	0746 E	0828		N26 W36	4151	42 D	2	3	0801	4.50	6.30			
ARCETRI	22	0800 E	0825		N23 W40	4151	25 D	1	2						S-SWF
CAPRI S	22	0929	0950 D		N12 W21	4152	21 D	1	3	0944	2.50	2.70			
CAPRI S	22	1000	1020		S17 W40	4155	20	1	3	1008	3.20	4.20			
CAPRI S	22	1248	1418		N07 W35	4152	90	2&	3	1259	6.00	7.80			
USNRL	22	1355 E	1458		N07 W38	4152	63 0	1	1	1355	3.05	3.82			Slow S-SWF
ONDRE JOV	22	1455 E	1459		N25 W41	4151	04 D	1	2	1455					
CAPRI S	22	1455 E	1504 D		N27 W40	4151	9 D	1	3	1458	1.80	2.70			
USNRL	22	1457	1511	1459	N24 W40	4151	14	1	2	1459	1.24	1.73			
*ZURICH	22	1539	1543	1540 U	N08 W44	4152	04	1	2	1540		2.00			
ZURICH	22	1546	1608	1550 U	N24 W41	4151	22	1	2	1550		5.00			
*HAWAII	22	1834	1842	1840	N16 E65	4159	8	1	3	0600	1.20	2.90			
HAWAII	22	2006	2014	2008	N16 E59	4159	8	2	3	0600	4.50	8.60			
{SAC PEAK	22	2322	2347 D	2330	N19 W58	4151	25 D	1&	1		5.20				
CLIMAX	22	2325	2350 D	2330	N18 W56	4151	25 D	1		2330	3.40				
HAWAII	22	2326	2350	2328	N23 W56	4151	24	2	3	0600	5.80	11.00			
SIMFEROPOL	23	0503 E			N24 W25	4152		2							
MT WILSON	23	1458	1514		N10 W63	4151	16	1							Slow S-SWF
*CAPRI S	23	1546	1604 D		N22 W60	4151	18 D	1	1	1546	1.20	2.40			Slow S-SWF
*HAWAII	23	2142	2232	2158	N14 W57	4151	50	1	3	0500	1.60	2.70			
*HUANCAYO	23	2143	2149 D	2144	N09 W54	4151	6 D	1	2						
ONDRE JOV	24	0602 E	0629	0604	N18 E87	4162	27 D	1	3	0604					4.90
ATHENS	24	0720	0729	0723	N17 E90	4162	09	1	4		.30	3.30			
WENDEL	24	0751 E	0820 D		N13 E88	4162	29 0	1&				4.00			
ATHENS	24	0753	0811	0802	N17 E88	4162	18	2	4		.70	6.60			
CAPRI S	24	0935 E	0947 D		S32 E90	4164	12 D	1	1	0935	2.50				
OTTAWA	24	1313 E		1320	N23 W69	4151		1	1	1320	1.57	3.97			
{USNRL	24	1314	1340	1320	N22 W68	4151	26	1	2	1320	1.70	4.80			75
USNRL	24	1344	1352	1348	N25 W72	4151	8	1	2	1348	.68	2.17			68
USNRL	24	1350	1456	1354	N08 W67	4152	66	1	2	1354	.80	1.97			82
MT WILSON	24	1418	1440	1426	S23 W68	4155	22	1	2	1426	.91	2.94			80
*MT WILSON	24	1520	1520		N09 W72	4151		1							S-SWF
HAWAII	24	2012	2018		N12 W54	4152	06	1	1	0530	2.70	4.50			Slow S-SWF
HAWAII	24	2012	2034	2018	N16 W54	4152	22	1	1						
HAWAII	25	0132 E	0138 D	0132	N24 W85	4151	6 0	1	1	0530	1.90				
ATHENS	25	0842	0915		N25 E45	4159	33	1	5		1.20	2.10			S-SWF
CAPRI S	25	0843 E	0916 D		S25 E43	4161	33 D	1	3	0847	2.00	3.10			
*ONDRE JOV	25	1342	1350	1342	N09 W80	4152	08	1	3	1342					4.70
*HUANCAYO	25	1534 E	1624	1541 U	S27 E41	4161	50 0	1&	2						G-SWF
{MC MATH	25	1537 E	1621 D		S27 E40	4161	54 0	1							
MT WILSON	25	1538	1545		S42 W45	4161	07	1							
*HAWAII	25	1922	1948	1922	N21 E27	4159	26	1	1	0445	4.10	4.80			
HAWAII	25	2042	2046		N14 W65	4152	4	1	1	0445	1.30	3.10			
*HAWAII	25	2340	0010	2352	S30 E34	4161	30	1	1	0445	1.40	2.40			
MT WILSON	25	2449	2455		N11 W65	4152	06	1							
*{CLIMAX	26	1527 E	1555 D	1533	N14 E60	4162	28 D	1		1533	2.30				
MT WILSON	26	1535	1605		N15 E56	4162	30	1							G-SWF
{SAC PEAK	26	1832	1850	1836	S26 E29	4161	18	1	2		2.50				Slow S-SWF
MT WILSON	26	1837	1848		S26 E27	4161	11	1							
{SAC PEAK	26	1907	2345 O	1952 F	N26 E15	4159	278 0	3	2		23.55				
MC MATH	26	1920 E	2103 D		N20 E15	4159	103 0	3							
HUANCAYO	26	1926 E	1957 D	1926 U	N25 E20	4159	31 D	2&	2						
HAWAII	26	2020 E	2110		N24 E16	4159	50 D	3	1	0700	17.50	19.00			
CLIMAX	26	2039 E	2116 D		N24 E16	4159	37 0	3	2039		22.20				
NIZAMIAH	27	0523	0544 O	0528 U	S24 E22	4161	21 D	1	2	0528	2.43	3.07	2.20		
CAPRI S	27	0855 E	0900 D		S20 W90	4155	5 D	1	3		2.00				
*ONDRE JOV	27	1212 E	1219		N16 E04	4159	07 D	1	2	1212			2.30		
MT WILSON	27	1520	1528		N11 E13	4159	08	1							
*USNRL	27	1738	1748	1738	N10 E08	4159	10	1	2	1738	1.92	1.94			
USNRL	27	1826	1922		N18 W05	4159	56	1	2	1830	1.92	1.96			
{MT WILSON	27	1958	2010		S13 W48	4157	12	1							G-SWF
MC MATH	27	2000 E	2014 O		S13 W40	4157	14 D	1							
CLIMAX	27	2037	2043 D		S15 W45	4157	6 0	1		2041	3.60				
HAWAII	27	2116	2136 D	2124	N18 W03	4159	20 D	2	1	0700	7.40	7.60			

SOLAR FLARES
SEPTEMBER 1957

Observatory	Date Sept. 1957	Time Observed		Time Max. Phase	Approx. Position Lat. Mer. Dist.	McMath Plage Region Number	Duration Min.	Importance	Obs. Cond.	Time of Meas. UT	Meas. Max. Area Sq.Deg.	Corr. Max. Area Sq.Deg.	Max. Width Ra	Max. Int. %	Provia. Ionospheric Effect
		Start UT	End UT												
JHUANCAYO	27	2117	2158	2119	N16 W01	4159	41	2	2	2214	3.90				Slow S-SWF
CLIMAX	27	2212 E	2310	2214	N18 W02	4159	58 0	1							
ZURICH	28	0845 E	0911	0851 U	N12 W14	4159	26 0	1	2	0851	4.00				
NIZAMIAH	28	0913 E	0933	0916 U	N20 W17	4159	20 D	16	2	0916	4.56				
ZURICH	28	0913	0941	0920 U	N16 W11	4159	28	1	2	0920	7.00				Slow S-SWF
ZURICH	28	0927 E	0939 O		N15 W11	4159	12 0	16	2	0927	4.95	5.09			
CLIMAX	28	1840	1914	1846	N16 W17	4159	34	1		1846	2.30				Slow S-SWF
MC MATH	28	1850 E	1908 D		N20 W10	4159	18 D	1							
CLIMAX	28	2025 E	2049 D		N25 W13	4159	24 D	1		2025	2.40				
CLIMAX	28	2025 E	2049 D		N20 W30	4159	24 0	1		2025	2.30				
HAWAII	28	2148	2201 O		N20 W31	4159	13 0	1	1	0330	4.50	5.20			
SAC PEAK	28	2152	2215 O		N26 W11	4159	23 D	16	1	0330	6.20	6.80			
SAC PEAK	28	2207 E	2225	2207 E	N17 W32	4159	18 D	1			2.20				
SAC PEAK	28	2207 E	2240	2207 E	N26 W14	4159	33 D	2	1		6.65				
TASHKENT	29	0408	0457		N12 W06	4159	49	16							
ATHENS	29	0649 E	0703		S27 W04	4161	14 D	1	4		1.80	2.20			
TASHKENT	29	0704 E	0713		N23 W22	4159	09 0	16							
WENDEL	29	0705 E	0731		N25 W21	4159	26 0	16				6.00			
ATHENS	29	0705	0731		N22 W21	4159	26	1	4		2.30	2.60			
CAPRI S	29	0712 E	0724 O		N22 W26	4159	12 D	1	1	0712	3.00	3.60			
ATHENS	29	0739	0817		N14 W23	4159	38	16	4		3.50	3.80			
TASHKENT	29	0748	0805		N15 W25	4159	017	16							
WENDEL	29	0901	0914		S28 E24	4164	13	1				3.00			
WENDEL	29	0936	1000		S25 E68	4167	24	1				3.00			
* MT WILSON	29	1548 E	1548		N21 W30	4159	1								
SYONEY	30	0210	0310		N23 W30	4159	60	2							Slow S-SWF
SIMEIZ	30	0748	0814		S18 E85	4167	26	16							
{ONDREJOV	30	1027 E	1035 D		N15 W52	4159	08 D	16	1	1030					
CAPRI S	30	1027 E	1038 O		N17 W52	4159	11 D	16	2	1027	4.50	6.30			
ONDREJOV	30	1102 E	1119 O		N17 W42	4159	17 0	16	2	1104					
{ONDREJOV	30	1219 E	1222	1224	N14 W36	4159	03 0	1	2	1220					
R O EDIN	30	1224 E	1246		N17 W50	4159	22 D	16	2	1224	6.00	8.20			
CAPRI S	30	1224 E	1250 D		N17 W52	4159	26 D	16	2	1225	5.00	7.00			
OTTAWA	30	1227 E	1245		N16 W52	4159	17 D	1	2	1228	2.90	4.72			
CAPRI S	30	1455	1547 D		N20 W36	4159	52 D	1	3	1459	1.40	1.80			
* MT WILSON	30	1505 E	1505		N20 W38	4159	1								
HUANCAYO	30	1520 E	1533	1520 U	N19 W38	4159	13 D	1	1						
* HUANCAYO	30	1535 E	1616	1536 U	S15 E73	4167	41 0	1	1						
* HUANCAYO	30	1651	1705	1654	S20 E56	4167	14	1	1						
SAC PEAK	30	1657	1750	1707	N26 W37	4159	53	2	2						
MC MATH	30	1700	1730		N22 W37	4159	30	3							
HUANCAYO	30	1700 E	1733	1702	N25 W33	4159	33 0	3	1						
* MT WILSON	30	1746	1800		S16 E50	4167	14	1							
* MT WILSON	30	1955	2002		N20 W40	4159	07	16							
HUANCAYO	30	1959 E	2005 O	1959 U	N16 W35	4159	6 0	1	2						Slow S-SWF

Subflares noted as follows (Date, time (UT), coordinates):

ATHENS	01	0623	N10 W09	SAC PEAK	01	1742	N11 W15	SAC PEAK	02	1755F	S17 W38
CAPRI S	01	0658E	S27 W19	OTTAWA	01	1745	N10 W16	SAC PEAK	02	1755F	N14 W35
ATHENS	01	0706	S27 W70	SAC PEAK	01	1835E	N12 W15	SAC PEAK	02	1812F	N15 W37
OTTAWA	01	1131	S29 W16	OTTAWA	01	1843E	N11 W16	HUANCAYO	02	2027	N26 W15
OTTAWA	01	1145	S30 W14	SAC PEAK	01	1915	S11 E89	CLIMAX	02	2028	N26 W11
OTTAWA	01	1200	N14 W13	SAC PEAK	01	1917	S32 W15	SAC PEAK	02	2036E	S16 W42
OTTAWA	01	1240	N14 W16	SAC PEAK	01	2025	S30 W24	SAC PEAK	02	2045E	S28 W86
OTTAWA	01	1258	N24 W12	SAC PEAK	01	2140	N15 W16	SAC PEAK	02	2045E	S16 W41
OTTAWA	01	1300	N14 W04	SAC PEAK	01	2210	S30 W16	SAC PEAK	02	2045E	N14 W35
OTTAWA	01	1305	N24 W19	SAC PEAK	01	2222	S28 W25	SAC PEAK	02	2045E	N25 W28
OTTAWA	01	1316	N15 W21	SAC PEAK	01	2340	S30 W25	CLIMAX	02	2056	S28 W32
OTTAWA	01	1325	S29 W22					SAC PEAK	02	2100E	S28 W35
CAPRI S	01	1326	S31 W10	ATHENS	02	0732	N25 W16	SAC PEAK	02	2103F	S16 W44
OTTAWA	01	1338	N15 W08	SAC PEAK	02	1353	N15 W64	SAC PEAK	02	2105	N25 W36
OTTAWA	01	1441	N12 W13	USNRL	02	1420	N11 W30	SAC PEAK	02	2127	N25 W37
WENDEL	01	1444	N12 E13	CLIMAX	02	1426	N11 W27	SAC PEAK	02	2137	S15 W44
OTTAWA	01	1502	N25 W10	SAC PEAK	02	1452	S16 W37	SAC PEAK	02	2200	N15 W68
SAC PEAK	01	1537	N25 W20	SAC PEAK	02	1507	N25 W17	SAC PEAK	02	2225	S15 W44
OTTAWA	01	1539	N23 W21	SAC PEAK	02	1512	N15 W26	SAC PEAK	02	2245	N16 W34
SAC PEAK	01	1540	S29 W19	SAC PEAK	02	1527	N25 W25	SAC PEAK	02	2322	N25 W37
CAPRI S	01	1540	N28 W19	USNRL	02	1554	N26 W27	SAC PEAK	02	2322	N25 W31
OTTAWA	01	1541	S28 W18	USNRL	02	1554	N12 W28	CLIMAX	02	2323	N25 W37
SAC PEAK	01	1657	N10 W16	SAC PEAK	02	1600	N12 W26	SAC PEAK	02	2325	S12 E65
SAC PEAK	01	1702	S34 W15	SAC PEAK	02	1657	N14 W33	SAC PEAK	02	2330	S16 W45
SAC PEAK	01	1717	N15 W15	SAC PEAK	02	1732E	N14 W35	SAC PEAK	02	2332	N11 W34
OTTAWA	01	1721	N15 W15	SAC PEAK	02	1755	N25 W25	SAC PEAK	02	2347	N13 W33

SOLAR FLARES
SEPTEMBER 1957

ONDRE JOV	03	1121E	N22	W30	SAC PEAK	05	2202	N10	E66	SAC PEAK	09	1912	S15	E09
DTTAWA	03	1236	S32	W39	SAC PEAK	05	2203E	N14	W73	SAC PEAK	09	1952	N12	E21
SAC PEAK	03	1317	S38	W15	ARCETRI	06	0813E	N15	W75	CLIMAX	09	2317	S22	W42
USNRL	03	1317	N25	W45	ARCETRI	06	0818	N10	E62	HAWAII	10	0014	S29	E61
OTTAWA	03	1318	N23	W44	CAPRI S	06	1224	S23	W88	HAWAII	10	0050E	N11	E16
DTTAWA	03	1320	N24	W39	DTTAWA	06	1249E	N17	W75	WENDEL	10	0650E	S17	E14
SAC PEAK	03	1337	S16	E70	SAC PEAK	06	1320	N13	W88	WENDEL	10	0728E	S17	E18
SAC PEAK	03	1412	S32	W43	SAC PEAK	06	1325	N16	E47	WENDEL	10	0750E	S29	E57
DTTAWA	03	1423	N18	W38	SAC PEAK	06	1407	S29	W88	WENDEL	10	0754E	S28	E44
SAC PEAK	03	1436	S32	W43	SAC PEAK	06	1450	N17	W78	ARCETRI	10	0815	S18	E15
SAC PEAK	03	1445	S33	W41	SAC PEAK	06	1510	N24	E78	MEUDNN	10	0827E	S17	E15
DTTAWA	03	1447E	N20	W29	SAC PEAK	06	1542	N27	W77	CAPRI S	10	0932E	S14	E13
SAC PEAK	03	1450	N15	W43	SAC PEAK	06	1615	S29	W46	WENDEL	10	1035E	S18	E14
DTTAWA	03	1514E	N13	W45	SAC PEAK	06	1910	N11	E57	WENDEL	10	1100E	S18	E12
SAC PEAK	03	1530	S16	W55	USNRL	06	2215	S26	E04	WENDEL	10	1102E	S10	E02
SAC PEAK	03	1557	S17	E68	SAC PEAK	06	2250	S24	W90	WENDEL	10	1128E	S17	E12
SAC PEAK	03	1610	N25	W46	SAC PEAK	06	2307	S27	W90	WENDEL	10	1143E	S18	E17
CLIMAX	03	1615	N15	W47	SAC PEAK	07	0718E	S24	W06	WENDEL	10	1520E	S17	E14
MC MATH	03	1620E	N24	W40	WENDEL	07	0813	N28	W85	HUANCAYD	10	1622	S17	E16
SAC PEAK	03	1710	N25	W47	ONDRE JOV	07	0755E	N28	W85	SAC PEAK	10	1647E	N14	E08
SAC PEAK	03	1715	N16	W44	MEUDNN	07	0813	N15	W85	SAC PEAK	10	1647E	S07	W18
SAC PEAK	03	1750	N24	W53	MEUDNN	07	0817	N13	W90	SAC PEAK	10	1647	S17	E10
SAC PEAK	03	1805	N15	W47	WENDEL	07	0911E	S24	W11	USNRL	10	1651	S24	W55
SAC PEAK	03	1810	N25	W47	WENDEL	07	0947E	N10	E46	USNRL	10	1652	S15	E10
SAC PEAK	03	1810	S32	W54	WENDEL	07	0957E	S25	W10	SAC PEAK	10	1727	S27	E49
SAC PEAK	03	1950	S27	W46	WENDEL	07	1043E	N13	E47	USNRL	10	1735	S22	W56
SAC PEAK	03	2025	S12	E52	WENDEL	07	1107E	S13	E40	HAWAII	10	1848	S22	E10
SAC PEAK	03	2027	N14	W45	WENDEL	07	1149E	S24	W08	SAC PEAK	10	1850	S20	E12
SAC PEAK	03	2035	N25	W50	DTTAWA	07	1149E	S13	E40	USNRL	10	1853	S17	E13
HAWAII	03	2038	N25	W50	DTTAWA	07	1201E	S13	E39	MC MATH	07	1900	N16	E90
MC MATH	03	2040E	N20	W40	OTTAWA	07	1253E	N13	E45	SAC PEAK	10	1906	S13	W47
SAC PEAK	03	2050	N11	W85	OTTAWA	07	1255E	S14	E38	SAC PEAK	10	1930	S14	W05
SAC PEAK	03	2127	N24	W48	DNDRJDV	07	1328	S14	E42	SAC PEAK	10	1955	N12	E00
SAC PEAK	03	2225	S16	W58	DNDRJDV	07	1334E	S14	E37	USNRL	10	1957	N12	W00
SAC PEAK	03	2252	S27	W48	WENDEL	07	1352E	N14	E49	SAC PEAK	10	2035E	S16	E07
SAC PEAK	03	2337	S27	W48	CAPRI S	07	1353	N20	E47	SAC PEAK	10	2035E	N17	E90
ATHENS	04	0633	N11	W54	WENDEL	07	1359E	S11	E50	SAC PEAK	10	2125	S18	W06
ATHENS	04	0709	N23	W42	SAC PEAK	07	1425E	N12	E32	HAWAII	10	2306	S18	E08
WENDEL	04	1054E	N15	W66	WENDEL	07	1425E	N16	E53	CAPRI S	11	0748E	S15	E02
SAC PEAK	04	1317	S29	W56	DTTAWA	07	1449E	N17	E51	CAPRI S	11	0829E	S15	E00
SAC PEAK	04	1330E	S28	W56	SAC PEAK	07	2148E	S24	W16	CAPRI S	11	1300E	N11	W06
SAC PEAK	04	1335	N16	W59	WENDEL	08	0750E	S23	W22	SAC PEAK	11	1347E	S18	W67
SAC PEAK	04	1342	N10	E88	WENDEL	08	0805E	S22	W23	SAC PEAK	11	1347	S06	W33
SAC PEAK	04	1350	S28	W56	WENDEL	08	0854E	N10	E41	SAC PEAK	11	1350	S14	W13
SAC PEAK	04	1420	N11	E84	WENDEL	08	0901E	S23	W22	SAC PEAK	11	1415	S25	E34
SAC PEAK	04	1425	N12	W54	WENDEL	08	0902E	N10	E41	SAC PEAK	11	1427	S15	W06
SAC PEAK	04	1447	N13	W59	CAPRI S	08	0926E	S41	E77	SAC PEAK	11	1455E	S17	W02
SAC PEAK	04	1450	S30	W62	WENDEL	08	0929E	N10	E41	SAC PEAK	11	1505	S24	W64
SAC PEAK	04	1500	N14	W58	WENDEL	08	1128E	S11	W14	SAC PEAK	11	1525	S25	E34
SAC PEAK	04	1515	N14	W90	WENDEL	08	1148E	S14	E36	SAC PEAK	11	1530	S06	W32
SAC PEAK	04	1535E	N18	W53	WENDEL	08	1316E	S42	E63	SAC PEAK	11	1532	S18	W02
SAC PEAK	04	1545E	S30	W20	SAC PEAK	08	1422	S15	E25	CLIMAX	11	1552	S12	W17
SAC PEAK	04	1557	S34	W62	SAC PEAK	08	1442	S42	E68	CLIMAX	11	1650	S06	W35
SAC PEAK	04	1632	N18	W53	SAC PEAK	08	1505	S24	E80	SAC PEAK	11	1652	S06	W34
SAC PEAK	04	1907E	N11	W59	SAC PEAK	08	1535	S15	E31	CLIMAX	11	1700	S25	W65
SAC PEAK	04	1937E	S30	W67	SAC PEAK	08	1543	S14	E28	SAC PEAK	11	1705	S24	W65
SAC PEAK	04	2057	N11	E76	DNDRJDV	08	1544E	S16	E31	SAC PEAK	11	1725	S05	W24
SAC PEAK	04	2100	N15	W63	WENDEL	08	1610	S42	E68	SAC PEAK	11	1735	S16	W02
SAC PEAK	04	2240	N15	W63	SAC PEAK	08	1634	S13	E25	SAC PEAK	11	1757	S25	W63
SAC PEAK	04	2330	N09	E79	CLIMAX	08	1642	N12	E26	USNRL	11	1800	S16	W02
SAC PEAK	04	2342	N14	W63	SAC PEAK	08	1807	N12	E27	USNRL	11	1800	S26	W60
SAC PEAK	04	2355	N15	W65	CLIMAX	08	1816E	N08	E30	SAC PEAK	11	1805	S16	W03
USNRL	05	1207	N12	W70	HAWAII	08	1830E	N10	E27	SAC PEAK	11	1810	S16	W04
SAC PEAK	05	1304E	N13	W70	SAC PEAK	08	1915	N11	E26	SAC PEAK	11	1817	S06	W33
SAC PEAK	05	1322	N10	E80	HAWAII	08	1942	S17	E22	USNRL	11	1819	S07	W34
CAPRI S	05	1330	S23	E21	SAC PEAK	08	2022	S11	E22	CLIMAX	11	1836	S43	E38
USNRL	05	1331	S25	W18	SAC PEAK	08	2040	S25	E79	SAC PEAK	11	1842	S25	W60
SAC PEAK	05	1332	N14	W74	SAC PEAK	08	2107	S24	E72	USNRL	11	1844	S32	W67
SAC PEAK	05	1335	N05	E80	SAC PEAK	08	2140	S19	E24	SAC PEAK	11	1850	N24	E36
SAC PEAK	05	1405	N12	E70	SAC PEAK	08	2240	S11	E20	SAC PEAK	11	1855	N14	E79
SAC PEAK	05	1415	S20	E21	SAC PEAK	08	2337	S12	E23	USNRL	11	1855	N17	E80
SAC PEAK	05	1455	N14	W76	SAC PEAK	08	2347	S24	E70	USNRL	11	1902	S07	W33
USNRL	05	1501	N14	W80	SAC PEAK	08	1515	N10	E70	SAC PEAK	11	1902	S25	E31
SAC PEAK	05	1515	N10	E70	DNDRJDV	09	0617E	N11	E17	USNRL	11	1904	S24	E31
CAPRI S	05	1531	S29	W73	DNDRJDV	09	0628E	S12	E21	USNRL	11	1918	S07	W34
HUANCAYD	05	1532	S26	W73	CAPRI S	09	1330	S09	E14	SAC PEAK	11	1920	S06	W34
CLIMAX	05	1540	S30	W90	DTTAWA	09	1331	S10	E14	SAC PEAK	11	1922	S24	W68
SAC PEAK	05	1605	N14	W73	SAC PEAK	09	1336E	S11	E16	SAC PEAK	11	1950	S15	W09
SAC PEAK	05	1650	N05	E80	OTTAWA	09	1450	S11	E16	USNRL	11	1954	S15	W09
HUANCAYD	05	1657E	N07	E74	SAC PEAK	09	1452	S14	E15	SAC PEAK	11	2007	S17	W05
USNRL	05	1817	S25	E14	SAC PEAK	09	1505	S15	E11	SAC PEAK	11	2025	S14	W10
SAC PEAK	05	1823E	N12	W69	SAC PEAK	09	1555	S11	E14	SAC PEAK	11	2027	S06	W35
CLIMAX	05	1843E	S21	E14	SAC PEAK	09	1700	S25	E65	SAC PEAK	11	2102	S25	W63
USNRL	05	1948	N12	E68	SAC PEAK	09	1745	S42	E63	SAC PEAK	11	2135	S06	W36
SAC PEAK	05	2037	N16	W72	SAC PEAK	09	1825	S14	E12	SAC PEAK	11	2137	S15	W11
SAC PEAK	05	2037	N11	E68	SAC PEAK	09	1842	S10	E12	SAC PEAK	11	2230	S26	W64
SAC PEAK	05	2037E	N15	E57	CLIMAX	09	1845	S11	E12	SAC PEAK	11	2232	S18	W06
SAC PEAK	05	2142E	N06	E75	SAC PEAK	09	1845	S11	E12	SAC PEAK	11	2232	S15	W11

SOLAR FLARES

SEPTEMBER 1957

SAC PEAK	11	2237	\$06 W38	OTTAWA	14	1203	N40 E22	CAPRI S	17	0705	N25 E30
SAC PEAK	11	2325	S15 W11	OTTAWA	14	1338	N09 W45	ATHENS	17	0756	N20 E27
SAC PEAK	11	2327	N10 E80	SAC PEAK	14	1344E	S25 W07	ATHENS	17	0807	N22 E25
SAC PEAK	11	2352	N24 E35	SAC PEAK	14	1344E	N07 E79	CAPRI S	17	1040E	N23 E28
SAC PEAK	11	2352	S16 W05	SAC PEAK	14	1347	N22 E66	OTTAWA	17	1336	N20 E27
CLIMAX	12	0014	N08 W11	SAC PEAK	14	1347	S17 W38	OTTAWA	17	1410	N22 E18
CAPRI S	12	1026E	S21 E18	OTTAWA	14	1348	S18 W36	OTTAWA	17	1415	N26 E25
SAC PEAK	12	1347E	N13 W17	OTTAWA	14	1406	S18 W36	SAC PEAK	17	1417	N22 E24
SAC PEAK	12	1347E	S15 W15	SAC PEAK	14	1407	S17 W39	SAC PEAK	17	1540	N24 E23
SAC PEAK	12	1407	S03 W44	USNRL	14	1449E	S17 W40	SAC PEAK	17	1542	N11 E33
SAC PEAK	12	1440	S15 W16	SAC PEAK	14	1522	S17 W39	SAC PEAK	17	1547	N13 E40
USNRL	12	1538	S17 W11	SAC PEAK	14	1610	N18 E80	SAC PEAK	17	1602	N12 E32
SAC PEAK	12	1555	S14 W23	SAC PEAK	14	1622	S17 W48	SAC PEAK	17	1605	N20 E16
CLIMAX	12	1558	S15 W12	SAC PEAK	14	1655	S17 W48	SAC PEAK	17	1610	N08 E36
USNRL	12	1624	S17 W13	SAC PEAK	14	1712	S18 W39	SAC PEAK	17	1627	N08 E36
SAC PEAK	12	1627	N05 E68	SAC PEAK	14	1715	N11 W49	SAC PEAK	17	1910	N18 E19
SAC PEAK	12	1637	S12 W73	MC MATH	14	1733E	N12 W50	SAC PEAK	17	1915	N10 E21
SAC PEAK	12	1645	S15 W18	SAC PEAK	14	1800	S18 W39	SAC PEAK	17	1930	N22 E24
USNRL	12	1650	S16 W16	SAC PEAK	14	1805	N08 E83	SAC PEAK	17	2225	N21 E15
SAC PEAK	12	1717	S16 W15	CLIMAX	14	1944	S17 W40	SAC PEAK	17	2257	N11 E25
SAC PEAK	12	1722	S13 W24	SAC PEAK	14	1952	S18 W42	SAC PEAK	17	2300	S19 E29
CLIMAX	12	1724	S17 W13	SAC PEAK	14	2127	N10 W50	SAC PEAK	17	2322	N11 E29
USNRL	12	1724	S15 W22	CLIMAX	14	2130	N16 E50	ONDREJOV	18	1015	\$25 E22
CLIMAX	12	1738E	S15 W12	CLIMAX	14	2132	N24 E61	ONDREJOV	18	1121E	N18 E15
SAC PEAK	12	1745	S16 W15	SAC PEAK	14	2200	S14 W48	OTTAWA	18	1232	N11 E27
CLIMAX	12	1758	S15 W16	SAC PEAK	14	2215	N21' E59	SAC PEAK	18	1432	S19 E90
SAC PEAK	12	1805	S12 W24	CLIMAX	14	2216	N21 E59	SAC PEAK	18	1502	S16 W45
HAWAII	12	1812	S25 E12	CLIMAX	14	2324	N07 E75	SAC PEAK	18	1505	N11 E21
SAC PEAK	12	1812	S26 E16	SAC PEAK	14	2325	N07 E71	ATHENS	18	1509	N23 E09
USNRL	12	1814	S24 E19	SAC PEAK	14	2342	S14 W48	SAC PEAK	18	1510	N24 E08
SAC PEAK	12	1822	S16 W15	ATHENS	15	0720	N10 E30	SAC PEAK	18	1620	N09 E13
USNRL	12	1827	S18 W12	CAPRI S	15	1056	N22 E54	SAC PEAK	18	1622	N07 E03
CLIMAX	12	1858	S23 E19	USNRL	15	1325	N10 E60	SAC PEAK	18	1637	N12 W12
HAWAII	12	1906	S12 W30	SAC PEAK	15	1435	N08 E60	SAC PEAK	18	1842	S21 E90
SAC PEAK	12	1920	N02 E90	SAC PEAK	15	1450	S16 W54	SAC PEAK	18	2035	N22 E05
USNRL	12	1922	S10 E90	USNRL	15	1451	S18 W56	SAC PEAK	18	2130	N11 E08
CLIMAX	12	1940	S13 W27	CLIMAX	15	1508	N22 E48	SAC PEAK	18	2202	S25 E15
SAC PEAK	12	2000	S15 W16	SAC PEAK	15	1510	N23 E50	SAC PEAK	18	2205	S50 W68
SAC PEAK	12	2025	N11 E66	USNRL	15	1511	N25 E53	SAC PEAK	18	2310	N06 E60
SAC PEAK	12	2050	N10 W22	CLIMAX	15	1512	N25 E52	SAC PEAK	18	2322	S26 W61
SAC PEAK	12	2055	S13 W26	SAC PEAK	15	1537	N07 E57	CAPRI S	19	0756E	\$25 E10
CLIMAX	12	2108	N16 E65	CLIMAX	15	1538	N09 E59	WENDEL	19	0845E	S23 E05
SAC PEAK	12	2127	S16 W17	SAC PEAK	15	1632	S16 W56	WENDEL	19	0850E	N10 E04
SAC PEAK	12	2142	S20 W80	CLIMAX	15	1640	N06 E64	CAPRI S	19	1048E	N23 W01
SAC PEAK	12	2145	S12 W73	CLIMAX	15	1640	N22 E50	MEUDON	19	1109	S42 W70
SAC PEAK	12	2200	S05 W48	SAC PEAK	15	1640	N22 E48	WENDEL	19	1203E	N06 E06
HAWAII	12	2201	S06 W48	SAC PEAK	15	1640	N06 E62	CAPRI S	19	1225E	N07 E01
SAC PEAK	12	2205	S15 W20	SAC PEAK	15	1722	N17 E50	OTTAWA	19	1233E	N07 E04
SAC PEAK	12	2212	S04 W49	CLIMAX	15	1744	N09 E59	WENDEL	19	1235E	N06 E06
SAC PEAK	12	2230	S15 W19	SAC PEAK	15	1852	N09 E56	WENDEL	19	1306E	N23 W05
SAC PEAK	12	2330	N10 W33	SAC PEAK	15	1855	N16 W66	WENDEL	19	1317E	S15 W56
SAC PEAK	12	2332	S03 W55	SAC PEAK	15	1927	S15 W58	WENOEL	19	1325E	N22 W03
SAC PEAK	12	2337	N17 E90	HAWAII	15	1932	N17 E47	USNRL	19	1334E	N22 W04
ATHENS	13	0555	S17 W24	SAC PEAK	15	2005	N10 E55	OTTAWA	19	1343E	N26 W02
ONDREJOV	13	0607E	S07 W57	CLIMAX	15	2006	N09 E55	CLIMAX	19	1622	N25 E01
ATHENS	13	0621	S17 W25	SAC PEAK	15	2012	N10 E24	USNRL	19	1624	N24 W01
CAPRI S	13	0815E	N14 E12	CLIMAX	15	2020	N09 E55	USNRL	19	1714	N24 W02
ONDREJOV	13	0820E	N23 E16	SAC PEAK	15	2022	N19 E41	CLIMAX	19	1718	N25 E01
ONDREJOV	13	0824E	N10 W28	SAC PEAK	15	2022	N20 E44	USNRL	19	1718	N18 W11
USNRL	13	1226	S16 W29	CLIMAX	15	2038	N11 W64	OTTAWA	19	1719	N18 W08
USNRL	13	1245	S16 W29	CLIMAX	15	2100	N09 E55	CLIMAX	19	1722	N19 W09
USNRL	13	1355	S16 W28	CLIMAX	15	2106	N22 E48	USNRL	19	1807	N23 W05
SAC PEAK	13	1500E	N11 W32	SAC PEAK	15	2205	N09 E55	USNRL	19	1850	S22 E05
SAC PEAK	13	1500E	S16 W32	SAC PEAK	15	2305	N09 E54	HAWAII	19	2110	N24 W05
SAC PEAK	13	1504	S17 W31	HAWAII	16	0014	N07 E21	HAWAII	19	2156	S23 E00
SAC PEAK	13	1547	S27 E66	USNRL	16	1202E	N24 E39	SAC PEAK	19	2325	N07 W03
SAC PEAK	13	1607E	S16 W28	SAC PEAK	16	1405	N10 W74	CAPRI S	20	0808E	N08 W10
SAC PEAK	13	1655E	N22 E72	USNRL	16	1405	N23 E37	WENDEL	20	0813E	N08 W06
CLIMAX	13	1725E	N24 E75	USNRL	16	1405	N10 E76	WENDEL	20	1134E	S14 W67
USNRL	13	1727	S17 W32	SAC PEAK	16	1410	N24 E38	WENOEL	20	1201E	S22 W06
CLIMAX	13	1729E	S14 W32	CLIMAX	16	1506E	N05 E57	MEUDON	20	1317	N11 W11
SAC PEAK	13	1729E	S16 W33	SAC PEAK	16	1520	N24 E36	SAC PEAK	20	1343E	S22 W11
SAC PEAK	13	1737E	N19 E72	USNRL	16	1522	N22 E34	SAC PEAK	20	1427	N24 W27
USNRL	13	1745	S23 E05	SAC PEAK	16	1537	N13 E16	CAPRI S	20	1430E	N22 W29
USNRL	13	1801	N10 E90	USNRL	16	1621	N22 E34	SAC PEAK	20	1605	S22 W10
SAC PEAK	13	1837	S16 W32	SAC PEAK	16	1837	N26 E42	SAC PEAK	20	1625	S22 W12
SAC PEAK	13	1842	S17 W28	SAC PEAK	16	1957	N25 E31	WENDEL	20	1642E	S23 W11
SAC PEAK	13	1945E	S18 W27	SAC PEAK	16	1957	N08 W76	SAC PEAK	20	1842	N19 E90
SAC PEAK	13	2000E	N27 E07	SAC PEAK	16	2022	N08 W76	SAC PEAK	20	1937	S23 W09
USNRL	13	2001	N26 E06	SAC PEAK	16	2040	N22 E34	HAWAII	20	1946	S21 W08
SAC PEAK	13	2052E	S15 W32	SAC PEAK	16	2157	S15 W80	SAC PEAK	20	2345	S21 W16
SAC PEAK	13	2132	N24 E83	SAC PEAK	16	2215	N09 W79	ATHENS	21	0613	N10 E00
SAC PEAK	13	2132E	S16 W34	SAC PEAK	16	2245	N24 E29	ATHENS	21	0703	N09 E00
HAWAII	14	0158E	S12 W38	SAC PEAK	16	2250	N07 E44	CAPRI S	21	0703E	N15 E84
ATHENS	14	0630	N23 E68	SAC PEAK	16	2345	N21 E29	ATHENS	21	0726	N10 E01
ATHENS	14	0632	N23 E65	NIZAMIAH	17	0416E	N23 E28	CAPRI S	21	0728E	N11 W02
ONDREJOV	14	0649E	S18 W43	CAPRI S	17	0652E	N08 E40				


SOLAR FLARES

SEPTEMBER 1957

ONDREJOV	21	0932	N09 W02	CLIMAX	24	1928	N25 W72	CLIMAX	27	1822	N15 W02
ONDREJOV	21	1045	N22 W22	HAWAII	24	1936	N28 W70	HUANCAYO	27	2022E	S16 W41
WENDEL	21	1216E	N10 W83	USNRL	24	1942	S26 E53	HUANCAYO	27	2052	N12 W08
USNRL	21	1227	N08 W23	USNRL	24	1942	N11 W55				
USNRL	21	1227	N10 W08	CLIMAX	24	2000	N13 W55	WENOEL	28	1152E	N26 E59
ONDREJOV	21	1346E	N21 W29	MC MATH	24	2025E	N10 W45	OTTAWA	28	1221	N15 W15
ONOREJOV	21	1422E	N05 W23	HAWAII	24	2314	N28 W71	OTTAWA	28	1237	N16 W13
SAC PEAK	21	1440	S17 E43					SAC PEAK	28	1355E	S26 E04
SAC PEAK	21	1445	N14 E85	USNRL	25	1239	N08 W67	SAC PEAK	28	1505	N26 W12
SAC PEAK	21	1510	N26 W28	USNRL	25	1247	S26 E43	CLIMAX	28	1507	N25 W12
SAC PEAK	21	1600	N17 W30	USNRL	25	1333	N07 W83	CLIMAX	28	1617	N17 E31
SAC PEAK	21	1630	N24 W27	SAC PEAK	25	1343E	N09 W80	HUANCAYO	28	1650	N18 E31
USNRL	21	1631	N24 W28	USNRL	25	1407	N16 E24	CLIMAX	28	2147E	N17 W30
SAC PEAK	21	2125	N25 W30	ATHENS	25	1409	N16 E23	SAC PEAK	28	2235	N17 W32
SAC PEAK	21	2325	N28 E90	ONOREJOV	25	1410	N16 E24				
SAC PEAK	21	2330	N16 W43	SAC PEAK	25	1422	N26 E31	ATHENS	29	0700	N13 W36
HAWAII	21	2346	N09 W10	SAC PEAK	25	1432	S25 E41	ATHENS	29	0743	N13 W28
HAWAII	21	2356	N15 E78	SAC PEAK	25	1512	S22 E90	ATHENS	29	0811	N11 W26
HAWAII	22	0028	N24 W36	SAC PEAK	25	1530	S26 E40	ATHENS	29	0828	N14 W21
ATHENS	22	0731	N15 E69	USNRL	25	1531	S26 E41	WENOEL	29	0833E	N17 W23
ATHENS	22	0737	N07 W31	CAPRI S	25	1536E	S25 E40	WENDEL	29	1036E	N12 W12
ATHENS	22	0743	N08 W39	USNRL	25	1649	N16 E14	WENDEL	29	1059E	N17 W25
USNRL	22	1409	S24 W33	SAC PEAK	25	1650	N15 E13	WENDEL	29	1153E	S26 E43
USNRL	22	1451	N12 W24	HUANCAYO	25	1653	N18 E14	OTTAWA	29	1216	N16 W24
CLIMAX	22	1536	N08 W42	USNRL	25	1811	N18 E69	OTTAWA	29	1335	S30 W08
CLIMAX	22	1620	N20 E65	SAC PEAK	25	1915	N15 E27	OTTAWA	29	1440	N16 W39
SAC PEAK	22	1740	N14 E68	USNRL	25	1919	N24 E26	SAC PEAK	29	1440	N17 W39
CLIMAX	22	1742	N20 W39	SAC PEAK	25	1920	N24 E26	SAC PEAK	29	1537	S17 E90
SAC PEAK	22	1745	N23 W42	SAC PEAK	25	1955	N15 E63	SAC PEAK	29	1545	N20 W26
SAC PEAK	22	1832	N19 E63	SAC PEAK	25	2005	N26 E29	SAC PEAK	29	1607	S17 E90
CLIMAX	22	2017	N11 E61	OTTAWA	25	2013E	N27 E27	SAC PEAK	29	1635	S17 E90
HAWAII	22	2132	N11 W21	SAC PEAK	25	2050	S27 E40	CLIMAX	29	1635	S16 E90
SAC PEAK	22	2200	N25 W47	SAC PEAK	25	2105	N17 E10	SAC PEAK	29	1657	S15 E70
SAC PEAK	22	2245	N09 W25	SAC PEAK	25	2135	N08 W85	CLIMAX	29	1658	S16 E75
CLIMAX	22	2252E	N11 W25	SAC PEAK	25	2150	S13 W20	SAC PEAK	29	1710	N27 E42
CLIMAX	22	2300	N25 W40	SAC PEAK	25	2205	N16 E67	CLIMAX	29	1713	N28 E41
SAC PEAK	22	2307	N16 E67	SAC PEAK	25	2230	N07 W90	SAC PEAK	29	1715	N41 E90
SAC PEAK	22	2330	N08 W47	SAC PEAK	25	2320	N16 E67	SAC PEAK	29	1720	S17 E90
HAWAII	25			SAC PEAK	25	2332	N10 W65	SAC PEAK	29	1727	S17 E69
				HAWAII	25	2334	N14 W65	SAC PEAK	29	1742	N18 W31
				SAC PEAK	25	2337	S26 E39	SAC PEAK	29	1857	S32 E22
OTTAWA	23	1355E	N23 W54	HAWAII	25	2352	N16 E10	CLIMAX	29	1859	S32 E23
OTTAWA	23	1356E	N13 E47					SAC PEAK	29	1900	S17 E40
OTTAWA	23	1419	N12 W37					CLIMAX	29	1902	S19 E44
SAC PEAK	23	1452	N23 W57	CAPRI S	26	1219E	S26 E29	SAC PEAK	29	2017	S17 E39
SAC PEAK	23	1452	N12 E48	OTTAWA	26	1221E	S26 E32	SAC PEAK	29	2105	S14 E42
CAPRI S	23	1457E	N22 W60	OTTAWA	26	1246E	S25 E32				
SAC PEAK	23	1520	N13 W38	SAC PEAK	26	1350E	S26 W90	ATHENS	30	0710	S22 E58
SAC PEAK	23	1522	N12 E48	SAC PEAK	26	1352	S25 E90	OTTAWA	30	1250	N16 W51
CLIMAX	23	1530E	N13 E52	USNRL	26	1438	N15 E55	OTTAWA	30	1301	N15 E04
CLIMAX	23	1532	N13 W37	SAC PEAK	26	1440	N14 E55	OTTAWA	30	1326	N27 E28
CLIMAX	23	1544	N23 W57	SAC PEAK	26	1442	N15 E58	OTTAWA	30	1349E	N16 W45
SAC PEAK	23	1545	N23 W58	OTTAWA	26	1451E	N16 E55	OTTAWA	30	1405	N28 E28
CLIMAX	23	1640	N14 E49	SAC PEAK	26	1507	N16 E08	SAC PEAK	30	1455	N20 W40
SAC PEAK	23	1652E	N15 E48	OTTAWA	26	1508	N16 E07	SAC PEAK	30	1510	N28 E21
CLIMAX	23	1756	N23 W48	USNRL	26	1508	N16 E08	MC MATH	30	1512E	N20 W36
HAWAII	23	1808	N28 W53	SAC PEAK	26	1515	S26 E32	SAC PEAK	30	1532	S17 E75
SAC PEAK	23	1857E	N16 E90	USNRL	26	1518	S26 E31	SAC PEAK	30	1540	N27 E22
SAC PEAK	23	1956E	N09 W58	SAC PEAK	26	1532	N16 E58	SAC PEAK	30	1552	S17 E80
CLIMAX	23	2136	N08 W57	USNRL	26	1538	N17 E57	SAC PEAK	30	1652	S22 E54
SAC PEAK	23	2140E	S23 W61	USNRL	26	1800	N18 E57	SAC PEAK	30	1740	S16 E56
SAC PEAK	23	2147E	N09 W58	SAC PEAK	26	1800E	N16 E56	SAC PEAK	30	1840	N20 E14
SAC PEAK	23	2155	S18 E12	CLIMAX	26	1802	N17 E60	SAC PEAK	30	1945	S17 E72
HAWAII	23	2156	S18 E08	SAC PEAK	26	1825	N16 E55	SAC PEAK	30	1955	N27 E19
CLIMAX	23	2256 E	N18 E52	SAC PEAK	26	1845	N17 E10	SAC PEAK	30	1955	N15 W41
SAC PEAK	23	2327E	N16 E90	SAC PEAK	26	1925	N12 E15	SAC PEAK	30	2200	S15 E75
WENOEL	24	0739E	S18 W65	SAC PEAK	26	2007	N16 E54				
ATHENS	24	0901	N17 E88	SAC PEAK	26	2045	S32 E59				
ATHENS	24	0901	N17 E88	SAC PEAK	26	2045	N16 E48				
CAPRI S	24	1034E	N16 E36	SAC PEAK	26	2127	N17 E55				
USNRL	24	1159	N11 W50	SAC PEAK	26	2137	S22 E90				
OTTAWA	24	1209	N18 E36	SAC PEAK	26	2140	N15 E49				
OTTAWA	24	1209	S18 W64	SAC PEAK	26	2145	N17 E55				
USNRL	24	1210	S18 W67	SAC PEAK	26	2147	S24 W90				
USNRL	24	1210	N18 E37	SAC PEAK	26	2242	S27 E26				
OTTAWA	24	1210	N14 E43	SAC PEAK	26	2300	N12 E03				
OTTAWA	24	1212	N25 W70	SAC PEAK	26	2310	N16 E04				
USNRL	24	1212	N25 W71	ATHENS	27	0721	N15 E47				
OTTAWA	24	1219	S23 W63	MEUOON	27	0955	N15 E45				
USNRL	24	1238	N17 E90	MEUOON	27	1122E	N11 E15				
USNRL	24	1240	N07 W68	MEUOON	27	1155E	N20 E07				
USNRL	24	1400	N12 E60	USNRL	27	1204E	N19 E03				
USNRL	24	1516	N08 W67	SAC PEAK	27	1415	N16 W01				
USNRL	24	1542	S24 W61	MEUOON	27	1516	N11 E15				
USNRL	24	1542	N16 E85	SAC PEAK	27	1517	N10 W10				
USNRL	24	1542	N16 E85	CLIMAX	27	1518	N09 E10				
CLIMAX	24	1620	N12 W49	USNRL	27	1518	N10 E09				
USNRL	24	1622	N10 W49	USNRL	27	1526	N27 E69				
USNRL	24	1624	N22 W70	HUANCAYO	27	1555E	N09 W85				
USNRL	24	1804	S20 E90	SAC PEAK	27	1738E	N10 E08				

INTERVALS OF NO FLARE PATROL OBSERVATIONS

JULY 1957




Stations included:

Anacapri (Swedish)	Kodaikanal	Royal Observatory, Edinburgh
Arcetri	Meudon	Sacramento Peak
Greenwich Royal Observatory, Herstmonceux	Mitaka	Simeis
Hawaii	Ondrejov	Uccle
	Ottawa	U.S. Naval Research Laboratory

INTERVALS OF NO FLARE PATROL OBSERVATIONS

AUGUST 1957

HOUR-UT



Stations included:

Anacapri (Swedish)

Hawaii

Ottawa

Arcetri

Huancayo

Royal Observatory, Edinburgh

Athens (Aug. 16-31)

Hyderabad

Sacramento Peak

Climax

Kodaikanal

Uccle

Dunsink

Mitaka


U.S. Naval Research Laboratory

Greenwich Royal Observatory, Ondrejov

Zürich

Herstmonceux

INTERVALS OF NO FLARE PATROL OBSERVATIONS
SEPTEMBER 1957



Stations included:

Anacapri (Swedish)	Hawaii	Ottawa
Arcetri	Huancayo	Royal Observatory, Edinburgh
Athens	Meudon	Sacramento Peak
Climax	Mitaka	U.S. Naval Research Laboratory
Greenwich Royal Observatory, Ondrejov	Zurich	
Herstmonceux		

IONOSPHERIC EFFECTS OF SOLAR FLARES

(SHORT-WAVE RADIO FADEOUTS)

AUGUST 1957

Aug. 1957	Start UT	End UT	Type	Wide Spread Index	Impor- tance	Observation Stations	Known Flare, UT CRPL-F 157B
24	1927	1937	S-SWF	5	1	BE, HU, MC, PR	1922
25	0240	0252	S-SWF	1	1	OK	0245E
25	0915	0955	S-SWF	5	2	PR, HH, PU	0914E
25	1802	1825	Slow S-SWF	4	1	HU, MC, PR, WS	1752
25	2340	0005	S-SWF	4	1	AN, OK, TO	2342
26	1808	1820	Slow S-SWF	3	1-	HU, MC, PR	1806
27	0430	0500	S-SWF	1	2-	OK	
28	0137	0150	S-SWF	1	1	OK	0122
28	0418	0520	G-SWF	1	1+	OK	0425
28	0710	0722	S-SWF	5	2	AN, OK, HH, PU	0706
28	0917	1135	S-SWF	5	3	MA, NE, PU, SW, CW***	0913
28	1605	1655	S-SWF	5	2+	BE, HU, MC, PR, WS, CR, NE, LI	
28	1900	1925	Slow S-SWF	5	2	AN, BE, HU, MC, PR, CR, TO	1903
28	2020	2038	S-SWF	5	2+	AN, BE, HU, MC, WS, CR, TO RCA+	2010
29	0542	0630	S-SWF	5	3-	OK, HH, PU, TO CW+	0545E
29	1039	1055	S-SWF	4	1+	MA, NE, PU	1031
29	1600	1612	S-SWF	3	1-	MC, PR	1559
29	2105	2150	Slow S-SWF	5	2+	AN, BE, HU, MC, PR, WS, CR, TO RCA+	2110E
30	0020	0050	S-SWF	1	1+	OK	
30	0340	0440	S-SWF	5	2+	OK, TO	0340E
30	0620	0700	S-SWF	5	2	OK, PU, TO	0620
30	1343	1415	S-SWF	5	1+	BE, HU, MC, PR, PU	1337
30	1640	1725	Slow S-SWF	5	2+	BE, HU, MC, PR, WS, NE	1640
30	1927	2000	S-SWF	5	2+	AN, BE, HU, MC, PR, WS, TO	1927
30	2215	2240	Slow-S-SWF	5	2	AN, BE, HU, MC, OK, PR, WS, TO, RCA+	
31	0240	0320	S-SWF	1	1	OK	0244
31	0544	0700	S-SWF	5	3	AN, OK, HH	* 0548
31	1303	1607	S-SWF	5	3+	BE, HU, MC, PR, NE TH, MA, SW, RCA+, CW***	** 1257
31	1820	1855	Slow S-SWF	5	1	HU, MC, PR, WS	
31	2033	2105	Slow S-SWF	5	2	BE, HU, MC, PR, WS	2035

LI = Lindau, G.F.R.

CR = Cornell University, N. Y.

HH = Heinrich Hertz Institute, Berlin.

NE = Nederhorst den Berg, Netherlands.

PU = Prague, Czech.

SW = Enkoping, Sweden.

TO = Hiraiso Radio Wave Observatory, Japan.

TH = The Hague, Netherlands.

MA = Madrid, Spain.

CA = Canberra, Australia.

CW* = Cable and Wireless, Barbadoes.

CW** = Cable and Wireless, Somerton, England.

CW*** = Cable and Wireless, Brentwood, England.

CW+ = Cable and Wireless, Hongkong.

CW++ = Cable and Wireless, Singapore.

RCA+ = RCA Communications, Inc., Pt. Reyes, Calif.

RCA* = RCA Communications, Inc., Riverhead, N. Y.

IONOSPHERIC EFFECTS OF SOLAR FLARES

(SHORT-WAVE RADIO FADEOUTS)

AUGUST 1957

Aug. 1957	Start UT	End UT	Type	Wide Spread Index	Import- ance	Observation Stations	Known Flare, UT CRPL-F 157B
1 0200	0246	Slow S-SWF	5	2		AN, OK, TO	0208
2 0055	0120	S-SWF	4	1		OK, TO	
2 1401	1420	S-SWF	5	2-		BE, HU, MC, PR, WS, HH, PU, CR	1356
2 1435	1450	S-SWF	5	2-		BE, HU, MC, PR, CR, HH, PU	1432
2 1620	1720	G-SWF	3	1		HU, MC, WS	1637
2 1811	1830	Slow S-SWF	5	1+		AN, BE, HU, MC, WS, CR	1807
3 0000	0020	S-SWF	5	1		OK, TO	
3 1720	1800	S-SWF	5	2		BE, HU, MC, PR, WS, NE, PU	1721
4 1623	1710	G-SWF	3	1		HU, MC, PR	1622
4 1832	1852	Slow S-SWF	5	1		BE, HU, MC, PR, WS, CR	1827
5 1904	1920	S-SWF	5	1+		BE, HU, MC, PR, WS, CR	1902
7 1034	1115	G-SWF	3	2		MC, HH	
7 2340	0045	Slow S-SWF	5	2-		HU, OK, WS, TO	2345
8 1119	1210	Slow S-SWF	5	2		BE, HU, MC, PR, HH, MA, NE, SW, CW***	1116
9 0153	0240	S-SWF	5	3-		AN, OK, CA, TO, RCA+, CW+	
9 0615	0650	Slow S-SWF	5	3-		OK, NE, PU, TO	0609
9 1340	1700	Slow S-SWF	5	3		BE, HU, MC, PR, WS, CR	1330
10 0100	0200	Slow S-SWF	5	3		AN, OK, WS, CA, TO, RCA+ CW++†	0125
10 0636	0700	Slow S-SWF	1	1		OK	0641
10 0708	0740	Slow S-SWF	5	2		OK, PU	0703
10 1100	1115	S-SWF	4	1		BE, PU	
11 1716	1738	Slow S-SWF	4	1		HU, MC, PR, WS	
11 2040	2115	G-SWF	3	1-		AN, HU, MC, WS	
12 1530	1610	G-SWF	3	1		HU, MC, PR, NE	1514
13 1818	1900	Slow-S-SWF	5	1+		BE, HU, MC, PR, WS, CR, TO	1850E
14 1925	1940	S-SWF	5	1		BE, HU, MC, PR	1921
14 2007	2025	Slow S-SWF	5	1		BE, HU, MC, PR, WS	2008
15 1730	1805	Slow S-SWF	3	1		BE, HU, MC	1727
17 1715	1750	G-SWF	3	1		HU, MC, PR	1717
17 2132	2144	S-SWF	5	1+		AN, BE, HU, MC, PR, WS, TO	2135
20 1648	1700	S-SWF	5	1		BE, HU, MC, PR, WS	1642
23 1405	1415	S-SWF	5	1+		BE, HU, MC, PR, WS, CR, HH, NE, PU	1402E
23 1722	1731	S-SWF	5	1		BE, HU, MC, PR	
23 1902	1920	S-SWF	5	1		BE, HU, MC, PR, WS, CR	
24 1815	1840	G-SWF	4	1		HU, MC, PR, WS	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES
SEPTEMBER 1957

OTTAWA

2800 MC

Sept. 1957	Type*	Start UT Hrs:Mins	Duration Hrs:Mins	Maximum		Remarks
				Time UT Hrs:Mins	Peak Flux	
1	8 Group (3)	12 56	33.7			
	6 Complex	12 56	13	13 00.5	204	
	2 Simple 2	13 10.5	8	13 12.7	51	
	2 Simple 2	13 21.7	8	13 23	117	
1	2 Simple 2	17 19.5	12	17 21	18	
1	6 Complex	18 33.5	6.5	18 34.7	20	
1	2 Simple 2 f	19 53	18	19 59.2	110	
	4 Post Increase		1 50		18	
2	3 Simple 3 f A	12 47	4 10	13 30	105	
	2 Simple 2	12 58	6	12 59.7	56	
	8 Group (2)	13 17.3	9.5			
	2 Simple 2	13 17.3	4	13 19	30	
	2 Simple 2	13 21.3	5.5	13 24	40	
2	2 Simple 2	16 31	2	16 32	14	
2	6 Complex	18 10	6	18 14	9	
2	8 Group (2)	20 58.5	11.5			
	6 Complex	20 58.5	5	21 00.3	16	
	2 Simple 2	21 05	5	21 06.5	16	
3	1 Simple 1	13 18	3	13 19	6	
3	2 Simple 2 f	14 17	25	14 24	1350	
	4 Post Increase		2 10		70	
3	6 Complex	20 35.5	5.5	20 36	17	
3	2 Simple 2	21 13	7	21 17	48	
	4 Post Increase A		13		12	
3	2 Simple 2	21 30	1.5	21 30.3	12	
4	3 Simple 3 A	11 56	4 25	12 55	18	
	6 Complex	11 58	16	12 00	22	
4	2 Simple 2	12 43	7	12 45.5	14	
4	1 Simple 1	17 41.5	1.5	17 41.8	6	
4	6 Complex	18 16	3	18 17.3	16	
5	2 Simple 2	12 07.2	5	12 10	42	
5	2 Simple 2	12 33.3	7	12 36.5	20	
5	2 Simple 2	12 48	3	12 49	10	
5	6 Complex	14 55.5	8	14 57	25	
5	3 Simple 3 A	20 55	2	21 30	17	
	2 Simple 2	21 16	13	21 20.5	47	
6	2 Simple 2	13 34.7	3	13 35	47	
	4 Post Increase		6		8	
6	3 Simple 3	18 50	55	19 15	8	
6	2 Simple 2	20 36.5	7	20 38	8	
7	2 Simple 2	13 52.2	2.5	13 53.5	9	
7	6 Complex	18 37	9	18 43	25	
	4 Post Increase A		55		8	
7	6 Complex	19 01	6	19 05	9	
7	3 Simple 3 A	21 33	1 30	21 51	25	
	8 Group (3)	21 35	29			
	2 Simple 2	21 35	5	21 37	16	
	2 Simple 2	21 43	2	21 44	11	
	2 Simple 2	21 55	9	21 58	26	
8	3 Simple 3	18 14	40	18 22	7	
8	3 Simple 3	22 13	10	22 17	7	
8	2 Simple 2	22 44.3	2	22 45.5	16	
10	3 Simple 3	13 55	50	14 03.5	18	
10	2 Simple 2	17 30	2	17 30.8	15	
10	3 Simple 3	22 08	35	indet.	7	
11	1 Simple 1	13 26.2	3	13 27.6	6	
11	1 Simple 1	14 13	1	14 13.2	6	
12	2 Simple 2	12 38	4	12 39	13	
12	2 Simple 2 f	15 14.3	18	15 15.3	850	
12	2 Simple 2	18 38	7.5	18 38.9	73	
12	8 Group (2)	21 45	18			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES
SEPTEMBER 1957

OTTAWA

2800 MC

Sept. 1957	Type*	Start UT Hrs:Mins	Duration Hrs:Mins	Maximum		Remarks
				Time UT Hrs:Mins	Peak Flux	
	6 Complex	21 45	15	21 53.8	105	
	2 Simple 2	22 00	3	22 01.8	20	
13	1 Simple 1	12 45	1	12 45.5	5	
13	2 Simple 2	13 13	4	13 18.1	28	
13	3 Simple 3 A	13 47.5	1 35	14 29	24	
13	8 Group (4)	13 48	47			
	2 Simple 2	13 48	8	13 49.1	50	
	2 Simple 2	14 03	8	14 05.8	18	
	2 Simple 2 f	14 14.5	13	14 18	235	
	6 Complex	14 31	4	14 31.6	6	
13	3 Simple 3	17 29.5	8	17 32	10	
13	2 Simple 2	18 43.4	4	18 44	96	
13	6 Complex	20 51	12	20 51.7	15	
14	2 Simple 2	13 34.2	3.5	13 35.9	16	
14	1 Simple 1	17 18.3	5	17 19	7	
14	3 Simple 3	21 41	10	21 44.5	12	
15	2 Simple 2	13 27.2	2	13 27.8	11	
15	1 Simple 1	17 52.8	1	17 53	7	
15	2 Simple 2	20 40.5	5	20 41.8	365	
	4 Post Increase f		25		35	
15	2 Simple 2	22 27.5	2.5	22 28.1	30	
16	2 Simple 2	13 06	3	13 06.8	28	
16	2 Simple 2	14 09	2.5	14 09.5	17	
16	2 Simple 2 f	15 19	6	15 20.6	260	
	4 Post Increase A		1 45		16	
16	2 Simple 2	15 35	1	15 35.3	8	
16	2 Simple 2	22 43.8	5	22 45	425	
	4 Post Increase		>15		25	
18	1 Simple 1	12 38	3	12 39.5	6	
18	3 Simple 3 A	12 58	3 50	13 30	34	
18	2 Simple 2	13 33	1.5	13 33.5	9	
18	3 Simple 3 A	18 05	3 10	indet.	92	
	6 Complex f	18 20.5	40	18 24.7	275	
19	2 Simple 2	11 12.3	3	11 13	120	
19	2 Simple 2	12 26.1	1.5	12 26.4	17	
19	3 Simple 3 A	17 18	1 10	indet.	20	
	2 Simple 2	17 44	6	17 46.7	22	
	2 Simple 2	18 09.4	3	18 09.8	22	
20	2 Simple 2	12 39.4	3	12 39.8	72	
20	2 Simple 2	13 45	9	13 47.5	24	
20	2 Simple 2	14 29.4	2.5	14 30.2	45	
20	2 Simple 2	14 57	1	14 57.3	13	
20	6 Complex	19 42.8	3.5	19 43.2	11	
20	2 Simple 2	20 30.5	13	20 33.5	24	
20	6 Complex f	21 19	8	21 20.5	185	
	4 Post Increase A		>1 20		18	
	8 Group (4)	22 11	22.1			
	2 Simple 2	22 11	2	22 11.7	43)	
	2 Simple 2	22 23.8	1.5	22 24.1	70)	
	2 Simple 2	22 29.2	1	22 29.7	50)	
	2 Simple 2	22 32.1	1	22 32.5	80)	
21	2 Simple 2	13 05	1.5	13 05.8	9	
21	6 Complex f	13 30	14.5	13 37	785	
	4 Post Increase		25		15	
21	2 Simple 2	14 23.6	1	14 24	24	
21	2 Simple 2 f	14 40	7	14 45.3	120	
	4 Post Increase		22		17	
21	8 Group (3)	19 18.5	11.5			
	2 Simple 2	19 18.5	0.8	19 18.9	17	
	2 Simple 2	19 24.5	1.5	19 24.9	9	
	2 Simple 2	19 28.5	1.5	19 29	11	
21	3 Simple 3	19 48	30	19 56	18	
22	2 Simple 2	12 22.5	1	12 22.7	16	
22	9 Precursor	12 48.3	5		9	
	6 Complex f	12 53.3	15	12 56	275	
	4 Post Increase A		1 30		18	
	1 Simple 1	13 23	3	13 24.2	5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES
SEPTEMBER 1957

OTTAWA

2800 MC

Sept. 1957	Type*	Start UT Hrs:Mins	Duration Hrs:Mins	Maximum		Remarks
				Time UT Hrs:Mins	Peak Flux	
22	2 Simple 2	20 06	4.5	20 06.7	30	
23	2 Simple 2	12 51.9	1	12 52.1	130	
23	2 Simple 2	14 53.8	3	14 54.3	17	
	4 Post Inc		10		6	
23	1 Simple 1	15 45.5	6	15 47	7	
23	3 Simple 3	18 55	15	18 56.5	9	
23	2 Simple 2 f	21 43	8	21 45.3	27	
24	1 Simple 1	14 19	1	14 19.2	5	
24	8 Group (2)	20 14	4.4			
	2 Simple 2	20 14	1	20 14.4	26	
	1 Simple 1	20 17.4	1	20 17.7	6	
25	1 Simple 1	13 08.9	1	13 09.1	7	
25	1 Simple 1	16 10.9	1	16 11.1	6	
25	1 Simple 1	19 20	3	19 21.7	7	
25	1 Simple 1	19 38.5	1.5	19 39	7	
26	6 Complex f	13 48.3	8	13 50.3	43	
26	3 Simple 3 A	18 35.9	>4	indet.	57	
	8 Group (2)	18 35.9	7.6			
	6 Complex	18 35.9	5	18 36.1	22	
	1 Simple 1	18 43	0.5	18 43.2	7	
	6 Complex f	19 27.8	1	19 38.5	67	
	6 Complex	21 34.7	4	21 37	45	
	4 Post Increase		10		8	
27	3 Simple 3	13 43	25	13 51	7	
27	8 Group (2)	17 11.8	1.8			
	2 Simple 2	17 11.8	1	17 11.9	9	
	2 Simple 2	17 12.8	0.8	17 13.1	24	
27	2 Simple 2	17 37	1	17 37.3	23	
27	3 Simple 3	18 26	40	18 32	10	
27	3 Simple 3 A	19 54	>2 40	indet.	18	
	2 Simple 2 f	19 56.5	4	19 57.5	13	
	3 Simple 3	20 40	25	20 45	9	
	2 Simple 2	21 15.5	6	21 17.2	87	
	4 Post Increase		45		18	
	2 Simple 2	22 15	2	22 15.8	15	
28	2 Simple 2	15 07	1.5	15 07.5	15	
28	2 Simple 2	18 43	4	18 45	63	
	4 Post Increase		40		12	
28	3 Simple 3	21 48	30	indet.	20	
29	1 Simple 1	20 34	3	20 35	7	
	8 Group (2)	12 16.2	10.7			In sunset osc.
	2 Simple 2	12 16.2	1.5	12 16.5	40	
	6 Complex f	12 19.4	7.5	12 23.4	235	
30	3 Simple 3 A	16 58	1 10	17 10	30	
	8 Group (3)	16 58	10.5			
	2 Simple 2	16 58	1	16 58.4	18	
	6 Complex	16 59.5	6	17 01.5	77	
	2 Simple 2 f	17 05.5	3	17 06.3	120	
30	2 Simple 2	19 56.7	1.5	19 57	26	

SOLAR RADIO EMISSION

OTTAWA

2800 MC

HOURS OF OBSERVATIONS: JULY, AUGUST, SEPTEMBER 1957

<u>OBSERVING PERIOD:</u>	July	1010 UT	-	2420 UT	(approx.)
	Aug.	1030	-	2330	(approx.)
	Sept.	1100	-	2245	(approx.)

with the following exceptions:

(1) Variations in time of start of observations:

July 1	1720
6	1625
7	1640
29	1240
Aug. 18	1145
Sept. 3	1205
10	1145
24	1150

(2) Variations in time of end of observations:

July 5	2210
--------	------

(3) Records obscured by interference:

July 3	1920 - 1935
11	1355 - 1545
	1930 - 1955
12	1445 - 1540
	1800 - 1820
17	1140 - 1215
	1910 - 1945
23	1535 - 1625
26	1310 - 1355
29	1820 - 1845
31	1435 - 1545
Aug. 7	1515 - 1550
	1655 - 1835
8	1450 - 1510
	1920 - 1950
14	1920 - 2000
	2010 - 2020
15	1100 - 1145
22	1900 - 1920
28	1935 - 1955
Sept. 5	1925 - 1950
11	2015 - 2045
17	1330 - 1400
	1930 - 2005
25	2035 - 2055
27	1155 - 1205

SOLAR RADIO EMISSION

DAILY DATA

SEPTEMBER 1957

CORNELL

200 MC

Sept. 1957	Flux Density $10^{-22} \text{W/M}^2/\text{cps}$			Variability 0 to 3			Observing Periods Hours UT	
	Hours UT			Hours UT				
	12	15	18	12	15	18		
	15	18	21	15	18	21		
1	[97	89	49]	[1	2	1]	1220-2005	
2	[229	112	84]]	[1	2	1]]	1230-1835	
3	[26	40	39]	[2	2	2]	1240-2025	
4	[14	12	12]	[1	1	1]	1240-2015	
5	[18	18	19]	[1	1	1]	1240-2100	
6	[32	27	35]	[2	2	2]	1245-2035	
7	[52	55	98]	[2	2	2]	1240-2235	
8	[28	28	32]	[2	2	2]	1240-2050	
9	[34	33	28]	[2	2	2]	1245-2020	
10	[76	64	32]	[2	2	1]	1235-2035	
11	[36	26	19]	[1	1	1]	1225-2015	
12	[18	115	18]	[1	1	1]	1235-2010	
13	[18	23	24]	[2	2	2]	1245-2005	
14	[22	19	20]	[1	1	2]	1240-2010	
15	[17	20	22]	[2	2	2]	1240-2030	
16	[22	25	27]	[2	2	2]	1245-2025	
17	[20	20	24]	[1	1	2]	1245-2035	
18	[66	74	214]	[2	1	1]	1240-2200	
19	[79	98	90]	[2	2	2]	1245-2220	
20	[34	29	24]	[2	2	1]	1245-2050	
21	-	-	-	-	-	-		
22	-	-	-	-	-	-		
23	[98	81	88]	[2	2	2]	1240-1855, 1930-2120	
24	[30	29	26]	[2	2	2]	1340-2005	
25	[15	14	13]	[1	1	1]	1335-2030	
26	[12	12	32]	[1	1	2]	1240-2045	
27	-	18	18]	-	1	1]	1500-2010	
28	-	-	-	-	-	-		
29	-	-	-	-	-	-		
30	[16	15	14]	[1	1	2]	1250-2030	

[= first hour missing.

[[= first two hours missing.

] = last hour missing.

]] = last two hours missing.

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES
SEPTEMBER 1957

CORNELL

200 MC

Sept. 1957	Type Ap.J.	Start UT	Time Max. UT	Dura- tion Min.	Type IAU	Max. Flux Density $10^{-22} \text{ W/m}^2/\text{cps}$		Remarks
						Inst.	Smooth	
5	0	1255	1310.5	63	CA	27	3	off-scale 1454-58 UT off-scale 1540, 1603.5, 1604-4.5 UT off-scale 2025.5-26, 2027-29, 2033.5-36 UT
	9	1452.5		11.5	ECD	>52	>29	
	9	1512		55	F	>52	>24	
	0	2002		>58	E	>52	>25	
10	7	b1236.5		>256	E			off-scale 1418-18.5 UT
	2	1903		14	ECA			
12	0	1514.5		133	ECD	440	64	off-scale 1943.5 UT off-scale 1514.5 UT
13	3	1417.5		1.5	CA	>52	>25	
18	7	1612		198	E			
	0	1808		>293	E	356	178	
20	3	1942.5	1943.5	1.5	CD	>224	>138	off-scale 1943.5 UT off-scale 1514.5 UT
26	3	1514	1514.5	.5	CD	>52	>30	
	0	1920		>87	ECD	>384	97	
27	1	1604.5		63	F			
	3	1759	1759.5	.5	CA	>52	22	
	3	1824.5		1	CA	>52	>27	
30	1	1922		>65	F			

SOLAR RADIO EMISSION

DAILY DATA
SEPTEMBER 1957

BOULDER

167 MC

Sept. 1957	Flux Density					Variability					Observing Periods		
	$10^{-22} \text{W m}^{-2} (\text{c/s})^{-1}$					Day	0 to 3					Day	
	Hours UT						Hours UT						
0	12	15	18	21	24	Day	0	12	15	18	21	Day	
3	15	18	21	24			3	15	18	21	24		
1	-	85	71	68	71	73	-	0	1	1	2	1	13.4-25.3
2	-	143	115	85	73	101	-	0	0	0	2	1	12.8-25.3
3	-	81	66	60	62	66	-	1	0	0	0S	0	13.6-25.3
4	-	72	59	55	61	61	-	2S	2	0	1	1	13.6-25.2
5	-	69	57	67	68	65	-	0	0	0	0	0	13.6-20.5, 21.1-25.2
6	-	70	65	67	70	67	-	1	0	0	0	0	13.6-25.2
7	-	77	74	74	74	75	-	0S	1	1	1	1	13.1-14.5, 15.1-25.1
8	-	72	71	73	73	73	-	0S	1	1	1	1	13.1-25.1
9	-	86	80	80	90	84	-	0	0	0	0	0	13.6-25.1
10	-	91	96	82	83	88	-	0	0	0	0S	0	13.6-25.0
11	-	105	89	83	79	87	-	1	0	0	0	0	13.6-20.9, 21.7-25.0
12	-	83	4000D	2100	84	1700D	-	0	0	2	1S	1	12.6-24.9
13	-	1030	76	80	895		-	0	1	1	0	0	12.7-13.5, 14.4-24.9
14	-	-	71	72	73	72	-	0	0	0	0	0	12.7-24.9
15	-	-	72	68	70	71	-	0	1	1	0	0	12.7-24.8
16	-	-	17	66	71	70	-	0	1	0	1S	1	12.7-24.8
17	-	-	68	65	68	68	-	0	0	0	1S	0	12.8-24.8
18	-	-	79	148	95	107	-	0	0	2	0	0	13.8-24.8
19	-	-	78	71	77	76	-	0	1	1	1S	1	12.8-24.8
20	-	-	74	77	82	77	-	1	1	0	2S	1	12.8-24.8
21	-	-	79	79	85	82	-	1S	1	1	1	1	12.8-24.7
22	-	90	86	78	83	84	-	1	1	0	1	1	12.8-24.7
23	-	84	78	72	70	75	-	1	0	0	1	1	12.8-24.6
24	-	76	72	68	69	71	-	0	0	0	0	0	12.8-24.6
25	-	71	69	61	64	66	-	0	0	0	1S	0	12.8-21.6, 23.2-24.6
26	-	68	66	108	121	93	-	0	0	1S	1	1	12.8-24.5
27	-	68	69	66	66	67	-	0	0	0S	1S	0	12.9-24.5
28	-	70	70	65	69	69	-	0	1	0	2	1	12.9-24.5
29	-	-	67	62	63	65	-	0	0	0	0	0	12.9-24.4
30	-	69	66	64	62	65	-	0	0	1	1S	1	12.9-24.4

SOLAR RADIO EMISSION
DAILY DATA
SEPTEMBER 1957

BOULDER


450 MC

	Flux Density					Variability					Observing Periods		
	$10^{-22} \text{ w m}^{-2} (\text{c/s})^{-1}$					0 to 3							
	Hours UT					Hours UT					Hours UT		
Sept. 1957	0 3	12 15	15 18	18 21	21 24	Day	0 3	12 15	15 18	18 21	21 24	Day	
1	-	105	177	102	93	120	-	0	1	1	1S	1	12.5-25.3
2	-	517	153	96	54	177	-	OS	1S	1S	2S	1S	12.5-25.3
3	-	24	55	49	18	38	-	1	1S	1S	OS	1S	12.5-25.2
4	-	11	11	11	10	11	-	2	2S	2	1S	1S	12.5-25.2
5	-	14	19	21	27	21	-	2	2S	2S	2S	2S	12.5-25.2
6	-	36	51	44	66	51	-	1	1	1S	1S	1	12.6-25.2
7	-	43	95	190	60	102	-	2	2S	2	2	2	12.6-25.2
8	-	51	51	-	69	59	-	1	2S	1	1S	1	12.6-17.3, 20.8-25.1
9	-	29	39	33	40	36	-	1	OS	1	1S	1	12.6-25.1
10	-	60	78	40	50	57	-	1	2S	OS	2S	1S	12.6-25.0
11	-	58	35	20	20	31	-	1	1S	1S	2S	1S	12.6-25.0
12	-	18	30	20	25	24	-	1	2S	2	2S	2S	12.7-25.0
13	-	-	26	22	20	22	-	2S	1S	1S	2S	1S	12.7-13.8, 14.7-24.9
14	-	-	18	20	28	21	-	1	1	2	2	2	12.7-24.9
15	-	-	19	29	28	25	-	1	2	2S	2S	2S	12.7-24.8
16	-	-	31	28	20	27	-	1	2	2	2S	2	12.8-24.8
17	-	-	27	39	43	35	-	1S	1S	2S	2S	1S	12.8-24.8
18	-	-	218	520	510	390	-	1S	2S	OS	OS	OS	13.8-24.8
19	-	-	-	-	321	305	-	-	2	1	1	1	15.1-24.8
20	-	-	42	30	17	32	-	1	2	1S	1S	1S	12.8-24.8
21	-	-	79	115	127	115	-	1S	1	1	1	1	12.8-24.7
22	-	138	132	78	46	95	-	1	2	1	OS	1	12.8-24.7
23	-	-	188	266	249	234	-	1	1S	1	1	1	12.8-24.7
24	-	59	49	40	29	43	-	1	1S	1	1S	1	12.8-23.5
25	-	18	15	13	11	14	-	1S	1	OS	1S	1S	12.8-24.6
26	-	14	13	203	611	228	-	1	1S	1S	2S	1S	12.9-24.6
27	-	21	16	20	16	18	-	1	1	1S	1S	1S	12.9-24.5
28	-	19	17	18	23	19	-	1	1S	OS	2S	1S	12.9-24.5
29	-	29	22	21	17	22	-	1S	1S	2	2S	1S	12.9-23.5
30	-	20	15	15	12	15	-	1	1S	1S	OS	1S	12.9-19.5, 21.5-24.4

GEOMAGNETIC ACTIVITY INDICES

AUGUST 1957

Aug. 1957	C	Values Kp								Sum	Ap	Final Selected Days	
		Three hour Gr interval				1	2	3	4	5	6	7	8
1	0.3	2-	2+	2+	1o	2o	1+	2-	1+	14-	6	Five	
2	0.7	3o	2o	2-	2-	2+	1+	2o	3o	17o	9	Quiet	
3	1.2	3-	1o	2+	2o	2o	6+	5+	4o	26-	27		
4	0.9	5+	2o	2o	1-	1o	2-	1o	2-	15+	12	11	
5	0.6	2-	1o	1o	1-	1-	3-	3+	4+	15+	10	17	
												22	
6	1.3	3o	4+	6-	4-	4o	4-	4+	4+	33o	31	23	
7	0.4	3o	2o	3-	2-	2o	1o	1o	1+	15-	8	24	
8	0.4	1o	2o	2+	2o	2o	1-	3-	2+	15o	7		
9	0.9	4o	3+	2+	1+	4o	3+	2+	1+	23o	16		
10	0.5	4o	3o	1+	2-	0+	1-	1o	2+	14+	9		
11	0.2	2-	1-	0+	1o	1+	1+	1o	2-	9o	4	Five	
12	1.1	2+	4-	3+	3o	4o	4o	4o	2+	27-	19	Disturbed	
13	1.2	4+	5+	6-	4+	4-	3o	4-	3o	33o	33		
14	0.5	1-	1+	1o	2-	3-	2+	3-	2+	15-	8	3	
15	0.5	4-	2o	2-	1+	1o	1o	3-	3o	16+	9	6	
												13	
16	0.2	2+	2+	1-	1+	1o	1o	1+	1o	11o	5	30	
17	0.2	1-	0+	0+	1-	2-	2o	0+	1-	7-	4	31	
18	0.5	2o	1+	0+	3-	3-	1+	2-	2+	14+	7		
19	0.5	4o	4-	3+	3+	2-	1o	0+	1o	18+	13		
20	0.7	1-	1+	1+	2o	3+	3o	3-	3+	18-	10		
21	0.9	4o	5+	3+	3-	2+	4-	1+	1-	23+	19	Ten	
22	0.2	0o	1-	1+	2-	1-	1o	1o	1+	8-	4	Quiet	
23	0.1	1-	0o	0+	1o	1+	0+	0+	0+	4+	2		
24	0.0	0o	0+	0+	1-	1o	1-	1-	1o	5-	3	1	
25	0.3	0+	1o	1o	1+	2-	2o	3o	3-	13o	7	11	
												16	
26	0.4	2-	1o	1-	1+	2+	3-	3-	2+	15-	8	17	
27	1.0	4-	4o	4-	3+	3-	3-	4-	3o	27-	19	18	
28	0.6	2-	2+	3+	2+	3-	2+	2o	3-	19+	10	22	
29	1.2	2+	1+	1-	1+	2o	1+	7-	6o	22-	28	23	
30	1.3	7-	6-	4+	4+	2o	5-	3o	1o	32-	38	24	
31	1.3	2o	3-	3-	2-	4o	5o	7o	5o	30o	36	25	
												26	
Mean:	0.65									Mean:	14		



CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS



NORTH ATLANTIC

AUGUST 1957

Aug. 1957	North Atlantic 6-hourly quality figures	Short-term forecasts issued about one hour in advance of:				Whole day index	Advance forecasts (J-reports) for whole day; issued in advance by:			Geomag- netic K _{Fr}	
		00	06	12	18		00	06	12	18	
	to 06	to 12	to 18	to 24							Half Day (1) (2)
1	7+	7-	7o	7+	7	7	7	7	7	7	3 3
2	7o	7-	7-	7o	7	7	7	7	7	7	3 2
3	7o	7-	7o	7o	7	7	7	6	7o	7	2 (4)
4	6-	6o	7o	7-	5	5	6	7	6+	6	3 2
5	7+	7o	7+	7-	7	7	7	7	7o	6	1 3
6	6o	4+	6+	6+	7	6	5	6	5+	7	(4) 3
7	6+	6-	7o	7o	6	5	7	7	6+	7	3 2
8	7-	6+	7+	7o	7	7	7	7	7-	7	2 2
9	6+	6+	7-	7o	6	5	7	7	7-	7	3 3
10	6+	6o	7o	7o	6	6	7	7	7-	5	3 1
11	7o	6+	7+	7-	6	6	7	7	7-	5	1 2
12	7o	7-	7o	7-	7	7	7	7	7-	7	3 (4)
13	6o	5o	6o	7-	7	5	5	6	6o	7	(5) 2
14	7-	6+	7o	7-	6	6	7	7	7-	7	2 2
15	6+	6+	7o	7-	7	7	7	7	7-	7	2 2
16	7-	7-	7o	7+	7	7	7	7	7-	7	2 2
17	7+	7+	7+	7o	7	7	7	7	7+	7	0 1
18	7+	7+	7+	7o	7	7	7	7	7+	7	2 2
19	7-	6-	7-	7-	7	7	6	6	6+	7	(4) 1
20	7-	6-	7o	7-	6	7	6	7	7-	6	2 3
21	5o	5+	7-	6+	7	4	5	6	6-	7	(4) 2
22	7-	7-	7o	7+	6	7	7	7	7o	7	1 2
23	7+	7o	7o	7+	7	7	7	7	7+	7	0 1
24	7+	7o	7o	7+	7	7	7	7	7+	5	0 1
25	7+	7o	7-	7+	7	7	7	7	7o	5	1 2
26	7o	7-	7o	7o	7	7	7	7	7o	6	1 3
27	7o	6o	7o	7o	7	7	7	7	7-	7	3 3
28	6+	6o	7-	7o	7	6	7	7	7-	7	3 3
29	7-	7-	7o	7+	7	6	7	7	7-	7	1 (4)
30	3+	4o	6+	7-	3	3	5	4	5-	4	(5) 3
31	6+	6-	6-	6o	5	6	7	7	6-	3	2 (4)
Score: Quiet Periods		P	19	19	23	25		17	20		
		S	10	10	7	4		8	10		
		U	1	0	1	1		5	1		
		F	0	0	0	1		1	0		
Disturbed Periods		P	1	0	0	0		0	0		
		S	0	1	0	0		0	0		
		U	0	0	0	0		0	0		
		F	0	1	0	0		0	0		

() represent disturbed values.

CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS
NORTH ATLANTIC



CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

NORTH PACIFIC

AUGUST 1957

Aug 1957	North Pacific 8-hourly quality figures			Short-term fore- casts issued at			Whole day index	Advance forecasts (Jp reports) for whole day; issued in advance by:			Geomag- netic K _{Si}			
	03	11	19	02	10	18		1-4	4-7	8-25				
	to 11	to 19	to 03	days	days	days		days	(1)	Half Day (2)				
1	7	7	6	7	7	6	7	6	6	6	3 2			
2	6	6	6	6	6	6	6	6	6	6	2 2			
3	6	6	6	5	6	5	6	6	6	6	2 4			
4	6	5	6	5	6	6	6	6	7	7	3 2			
5	6	7	6	6	6	6	6	(4)	7	7	1 2			
6	4	3	5	6	3	3	(4)	(4)	7	7	5 4			
7	5	6	5	4	5	6	5	(4)	6	6	3 1			
8	6	7	6	5	6	6	6	5	6	6	2 2			
9	5	6	5	5	6	6	5	5	6	6	3 2			
10	6	6	6	5	6	6	6	5	(4)	3	1			
11	6	6	6	5	6	6	6	5	(4)	1	2			
12	6	7	7	6	6	5	6	6	5	5	3 3			
13	4	5	6	6	4	6	5	6	5	5	6 4			
14	6	6	6	6	7	6	6	5	6	6	1 2			
15	6	6	6	6	7	6	6	5	6	6	2 2			
16	6	6	6	6	7	6	6	5	6	6	2 1			
17	6	5	6	6	6	5	6	6	6	6	0 1			
18	6	6	6	6	6	7	6	6	6	6	2 2			
19	6	6	6	6	6	6	6	6	6	6	2 1			
20	6	6	6	6	6	6	6	7	6	6	2 3			
21	5	6	6	6	6	5	6	6	7	7	4 2			
22	6	6	6	5	6	6	6	5	7	7	1 1			
23	6	7	7	6	7	7	7	(3)	5	5	0 0			
24	6	6	6	7	7	7	6	6	(3)	6	0 1			
25	6	6	6	7	7	6	6	6	6	6	1 2			
26	6	6	6	5	6	6	6	6	6	6	1 3			
27	6	6	6	6	6	6	6	6	6	6	1 4			
28	6	6	6	6	7	6	6	6	6	6	2 2			
29	6	6	6	6	7	6	6	6	6	6	1 4			
30	4	5	6	4	4	5	5	6	6	6	6 3			
31	6	5	5	6	6	5	6	5	6	6	2 4			
Score:	Quiet Periods			P	17	14	21		15	17				
				S	11	16	8		13	9				
				U	0	0	2		1	1				
				F	0	0	0		1	3				
Disturbed Periods				P	1	1	0		1	0				
				S	0	0	0		0	0				
				U	0	0	0		0	0				
				F	2	0	0		0	1				


() represent disturbed values.

CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

NORTH PACIFIC

AUGUST 1957

OUTCOME OF ADVANCED FORECASTS (1 TO 4 DAYS AHEAD)



ALERT PERIODS AND SPECIAL WORLD INTERVALS

Alert	SWI	A _{Be} On Days of Alert Period (SWI Underlined)	Number of Flares of IMP 2 Reported Promptly of Days on Alert Period
Jun 28-Jul 06	Jun 29-Jul 03	20- <u>12</u> -80- <u>61</u> - <u>37</u> -30-11-47-16	4-0-4-2-3-2-2-1-0
Jul 16-Jul 20		15-15-20-20-11	3-3-1-0-3
Jul 21-Jul 24		08-20-16-17	6-4-1-2
Jul 25-Jul 27		11-10-10	0-0-2
Aug 02-Aug 07		14-23-18-10-33-14	2-1-0-0-0-0
Aug 23-Aug 25	Aug 23-Aug 24	<u>04</u> - <u>05</u> -07	1-3-4
Aug 28-Sept 05	Aug 28-Aug 30 Sept 01-Sept 04	<u>09</u> - <u>20</u> - <u>25</u> -21- <u>32</u> - <u>62</u> - <u>95</u> - <u>66</u> -96	7-5-3-4-2-4-3-1-2
Sept 09-Sept 15	Sept 11-Sept 14	10-08- <u>09</u> - <u>11</u> - <u>13</u> <u>7</u> - <u>26</u> -09	1-3-3-3-3-3-3
Sept 18-Sept 23		13-03-04-30-43-124	7-3-2-6-2-1
Sept 27-Oct 02		06-10-63-30-17-13	1-1-0-3-0-2

三國志

Nov 07, 2017