

National Bureau of Standards
Library, N.W. Bldg

JAN 11 1961

*Reference book not to be
taken from the library.*

PART B

SOLAR - GEOPHYSICAL DATA

ISSUED
DECEMBER 1960

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

SOLAR - GEOPHYSICAL DATA

CONTENTS

I DAILY SOLAR INDICES

- (a) Relative Sunspot Numbers and 2800 Mc Solar Flux
- (b) Graph of Sunspot Cycle

II SOLAR CENTERS OF ACTIVITY

- (a) Calcium Plage and Sunspot Regions
- (b-c) Provisional Coronal Line Emission Indices - October, November 1960
- (d-f) Final Coronal Line Emission Indices - July, August, September 1960

III SOLAR FLARES

- (a-e) Optical Observations - November 1960
- (f) Flare Patrol Observations - November 1960
- (g-h) Subflares - October 1960
- (i-n) Optical Observations - August 1960
- (o) Flare Patrol Observations - August 1960
- (p) Optical Observations - February 1960
- (q) Ionospheric Effects (SWF) - October 1960
- (r) Ionospheric Effects (SEA-SCNA-Bursts) October 1960

IV SOLAR RADIO WAVES

- (a) 2800 Mc - Outstanding Occurrences (Ottawa) November 1960
- (b) 169 Mc - Outstanding Occurrences (Nancay) November 1960
- (c-d) 108 Mc - Outstanding Occurrences (Boulder) November 1960
- (e-i) 9.1 cm - Spectroheliograms (Stanford) April 1960

V COSMIC RAY INDICES

- (a) Climax Neutron Monitor - October 1960
- (b) Deep River Neutron Monitor - October 1960

VI GEOMAGNETIC ACTIVITY INDICES

- (a) C, Kp, Ap, and Selected Quiet and Disturbed Days
- (b) Chart of Kp by Solar Rotations

VII RADIO PROPAGATION QUALITY INDICES

North Atlantic:

- (a) CRPL Quality Figures and Forecasts
- (b) Graphs Comparing Forecast and Observed Quality
- (c-d) Graphs of Useful Frequency Ranges

North Pacific:

- (e) CRPL Quality Figures and Forecasts
- (f) Graphs Comparing Forecast and Observed Quality

VIII ALERT PERIODS AND SPECIAL WORLD INTERVALS

- (a) 1960 Alerts and SWI


9.1 cm Spectroheliograms

The microwave spectroheliograms obtained at the Radioscience Laboratory of the Stanford University, Stanford, California (N 37°24', W 122°11') are presented.

The maps show the disk distribution of solar radio emission at a wavelength of 9.1 cm by means of radioisophotes, or lines of constant brightness temperature. The contour interval, which varies from map to map, is usually about 80,000°K, and is determined after the map is drawn by reference to the measured flux density of the whole sun. A circle shows the photosphere; a correction has been applied for the variation of the sun's semi-diameter, so that the photospheric circle is reproduced with a constant diameter of 5 cm. This is an integral submultiple of the IAU standard of 15 cm used on the full size originals, which are available as Stanford Radio Astronomy Institute Publications.

A full description of the Stanford microwave spectroheliograph has been given by Bracewell and Swarup (IRE Trans., Vol. AP 9, January 1961). With this instrument the sun is scanned along approximately fifteen parallel lines from west to east, and from the resulting records the maps are carefully prepared by hand. A positional accuracy of better than + 1 minute of arc in the location of bright features is maintained.

At the zenith, the beam of the instrument is circular with a beam-width of 3.1 minutes of arc. At a declination δ on the meridian the beamwidths are 3.1 minutes east-west and $3.1 \sec (30.2 - \delta)$ north-south. To illustrate the magnitude and position of the subsidiary lobes surrounding the beam, the theoretical response to a point source is given below.




Further details are given in the above mentioned reference. The response to a source of finite size is the convolution of this pattern with the source distribution. The subsidiary lobes may be reduced by smoothing the maps but this would also widen the primary beam. A simple procedure for smoothing is to average four adjacent values situated at the corner of a rectangle with sides parallel to the scanning direction and 0.8 beamwidths long (R. N. Bracewell, "Correcting noise maps for beamwidth", Radio Noise Spectrum, ed. D. H. Menzel, pp. 141-150, Harvard 1960).

The descriptive text was published separately, November 1960.

DAILY SOLAR INDICES

Oct. 1960	American Relative Sunspot Numbers R_A'
1	11
2	24
3	20
4	43
5	75
6	73
7	112
8	94
9	138
10	143
11	103
12	119
13	98
14	93
15	96
16	91
17	88
18	68
19	68
20	70
21	63
22	47
23	47
24	52
25	53
26	53
27	57
28	48
29	70
30	64
31	72
Mean:	72.7

Nov. 1960	Zürich Provisional Relative Sunspot Numbers R_Z	Daily Values Solar Flux at 2800 Mc, Ottawa, Canada Flux
1	76	124
2	80	129
3	69	130
4	58	131
5	73	144
6	90	148
7	116	157
8	125	168
9	125	175
10	125	200
11	134	188
12	132	168
13	128	180
14	132	192
15	133	183
16	121	174
17	103	164
18	82	153
19	74	150
20	82	147
21	65	139
22	57	127
23	57	116
24	41	113
25	42	111
26	60	117
27	58	119
28	56	117
29	53	119
30	63	131
Mean:	87.0	147.1



CALCIUM PLAGE AND SUNSPOT REGIONS

NOVEMBER 1960

CMP Nov. 1960	Lat	McMath Plage Number	Return of Region	Calcium Plage Data			Sunspot Data		
				CMP Values Area Int.		History, Age	CMP Values Area Count		History
01.0	N07	5914	5882	300	1.5	$\ell - \ell$ 2			
01.4	N17	5913	New	4500	3.5	$\ell - \ell$ 1	110	3	$\ell \setminus d$
01.8	S03	5926	New	(500)	(3)	$b \nearrow \ell$ 1			
03.4	S09	5915	5880	2500	3	$\ell \setminus \ell$ 4	60	3	$\ell \setminus d$
03.8	N22	5916	*	1400	2	$\ell \setminus \ell$ 5			
04.0	N09	5917	5888	1500	2.5	$\ell \setminus \ell$ 2			
05.0	S18	5918	5880	1100	2.5	$\ell - \ell$ 4			
06.1	N30	5919	*	800	1.5	$\ell \setminus d$ 5			
06.2	S03	5928	New	100	1.5	$b \nearrow \ell$ 1			
06.4	S19	5920	**	1500	2.5	$\ell \setminus \ell$ 3,5			
07.4	N13	5921	***	5500	3	$\ell - \ell$ 4	410	4	$\ell - \ell$
07.7	S12	5922	****	(1200)	(2)	$\ell - \ell$			
09.1	S13	5923	New	3000	3	$\ell - \ell$ 1	280	8	$b \wedge d$
10.4	N20	5924	+	(800)	(1.5)	$\ell - \ell$			
11.4	N05	5936	New	(400)	(2)	$b \nearrow \ell$ 1			
11.9	N24	5925	New	9100	3.5	$\ell - \ell$ 1	1740	20	$\ell - \ell$
12.3	S13	5927	5893	3700	3	$\ell - \ell$ 6	460	7	$\ell - \ell$
12.8	N15	5929	New	400	2	$\ell \setminus \ell$ 1			
13.8	N24	5930	New	900	1.5	$\ell - \ell$ 1			
16.0	S14	5931	++	2300	3	$\ell - \ell$ 4	(220)	(5)	$b \nearrow \ell$
17.6	N18	5932	+++	8500	3	$\ell - \ell$ 6	1160	15	$\ell - \ell$
17.8	S17	5934	++	500	1.5	ℓ / ℓ 4			
20.3	S17	5935	++++	1200	2	$\ell \setminus \ell$ 4			
20.6	N21	5937	5905	2200	2	$\ell - \ell$ 3	50	2	$b \wedge d$
21.5	N07	5938	New	1200	2.5	$\ell - \ell$ 1	190	1	$\ell - \ell$
24.6	S04	5949	New	(500)	(2)	$b \nearrow \ell$ 1			
25.2	S20	5941	New	2500	3	$\ell \setminus \ell$ 1			
26.0	N28	5942	New	700	3	$\ell \setminus \ell$ 1			
27.4	N02	5944	New	1200	2.5	$\ell - \ell$ 1			
28.8	N20	5945	5913	1200	2.5	$\ell - \ell$ 2			
29.2	S06	5946	5926	2200	3	$\ell - \ell$ 2			
29.8	N12	5948	New	3000	3.5	$\ell - \ell$ 1	410	7	ℓ / ℓ

* 5874, 5878

+ Merged with 5925

COMMERCE - STANDARDS - BOULDER

** 5881, 5886

++ 5897, 5900

*** 5884, 5889

+++ 5901, 5904

**** Merged with 5923

++++ 5906, 5907

PROVISIONAL CORONAL LINE EMISSION INDICES

OCTOBER 1960

CMP Oct. 1960	North East Quadrant (observed 7 days earlier)				South East Quadrant (observed 7 days earlier)				South West Quadrant (observed 7 days later)				North West Quadrant (observed 7 days later)			
	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁
1	31a	42a	x	x	44a	60a	15a	20a	37a	58a	17a	20a	27a	35a	16a	20a
2	46	54	25a	30a	77	162	30a	40a	x	x	x	x	x	x	x	x
3	46	53	22	46	59	105	28	75	44a	66a	x	x	35a	39a	x	x
4	56a	71a	45a	84a	57a	95a	45a	102	37	63	10	10	44	51	14	24
5	58a	102a	11	18	34a	48a	7	10	63	80	26	40	69	101	17	26
6	84a	100a	17	27	62a	114a	10	11	46a	66a	14a	16a	62a	69a	27a	41a
7	x	x	x	x	x	x	x	x	29	33	12	18	47	62	20	54
8	x	x	28a	42a	x	x	17a	36a	88	150	20	37	76	95	9	18
9	87a	100a	x	x	62a	96a	x	x	x	x	x	x	x	x	x	x
10	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
11	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
12	61	68	52a	86a	40	68	46a	60a	48	66	x	x	78	128	x	x
13	62	106	x	x	48	60	x	x	27	34	7	8	50	66	16	34
14	57a	82a	x	x	33a	45a	x	x	54	93	13	20	x	x	18	27
15	x	x	10	10	x	x	29	50	x	x	x	x	46	86	18	27
16	x	x	x	x	x	x	x	x	48	73	18	34	35	40	22	33
17	54a	60a	x	x	80a	112a	x	x	x	x	x	x	x	x	x	x
18	53	60	10	12	51	63	25	50	84	123	9	15	46	56	6	8
19	70	78	20	34	98	158	41	64	88	119	45	72	60	70	27	54
20	84a	107a	33a	52a	97a	134a	33a	56a	97	171	9	12	90	126	8	18
21	50	65	14	20	45	80	17	35	x	x	x	x	x	x	x	x
22	88	128	14	29	68	96	x	x	31	38	15	23	50	68	12	15
23	x	x	x	x	x	x	x	x	22	28	8	16	67	93	8	15
24	x	x	x	x	x	x	x	x	10	12	7a	10a	48	74	7a	15a
25	x	x	x	x	x	x	x	x	9	10	6	8	37	54	7	13
26	39	45	x	x	19	21	x	x	19	26	4	5	35	46	6	8
27	25	26	6	8	16	19	6	10	10	14	x	x	25	36	x	x
28	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
29	35	51	7	10	37	57	5	6	26a	38a	x	x	32a	36a	x	x
30	26	36	13	27	20	24	5	7	24	35	x	x	36	66	41	80
31	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

COMMERCE - STANDARDS - BOULDER

a = index computed from low weight data. * = yellow line observed. x = no observations.

PROVISIONAL CORONAL LINE EMISSION INDICES

NOVEMBER 1960

CIP Nov. 1960	North East Quadrant (observed 7 days earlier)				South East Quadrant (observed 7 days earlier)				South West Quadrant (observed 7 days later)				North West Quadrant (observed 7 days later)			
	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁
1	78	121	12	18	37	53	4	5	29	56	9	10	64	90	24	42
2	90	116	37	66	51	65	18	28	60	124	32a	54a	72	108	43a	74a
3	76	103	21	29	48	68	21	40	79	112	36	80	75	98	27	46
4	x	x	x	x	x	x	x	x	69	85	38	104	64	94	37	112
5	23	33	19	33	58	70	7	10	75	122	17	34	84	152	16	40
6	68	92	18	35	58	125	16	32	65	123	x	x	83	135	x	x
7	26	124	17a	31a	54	76	12a	20a	x	x	x	x	x	x	x	x
8	55	68	11	18	37	44	12	20	x	x	x	x	x	x	x	x
9	89	146	11	22	64	114	8	12	55	82	30	70	58	80	36	70
10	63	82	x	x	41	64	x	x	38a	56a	16a	43a	41a	66a	26a	52a
11	x	x	x	x	x	x	x	x	64	88	16	28	76#	118	21	30
12	97	146	67a	103a	72	136	30a	40a	x	x	x	x	x	x	x	x
13	108	132	x	x	64	100	x	x	43	56	17	24	48*	67	18	26
14	x	x	x	x	x	x	x	x	48	58	x	x	69	126	25a	30a
15	66	89	11	18	64	84	10	13	68	86	6	8	63	97	8	10
16	75	104	41a	90a	66	102	30a	66a	38a	56a	19a	32a	40a	60a	21a	36a
17	92	131	31	84	73	102	20	24	40	55	x	x	75	117	x	x
18	68	80	16	18	50	64	18	28	x	x	x	x	x	x	x	x
19	67	77	12	16	36	58	18	34	20	29	15	28	50	68	16	24
20	47	62	x	x	22	28	x	x	x	x	x	x	x	x	x	x
21	51a	71a	x	x	16a	18a	x	x	13a	16a	12a	16a	22a	29a	8a	18a
22	x	x	x	x	x	x	x	x	14	15	17	20	24	27	17	42
23	35	41	42	82	25	30	22	32	x	x	x	x	x	x	x	x
24	27a	40a	23a	59a	38a	60a	19a	58a	97	132	x	x	45	56	x	x
25	31	40	9	15	63	88	9	15	50	75	30	50	30	39	19	32
26	x	x	x	x	x	x	x	x	45	74	x	x	26	34	x	x
27	66	121	36	64	36	61	26	36	20	34	10	12	32	40	6	9
28	72	95	31a	64a	43	117	39a	56a	x	x	x	x	x	x	x	x
29	50	67	12	20	38	89	9	25	x	x	x	x	x	x	x	x
30	53a	89a	29a	66a	35a	62a	24a	80a	x	x	x	x	x	x	x	x

x = no observations.

a = index computed from low weight data.

* = yellow line observed.

CORONAL - STANDARDS - SOULDER

FINAL CORONAL LINE EMISSION INDICES

JULY 1960

CMP July 1960	North East Quadrant (observed 7 days earlier)				South East Quadrant (observed 7 days earlier)				South West Quadrant (observed 7 days later)				North West Quadrant (observed 7 days later)			
	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁
1	69	89	15	26	27	35	13	20	57	78	15	22	92	125	19	24
2	156	241	x	x	45	62	x	x	56	65	13	20	86	138	30	45
3	75	96	21	35	22	34	10	15	67	98	10	30	132	157	20	24
4	80	106	x	x	57	78	x	x	62	72	9	11	73	88	14	24
5	124	181	26a	60a	85	125	23a	30a	71	126	x	x	95	122	x	x
6	45	66	14	23	48	70	9	12	107	156	10	12	108	145	13	32
7	81	100	15	20	76	116	15	10	81	106	2	6	101	146	8	27
8	105	119	9	16	89	120	4	10	28	41	2	6	68	102	9	25
9	110	131	x	x	87	107	x	x	44	60	-	-	92	118	16	66
10	75	92	4	10	68	83	6	14	50	80	23	28	72	112	29	51
11	88	119	12a	50a	73	93	20a	60a	66	96	x	x	58	75	x	x
12	80	107	x	x	89	156	x	x	101	172	x	x	84	130	x	x
13	88	148	7	20	93	208	3	20	66	96	14	18	61	107	12	16
14	x	x	x	x	x	x	x	x	78	72	21	24	84	114	42	64
15	71	99	8	12	87	113	4	13	27	43	6	11	85	102	14	32
16	85	119	47	60	73	82	27	31	38a	46a	17	24	63a	104a	36	57
17	98	122	18	41	74	89	6	17	30	40	8	10	54	84	32	60
18	43	64	26	38	39	56	14	27	49	69	13	21	87	111	24	44
19	48	86	x	x	77	104	x	x	88a	120a	17	27	69a	106a	18	31
20	72	94	16	25	102	124	16	32	55	78	16	32	39	44	13	18
21	118	140	19	27	111	183	15	23	71	95	6	13	68	92	7	14
22	110	146	32	50	78	132	21	30	44a	77a	31a	40a	58a	89a	47a	90a
23	115	138	27	50	95	129	10	34	61	97	23	54	96	138	34	55
24	84	118	42	64	53	85	50	62	53	81	11	21	68	82	16	25
25	96	159	x	x	72	97	x	x	55	86	16	30	54	60	10	15
26	82	136	x	x	75	101	x	x	68	108	x	x	63	72	x	x
27	74	156	47	90	57	110	35	48	33	50	43	55	52	59	41	98
28	63	72	38	80	38	62	31	46	20	34	11	15	63	78	19	30
29	84	103	15	26	28	58	10	15	29	58	x	x	91	132	x	x
30	97a	136a	37a	48a	22a	28a	14a	26a	43a	60a	11a	16a	x	x	28a	36a
31	60	68	15	20	27	40	8	10	39	53	6	8	108	154	10	20

CONJUGATE STANDARDS - BOULDER

a = index computed from low weight data. * = yellow line observed. x = no observations. - = below threshold of visibility.

FINAL CORONAL LINE EMISSION INDICES

AUGUST 1960

CMP Aug 1960	North East Quadrant (observed 7 days earlier)				South East Quadrant (observed 7 days earlier)				South West Quadrant (observed 7 days later)				North West Quadrant (observed 7 days later)			
	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁
1	114	128	8	12	65	86	6	8	32	44	18a	20a	81	93	36a	73a
2	83a	102a	9	11	53a	62a	8	12	42a	51a	24a	32a	80a	97a	28a	52a
3	83	116	12	20	45	64	8	13	32	48	x	x	65	80	x	x
4	85	124	6	17	52	69	1	4	24a	31a	6a	8a	47a	66a	33a	88a
5	64a	87a	26a	40a	27a	33a	25a	32a	26a	34a	5	7	44a	78a	10	17
6	104	151	22	41	51	64	7	16	64	92	18a	36a	79	115	x	x
7	69	94	17	36	45	76	4	11	48	60	8	17	34	42	12	18
8	43	64	7	10	41	76	7	10	58	80	x	x	33	40	x	x
9	62*	95	x	x	55	80	x	x	71	91	21a	51a	55	60	x	x
10	72	97	x	x	50	73	x	x	46	72	9a	13a	44	49	9a	12a
11	54	72	23	35	38	46	13	20	34a	48a	x	x	69a	86a	x	x
12	95	122	22	46	86	116	-	-	76	106	19	48	175	243	10	42
13	65a	95a	39a	61a	29a	44a	37a	66a	68	122	16	37	168	207	10	18
14	76	110	36	56	57	110	38	96	73*	167	30	50	72	86	x	x
15	81	108	29a	38a	64	118	32a	64a	83	148	24	36	68	80	15	35
16	98a	117a	31a	59a	105a	157a	43a	84a	x	x	x	x	x	x	x	x
17	78	113	10	20	108	167	10	22	126	166	63	112	102	160	36	72
18	91a	119a	15a	25a	x	x	51a	114a	82	138	17	38	97	123	14	26
19	x	x	18	28	x	x	14	27	59	82	x	x	70	92	x	x
20	136	165	25	67	90	108	20	24	65	94	32	48	109	154	42	80
21	139	160	19	26	56	108	16	25	91	150	14	38	163	250	27	55
22	70	98	x	x	55	86	x	x	76	108	18	32	72	95	34	64
23	85	111	19	25	62	89	24	33	77	98	21	36	68	89	x	x
24	104	125	7	14	67	93	10	21	78	113	14	33	103	168	22	52
25	106a	148a	x	x	43a	64a	x	x	67	83	16a	30a	99	115	26a	46a
26	120	157	15	43	44	70	-	-	57	83	28	42	73	92	21	34
27	175	210	3	7	69	102	8	17	70	104	27a	40a	97	105	13a	18a
28	77	129	x	x	37	62	x	x	72	140	37	72	71	98	26	40
29	60	103	5	8	17	32	5	8	81	143	4	11	86	118	-	-
30	x	x	x	x	x	x	x	x	56	95	11	18	84	104	7	13
31	81	126	19a	24a	40	53	24a	35a	21	24	27	36	52	87	42	93

COMMERCE - STANDARDS - BOULDER

a = index computed from low weight data. * = yellow line observed. x = no observations. - = below threshold of visibility.

FINAL CORONAL LINE EMISSION INDICES

SEPTEMBER 1960

CMP Sep 1960	North East Quadrant (observed 7 days earlier)				South East Quadrant (observed 7 days earlier)				South West Quadrant (observed 7 days later)				North West Quadrant (observed 7 days later)			
	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁
1	64	79	6	12	43	50	2	8	25	28	19	20	47	78	34	60
2	63	72	x	x	40	58	x	x	21	26	x	x	39	50	x	x
3	49	63	10a	12a	32	51	19a	28a	63	74	10a	16a	79	91	10a	14a
4	82	89	6	13	74	116	-	-	46	62	12	22	35	42	10	13
5	71	87	6	20	95	116	-	-	63	91	13	18	41	60	15	20
6	63	69	21a	25a	75	101	x	x	38	68	16	27	43	63	19	35
7	101	122	13	24	89	135	3	9	43	90	29	51	53	68	19	25
8	118	140	18	37	61	86	6	12	96	133	38a	55a	113	138	23a	27a
9	101	112	12	19	75	86	11	18	x	x	x	x	x	x	x	x
10	116	133	7	11	86	106	17	34	62	96	20	47	90	110	19	40
11	x	x	42a	68a	107a	195a	48a	116a	79	110	55	87	91	105	38	52
12	148	170	6	9	126	201	20	34	x	x	x	x	106	x	x	x
13	151	212	21	40	131	208	23	60	102	174	24	50	106	150	17	28
14	131	207	9	13	82	127	23	43	86	166	24	73	86	111	14	30
15	103	159	78	98	65	114	54	108	97	115	12	42	111	120	33	64
16	99	155	53	72	60	76	28	42	47	60	19	30	80	100	53	70
17	195	236	59a	72a	94	136	x	x	50a	74a	48a	80a	73a	99a	97a	132a
18	101	128	36	48	46	80	11	15	86	110	38a	56a	99	146	51a	86a
19	102	143	67	92	62	105	31	52	88	105	19	30	71	96	27	46
20	61	98	22	40	57	74	26	35	83a	133a	43a	50a	56a	78a	29a	56a
21	91	134	19	28	67	96	13	20	94a	114a	13	17	73a	86a	7	9
22	98	121	26a	42a	111	119	18a	25a	108a	144a	25	38	92a	116a	21	40
23	x	x	x	x	x	x	x	x	87	109	21	23	94	107	23	47
24	87	108	7	17	94	146	10	38	98a	152a	16a	32a	88a	100a	13a	20a
25	82	90	30	36	89	142	56	92	89a	145a	60a	96a	68a	80a	28a	44a
26	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
27	132	198	18	27	83	150	22	37	x	x	x	x	x	x	x	x
28	56	101	17	32	19	20	18	31	13	18	26a	36a	55	65	28a	36a
29	92	113	14	30	55	63	5	19	27	35	x	x	51	51	x	x
30	33	41	16	20	29	36	12	16	25a	36	x	x	27a	40a	x	x

CONRAD - STANDARDS - BOULDER

a = index computed from low weight data. * = yellow line observed. x = no observations. - = below threshold of visibility.

SOLAR FLARES

NOVEMBER 1960

OBSERVATORY	DATE	OBSERVED TIME		LOCATION		DURA- TION MINUTES	IM- POR- TANCE	OBS. COND.	TIME UT	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX.	APPROX.					MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Ha	
ONDREJOV	NOV 01	0625 E	0644 D	N20	E10	5913	1+	1					
ISTANBUL	02	0720	0730 D	S09	E21	5915	1						
{LOCARNO	02	0915 E	0936 D	S05	E21	5915	1		0917		3.00		
{ZURICH	02	0922 E	0934	S05	E18	5915	2-	2	0922		5.00		
{LOCARNO	02	1225	1235	S07	E18	5915	1	3					
{ZURICH	02	1227	1235	S08	E19	5915	1	2	1227		2.00		
SAC PEAK	02	1740	1806	S08	E17	5915	1	2		2.76			19
{WENDEL	03	0818	0854	N18	W20	5913	1+				5.00		
{ZURICH	03	0827	0835	N17	W24	5913	1	2	0827		2.00		
CAPRI S	04	0749 E	0834 D	N15	E39	5921	2	2		5.50	7.20		
HAWAII	04	2332	2348 D	N13	E90	5925	1	2	2340	.40	2.10		
HAWAII	05	0002	0020	N13	E90	5925	1	3	0010	.60	2.70		
LOCARNO	05	1250 E		N15	E25	5921	3	3	1250	15.00			
HAWAII	05	2004	2032	N13	E80	5925	2+	3	2016	2.70	13.70		
HAWAII	05	2122	2224 D	N28	W56	5913	1	2	2142	2.30	3.20		
HAWAII	06	0002	0014	N14	E80	5925	1+	3	0006	.90	4.30		
MITAKA	06	0223	0250	N25	E80	5925	1+	2	0224	2.95		5.62	149
MITAKA	06	0523 E	0534	N25	E79	5925	1	1	0527	4.92		5.65	165
WENDEL	06	0702 E	0733 D	N24	E71	5925	1						
{ISTANBUL	06	0745 E	0850 D	N25	E80	5925	1+						
{WENDEL	06	0844 E	0907	N25	E70	5925	1						
ISTANBUL	06	0812	0830	N09	W03	5921	1						
ISTANBUL	06	0820	0840	S04	W57	5926	1						
ISTANBUL	06	0832	0850 D	S18	W80	5912	1						
ONDREJOV	06	1100 E	1113 D	N26	E72	5925	1	2	1100			2.90	
WENDEL	06	1311 E	1329	S03	W51	5926	1						
{LOCARNO	06	1312	1330	N21	W82	5909	1	3					
WENDEL	06	1317 E	1331	N15	W80	5909	1						
ONDREJOV	06	1317 E	1325 D	N24	W66	5913	1	1	1317			4.70	
{LOCARNO	06	1325	1335	S14	E39	5923	1	3					
{WENDEL	06	1325	1339	S11	E36	5923	1						
HAWAII	06	1752 E	2030	N13	E07	5921	3	3	1841	13.00	13.00		6-SWF
ONDREJOV	07	0828	0840	S02	W70	5926	1	3				2.70	
ONDREJOV	07	0908 E	0920	S03	W68	5926	1+	3	0831			2.60	
MCNATH	07	1308 E	1550 D	S05	W80	5926	1+	2	0913				
LOCKHEED	07	1545 E	1830	S02	W75	5926	1	1	1442		2.50		
ISTANBUL	08	0740 E	0810	S05	W85	5926	1	1	1545	1.10	2.50		10
{SAC PEAK	08	1429 E	1500 U	N30	E52	5925	1	2		2.18	5.10		18
{CAPRI S	08	1455 E	1515 D	N25	E52	5925	1	1	1455	2.70			Slow S-SWF
WENDEL	09	0752	0818	N25	E24	5925	1+					6.00	
WENDEL	09	0903	0919	S12	E42	5927	1					3.00	
WENDEL	09	0942	1007	S14	E09	5923	1					4.00	
ZURICH	09	0959	1007	N22	E31	5925	1	3	0959		3.00		

COMMERCE - STANDARDS - BOULDER

SOLAR FLARES

NOVEMBER 1960

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	TIME U T	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MATH MER. DIST.					MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H _z	
{ WENDEL	09	1206	1244	N12 W41	5921	38	1+				5.00		
{ WENDEL	09	1247	1306	N10 W46	5921	19	1				3.00		
{ WENDEL	09	1340 E	1357 D	S09 E34	5927	17 D	1				3.00		
{ WENDEL	09	1430	1452 D	N25 E28	5925	22 D	1				3.00		
	09	1435 E	1503 D	N27 E37	5925	28 D	1+				5.00		
WENDEL	10	0745 E	0858 D	N27 E37	5925	73 D	1+				5.00		
WENDEL	10	1000 E	1017 D	N10 W43	5921	17 D	1				3.00		
WENDEL	10	1009	1400 D	N29 E28	5925	231 D	3				23.00		
{ CAPRI S	10	1010	1242 D	N27 E28	5925	152 D	2+				11.30		
ZURICH	10	1014	1215 D	N29 E28	5925	121 D	3		1027	9.00	18.00		
LOCARNO	10	1100 E	1430 D	N29 E29	5925	210 D	3		1014		16.00		
ARCETRI	10	1130 E	1238 D	N27 E29	5925	68 D	2		1320				
{ ONDREJOV	10	1145 E	1307 D	N28 E25	5925	82 D	3+					3.20	
{ ZURICH	10	1212	1215 D	N09 W60	5921	3 D	1		1146		4.00		
{ WENDEL	10	1212	1234 D	N08 W59	5921	22 D	1		1212		3.00		
{ ONDREJOV	10	1321 E	1330 D	N27 E21	5925	9 D	1		1321			2.30	
MC MATH	10	1329 E	1545 D	N26 E26	5925	136 D	2		1329		5.20		
{ ZURICH	10	1345 E	1357 D	N27 E25	5925	12 D	1		1352		4.00		
SAC PEAK	10	1433 E	1635 U	N28 E27	5925	122 D	1			3.84			19
HUANCAYO	10	1450 E	1608	N28 E29	5925	78 D	2-		1455	4.40	5.60	2.60	
{ SAC PEAK	10	2146	2200	N16 E90	5932	14	1			.52			17
{ HAWAII	10	2146	2201	N07 E90	5932	15	1		2149	.60	3.10		
SAC PEAK	10	2150	2207 D	N28 E19	5925	17 D	1			3.32			18
HAWAII	11	0046 E	0135 D	N22 E15	5925	49 D	1		0047	2.50	2.50		Slow S-SWF
{ CAPRI S	11	0745 E	0818 D	N27 E15	5925	33 D	1		0751	1.90	2.20		
{ ZURICH	11	1015 E	1033 D	N28 E16	5925	18 D	1		1015		4.00		
{ WENDEL	11	1025 E	1058 D	N28 E16	5925	33 D	1+				6.00		
WENDEL	11	1142	1155	N27 E14	5925	13	1				3.00		
WENDEL	11	1203	1222 D	N25 E09	5925	19 D	1				4.00		
SAC PEAK	11	1510 E	1558 U	N30 E14	5925	48 D	1			3.32			18
{ LOCKHEED	11	1742	1815	N17 E78	5932	33	1		1800	1.00	2.50		10
{ LOCKHEED	11	1742	1815	N17 E78	5932	33	1		1800	1.00	2.50		10
HAWAII	11	2000 E	2006	N07 E78	5932	6 D	1		2000	.80	3.90		
{ WENDEL	12	0929	0945	N30 W02	5925	16	1				4.00		
{ ZURICH	12	0930	0938	N31 W04	5925	8	1		0930		3.00		
MC MATH	12	1323 E	1830	N27 W01	5925	307 D	3+		1328		1.40		
{ HUANCAYO	12	1402 E	1654	N26 W05	5925	172 D	3		1410	15.00	16.40	3.00	S-SWF
{ SAC PEAK	12	1426 E	1922	N26 W04	5925	296 D	3+		1410	25.38			
{ WENDEL	12	1445 E	1505 D	N26 W08	5925	20 D	3				23.00		
SAC PEAK	12	2124	2142	N16 E64	5932	18	1+			2.33			17
{ CAPRI S	13	0837 E	0908 D	N28 W12	5925	31 D	1		0908	3.20	3.70		Slow S-SWF
{ MC MATH	13	1308 E	1351	N24 E60	5932	43 D	1+		1312		4.00		
{ LOCARNO	13	1315 E	1350	N23 E59	5932	35 D	2+		1322		10.00		
LOCARNO	13	1335	1348	N29 W05	5925	13	1						
SAC PEAK	13	1514	1535	N30 W18	5925	21	1			2.47			16
{ LOCKHEED	13	1758	1850	N27 W16	5925	52	1		1841	1.90	2.00		10
{ LOCKHEED	13	1758	1850	N27 W16	5925	52	1		1841	1.90	2.00		10

COMMENTS - STARDAGS - BOLDTYPE

SOLAR FLARES

NOVEMBER 1960

OBSERVATORY	DATE	OBSERVED TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				MAX. INT. %	PROVISIONAL IONOSPHERIC EFFECT
		START	END	MAX. PHASE	APPROX.				McMATH PLAGE REGION	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	TIME — U T		
{ SAC PEAK LOCKHEED SAC PEAK	13	1823	1841	1829	N20 E52	5932	1	1	1901	2.12	2.10	17	G-SWF S-SWF	
	13	1852	1930 U	1901	N27 W16	5925	1	1		2.10		30		
	13	1856	1945	1858	N28 W15	5925	1	1		2.33		19		
HAWAII MITAKA MITAKA	14	0015 E	0100	0115	N31 W14	5925	2	2	0115	5.00	5.10	89	S-SWF	
	14	0203	0235		N25 W26	5925	1	1	0208	.98	1.17	278		
	14	0246	0520	0304	N27 W19	5925	2+	2	0336	7.37	8.48			
{ CAPRI S WENDEL ZURICH	14	0805 E	0854 D		N27 W25	5925	49 D	3	0814	3.40			S-SWF	
	14	0954 E	1005 D		N28 W26	5925	11 D	3						
	14	0956	1004		N27 W28	5925	8	3	0956	3.00				
ARCETRI MCNATH HAWAII	14	1429 E	1456 D		N27 W26	5925	27 D	3	1447	2.00	2.40		S-SWF S-SWF	
	14	1605 E	1632 D	1610	N26 W30	5925	27 D	2	1610	2.50				
	14	2114	2154	2120	N39 W24	5925	40	2	2120	5.40	6.20			
{ LOCKHEED LOCKHEED MITAKA	14	2116	2146	2120	N33 W28	5925	30	1+	2120	4.50	5.00	20	S-SWF	
	14	2255	2320	2302	N27 W34	5925	25	1	2302	1.90	2.10	20		
	14	2352 E	0028		N26 W32	5925	36 D	2	0005	2.74	3.48	137		
MITAKA MITAKA WENDEL	15	0117	0132		N18 E35	5932	15	1	0117	1.97	2.46	115	S-SWF	
	15	0207	0427	0221	N26 W33	5925	140	3+	0221	11.79	15.16	278		
	15	0746	0802 D	1236	N27 W40	5925	16 D	1		3.00				
MITAKA CAPRI S LOCARNO	16	0145 E	0205 D		N28 W40	5925	35	1+		5.00			S-SWF	
	16	0901 E	0921 D		N26 W46	5925	20 D	1	0151	.98	1.53	113		
	16	1110 E	1120		N16 E12	5932	20 D	1	0905	2.10	2.20			
LOCARNO LOCKHEED LOCKHEED	16	1128	1147	1133	S10 W53	5927	10 D	3					S-SWF	
	16	1635	1650	1643	N29 W48	5925	19	1	1133		2.00			
	16	1724	1750	1735	N23 W90	5925	15	1	1643	.50	2.50	10		
HAWAII { LOCKHEED LOCKHEED	16	1924	1944	1930	N23 W90	5925	26	1	1735	.60	3.00	10	S-SWF	
	16	2012	2022	2015	N34 W90	5925	20	1	1930	.40	2.10	10		
	16	2050	2105	2055	N25 W90	5925	10	1	2015	.50	2.50	10		
SAC PEAK LOCKHEED LOCKHEED	17	1506	1538	1511	N25 W90	5925	15	1	2055	.40	2.00	10	S-SWF	
	17	1754	1806	1756	N17 W02	5932	32	1		2.33	2.33	20		
	17	2045	2058	2052	N25 W75	5925	12	1	1756	1.40	3.20	10		
{ LOCKHEED LOCKHEED	17	2130	2228	2151	N25 W73	5925	13	1	2052	1.10	2.30	30	S-SWF	
	17	2130	2228	2204	N22 W76	5925	58	1	2151	1.10	2.80	20		
	17	2130	2228		N22 W76	5925	58	1	2151	1.10	2.80	20		
MITAKA MITAKA WENDEL	18	0412 E	0427 D	0511	N27 W78	5925	15 D	1	0419	1.97		107	S-SWF	
	18	0504 E	0515 D		N27 W78	5925	11 D	1	0507	1.47		115		
	18	0733 E	0746 D		N28 W75	5925	13 D	1+			5.00			
{ LOCARNO LOCARNO CAPRI S	18	0940	1014		N28 W79	5925	34	1					S-SWF	
	18	0948	1040	1000	N17 W17	5932	52	1+	1000		2.00			
	18	0949 E	1056 D		N16 W16	5932	67 D	1	2	1014	2.00	2.10		
{ ZURICH CAPRI S WENDEL	18	1009 E	1019 D		N17 W18	5932	10 D	1	1014		3.00		S-SWF	
	18	1041 E	1343 D		N25 W90	5925	182 D	1	1227	2.20				
	18	1346 E	1400 D		N28 W78	5925	14 D	1+			5.00			
{ LOCKHEED LOCKHEED LOCKHEED	18	1710	1750	1717	N27 W80	5925	40	1	1717	.80	2.40	20	S-SWF	
	18	1710	1750	1726	N27 W80	5925	40	1	1717	.80	2.40	20		
	18	1810	1850	1825	N23 W90	5925	40	1	1825	.80	4.00	10		
SAC PEAK	18	1810	1851	1815	N24 W90	5925	41	1	1825	1.02	5.09	17		

SOLAR FLARES

NOVEMBER 1960

OBSERVATORY	DATE	OBSERVED TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	TIME		MEASUREMENTS		MAX. WIDTH H α	MAX. INT. %	PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	APPROX. MER. DIST.	M-MATH PLAGE REGION			U T		MEAS. AREA Sq. Deg.	CONJ. AREA Sq. Deg.			
HAWAII LOCKHEED LOCKHEED LOCKHEED LOCKHEED SAC PEAK HAWAII LOCKHEED	18	1814 E	1856	N32 W90		5925	1	2	1816		.60	3.10		20	
	18	1907	1952	N27 W80		5925	1	2	1920		.70	2.10		20	
	18	2005	2025	N27 W80		5925	1	2	2013		.70	2.10		10	
	18	2019	2028	S09 W90		5927	1	2	2023		1.90	9.40		20	
	18	2020	2030	S08 W90		5927	1	3	2023		1.87	9.35		19	
	18	2026 E	2026 D	N01 W90		5927	4 D 1+	2	2026		1.40	7.20		20	
	18	2150	2216 D	N27 W80		5925	26 D 1	2	2159		.70	2.10		20	
	19	0730 E	0740	N08 W32		5932	10 D 1	3	1108		5.20			14	S-SMF
	19	1001 E	1353 D	N22 W90		5925	232 D 2	3			1.12	5.61		26	
	19	1522	1540	N26 W90		5925	18 2	3			1.89	9.45		30	
ISTANBUL CAPRI S SAC PEAK SAC PEAK LOCKHEED SAC PEAK LOCKHEED SAC PEAK LOCKHEED SAC PEAK LOCKHEED	19	1543	1649	N28 W90		5925	66 2	3	1603		2.30	11.40		18	
	19	1558 E	1619	N28 W90		5925	21 D 1	3			.62	3.12		20	
	19	1657	1718	N27 W90		5925	21 1	3	1707		.40	2.00		15	
	19	1703	1735	N28 W90		5925	32 1	3			.42	2.08		20	
	19	1719	1727	N27 W90		5925	8 1	3			5.82	6.19		20	
	19	1741	1836	N14 W33		5932	55 2	3	1749		4.00	4.30		20	
	19	1742	1838	N22 W32		5932	56 1	1	1757		.40	2.00		20	
	19	1749	1805	N28 W90		5925	16 1	1	2045		1.00	5.00		20	
	19	2026	2053	N28 W90		5925	27 1	3	2044		.62	3.12		20	
	19	2030	2051	N28 W90		5925	21 1	3			.50	2.50		25	S-SMF
HAWAII SAC PEAK LOCKHEED LOCKHEED LOCKHEED MITAKA MITAKA MITAKA LOCARNO SAC PEAK LOCKHEED SAC PEAK SAC PEAK LOCKHEED SAC PEAK HAWAII	19	2034	2048 D	N37 W90		5925	14 D 1	2	2044		.87	4.36		30	
	19	2149	2158	N28 W90		5925	9 1	3	2152		1.30	6.40		20	
	19	2149	2200	N28 W90		5925	11 1	2	2152		.40	2.10		17	
	19	2150 E	2158 D	N37 W90		5925	8 D 1	2			.98	1.23		10	
	20	0214 E	0224 D	N11 W37		5932	10 D 1	2	0217		.25	.33		91	
	20	0316 E	0319 D	N08 W42		5932	3 D 1	2	0316		1.96	2.57		105	
	20	0524 E	0530 D	N08 W43		5932	6 D 1	2	0524					17	
	20	1104	1125	N20 W23		5932	21 1	3			4.22	5.32		10	S-SMF
	20	1745 E	1800	N08 W50		5932	15 D 2	2	2020		.40	2.00		15	
	20	2017	2024	N25 W90		5930	7 1	2			.50	2.49		17	
CAPRI S SAC PEAK LOCKHEED SAC PEAK SAC PEAK LOCKHEED SAC PEAK SAC PEAK SAC PEAK HAWAII	20	2019	2023	N25 W90		5930	4 1	2	2135		2.47	3.12		20	
	20	2106	2143	N20 W48		5932	37 1	2	2135		1.20	5.90		20	
	20	2114	2255	N28 W90		5930	101 1	2	2135		1.20	5.90		20	Slow S-SMF
	20	2114	2255	N28 W90		5930	101 1	2	2135		1.45	7.27		16	
	20	2126	2215 D	N28 W90		5930	49 D 2	2	2132		.40	1.80		120	
	20	2132 E	2258	N38 W90		5930	86 D 1	2			1.47	2.62		14	
	21	0204 E	0218 D	N09 W55		5932	14 D 1	1	0208		2.10	2.90		30	
	21	1154 E	1226 D	N24 W37		5932	32 D 1	3	1201		1.35	2.08		20	
	21	1920	1933	N22 W60		5932	13 1	3	2105		2.20	2.80		20	
	21	2035	2148	N22 W48		5932	73 1	2	2104		2.04	2.53		16	
ISTANBUL CAPRI S SAC PEAK LOCKHEED	21	2056	2134	N22 W48		5932	38 1	2			2.20	2.80		10	
	21	2102 E	2152	N28 W48		5932	50 D 1	2			4.20	8.00		16	
	22	0755	0845 D	N20 W55		5932	50 D 2-	1	0839		1.25	2.35			
	22	0837 E	0846 D	N20 W56		5932	9 D 2	3							
LOCKHEED	22	1602	1615	N18 W71		5932	13 1	3							
	23	1825	1843	N08 W90		5932	18 1	2	1834		.70	3.50		10	

COMPARISON - STANDARDS - BOLD

SOLAR FLARES

NOVEMBER 1960

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT	
		START	END	MAX. PHASE	APPROX.					TIME U T	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Ha		MAX. INT. %
					LAT.	MER. DIST.									
{ SAC PEAK LOCKHEED SAC PEAK LOCKHEED	NOV 1960														
	23	1833 E	1850	1836 U	N10 W90	5932	17 D	1	2		.69	3.43		17	S-SWF
	23	1928	1945	1932	N08 W90	5932	17	1	2	1932	.50	2.50		10	
	23	1928	1946	1934	N09 W90	5932	18	1	2		.48	2.39		17	
23	2005	2021	2009	N08 W90	5932	16	1	2	2009	.70	3.50		10		
{ ARCTRI ARCTRI ARCTRI ARCTRI	24	1410 E	1422 D		N27 W89	5932	12 D	2	3	1416	1.80	8.30			
	24	1410 E	1422 D		N14 W90	5932	12 D	1	3	1410	.70	3.30			
	24	1418 E	1425 D		N12 E90	5950	7 D	1	3	1425	.50	2.30			
	25	0832 E	0842 D		N12 E89	5950	10 D	1	3	0832	.66	3.00		18	
LOCARNO MCMATH MITAKA	25	1836	1844	1838	S04 E51	5946	8	1	2		1.89	2.45			
	26	1020	1030 D		N12 E49	5948	10 D	1	3						
	26	1542	1647 D		N32 W07	5942	65 D	1	1	1628		2.10	2.28	96	
	26	2355 E	0005 D		N10 E36	5948	10 D	1	1	2357	1.96	2.45			
SAC PEAK	28	1546	1623	1611 U	S09 E72	5953	37	2	3		3.20	8.31		21	Slow S-SWF
	29	0206 E	0227 D	0209	N10 E08	5948	21 D	1	1	0210	4.42	4.51	2.71	149	
MITAKA	30	1218 E	1245 D		S07 W72	5949	27 D	1				3.00			
WENDEL															

E = LESS THAN
D = GREAT THAN
U = APPROXIMATE
□ = NOT REPORTED

CAPRI G ANACAPRI - GERMAN
CAPRI S ANACAPRI - SWEDISH
GOOD HOPE ROYAL OBSERVATORY, CAPE OF GOOD HOPE
KIEV* KIEV UNIVERSITY
KODAIKANAL KODAIKANAL
KRASNAYA KRASNAYA PAKHRA
LOCKHEED LOS ANGELES

MC MATH
MOSCOW-G
R O HERST
SAC PEAK
SCHAUNINS
WENDEL


MC MATH-HULBERT
MOSCOW - GAISH
ROYAL GREENWICH
SACRAMENTO PEAK
SCHAUNINSLAND
WENDELSTEIN

COMMERCE - STANDARDS - BOULDER

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.

SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1960 FOR DEFINITION OF CORR. AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SAC PEAK.

111f



Anacapri (Swedish)	Istanbul	Mitaka
Arcetri	Kodaikanal	Ondrejov
Hawaii	Lockheed	Royal Greenwich Observatory
Huancayo	McMath	Herstmonceux
		Sacramento Peak

Noted as follows: Date-Universal Time-Coordinates

OCTOBER 1960

LOCKHEED	01	2200	S20 E03	LOCKHEED	11	1645	S13 W44	LOCKHEED	18	1605	E N16 E32
SAC PEAK	02	1440	N14 E42	LOCKHEED	11	1645	S13 W44	LOCKHEED	18	1605	E N16 E32
MCNATH	03	1319	E S18 E90	LOCKHEED	11	1713	N14 W11	MCNATH	18	1611	E N19 E36
CAPRI S	03	1453	E S18 E90	LOCKHEED	11	1729	E S20 E48	MCNATH	18	1639	N18 E30
MCNATH	03	1453	E S18 E90	* SAC PEAK	11	1912	S20 W48	LOCKHEED	18	1652	N16 E32
HAWAII	03	1810	S24 E63	* MCNATH	11	1916	S19 W48	MCNATH	18	1728	N18 E30
* LOCKHEED	03	2235	S20 E90	* HAWAII	11	1936	E S14 W50	LOCKHEED	18	1755	N16 E32
CAPRI S	04	1006	E S18 E54	LOCKHEED	11	2037	S13 W45	MCNATH	18	1757	N18 E30
* CAPRI S	04	1044	E N08 E90	LOCKHEED	11	2115	N14 W13	MCNATH	18	1825	N18 E31
MCNATH	04	1238	N03 E90	LOCKHEED	11	2320	N12 W13	HAWAII	18	1908	N13 E36
SAC PEAK	04	1552	S17 E46	LOCKHEED	11	2349	S17 W49	LOCKHEED	18	1908	N16 E33
LOCKHEED	04	1600	E S16 E46	HAWAII	12	0052	S11 W48	MCNATH	18	1909	N18 E34
LOCKHEED	04	1749	N04 E80	CAPRI S	12	1153	E N11 W15	LOCKHEED	18	1921	N16 E31
SAC PEAK	04	1754	E S18 E84	SAC PEAK	12	1446	S14 W59	LOCKHEED	18	1930	S15 E19
LOCKHEED	04	1815	N04 E80	SAC PEAK	12	1620	E S14 W20	MCNATH	18	1932	S13 E19
LOCKHEED	04	2220	S21 E44	LOCKHEED	12	1625	E N13 W19	LOCKHEED	18	1941	N17 E29
HAWAII	04	2224	S26 E45	MCNATH	12	1627	N13 W18	LOCKHEED	18	2000	N18 E33
ISTANBUL	05	0747	N06 E03	* SAC PEAK	12	1732	S17 W61	MCNATH	18	2002	N19 E35
WENDEL	05	0945	E N05 W01	SAC PEAK	12	1836	S14 W63	LOCKHEED	18	2103	S14 E21
WENDEL	05	1134	E S16 E32	LOCKHEED	12	1857	S15 W62	LOCKHEED	18	2103	N16 E28
WENDEL	05	1238	E N06 W01	MCNATH	12	1858	S13 W62	HAWAII	18	2114	E N13 E28
LOCKHEED	05	1710	S18 E35	MCNATH	12	1902	E S08 W64	LOCKHEED	18	2127	N23 E35
SAC PEAK	05	1910	S19 E27	LOCKHEED	12	2017	N15 W18	LOCKHEED	18	2133	N16 E30
LOCKHEED	05	1829	N03 W06	LOCKHEED	12	2037	S13 W58	LOCKHEED	18	2145	N16 E31
LOCKHEED	05	1829	N03 W06	SAC PEAK	12	2158	S13 E40	LOCKHEED	18	2150	S12 W42
HAWAII	05	1910	N02 E68	LOCKHEED	12	2159	S13 E37	HAWAII	18	2158	N14 E29
LOCKHEED	05	1910	N05 E66	LOCKHEED	12	2206	S13 W98	LOCKHEED	18	2159	N17 E27
SAC PEAK	05	2016	N03 W02	LOCKHEED	12	2358	N13 W25	LOCKHEED	18	2227	N16 E29
HAWAII	05	2022	N03 W01	* ARCTERI	13	0858	E S12 E36	LOCKHEED	18	2235	N17 E26
LOCKHEED	05	2023	N03 W03	WENDEL	13	1025	E S12 W66	LOCKHEED	18	2318	N23 E27
SAC PEAK	05	2038	S18 E28	WENDEL	13	1045	E S12 W66	LOCKHEED	18	2337	N17 E26
LOCKHEED	05	2038	S18 E28	WENDEL	13	1158	E N12 W29	* WENDEL	19	0715	E N22 E27
HAWAII	05	2040	S21 E24	SAC PEAK	13	1410	N12 W33	WENDEL	19	0826	N17 E11
LOCKHEED	05	2045	S18 E51	MCNATH	13	1411	N12 W33	WENDEL	19	1212	E N17 E18
LOCKHEED	05	2100	N04 W07	WENDEL	13	1412	E N13 W32	SAC PEAK	19	1704	N19 E19
LOCKHEED	05	2148	N04 W07	SAC PEAK	13	1414	E N13 W32	LOCKHEED	19	1741	N19 E17
LOCKHEED	05	2203	N03 W07	SAC PEAK	13	1720	N12 W33	LOCKHEED	19	1754	N18 E18
SAC PEAK	05	2204	N05 W08	MCNATH	13	1723	N13 W33	LOCKHEED	19	1802	N20 W77
HAWAII	05	2206	N05 W08	LOCKHEED	13	1723	N12 W34	LOCKHEED	19	1825	N17 W75
LOCKHEED	05	2211	S22 E29	LOCKHEED	13	1731	N12 W67	LOCKHEED	19	1855	N17 E17
* LOCKHEED	05	2242	E S18 E23	MCNATH	13	1751	N14 W39	LOCKHEED	19	1901	N17 W77
LOCKHEED	05	2358	N04 W10	MCNATH	13	1825	E S12 E90	LOCKHEED	19	1919	N19 E17
LOCKHEED	05	2358	N04 W10	LOCKHEED	13	1837	E S12 E90	LOCKHEED	19	2004	N18 E19
MCNATH	06	1319	S16 E18	LOCKHEED	13	1929	N13 W36	LOCKHEED	19	2117	N17 E17
CAPRI S	06	1320	E S16 E22	LOCKHEED	13	1958	S13 E27	LOCKHEED	19	2138	N17 E19
HAWAII	06	1750	S27 E45	MCNATH	13	1959	S11 E28	LOCKHEED	19	2143	N17 W77
LOCKHEED	06	1847	S21 E43	HAWAII	13	2000	S17 E26	LOCKHEED	19	2152	N18 E18
HAWAII	06	1858	S27 E45	SAC PEAK	13	2000	S17 E26	LOCKHEED	19	2228	N18 E17
HAWAII	06	1914	S15 W68	LOCKHEED	13	2022	S17 W71	LOCKHEED	19	2308	N17 W77
SAC PEAK	06	1916	S21 W66	LOCKHEED	13	2022	N08 W77	LOCKHEED	19	2310	N18 E15
LOCKHEED	06	1916	E S20 W64	LOCKHEED	13	2036	S13 E27	LOCKHEED	19	2325	N17 E26
MCNATH	06	1932	S18 E18	LOCKHEED	13	2120	N07 W80	LOCKHEED	19	2347	N17 E26
LOCKHEED	06	1935	S18 E18	* WENDEL	14	0951	E S13 E17	LOCKHEED	20	0027	N18 E15
MCNATH	06	1935	S17 E18	MCNATH	14	1359	E S12 W48	WENDEL	20	0712	E S21 E08
HAWAII	06	1938	E S21 E15	SAC PEAK	14	1550	S12 E16	CAPRI S	20	0859	E N18 E12
* LOCKHEED	06	2013	S16 E23	MCNATH	14	1550	S12 E16	CAPRI S	20	1107	E N18 E11
SAC PEAK	06	2034	E S17 E24	LOCKHEED	14	1622	E S12 E16	SAC PEAK	20	1450	N20 E03
LOCKHEED	06	2255	N07 E16	LOCKHEED	14	1654	S14 E16	LOCKHEED	20	1709	N26 W67
LOCKHEED	06	2259	S16 E19	LOCKHEED	14	2004	N22 E80	LOCKHEED	20	1713	N17 E04
LOCKHEED	06	2345	N07 E15	LOCKHEED	14	2025	N13 W55	LOCKHEED	20	1737	N18 E05
HAWAII	07	0126	S24 E39	LOCKHEED	14	2029	S12 E13	LOCKHEED	20	1754	N19 E03
HAWAII	07	0126	S20 E11	* HAWAII	14	2126	E S13 E49	LOCKHEED	20	1754	N19 E03
* CAPRI S	07	1348	E N08 E34	HAWAII	14	2150	N22 W43	LOCKHEED	20	1810	N26 W69
SAC PEAK	07	1702	N07 E07	LOCKHEED	14	2153	N15 W45	LOCKHEED	20	1910	N20 E01
LOCKHEED	07	1703	N06 E07	HAWAII	14	2154	N14 W41	LOCKHEED	20	1924	N17 E04
MCNATH	07	1704	N08 E08	LOCKHEED	14	2225	N16 W47	LOCKHEED	20	1923	S13 W03
* SAC PEAK	07	1808	N05 W32	LOCKHEED	14	2315	S12 E12	LOCKHEED	20	1930	N20 E00
* LOCKHEED	07	1810	N05 W30	HAWAII	14	2316	S12 E08	LOCKHEED	20	1950	N17 W69
* MCNATH	07	1815	N05 W30	LOCKHEED	14	2338	N16 W47	LOCKHEED	20	2042	N25 W70
SAC PEAK	07	1946	S18 E10	* HAWAII	14	2340	E N22 W43	LOCKHEED	20	2042	N25 W70
MCNATH	07	1948	S18 E09	HAWAII	14	2348	E N11 E78	LOCKHEED	20	2122	N18 E02
LOCKHEED	07	1948	S18 E10	ISTANBUL	15	0720	E S20 E43	LOCKHEED	20	2146	N19 E07
MCNATH	07	1956	E S19 E06	SAC PEAK	15	1414	N20 E70	SAC PEAK	20	2154	N26 W70
LOCKHEED	07	2011	N10 E35	SAC PEAK	15	1512	S13 E00	LOCKHEED	20	2307	N19 E02
SAC PEAK	07	2012	N10 E36	LOCKHEED	15	1635	N13 W59	ISTANBUL	21	0745	N22 W03
MCNATH	07	2013	N12 E36	LOCKHEED	15	1750	N13 W59	ARCTERI	21	1413	E N14 W80
HAWAII	07	2014	E N06 E36	* HAWAII	15	1924	N22 W62	SAC PEAK	21	1508	N19 W09
SAC PEAK	07	2015	N17 W09	* SAC PEAK	15	1924	E N12 W62	MCNATH	21	1511	E N19 E10
LOCKHEED	07	2129	N08 E01	LOCKHEED	15	2050	N13 W60	SAC PEAK	21	1512	N25 W85
HAWAII	07	2308	N06 E03	LOCKHEED	15	2223	S13 W01	MCNATH	21	1514	E N24 W88
LOCKHEED	07	2311	N08 E01	LOCKHEED	15	2312	S13 W61	LOCKHEED	21	1720	N17 E07
LOCKHEED	07	2330	S19 E07	LOCKHEED	15	2350	N19 E72	LOCKHEED	21	1728	N18 W06
LOCKHEED	07	2330	S19 E07	CAPRI S	16	1243	E N17 E65	LOCKHEED	21	1739	N19 W03
LOCKHEED	08	0022	N07 E02	MCNATH	16	1314	S13 E90	LOCKHEED	21	1749	N25 W82
* MCNATH	08	1343	N11 E33	MCNATH	16	1428	E N18 W28	LOCKHEED	21	1757	N20 W08
* CAPRI S	08	1345	E N11 E23	LOCKHEED	16	1817	N20 E55	LOCKHEED	21	1759	N25 W82
* MCNATH	08	1400	E N10 E30	LOCKHEED	16	1948	N20 E53	LOCKHEED	21	1805	N18 W11
* SAC PEAK	08	1412	E N10 E30	LOCKHEED	16	2018	N19 E93	LOCKHEED	21	1826	N18 W09
WENDEL	08	1445	E N11 E22	LOCKHEED	16	2023	N12 W76	SAC PEAK	21	1836	N20 W18
CAPRI S	09	1010	E N46 E90	MCNATH	16	2030	E N17 E54	LOCKHEED	21	1837	N18 W10
MCNATH	09	1314	S18 W13	HAWAII	16	2030	N10 E53	LOCKHEED	21	1906	N20 W06
SAC PEAK	09	1547	S14 W18	LOCKHEED	17	0021	N12 W76	LOCKHEED	21	1913	N22 W08
MCNATH	09	1608	N25 E39	CAPRI S	17	0845	E N17 W38	LOCKHEED	21	1919	N19 W07
MCNATH	09	1640	S18 W15	ARCTERI	17	0956	E N16 W41	SAC PEAK	21	2042	N20 W07
HAWAII	09	1908	E S18 W18	MCNATH	17	1302	N11 W85	LOCKHEED	21	2107	N19 W06
SAC PEAK	09	2000	E N05 W33	MCNATH	17	1449	N12 W90	LOCKHEED	21	2112	N25 W82
MCNATH	09	2004	N12 W33	MCNATH	17	1505	N18 W45	LOCKHEED	21	2138	S22 W46
SAC PEAK	09	2109	N08 W24	MCNATH	17	1526	N13 W90	LOCKHEED	21	2152	N17 W11
LOCKHEED	09	2255	S18 W21	MCNATH	17	1540	N12 W90	LOCKHEED	21	2218	S22 W47
LOCKHEED	09	2307	S02 W35	MCNATH	17	1603	N11 W90	LOCKHEED	21	2219	N21 W08
LOCKHEED	09	2318	S18 W21	LOCKHEED	17	1625	E N17 E48	LOCKHEED	21	2223	N17 W08
HAWAII	09	2320	S16 W24	LOCKHEED	17	1630	N12 W90	LOCKHEED	21	2243	S13 W22
LOCKHEED	09	2321	S18 W20	LOCKHEED	17	1639	N19 E41	LOCKHEED	21	2249	N17 W11
LOCKHEED	09	2336	S18 W21	LOCKHEED	17	1658	N18 W47	LOCKHEED	21	2358	N22 W08
HAWAII	09	2336	S17 W24	LOCKHEED	17	1728	N18 W47	CAPRI S	22	0719	E N18 W12
HAWAII	10	0008	E S10 W24	MCNATH	17	1802	S13 E80	WENDEL	22	0755	E N19 W13
LOCKHEED	10	0034	E N06 W16	LOCKHEED	17	1830	N19 E41	WENDEL	22	0824	E N26 W90
WENDEL	10	1153	E S19 W03	SAC PEAK	17	1834	N19 E41	WENDEL	22	0830	E N19 W13
MCNATH	10	1302	S16 E82	SAC PEAK	17	1852	N17 E48	WENDEL	22	1051	E N19 W15
MCNATH	10	1832	S17 W13	MCNATH	17	1855	N17 E46	CAPRI S	22	1354	E N18 W16
HAWAII	10	1832	S11 W30	LOCKHEED	17	1857	N18 E48	SAC PEAK	22	1411	E N27 W90
* HAWAII	10	1833	S15 W26	LOCKHEED	17	1902	S14 E75	MCNATH	22	1510	N20 W18
HAWAII	10	1962	N11 E08								

Noted as follows: Date-Universal Time - Coordinates

OCTOBER 1960

ONDREJOV	23	1232 E	N19 W35	HAWAII	26	0106	N11 E72	★ CAPRI S	29	1252 E	N22 E27
CAPRI S	23	1234 E	N18 W31	WENDEL	26	1038 E	N09 W64	SAC PEAK	29	1618	N21 E43
SAC PEAK	23	1404 E	N20 W30	SAC PEAK	26	1550	N20 E62	SAC PEAK	29	1658	N22 E18
★ SAC PEAK	23	1512	N20 W35	LOCKHEED	26	1834	N21 E61	MC MATH	29	1659	N23 E18
★ SAC PEAK	23	1544	N20 W35	LOCKHEED	26	1844	N09 W73	HAWAII	29	1856	N20 E70
SAC PEAK	23	1700	N20 W35	LOCKHEED	26	1941	N17 W34	LOCKHEED	29	2037	N20 E22
HAWAII	23	1751 E	N29 W34	LOCKHEED	26	1957	N16 W79	LOCKHEED	29	2048	N22 E15
LOCKHEED	23	2208	N18 W40	LOCKHEED	26	2033	N20 E64	HAWAII	29	2152	N16 E23
LOCKHEED	23	2241	N19 W37	LOCKHEED	26	2037	N09 W73	SAC PEAK	29	2152	N20 E21
STOCKHOLM	25	0905 E	N18 W15	★ HAWAII	26	2204	N08 E66	LOCKHEED	29	2154	N19 E21
WENDEL	25	1153 E	N21 E77	WENDEL	27	0938 E	N19 E72	LOCKHEED	29	2252	N20 E34
WENDEL	25	1210 E	N21 E77	WENDEL	27	1221 E	N18 W83	HAWAII	30	0042 E	N14 E37
★ SAC PEAK	25	1454	N16 W17	LOCKHEED	27	1642	N19 E52	★ LOCKHEED	30	1600 E	N19 E27
★ MC MATH	25	1455	N16 W18	LOCKHEED	27	1744	N19 E52	LOCKHEED	30	1641	N19 E27
SAC PEAK	25	1526	N20 E78	LOCKHEED	27	1833	N22 E49	SAC PEAK	30	1648	N18 E28
LOCKHEED	25	1617	N22 E77	★ LOCKHEED	27	1842	N20 E49	LOCKHEED	30	1648	N19 E27
LOCKHEED	25	1647	N22 E74	LOCKHEED	27	1946	N20 E50	LOCKHEED	30	1719	N22 E11
LOCKHEED	25	1713	N22 E74	HAWAII	27	1950	N12 E53	LOCKHEED	30	1737	N22 E11
SAC PEAK	25	1714	N20 E78	LOCKHEED	27	2127	N20 E49	SAC PEAK	30	1826	N18 E27
LOCKHEED	25	1721	N20 W58	SAC PEAK	27	2128	N19 E51	LOCKHEED	30	1827	N17 E25
SAC PEAK	25	1722	N20 W60	★ HAWAII	27	2202	N32 W70	LOCKHEED	30	1915	N24 E09
LOCKHEED	25	1752	N22 E77	LOCKHEED	27	2340	N20 E49	MC MATH	30	1919	N24 E09
LOCKHEED	25	1835	N19 W63	HAWAII	28	0038 E	N12 E52	SAC PEAK	30	1946	N21 E26
LOCKHEED	25	1840	N22 E74	LOCKHEED	28	1745	N21 E36	LOCKHEED	30	1946	N21 E24
LOCKHEED	25	1908	N23 E75	LOCKHEED	28	2015	S08 E80	LOCKHEED	30	2207	N21 E24
HAWAII	25	1912	N11 E78	LOCKHEED	28	2015	S08 E80	SAC PEAK	31	1432	N17 E14
SAC PEAK	25	1946	N20 W60	★ LOCKHEED	28	2121	S14 E30	LOCKHEED	31	1828	N22 W10
LOCKHEED	25	1948	N21 W59	LOCKHEED	28	2155	N21 E31	LOCKHEED	31	2008	N18 E13
LOCKHEED	25	2025	N19 W59	LOCKHEED	28	2312	N15 E47	HAWAII	31	2156	N26 W03
LOCKHEED	25	2158	N21 E74	HAWAII	28	2320 E	N05 E52	LOCKHEED	31	2156	N24 W10
LOCKHEED	25	2221	N18 W61	WENDEL	29	1219 E	S07 E72	LOCKHEED	31	2325	N22 W13
HAWAII	25	2227	N26 W58								

CONTINUE - STANDARDS - BOLGER

*Rated as flare of importance 2.1 by other observatories. (See CRPL-F 195 Part B for November 1960).

SOLAR FLARES

AUGUST 1960

OBSERVATORY	DATE	OBSERVED TIME		LOCATION		DURATION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS			MAX. WIDTH H _g	MAX. INT. %	PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MER. DIST.									
VOROSHILOV MITAKA { PIRCULI PIRCULI PIRCULI PIRCULI ABASTUMANI { KIEV CAPRI G MCMATH	01	0004 E	0035	N10	W18	5775	1+	1	MEAS. AREA Sq. Deg.	2.25	4.36	1.75	107	
	01	0100	0108	N07	W18	5775	1	2		4.11			100	
	01	0711 E	0745 D	N05	W25	5775	1+	2		4.59	5.11		95	
	01	0712 E	0734 D	N08	W26	5775	2	2		1.84	2.08		72	
	01	0722 E	0735 D	N10	W28	5775	1+	2		2.30	2.60		92	
	01	0718 E	0742	N09	W29	5775	2	3		1.82	2.10		66	
	01	1154	1210 D	N05	W27	5775	1	2		.89			61	
	01	1159 E	1223	N05	W29	5775	2	2			3.00			
	01	1835 E	1857 D	N07	W30	5775	1	2			2.00			
	02	0033 E	0050	N11	W30	5775	2+	1		4.63	5.51	1.85	217	
MITAKA CAPRI G { MITAKA CAPRI G { MITAKA KRASNAYA CAPRI G CAPRI G	02	0138	0143	N06	W32	5775	1	1		.51	.61	1.34	89	
	02	1354 E	1405	N25	W90	5779	1	2						
	03	0429 E	0440	N09	W47	5775	1	2		1.54	2.13	1.85	100	
	03	0927 E	0942 D	N19	E05	5782	1			.90			100	
	05	0735 E	0750 D	N20	E90	5794	1+	2						
	05	1311	1330	N19	E90	5794	1	2						
	06	0221 E	0237	N20	E83	5794	1	1		.51		4.34	208	
	06	0538	0600 D	N19	E86	5794	2	1		1.29	1.00		56	
	06	0548 E	0603 D	N20	E97	5794	2	1		2.75	4.00			
	06	0630 E	0701	N18	E80	5794	3	2						
{ CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G	06	0737 E	0810	N17	E85	5794	1+	2						
	06	0821	0825 D	N17	E85	5794	4	2						
	06	0915	0922	N17	E85	5794	7	2		3.63			100	S-SWF
	06	0930 E	0941	N16	E81	5794	1	2			4.00			
	06	1310	1339	N17	E76	5794	1+	2			4.10		67	S-SWF
	06	1311	1312 D	N18	E78	5794	1	2		1.56	4.00			
	06	1314	1325	N16	E79	5794	1	2						
	06	1327	1355	N18	E90	5794	28	2						
	06	1425 E		N21	E78	5794	1	2			3.00			
	06	1518 E	1535	N21	E90	5794	1	2			4.00			S-SWF
{ CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G CAPRI G	06	1528	1642	N19	E77	5794	1+	2			4.00			S-SWF
	06	1632 E	1637 D	N20	E75	5794	5	2			3.60			S-SWF
	06	1902 E	1917 D	N18	E72	5794	1+	1			4.70			S-SWF
	07	0443	0530	N21	E73	5794	1+	1		2.80	11.00		69	
	07	0453	0600 D	N20	E78	5794	67	1		2.75				
	07	0457	0514	N22	E69	5794	17	1		1.85		2.44	85	
	07	0505 E	0533	N20	E76	5794	28	3		1.82	6.57		69	
	07	0528	0530	N18	E68	5794	5	1		.51		3.10	93	
	07	0548	0648	N15	E87	5794	55	1+		1.63	11.76		65	
	07	0549	0600	N17	E80	5794	11	1		2.06		3.09	156	
{ ALMA-ATA TASHKENT MITAKA ABASTUMANI MITAKA ABASTUMANI MITAKA PIRCULI CAPRI G CAPRI G GOOD HOPE CAPRI G MCMATH	07	0616 E	0625 D	N23	E67	5794	9	1		1.84	4.46		50	
	07	0724	0806	N18	E84	5794	42	1			4.00			S-SWF
	07	1218 E	1235	N23	E81	5794	17	2			4.00			S-SWF
	07	1218	1240	N24	E86	5794	22	1						
	07	1302	1315	N21	E82	5794	13	1		1.60				
	07	1800 E	1816 D	N20	E63	5794	16	1			3.00			G-SWF
	07										4.10			
	07													
	07													
	07													

SOLAR FLARES

1960

AUGUST

OBSERVATORY	DATE AUG 1960	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT	
		START	END	MAX. PHASE	APPROX. LAT. MER. DIST.	M-MATH PLACE REGION				TIME U T	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Ha		MAX. INT. %
{ TASHKENT MITAKA ABASTUMANI ALMA-ATA MITAKA PIRCULI SIMEIZ CAPRI G GOOD HOPE CAPRI G	08	0448	0525	0504	N23 E74	5794	37	1+	3	0504	3.85	11.00	4.24	125	S-SWF
	08	0455	0458 D	0456	N20 E72	5794	23	1	1	0456	2.06			152	
	08	0503	0526	0506	N19 E74	5794	23 D	1+	2	0456	2.61	5.27		73	
	08	0542	0616 D	0614	N23 E75	5794	34 D	1+	1	0614	3.74			59	
	08	0605	0616		N20 E71	5794	11 D	1	1	0613	4.12		1.85	149	
	08	0723	0730	0725	N20 E56	5794	7	1	2	0725	1.38	2.42		51	
	08	0857	0859 D	0859 U	N22 E73	5794	2 D	1	1	0859	.90			73	
	08	0857	0910	0901	N22 E72	5794	13	1	2	0901	1.84	5.58		62	
	08	0858	0910	0900	N21 E72	5794	12	1	2			3.00			
	08	0858	0910	0900	N22 E72	5794	12	1	2	0900	.90				
{ TASHKENT MITAKA PIRCULI CAPRI G VOROSHILOV VOROSHILOV	09	0300	0417	0307	N22 E58	5794	77 D	1	2	0307	5.05	6.00		107	S-SWF
	09	0610	0640	0615	N21 E57	5794	30 D	1	1	0610	1.54	3.00	2.08	52	
	09	0612	0625 D	0616 U	N21 E60	5794	13 D	1	1	0616	1.46	3.34			
	09	1035	1040		N19 E35	5794	5 D	1	2			3.00			
	09	2337	2343	2338	S13 E88	5797	6	1	2		.73			60	
	09	2354	0010	0002	N20 E52	5794	16	1	2		1.35			76	
	10	0114	0124	0116	S13 E86	5798	10	1	2		.63			66	
	10	0128	0136	0132	S13 E86	5798	8	1	2		.54			63	
	10	0645	0652 D	0648 U	S14 E60	5797	7 D	1	1	0648	2.11	4.48		53	
	10	0645	0735 D	0658 U	S05 E79	5798	56 D	1+	1	0658	1.84	7.66		65	
{ SIMEIZ CAPRI G CAPRI G SIMEIZ GOOD HOPE GOOD HOPE CAPRI G	10	0649	0715 D	0660 U	S06 E85	5798	20 D	1	2	0660	.90			76	
	10	0654	0705		S05 E75	5798	11	1	2			3.00			
	10	0727	0730 D	0728	N12 E88	5799	3 D	1	2	0728	.90				
	10	0951	1011		S12 E76	5798	20 D	1	2	0952	.80				
	10	1035	1102		N18 E90	5799	27 D	1	2						
	11	0223	0345	0254	N20 E35	5794	82	2+	2		8.50			188	Slow S-SWF
	11	0242	0400 D	0255	N22 E37	5794	78 D	2	2	0255	6.54			84	
	11	0250	0356	0256	N21 E35	5794	66 D	2	2	0256	13.31	16.00		185	S-SWF
	11	1949	2040 D		N20 E25	5794	51 D	2+	1	1949		9.90			
	11	2255	2305	2259	S23 W58	5788	10	1+	2		1.00			126	
{ VOROSHILOV ALMA-ATA TASHKENT MCMATH VOROSHILOV VOROSHILOV ALMA-ATA TASHKENT MCMATH VOROSHILOV	12	0046	0051	0048	S23 W58	5788	5	1	2		1.00			73	S-SWF
	12	0414	0439	0424	N21 E23	5794	25	1	2	0424	2.80			65	
	12	0447	0509	0452	N23 E23	5794	22	1	2	0452	2.20	2.00			
	12	0448	0500	0453	N20 E12	5794	12	1	1	0457	1.34	1.46	2.02	96	
	12	1016	1047	1024	N22 E20	5794	31	1	1	1024	2.60	2.90			
	12	1020	1050	1026	N22 E20	5794	30	1+	2	1026	7.34	8.17		80	
	12	1022	1054		N26 E16	5794	32	1+	1	1024	5.82	5.90	2.10	54	
	12	1054	1115	1102	N21 E07	5794	21	1	2	1102	3.68	3.87			
	12	1055	1148		N20 E05	5794	53 D	1	1	1058	3.95	3.40	1.20		
	12	1104	1119	1106	N13 E59	5799	15	1	2	1106	1.40	2.70			
{ GOOD HOPE PIRCULI PIRCULI KHARKOV KHARKOV MCMATH MCMATH	12	1105	1116	1108 U	N15 E61	5799	11 D	1	2	1108	1.19	2.44		50	
	12	1105	1120	1110 U	N14 E56	5799	15 D	1	2	1110	1.19	2.15		50	
	12	1106	1132		N13 E56	5799	26 D	1	1	1107	1.14	2.20	1.80		
	12	1923	1933 D	1926	S11 E82	5801	10 D	1	3						
	12	2218	2234	2222	N12 E53	5799	16	1	3	2222		2.00			
	13	0253	0306	0258	S02 W36	5793	13 D	1	2	0258	2.75			76	

COMMERCE - STENOGRAPHS - BOLDEN

SOLAR FLARES

AUGUST 1960

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS			MAX. WIDTH H α	MAX. INT. %	PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MER. DIST.				TIME — U T	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.			
ALMA-ATA	13	0253 E	0518	0420	N21 E10	145 D	1+	2	0420	8.88			58	
ALMA-ATA	13	0253 E	0531 D	0529	N16 E50	158 D	1+	2	0529	6.54			58	
SIMEIZ	13	0643 E	0656 D	0644	S15 E20	13 D	1	2	0644	1.82			103	
CAPRI G	13	1010 E	1015		N21 E08	5 D	1	2			3.00			
MCNATH	13	1239	1254	1241	S11 E78	15	1	2	1241					
{	13	1317	1331 D	1320	N12 E88	14 D	1	3	1320					
MCNATH	13	1325 E	1336		N12 E78	11 D	1	2			3.00			
CAPRI G	13	1510	1524 D	1515	N20 E48	14 D	1	3	1515		2.00			
MCNATH	13	1710 E	1735 D		N19 E80	25 D	1	2	1725		3.00			
MCNATH	13	1742	1747 D	1743	S12 E73	5 D	1	3		1.50			95	
VOROSHILOV	13	2214	2225	2218	N22 E45	11	1+	3	2218					
MCNATH	13	2214	2235	2218	N20 E45	21	1	3		1.17			87	
VOROSHILOV	13	2252	2256	2252	S12 E68	4	1+	3						
TASHKENT	14	0509	0540	0528	N22 E39	31	1	2	0528	3.58	5.00		80	S-SWF
ALMA-ATA	14	0518	0535	0524	N21 E39	17	1+	2	0524	6.54			68	
ABASTUMANI	14	0521	0540	0528	N22 E38	19	1	3		3.62	4.76		94	
SIMEIZ	14	0523 E	0540 D	0528 U	N20 E39	17 D	1	2	0528	2.72			130	
ALMA-ATA	14	0511	0604 D	0523	N24 W04	53 D	3	2	0523	25.24			115	
TASHKENT	14	0514	0610 D	0524	N23 W06	56 D	2+	2	0524	16.07			132	
ABASTUMANI	14	0515	0655	0526	N21 W05	100	2+	3		18.13	17.00		205	
SIMEIZ	14	0528 E	0627 D	0528 U	N22 W06	59 D	2+	2	0528	27.20	19.06		56	
PIRCULI	14	0558 E	0614 D	0559 U	N23 W05	16 D	2	3	0559	15.61	16.40		72	
PIRCULI	14	0757	0820	0805	N20 E38	23	1	2	0805	2.48			149	
SIMEIZ	14	0855 E	0859 D	0859 U	N20 E39	4	1	2	0859	2.72			81	
PIRCULI	14	0858	0922	0903	N20 E37	24	1+	3	0903	3.21			52	
CAPRI G	14	0859 E	0915		N18 E35	16 D	1+	2		5.00				
PIRCULI	14	0947 E	1003 D	0956 U	N20 E36	16 D	1	3	0956	2.11				
GOOD HOPE	14	1008	1021	1010	S11 E02	13	1	2	1010	2.50				
CAPRI G	14	1242 E	1252		N16 E31	10 D	1	2		3.00				
MCNATH	14	1306	1414 D	1310	N20 E35	68 D	2+	3	1310	7.60				
CAPRI G	14	1316 E	1405		N18 E36	49 D	2	2		6.00				
MCNATH	14	1410 E	1432 D	1422	S01 W53	22 D	1	2	1422	2.00			96	
MITAKA	14	2308 E	2318 D		N21 E29	10 D	1	2	2308	1.03		2.06	134	
MITAKA	14	2352 E	2401		S06 E21	9 D	1	2	2352	2.06	2.27			
MITAKA	15	0128 E	0141	0128	N17 E28	13 D	1	1	0130	1.03	1.17	1.75	165	S-SWF
MITAKA	15	0139	0158	0139	N21 E28	19	1	1	0151	.51	.61	1.43	105	
ABASTUMANI	15	0516	0616	0530	N20 W17	60	2	3		5.44			84	
TASHKENT	15	0518	0542	0528	N23 W16	24	1	3	0527	3.68	4.00		100	Slow S-SWF
PIRCULI	15	0535 E	0622	0638	N22 W16	47 D	1+	3	0638	5.22	5.88		88	
KIEV	15	0539 E			N22 W17	13	1+	3	0539	2.08			60	
ABASTUMANI	15	0647	0700	0650	S04 W66	13	1+	3		2.86			73	
PIRCULI	15	0726	0750 D	0734 U	N14 E55	24 D	1	3	0734	3.68	6.39		64	
PIRCULI	15	0747	0815 D	0755	S15 W08	28 D	1	3	0755	3.21	3.57		65	
PIRCULI	15	0748	0820 D	0754 U	S08 E36	32 D	1	3	0754	3.68	4.83		53	
PIRCULI	15	0808	0816 D	0812 U	N00 W64	8 D	1	3	0812	.91	2.09		52	
KIEV	15	1136 E	1145 D		N00 W68	9 D	1		1136	.89			54	
PIRCULI	16	0558 E	0615 D	0606 U	S19 E33	17 D	1	1	0606	1.84	2.34		52	
PIRCULI	16	0605 E	0650 D	0625 U	N13 E70	45 D	1	1	0625	2.30	6.59		50	

COMMERCE - STANDARDS - BOLLINGER

SOLAR FLARES

AUGUST 1960

OBSERVATORY	DATE AUG 1960	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT		
		START	END	APPROX. LAT.	MER. DIST.				MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Ha	MAX. INT. %			
{ CAPRI G SIMEIZ PIRCULI PIRCULI GOOD HOPE CAPRI G GOOD HOPE MCMATH GOOD HOPE CAPRI G CAPRI G MITAKA	16	0635 E	0705	N10 E66	S803	30 D	1+	2	0640	1.82	4.00		68	Slow S-SWF	
	16	0635 E	0725 D	N11 E68	S803	50 D	1	1	0724	4.59	5.66		64		
	16	0722 E	0729 D	S10 E31	S801	7 D	1	1	0850	4.13	5.10		60		
	16	0849 E	0913 D	S10 E31	S801	24 D	1	1	1038	.40	6.00				
	16	1029	1052 D	S01 W83	S793	23 D	1	2		3.00	3.60				
	16	1127	1250	S10 E30	S801	23	2	2	1143	1.80	4.40				
	16	1128	1236	S10 E29	S801	68	1	2	1144	3.00	5.00				
	16	1128	1240	S11 E29	S801	72	1	2	1229	5.35	6.15				
	16	1225	1247	N12 E66	S803	22	1	2		2.75	3.00				
	16	1235 E	1248	N10 E63	S803	13 D	1	2		4.00	4.00				
	16	1531 E	1547	S07 W10	S798	16 D	1	2		2.20	2.30				
	16	1605 E	1625 D	N20 W46	S794	20 D	1	2	2308	5.35	6.15		176		
{ CAPRI G PIRCULI KRASNAYA CAPRI G PIRCULI GOOD HOPE SIMEIZ GOOD HOPE	16	2308 E	2338	S10 E25	S801	30 D	2	2					176	Slow S-SWF	
	17	0634	0655	S11 E18	S801	21	1	2	0842	2.75	3.00		60		
	17	0830 E	0852 D	N11 E55	S803	22 D	1	1	0900	1.82	4.79		70		
	17	0856	0906 D	N20 E38	S802	10 D	1	2		4.00	4.00		61		
	17	0937 E	0958	N09 E43	S803	21 D	1	1	0952	4.13	6.85		55		
	17	0938 E	1002 D	N12 E53	S803	24 D	1	1	1025	.30	2.30				
	17	1023	1054	S18 E90	S808	31	1	1	1057	.73	5.00				
	17	1056 E	1100 D	S10 E87	S809	4 D	1	1	1110	2.20	2.30				
	17	1105	1133	N21 W04	S799	28	1	1		1.54	1.69		120		
	18	0156	0159	N11 E25	S802	3	1	1+	3	0432	3.58	15.00		135	
	18	0418	0514	N19 W67	S794	56	2	2	0433	5.04	88		71		
	18	0420	0500	N18 W64	S794	40	2	2	0622	2.75	71		72		
{ ALMA-ATA ALMA-ATA SIMEIZ TASHKENT CAPRI G GOOD HOPE GOOD HOPE GOOD HOPE GOOD HOPE CAPRI G KIEV GOOD HOPE KIEV CAPRI G KIEV CAPRI G	18	0612	0645	S08 W34	S798	33	1	2	0628	1.82	3.00		125		
	18	0612	0655 D	S08 W36	S798	43 D	1	2	0620	3.62	3.00				
	18	0614	0700 D	S16 W36	S798	46 D	1	1	0620	2.75	5.00				
	18	0616	0642	S07 W34	S798	26	1	3	0624	2.75	3.00				
	18	0617	0658	S08 W34	S798	41	1	2	0635	2.70	3.40				
	18	0633 E	0658	S07 W35	S798	25 D	1	1	0657	2.20	2.30				
	18	0653	0707	S10 E05	S801	14	1	1	0726	2.00	2.10				
	18	0724	0736	S10 E05	S801	12	1	1	0757	1.90	3.00				
	18	0755	0828	S19 E77	S811	33	1	1	0833	1.40	3.00				
	18	0832	0855	S19 E77	S811	23	1	1	1049	1.04	2.20		56		
	18	0933	0939	S19 E71	S811	6	1	2	1049	.90	2.20		54		
	18	1044 E	1100 D	N17 W65	S794	16 D	1	1	1408	1.04	3.00		54		
{ KIEV GOOD HOPE KIEV CAPRI G KIEV CAPRI G ABASTUMANI CAPRI G SIMEIZ CAPRI G MCMATH KIEV CAPRI G	18	1046	1101	N17 W66	S794	15	1	1	1440	5.19	4.00		66		
	18	1401 E	1417 D	N17 W67	S794	16 D	1	1		1.82	2.65		80		
	18	1410 E	1422	N17 W68	S794	12 D	1	2		1.82	4.00				
	18	1431 E	1516 D	S10 E03	S801	45 D	1+	2	1440	3.63	4.00		50	S-SWF	
	18	1440 E	1449	S10 E01	S801	9 D	1	2							
	19	0725	0743	N14 W02	S802	18	1	3							
	19	1132	1151	N12 W01	S802	19	1+	2	1146						
	19	1137 E	1155 D	N14 W03	S802	18 D	1	2							
	19	1240 E	1325	N16 W80	S794	45 D	2	2							
	19	1242 E	1258 D	N15 W85	S794	16 D	1	1							
	19	1407 E	1450 D	N17 W00	S802	43 D	1+	1	1421						
	19	1407 E	1436	N13 E00	S802	26	1	2							

COMMENCE - STANDARDS - SOLAR

SOLAR FLARES

AUGUST 1960

OBSERVATORY	DATE AUG 1960	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT			
		START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.				MC-MATH PLACE REGION	TIME — U T	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.		MAX. WIDTH Ha	MAX. INT. %	
CAPRI G MCNATH	19	1440	1508		N16	E85	5814	1	2	1728		3.00					
	19	1717	1752	D	N16	W88	5794	1	1			3.00					
	20	0445	0640	U	N11	W90	5796	1	2	0510	.91	4.67		96			
	20	0603	0702		N14	W47	5799	59	2	0619	4.78	7.10		65			
	20	0608	0620	U	N18	W90	5794	12	1	0612	.73						
	20	0625	0745	U	N18	W87	5794	80	2	0708	1.14	6.90	4.30				
	20	0647	0717	U	N18	W90	5794	30	1	0658	1.35						
	20	0650	0740	D	N17	W90	5794	50	2	0711	2.48	15.40		139	S-SWF		
	20	0705	E		N18	W90	5794	□	1+								
	20	0828	0915	D	N17	W90	5794	47	1+	2	0838	2.11	13.10		76	S-SWF	
{ SIMEIZ KARKOV ABASTUMANI SIMEIZ KARKOV CAPRI G	20	0833	E		N18	W90	5794	6	1	1	0836	.73					
	20	0835	0917	D	S11	W25	5801	42	1	1	0850	4.15			70		
	20	0840	0905		S10	W23	5801	25	1	2		4.00					
	20	0840	0928		S10	W24	5801	48	1	3	0849	3.18	3.65		69		
	20	0842	E	0906	S10	W20	5801	24	1	3	0849	3.62			92		
	20	0849	E	0926	S11	W20	5801	37	1	1	0851	3.43	3.70	2.00			
	20	1227	1246		N18	W90	5794	19	2								
	21	0410	0420		N12	W61	5799	10	3	3	0413	1.10	2.25		54	Slow S-SWF	
	21	0428	E	0443	U	N17	W57	5799	15	1	3	0435	4.13	7.86		57	
	21	0601	0635		S16	W90	5797	34	1	3	0607	1.38	7.04		52		
{ KIEV CAPRI G GOOD HOPE CAPRI G	21	1004	E	1030	D	S12	E26	5811	26	2	1012	1.56			53		
	21	1350	E	1420	U	S08	W78	5798	30	1	1400	1.56			51		
	21	1351	1415		S08	W70	5798	18	1	2		4.00					
	21	1354	1416		S07	W77	5798	22	1	2	1356	.90					
	21	1605	E	1625	D	N26	W05	5806	20	2		6.00					
	22	0514	E	0528	D	S10	W50	5801	14	2	0520	4.68	7.67		78		
	22	0631	0643		N19	W68	5799	13	1	2		3.00					
	22	0635	E	0649		N20	W70	5799	14	1	0635	1.00					
	22	0703	E	0724	D	S08	E14	5809	21	2	0710	2.48	2.71		63		
	22	0710	0722	D	N16	W39	5802	12	1	2	0713	3.95	5.15		73		
{ CAPRI G KARKOV	22	1145	E	1208	D	S11	E11	5809	23	2	1153	.89			62		
	22	1146	1212		S12	E21	5811	26	1	2		3.00					
	22	1151	E	1230	D	S16	E23	5811	39	1	1154	1.71	2.00	1.70			
	23	0629	0650		S10	E36	5815	21	1	0635	1.10	1.45		74			
	23	0642	0700		S20	E12	5811	18	1	0646	2.11	2.43		76			
	23	0656	E	0723	N31	E80	5817	27	1	0707	1.84	9.32		58			
	23	0910	0931		N18	W90	5799	21	1								
	23	0929	1020		S16	E05	5811	51	1			4.00					
	23	0930	1010	D	S11	E06	5811	40	1	0948	1.84	1.97		59			
	ALMA-ATA	24	0456	0507		N18	W60	5802	11	1	0500	1.82	2.77		85		
24		0738	0748		N18	W70	5802	10	1	0742	.91			68			
24		0810	0825		S18	W04	5811	15	1	0812	1.10	1.25		68			
24		0841	0848		N18	W62	5802	7	1	0842	1.84	3.90		65			
24		0935	0950		N08	E46	5816	15	1	0938	1.46	2.13		58			
25		0943	1002	D	S09	W27	5809	19	1	0950	2.75	3.28		61			

SOLAR FLARES

AUGUST 1960

OBSERVATORY	DATE AUG 1960	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT	
		START	END	APPROX. LAT.	MER. DIST.	M-MATH REGION				TIME U T	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H _g		MAX. INT. %
{ PIRCULI CAPRI G	25	1015	1043 D	S05	W25	5809	1	1	2	1028	5.05	5.71		58	S-SWF
	25	1018	1035	S04	W25	5809	1	2				5.00			
{ ALMA-ATA PIRCULI	26	0444	0600 D	S04	W38	5809	1+	2	2	0451	3.69			88	
	26	0507 E	0625 D	S04	W36	5809	1+	3	3	0507	5.50	7.23		80	
PIRCULI	26	0700 E	0710 D	S09	W41	5809	10	1	3	0704	2.01	2.85		65	
PIRCULI	26	0715 E	0730 D	N24	W30	5810	15	1	3	0718	3.68	4.54		61	
PIRCULI	26	0845 E	0908 D	N24	W30	5810	23	1	3	0852	2.58	3.18		59	
{ PIRCULI CAPRI G	26	0847	0905 D	N16	W90	5802	18	3	3	0852	2.66	19.90		220	
	26	0854 E	0925	N15	W90	5802	31	2	2						
PIRCULI	26	0958	1010 D	N26	W60	5806	12	1+	3	1003	1.38	2.93		88	
CAPRI G	26	1132	1400	N15	W90	5802	148	3	2						
CAPRI G	26	1215 E	1235	N25	W31	5810	20	1	2		3.00	3.00			
CAPRI G	26	1358	1442	N08	E18	5816	44	1+	2		4.00	4.00			
CAPRI G	26	1550	1614	N22	W39	5810	24	1	2		4.00	4.00			
ALMA-ATA PIRCULI	27	0450	0542	N18	E62	5822	52	1	2	0458	2.29			61	
	27	0714 E	0720	S19	W45	5811	6	1	1	0714	1.38	2.51		52	
PIRCULI	27	0730 E	0740 D	S04	W50	5809	10	1	1	0734	2.30	3.67		55	
{ CAPRI G GOOD HOPE	27	0905 E	0936	S04	W54	5809	31	1+	2		5.00	5.00			
	27	0909 E	0935	S03	W52	5809	26	1	2	0910	2.10	3.70			
CAPRI G	27	1022	1055	S03	W56	5809	33	1	2		3.00	3.00			
CAPRI G	27	1120	1205	S04	W57	5809	45	1	2		3.00	3.00			
{ KIEV CAPRI G	28	1255 E	1320 D	N20	E42	5822	25	1+	2	1303	5.19			60	
	28	1258	1314	N17	E40	5822	16	1	2		4.00	4.00			
CAPRI G	28	1508	1528	N17	E38	5822	20	1	2		4.00	4.00			
{ CAPRI G GOOD HOPE	29	0615 E	0715	N18	E29	5822	60	2	2		6.00	6.00			
	29	0633 E	0713	N20	E31	5822	40	1+	2	0634	2.60	3.10			
CAPRI G	29	0957	1014	S19	E02	5825	17	1	2		4.00	4.00			
{ CAPRI G KHARKOV CAPRI G	30	0918	1045	N18	E16	5822	87	3	2		15.00	15.00			
	30	0922	1014 D	N17	E17	5822	52	1	2	0931	4.57	4.80	1.80		
CAPRI G	30	1050	1117	S15	W17	5825	27	1	2		4.00	4.00			
PIRCULI	31	0436 E	0448 D	S16	W25	5825	12	1	1	0438	4.13	5.10		58	
PIRCULI	31	0436 E	0500 D	S11	W09	5830	24	1	1	0448	2.11	2.26		62	
{ CAPRI G GOOD HOPE	31	0616	0720	N19	E02	5822	64	2	2		7.00	7.00			
	31	0641 E	0714	N22	E06	5822	33	1	2	0641	3.20	3.00			
PIRCULI	31	0657 E	0714 D	W21	E05	5822	17	1+	1	0701	8.44	8.78		71	

COMMENCE - STANDARDS - BOLDER

These flare reports are addenda to the August 1960 flares published in CRPL-F 193 Part B, September 1960.

CAPRI G ANACAPRI - GERMAN
 CAPRI S ANACAPRI - SWEDISH
 GOOD HOPE ROYAL OBSERVATORY, CAPE OF GOOD HOPE
 KIEV* KIEV UNIVERSITY
 KODAIKANAL KODAIKANAL
 KRASNAYA KRASTNAYA PAKHRA
 LOCKHEED LOS ANGELES

MOSCOW-G MOSCOW - GAISH
 R O EDIN ROYAL OBSERVATORY, EDINBURGH
 R O HERST GREENWICH ROYAL OBSERVATORY, HERSTMONCEUX
 SAC PEAK SACRAMENTO PEAK
 SCHAUMS SCHAUMS
 USNRL UNITED STATES NAVAL RESEARCH LABORATORY

SAC PEAK:


ALL VALUES IN MAX. INT. COLUMN ARE
 ARBITRARY UNITS (0-40) NOT PERCENT
 OF CONTINUOUS SPECTRUM.

E - LESS THAN & - PLUS
 D - GREATER THAN - - MINUS
 U - APPROXIMATE □ - NOT REPORTED

LOCKHEED OBSERVATIONS: ALL VALUES IN THE MAXI-
 MUM INTENSITY COLUMN ARE ARBITRARY UNITS ON A
 SCALE OF 10 TO 40 - NOT PERCENT OF THE CONTINUOUS
 SPECTRUM.

INTERVALS OF NO FLARE PATROL OBSERVATIONS

AUGUST 1960



Stations Include:

Abastumani
Alma Ata
Anacapri (Swedish)
Arcetri
Good Hope

Hawaii
Huancayo
Istanbul
Kharkov
Kiev GAO

Kodaikanal
Krasnaya Pakhra
Lockheed
McMath
Moscow - G

Nizamiah
Ondrejov
Pirculi
Royal Greenwich Observatory
Herstmonceux

Sacramento Peak
Simeiz
Tashkent
Uccle
Voroshilov

SOLAR FLARES

FEBRUARY 1960

OBSERVATORY	DATE FEB 1960	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS		PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MER. DIST.	McMATH PLAGE REGION			MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	
ONDREJOV	01	1005	1012	S20	E74	5561	1	3			
ONDREJOV	01	1102 E	1117	N08	W49	5550	15 D	3			2.80
ONDREJOV	01	1122 E	1129	S15	W08	5551	7 D	3			2.20
ONDREJOV	01	1334 E	1338 D	S14	W11	5551	4 D	3			2.50
ONDREJOV	01	1349 E	1355	S14	W11	5551	6 D	3			3.00
ONDREJOV	01	1411 E	1427	N10	W23	5550	16 D	3			2.30
ONDREJOV	02	1009	1017	N05	W47	5550	8	3			2.40
ONDREJOV	02	1026 E	1045 D	S19	W16	5551	19 D	2			2.40
ONDREJOV	02	1213	1225	N20	E03	5555	12	3			2.40
ONDREJOV	02	1308	1319	N20	W16	5553	11	3			2.00
ONDREJOV	06	1328	1338 D	N08	W69	5552	10 D	2			2.90
ONDREJOV	07	0748 E	0754	N09	W77	5552	6 D	3			3.00
ONDREJOV	07	0810 E	0814 D	N09	W77	5552	4 D	2			2.60
ONDREJOV	07	0934	0947	N16	W65	5555	13	3			2.20
ONDREJOV	07	1020	1044	N09	W78	5552	24	3			2.40
ONDREJOV	07	1136 E	1150	N09	W78	5552	14 D	3			5.00
ONDREJOV	09	1047 E	1115	S14	W45	5562	28 D	3			2.40
ONDREJOV	09	1333 E	1351	N01	W21	5563	18 D	3			3.10
ONDREJOV	10	1118	1123	S13	W57	5562	5	3			2.40

COMMENCE - STANDARDS - BOULDER

These flares are further addenda to the February 1960 flares published in CRPL-F 187 Part B March 1960, CRPL-F 190 Part B June 1960 and CRPL-F 191 Part B July 1960. The "Intervals of No Flare Patrol Observations" published page IIIr, CRPL-F 191 Part B July 1960 should be amended by deleting the following: Feb.1: 0715-0730; Feb.2: 0715-0945, 1315-1400; Feb.7: 0700-0815; Feb.9: 0700-0845, 0900-0915, 1200-1330; Feb.10: 0700-0715, 1400-1415; and Feb.25: 0645-0700.

IONOSPHERIC EFFECTS OF SOLAR FLARES

(SHORT-WAVE RADIO FADEOUTS)

OCTOBER 1960

Oct. 1960	Start UT	End UT	Type	Wide Spread Index	Importance	Observation Stations	Known Flare, UT CRPL-F 195
11	0525	0628	S-SWF	5	3	NE, <u>OK</u> , TO, CW ⁺	0554E
11	1800	1850	S-SWF	5	1+	BE, BO, FM, HU, <u>PR</u> , WS	1746
{ 12	1729		Slow S-SWF	5	2-	<u>BE</u> , BO, FM, HU, <u>PR</u> , WS	1722
12	1744	1810	S-SWF			<u>BE</u> , BO, FM, LA, MC, WS	1742
13	1911	1932	S-SWF	5	1-	BE, <u>HU</u> , MC, PR	1901
15	0445	0515	S-SWF	5	2	KO, <u>OK</u>	
15	0800	0827	S-SWF	1	2	KO	
15	1100	1325	G-SWF	5	3	<u>BE</u> , MC, PR, PU	*
*15	1715	2040	G-SWF	5	3	BE, BO, <u>MC</u> , WS	
*17	1428	1634	G-SWF	5	3	BE, BO, <u>FM</u> , MC	
18	1430	1537	Slow S-SWF	5	1+	BE, BO, FM, MC	1356
18	1900	2015	Slow S-SWF	5	2+	BE, <u>BO</u> , FM, MC, PR	
22	1307	1324	S-SWF	3	1	<u>HU</u> , PR	1236E
23	2100	2200	Slow S-SWF	5	2	AD, BE, BO, FM, HU, MC, NZ, <u>PR</u> , TO, WS	2114
29	1029	1149	G-SWF	5	3	NE, CW ^{***}	1104E

COMMERCE - STANDARDS - BOULDER

KO = Kodaikanal, India

LA = Los Angeles, California

NZ = New Zealand Post and Telegraph Department

TO = Hiraio Radio Wave Observatory, Japan

CW⁺ = Cable and Wireless, Hong KongCW⁺⁺ = Cable and Wireless, SingaporeCW^{**} = Cable and Wireless, Somerton, EnglandCW^{***} = Cable and Wireless, Brentwood, England

*These events strange, not seen at Puerto Rico, may be due to MUF failures or changes of mode and not solar flare effects.

IONOSPHERIC EFFECTS OF SOLAR FLARES

IIIr

(Sudden Cosmic Noise Absorption
Sudden Enhancements Of Atmospherics
Solar Noise Bursts At 18 Mc.)

OCTOBER 1960

Oct. 1960	CLASS			WIDESPREAD	TIME		PERCENT	OBSERVATION STATIONS
	SCNA	SEA	Burst	INDEX	(UNIVERSAL TIME) BEGIN	(UNIVERSAL TIME) MAX. ENO	ABSORPTION SCNA	
1			1	4	1752	1756		<u>BO</u> , MC
2			1	5	1743	1746		<u>BO</u> , HA
3			1	4	1547	1549		<u>BO</u> , MC
3			1	4	1839	1840		<u>BO</u> , MC
3			1	5	2309	2310		<u>BO</u> , HA
6		□		1	1724	1730		<u>DU</u>
6			1	4	1915	1922		<u>BO</u> , MC
6			2	5	2013	2028		<u>FO</u> , HA, MC (Group of bursts)
7			2	5	1948	1955		<u>FO</u> , HA, MC
8			1	5	2140	2145		<u>FO</u> , HA (Group of bursts)
10		1		5	0718	0726		A11, <u>TY</u>
10		□		1	0812	0814		<u>DU</u>
10			2	5	1300	0000D		<u>FO</u> , HA, MC (Noise storm)
11		2		1	0115	0128		<u>TY</u>
11		2		3	0524	0536		<u>TO</u> , <u>TY</u>
11			1	5	1455	0000D		<u>BO</u> , HA, MC (Noise storm; peaks at 1457, 1804 and 1918)
*{11		1+		5	1803	1830		A3, A5 A10, <u>BO</u> , HA
11	1			5	1805	1812	20	<u>BO</u> , HA, MC
12			1	4	1726	1730		<u>BO</u> , MC
12		1		5	1747	1755		A1, A3, A5, A9, <u>FO</u> , HA, MC
12	1			5	1749	1751	20	<u>BO</u> , HA, MC
15		2		1	0450	0506		<u>TY</u>
15		□		1	1313	1313		<u>DU</u>
15			2	1	1928	1932		<u>HA</u>
15			1	1	2157	2159		<u>HA</u>
16			1	5	1500E	0200D		<u>BO</u> , HA, MC (Noise storm)
17		3		1	0743	0758		A11
* 18		2		3	1907	1912U		A3, A10
19			1	5	1700	2300		<u>BO</u> , HA
20		1		1	2310	2315		A11
*+{23		3		5	2058	2115		A1, A3, A5, A9, A10, <u>FO</u>
23	2			4	2101	2114	45	<u>BO</u> , MC
25		1		4	2000	2006		A9, A10
25		3		4	2152	2200U		A1, A10
29		□		1	1029	1216		<u>DU</u>
30			1	5	1744	1746		<u>BO</u> , HA

COMMERCE - STANDARDS - BOULDER

* = Sudden Enhancement of Signal from 18 kc (NBA - Panama Canal Zone) observed by A5.

+ = Sudden Phase Anomaly of 18 kc (NFA) at Boulder, Colorado. (Equipment working October 14, 15, 21-25).

Note: No usable record at Sacramento Peak for October 1960.

Addenda to table published CRPL-F 194 Part B, October 1960

Station A2 should be added to the SEA reported August 6, 1960 at 1309 UT, 1508 UT and 1622 UT; August 11 at 1925 UT; August 16 at 2307 UT; August 19 at 1837 UT; August 25 at 1923 UT; and August 26 at 1426 UT.

SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

NOVEMBER 1960

OTTAWA


2800 MC

Nov. 1960	Type*	Start UT	Duration Hrs:Mins	Maximum		Remarks
				Time UT	Peak Flux	
2	3 Simple 3	1740	50	1743	4	
2	1 Simple 1	1913	1	1913.5	4	
2	6 Complex	1941	4	1942	3	
3	6 Complex	1455	12	1456.5	4	
3	6 Complex f	1821.5	10	1824	9	
5	3 Simple 3	b1240	> 2 05	1310	8	
5	1 Simple 1	1555.7	1	1556	5	
5	3 Simple 3	1845	15	1851	2	
6	3 Simple 3 f A	1628	> 4 40	1900	28	
	2 Simple 2 f	1835	25	1838	28	
7	1 Simple 1	1512	2	1512.8	7	
8	3 Simple 3 A	1345	7 00	1455	17	
	1 Simple 1	1426	4	1428.2	6	
10	2 Simple 2	1430	10	1433.5	11	
11	6 Complex f	1447	10	1450	10	
11	1 Simple 1	1508.5	1	1509	6	
12	9 Precursor	b1240	> 40		11	
	Great Burst	1320	5 40	1345.5	5500	
13	1 Simple 1	1732.5	5	1734.3	5	
13	1 Simple 1	1859	2	1900	3	
17	6 Complex	1504.5	4	1506	38	
4	Post Increase		15		5	
19	1 Simple 1	1356.3	1.5	1356.6	6	
19	1 Simple 1	1554	2	1555	4	
19	3 Simple 3 A	1740	1 00	1732	6	
	1 Simple 1	1744.7	2	1745.3	4	
20	9 Precursor f	1939	44		14	
	6 Complex f	2023	> 47	2026.5	400	In sunset osc.
26	3 Simple 3	1542	> 4 00	indet.	4	
28	3 Simple 3 A	1600	> 4 00	indet.	4	
	1 Simple 1	1610.2	2	1611	6	
30	2 Simple 2	2012	1	2012.3	9	

COMMERCE - STANDARDS - BOULDER

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS

Nançay NOVEMBER 1960 169 Mc



SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

BOULDER

NOVEMBER 1960

108 MC

Nov. 1960	Type	Start UT	Time of Maximum UT	Duration Minutes	Intensity
1	6	1334 E		216 D	1
1	6	1750 E		340 D	2
2	3	1747.6	1747.6	0.3	2
2	3	1813.4	1813.4	0.3	2
2	3	2209.4	2209.4	0.3	2
3	3	1512.1	1512.1	0.4	2
3	3	1625.0	1625.1	0.3	2
3	3	2308.8	2308.9	0.2	2
4	3	1337.6	1338.0	0.4	2
4	3	1421.5	1422.1	0.6	2
4	3	1423.5	1424.0	0.5	2
4	3	2022.4	2022.8	1.0	2
5	3	2131.5	2132.5	1.1	2
5	2	2154.2	2155.5	4.8	1
5	3	2314.1	2314.5	0.2	2
6	3	1605.5	1606.1	0.4	2
6	3	1609.5	1609.6	0.5	1
6	2	1647.5	1649.6	2.1	2
6	9	1827.0	1839.5	31	1
6	8	1900.0	1904.0	8	1
6	3	1906.3	1907.1	1.2	3
6	3	1951.0	1951.4	0.4	2
6	3	1957.9	1958.3	0.4	2
6	7	2115		131 D	1
6	3	2139.0	2140.0	1.1	3
7	3	1422.2	1422.3	1.0	2
7	3	1440.3	1440.5	0.4	2
7	2	2050.9	2053.0	4.3	3
7	8	2130.4	2132.5	3.9	3
8	3	2237.2	2237.5	0.4	3
9	3	1411.0	1411.2	0.2	2
9	3	1445.0	1446.0	1.0	3
9	2	1749.0	1800.8	20	1
9	1	2232.5	2301.8	49 D	2
10	6	1344 E	1526	578 D	2
11	6	1345 E		576 D	3
12	6	1347		573 D	2
13	3	1510.0	1511.0	2.0	1
13	3	1632.5	1632.8	0.3	2
13	3	1643.2	1643.3	0.3	2
13	3	1711.5	1711.6	0.3	1
13	3	1726.5	1726.6	1.0	2
13	3	1815.0	1815.3	1.1	1
13	3	1931.6	1932.1	1.0	2
14	3	1349.9	1350.0	0.3	2
14	3	1436.8	1437.1	0.3	2
14	3	1746.0	1746.1	0.5	2
14	3	1758.1	1758.9	0.8	2
14	3	2253.8	2253.9	0.3	3
14	3	2302.5	2302.6	1.1	2
15	3	1400.7	1401.0	0.3	3
15	3	1553.1	1553.2	0.2	2
15	3	1619.0	1619.3	0.4	2
15	3	1727.5	1728.0	0.7	3
15	3	1728.5	1728.7	0.7	2

Nov. 1960	Type	Start UT	Time of Maximum UT	Duration Minutes	Intensity
16	3	1755.2	1756.0	1.0	2
16	3	2041.6	2041.7	0.2	2
16	3	2138.8	2138.9	0.2	2
16	3	2237.3	2237.7	1.2	2
16	3	2243.5	2243.6	0.2	2
16	3	2247.5	2248.1	1.5	2
17	3	1431.1	1431.6	0.5	2
17	3	1455.7	1456.4	0.8	2
17	2	1647.0	1647.7	1.4	1
17	3	2115.4	2115.4	0.3	2
17	3	2133.8	2134.8	1.2	2
17	3	2310.4	2310.4	0.5	2
18	3	2023.3	2024.1	1.2	2
18	3	2246.8	2246.9	0.2	2
19	3	1513.5	1513.8	0.7	2
19	3	1557.5	1557.5	1.0	2
19	3	1600.0	1600.4	1.0	2
19	3	1624.6	1625.0	2.0	2
19	3	1649.0	1650.5	3.0	1
19	8	1658.2	1658.3	4.8	3
19	2	1741.2	1749.5	9	2
19	2	1956.2	1958.7	18	1
19	3	2156.1	2156.3	0.3	2
20	9A	2027.5	2033.0	7	3
20	9B	2038.0	2039.9	15	3
20	8	2135.4	2137.5	3	1
20	3	2255.4	2255.5	1.1	2
21	3	1402.0	1402.5	0.4	2
21	3	1656.0	1656.1	0.5	2
21	3	2134.6	2135.0	0.5	2
21	3	2155.1	2155.5	0.4	2
21	3	2202.6	2202.9	0.4	2
21	3	2245.5	2245.9	0.4	2
21	3	2254.4	2254.9	0.5	2
22	3	1405.6	1406.1	0.5	2
22	7	1934		213 D	1
23	3	1417.6	1417.7	0.9	2
23	2	1425.5	1427.5	2.5	2
23	3	1435.3	1435.7	0.4	2
23	7	1505	1557	90	1
23	8	1629.0	1630.2	6.4	3
23	2	1819.3	1827.8	20	2
23	3	2053.0	2053.3	1.0	2
23	3	2211.0	2211.6	0.4	2
24	3	2048.0	2048.2	2.1	2
25	3	2207.2	2207.5	0.3	2
27	3	1843.9	1844.0	0.3	2
27	3	2139.4	2139.5	0.2	2
27	3	2238.8	2239.1	0.3	2
28	3	2136.0	2136.4	1.0	2
30	3	1611.0	1612.2	0.7	2

CORRECTION - STANDARDS - BOULDER

TIMES OF OBSERVATIONS

BOULDER

108 MC







Nov. 1960	U.T.		Nov. 1960	U.T.	
1	1334-1710; 1750-2330		19	1459-2313	
2	1335-2329		20	1735-2312	
3	1336-2329		21	1357-1657; 1713-2308	
4	1337-2328		22	1358-2307	
5	1339-2327		23	1359-2308	
6	1340-2326		24	1400-2308	
7	1341-2323		25	1401-2036; 2046-2230; 2247-2306	
8	1342-2323				
9	1343-2322		26	1402-1706; 1714-1730; 2218-2305	
10	1344-2322				
11	1345-2321		27	1404-2305	I 1930-2020
12	1347-2320		28	1405-2200; 2213-2306	
13	1348-2319		29	1406-2304	I 1718-2145
14	1349-2317		30	1407-2304	I 1621-1830; 1935-2003
15	1350-1637; 1655-2316	I 1922-2105			
16	1520-2317				
17	1352-2316				
18	1354-2314				

COMMERCE - STANDARDS - BOULDER







SOLAR RADIO EMISSION SPECTROHELIOGRAMS APRIL 1960

STANFORD

9.1 cm



9.1 cm




SOLAR RADIO EMISSION SPECTROHELIOGRAMS


APRIL 1960

STANFORD


9.1 cm




1960 APRIL 13, 20.45 U.T.
CONTOUR BRIGHTNESS UNIT = 7.9×10^{-4} K




1960 APRIL 14, 20.45 U.T.
CONTOUR BRIGHTNESS UNIT = 7.9×10^{-4} K



1960 APRIL 15, 20.45 U.T.
CONTOUR BRIGHTNESS UNIT = 8.4×10^{-4} K



1960 APRIL 16, 19.30 U.T.



1960 APRIL 17, 19.30 U.T.
CONTOUR BRIGHTNESS UNIT = 6.2×10^{-4} K




1960 APRIL 18, 19.30 U.T.
CONTOUR BRIGHTNESS UNIT = 6.3×10^{-4} K

CONTINUED - PREVIOUS PAGE


APRIL 1960

STANFORD


9.1 cm




1960 APRIL 19, 19 30 U.T.
CONTOUR BRIGHTNESS UNIT. = $6.7 \times 10^{-4} \text{ K}$




1960 APRIL 20, 20.45 U.T
CONTOUR BRIGHTNESS UNIT = 8.2×10^{-4} K



1960 APRIL 21, 20.45 U T
CONTOUR BRIGHTNESS UNIT, $= 7.0 \times 10^{-4}$ K









1960 APRIL 22, 19:30 U.T.
CONTOUR BRIGHTNESS UNIT = $9.2 \times 10^{-4} \text{ K}$



1960 APRIL 23, 19:30 U.T.
CONTOUR BRIGHTNESS UNIT. $= 9.4 \times 10^{-4}$ K



1960 APRIL 24, 19:30 UT.
CONTOUR BRIGHTNESS UNIT. $= 7.6 \times 10^{-4}$ K




COSMIC RAY INDICES
(Climax Neutron Monitor)

Oct. 1960	Daily average counts/hr	Oct. 1960	Daily average counts/hr
1	2909.3	17	2873.6
2	2886.0	18	2898.3
3	2898.2	19	2892.0
4	2910.3	20	2889.2
5	2888.4	21	2895.2
6	2766.2	22	2891.3
7	2786.7	23	2892.2
8	2837.0	24	2882.0
9	2858.8	25	2886.7
10	2866.3	26	2896.4
11	2880.1	27	2896.1
12	2876.3	28	2907.7
13	2863.8	29	2905.8
14	2849.7	30	2895.0
15	2839.1	31	2901.8
16	2862.2		

COMMERCE - STANDARDS - BOULDER

COSMIC RAY INDICES (Pressure Corrected Hourly Totals)



COMMERCE - STANDARDS - BOULDER

GEOMAGNETIC ACTIVITY INDICES

OCTOBER 1960

Oct. 1960	C	Values Kp								Sum	Ap	Final Selected Days	
		Three hour Gr. interval											
		1	2	3	4	5	6	7	8				
1	1.5	4+	6o	5+	5+	5o	4o	4+	5+	40-	48	Five Quiet	
2	1.4	5-	5-	6-	5o	6o	6-	5-	3o	39+	49		
3	0.7	3-	2+	3-	5o	3o	3-	2-	2o	22o	15		
4	1.4	2-	1-	2o	3-	3+	6-	7-	6-	28+	36		12
5	1.3	4+	5o	4o	3o	3+	4-	3o	6+	33-	34		13
												14	
6	2.0	6o	8o	7+	8o	8o	8+	8+	9-	63-	203	22	
7	2.0	9o	9-	8-	8-	7+	7o	6-	6o	59o	186	23	
8	1.1	5+	4o	5o	5o	3+	3o	4o	4o	34-	33		
9	1.3	4o	6-	5-	4o	5-	4o	4o	5o	36o	38		
10	0.5	4o	4-	2-	1-	0+	1o	1+	3o	16-	10		
11	0.8	4-	4-	5-	3+	3-	2-	2-	2+	24-	17	Five Disturbed	
12	0.2	1-	1o	1o	2o	1-	1+	2o	3-	11+	6		
13	0.1	1-	1+	1o	1-	1o	1-	1-	2+	8+	4		
14	0.0	2-	1-	1-	1+	0o	0+	0o	1-	5+	3		1
15	1.1	1o	2+	2o	3o	4-	4+	4+	3+	24o	17		6
												7	
16	0.3	2o	2+	2-	1+	3-	1-	0o	2-	12+	6	25	
17	0.3	3-	1o	2-	2-	2+	1+	2-	2-	14o	7	26	
18	1.3	4+	4-	4-	3o	3+	4-	5+	4o	31o	27		
19	0.5	2o	4-	2+	2+	2o	2o	2-	3o	19o	10		
20	0.6	1o	3o	2+	3-	2o	3o	2-	3-	18+	10		
21	0.4	3-	1o	3-	2o	1+	0+	2-	3-	14+	8	Ten Quiet	
22	0.0	0+	1-	1+	0+	0+	0+	0+	0o	4-	2		
23	0.1	0+	0o	1-	0+	0+	1o	2-	1+	6-	3		
24	1.2	0+	1-	1-	2-	4+	6o	4+	2o	20o	21		10
25	1.7	2+	3-	6-	6-	6-	8-	7+	5+	42+	76		12
												13	
26	1.5	7-	6o	6o	6-	6-	5-	4+	4o	43o	63	14	
27	1.4	5-	5-	3o	5+	4+	5-	4+	5+	36+	38	16	
28	1.5	5-	6-	5o	5+	5o	5+	4+	3o	38+	45	17	
29	1.4	5o	4-	4o	6-	5o	5o	4o	4+	37-	40	20	
30	1.3	4o	4-	5-	5+	5-	4o	4-	5-	35-	34	21	
31	1.2	5-	3+	4o	4o	4-	5-	5-	3+	32+	29	22	
												23	
Mean: 0.97										Mean:	36		

COMMERCE - STANDARDS - BOULDER

DAYS IN SOLAR ROTATION INTERVAL

ROT.-
NR.

1738

Jul

1739

Aug

1740


Aug

1741


Sep

1742

Oct



KEY



▲ = sudden
commencement

PLANETARY MAGNETIC THREE-HOUR-RANGE INDICES

Kp till 1960 October 31

(Ks from Wingst and Göttingen till Nov. 15)

J.B.

COMMERCE - STANDARDS - BOULDER

CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

NORTH ATLANTIC

OCTOBER 1960

Oct. 1960	North Atlantic 6-hourly quality figures				Short-term forecasts issued about one hour in advance of:				Whole day index	Advance forecasts (J-reports) for whole day; issued in advance by:				Geomag- netic K _{Fr}	
	00 to 06	06 to 12	12 to 18	18 to 24	00	06	12	18		1-7 days Final Js	1-7 days	1-3 days SWD	1-7 days J	Half Day (1) (2)	
1	4o	3+	5o	4-	4	4	5	6	(4o)	6			6	(4)	(4)
2	3-	3-	5-	4+	3	3	5	4	(3+)	6			6	(4)	(4)
3	4o	3+	6o	6+	4	4	5	6	(4+)	7			7	3	2
4	6o	4+	6o	5o	6	6	6	6	5o	7			7	2	(4)
5	4+	4-	6o	5-	4	3	5	6	(4+)	7			7	4	3
6															
6	3-	2+	3o	3-	4	2	5	3	(3-)	6			6	(7)	(7)
7	1+	1+	2-	2o	2	1	2	2	(2-)	3	3		6	(7)	(5)
8	1+	2+	4+	5-	2	1	3	5	(3o)	4	4		7	(4)	3
9	3+	3+	5+	4+	3	2	5	5	(4o)	6	6		7	(5)	(4)
10	4-	4+	6+	6-	4	3	6	5	5-	6	6		6	2	2
11															
11	5+	4+	6+	6o	5	5	6	6	5+	6	6		6	(4)	1
12	6+	6-	7-	7-	6	5	7	7	6+	6	6		6	1	2
13	7-	6+	7o	7-	6	6	7	7	7-	6			6	1	2
14	7-	6+	7-	7-	6	6	7	7	7-	6			6	1	0
15	7o	6+	6o	6+	7	6	7	7	6+	6			6	2	3
16															
16	6+	6-	7-	7-	6	6	6	6	6+	7			7	2	1
17	7o	5+	7-	7-	7	6	7	7	6+	7			7	2	2
18	6-	5+	7-	5+	7	5	7	7	6-	7			7	(4)	3
19	6-	5o	7-	6+	6	5	7	7	6o	7			7	2	2
20	6+	6-	7-	7-	6	6	7	7	6+	6			6	3	2
21															
21	6o	6-	7-	7-	7	6	7	7	6+	6			6	2	1
22	7-	6o	7-	7-	6	6	7	7	7-	6			6	1	0
23	7-	7-	7o	7-	7	6	7	7	7-	7			7	0	1
24	6+	6+	7o	6o	7	6	7	6	6+	7			7	1	3
25	6o	5-	4+	3+	5	6	5	3	(4+)	4	4		7	3	(5)
26															
26	2o	2+	3+	3+	4	2	4	3	(3-)	4	4		6	(5)	(4)
27	3-	3o	5+	3+	2	2	3	5	(3+)	4			4	(4)	(4)
28	3+	3-	4-	4o	3	3	4	4	(3+)	5			5	(5)	(4)
29	3o	3-	5-	5o	3	3	5	4	(3+)	5			5	(4)	(4)
30	5-	4-	5o	5o	4	4	5	5	(4+)	6			6	(5)	(4)
31	5-	4+	6o	5-	5	4	6	6	5-	6			6	(4)	3
Score: Quiet Periods															
					P	10	10	20	13			5	5		
					S	8	4	4	8			11	11		
					U	0	0	1	1			1	1		
					F	0	0	0	0			0	0		
Disturbed Periods															
					P	8	8	2	6			1	0		
					S	4	8	3	1			4	1		
					U	1	0	1	1			2	2		
					F	0	1	0	1			7	11		

() represent disturbed values.

All times are Universal time (UT).

COMMERCE - STANDARDS - BOULDER


NORTH ATLANTIC

OCTOBER 1960

— Short-term forecast


| Range of reports

o Quality figure





OUTCOME OF ADVANCED FORECASTS



FINAL ESTIMATE



OCTOBER 1960



OCTOBER 1960



CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

NORTH PACIFIC

OCTOBER 1960

Oct. 1960	North Pacific 12-hourly quality figures		Short-term fore- casts issued at		Whole day index	Advance forecasts (Jp reports) for whole day; issued in advance by:				Geomag- netic K _{SI}	
	0700 to 1900	1900 to 0700	0600	1800		1-7 days Final	1-7 days Jps	1-3 days SDW	1-7 days Jp	Half Day (1) (2)	
1	4	5	4	4	(4)	6			6	(6)	(5)
2	4	5	4	4	(4)	6			6	(6)	(6)
3	5	6	5	6	5	6			6	3	2
4	4	6	6	3	(4)	7			7	2	(5)
5	6	5	4	6	6	7			7	(5)	(4)
6	4	1	4	2	(3)	5			5	(8)	(8)
7	3	3	3	2	(2)	3	3		5	(8)	(6)
8	5	4	4	5	(4)	4	4		6	(5)	(4)
9	4	5	4	4	(4)	5	5		6	(5)	(4)
10	5	5	4	6	5	6	6		5	3	1
11	5	5	6	6	5	6	6		5	(4)	2
12	6	7	6	6	6	6	6		6	0	1
13	6	6	6	6	6	6			6	1	1
14	7	7	6	7	8	5			5	0	0
15	6	6	7	5	7	6			6	2	(4)
16	7	7	6	7	7	6			6	1	2
17	7	7	7	7	7	6			6	2	2
18	6	5	7	5	6	6			6	(4)	(4)
19	6	6	6	6	6	6			6	2	2
20	7	6	6	7	7	6			6	2	3
21	6	6	7	6	6	6			6	2	1
22	6	7	6	7	6	6			6	0	0
23	7	6	7	7	7	6			6	0	0
24	7	6	7	5	6	7			7	0	(4)
25	4	5	6	3	(4)	7			7	(4)	(7)
26	5	5	4	6	5	6			6	(8)	(5)
27	5	6	5	5	5	5			5	(5)	(4)
28	5	4	5	5	(4)	5			5	(5)	(5)
29	4	4	4	5	(4)	6			6	(5)	(5)
30	5	5	4	5	5	6			6	(5)	(4)
31	5	5	5	5	5	6			6	(4)	(4)
Score: Quiet Periods											
			P	11	11	7					
			S	11	13	13					
			U	0	1	0					
			F	1	1	1					
Disturbed Periods											
			P	6	0	1					
			S	0	5	3					
			U	0	0	1					
			F	2	0	5					

() represent disturbed values. All times are Universal time (U.T.).


Note: From Oct. 25-30 the quality figures are not as disturbed as the magnetic indices suggest they should be. Blanketing sporadic-E was prevalent in the North Pacific area from Oct. 25 through Oct. 29, at the height of the magnetic storm. This could explain quality remaining fair. Vertical incidence data indicate lowered maximum usable frequencies but not complete blackout during the last week of October.

NORTH PACIFIC

OCTOBER 1960

OUTCOME OF ADVANCED FORECASTS

FINAL ESTIMATE



COMMERCE - STANDARDS - BOULDER

NOVEMBER 1960

Issued Day/Time UT Nov. 1960	Advance Geophysical Alert	No.	World-Wide Geophysical Alert	Special World Interval
04/0250	Ft. Belvoir, Magnetic Storm 03/22XXZ			
04/1600		94	Magnetic Storm 03/22XX	
12/1500	McMath, Solar Flare 12/1325Z			
12/1600		95	Magnetic Storm 12/1350Z	Start Special World Interval
13/1600		96	Cosmic Ray Increase 12/1345	Continue Special World Interval
14/1600		97		Finish Special World Interval
15/1330	Chicago, Cosmic Ray Increase 15/02XXZ			
15/1600		98	Cosmic Ray Increase 15/02XXZ	Start Special World Interval
16/1600		99	Magnetic Storm 15/1305	Continue Special World Interval
17/1600		100		Finish Special World Interval
21/1600		101	Magnetic Storm 21/04XXZ	
25/0015	Ft. Belvoir, Magnetic Storm 24/2053Z			
25/1600		102	Magnetic Storm 24/2053Z	

