

Library, N.W. Bldg
OCT 8 1963

Copy 1

CRPL-F 229 PART B

FOR OFFICIAL USE

Reference book not to be
taken from the library.

PART B
SOLAR - GEOPHYSICAL DATA

ISSUED
SEPTEMBER 1963

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

SOLAR - GEOPHYSICAL DATA

CONTENTS

I DAILY SOLAR INDICES

- (a) Relative Sunspot Numbers and 2800 Mc Solar Flux - July-August 1963
- (b) Graph of Sunspot Cycle

II SOLAR CENTERS OF ACTIVITY

- (a) Calcium Plage and Sunspot Regions - August 1963
- (b) Magnetic Classifications of Sunspots (Mt. Wilson) - August 1963
- (c) Provisional Coronal Line Emission Indices - August 1963

III SOLAR FLARES

- (a-h) Optical Observations - August 1963
- (i) Flare Patrol Observations - August 1963
- (j-p) Optical Observations - May 1963
- (q) Flare Patrol Observations - May 1963
- (r) Ionospheric Effects (SWF-SEA-SCNA-SPA-Bursts) - July 1963

IV SOLAR RADIO WAVES

- (a) 2800 Mc - Outstanding Occurrences (ARO-Ottawa) - August 1963
- (b) 2800 Mc - Outstanding Occurrences (ARO-Ottawa) - Graphs - August 9, 17, 18, 1963
- (c) 223 Mc - Interferometric Occurrences (Boeing - Seattle) - May, June, July 1963
- (d) 169 Mc - Interferometric Occurrences (Nançay) - August 1963
- (e) 108 Mc - Outstanding Occurrences (NBS-Boulder) - August 1963
- (f-g) 7.6-41 Mc - Spectral Observations (HAO-Boulder) - August 1963
- (h-m) 9.1 cm - Spectroheliograms (Stanford) - August 1963

V COSMIC RAY INDICES

- (a) Climax Neutron Monitor - July 1963
- (b) Deep River Neutron Monitor - July 1963

VI GEOMAGNETIC ACTIVITY INDICES

- (a) C, Kp, Ap and Selected Quiet and Disturbed Days - July 1963
- (b) Chart of Kp by Solar Rotations - 1963

VII RADIO PROPAGATION QUALITY INDICES

- (a) CRPL Quality Figures and Forecasts - North Atlantic and North Pacific - July 1963
- (b) Graphs Comparing Forecasts and Observed Quality - North Atlantic and North Pacific - July 1963
- (c-d) Graphs of Useful Frequency Ranges - July 1963


VIII ALERT PERIODS AND SPECIAL WORLD INTERVALS

- (a) Alerts and SWI - August 1963

The text describing the contents of Part B was republished in November 1962. A revision was made December 1962, and an addenda January 1963.

1963 July	American Relative Sunspot Numbers R_A'
1	19
2	18
3	22
4	17
5	11
6	11
7	11
8	11
9	12
10	11
11	12
12	11
13	22
14	24
15	17
16	15
17	12
18	12
19	10
20	8
21	11
22	10
23	14
24	19
25	13
26	1
27	1
28	4
29	23
30	48
31	56
Mean:	15.7

1963 Aug.	Zürich Provisional Relative Sunspot Numbers R_Z	Daily Values Solar Flux at 2800 Mc, Ottawa, Canada Flux
1	65	87
2	55	87
3	53	87
4	51	88
5	50	86
6	53	88
7	38	85
8	28	81
9	23	80
10	20	77
11	9	72
12	0	73
13	7	74
14	11	71
15	11	72
16	18	76
17	29	82
18	43	80
19	36	79
20	36	81
21	50	84
22	68	86
23	64	90
24	50	87
25	37	85
26	29	82
27	16	80
28	21	77
29	16	77
30	23	77
31	24	77
Mean:	33.4	80.9



CALCIUM PLAGE AND SUNSPOT REGIONS

AUGUST 1963

AUG. 1963	LAT.	MCMATH PLAGE NUMBER	RETURN OF REGION	CALCIUM PLAGE DATA						SUNSPOT DATA		
				CMP VALUES		HISTORY	AGE (ROTA- TIONS)	DATE FIRST SEEN	DURA- TION (DAYS)	CMP VALUES		HISTORY
				AREA	INT					AREA	COUNT	
July 31.8	S31	6917(2)	New	(200)	(1.5)	b — d	1	8/5	1			
Aug. 4.2	N12	6908	New	2000	3.5	l — l	1	7/29	13	490	1	l — l
4.0	S19	6918(2)	New	(200)	(1.5)	b — d	1	8/5	1			
5.2	N11	6909	6870	2400	3.5	l — l	4	7/30	13	330	11	l — l
5.3	N19	6910	(1)	400	1	l — l	4	7/30	13			
5.9	S15	6921	New	(100)	(2.5)	b — d	1	8/9	2			
6.2	N13	6919	New	100	1	b — d	1	8/5	3			
6.3	N22	6911	(1)	300	1.5	l — l	4	7/31	11			
6.3	S03	6912	New	(200)	(1.5)	b — d	1	8/1	3			
7.9	N10	6913	6875	500	1.5	l — d	4	8/2	10			
9.1	N10	6915	6875	1400	2	l — l	4	8/3	12			
9.6	S31	6920	New	(200)	(1.5)	b — d	1	8/6	2			
10.4	N13	6916	New	700	2.5	l — l	1	8/3	13			
12.6	S13	6922(2)	New	300	2	b — d	1	8/10	1			
13.0	S16	6925	New	(200)	(1.5)	b — d	1	8/14	3			
16.0	N13	6923	6887	700	2.5	l — l	4	8/10	12			
16.4	S02	6935(2)	New	(200)	(2.5)	b — d	1	8/21	1			
17.6	N08	6933	New	(300)	(1)	b — d	1	8/19	2			
18.0	S21	6934(2)	New	(200)	(2)	b — d	1	8/20	1			
18.2	S12	6924	New	2600	3	l — l	1	8/12	13	440	8	b — l
19.8	S05	6926	New	200	1	l — d	1	8/14	8			
19.9	N06	6927(3)	6892	700	2.5	l — l	4	8/14	13	290	7	b — l
20.6	S08	6930	New	300	1.5	b — l	1	8/18	9	360	8	b — l
21.2	N12	6929	(4)	500	1.5	l — d	4	8/15	10			
21.8	N03	6936	New	300	1.5	b — d	1	8/22	2			
23.0	S13	6943(2)	New	(200)	(2)	b — d	1	8/26	1			
24.6	N12	6931	6905	1200	2.5	l — l	2	8/18	13			
24.7	S08	6932	New	1400	3.5	l — l	1	8/18	13	190	1	l — d
25.4	N01	6938(2)	New	200	2	b — d	1	8/24	1			
26.0	S15	6939(2)	New	100	2	b — d	1	8/24	1			
27.3	S19	6937	6906	300	1	l — d	6	8/22	5			
28.0	N08	6940	New	(200)	(1.5)	b — d	1	8/24	2			
28.2	N01	6948	New	(100)	(2)	b — d	1	8/31	2			
28.3	S12	6944	New	300	(2.5)	b — d	1	8/26	5			
30.0	N02	6949(2)	New	(100)	(1.5)	b — d	1	8/31	1			
30.7	S12	6945(2)	New	(200)	(1.5)	b — d	1	8/27	1			
30.9	N09	6948	6908	1400	3	l — l	2	8/24	13	240	2	l — d

CONCORD - STANDARDS - BOULDER

- (1) Part of 6870
 (2) These plages are small and very ephemeral, lasting for only a day.
 (3) Plage 6927 experienced a marked change in intensity on the disk on August 21.
 (4) Part of 6892

MT. WILSON MAGNETIC CLASSIFICATIONS OF SUNSPOTS

11b

AUGUST 1963

Aug. 1963	Time Meas. UT	Lat.	Mer. Dist.	Type	Aug. 1963	Time Meas. UT	Lat.	Mer. Dist.	Type
1	0025	N12 N11 N10 N12	W47 E40 E54 E60	βp β αp αp	13	1925	N11	E29	βf
					14	No Obs.			
2	0045	N12 N11 N10 N12	W60 E26 E40 E46	βp βp βp αf	15	0045	S12	E44	β
					15	2130	S12	E32	β
					16-17	No Obs.			
3	No Obs.				18	0024	S11	E02	$\beta \gamma$
					18	2355	S12	W11	β
4	0005	N11 NO9 N13	E00 E15 E21	βp βp βf			S10	E72	β
					19	2335	S12 S09	W25 E60	βp βf
5	0040	N11 NO9 N13	W13 E02 E08	βp βp βf^*	20	1720	S12 NO8 S10	W35 W05 E50	$\beta \gamma$ β βf
6	2135	N10 NO9 N13 NO6	W39 W23 W17 E21	βv βp αf β	21	1645	S12 S03 S17 S10	W47 W19 W16 E42	αp βf^{**} β αf
7	No Obs.				22-28	No Obs.			
8	2115	N11 NO9	W65 W50	αp βp	29	2350	NO9	E26	αp
9	No Obs.				30	2400	N11 NO9 NO3	E00 E13 E57	αp αp βp
10	0020	NO9	W67	αp					
11	No Spots				31	No Obs.			
12	No Obs.								

COMMERCE - STANDARDS - BOULDER

* Polarities Reversed For βf in Northern Hemisphere.

** Polarities Reversed For βf in Southern Hemisphere.

PROVISIONAL CORONAL LINE EMISSION INDICES

AUGUST 1963

CMP Aug 1963	North East quadrant (observed 7 days earlier)				South East quadrant (observed 7 days earlier)				South West quadrant (observed 7 days later)				North West quadrant (observed 7 days later)			
	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁	G ₆	G ₁	R ₆	R ₁
1	23	75	x	x	12	17	x	x	3	3	x	x	14	17	x	x
2	8	11	x	x	7	8	x	x	x	x	21	24	x	x	25	46
3	18	25	18	24	7	11	16	20	x	5	7	10	6	11	7	8
4	37	56	19	28	2	3	15	20	3	12	11	12	4	93	7	15
5	73	120	x	x	4	8	x	x	2	3	x	x	3	4	x	x
6	46	92	32	66	4	11	19	22	6	6	25	36	27	42	21	32
7	18	30	15	20	5	7	20	24	4	8	19	28	30	39	12	20
8	10	14	x	x	3	3	x	x	4	8	24	30	25	33	17	27
9	19	31	24	48	3	7	15	20	6	14	35	52	10	14	19	44
10	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
11	10	12	x	x	11	16	x	x	4	8	28	34	9	14	23	32
12	5	6	12	18	3	6	8	9	5	8	27	32	8	11	35	40
13	7	9	16	20	6	8	13	15	x	x	x	x	x	x	x	x
14	8	8	17	22	10	14	15	19	x	x	x	x	x	x	x	x
15	8	11	10	11	4	8	11	14	x	x	x	x	x	x	x	x
16	x	x	26	40	x	x	22	26	18	29	x	x	11	15	x	x
17	3	4	13	15	4	4	11	20	47	115	33	56	13	17	24	36
18	16	21	16	20	19	43	20	33	x	x	x	x	x	x	x	x
19	15	21	x	x	12	20	x	x	6	8	x	x	3	7	x	x
20	80	146	30	96	13	31	31	35	x	x	x	x	x	x	x	x
21	53	67	16	30	15	53	18	24	17	28	13	15	25	31	9	12
22	34	42	15	30	7	14	17	20	17	20	x	x	16	22	x	x
23	92	140	11	17	19	25	11	19	x	x	x	x	x	x	x	x
24	x	x	x	x	25	x	x	x	x	x	x	x	x	x	x	x
25	22	36	22	28	25	45	35	55	18	34	x	x	19	22	x	x
26	7	11	24	30	11	14	30	36	x	x	24	26	x	x	22	28
27	x	x	x	x	x	x	x	x	8	11	23	28	8	11	21	30
28	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
29	4	6	x	x	4	4	x	x	15a	22a	17a	28a	38a	73a	27a	28a
30	16	38	x	x	3	7	x	x	6	8	16	20	22	43	13	18
31	48	90	28	40	3	6	27	31	5	6	18	20	24	45	16	22

x = no observations * = yellow line emission a = index computed from low weight data COMMERCE - STANDARDS - BOULDER

SOLAR FLAR

AUGUST 1963

OBSERVATORY	DATE	OBSERVED TIME		LOCATION		DURA- TION — MINUTES	IM POR- TANCE	OBS. COND.	TIME — U.T.	MEASUREMENTS		MAX. WIDTH Fe	MAX. INT "	PROVISIONAL IONOSPHERIC EFFECT
		START	END	AFRPOX LAT.	MER DIST	MMATH FLARE REGION				MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.			
ZURICH WENDEL CAPRI S MCNATH SALT-SJOBADN MCNATH LOCKHEED MCNATH LOCKHEED LOCKHEED	AUG 1963	0100	0100	NO FLARE	PATROL	6908	3 D	3	0633		2.00			
		0130	0530	NO FLARE	PATROL	N11 E38	1				4.00			
		0633	0636		N11 E38	6905	23 D	2	1131	.80				
		1115	1138		N12 W57	6905	1-	1	1239	.50	1.00			
		1116	1215 D		N11 W55	6905	1-	1		1.30	2.30			
		1234	1315	1239	N12 W58	6905	1-	2		.80	1.40			
		1240	1250		N13 W57	6905	1-	2	1326	.20				
		1300	1310	1326	N15 W56	6905	1-	2		.20	.20			
		1325	1333	NO FLARE	PATROL	N14 E29	1-	2	1917	.20	.20		10	
		1425	1430	1917	N12 W60	6905	1-	1	1954	.30	.60		10	
HAUTE-PROV WENDEL CAPRI S LOCARNO SAC PEAK WENDEL LOCKHEED HAUTE-PROV SAC PEAK WENDEL LOCKHEED HONOLULU LOCKHEED LOCKHEED	AUG 1963	0205	0450	NO FLARE	PATROL	N13 W68	1-				6.00		18	
		0747	0837 D		N16 E39	6909	42 D	3	1408	2.41	2.86			
		1353	1435 U	1405 U	N15 E39	6909	35 U	3		1.50	1.90			
		1404	1436		N15 E38	6909	1-	2						
		1405	1440		N11 W75	6905	35 D	3		.39	5.00		18	
		1548	1603	1553	N12 W72	6905	30 D	1	1730	2.40	3.00		20	
		1552	1622 D		N13 E40	6909	20 D	2	1737	1.00	1.00		17	
		1725	1745 D	1737	N15 E36	6909	1-	3		1.34	6.00			
		1732	1805 U	1745 U	N12 W73	6905	42 D	2	1817	1.10	2.20		20	
		1806	1814 D		N13 W70	6905	20 D	3	1816	1.85	4.10		10	
OTTAWA LOCKHEED MCNATH HONOLULU LOCKHEED LOCKHEED LOCKHEED LOCKHEED LOCKHEED LOCKHEED	AUG 1963	0210	1835	1816	N13 E37	6905	23	2	1913	.20	.20		10	
		1910	1919	1913	N15 E37	6905	1-	2	2350	.60	.60		10	
		2342	2402		PATROL		1-	2						
		0200	0440	NO FLARE	PATROL	N11 W84	1-	2	1514	.52	1.73			
		1510	1519	1514	N09 E18	6905	1-	2	1851	.30	.30		10	
		1637	1910	1851	N13 W90	6905	1-	1	1900	.10				
		1858	1905	1900	N13 W90	6905	1-	3	1902	.31	1.10			
		1908	1908	1902	N09 E21	6905	1-	2	2123	.20	.20		10	
		2116	2123	2302	N13 E03	6905	1-	2	2302	.40	.40		10	
		2250	2325		N10 E16	6905	1-	2	0050	.30	.30		10	
LOCKHEED HAUTE-PROV HAUTE-PROV ONDRÉJOV CAPRI S HAUTE-PROV MCNATH SAC PEAK HAUTE-PROV	AUG 1963	0400	0130	0050	N08 E13	6909	60	3	0625	.40	.50			
		0155	0430	NO FLARE	PATROL	N09 E09	46	2	0914	1.10	1.20			
		0623	0632	0901	N08 E12	6909	1-	2	1017	1.20	1.30			
		0848	0948		N14 E18	6909	1-	2	1220	.50	.50			
		0852	0938		N14 E14	6909	1-	2	1357	.70	.66		17	
		0855	0938		N13 E12	6909	11	2		3.00	3.20			
		1012	1020	1356										
		1202	1305	1400										
		1354	1405											
		1354	1405											

CONFIDENTIAL - 11-1963

SOLAR FLARES

AUGUST 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION		DUR. OF EXPOSURE — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT	APPROX. LONG — MER. DIST.				TIME U.T.	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H _z	MAX INT °
→ MCMATH	04 1963	1354	1410	N13 E14	6909		1-	2	1355	.50	.50		
→ CAPRI S	04 1963	1354	1420	N12 E15			1-	2	1402	1.40	1.50		
→ LOCKHEED	04 1963	1628	1650	N14 E13			1-	2	1635	.30	.30		20
→ HAUTE-PROV	04 1963	1631	1653	N13 E14			1-	2	1638	1.00	1.10		
→ MCMATH	04 1963	1632	1650	N13 E13	6909		1-	2	1634	.30	.30		
→ SAC PEAK	04 1963	1633	1648	N14 E14			1-	2	1639	.29	.27		17
→ HUANCAYO	04 1963	1637	1652	N11 E15			1-	2	1640	1.80	1.80	2.30	
→ HAUTE-PROV	04 1963	1730	1735	N12 E10			1-	2	1732	.70	.70		
→ LOCKHEED	04 1963	1853	1915	N14 E14			1-	2	1900	.20	.20		10
→ MCMATH	04 1963	1856	1908	N13 E12	6909		1-	2	1858	.30	.30		
→ LOCKHEED	04 1963	2124	2150	N08 E04			1-	2	2131	.30	.30		10
→ MCMATH	04 1963	2127	2200	N08 E04	6909		1-	2	2130	.50	.50		
→ MCMATH	04 1963	2210	2240	N08 E04	6909		1-	2	2219	.50	.50		
→ LOCKHEED	04 1963	2215	2305	N08 E04			1-	2	2220	.70	.70		20
→ HONOLULU	04 1963	2218	2228	N08 E03			1-	3	2220	.72	.72		
→ HONOLULU	04 1963	2240	2250	N08 E03			1-	3	2242	.72	.72		
→ MCMATH	04 1963	2240	2256	N08 E04	6909		1-	2	2245	1.20	1.20		
→ HONOLULU	04 1963	2246	2252	N08 E04			1-	3	2248	1.03	1.03		
→ LOCKHEED	04 1963	2312	2328	N13 E05			1-	2	2316	.40	.40		10
→ HONOLULU	04 1963	2316	2322	N09 E03			1-	3	2318	.83	.83		
→ HAUTE-PROV	05 1963	0210	0515	PATROL			1-		0552	.80	.80		
→ CAPRI S	05 1963	0602	0624	N14 E06			1-	2	0611	.80	.80		
→ HAUTE-PROV	05 1963	0633	0718	N15 E05			1-		0641	.50	.50		
→ LOCKHEED	05 1963	0702	0715	N08 W02			1-		0706	.60	.60		
→ MCMATH	05 1963	1620	1640	N09 W08			1-	1	1630	.30	.30		10
→ LOCKHEED	05 1963	1620	1640	N10 W07	6909		1-	2	1628	.50	.50		
→ SAC PEAK	05 1963	1707	1722	N14 W04			1-	1	1710	.50	.50		10
→ MCMATH	05 1963	1710	1716	N13 W03			1-	3	1712	.29	.29		17
→ MCMATH	05 1963	1710	1722	N13 W03	6909		1-	2	1712	.50	.50		
→ LOCKHEED	05 1963	1815	1917	N10 W08	6909		1-	2	1905	.20	.20		
→ LOCKHEED	06 1963	0042	0052	N09 W12			1-	1	0045	.20	.20		10
→ LOCKHEED	06 1963	0100	0112	N14 W26			1-	1	0103	.30	.30		10
→ ISTANBUL	06 1963	0803	0811	PATROL			1-					2.90	
→ ONDREJOV	06 1963	0855	0927	N09 W15	6909		2	2	0900		5.00		
→ LOCARNO	06 1963	0855	0950	N15 W10	6909		2	2	0915		9.00		
→ HAUTE-PROV	06 1963	0855	1006	N12 W12	6909		2	2	0911		2.00		
→ ATHENES	06 1963	0857	0915	N13 W11			3	3	0911		6.00		
→ CAPRI S	06 1963	0858	0948	N13 W09	6909		2	2	0911		12.00		
→ WENDEL	06 1963	0900	1004	N12 W12	6909		2	2	0917		6.54		
→ ARCETRI	06 1963	0903	1005	N16 W13	6909		3	3					
→ WENDEL	06 1963	1020	1030	PATROL									
→ WENDEL	06 1963	1040	1045	PATROL									
→ WENDEL	06 1963	1055	1100	PATROL									
→ WENDEL	06 1963	1223	1258	PATROL									
→ WENDEL	06 1963	1343	1430	N09 W17	6909		1	1	1353		3.00		
→ WENDEL	06 1963	1344	1438	N12 W15	6909		1-				1.20		
→ WENDEL	06 1963	1344	1438	N11 W14	6909		1+				5.00		

COMMENTS - STANDARDS - BOLLINGER

SOLAR FLARES

AUGUST 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME			LOCATION		DURA TION MINUTES	IN- FOR- TANCE	OBS COND.	TIME U T	MEASUREMENTS			MAX WIDTH Ha	MAX INT. " "	PROVISIONAL IONOSPHERIC EFFECT
		START	END	MAX PHASE	APPROX. LAT.	MAINTH PLACE REGION DIST					MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.				
CAPRI S LOCKHEED SAC PEAK HONOLULU MCMATH LOCKHEED	AUG 1963															
	06	1350 E	1433 U	1943 U	N12 W06	6909	43 D	1	2	1403	1.90	2.10				
	06	1939 U	1950 U	1941	N09 W21			1-	1	1943	.30	.30		10		
	06	1940	1942 D	1942	N10 W21			1-	1		.29	.29		17		
	06	1940	1948		N11 W21			1-	3	1942	1.10	1.10				
	06	1941	1950		N10 W21	6909		1-	2	1942	.30	.30				
	06	2251 U	2322 U	2257 U	N12 W23			1-	1	2257	.20	.20		10		
ISTANBUL	07	0140	0500	NO FLARE	PATROL											
	07	0728 E	0736 D		N15 W44			1-								
	07	1240	1250	NO FLARE	PATROL											
	07	1624 E	1637	1626 U	N13 W48			1-	2		.39	.47		16		
	07	1650	1655	NO FLARE	PATROL											
	07	2235	2400	NO FLARE	PATROL											
	08	0103	0110	NO FLARE	PATROL											
HONOLULU	08	0145	0555	NO FLARE	PATROL											
	08	0900	0915	NO FLARE	PATROL											
	08	1105	1115	NO FLARE	PATROL											
	08	1120	1135	NO FLARE	PATROL											
	08	1150	1155	NO FLARE	PATROL											
	08	1315	1320	NO FLARE	PATROL											
	08	1325	1335	NO FLARE	PATROL											
	08	1355	1400	NO FLARE	PATROL											
	08	1500	1505	NO FLARE	PATROL											
	08	1510	1515	NO FLARE	PATROL											
	08	1540	1545	NO FLARE	PATROL											
	08	1640	1645	NO FLARE	PATROL											
	08	1715	1720	NO FLARE	PATROL											
	08	1810	1820	NO FLARE	PATROL											
	08	2322	2330	2324	N37 W67			1-	2	2324	.93	1.70				
	09	0135	0510	NO FLARE	PATROL											
LOCKHEED LOCKHEED	09	0900	0905	NO FLARE	PATROL											
	09	0920	0935	NO FLARE	PATROL											
	09	0940	1030	NO FLARE	PATROL											
	09	1150	1200	NO FLARE	PATROL											
	09	1250	1310	NO FLARE	PATROL											
	09	1445	1450	NO FLARE	PATROL											
	09	2234	2340	2245	N07 W80	6908	66	1	2	2245	.90	2.30		20		
09	2305	2324	2313	N07 W85			1-	2	2313	.50	1.50		10			
ARCETRI LOCKHEED LOCKHEED	10	0035	0150	NO FLARE	PATROL											
	10	0215	0445	NO FLARE	PATROL											
	11	0205	0505	NO FLARE	PATROL											
	11	1000 E			N10 W86			1-	1	1000	.33	1.43				
	11	1708	1715	1711	N07 W85			1-	2	1711	.10	.30		10		
	11	1827	1850	1841	N19 W90	6909	23	2	2	1841	1.30	6.50		10		
	11	1935	2000	1948	N10 W90	6909	25	2	2	1948	1.30	6.50		10		
11	2357	0006	0001	N18 W90	6909	9	1	2	0001	1.00	5.00		10			

COMETICE - STORMARD - BOULDER

SOLAR FLARES

AUGUST 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT	
		START	END	APPROX LAT	MER DIST.	MCNATH PLACE REGION				TIME — U T	MEAS AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX WIDTH R _h		MAX INT. F ₂
HAUTE-PROV HAUTE-PROV	AUG 1963														
	12	0200	0600	NO FLARE	PATROL										
	12	0915	0930	NO FLARE	PATROL										
	12	0950	1005	NO FLARE	PATROL										
	12	1010	1030	NO FLARE	PATROL										
	12	1045	1100	NO FLARE	PATROL										
	12	1105	1200	NO FLARE	PATROL										
	12	1745	2020	NO FLARE	PATROL										
	13	0210	0505	NO FLARE	PATROL										
	13	0735	0745	NO FLARE	S18 E68			1-		0737	.60				
CAPRI S	13	0906	0935	NO FLARE	S18 E68			1-		0916	.60				
	13	1000	1015	NO FLARE	PATROL										
	13	1020	1055	NO FLARE	PATROL										
	13	1110	1155	NO FLARE	PATROL										
	13	1210	1255	NO FLARE	PATROL										
	13	1300	1345	NO FLARE	PATROL										
	14	0210	0500	NO FLARE	PATROL										
	14	1110	1130	NO FLARE	PATROL										
	14	1224	1244	NO FLARE	S10 E53			1-		1232	.70	1.10			
	14	1345	1350	NO FLARE	PATROL										
ARCETRI	14	1355	1415	NO FLARE	PATROL										
	14	1500	1520	NO FLARE	PATROL										
	14	1540	1550	NO FLARE	PATROL										
	14	1600	1625	NO FLARE	PATROL										
	14	2330	2335	NO FLARE	PATROL										
	15	0205	0515	NO FLARE	PATROL										
	15	0525	0605	NO FLARE	PATROL										
	15	0830	0905	NO FLARE	N10 E70			1-		0839	.56	1.28			
	15	0910	1135	NO FLARE	PATROL										
	15	1357	1500	1402	N11 E05	6923		1-		1402	.60	.60			
HONOLULU	15	1740	1745	NO FLARE	PATROL										
	16	0116	0120	0116	S12 E31	6924	4 D	1		0116	2.30	2.50			
	16	0130	0455	NO FLARE	PATROL										
	16	0954	1005	D	S10 E22			1-		0954	1.30	1.45			
	16	1640	1740	1650	S12 E21			2		1650	.40	.40		10	
	16	1640	1740	1710	S12 E21			1-							
	16	1642	1653	1646	S13 E22	6924		1-		1646	.60	.70			
	16	1704	1738		S13 E22	6924		1-		1712	.80	.90			
	16	2130	2150	D	S13 E20	6924		1-		2130	.40	.40			
	LOCKHEED HONOLULU	17	0000	0015	NO FLARE	PATROL									
17		0055	0120	0101	S11 E17			1-		0101	.40	.40		10	
17		0057	0107	0100	S11 E17			2		0100	1.85	1.90			
17		0155	0510	NO FLARE	PATROL										
17		0515	0550	NO FLARE	PATROL										
17		0815	0900	NO FLARE	PATROL										
17		0905	1115	NO FLARE	PATROL										
17		1425	1445	NO FLARE	PATROL										

SOLAR FLARES

AUGUST 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION		DURATION — MINUTES	IM. PORTANCE	CISE COND.	TIME — UT	MEASUREMENTS			MAX. WIDTH — IN.	MAX. INT. — %	PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MER. DIST.					MC-MATH FLARE REGION	AREA — Sq. Deg.	CORR. AREA — Sq. Deg.			
[ONOREJOV WENOEL	AUG 1963	17 1446 E	1458 0	S12 E10		6924	12 0	1	1	1447		3.00	2.40		S-SWF
		17 1446	1502	S12 E10		6924	16	1							
		17 1500	1610	PATROL		6924									
		17 1540	1618 0	NO FLARE			38 0	1+							
		17 1610 E	1640	S12 E09		6924		1+							
		17 1815	1842	S13 E05				1-							
		17 1908	1916	N12 E34				1-							
		17 2104	2110	S08 E85				1-							
		17 2107	2128	N09 E39				1-							
		17 2123	2140	S13 E05				1-							
[LOCKHEE		17 2155	2218	S13 E05				1-							S-SWF
		17 2155	2218	S13 E05				1-							
		17 2257	2355	S13 E04		6924	58	1							
		17 2257	2355	S13 E04		6924	17	1+							
		17 2258	2315	S12 E06		6924		1+							
		18 0147	0157	S13 E05				1-							
		18 0200	0515	NO FLARE				1-							
		18 0653	0659 0	S14 E03				1-							
		18 0900	0910	NO FLARE											
		18 0940	0950	NO FLARE											
[HAUTE-PROV		18 0955	1105	NO FLARE											
		18 1108	1123	PATROL											
		18 1142	1230	S10 E85				1-							
		18 1258	1327	S10 E85				1-							
		18 1258 E	1335 0	S08 E80		6932	29	1				2.51			
		18 1300	1335	S10 E85		6932	37 0	1+				5.00			
		18 1309 E	1320 0	S10 E85				1-							
		18 1506	1521	S06 E85				1-							
		18 1509	1525	S14 E01				1-							
		18 1511	1523	S14 W04				1-							
[LOCKHEE		18 1713	1723	S14 W05		6924		1-							
		18 1713	1723	S14 W05				1-							
		18 1718 E	1719 0	S12 W06				1-							
		18 1718 E	1719 0	S12 W07				1-							
		18 1752	1800 0	S13 W05		6924	8 0	1+							
		18 1757	1845	S13 W06		6924	48	1							
		18 1757	1845	S13 W06		6924	7 0	2							
		18 1758	1805 0	S13 W07		6924	15 0	1							
		18 1800 E	1815 0	S12 W08				1							
		18 1804 E	1838	S12 W08				1-							
[LOCKHEE		18 1816 E	1844	S12 W07		6924	28 0	1-							S-SWF
		18 1816 E	1844	S12 W07				1-							
		18 2134	2210	S12 W08				1-							
		18 2136	2154	S12 W07		6924	18	1+							
		18 2300	2320	S06 W15				1-							
		18 2324	2326	S13 W07				1-							
		18 2324	2332	S13 W07				1-							
		18 2324	2333	S12 W09				1-							
		18 2324	2333	S12 W09				1-							
		[LOCKHEE		19 0104	0132	S12 W10		6924	28	2					
19 0104	0132			S12 W10				2							
19 0200	0605			PATROL				1-							
19 0710	0720			S07 W16											
19 0855	0940			PATROL											
19 0950	1000			NO FLARE											
19 1015	1055			NO FLARE											
20 0205	0505			NO FLARE											

COMMERCE - STANDARDS - BULLER

SOLAR FLARES

AUGUST 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION			DURATION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT	MER DIST	MCNATH PLACE REGION				TIME U.T.	MEAS AREA Sq Deg	CORR AREA Sq Deg	MAX WIDTH Ho	MAX INT %
[] MCNATH CAPRI S HAUTE-PROV OTTAWA MCNATH	20 1963	1354	1440	1358	S10 W34	6924		1-	1	1358	.80	1.00		
	20	1355	1419		S10 W34			1-	2	1406	1.20	1.40		
	20	1358	1415		S12 W30			1-						
	20	1406 E	1432		S11 W33	6924	26 D	1-	1	1411	3.03	3.21		
[] CAPRI S CAPRI S MCNATH MCNATH HAUTE-PROV	20	2120	2128	2121	S12 E50	6932		1-	2	2121	.10	.20		
	20	2300	2350	NO FLARE	PATROL									
	21	0150	0600	NO FLARE	PATROL			1-	1	0609	.90	.90		
	21	0606 E	0655 D		N09 W16	6927	23 D	1-	2	1205	2.00	2.20		
[] CAPRI S CAPRI S MCNATH MCNATH HAUTE-PROV	21	1202 E	1225	1210	N07 W18	6927		1-	2	1210	.80	.80		
	21	1207	1227	1340	N07 W18	6927		1-	2	1340	.70	.70		
	21	1327	1358	1411	S11 E39	6932		1-	2	1411	.50	.70		
	21	1408	1420	1429	S10 W33	6924	16	1-	3	1425	1.00	1.70		
[] OTTAWA CAPRI S CAPRI S MCNATH ZURICH	21	1418	1435	1429	S10 W51	6924	20 D	1-	1	1429	1.81	2.10		
	21	1419	1435	1444	S11 W51	6924		1-	2	1430	.80	.80		
	21	1420 E	1440 D	1430	S09 W49	6924	13 D	1-	3	1430	2.00	2.00		
	21	1421 E	1438		S11 E39	6932		1-	2	1430	.30	.50		
[] MCNATH CAPRI S CAPRI S MCNATH MCNATH	21	1429	1445	1516 D	N10 W16	6924		1-	1	1452	2.00	2.10		
	21	1445 E	1522 D		S08 W10	6927		1-	1	1500	1.50	1.50		
	21	1521	1605		N08 W20	6927		1-	1	1540	.50	.50		
	21	1556	2035		S07 W13	6930		1-	1	1601	.30	.30		
[] MCNATH MCNATH HONOLULU MCNATH LOCKHEED	21	1612	1730	1616	N08 W13	6927		1-	1	1616	.30	.30		
	21	1738	1802	1747	N08 W22	6927		1-	2	1747	.60	.60		
	21	1742	1755	1744	S09 E40	6932		1-	2	1744	.40	.50		
	21	1808	1820	1810	N07 W21	6927		1-	2	1810	.93	.93		
[] MCNATH LOCKHEED MCNATH LOCKHEED	21	1845	1905 D	2037	N08 W23	6924	20	1-	1	1848	.50	.60		20
	21	2035	2055	2052	S09 W53	6924	16	1+	2	2037	3.60	3.80		
	21	2036	2052	2345	S10 W55	6924		1-	2	2038	2.00	3.30		10
	21	2337	2400		S10 W19			1-	2	2345	.30	.30		
[] HAUTE-PROV ARCTRI ARCTRI HAUTE-PROV WENDEL SAC PEAK SAC PEAK	22	0005	0025	NO FLARE	PATROL									
	22	0035	0045	NO FLARE	PATROL									
	22	0115	0505	NO FLARE	PATROL			1-	2	0943	.29	.53		
	22	0727	0745		S10 W60			1-	2	0930	1.50	1.79		
[] ARCTRI ARCTRI HAUTE-PROV WENDEL SAC PEAK SAC PEAK	22	0925	1000 D		S10 W60			1-	2	0942	.36	.41		
	22	0915	0944 D		N08 W33			1-	2					
	22	0937	0942		N09 W29			1-	2					
	22	0942	0945		N08 W29			1-	2					
[] LOCKHEED LOCKHEED LOCKHEED LOCKHEED	22	1448 E	1502 D	1610	S06 W30			1-	2		.43	.72		16
	22	1543	1617	1915	S15 W61			1-	2		.43	.72		16
	22	1910	1941 D		S15 W61			1-	2		.30	.30		10
	23	0032	0053	0035	N08 W37			1-	2	0035	.30	.30		10
[] LOCKHEED LOCKHEED LOCKHEED LOCKHEED	23	0235	0530	NO FLARE	PATROL									
	23	1710	1725	NO FLARE	PATROL									
	23	2210	2230	2215	S05 W48			1-	2	2215	.40	.90		10
	24	0125	0600	NO FLARE	PATROL									
[] LOCKHEED LOCKHEED	24	1030	1040	NO FLARE	PATROL									
	24													

SOLAR FLARES

AUGUST 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM. POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT			
		START	END	MAX. PHASE	APPROX.				MACMATH FLARE REGION	TIME — U.T.	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.		MAX. WIDTH H ₃₀₀₀	MAX. INT. %	
					LAT.											MER. DIST.
ONDREJOV OTTAWA LOCKHEED HONOLULU	24 AUG 1963	1045	1055	NO FLARE	PATROL		1-	3	1146	1.05		2.10	10			
	24 1144	1153	1416		N07 W57		1-	2	1416	.90						
	24 1408	1424	1646		S14 W90		1-	2	1646	.62						
	24 1643	1656	2337		S10 W03		1-	2	2337							
	24 2336	2343			N08 W64											
	25 0200	0625	NO FLARE	PATROL		1-	1	1142	.64	1.37						
	25 1139	1153	1142		N05 W74		1	1	1143	.70	2.60					
	25 1140	1200	1143		N05 W75	20 D	1	1	1418	.30	1.10					
	25 1415	1423	1418		S06 W71		1-	1	1418	.31	.90					
	25 1914	1920	1916		N15 W16		1	2	1916	.30	.90		10			
MCWATH HONOLULU LOCKHEED MCWATH	25 2037	2053	2043		S06 W85		1-	2	2043	.40	.90					
	25 2206	2214	2209		S06 W89	6930	1-	1	2209	.10						
	26 0200	0600	NO FLARE	PATROL			1-									
	26 0637	0647	D		N08 W83		1-									
	26 0832	0840	D		N08 E72		1-									
	26 1059	1125			N08 E70	6942	1	1		3.00						
	26 1355	1418			N08 E72		1-	1	1400	.10	.30					
	26 1703	1710	D		N10 E70	6942	1	2	1706	1.17	2.21					
	26 1703	1711	1706		N08 E70		1	1	1706	.40	1.20					
	26 1754	1805	1758		S12 E21	6944	1-	1	1758	.30	.30		10			
LOCKHEED LOCKHEED LOCKHEED HONOLULU	26 1820	1920	1830		S12 E20		1-	2	1830	.30	.30		10			
	26 2208	2216	2211		N09 E68		1-	2	2211	.20	.40		10			
	26 2230	2241	2234		N09 E65		1-	2	2234	.40	.70		10			
	26 2302	2330	2306		N06 E66		1-	2	2306	.40	.70		10			
	26 2304	2318	2306		N06 E64		1-	2	2306	.83	1.40		10			
	27 0100	0125	0113		N09 E65		1-	2	0113	.30	.50		10			
	27 0210	0540	NO FLARE	PATROL												
	27 0550	0600	NO FLARE	PATROL												
	27 0800	0805	NO FLARE	PATROL												
	27 0810	0845	NO FLARE	PATROL												
WENDEL MCWATH OTTAWA LOCKHEED	27 0915	0925	NO FLARE	PATROL												
	27 0919	0936	D		N08 E61		1-									
	27 1005	1100	NO FLARE	PATROL												
	27 1140	1233			N08 E60	6942	1	2	1223	1.10	2.20					
	27 1221	1232	1223		N09 E60		1	3	1223	2.16	3.20					
	28 0009	0028	0017		S13 E04		1-	2	0017	.10	.10		10			
	28 0200	0535	NO FLARE	PATROL												
	28 0555	0600	NO FLARE	PATROL												
	28 0815	0850	NO FLARE	PATROL												
	28 0935	1000	NO FLARE	PATROL												
LOCKHEED	28 1250	1255	NO FLARE	PATROL												
	28 1500	1510	NO FLARE	PATROL												
	29 0045	0610	NO FLARE	PATROL												
	29 0800	0810	NO FLARE	PATROL												
	29 0820	0825	NO FLARE	PATROL												
	29 0830	0840	NO FLARE	PATROL												
	29 0830	0840	NO FLARE	PATROL												
	29 0830	0840	NO FLARE	PATROL												
	29 0830	0840	NO FLARE	PATROL												
	29 0830	0840	NO FLARE	PATROL												

COMMENCE - STANDARD - BULLET

SOLAR FLARES

AUGUST 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT	
		START	END	APPROX. LAT.	MER DIST				MC-MATH PLACE REGION	TIME — U T	MEAS AREA Sq Deg	CORR. AREA Sq Deg		MAX WIDTH Ha
LOCKHEED	AUG 1963													
	29	0845	0850	NO FLARE	PATROL									
	29	0855	0905	NO FLARE	PATROL									
	29	0910	0920	NO FLARE	PATROL									
	29	0925	0935	NO FLARE	PATROL									
	29	0945	0950	NO FLARE	PATROL									
	29	0955	1005	NO FLARE	PATROL									
	29	1010	1135	NO FLARE	PATROL									
	29	1215	1240	NO FLARE	PATROL									
	29	1245	1305	NO FLARE	PATROL									
	29	1315	1320	NO FLARE	PATROL									
	29	1325	1400	NO FLARE	PATROL									
	29	1545	1550	NO FLARE	PATROL									
	29	1605	1610	NO FLARE	PATROL									
	30	0155	0525	NO FLARE	PATROL									
	30	0545	0600	NO FLARE	PATROL									
	30	1005	1120	NO FLARE	PATROL									
	30	1705	1735	NO FLARE	PATROL									
	30	1750	1800	NO FLARE	PATROL									
	30	1850	1855	NO FLARE	PATROL									
	30	2110	2400	NO FLARE	PATROL									
31	0000	0005	NO FLARE	PATROL										
31	0010	0025	NO FLARE	PATROL										
31	0023 E	0045	0023 U	N09 E16		1-	2	0023	1.00	1.00		20		
31	0130	0700	NO FLARE	PATROL										
31	0815	0850	NO FLARE	PATROL										
31	0930	0945	NO FLARE	PATROL										
31	1005	1400	NO FLARE	PATROL										
31	1540	1555	NO FLARE	PATROL										
31	1615	1620	NO FLARE	PATROL										
31	1630	1655	NO FLARE	PATROL										
31	1700	1705	NO FLARE	PATROL										

CONFIDENTIAL - SECURITY INFORMATION

ATHENS, GREECE
BAKOU, USSR
CAPE TOWN
CAPRI F, ITALY (GERMAN)
CAPRI S, ITALY (SWEDISH)
CRIMEE
HERSTMONCEU
HTE-PROVEN
IRKUTSK, USSR
CAPE OF GOOD HOPE
CAPRI, ITALY (GERMAN)
CAPRI, ITALY (SWEDISH)
SIMEIZ, USSR
ROYAL GREENWICH OBSERVATORY,
HERSTMONCEUX, ENGLAND
HAUTE-PROVENCE

HONOLULU
IKOMASAN
KIEV KY
LOCKHEED
MC-MATH
MOSCOW
NEW SCHAUN FREIBURG, GFR

HAWAII, JAPAN
KYOTO, JAPAN
KIEV GAO, USSR
KIEV UNIVERSITY, USSR
LOS ANGELES, CALIF., USA
MC-MATH-HUBERT
PONTIAC, MICH., USA
MOSCOW-GAISH, USSR
NEW SCHAUN FREIBURG, GFR

NERA
NEDERHORST den BERGH,
NETHERLANDS
KRASNAYA PAKHRA, USSR
SAC PEAK
SACRAMENTO PEAK, N. MEX. USA
STOCKHOLM, SWEDEN
SCHAUINSLAND, GFR
TASHEENT, USSR
WENDELSTEIN, GFR

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.


SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SACRAMENTO PEAK.

E = LESS THAN D = GREATER THAN U = APPROXIMATE □ = NOT REPORTED.

INTERVALS OF NO FLARE PATROL OBSERVATIONS

IIIi

AUGUST 1963



Observatories Include:

Arcetri
Athenes
Haute-Provence

Herstmonceux
Honolulu
Huancayo

Istanbul
Lockheed
McMath-Hulbert

Ondrejev
Ottawa
Sacramento Peak

SOLAR FLARES

MAY 1963

OBSERVATORY	DATE MAY 1963	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION MINUTES	IN- POR- TANCE	OBS. COND.	TIME U T	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	APPROX. LONG.	REGION					WEAS. AREA Sq Deg.	CORR. AREA Sq Deg.	MAX WIDTH H _z	
[MANILA ONDREJOV KODAIKNL HTE-PROVEN CAPETOWN NIZMIR	01	0155	0300											SL-S-SWP
	01	0440	0510				102	3			25.80		3.70	
	01	0513	0655				108	2+	3	0546			1.92	
	01	0525	0713				11 D	2U	1	0610				
	01	0600	0611				122 D	3		0608	8.80	13.70		
	01	0608	0810				81 D	2		0639	17.12	10.40		
	01	0639	0800				44 D	1+					.62	
	01	0656	0740											
	02	0230	0240											
	02	0250	0255											
MANILA MANILA UCCLE	02	0533	0538					1-						
	02	0545	0548					1-						
	02	1530	1643					1-						
	02	1725	1729					1-						
	03	2335	2340											
[CAPRI-F MANILA	04	0617	0655					1-	3	0617	.33	.66		
	04	0628	0645					1-						
MANILA MANILA	05	0145	0205											
	05	0210	0225											
	05	0230	0235											
	05	0314	0326					1-						
	05	0328	0335					1-						
MANILA [HTE-PROVEN CAPETOWN UCCLE	05	0410	0435											
	05	0440	0445											
	05	0813	0825					1-						
	05	1047	1110					1-						
	05	1057	1117					1-		1059	1.10	1.20		
CLIMAX	05	1107	1115					1-						
	06	0005	0031					1-						
[TACHENT MANILA [HTE-PROVEN KHARKOU	06	0150	0220											60
	06	0502	0530											
	06	0503	0526				23	1-	2	0504	.67	.08		
	06	0509	0529					1-						
	06	0552	0602					1-						
[UCCLE ONDREJOV KHARKOU UCCLE	06	0917	1050				93 D	1+	3	1023	8.01	8.80	1.40	
	06	0944	1030					1-	1	1000			1.80	
	06	0950	1010					1-	1	1117			1.40	
	06	1105	1209				64 D	1+	3	1146	.25	.27		
	06	1142	1152					1-	2	1240	1.30	.70		
[CAPRI-F CAPETOWN CLIMAX	06	1237	1257					1-						
	06	1238	1258				47 D	1						
	06	2350	0037											
CLIMAX UCCLE	07	0046	0053					1-						
	07	1111	1115					1-						

SOLAR FLARES

MAY 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION		DURATION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT	
		START	END	APPROX. LAT.	MATH PLACE REGION				TIME — U T	MEAS. AREA Sq Deg.	CORR. AREA Sq Deg.	MAX WIDTH Ha		MAX INT. °
UCCLE UCCLE UCCLE CAPRI-F UCCLE UCCLE	MAY 1963													
	07	1152	1155	S14 E04			1-							
	07	1214	1244	S13 W01			1-							
	07	1312 E	1329	S13 E01			1-							
	07	1500	1528	S14 E00	6796	28				2.00	2.60			
	07	1503 E	1545 D	S14 E03	6796	42 D		2	1511	3.00	3.10			
	07	1548	1602	S14 W01			1-							
MANILA CAPRI-F UCCLE	07	1640	1645 D	S14 W01			1-							
	07	1855	1900	PATROL										
	07	1905	1925	NO FLARE										
	07	1935	1945	NO FLARE										
	07	1950	2050	NO FLARE										
	07	2125	2155	NO FLARE										
	07	2210	2300	NO FLARE										
CAPRI-F CLIMAX CAPRI-F CLIMAX CLIMAX CLIMAX	08	0200	0205	NO FLARE										
	08	0210	0220	NO FLARE										
	08	0515	0525	S05 E90			1-							
	08	0602 E	0606 D	N01 W24			1-	2	0602	.25	.27			
	08	0841	0856	S14 W12			1-		0843					
	09	0200	0215	NO FLARE										
	09	0220	0240	NO FLARE										
MANILA ONDRÉJOV CAPRI-F MANILA	09	1045 E	1120 D	S13 W22			1-			1045	.50	.53		
	09	1626	1638	S13 W25			1-	3			.20	.20		
	09	1635 E	1642 D	S13 W21			1-	1		1642	.50	.55		
	09	1811	1819	S13 W25			1-				1.30	1.30		
	09	1954	2000 D	S13 W25			1-			1958	.10	.10		
	09	2057	2109	S13 W25			1-				.20	.20		
	10	0105	0112	S10 W32			1-							
HTE-PROVEN SCHAUINS MANILA	10	0215	0245	NO FLARE										
	10	0435	0450	NO FLARE										
	10	0555	0605	NO FLARE										
	11	1417 E	1445 D	S09 E43			1-							
	11	1458 E	1500 D	S13 W51			1-	2	1428	.50	.71	2.60		
	12	0100	0106	S09 W55			1-	1	1458					
	12	0145	0155	NO FLARE										
KODAIKNL HTE-PROVEN	12	0200	0205	NO FLARE										
	12	0215	0225	NO FLARE										
	12	0517	0548	S08 E34			1-							
	12	0728 E	0733 D	N12 W59			1-	2			2.00			
	12	0900	0912	N06 E90			1-							
	13	0140	0215	NO FLARE										
	13	0220	0225	NO FLARE										
HTE-PROVEN	13	0230	0240	NO FLARE										
	13	0240 E	0300	N11 E17	6802	20 D	1	2	0246	4.50	4.70	1.60	122	
	13	0355	0405	NO FLARE										
13	0646	0708	N09 E90			1-								

COMBINE - STATIONS - DOUBLE

SOLAR FLARES

MAY 1963

OBSERVATORY	DATE	OBSERVED UNIVERSAL TIME		LOCATION			DUBAI TATION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT	
		START	END	APPROX. LAT.	MER DIST.	REMARKS PLACE REGION				TIME — UT	MEAS. AREA Sq. Deg.	COBR. AREA Sq. Deg.	MAX WIDTH H _{fo}		MAX INT. %
HTE-PROVEN UCCLE CLIMAX	MAY 1963														
	13	0733 E	0741 D	N09 E90		6805	86 D	1-			3.00	7.00			
	13	1418 E	1544 D	N08 E88		6805	12	1+			.90	2.20			
UCCLE	13	2230	2242	N10 E80		6805		1							
	14	0200	0205	NO FLARE	PATROL			1-							
	14	0215	0230	NO FLARE	PATROL										
MANILA	14	1411	1419 D	N07 E74											
	15	0150	0255	NO FLARE	PATROL										
	15	0204	0230	0215	N10 W10	6802	26	1			1.34				
CRIMEE	15	0656	0746	N09 E63		6805	50	1	1	0708	1.10	2.30			
	15	0659	0732	N09 E61		6805	33	1		0707					
	15	0702 E	0724	N05 E58		6805	22 D								
CAPETOWN	15	1139 E	1152 D	N10 W14				1-			1.50	1.60			
	15	1142 E	1156	N10 W14		6802	14 D		2	1142	1.00	1.06			
	15	1249	1314	N12 W85		6794	25	1		1255	.60				
CAPETOWN	15	1649	1705	N03 W88				1-			.40	1.10			
	15	1711	1720	N12 W17				1-			1.30	1.30			
	15	1940	1948	N12 W18				1-			.60	.60			
CLIMAX	15	2305	2310	NO FLARE	PATROL										
	16	0057	0106 D	N10 E50				1-			.60	.80			
	16	0125 E	0138	N05 E45				1-							
MANILA	16	0130	0155	NO FLARE	PATROL										
	16	0205	0230	NO FLARE	PATROL										
	16	0240	0300	NO FLARE	PATROL										
MANILA	16	0559 E	0602	N06 E44				1-							
	16	0859 E	0906	N06 E42				1-							
	16	0900	0905	N09 E43				1-	3	0901					
ONDRÉJOV UCCLE	16	1052	1059	N05 E45				1-							
	16	1345 E	1412	S09 W33				1-							
	16	1428	1442	N06 E45				1-							
UCCLE	16	1428	1442	N06 E45				1-							
	17	0135	0154	N12 W13		6803	19	1							
	17	0200	0315	NO FLARE	PATROL										
MANILA	17	0325	0450	NO FLARE	PATROL										
	17	0521	0526	N12 W15				1-							
	17	1945 E	2000	N06 E22				1-			1.60	1.60			
CLIMAX	17	1945 E	2000	N06 E22											
	18	0115	0140	NO FLARE	PATROL										
	18	0150	0220	NO FLARE	PATROL										
CAPETOWN	18	0230	0235	NO FLARE	PATROL										
	18	0717	0736	N10 E20				1-		0720	1.20	1.30			
	18	0718	0724	N09 E18				1-							
HTE-PROVEN NIZMIR	18	0718	0724	N09 E18				1-							
	18	0723 E	0727	N09 E21				1-							
	18	0723 E	0735	N09 E19				1-	3	0724	1.34	1.06		.65	
CAPRI-F	18	0746	0755	N09 E12				1-			1.00				
	18	0751 E	0757 D	N07 E13				1-			.33	.31			
	18	0751 E	0757 D	N07 E13				1	1	0751	1.82				
CAPRI-F BAKOU	18	0930 E	1027 D	N11 W59		6802	57 D	1	2						50
	18	0930 E	1027 D	N11 W59		6802		1							
	19	0030	0044	S05 W55				1-							
MANILA	19	0030	0044	S05 W55				1-							

COMMISSION - STANDARDS - BULLOGE

SOLAR FLARES

MAY 1963

OBSERVATORY	DATE MAY 1963	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	TIME — UT	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX. LAT.	MER. DIST.					MAGN. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H _g	
MANILA MANILA MANILA MANILA [HTE-PROVEN MANILA [ABASTUMANI CAPETOWN [HTE-PROVEN MANILA CAPETOWN CAPRI-F	19	0030	0400	NO FLARE			1-						
	19	0036	0045	0040			1-						
	19	0158	0208	0201		6803	1-						
	19	0303	0315				1-						
	19	0350	0403	0355			1-						
	19	0435	0445	NO FLARE			1-						
	19	0525	0530	NO FLARE			1-						
	19	0544	0546				1-						
	19	0544	0553	0540			1-						
	19	0700	0712 D	0702			1-						
CAPETOWN CAPRI-F	19	0702	0714	0703			1-			1.62	1.70		70
	19	0703	0712 D				1-			1.60	1.60		
	19	0710 E	0715				1-						
	19	0939	0946	0941		6805	1-			.80	1.20		
	19	1404 E	1412 D	1404			1-			1.00	1.50		
	19	1955	2000	NO FLARE			1-						
	19	2005	2010	NO FLARE			1-						
	19	2135	2315	NO FLARE			1-						
	20	0140	0150	NO FLARE			1-						
	20	0155	0200	NO FLARE			1-						
CAPETOWN CAPETOWN MANILA NIZMIR CAPETOWN NIZMIR MANILA [HTE-PROVEN CAPETOWN BAKOU [HTE-PROVEN CAPRI-F NIZMIR [BAKOU HTE-PROVEN HTE-PROVEN	20	0649	0701	0649		6803	1-			.20			
	20	0655	0714	0658			1-			1.10	2.30		
	20	0716	0728	0720			1-						
	20	0718	0720 D				1-			1.34		.76	
	20	0728	0756	0739		6803	1-			.50			
	20	0730	0738	0737		6802	1-			.90		.50	
	20	0731	0736	0738			1-						
	20	0816 E	0823				1-						
	20	0817 E	0824	0819			1-			.80	1.60		
	20	0819 E	0825 D	0820			1-			1.82			60
HTE-PROVEN CAPRI-F NIZMIR [BAKOU HTE-PROVEN HTE-PROVEN	20	0910 E	0941	0918		6803	1			1.20	2.40		
	20	0914 E	0922 D	0914			1			.50	.90		
	20	0917 E	0943	0917			1+			3.15		.70	
	20	0925 E	1010 D	0932			1+			2.28			80
	20	1310	1326				1-						
	20	1520	1610				1-						
	20	1633	1648				1-						
	20	2040	2045	NO FLARE			1-						
	20	2145	2150	NO FLARE			1-						
	20	2200	2225	NO FLARE			1-						
CLIMAX	20	2303 E	2315				1-			.40			
	21	0200	0240	NO FLARE			1-						
	21	0255	0410	NO FLARE			1-						
	21	0412	0425	0414		6805	1			1.09	1.20		75
	21	0419 E	0425				1						
	21	1155 E	1215 D				1			.88			60
	21	1200 E	1202 D	1200			1			1.00	1.10		
	21	2200	2255	NO FLARE			1						
	21	2300	2320	NO FLARE			1						
	21	2300	2315				1						
TACHKENT MANILA KIEVKO CAPRI-F	21	0255	0410	NO FLARE			1-						
	21	0412	0425	0414			1						
	21	0419 E	0425				1						
	21	1155 E	1215 D				1						
	21	1200 E	1202 D	1200			1			1.00	1.10		
	21	2200	2255	NO FLARE			1						
	21	2300	2320	NO FLARE			1						
	21	2300	2315				1						
	21	0200	0240	NO FLARE			1						
	21	0255	0410	NO FLARE			1						

SOLAR FLARES

MAY 1963

OBSERVATORY	DATE MAY 1963	OBSERVED UNIVERSAL TIME			LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS. COMS	TIME — UT	MEASUREMENTS			PROVISIONAL IONOSPHERIC EFFECT
		START	END	MAX PHASE	APPROX. LAT. MER DIST	MEMPHIS PLACE REGION					MEAS AREA Sq Deg	COOR AREA Sq Deg	MAX WIDTH H ₃₀₀₀	
MANILA	22	0210	0225	NO FLARE	PATROL		1-							
	22	0857	0905	0300	N09 W38									
	23	0145	0210	NO FLARE	PATROL		1-	3	0525			2.30		
	23	0520	0530		N04 W65									
	23	0823	0855	0836	N05 W62	6814	1-							
	23	1022	1032	1025	N06 W67	6814	1		1025	.90	2.20			
	23	1229	1302	1231	N06 W67	6814	1		1231	1.20	2.90			
	23	1230	1257	1232	N05 W65		1-			.60	1.00			
	23	1230	1305	1240	N04 W69	6814	35 D	3	1240	1.50		2.00	S-SMF	
	23	1239	1316	1247	N03 W67	6814	37 D	2	1242	1.03	1.01			
CAPRI-F	23	1410	1501	1457	N05 W73		1-	1	1410	.40	.60		60	
	23	1454	1507		N04 W70	6814	11 D	3	1458	.80		3.60		
	23	1456	1507		N04 W70		1-			.40	.80			
	23	1511	1524	1520	N04 W70		1+	3	1521	.70		5.00		
	23	1512	1531	1521	N05 W70	6814	4 D	1		1.00				
	23	1520	1524		N05 W70		1							
	23	1549	1553		N05 W70	6814	4							
	24	0135	0140	NO FLARE	PATROL									
	24	0200	0210	NO FLARE	PATROL									
	24	0201	0214	0206	N07 W60	6805	13	1				2.30		
MANILA	24	0528	0538	0531	N06 W65	6805	10	3	0531					
	24	0529	0534		N08 W66		1-							
	24	0540	0556	0544	N12 E61	6812	16 D	-		1.80	4.20		62	
	24	0543	0555	0549	N09 E60		1-							
	24	0543	0603	0546	N12 E56	6812	20	3	0546	.60	1.60	2.30		
	24	0642	0648	0644	N09 W68		1-		0644					
	24	0739	0747	0743	N04 W78		1-	3	0743			2.60		
	24	0746	0743		N06 W72		1-							
	24	0740	0752	0742	N04 W85	6814	12 D	2		1.35	6.90		78	
	24	0741	0750		N05 W80		1-							
CAPETOWN	24	0757	0757	0743	N07 W80	6814	16		0743	.60				
	24	0819	0834		N03 W88	6814	15 D	1		3.00	7.00			
	24	0820	0858	0839	N05 W83	6814	36	1	0839	.90				
	24	0927	0942	0930	N07 W83	6814	15	1	0930	.70				
	24	0929	0934		N05 W80		1-							
	24	1206	1232	1207	N12 E58		1-	3	1207	.30	.54			
	24	1211	1222	1213	N05 W88		1-		1213	.20				
	24	1247	1305	1256	N03 W88	6814	18	1	1256	.90				
	24	1322	1445		N07 W70	6814	83 D			3.00	7.00			
	24	1420	1432		N10 W72		1-							
CAPRI-F	24	1500	1511		N13 E54		1-							
	24	1509	1519		N12 W70		1-							
	24	1515	1533		N10 W68		1-							
	24	1516	1524		N11 W65		1-							
	24	1519	1540	1520	N11 W65	6805	21 D	3	1520	2.00	4.04			
	24	1542	1602		N12 E54		1-							
	25	0129	0135	0129	N08 W84	6805	6 D	1	0129	2.26	2.40	4.38	135	
	25	1622	1626	1623	N05 W84	6805	4			.90				
	25	1622	1626											
	25	1622	1626											

SOLAR FLARES

MAY 1963

OBSERVATORY	DATE MAY 1963	OBSERVED UNIVERSAL TIME		LOCATION			DURA TION — MINUTES	IM- POR- TANCE	OBS COND.	MEASUREMENTS				PROVISIONAL IONOSPHERIC EFFECT		
		START	END	APPROX LAT.	APPROX MER DIST.	MONTH PLAGE REGION				TIME — U.T.	MEAS AREA Sq. Deg.	CORR AREA Sq. Deg.	MAX WIDTH R _g		MAX INT %	
HTE-PROVEN MANILA	25	1704 E	1725	N07 W85				1-								
	26	0300	0315	NO FLARE												
	26	0325	0500	NO FLARE												
	26	0351 E	0403	0355				1-								
HTE-PROVEN MANILA	26	0540	0635	0605		6805	55	1								
	27	0529	0730	0548			121	1								
	27	0553 E	0623	N13 E15	6812		30 D	2				4.40	4.80			
	27	0553	0623	N09 E18	6812		30 D	2				8.25				
HTE-PROVEN TACHKENT	27	0553 E	0655	N14 E16	6812		72 D	1+	2			8.21	8.90	1.80		
	27	0557 E	0715 D	N13 E19	6812		68 D	1+	1			6.30				
	27	0601 E	0730 D	0635			89 D	2	1			5.00	5.30			
	27	0615 E	0617 D	0635			89 D	2	2							
HTE-PROVEN CAPRI-F	27	0635 E	0730 D	0635			55 D	1	2			1.50	2.25			
	27	0826	0910	N13 E49	6815			1-				1.00	1.60			
	27	0929	0951	N15 E48				1-				1.10	1.70			
	27	1026	1038	N14 E48				1-								
HTE-PROVEN CAPRI-F	27	1345	1348	N13 E46				1-								
	27	1401	1415	N12 E49				1-								
	27	1403 E	1537 D	1403		6815	94 D	1	1			3.00	4.20			
	27	1505	1535	1514				1-				.40	.50	2.90		
ONDREJOV CLIMAX	27	1517 E	1533	1514		6815	16 D	1	3							
	27	1545 E	1609 D	N12 E46			24 D	1+	2			4.00				
	27	2140	2145	NO FLARE												
	28	2305	2315	NO FLARE												
ONDREJOV CLIMAX	29	0010	0015	NO FLARE												
	29	0045	0050	NO FLARE												
	29	0200	0300	NO FLARE												
	29	1220 E	1227 D	1221				1-	3			.60	1.80			
ONDREJOV CLIMAX	29	1524 E	1527 D	N13 E21				1-								
	29	2105	2130	NO FLARE				1-								
	29	2145	2150	NO FLARE				1-								
	29	2247	2315	2254				1-	1			1.00	1.00	53		
ONDREJOV MANILA	29	2252	2258	N12 E12				1-				.36				
	30	0125	0300	NO FLARE												
	30	0436 E	0500	0440			24 D	1+	3				3.00			
	30	0437	0505	0441			28	1								
ONDREJOV TACHKENT	30	0438	0504	N10 E11	6815			1								
	30	0746	0814	0750			26	1	3			1.60	2.80	85		
	30	0801 E	0817 D	N13 E10	6815			1-				2.00				
	30	0805 E	0810 D	N14 E08				1-								
ONDREJOV CAPRI-F	30	0934	0955	N12 E11				1-	2			1.00	1.00			
	30	0936	0955	N14 E06				1-				1.00				
	30	1057	1128	N13 E08				1-								
	30	1305	1312	N14 E05				1-								
ONDREJOV CAPRI-F	30	1410 E	1432	1416				1-	3				2.30			
	30	1411	1435	N13 E08				1-								
	30	1412 E	1417 D	1412				1-	2			1.50	1.50			
	30	1412	1417 D	N15 E07												

COMMERCE - STATIONARY - BOULDER

SOLAR FLARES

MAY 1963

OBSERVATORY	DATE MAY 1963	OBSERVED UNIVERSAL TIME		LOCATION		IM- POR- TANCE	OBS. COND.	TIME		MEASUREMENTS		PROVISIONAL IONOSPHERIC EFFECT
		START	END	APPROX LAT. DIST	MEMPHIS PLACE REGION			U T	Sec. Deg	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	
UCCLE CLIMAX	30	1636	1721	N15 E02		1-		1824	*50	*50		
	30	1820 E	1826	N13 E01		1-						
MANILA	31	0000	0220	NO FLARE								
MANILA	31	0340	0355	PATROL		1-						
MANILA	31	0606	0615	N12 W02		1-						
MANILA	31	0721	0755	0611		1-						
ONDRÉJOV	31	0721	0755	N12 W08	0815	1						
SCHAUTINS	31	0728 E	0741	N12 W08		1						
	31	0730 E	0806	N15 W01	6815	3		0729			2*60	
	31	2325	2340	N15 W01	6815	2				4*00		
	31	2345	2355	NO FLARE								
				PATROL								

COMMENCE - STANDARDS - BOLLER

These flare reports are addenda to the May 1963 flares published in CRPL-F 226 B for June 1963

ATHENS	ATHENS, GREECE	HONOLULU	HAWAII, USA	NERA	NEDERHOF den BERCH,
BAKOU	PIRCULI, USSR	IKOMASAN	KYOTO, JAPAN		NETHERLAND
CAPETOWN	ROYAL OBSERVATORY,	KIEV KO	KIEV GAU, USSR	NIZMIR	KRASNOYA PALHRA, USSR
CAPRI F	CAPE OF GOOD HOPE	KIEV KY	KIEV UNIVERSITY, USSR	SAC PEAK	SACRAMENTO PEAK, N. MEX. USA
CAPRI S	CAPRI, ITALY (GERMAN)	LOCKHEED	LOS ANGELES, CALIF., USA	SCHAUTINS	STOCKHOLM, SWEDEN
CRIMÉE	SIMEIZ, USSR	MCNATH	MCNATH-HULBERT	TACHKENT	SCHAUTINSLAND, CFR
HERSTHONCEU	ROYAL GREENWICH OBSERVATORY,	MOSCOW	PONTIAC, MICH., USA	WENDEL	TASHKENT, USSR
	HERSTHONCEUX, ENGLAND		MOSCOW-GAISH, USSR		WENDELSTEIN, CFR
HTE-PROVEN	HAUTE-PROVENCE		NEW SCHAVIN FREIBURG, CFR		

ALL VALUES IN THE MAXIMUM INTENSITY COLUMN FOR SAC PEAK ARE ARBITRARY UNITS (0-40) AND FOR LOCKHEED ARE ARBITRARY UNITS (10-40), NOT PERCENT OF CONTINUOUS SPECTRUM.


SEE DESCRIPTIVE TEXT PUBLISHED NOVEMBER 1961 FOR DEFINITION OF CORRECTED AREA VALUES LISTED FOR CLIMAX, HAWAII, LOCKHEED AND SACRAMENTO PEAK.

E = LESS THAN D = GREATER THAN U = APPROXIMATE □ = NOT REPORTED.

INTERVALS OF NO FLARE PATROL OBSERVATIONS

IIIq

MAY 1963



Observatories Include:

COMMERCE - STANDARDS - BOULDER

Abastumani	Capetown	Haute-Provence	Istanbul	McMath-Hulbert	Ottawa
Arcetri	Capri-F (German)	Herstmonceux	Kharkov	Mitaka	Sacramento Peak
Athènes	Capri-S (Swedish)	Honolulu	Kiev KO	Nizamia	Schauinsland
Bakou	Climax	Huancayo	Kodaikanal	Nizmir	Tachkent
Bucharest	Crimee	Ikomasan	Lockheed	Ondrejov	Uccle
					Voroshilov

IONOSPHERIC EFFECTS OF SOLAR FLARES

SHORT WAVE RADIO FADEOUTS
 SUDDEN COSMIC NOISE ABSORPTION
 SUDDEN ENHANCEMENTS OF ATMOSPHERICS
 SUDDEN PHASE ANOMALIES
 SOLAR NOISE BURSTS AT 18 Mc

JULY 1963

JULY 1963	UNIVERSAL TIME			SWF TYPE	IMPORTANCE					WIDE SPREAD INDEX	STATIONS	KNOWN FLARE
	START	END	MAX		IMP	ABS	SCNA	SEA	SPA			
04	0735	0800		S 2						5	TO MA NE	0734

COMMERCE - STANDARDS - BOULDER

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES
AUGUST 1963

IVa


ARO - OTTAWA

2800 Mc.


AUGUST 1963	TYPE	START UT	DURATION		MAXIMUM			REMARKS
					TIME UT	PEAK FLUX	MEAN FLUX	
2	3 Simple 3	1355	1	15	1410	2	1	
2	3 Simple 3	1730	1	28	1752	2	1	
2	1 Simple 1	2321		2	2322.5	3	1.5	
6	3 Simple 3	1340	1	48	1405	5	2	
7	1 Simple 1	1147.3		1.7	1148.2	2	1	
7	1 Simple 1	1624		6	1625.5	1	0.5	
9	2 Simple 2 f	2234		30	2246.3	300	95	
	4 Post Increase			>26		25	--	
10	1 Simple 1	1354.5		3	1355.8	5	2	
11	1 Simple 1	1127		5.5	1128.5	2	1	
11	1 Simple 1 f	1944		4.5	1946.3	3.4	1.7	
11	1 Simple 1	1957.5		1.5	1958	2	1	
13	6 Complex	2048.8		1.7	2049.3	2	1	
17	6 Complex f	1403.8		3.5	1405.8	8	4.5	
	4 Post Increase			17		2	1	
17	6 Complex f	1444.5		2.8	1445.8	12	6	
	4 Post Increase			8		2	1	
17	2 Simple 2 f	1609		8	1610.5	145	27	
	4 Post Increase A			30		2	1	
	1 Simple 1	1620		3	1621	6	3	
17	6 Complex	2256.5		7.5	2301.2	11	5	
	4 Post Increase			>26		4	--	
18	3 Simple 3 A	1714	1	46	Indet.	2.3	1.7	
	1 Simple 1	1714		3	1715.3	2	1	
	2 Simple 2	1757.5		5	1759	116	26	
	4 Post Increase			19		4	2	
18	1 Simple 1	2136		3	2137.3	4.4	2.5	
	4 Post Increase			33		2	1.5	
20	3 Simple 3	1355	>1	05	1405	2	--	
21	2 Simple 2 f	1419.5		3.5	1420.5	9	4.5	
21	1 Simple 1 f	2035		6	2036	2	1.2	
22	3 Simple 3	1650	2	00	1757	2	1	
23	3 Simple 3	1255	3	05	1338	3	1.5	
23	3 Simple 3	2200	1	00	2210	3	1.5	
24	3 Simple 3 f	1644		16	1647	3	1.5	
26	3 Simple 3 f	01107		>20	1109.3	4	--	

COMMERCE - STANDARDS - BOULDER


SELECTED 2800 MC/S SOLAR NOISE BURSTS OTTAWA, CANADA



AUGUST 9, 1963



AUGUST 17, 1963



AUGUST 18, 1963

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS

IVc

MAY — JUNE — JULY 1963

BOEING - SEATTLE

223 Mc.

1963 May June July	Type	Starting time	Time of max.	Dura- tion	Flux density $10^{-22} \text{w}_{\text{m}}^{-2} (\text{c/s})^{-1}$	
		UT	UT	minutes	peak	mean
June 7	c	2344.7	2347.8	6.3	112	25

COMMERCE - STANDARDS - BOULDER

Note:

Due to repair of equipment during May, June and July 1963, periods of observation were as follows:

May 1-4; 7 and 8

June 4-15; 18-21; 25-30

July 1-13; 14-15; 19-26


Normal observing hours were from 1600 to 0100 U.T.

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS

AUGUST 1963

NANÇAY

169 Mc.



AUGUST 1963

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES
AUGUST 1963

IVc

NBS BOULDER

108 Mc.

Aug. 1963	Type	Start UT	Time of Maximum UT	Duration Minutes	Intensity
4	6	1206E	-	174 D	1
6	6	1208E	1605	268 D	1
7	6	1209E	-	-	1
9	6	1415	1840	691 D	2
12	8	1334.1	1335.0	1.0	3
12	4	1432.2	1435.1	4.8	2
12	8	1532.1	1533.1	1.8	3

COMMERCE - STANDARDS - BOULDER

NOMINAL TIMES OF OBSERVATION
AUGUST 1963

NBS BOULDER

108 Mc.

AUGUST 1963	HOURS OF OBSERVATION	U T	AUGUST 1963	HOURS OF OBSERVATION	U T
1	1203-0155	1948-2200; (1)(2)	16	1217-0138	1915-0138 (1)
2	1204-0154	0102-0155 (1)(2)	17	1218-0137	1610-1645; (2)
3	1205-0153	2020-2026 (2)			1930-0137 (1)
4	1206-0152	~ 2015-0153 (1)(2)	18	1219-0136	2150-2230; (1)
5	1207-0151	~ 2055-0152 (1)			2305-0135 (1)(2)
		2145-0151 (1)	19	1220-0135	
6	1208-0150		20	1221-0133	
7	1209-0148	2021-0151 (1)(2)			
8	1210-0147	~ 2200-0148 (1)(2)	21	1222-0132	1640-1845; (1)
		1210E-1500; (1)(2)			2035-0132 (1)(2)
9	1210-0146	2030-0147 (1)(2)	22	1223-0130	1930-0130 (1)
10	1211-0145	~ 2200-0146 (1)(2)	23	1224-0129	
		2020-2205; (2)	24	1225-0127	
		2331-0145 (1)(2)	25	1226-2227; 2235-0126	2235-0126 (1)
11	1212-0143	1600-0142 (2)			
12	1213-0142	1213E-0142 (1)(2)	26	1227-0124	2150-0124 (1)
13	1214-0142	1214E-0142 (1)(2)	27	1228-0123	
14	1215-0140	1215E-2031 (1)(2)	28	1229-0121	1730-2130 (1)
15	1216-0139	1815-~ 2400 (1)(2)	29	1229-0120	
			30	1230-0118	1835-2130; (1)
					2220-0118 (1)
			31	1231-0117	

COMMERCE - STANDARDS - BOULDER

- (1) Atmospherics
(2) F.M. Interference

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

AUGUST 1963

HAO BOULDER

7.6 - 41 Mc.

Date	Bursts				Date	Bursts			
1963	Type	Time (U.T.)	Intensity	Frequency Range (mc)	1963	Type	Time (U.T.)	Intensity	Frequency Range (mc)
1 Aug	No Observ.	1538-1847			cont.	continuum	1844-2240	1	20-41
2	No Observ.	1608-1819			9	IV	2237-2335	2	14-41
	III	2007.15-2008	1-	16-36		III	2237.45-2238.30	2	9-41
	No Observ.	2043-2257				continuum	2335-2443	1	20-41
	III	2321-2323	1+	16-41	10	III	1355.15-1357	1+	19-41
	III	2527.15-2527.45	1	23-41		continuum	1515-1646	1-	21-41
4	III	1957.15-1957.30	1-	29-41		III	1629-1632.15	2	19-41
	III	2052-2052.15	1-	22-41		III	1719.30-1720	1	22-41
5	III	1902-1902.15	1-	22-41		III	1904.45-1905	1-	20-41
	III	1903.30-1904	1	7-41		III	2045.45-2046.15	1	20-41
	III	1931.45-1932.15	1-	16-41		III	2048.15-2048.45	1	20-41
	III	1933-1933.30	1-	21-39		III	2329.45-2330.45	1	21-41
	III	1934-1934.15	1-	24-39		III	2332.15-2332.30	1	21-41
	III	2125-2125.30	1	20-41		III	2430.15-2431.15	1	21-41
	III	2127.30-2127.45	1-	21-36	11	III	1536-1537	1+	19-41
	III	2141-2141.15	1-	22-41		continuum	1854-1905	1-	22-41
	III	2143.15-2143.45	1-	16-41		III	1905-1906.15	2	18-41
	III	2147-2147.15	1-	16-41		II	1905.30-1914	2	20-41
	III	2150.45-2151	1-	22-41		IV	1905.30-2032.45	2	16-41
	III	2152.45-2153	1-	20-41		III	1957.30-2002	2+	7-41
	III	2304.45-2305	1-	21-41		III	2032.45-2033.45	1	20-41
6	continuum	1536-1635	1	19-41		III	2104.15-2104.45	1-	24-41
	III	1659.30-1700	1-	18-41		III	2109.45-2110	1-	21-40
	III	1737.15-1737.30	1-	22-34		No Observ.	2119-2257.30		
	III	1744.45-1746	1-	17-41		continuum	2357.15-2417	1+	20-41
	III	1753.30-1757.45	1	7-41		III	2501.15-2503.15	2	18-41
	continuum	1809-1822	1-	20-34	12	III	1618.15-1618.30	1-	21-41
	III	2055-2055.30	1-	21-41		III	1633.30-1633.45	1-	27-39
	III	2118.45-2119	1-	19-36		III	1634.15-1634.30	1-	30-41
	III	2140-2140.30	1-	21-41		III	1639.15-1639.30	1-	27-41
	III	2141.15-2141.30	1-	21-36		III	1649.30-1649.45	1-	31-41
	III	2158.45-2159	1-	20-34		III	1707.45-1711	1	21-41
	III	2201.30-2202	1	20-41		III	1848-1849.45	1	20-37
	III	2223.15-2224.30	1	16-41		III	1944-1945.15	1-	21-38
	III	2245.30-2245.45	1-	19-34		continuum	2000-2057	1-	21-41
	III	2248.15-2248.30	1-	21-34		II	2057-2102.45	2	24-41
	III	2256-2256.45	1-	21-36		IV	2102.45-2300	2	19-41
	III	2513-2513.15	1-	21-33	15	III	1655.45-1656.15	1-	21-41
	III	2513.45-2514	1-	23-38		III	1731.30-1732.30	1-	21-41
7	III	2023.15-2023.30	1	16-41		III	1801.45-1802.45	1-	19-41
	III	2034.15-2034.30	1-	21-35	17	III	1609.45-1613.30	2+	7-41
	III	2046.45-2047	1-	25-38		III	1613.30-1616.30	1+	19-41
	III	2121.15-2121.30	1-	27-41		II	1613.30-1618	2	29-41
	III	2223.45-2224.15	1-	22-41	18	III	1711.45-1712.15	1	20-41
	III	2433.30-2433.45	1-	31-41		III	1713.45-1714.30	1-	21-41
8	III	1736.30-1737.30	2	7-41		III	1714.45-1715.15	1+	20-41
	III	1829.15-1829.45	1	29-41		III	1718.30-1718.45	1-	20-36
	III	1841.15-1842.15	1-	23-41		III	2206.15-2206.30	1-	26-41
	III	1934.30-1934.45	1-	21-28		III	2324.30-2324.45	1-	22-37
	No Observ.	1952-2500				III	2446.30-2448	1	22-41
9	No Observ.	1549-1844			19	III	1612.30-1612.45	1	21-41

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

IVg

AUGUST 1963

HAO BOULDER

7.6 - 41 Mc.

Date 1963	Bursts			Frequency Range (mc)	Date 1963	Bursts			Frequency Range (mc)
	Type	Time (U.T.)	Inten- sity			Type	Time (U.T.)	Inten- sity	
cont. 19 Aug	III	1613.15-1613.30	1-	22-41	cont. 21 Aug	III	2035.30-2037	2	7-41
	III	1614.30-1614.45	1-	27-40		III	2038-2039.15	2	7-41
	III	1625-1625.15	1-	21-41		III	2039.30-2040.15	2	14-41
	III	1728-1728.15	1-	26-36		III	2227-2227.15	1-	21-37
	III	1736.30-1736.45	1-	27-36		III	2318.30-2318.45	1-	20-36
	III	1903.15-1903.30	1-	21-41		III	2327-2327.30	1	20-41
	III	1933.15-1933.30	1-	21-41		III	2339.15-2339.30	1-	24-41
	III	1935.45-1936	1-	28-36	22	No Observ.	1400-2500		
	III	1940.45-1941	1-	27-41	23	No Observ.	1400-2219		
	III	2012.15-2012.30	1-	22-41	24	III	1354-1354.15	1-	19-38
	III	2015.45-2016	1-	21-41		III	1414.30-1414.45	1-	32-38
	III	2029.30-2029.45	1-	24-41		III	1416.30-1416.45	1-	23-40
	III	2054.45-2055.45	1-	22-39		III	1418-1418.15	1-	27-40
	III	2104-2104.15	1-	30-41		III	1420.15-1420.45	1-	29-39
	III	2146.30-2146.45	1-	28-41		III	1438.45-1439.15	1-	21-41
	III	2200-2200.15	1-	20-41		III	1443.15-1443.45	1-	24-41
	III	2322.45-2323	1-	21-35		III	1508.45-1509	1-	23-41
	III	2422.45-2423	1-	20-37		III	1524.45-1525	1-	20-41
	III	2457.45-2458.15	1-	22-47		III	1532.30-1532.45	1-	24-41
	III	2511.45-2512	1-	21-41		III	1541.15-1541.30	1-	21-41
20	III	2514-2514.15	1-	21-41		III	1605.30-1605.45	1-	26-41
	III	1615.45-1616	1-	19-41		III	1614-1614.15	1-	20-41
	III	1645.45-1646	1	18-41		III	1618-1618.15	1-	24-41
	III	1654.15-1654.30	1-	19-41		III	1711-1711.15	1-	24-41
	III	2121.45-2122.15	1-	19-41		III	1719.45-1720	1-	21-38
21	III	1419-1421.30	2	19-41		III	1833.15-1834	1-	19-41
	III	1421.30-1422.45	2	19-41	25	III	1619.30-1620	1	20-41
	III	1423.30-1424	1	19-41		III	1655.15-1655.30	1-	20-30
	III	1424.30-1425	1	20-41		III	1714-1714.45	1	21-41
	III	1426-1426.45	1+	19-41	26	III	1618-1618.15	1	21-41
	III	1428-1428.15	1-	21-41		III	1704-1705.15	1	21-41
	III	1431.30-1431.45	1-	21-36		III	1706-1707.30	1	21-41
	III	1524-1524.15	1-	23-35		III	1907-1908.30	1-	23-35
	III	1525.15-1525.30	1	18-37		III	2039-2039.15	1	21-36
	III	1529-1529.30	1-	20-29		III	2116-2117.15	1-	20-41
	III	1542.30-1543	1	19-41	27	III	2222.30-2223	1-	21-41
	III	1544.15-1545.15	1	19-33	28	III	1928.15-1928.45	1-	21-41
	III	1741.45-1742.30	1	21-41		III	1952.15-1952.30	1-	22-39
	III	1834.45-1835	1-	21-28		III	1953.30-1953.45	1-	25-41
continuum		1954-2220	1	20-41		III	2017-2017.30	1-	20-41





COMMERCE - STANDARDS - BOULDER

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1963

STANFORD

9.1 cm



STANFORD, 1963 AUG 01, 20-21 hrs UT, Brightness Unit = 2.0 x 10³ W.

STANFORD, 1963 AUG 01, 20-21 hrs UT, Brightness Unit = 2.0 x 10³ W.

STANFORD, 1963 AUG 01, 20-21 hrs UT, Brightness Unit = 2.0 x 10³ W.

STANFORD

AUGUST 1963







9.1 cm

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1963

STANFORD







9.1 cm

Stanford, 14:55 Aug 15, 20:21 hrs UT, Brightness Unit = 2.1×10^3 K.Stanford, 14:55 Aug 15, 20:21 hrs UT, Brightness Unit = 2.1×10^3 K.Stanford, 14:55 Aug 14, 20:21 hrs UT, Brightness Unit = 2.4×10^3 K.Stanford, 14:55 Aug 17, 20:21 hrs UT, Brightness Unit = 2.5×10^3 K.Stanford, 14:55 Aug 15, 20:21 hrs UT, Brightness Unit = 2.2×10^3 K.Stanford, 14:55 Aug 15, 20:21 hrs UT, Brightness Unit = 2.3×10^3 K.

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

AUGUST 1963


STANFORD



SOLAR RADIO EMISSION SPECTROHELIOGRAMS
AUGUST 1963

9.1 cm

STANFORD



1963 AUGUST 31

COMMERCIAL - STANFORDS - BOULDER

COSMIC RAY INDICES

(Climax Neutron Monitor)

IGC Station B 305

JULY 1963


July 1963	Daily average counts/hr*	July 1963	Daily average counts/hr*
1	3196.4 **39	16	3202.1
2	3178.5	17	3195.9
3	3186.1	18	3196.2
4	3178.9	19	3196.2
5	3174.9	20	3192.0
6	3155.7	21	3181.5
7	3165.1	22	3170.6
8	3174.8	23	3170.4
9	3192.3	24	3172.2
10	3191.2	25	3167.7
11	3201.1	26	3173.7
12	3202.9	27	3182.3
13	3208.8	28	3180.9
14	3213.3	29	3140.0
15	3219.6 **38	30	3154.6
		31	3141.0

COMMERCE - STANDARDS - BOULDER

* Scaling Factor 128

** Number of Section Hours


COSMIC RAY INDICES
(Pressure Corrected Hourly Totals)



COMMERCE - STANDARDS - BOULDER

JULY 1963

July 1963	C	Values Kp								Sum	Ap	Final Selected Days	
		Three hour Gr. interval											
		1	2	3	4	5	6	7	8				
1	0.2	3-	2o	2-	1-	1-	0+	0+	0+	9-	5	Five Quiet	
2	0.2	0o	1-	1o	1o	1-	1-	1-	1-	5+	3		
3	0.0	1+	0+	0+	1-	1-	0+	1-	1-	5o	3		
4	0.8	0+	1+	2o	2-	3o	3o	4o	4+	20-	14		2
5	1.0	3+	4+	4o	2o	2o	2-	4-	4-	25-	18		3
6	1.1	3o	6-	5-	3-	2o	2+	2+	1+	24o	20		14
7	0.8	2o	2+	3-	3o	3+	3o	2-	2o	20o	11		15
8	0.8	3o	2+	4-	2-	2+	3-	2+	4-	22-	13		29
9	0.8	4o	4-	3+	3-	2+	2o	2+	3o	23+	15		
10	0.6	2-	3-	3-	2-	2o	2+	3-	3o	19-	10		
11	0.2	2o	2+	2+	1o	1-	1o	2-	1+	12+	6	Five Disturbed	
12	0.2	2-	2-	1+	1-	0+	1-	2-	1o	9o	4		
13	0.1	2o	1+	1+	1-	1o	1+	1+	1-	10-	5		
14	0.2	1o	1-	1o	0+	2+	2-	1-	1-	8+	4		21
15	0.2	1o	1o	1-	1o	1o	1+	0+	2-	8o	4		23
16	0.3	3o	2+	1+	0+	2-	2o	1+	2o	14o	7		24
17	1.0	4-	3o	4-	3+	3+	3+	1+	2+	24o	16		30
18	0.8	2-	1+	2o	2-	2+	3o	2+	3+	18-	9		31
19	0.2	2o	1+	1o	1-	1+	1+	2o	1-	10+	5		
20	0.4	1-	1o	1-	1o	1o	3-	3+	2-	12o	7		
21	1.2	1+	2+	3+	4+	5+	5+	4-	2o	28-	26	Ten Quiet	
22	0.8	1+	2+	3o	3+	3+	3+	3-	2+	22-	13		
23	1.1	2+	3-	3+	3-	4+	3+	4-	5+	28-	22		
24	1.3	5o	5+	4-	4o	4o	4-	3+	3+	32+	30		1
25	0.7	2o	4o	4-	2o	2+	2+	2o	3o	21+	13		2
26	0.8	3-	3o	3+	3-	3-	2o	3o	3+	23-	14		3
27	0.9	4o	4o	3+	2o	3+	3-	2o	3o	24+	16		11
28	0.3	3o	2o	2+	2o	1o	1-	0+	0+	12-	6		12
29	0.2	0o	0+	1-	0+	1o	1o	1+	3-	7+	4		13
30	1.3	3o	4+	5o	3-	5o	3-	4+	4-	31-	28		14
31	1.1	4o	3+	3-	2+	4-	3-	2+	5-	26-	18	15	
												19	
												29	
Mean:	0.63									Mean:	12		



CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

JULY 1963



NORTH ATLANTIC

NORTH PACIFIC



JULY 1963	NORTH ATLANTIC QUALITY FIGURES	SHORT-TERM FORECASTS ISSUED IN ADVANCE 2F				WHOLE DATA INDEX	ADVANCE FORECASTS 1-7 REPORTS FOR WHOLE DATA ISSUED IN ADVANCE 2F				GEOMAGNETIC Kp	NORTH PACIFIC QUALITY FIGURES				SHORT-TERM FORECASTS ISSUED AT		WHOLE DATA INDEX	ADVANCE FORECASTS 1-7 REPORTS FOR WHOLE DATA ISSUED IN ADVANCE 2F				GEOMAGNETIC Kp
		00 06 12 18 24					00 06 12 18 24					0700 1900 0700 0700				0600 0600			1-7 1-7 1-7 1-7 FINAL 2F 2F 2F 2F				
		00	06	12	18	00	06	12	18	0700	1900	0700	0700	0600	0600	1-7	1-7	1-7	1-7	FINAL 2F	FINAL 2F	FINAL 2F	FINAL 2F
01	6+ 5+ 6+ 60		6	6	6	6	6	6	6	2	1		5	6	6	6	5	5	6	6	2	0	
02	7- 60 6+ 6+		6	6	6	6	6	6	6	1	1		5	6	6	6	5	5	5	6	2	0	
03	7- 7- 7- 7-		7	6	6	6	7-	5	5	2	3		6	6	6	6	5	5	5	6	3	2	
04	6+ 60 7- 60		6	6	6	6	60	5	5	(4)	3		5	5	5	5	5	5	5	(4)	2	0	
05	60 60 60 60		6	6	6	6	60	5	5														
06	60 4+ 60 60		6	5	6	6	5+	6	6	(4)	2		5	5	5	5	5	5	6	(4)	2	0	
07	6- 6- 6+ 60		6	5	7	6	60	6	6	3	3		5	5	5	5	5	5	6	3	2	0	
08	60 7- 60 60		5	5	6	60	6+	5	5	6	3		6	6	6	6	5	5	6	3	2	0	
09	6- 5+ 6+ 6+		6	5	6	6+	6-	6	6	(4)	3		5	5	5	5	5	5	6	(4)	2	0	
10	60 5+ 60 60		6	5	6	6	6-	6	6	3	2		6	6	6	6	6	6	6	3	2	0	
11	60 50 6+ 6+		6	6	6	6	60	6	6	2	1		5	6	6	6	5	5	6	2	2	0	
12	6+ 6- 6+ 7-		6	6	7	6	6+	6	6	2	1		6	6	6	6	6	6	6	2	0	0	
13	7- 60 60 6+		7	6	7	7	6+	6	6	2	2		6	6	6	6	6	6	6	2	1	1	
14	7- 60 6+ 7-		7	6	6	7-	6	6	6	1	1		6	6	6	6	6	6	6	1	1	1	
15	7- 6+ 6+ 6+		7	6	7	6	7-	6	6	1	1		6	6	6	6	6	6	6	1	1	1	
16	60 6+ 6+ 7-		7	6	7	7	6+	6	6	2	2		6	6	6	6	6	6	6	1	1	1	
17	6- 6- 6+ 6+		7	6	6	6	60	6	6	(4)	2		5	5	5	5	5	5	6	(4)	3	3	
18	60 5+ 7- 6+		6	6	6	6	6+	6	6	2	3		6	6	6	6	5	5	5	2	2	2	
19	7- 7- 7- 7-		6	6	7	7-	6	6	6	2	1		6	6	6	6	5	5	5	2	2	2	
20	6+ 6+ 70 7-		7	6	7	7	7-	6	6	1	2		6	6	6	6	6	6	6	1	2	2	
21	6+ 50 6- 6-		7	6	6	5	6-	6	6	3	3		5	5	5	5	5	5	6	3	(4)	3	
22	6- 4- 60 5+		5	5	6	50	6	6	6	3	3		5	5	5	5	5	5	5	3	3	3	
23	50 5- 7- 6-		5	5	6	6-	5	5	5	(4)	3		5	5	5	5	5	5	5	(4)	3	3	
24	5- 3+ 5+ 5+		5	4	6	5	(4+)	5	5	(4)	3		5	5	5	5	5	5	5	(5)	3	3	
25	50 40 6- 6-		5	4	5	50	5	5	5	3	2		5	5	5	5	5	5	5	3	2	2	
26	60 6- 6- 6-		5	4	6	6	6-	6	6	3	3		5	5	5	5	5	5	6	3	2	2	
27	6- 50 6- 6+		6	4	6	6	6-	6	6	(4)	3		5	5	5	5	5	5	6	3	2	2	
28	6+ 50 6+ 7-		6	5	6	7-	60	7	7	3	1		5	5	5	5	5	5	6	2	0	0	
29	6+ 6+ 7- 7-		6	5	7	7-	6	6	6	0	1		6	6	6	6	6	6	6	0	1	1	
30	6+ 6- 6- 6-		7	5	6	6	6-	6	6	(4)	3		5	5	5	5	5	5	6	(4)	(4)	(4)	
31	6- 4- 60 6+		5	5	6	6	50	6	6	3	3		5	5	5	5	5	5	5	2	3	3	
Score:	P S U F	19 12 10 9	14 10 10 9	21 10 10 9	22 9	17 12 12	17 12 12	17 12 12	17 12 12				19 9 6	23 6		12 16 0 0 1 1 0 0 0 0							
Disturbed Periods:	P S U F	0 0 0 0	1 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0				0 0 0 0	0 0 0 0		0 2 2 0 0							

NORTH ATLANTIC

JULY 1963





JULY 1963



COMMERCE - STANDARDS - BOULDER

JULY 1963



Adapted from Observations by Deutsches Bundespost

ALERT PERIODS AND SPECIAL WORLD INTERVALS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

AUGUST 1963

Issued August 1963 Day/Time U.T.	Advance Geophysical Alert	No.	World-Wide Geophysical Alert	Special World Intervals
18/1600	McMath, Solar Flare, Two 18/1759Z	203	Magnetic Storm 17/19XXZ	Start
18/1925				
19/1600		204		Finish

