tional Bureau of Standa. 15 Library, N.W. Bldg

FEB 1 8 1963

Central Radio Propagation Laboratory

IONOSPHERIC PREDICTIONS

for April 1963

TB 11-499-1/TO 31-3-28



U.S. DEPARTMENT of COMMERCE National Bureau of Standards Number 1/Issued January 1963

Introduction

The Central Radio Propagation Laboratory "Ionospheric Predictions" is the successor to the former "Basic Radio Propagation Predictions," CRPL Series D. To make effective use of these predictions, National Bureau of Standards Handbook 90, "Handbook for the Use of Central Radio Propagation Laboratory Ionospheric Predictions," should be obtained from the Superintendent of Documents; U.S. Government Printing Office, Washington 25, D.C., price 40 cents. This Handbook includes required additional data, nomographs and graphical aids, as well as methods for the use of the predictions. The Handbook supersedes the now-obsolete Circular 465.

The basic prediction appears in tables 1 and 2, presenting predicted coefficients for foF2 and M(3000) F2 defining the numerical map functions describing the predicted worldwide variation of these characteristics. With additional auxiliary information, these coefficients may be used as input data for electronic computer programs solving specific high frequency propagation problems. The basic equations, their interpretation, and methods of using the numerical maps are described in two papers by W. B. Jones and R. M. Gallet, "The Representations of Diurnal and Geographic Variation of Ionospheric Data by Numerical Methods," Volume 66D, Number 4, July-August 1962, pages 419-438, and "Methods for Applying Numerical Maps of Ionospheric Characteristics," Volume 66D, Number 6, November-December 1962, pages 649-662, both in the Journal of Research of the National Bureau of Standards, Section D. Radio Propagation. The predicted numerical map coefficients of tables 1 and 2 may be purchased in the form of a tested set of punched cards. Write to the Prediction Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado, to arrange for the purchase of the set of punched cards and for further information and assistance in the application of computer methods and numerical prediction maps to specific propagation problems.

The graphical prediction maps, derived from the basic prediction, are provided for those unable to make use of an electronic computer. Figures 1 to 12 present world maps of MUF(zero) F2 and MUF(4000)F2 for each even hour of universal time. Figures 13 to 16 present the same predictions for hours 00 to 12 universal time for the North and South Polar areas. Predicted polar maps for each even hour of universal time may be obtained by special arrangements with the Central Radio Propagation Laboratory. The Handbook describes methods for including regular E-F1 propagation. Figure A is a graph of predicted and observed Zürich sunspot numbers which show the recent trend of solar activity. Table A lists observed and predicted Zürich smooth relative sunspot numbers and includes the sunspot number used for the current prediction.

In order to allow the users more time to make the transition to the new type of predictions, figures 17 to 24 present time charts for the central meridians of the four zones of the former CRPL-D Series that were derived from the basic prediction. These may be used in the same way as the former CRPL-D Series charts and will be discontinued after the February 1963 issue of these predictions.

Members of the U.S. Army, Navy, or Air Force desiring the Handbook and the Ionospheric Predictions should send requests to the proper service address; for the Navy: The Director, Naval Communications, Department of the Navy, Washington 25, D.C.; for the Air Force: Directorate of Telecommunications, Department of the Air Force, Washington 25, D.C., Attention: AFOAC. Army personnel should refer to the Handbook as TM 11–499 and to the monthly predictions as TB 11–499–(), predictions for the month of April 1963 being distributed in January 1963 and designated TB 11-499-(1), and should requisition these through normal publication channels.

Information concerning the theory of radio wave propagation and such important problems as absorption, field intensity, lowest useful high frequencies, etc., is given in National Bureau of Standards Circular 462, "Ionospheric Radio Propagation." This may be obtained from the Superintendent of Documents, price \$1.25 (to foreign countries, \$1.65). A revised work is in preparation which will be announced when available in the Ionospheric Prediction series. Additional information about radio noise may be found in C.C.I.R. Report Number 65, "Revision of Atmospheric Radio Noise Data," International Telecommunication Union, Geneva, 1957.

Reports to this Laboratory of experience with these predictions would be appreciated. Correspondence should be addressed to the Predictions Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado. U.S. DEPARTMENT OF COMMERCE Luther H. Hodges, Secretary



NATIONAL BUREAU OF STANDARDS A. V. Astin, Director

Central Radio Propagation Laboratory

Ionospheric Predictions

for April 1963

[Formerly "Basic Radio Propagation Predictions," CRPL Series D.]

The CRPL Ionospheric Predictions are issued monthly as an aid in determining the best sky-wave frequencies over any transmission path, at any time of day, for average conditions for the month. Issued three months in advance, each issue provides tables of numerical coefficients that define the functions describing the predicted worldwide distribution of foF2 and M(3000)F2 and maps for each even hour of Universal Time of MUF(Zero)F2 and MUF(4000)F2.

NOTE: Department of Defense personnel see back cover.

Use of funds for printing this publication approved by the Director of the Bureau of the Budget (June 19, 1961).

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Price 15 cents.

Annual subscription (12 issues) \$1.50. (To foreign countries, \$2.00).

National Bureau of Standards

The functions of the National Bureau of Standards are set forth in the Act of Congress, March 3, 1901, as amended. These include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to government agencies on scientific and technical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services, and various consultation and information services. The Bureau also serves as the Federal Technical research center in a number of specialized fields.

Central Radio Propagation Laboratory

The Central Radio Propagation Laboratory at Boulder, Colorado, is the central agency of the Federal Government for the collection, analysis, and dissemination of information on propagation of radio waves at all frequencies along the surface of the earth, in the atmosphere, and in space, and performs scientific studies looking toward new techniques for the efficient use and conservation of the radio spectrum. To carry out this responsibility, the CRPL—

1. Acts as the central agency for the conduct of basic research on the nature of radio waves, the pertinent properties of the media through which radio waves are transmitted, the interaction of radio waves with those media, and on the nature of radio noise and interference effects. This includes compilation of reports by other foreign and domestic agencies conducting research in this field and furnishing advice to government and nongovernment groups conducting propagation research.

2. Performs studies of specific radio propagation mechanisms and performs scientific studies looking

toward the development of techniques for efficient use and conservation of the radiofrequency spectrum as part of its regular program or as requested by other government agencies. In an advisory capacity, coordinates studies in this area undertaken by other government agencies.

3. Furnishes advisory and consultative service on radio wave propagation, on radiofrequency utilization, and on radio systems problems to other organizations within the United States, public and private.

4. Prepares and issues predictions of radio wave propagation and noise conditions and warnings of disturbances in these conditions.

5. Acts as a central repository for data, reports, and information in the field of radio wave propagation.

6. Performs scientific liaison and exchanges data and information with other countries to advance knowledge of radio wave propagation and interference phenomena and spectrum conservation techniques, including that liaison required by international responsibilities and agreements.

Number 1

Issued

Jan. 1963

Table A

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1952	43	42	39	36	34	32	31	29	28	28	27	26
	(53)	(51)	(52)	(52)	(52)	(52)	(51)	(49)	(46)	(43)	(38)	(33)
1953	24	22	20	19	17	15	13	12	11	10	9	7
	(30)	(29)	(27)	(24)	(22)	(21)	(20)	(18)	(18)	(17)	(16)	(15)
1954	6	6	4	3	4	4	5	7	8	8	10	12
	(14)	(12)	(11)	(10)	(10)	(9)	(8)	(8)	(8)	(10)	(10)	(11)
1 955	14	16	20	23	29	35	40	46	55	64	73	81
	(12)	(14)	(14)	(13)	(16)	(18)	(22)	(27)	(30)	(31)	(35)	(42)
1956	89	98	109	1 1 9	127	137	146	150	151	156	160	164
	(48)	(53)	(60)	(68)	(77)	(89)	(95)	(105)	(119)	(135)	(147)	(150)
1957	170	172	174	181	186	188	1 91	194	197	200	201	200
	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)
1958	199	201	201	197	191	187	185	185	184	182	181	180
	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)
1959	179	177	174	169	165	161	156	151	146	141	137	132
	(150)	(150)	(150)	(150)	(146)	(143)	(141)	(142)	(141)	(139)	(137)	(137)
1960	129	125	122	120	117	114	109	102	98	93	88	84
	(136)	(135)	(133)	(130)	(125)	(120)	(118)	(115)	(110)	(108)	(105)	(100)
1961	80	75	69	64	60	56	53	52	52	51	50	48
	(100)	(90)	(90)	(90)	(85)	(85)	(80)	(75)	(70)	(70)	(65)	(60)
1962	44 (60)	41 (50)	39 (48)	38 (45)	(42)	(37)	(34)	(31)	(29)	(28)	(27)	(34)
1963	(31)	(28)	(26)	(25);	:							

Observed and Predicted Zurich Smoothed Relative Sunspot Numbers

Note: Final numbers are listed through June 1961, the succeeding values being based on provisional data. The predicted numbers are in parentheses.

* Number used for predictions in this issue.




TABLE I	VARIATION
,	TIME

15	Harmonic	0				2		01		4	
	°/×	0		1	2	9	4	2		7	8
	0 HNW400000HN	7,9656402E 00 -1,9553138E-01 -1,8353138E-01 -1,835455 01 2,0226155 01 2,0226156 02 -1,2491042 02 -1,2491942 02 -3,10956262 02 -3,10956262 02 -1,197755 02 -1,197555 02 -1,1975556 02 -1,1955556 02 -1,195556 02 -1,195556 -1,195556 02 -1,195556 -1,195556 -1,195556 -1,195556 -1,195556 -1,1	402E 00 139E 01 139E 01 615E 01 615E 01 813E 01 192E 02 192E 02 192E 02 646E 02 646E 02 5519E 02 5519E 02 5519E 02 813E 01	2,0031275 00 -1,55980506 01 -1,55980506 01 -1,55980506 01 -1,5598050 01 -1,551805 01 -2,145185 02 -2,145185 02 5,13028056 02 5,13028056 02 5,13028056 02 5,14910076 02 2,049106 02 2,04910076 02 2,049100000000000000000000000000000000000	1.5214195E 00 -3.421922E 00 -3.5551112E 01 -5.5551112E 01 -2.333949E 02 -2.333949E 02 -2.333949E 02 -2.333949E 02 -2.333949E 02 -7.1792065E 03 -7.1792065E 03 -7.55002E 03 -3.5710672E 02	-3.024194.3E-01 5.03037046-01 5.03037046-01 5.032722.4E 00 7.72722.4E 00 7.727224E 01 7.72724466 01 9.04951046 01 1.55704046 02 1.55949404 0 5.0170216 01 5.0170216 01 5.0170216 01	1.939555-01 1.939555-01 1.9395455 1.9395455 1.9395455 1.9395455 1.9395545 1.9395545 1.939556 1.9440555 1.9440555 1.9440555 1.	-3.84.194.06.6.01 -3.84.194.05.6.01 0.94.492.94.6.02 0.92.99.6.7[5 00 1.0.00.96.7[5 00 1.0.02.99.9145 01 -1.0.02.99.9145 01 -1.0.02.99.9145 01 -1.0.02.99.915 01 -1.0.02.99.915 01 -1.0.02.005 01 1.0.215.4606 01 1.0.215.4606 01		2.7334309E-01 -1.86209546-01 -5.921802.9546-01 -5.921802.9546-01 -5.9219295-01 -2.50121996-01 -2.24393926-01 -2.24393926-01 -2.24393126-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.983439216-01 -4.57241456-01 -2.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.677291456-01 -4.777291456-01 -4.677291456-01 -4.777291456-00000000000000000000000	-7.00294605-02 -1.82539665-01 1.09977945-01 1.09977945-01 -5.1514795-01 -1.31631755-02 1.318379665-01 -1.2274775-02 -1.12374776-02 -1.123794776-02 -1.123794776-02 -1.123794776-02 -1.13595465-01
	84899999999999999999999999999999999999	-1.0794.2095-01 1.0794.2095-01 1.1.993.8055-01 1.1.993.8055-01 1.1.993.8055-01 1.1.993.8055-01 1.1.993.205 2.3.1.993.2152 2.1.993.2152 2.1.993.2152 2.1.993.2152 2.1.993.2152 2.1.993.2152 2.1.993.2152 2.1.993.2152 2.1.993.2152 2.1.993.2152 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9198 2.2.952.9108 2.2.952.9198	20096-01 8655-01 8655-01 8655-01 8655-01 9675 00 1756 02 7756 02 7776 02 7776 02 7776 02 7776 02 7796 02 7996 00 7996 00000000000000000000000000000000000	1.97074565-01 2.476591005-01 2.476591005-01 2.476591005-01 2.476591005-01 2.476591005-01 2.4765910505000 2.451179560000 2.451179560000 2.451179560000 2.451179560000 2.451179560000 2.451795560000 2.451795560000 2.451795560000 2.451795560000 2.451795560000 2.451795560000 2.4517955560000 2.4517955560000 2.4517955560000 2.4517955560000 2.45179555600000 2.45179555600000 2.4517955560000000000000000000000000000000000	3,3023986-01 1,3723986-01 1,47219026-01 1,47219026-01 2,272502020 2,27250200 2,27250200 1,272102000 1,037709600 1,037709600 1,037709600 1,037709600 1,037709600 1,03770900 1,03770900 1,03770900 1,0372020 1,037200000000000000000000000000000000000	2.31.2894.6 2.144.81949.6 5.404.81949.6 5.404.81949.6 5.404.81949.6 5.404.81949.6 5.404.81949.6 5.404.8194.6 1.409.8095.6 5.404.8194.6 1.409.8095.6 5.404.8194.	-4.7599265-00 -5.1778355-02 -5.1278355-02 -5.1278355-03 -1.2178355-03 -1.2178355-03 -1.2178355-03 -1.2178455-03 -1.212845-03 -1.212845-0	-1.100879495795 -1.100879465795 -1.100879495795 -1.1008657956 -1.1008666 -1.1008666 -1.100866 -1.100866 -1.1008666 -1.100866 -1.100866 -1.1008666	6 + 4)9 00 0 ± 5 - 0.2 - 5 - 41,9 0 + 0 ± 5 - 0.2 - 1,9 + 1,9 0 + 0.2 - 1,9 + 1,9 0 + 0.2 - 1,9 + 1,9 + 0.2 - 2,9 + 0	5-50038006-02 5-99058006-02 5-9905906-01 -201459096-01 -201459096-01 -201459096-01 -1103935916-01 -11103935916-01 -110325916-01 -1103259098-01 -110325098-01 -1103259098-01 -1103259098-01 -110325908-00 -110325908-00 -110025908-00 -110025908-00 -110025908-00 -110025908-00 -	5.0546179E-02 -14394670E-02 -1437596945E-01 -3.175996465E-01 -3.175996462E-01 -3.17594946-01 -15559758E-01 -15559758E-01 -1555978E-02 -1555978E-02 -1555768E-02 -
E	6040444444440 00404400 0040040000000000	6.0601116-02 2.1823726-01 2.18239726-01 2.182599126-01 -2.05977956-01 -2.1825916-01 -3.28396956-01 11.13159956-01 4.91134366-01	1116-02 3276-02 8976-01 7956-01 7956-01 9526-01 9526-01 43666-01 43666-01	2.09912565-02 9.99514555-02 9.99514555-02 9.5120714555-01 9.5120714555-01 7.5117945145-00 2.61179445255 9.92271255 9.92271255 9.92271255 9.9227015 00 9.17268555-01 1.66701255 00	-+++++++++++++++++++++++++++++++++++++	9,2207181E-02 -1912970.EE-02 -19120.EE-02 -19120.EE-02 -1905910.E0 -1002910.E0 -205994021E -20594021E -20594021E -20594021E -20594021E -20594021E -2050402 -20504002 -205040000000000000000000000000000000000	1, 1, 0, 36, 70, 4 YE - 02, 20, 20, 20, 20, 20, 20, 20, 20, 20,	4, 1, 1, 1, 3, 1, 6, 0, 5, -0, -0, -0, -0, -0, -0, -0, -0, -0, -0		1.08794315-02 3.08794315-02 -4.47795395-02 -4.47795395-02 -3.22994045-01 -3.22994045-01 -3.22994045-01 1.0575961-01 -1.0575501-02 -1.44992051005-02 -1.449320551005-02 -1.444304920551005-01 -1.444304920551005-01	1.5481558E-02 1.550084-02 -2.7782915-02 -7.82436055-02
	יר .		Harmonic		2	Ű	9	1	1	9	
	A015		×	6	10	11	12	13	14	15	16
	19A9030	ТАІЯАУ	0 H N € 4	1.1176303E-01 -1.1738029E-01 -2.3260189E-01 8.6272699E-02 1.2753442E-01	2.0073963E-01 -4.6272136E-02 -3.9738196E-02 2.8595149E-01 1.9489710E-01	-1.17330676-01 -9.76967665-03 1.51139415-01 7.57455365-03 -1.27175445-02	2.4272929E-02 -9.7655230E-02 -4.0199231E-02 8.0655339E-02 2.5726511E-02	-6.5579412E-02 9.3404627E-02 1.5158534E-01 -9.5895531E-02 -9.2768725E-02	-9.3377165E-02 4.3242748E-02 1.9029702E-01 -4.3495989E-02 -9.6148983E-02	7.1328184E-02 1.3930706E-02 -1.3219735E-01 -2.4464812E-02 5.8250728E-02	-1.3613756E-02 7.8735256E-02 3.7282810E-03 -8.4426304E-02

I - Main latitudinal variation. Mixed latitudinal and longitudinal variation.□ - First order in longitude, Ⅲ Secand arder in langitude. Notation: Far each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last two digits and sign.

PREDICTED COEFFICIENTS D_{sk} defining the function $\Gamma(\lambda, \theta, t)$ for monthly median f_0 F2 (mc/s) APRIL 1963

NOITAIRAV JADIRGARDOBO

TABLE 2


TIME VARIATION


	0		_		2		2
	0	1	2	6	t	5	ę
<i>wMHHMMMHHHMMHHMMHHHMHHHHHHHHHHHHH</i>	3,0063300E 00 -2,91907835=01 1,26449195 00 1,224475E 00 -3,9644139E 00 -2,49795 00 -2,490949E 00 1,4559449E 00 1,455576E 00	-1.35992835-01 -8.99177405-02 7.477905282-01 3.51898055-01 -3.57174805 00 -3.4574005 01 1.90167845 00 7.88548795-02 7.88548795-02	-2.2750972E-01 -1.1499224E-01 1.6917145E 00 -0.8352910E-01 -3.6719458E 00 -7.1606/64E-01 -1.2691519E-01 4.4212676E-01	3.90636116-02 2.00344746-01 2.00345016-02 -1.939642916 00 -1.939642916 00 2.93970205 00 2.92947716 00 -1.45906406 00	-1.466139000-01 -1.48149861-01 -1.48149861-01 -4.08447700-01 -4.40844700-01 -4.404440-01 -4.404440-01 -5.4440440 -5.4440-01 5.5598440-00 5.5598440-00	1.73J2024-02 2.362007E-02 -0.03304F=01 -0.03304F=01 -2.053942142142 -2.7391421420 -3.44301377E-01 -3.44301377E-01 -3.44301377E-01	-2.20655416-02 -1.0220106-02 -2.0020156-01 -2.02009716-01 1.1103-316 -1.2220400 -1.2224960 -1.2
	<pre></pre>	4,4445795E-03 1.6232555E-03 1.6232255E-03 -2.02050946-01 -3.2015606E-01 -2.68792706-01 7.14822246-01 7.14822246-01 7.14822246-01 2.66312776-00 -3.673276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.775276-00 -3.7757777777777777777777777777777777777	2.73200045-02 -1.2186995E-02 -4.89596795E-01 -4.89596138E-01 -4.89596138E-01 -4.8959678E-01 -4.525966-01 -5.525966-01 -5.525966-01 -5.473766-0 -5.57710502-01 -5.57710502-01 -5.57710502-01		-1.0054645502 -2.42017250202 4.0102294502 4.010294502 4.01099967503 -1.2005294502 -1.2005294502 -1.200529418701 -1.200529418701 -1.200529418701 -1.200529418701 -1.200529418701 -1.200159556000 -1.200159556000 -1.20015955600000000000000000000000000000000		1.02639085-04 -7.02912/5-02 -7.02912/5-02 -1.04753725-01 -1.04753725-01 -1.04753725-01 -1.04753725-01 -1.04753725-01 -4.15931965-01 -4.1593105-01 -4.1593105-01 -4.1593105-01 -4.1593105-01 -4.15
1 1		-4.2607213E-03 -4.2699051E-05 -2.6999051E-05 -1.493775E-01 3.0637544E-02 7.311578E-02 7.31171936E-02 7.5171936E-02 2.6752394E-01	2.76771106-02 2.6485164E-02 -1.68851904E-03 44.775256E-02 -4.954846E-02 -4.959542E-02 -1.259542E-02 -1.259542E-02 -1.5975112E-02 +1308222E-02	-5.571495-03 -6.6284246-03 1.9056647-04 3.80308545-04 3.80308545-04			<pre>4,011147E-04 1.5243214E-04 1.5243214E-02 -1.4769709E-02 1.7853153E-02 1.7853153717E-02 1.4219403CE-02 1.4219403CE-02 1.42181067E-02 2.421181067E-02 2.41181000E-01 2.4118100E-01 2.411800E-01 2.4118100E-01 2.4118100E-01 2.4118100E-01 2.4118100E-01 2.4118100E-01 2.411800E-01 2.4118100E-01 2</pre>
	Hormonic		4		2		0
140	∽∕x X	2	ß	6	10	11	12

PREDICTED COEFFICIENTS D_{sk} defining the function $\Gamma(\lambda, \theta, t)$ for monthly median m (3000)F2 APRIL 1963

I - Moin lotitudinal variation. Mixed latitudinal and langitudinal variation: II - First arder in longitude, III - Second arder in longitude. Notation: For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last two digits and sign.

GEOGRAPHICAL VARIATION











FIG. 3B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)







LATITUDE




APRIL 1963 UT=08


FIG. 5B, PREDICTED MEDIAN MUF(4000)F2 (Mc/s)









LATITUDE






LATITUDE



APRIL 1963 UT = 20






FIG. 13B. PREDICTED MEDIAN MUF (4000) F2 (Mc/s)




FIG.14B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)




FIG. 15B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)









FIG.16B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)























FIG 25. PREDICTED MEDIAN MUF(2000)E' (Mc/s), APRIL 1963

HANDBOOK for CRPL IONOSPHERIC PREDICTIONS

Based on Numerical Methods of Mapping

NBS Handbook 90 — by S. M. Ostrow — 58 pages — December 1962 — \$0.40

All persons engaged in the solution of high frequency radio propagation problems will need this new *Handbook*, which replaces *Instructions for the Use of Basic Radio Propagation Predictions*, Circular 465 of the National Bureau of Standards.

Beginning with the January 1963 issue, the monthly radio propagation predictions from the Central Radio Propagation Laboratory of the National Bureau of Standards at Boulder, Colorado, will be entitled *CRPL Ionospheric Predictions*, instead of *Basic Radio Propagation Predictions* (*CRPL-D Series*), as now called.

CRPL Ionospheric Predictions will fulfill the same functions as its predecessor. However, this new version will be prepared by numerical mapping methods, using an electronic computer. The predictions will be presented in two forms, giving the user the choice of either computer or graphical methods. Those using a computer will derive maximum benefits from the system. However, even when a computer cannot be used, the new prediction maps will provide more information than the earlier zone prediction charts, which were prepared by manual methods and designed primarily for graphical solution of high frequency propagation problems.

Thus the new *Haudbook* is a necessity. All users of the *CRPL Ionospheric Predictions* should discard the now-obsolete *Instructions* and obtain a copy of the *Handbook*.

Use the order form below. Please order promptly so that you will have your *Handbook* by the time the January issue of *Predictions* arrives.

Superintendent of Documents U.S. Government Printing Office Washington 25, D.C.


Enclosed find \qquad in check money order for which please send copies of NBS Handbook 90, *Handbook for CRPL Ionospheric Predictions* to:

Name____ Organization

Address_____

City_____ Zone_____ State (or Country)____

(Please Note: Remittances from foreign countries should be by international money order or by draft on a U.S. bank.)



U. S. DEPARTMENT OF COMMERCE Luther H. Hodges, Secretary

NATIONAL BUREAU OF STANDARDS

A. V. Astin, Director



THE NATIONAL BUREAU OF STANDARDS

The scope of activities of the National Bureau of Standards at its major laboratories in Washington, D.C., and Boulder, Colorado, is suggested in the following listing of the divisions and sections engaged in technical work. In general, each section carries out specialized research, development, and engineering in the field indicated by its title.

WASHINGTON, D.C.

Electricity. Resistance and Reactance. Electrochemistry. Electrical Instruments. Magnetic Measurements. Dielectrics. High Voltage.

Metrology. Photometry and Colorimetry. Refractometry. Photographic Research. Length. Engineering Metrology. Mass and Scale. Volumetry and Densimetry.

Heat. Temperature Physics. Heat Measurements. Cryogenic Physics. Equation of State. Statistical Physics. **Radiation Physics.** X-ray. Radioactivity. Radiation Theory. High Energy Radiation. Radiological Equipment. Nucleonic Instrumentation. Neutron Physics.

Analytical and Inorganic Chemistry. Pure Substances, Spectrochemistry, Solution Chemistry, Standard Reference Materials, Applied Analytical Research, Crystal Chemistry.

Mechanics, Sound, Pressure and Vacuum, Fluid Mechanics, Engineering Mechanics, Rheology, Combustion Controls.

Polymers. Macromolecules: Synthesis and Structure. Polymer Chemistry. Polymer Physics. Polymer Characterization. Polymer Evaluation and Testing. Applied Polymer Standards and Research. Dental Research.

Metallurgy. Engineering Metallurgy. Microscopy and Diffraction. Metal Reactions. Metal Physics. Electrolysis and Metal Deposition.

Inorganic Solids. Engineering Ceramics. Glass. Solid State Chemistry. Crystal Growth. Physical Properties. Crystallography.

Building Research. Structural Engineering. Fire Research. Mechanical Systems. Organic Building Materials. Codes and Safety Standards. Heat Transfer. Inorganic Building Materials. Metallic Building Materials.

Applied Mathematics. Numerical Analysis. Computation. Statistical Engineering. Mathematical Physics. Operations Research.

Data Processing Systems. Components and Techniques. Computer Technology. Measurements Automation. Engineering Applications. Systems Analysis.

Atomic Physics. Spectroscopy. Infrared Spectroscopy. Far Ultraviolet Physics. Solid State Physics. Electron Physics. Atomic Physics. Plasma Spectroscopy.

Instrumentation. Engineering Electronics. Electron Devices. Electronic Instrumentation. Mechanical Instruments. Basic Instrumentation.

Physical Chemistry. Thermochemistry. Surface Chemistry. Organic Chemistry. Molecular Spectroscopy. Elementary Processes. Mass Spectrometry. Photochemistry and Radiation Chemistry.

Office of Weights and Measures.

BOULDER, COLO.

Cryogenic Engineering Laboratory. Cryogenic Equipment. Cryogenic Processes. Properties of Materials. Cryogenic Technical Services.

CENTRAL RADIO PROPAGATION LABORATORY

Ionosphere Research and Propagation. Low Frequency and Very Low Frequency Research. Ionosphere Research. Prediction Services. Sun-Earth Relationships. Field Engineering. Radio Warning Services. Vertical Soundings Research.

Radio Propagation Engineering. Data Reduction Instrumentation. Radio Noise. Tropospheric Measurements. Tropospheric Analysis. Propagation-Terrain Effects. Radio-Meteorology. Lower Atmosphere Physics.

Radio Systems. Applied Electromagnetic Theory. High Frequency and Very High Frequency Research. Frequency Utilization. Modulation Research. Antenna Research. Radiodetermination.

Upper Atmosphere and Space Physics. Upper Atmosphere and Plasma Physics. High Latitude Ionosphere Physics. Ionosphere and Exosphere Scatter. Airglow and Aurora. Ionospheric Radio Astronomy.

RADIO STANDARDS LABORATORY

Radio Physics, Radio Broadcast Service. Radio and Microwave Materials. Atomic Frequency and Time-Interval Standards. Radio Plasma. Millimeter-Wave Research.

Circuit Standards. High Frequency Electrical Standards. High Frequency Calibration Services. High Frequency Impedance Standards. Microwave Calibration Services. Microwave Circuit Standards. Low Frequency Calibration Services.

UNITED STATES GOVERNMENT PRINTING OFFICE DIVISION OF PUBLIC DOCUMENTS WASHINGTON 25, D. C.

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE, \$300 (GPO)

DEPARTMENTS OF THE ARMY AND THE AIR FORCE WASHINGTON 25, D.C., 1 January 1963

TB 11-499-1/TO 31-3-28, CRPL Ionospheric Predictions for April 1963, published for the information and guidance of all concerned.

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

EARLE G. WHEELER, General, United States Army, Chief of Staff.

Official:

J. C. LAMBERT, Major General, United States Army, The Adjutant General.

OFFICIAL:

R. J. PUGH, Colonel, United States Air Force, Director of Administrative Services.

DISTRIBUTION:

Active Army:

USASA (2); CofEngrs (1); TSG (1); CSigO (5); CofT (1); USA Abn, Elect & SPWAR Bd (2); USAARMBD (2); USACD Agcy (1); USA Elect Mat Spt Agcy (10); USA Sig Msl Spt Agcy (2); USCONARC (3); ARADCOM (2); OS Maj Comd (5); OS Base Comd (2); Log Comd (2); MDW (1); Armies (5); Corps (2); Div (2); USA Msl Comd (3); Atlanta Army Dep (1); Svc Colleges (4); Br Svc Sch (4) except USASCS (20); USAAMC (2); ARADCOM Rgn (2); WSMR (2); USASRD Lab (8); USA Elet PG (10); USA Elect R & D Actv (8); JBUSMC (11); USA Corps (1); ACS (2); USA Mob Spt Cen (1); Units org under fol TOE: 11-18 (1); 11-95 (1); 11-500 (AC) (1).

NG: None

USAR: None.

For explanation of abbreviation used, see AR 320-50

CURTIS E. LEMAY, Chief of Staff, United States Air Force.