

National Bureau of Standards
Library, N.W. Bldg
OCT 8 1964

Central Radio Propagation Laboratory

IONOSPHERIC PREDICTIONS

for
January
1965

TB 11-499-22/TO 31-3-28

U.S. DEPARTMENT of COMMERCE
National Bureau of Standards
Number 22/Issued October 1964



U.S. DEPARTMENT OF COMMERCE
Luther H. Hodges, Secretary

NATIONAL BUREAU OF STANDARDS
A. V. Astin, Director

Central Radio Propagation Laboratory

Ionospheric Predictions

for January 1965

[Formerly "Basic Radio Propagation Predictions," CRPL Series D.]

The CRPL Ionospheric Predictions are issued monthly as an aid in determining the best sky-wave frequencies over any transmission path, at any time of day, for average conditions for the month. Issued three months in advance, each issue provides tables

of numerical coefficients that define the functions describing the predicted worldwide distribution of foF2 and M(3000)F2 and maps for each even hour of universal time of MUF(Zero)F2 and MUF(4000)F2.

NOTE: Department of Defense personnel see back cover.

Use of funds for printing this publication approved by the Director of the Bureau of the Budget (June 19, 1961).

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402. Price 25 cents.

Annual subscription (12 issues) \$2.50 (75 cents additional for foreign mailing).

Number 22

Issued

October 1964

National Bureau of Standards

The functions of the National Bureau of Standards are set forth in an Act of Congress, March 3, 1901, as amended. These include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to government agencies on scientific and tech-

nical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services, and various consultation and information services. The Bureau also serves as the Federal technical research center in a number of specialized fields.

Central Radio Propagation Laboratory

The Central Radio Propagation Laboratory at Boulder, Colorado, is the central agency of the Federal Government for the collection, analysis, and dissemination of information on propagation of radio waves at all frequencies along the surface of the earth, in the atmosphere, and in space, and performs scientific studies looking toward new techniques for the efficient use and conservation of the radio spectrum. To carry out this responsibility, the CRPL—

toward the development of techniques for efficient use and conservation of the radiofrequency spectrum as part of its regular program or as requested by other government agencies. In an advisory capacity, coordinates studies in this area undertaken by other government agencies.

3. Furnishes advisory and consultative service on radio wave propagation, on radiofrequency utilization, and on radio systems problems to other organizations within the United States, public and private.

4. Prepares and issues predictions of radio wave propagation and noise conditions and warnings of disturbances in these conditions.

5. Acts as a central repository for data, reports, and information in the field of radio wave propagation.

6. Performs scientific liaison and exchanges data and information with other countries to advance knowledge of radio wave propagation and interference phenomena and spectrum conservation techniques, including that liaison required by international responsibilities and agreements.

1. Acts as the central agency for the conduct of basic research on the nature of radio waves, the pertinent properties of the media through which radio waves are transmitted, the interaction of radio waves with those media, and on the nature of radio noise and interference effects. This includes compilation of reports by other foreign and domestic agencies conducting research in this field and furnishing advice to government and nongovernment groups conducting propagation research.

2. Performs studies of specific radio propagation mechanisms and performs scientific studies looking

Introduction

The "Central Radio Propagation Laboratory Ionospheric Predictions" is the successor to the former "Basic Radio Propagation Predictions," CRPL Series D. To make effective use of these predictions, National Bureau of Standards Handbook 90, "Handbook for CRPL Ionospheric Predictions Based on Numerical Methods of Mapping," should be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402, price 40 cents. This Handbook includes required additional data, nomographs and graphical aids, as well as methods for the use of the predictions. The Handbook supersedes the obsolete NBS Circular 465.

The basic prediction appears in tables 1 and 2, presenting predicted coefficients for f_{oF2} and $M(3000)F2$ defining the numerical map functions describing the predicted worldwide variation of these characteristics. With additional auxiliary information, these coefficients may be used as input data for electronic computer programs solving specific high frequency propagation problems. The basic equations, their interpretation, and methods of using the numerical maps are described in two papers by W. B. Jones and R. M. Gallet, "The Representation of Diurnal and Geographic Variations of Ionospheric Data by Numerical Methods," Volume 66D, Number 4, July-August 1962, pages 419-438, and "Methods for Applying Numerical Maps of Ionospheric Characteristics," Volume 66D, Number 6, November-December 1962, pages 649-662, both in the Journal of Research of the National Bureau of Standards, Section D. Radio Propagation. The predicted numerical map coefficients of tables 1 and 2 may be purchased in the form of a tested set of punched cards. Write to the Prediction Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado, to arrange for the purchase of the set of punched cards and for further information and assistance in the application of computer methods and numerical prediction maps to specific propagation problems.

The graphical prediction maps, derived from the basic prediction, are provided for those unable to make use of an electronic computer. Figures 1 to 12 present world maps of MUF (Zero) $F2$ and $MUF(4000)F2$ for each even hour of universal time. Figures 13 to 16 present the same predictions for hours 00 and 12 universal time for the North and South Polar areas. Predicted polar maps for each even hour of universal time may be obtained by special arrangements with the Central Radio Propagation Laboratory. Handbook 90 describes methods for including regular E-F1 propagation. Figure A is a graph of predicted and observed Zürich sunspot numbers which shows the recent trend of solar activity. Table A lists observed and predicted Zürich smoothed relative sunspot numbers and includes the sunspot number used for the current prediction.

Members of the U.S. Army, Navy, or Air Force desiring the Handbook and the Ionospheric Predictions should send requests to the proper service address; for the Navy: The Director, Naval Communications, Department of the Navy, Washington, D.C., 20350; for the Air Force: Directorate of Command Control and Communications, Headquarters, United States Air Force, Washington, D.C., 20330. Attention: AFOCCAA. Army personnel should refer to the Handbook as TM-11-499 and to the monthly predictions as TB 11-499-(), predictions for the month of January 1965 being distributed in October 1964 and designated TB 11-499-(22), and should requisition these through normal publication channels.

Information concerning the theory of radio wave propagation and such important problems as absorption, field intensity, lowest useful high frequencies, etc., is given in National Bureau of Standards Circular 462, "Ionospheric Radio Propagation." A revised work is in preparation which will be announced in the Ionospheric Prediction series when available. Additional information about radio noise may be found in C.C.I.R. Report Number 65, "Revision of Atmospheric Noise Data," International Telecommunication Union, Geneva, 1957.

Reports to this Laboratory of experience with these predictions would be appreciated. Correspondence should be addressed to the Prediction Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado.

NOTE: The $MUF(ZERO)F2$ values of figures 1A through 12A were derived by adding one-half the gyrofrequency to the f_{oF2} calculated by use of the predicted coefficients in table 1. The error introduced by this approximation is generally not important compared to other uncertainties in the predictions, and is significant only when the f_{oF2} is near or below the gyrofrequency. If more precise values of predicted f_{xF2} are desired, the theoretical relationships should be applied to the f_{oF2} values calculated by the coefficients in table 1.

Table A

Observed and Predicted Zurich Smoothed Relative
Sunspot Numbers

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1954	6 (14)	6 (12)	4 (11)	3 (10)	4 (10)	4 (9)	5 (8)	7 (8)	8 (8)	8 (10)	10 (10)	12 (11)
1955	14 (12)	16 (14)	20 (14)	23 (13)	29 (16)	35 (18)	40 (22)	46 (27)	55 (30)	64 (31)	73 (35)	81 (42)
1956	89 (48)	98 (53)	109 (60)	119 (68)	127 (77)	137 (89)	146 (95)	150 (105)	151 (119)	156 (135)	160 (147)	164 (150)
1957	170 (150)	172 (150)	174 (150)	181 (150)	186 (150)	188 (150)	191 (150)	194 (150)	197 (150)	200 (150)	201 (150)	200 (150)
1958	199 (150)	201 (150)	201 (150)	197 (150)	191 (150)	187 (150)	185 (150)	185 (150)	184 (150)	182 (150)	181 (150)	180 (150)
1959	179 (150)	177 (150)	174 (150)	169 (150)	165 (146)	161 (143)	156 (141)	151 (142)	146 (141)	141 (139)	137 (137)	132 (137)
1960	129 (136)	125 (135)	122 (133)	120 (130)	117 (125)	114 (120)	109 (118)	102 (115)	98 (110)	93 (108)	88 (105)	84 (100)
1961	80 (100)	75 (90)	69 (90)	64 (90)	60 (85)	56 (85)	53 (80)	52 (75)	52 (70)	51 (70)	50 (65)	49 (60)
1962	45 (60)	42 (50)	40 (48)	39 (45)	39 (42)	38 (37)	37 (34)	35 (31)	33 (29)	31 (28)	30 (27)	30 (34)
1963	29 (31)	30 (28)	30 (26)	29 (25)	29 (25)	28 (25)	28 (23)	27 (21)	27 (20)	26 (18)	23 (18)	21 (17)
1964	19 (17)	(17)	(17)	(17)	(17)	(17)	(17)	(17)	(17.5)	(17.3)	(17.0)	(17.0)
1965	(15.0)*											
1966												

Note: Final numbers are listed through June 1963, the succeeding values being based on provisional data. The predicted numbers are in parentheses.

* Number used for predictions in this issue.




FIG. A. PREDICTED AND OBSERVED SUNSPOT NUMBERS

TABLE I
TIME VARIATION

I - Main latitudinal variation. Mixed latitudinal and longitudinal variation: II - First order in longitude, III - Second order in longitude
 Notation: For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last two digits and sign

TABLE 2
TIME VARIATION

Harmonic	0		1		2		3		4		5		6	
	K	S	0	1	2	3	4	5	6	7	8	9	10	11
I	0	2.9971266E 00	-1.1018253E-01	-2.7162751E-01	3.6158611E-02	-1.1335810E-01	4.1472155E-02	-4.9591039E-02						
	1	4.611721E-01	1.3702551E-01	-1.125116E-02	-1.1.125116E-01	2.4246091E-02	-2.1224774E-02	-3.9991902E-02						
	2	1.8717198E 00	1.0913046E 00	2.5579697E 00	9.2800410E-02	4.3911877E-01	3.147661E-01	-9.071415E-01	9.116360E-03					
	3	-8.3347018E-01	-7.3718483E-01	1.4469044E 00	4.58542910E 00	-9.5854102E-01	4.2224313E-01	1.0393409E 00	-2.499339E-01					
	4	-5.728635E CO	-2.9620730E 00	6.54562521E 00	-5.9857116E-01	-2.9093568E-01	2.3842272E-01							
	5	4.9718860E-01	1.3112141E 00	-2.4562521E 00	1.5596297E 00	-3.9345699E-01	1.4863303E 00	3.5259818E-01						
	6	6.5854540E-00	3.5539581E 00	5.191622E 00	1.5596297E 00	-4.4519784E-01	-4.4519784E-01	-6.9556565E-01						
	7	-6.0647670E-02	-6.0647670E-02	1.4469186E 00	2.8911872E-01	3.911872E-01	3.911872E-01	-1.3660622E-01						
II	8	-2.6001144E 00	-1.5545814E 00	-1.7424567E 00	-7.3162805E 00	-7.3162805E 00	5.7682670E-02	1.9783806E 00	7.5111734E-02					
	9	-1.8574183E-02	-2.8038147E-02	4.5254059E-02	-8.8764613E-03	2.1325436E-02	7.8399846E-02	7.8399846E-02	-3.5558160E-03					
	10	-1.261800E-01	-2.737938E-02	-2.5979111E-02	1.3238464E-02	7.7892846E-03	2.061880E-03	2.061880E-03						
	11	8.097628E-02	-1.711444E-01	-2.654242E-02	2.715053E-01	6.262542E-02	7.022998E-02	-4.1844963E-02						
	12	-4.079272E-01	-2.9195605E-01	-1.03376537E 00	9.721467E-02	-1.3675002E-01	1.304036E-01	1.0916363E-01						
	13	-1.3838251E-01	1.4722417E-01	-5.4436222E-01	-4.3835811E-02	-4.3835811E-02	-1.9778842E-01	1.5917786E-01						
	14	8.1816460E 00	8.7291070E-01	-2.9418442E-01	-2.9418442E-01	-2.9418442E-01	-1.1300476E 00	8.1057580E-02						
	15	-3.9941681E-01	9.9683529E-01	2.1026441E-01	-9.5114501E-01	-9.5114501E-01	-5.688751580E-02	-4.89607188E-01	3.4221883E-02					
	16	2.4644386E 00	1.8324227E 00	6.5522101E 00	6.5522101E 00	4.9466214E-01	-9.120404256E-01							
	17	1.2505702E 00	1.2505702E 00	1.2348828E-02	-7.9951938E-02	-7.9951938E-02	1.63233361E 00	-7.8978858E-01						
	18	-7.030934E 00	-3.703519E 00	2.1535153E 00	2.1535153E 00	7.4519707E-01	1.6998315E 00	5.629545E-02						
	19	1.0862712E 00	-1.0862712E 00	-1.0862712E 00	1.8120651E 00	1.6998315E 00	4.808135E 00	5.629545E-02						
	20	-4.8742898E 00	-3.35000703E 00	-1.2078486E 01	1.9077657E-01	-5.5778000E-01	1.8654766E 00	1.7591728E 00						
	21	-1.6977946E 00	-7.7518876E-01	-2.8791559E-01	7.0741017E-01	1.4248912E 00	2.8379621E 00	1.079612E 00						
	22	9.880721E 00	3.7118631E 00	-4.63269866E-01	-3.1399372E 00	-6.4403684E 00	-6.4403684E 00	-4.191510E-01						
	23	-9.068363E-01	1.300112E 00	3.1481105E 00	-9.91516666E-01	4.1101091E-01	-3.31397975E-01	-1.923920E-01						
	24	2.9742390E 00	1.95054217E 00	7.2129391E 00	-1.2766666E-01	1.6850809E-01	-1.0036681E 00	-9.989877E-01						
	25	5.2926975E-01	-7.3923905E-01	-4.533359E-01	-6.1756525E-01	-1.221713E 00	1.5469593E 00	-3.836774E-01						
	26	-4.6491047E 00	-2.4083242E 00	3.5330345E 00	6.7810488E-03	1.7980768E 00	3.0445441E 00	3.0750455E-01						

GEOGRAPHICAL VARIATION

GEOGRAPHICAL VARIATION	Harmonic		4		5		6	
	K	S	7	8	9	10	11	12
III	0	1.8249245E-02	1.2534021E-03	1.9336662E-02	2.7937996E-02	3.4496344E-02	9.8238049E-04	
	1	9.8539872E-03	-9.6031651E-02	4.6112517E-02	7.4984046E-02	-9.7549334E-03	1.2034821E-03	
	2	-2.7281994E-02	3.7735338E-03	-3.1138294E-02	-8.4501477E-02	-2.4135517E-02	2.1234665E-02	
	3	-2.0979228E-02	1.0047703E-01	-5.202392E-02	-1.7722025E-03	1.3356692E-03	-1.7984498E-02	
	31	1.2488087E-01	-1.4827644E-01	-4.7470706E-01	-2.1234208E-02	1.0288320E-01	-5.7317266E-02	-1.1230512E-01
	32		2.090801E-01	3.3039322E-01	-1.1234208E-02	1.4171283E-01	-2.12726724E-02	-2.3701670E-03
	33		1.7171757E-01	2.5317717E-01	-5.8205710E-03	6.3309531E-03	-7.641212E-02	-8.493032E-03
	34		1.2459387E-01	1.9260345E-02	3.7255513E-01	2.8978961E-01	1.493032E-03	1.8037061E-01
	35							
	36							

I - Main latitudinal variation. Mixed latitudinal and longitudinal variation: II - First order in longitude, III - Second order in longitude.

Notation : For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last two digits and sign.

PREDICTED COEFFICIENTS D_{SK} DEFINING THE FUNCTION $\Gamma(\lambda, \theta, t)$ FOR MONTHLY MEDIAN M(3000)F2 JANUARY 1965




FIG. 1A. PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s)






FIG. 1B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

JANUARY 1965 UT=02



JANUARY 1965 UT = 04




FIG. 3A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 3B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

JANUARY 1965 UT= 06




FIG. 4A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 4B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

JANUARY 1965 UT=08




FIG. 5A. PREDICTED MEDIAN MUF (ZERO) F2 (Mc/s)






FIG. 5B. PREDICTED MEDIAN MUF (4000) F2 (Mc/s)



JANUARY 1965 UT=12




FIG. 7A. PREDICTED MEDIAN MUF (ZERO) F2 (Mc/s)




FIG.7B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

JANUARY 1965 UT=14




FIG. 8A. PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s)






FIG. 8B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)






FIG. 10A. PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s)






FIG. 10B. PREDICTED MEDIAN MU_F(4000)F2 (Mc/s)

JANUARY 1965 UT = 20






FIG. 12A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 12B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)




FIG. 13A. PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s)




FIG. 13B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)

SOUTH POLAR AREA
JANUARY 1965 UT=00




FIG. 14A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 14B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

NORTH POLAR AREA
JANUARY 1965 UT=12




FIG. 15A. PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s)




FIG. 15B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)

SOUTH POLAR AREA
JANUARY 1965 UT=12




FIG. I6A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. I6B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

UNITED STATES
GOVERNMENT PRINTING OFFICE
DIVISION OF PUBLIC DOCUMENTS
WASHINGTON, D. C., 20402

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE. \$300
(GPO)

DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
WASHINGTON, D. C., 20301, 1 October 1964

TB 11-499-22/TO 31-3-28, Central Radio Propagation Laboratory Ionospheric Predictions for January 1965, is published for the use of all concerned.

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

OFFICIAL:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

CURTIS E. LE MAY,
Chief of Staff, United States Air Force.

OFFICIAL:

R. J. PUGH,
Colonel, United States Air Force,
Director of Administrative Services.

DISTRIBUTION:

Active Army:

USASA (4); USA Elet Comd (1); USA MI Comd (2); USA Test & Eval Comd (1); USACDCCEA (1); USCONARC (3); ARADCOM (2); OS Maj Comd (5); OS Base Comd (2); Log Comd (2); MDW (1); Armies (5); Corps (2); Div (2); USA Elet RD Agey, Ft Huachuca (4); USA Elet RD Agey, W (4); Svc Colleges (4); Br Svc Sch (4) except USASCS (20); USAADCEN (2); ARADCOM Rgn (2); WSMR (2); USA Elet RD Agey, Ft Monmouth (4); JBUSMC (12); USA Corps (1); USA Mbl Equip Cen (2); USAMC (1); USACDCA (1); Atlanta Army Dep (1); USSTRIKE (1); USASA Bd (1); USASA, Europe (1); USASA, Pacific (1); USASA, Alaska (1); USASA, USARSOUTHCOM (1); MAAG, Pakistan (6); Units org under fol TOE: 11-18 (1); 11-95 (1); 11-500 (Tm AC) (1).

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320-50.