
2. BACKGROUND

The complexity and diversity of cloud systems has made it difficult to evaluate the user experience using typical usability evaluation techniques.

2.1 CLOUD STANDARDS

The National Institute of Standards and Technology (NIST) cloud computing initiative was aimed at standardizing the definition of cloud computing, its various models and deployment strategies. NIST's definition of the cloud mandates five essential characteristics [15] of on-demand self-service, broad network access, resource pooling, rapid elasticity and measured service. The NIST deployment models [15], that include Private, Public, Community and Hybrid cloud models, do not specifically address the attributes of human computer interaction or usability that make up the user experience of a cloud service.

The NIST cloud model enumerates three service models [15]. Usability elements to consider for each service model are different and depend on the level of control the end user and the consumer organization have over the cloud service. The service models include:

- Software as a Service (SaaS): provides consumers the use of applications in the cloud. The consumer does not control or manage the applications or the environment in which the application is running. In this model the end user and the consumer organization generally have very limited capability of customizing the user interface of the cloud service. For instance, Google Apps (<http://www.google.com/enterprise/apps/business/>) that are being adopted as Enterprise Email applications in many organizations have the same look and feel for all the consumers and limit customization of the user interface to colors and company logos.
- Platform as a Service (PaaS): provides consumers with the ability to deploy applications created or acquired by the consumer using programming languages, libraries, services, and tools supported by the provider. The consumer does not manage or control the cloud infrastructure, but has control over the deployed applications. In this model, the end user and the consumer organization generally have capability of customizing the user interface of the cloud service. However they are limited by the capability of the platform and cannot use other open source languages, like C or Java, to develop custom applications. For instance, Salesforce.com provides 'Salesforce1 Platform' application [19] as a PaaS cloud model that allows end users to develop apps on the salesforce platform. However, they are limited to the tools provided by Salesforce on that offering and so might be limited in getting the same user interface as other applications in their enterprise cloud that are purchased from other vendors.

-
- Infrastructure as a Service (IaaS): provides consumers with the ability to provision processing, storage, networks, and other fundamental computing resources where the consumer is able to deploy and run arbitrary software, which can include operating systems and applications. The consumer does not manage or control the underlying cloud infrastructure but has control over operating systems, storage, and deployed applications. For instance, Amazon Web Services (<http://aws.amazon.com/>) provide an IaaS environment to their consumers who can develop personal applications using languages and tools of their choice. This model provides end users with the maximum flexibility of customizing their cloud services and so facilitates development of a consistent user interface. However, IaaS cloud services also require consumer organizations to develop in-house expertise to be able to utilize the benefits of the cloud.

As these cloud computing environment characteristics and components demonstrate decisions about moving to the cloud can be overwhelming to organizations/consumers. [7] Many frameworks and taxonomies have been developed to assist enterprises as they consider the use of the cloud. [6][2][17] These frameworks generally focus on technical capabilities and measure business-relevant attributes. Others provide mechanisms for comparing business services. For example, Garg et al [6] developed a framework that measures the quality of cloud services and ranks. Usability features have only been mentioned in passing, if at all. While these frameworks may be useful for evaluating the cloud in regards to technical and business needs they are not sufficient to evaluate cloud usability.

The study of the usability of cloud-based services has been limited so far. We believe an assumption of the cloud community appears to be that cloud environments are readily usable as they are an extension of the existing computing environment. However the complexity and diversity of cloud computing environments have demonstrated the necessity for a usability framework that encompasses the added dimensions and provides a structure such that key areas are not overlooked. Key areas of the framework include cloud usability requirements generation and evaluation.

The usability community has a long history of using frameworks to evaluate usability of systems. From the International Organization for Standardization (ISO) usability measures of effectiveness, efficiency, and user satisfaction [8] that influenced the desktop computing evaluation models, to those developed for pervasive or ubiquitous computing [1][4][13][16], to those for mobile computing [3][14] each is tailored to accommodate the key differences that define the user's computing environment

2.2 THE CLOUD USER EXPERIENCE

While users experience the cloud through a user-interface, organizations enable the end user experience by setting up the cloud service and its characteristics. The end user interacts with the cloud and its cloud based services through its applications (see Figure 1). These applications are effected by attributes of the cloud and the services and will exhibit behaviors that can be traced back to the cloud. Testing the applications reveal the usability of the cloud and cloud services that is available to the end user.

3. PROPOSED FRAMEWORK FOR CLOUD USABILITY

Any usability framework should start with a good understanding of what usability is. For our purposes, we used the ISO definition of usability:

Usability is the extent to which a system, product, or service can be used by specified users to achieve specified goals with effectiveness, efficiency, and satisfaction in a specified context of use. [8]




Figure 1 The Cloud User Experience




Figure 2 The User Centered Design Process

The definition provided us with a roadmap for developing the framework. It first talks about users and their goals that have often been left out when considering the cloud. The definition then goes on to state three metrics: effectiveness, efficiency, and satisfaction. Finally, in the definition, states that the aforementioned all occur within a specified context of use. It is during the development of the context of use that users' needs (and their goals) are first identified in the User Centered Design (UCD) process[8]. As can be seen in Figure 2, User Needs are central to developing a usable system, product, or service. It is these user needs that form the basis of our framework.

3.1 CLOUD USABILITY FRAMEWORK

Figure 3 is a pictorial representation of the NIST Cloud Usability Framework. This figure lists the various usability attributes that are of interest to cloud users.




Figure 3 Cloud Usability Framework

In a similar vein as the Cloud Services Measurement Initiative Consortium (CSMIC), who created a framework to establish measures for quality of cloud services (Service Measurement Index, SMI [2]), we independently created a framework that characterizes the usability attributes that the cloud should contain. The framework's attributes and elements are based on other usability frameworks [16] and ISO usability standards. Consumers should expect the cloud to be Capable, Personal, Reliable, Valuable, and Secure. Figure 3 illustrates this framework.

3.1.1 Capable

Cloud consumers should expect their cloud services to have certain capabilities. The four main features that they should look for in a capable cloud service are:

1. **Current:** The cloud service should be based on the latest technology. The provider should upgrade the service to stay current with the state-of-art of the technology. The service provider should ensure that the cloud service stays compatible with the latest release of hardware, Operating System (OS) and related software applications on which it is dependent. Currently providers upgrade the technology of their services every 18-24 months. In the coming years, we may see a reduction in this time span.

-
2. **Device Independence:** For a cloud service to be capable, consumers should be able to access the cloud service using any device type – fixed/mobile etc.
 3. **Platform Independence:** Consumers who use IaaS services want to be able to define the exact hardware specifications of the service they wish to purchase. For SaaS services, consumers want the cloud service to be independent of the cloud hardware, Operating System, etc. so that the service can function correctly on any device hardware and software setup.
 4. **Cloud Functionality:** Cloud services can be considered capable for the consumers if they provide cloud functionality, like elasticity, scalability; rapid provisioning, etc., that is not possible in other platforms.

3.1.2 Personal

Cloud Services should allow consumers (organizations and end users) to change the look and feel of the user interface and customize service functionality to suit their needs. At times, an organization's IT policy may not allow the end users to personalize the user interface of any enterprise application; however, they may still customize the basic solution for the whole organization. There are five main elements that a User should expect under the Personal attribute:

1. **Accessibility:** It is the degree to which a product or system can be used by people with the widest range of characteristics and capabilities to achieve a specified goal in a specified context of use [11]. Cloud services should be accessible to consumers with a variety of needs. For instance, many consumers in the United States mandate that the solution should be compliant with the Americans with Disabilities Act (ADA).
2. **Customization:** Customization is adaptation of a software product to the needs of a particular audience [12]. Cloud services should allow consumers to change their user interface to suit their own needs. An organization may choose a standard customized interface for all their end users to ensure lower maintenance needs.
3. **Data Ownership:** Consumers should have complete ownership over the data they store in the cloud services they use. Users should be able to declare the policies on its usage (in advertisements, other services etc.). For instance, if a consumer uploads pictures to a cloud service, the consumer should be able to determine how that image is used or who has access to it.
4. **Identity Management (access):** To ensure ease of use, multiple access authentications will have to be implemented in a seamless manner so that the consumer is not aware of the number of authentication/authorization steps they have to go through to access their applications on the cloud.

-
5. **Control:** The consumer should have a sense of control over the functionality of the cloud service. For instance, they should be able to determine what cookies are set by the cloud service, or be able to switch off Global Positioning System (GPS) tracking if the service is accessed as a mobile application.

3.1.3 Reliable

Reliability is the ability of a system or component to perform its required functions under stated conditions for a specified period of time[10]. There are five main elements that cloud consumers look for under the Reliable attribute:

1. **Available:** Availability is defined as the ability of a service or service component to perform its required function at an agreed instant or over an agreed period of time [9]. Cloud users should expect high availability and it is not unusual to find providers advertising over 99 % availability.
2. **Responsive:** cloud consumers should want the cloud services to have high degree of performance. The main performance measure that is of interest to the end user is the response time, which is the time it takes the service to respond to a user's request/instruction.
3. **Consistent:** A cloud service should exhibit the same functionality under every situation. The service should also have no conflicts with the user device type (e.g., different types of desktops) accessing the service.
4. **Transparency:** The cloud service provider's service policies and technology should be transparent to the cloud consumer organization. Organizational users (like managers, database administrators, etc.) should have access, as needed, to the cloud datacenter and have details about the cloud platform's capabilities and planned changes. This feature is important for building trust between cloud providers and cloud consumers.
5. **Error-Resistant:** An error-resistant program is a piece of software which resists the adverse effects of errors. In order to accomplish this goal, the program must possess the capabilities to detect errors, to locate and contain the propagation of errors, and to recover from the errors [20].

3.1.4 Valuable

Cloud consumers should expect cloud services to provide value to them and their organization. The four main features that can measure this value include –

1. **Savings:** By using the cloud service, users will be able to save on costs with respect to running the same application on their personal infrastructure. In addition they will be able to consolidate and save resources they might need if they ran the same application on their personal infrastructure.
2. **User satisfaction:** User satisfaction measures the affective experience of the service. The user satisfaction measure should be high for the user to continue consuming the service.
3. **Utility:** Cloud services will be valuable to the consumers if they can provide new features that are not possible with any other IT setup. For instance, cloud services are proving to be very valuable in:
 - a. Distributed computing with large datasets (Big Data applications) and
 - b. Mobile and pervasive computing.

3.1.5 Secure

Cloud consumers want their cloud services and data to be secure. The three main features that they are looking for in cloud services under this category are:

1. **Security:** The cloud service should be resistant to attacks from unauthorized users, other cloud services, malicious software, and attacks on cloud hardware and the Internet.

Security attacks on a service by cloud based attackers compromise the functionality of that service. While these attacks may not directly harm the user's private data; they will make the cloud service more vulnerable to Privacy attacks.

2. **Privacy:** The cloud service can prevent leakage of data that compromises end user's private data like personal information, financial accounts, geolocation (if not desired by the user), etc.

Privacy Attacks compromise a cloud user's personal information. These attacks may not directly harm the cloud service's security, but can affect its performance.

To ensure a cloud user's privacy, cloud providers authenticate or validate a user's credentials. Tools, patches, utilities and applications are deployed by the cloud providers to ensure the cloud user's privacy.

-
3. **Identity Management (Authorization):** The cloud service should not allow unauthorized users to access user data or execute any process. The organization will designate an administrator who will be able to maintain the list of users and their authorization levels.
 4. **Trust:** The end user should have trust in the cloud. How it handles data, how it facilitates the users' tasks, and the general user experience all contribute to the feeling of trust in the cloud.

4. CONCLUSION AND ONGOING WORK

We have presented a framework for evaluating the user experience of the cloud. The framework builds on techniques, metrics, and guidelines from desktop computing and more recent work in ubiquitous computing. The goal of the cloud usability framework is to provide a structure to ensure that key areas of evaluation and consumer needs are not overlooked.

While this framework is based on evaluations from desktop computing, a literature review and personal experience, we have plans to apply it to a cloud environment.

Finally we believe the framework is the foundation for developing usability metrics for organizations adopting the cloud. Thus our goal is to develop a method of measuring the elements in the framework and defining an associated set of usability metrics.

5. REFERENCES

- [1] Bellotti, V.; Back, M.; Edwards, W.K.; Grinter, R.E.; Henderson, A.; Lopes, C. 2002. Making sense of sensing systems: Five questions for designers and researchers. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems: Changing our World, Changing Ourselves. New York: ACM Press, 415–422.
- [2] Cloud Services Measurement Initiative Consortium, The Service Measurement Index. Retrieved September 6, 2013, from <http://csmic.org/>
- [3] Coursaris, C.K., Kim, D.J., A Meta-Analytical review of empirical mobile usability studies, *Journal of Usability Studies*, Vol. 6, Issue 3, pp. 117-171, May 2011
- [4] Friedman, B. and Kahn, P.H. Jr. 2003. Human values, ethics, and design. In *The Human-Computer Interaction Handbook*. Mahwah, NJ: Lawrence Erlbaum, 1177–1201.
- [5] Gartner Predicts Infrastructure Services Will Accelerate cloud Computing Growth (2013, February 19). Retrieved September 12, 2013 from <http://www.forbes.com/sites/louiscolumnbus/2013/02/19/gartner-predicts-infrastructure-services-will-accelerate-cloud-computing-growth/>
- [6] Garg, S.K., Versteeg, S., Buyya, R., SMI cloud: A Framework for Comparing and Ranking cloud Services, *Utility and cloud Computing (UCC)*, 2011 Fourth IEEE International Conference on, vol., no., pp.210, 218, 5-8 Dec. 2011. doi: 10.1109/UCC.2011.36
- [7] Goyal, P., Enterprise Usability of Cloud Computing Environments: Issues and Challenges. 2010 Workshops on Enabling Technologies: Infrastructure for Collaborative Enterprises. (2010), 54-59.
- [8] ISO/IEC 9241-210:2010 Ergonomics of human-system interaction -- Part 210: Human-centred design for interactive systems
- [9] ISO/IEC 20000-1:2011 Information Technology Service Management
- [10] ISO/IEC 24765:2010 Systems and software engineering Vocabulary
- [11] ISO/IEC 25010:2011 Systems and software engineering--Systems and software Quality Requirements and Evaluation (SQuARE)--System and software quality models, 4.2.4
- [12] ISO/IEC 26514:2008 Systems and software engineering Requirements for designers and developers of user documentation

-
- [13] Jameson, A. 2003. Adaptive interfaces and agents. In *The Human-Computer Interaction Handbook*. Mahwah, NJ: Lawrence Erlbaum, 316–318.
- [14] Kwahk, J., & Han, S.H. (2002). A methodology for evaluating the usability of audiovisual consumer electronic products. *Applied Ergonomics*, 33, 419-431.
- [15] Mell, P. & Grance, T. (2011) *The NIST Definition of Cloud Computing*, (Special Publication 800-145). Gaithersburg MD: National Institute of Standards and Technology.
- [16] Scholtz, J. and Consolvo, S. 2004. Toward a framework for evaluating ubiquitous computing applications. *Pervasive Computing*, 3, 2, 82–88.
- [17] Vaquero, L.M., Rodero-Merino, L., Caceres, J., and Lindner, M., A break in the clouds: towards a cloud definition. *SIGCOMM Comput. Commun. Rev.* 39, 1, pp.50-55, Dec 2008, doi: 10.1145/1496091.1496100
- [18] Singleton D., “It’s time for a cloud UI standard”, <http://blog.softwareadvice.com/articles/enterprise/its-time-for-a-cloud-ui-standard-1021412/>, last retrieved 18 Nov 2013
- [19] Salesforce1 Platform, <http://www.salesforce.com/platform/overview/>, last retrieved 18 Nov 2013
- [20] Yau, S.S., Cheung, R.C., and Cochrane, D.C., “An approach to error-resistant software design.” In the *ICSE '76 Proceedings of the 2nd international conference on software engineering*. Pages 429-436. IEEE Computer Society Press, Loss Alamitos CA USA 1976.