Withdrawn Draft

Warning Notice

The attached draft document has been withdrawn and is provided solely for historical purposes. It has been superseded by the document identified below.

Withdrawal Date January 25, 2022

Original Release Date August 3, 2021

Superseding Document

Status	Final
--------	-------

Series/Number NIST Special Publication 800-53A Revision 5

- **Title** Assessing Security and Privacy Controls in Information Systems and Organizations
- Publication Date January 2022

DOI https://doi.org/10.6028/NIST.SP.800-53Ar5

CSRC URL https://csrc.nist.gov/publications/detail/sp/800-53A/rev-5/final

Additional Information



Assessing Security and Privacy Controls in Information Systems and Organizations

JOINT TASK FORCE

This publication is available free of charge from: https://doi.org/10.6028/NIST.SP.800-53Ar5-draft



DRAFT NIST Special Publication 800-53A Revision 5

Assessing Security and Privacy Controls in Information Systems and Organizations

JOINT TASK FORCE

This publication is available free of charge from: https://doi.org/10.6028/NIST.SP.800-53Ar5-draft

August 2021



U.S. Department of Commerce Gina M. Raimondo, Secretary

National Institute of Standards and Technology James K. Olthoff, Performing the Non-Exclusive Functions and Duties of the Under Secretary of Commerce for Standards and Technology & Director, National Institute of Standards and Technology

1	Authority
2 3 4 5 6 7 8 9	This publication has been developed by NIST to further its statutory responsibilities under the Federal Information Security Modernization Act (FISMA), 44 U.S.C. § 3551 <i>et seq.</i> , Public Law (P.L.) 113-283. NIST is responsible for developing information security standards and guidelines, including minimum requirements for federal information systems. Such information security standards and guidelines shall not apply to national security systems without the express approval of the appropriate federal officials exercising policy authority over such systems. This guideline is consistent with the requirements of the Office of Management and Budget (OMB) Circular A-130.
10 11 12 13 14 15	Nothing in this publication should be taken to contradict the standards and guidelines made mandatory and binding on federal agencies by the Secretary of Commerce under statutory authority. Nor should these guidelines be interpreted as altering or superseding the existing authorities of the Secretary of Commerce, OMB Director, or any other federal official. This publication may be used by nongovernmental organizations on a voluntary basis and is not subject to copyright in the United States. Attribution would, however, be appreciated by NIST.
16 17 18	National Institute of Standards and Technology Special Publication 800-53A, Revision 5 Natl. Inst. Stand. Technol. Spec. Publ. 800-53A, Rev. 5, 791 pages (August 2021) CODEN: NSPUE2
19 20 21	This publication is available free of charge from: <u>https://doi.org/10.6028/NIST.SP.800-53Ar5-draft</u>
22 23 24 25	Certain commercial entities, equipment, or materials may be identified in this document to describe an experimental procedure or concept adequately. Such identification is not intended to imply recommendation or endorsement by NIST, nor is it intended to imply that the entities, materials, or equipment are necessarily the best available for the purpose.
26 27 28 29 30 31	There may be references in this publication to other publications currently under development by NIST in accordance with its assigned statutory responsibilities. The information in this publication, including concepts, practices, and methodologies may be used by federal agencies even before the completion of such companion publications. Thus, until each publication is completed, current requirements, guidelines, and procedures, where they exist, remain operative. For planning and transition purposes, federal agencies may wish to closely follow the development of these new publications by NIST.
32 33 34	Organizations are encouraged to review draft publications during the designated public comment periods and provide feedback to NIST. Many NIST publications, other than the ones noted above, are available at https://csrc.nist.gov/publications .
35	
36	Public comment period: August 3, 2021 through October 1, 2021
37 38 39 40	National Institute of Standards and Technology Attn: Computer Security Division, Information Technology Laboratory 100 Bureau Drive (Mail Stop 8930) Gaithersburg, MD 20899-8930 Email: <u>sec-cert@nist.gov</u>
41	All comments are subject to release under the Freedom of Information Act (FOIA) [FOIA96].

Reports on Computer Systems Technology

43 The National Institute of Standards and Technology (NIST) Information Technology Laboratory 44 (ITL) promotes the U.S. economy and public welfare by providing technical leadership for the 45 Nation's measurement and standards infrastructure. ITL develops tests, test methods, reference 46 data, proof of concept implementations, and technical analyses to advance the development 47 and productive use of information technology (IT). ITL's responsibilities include the development 48 of management, administrative, technical, and physical standards and guidelines for the cost-49 effective security of other than national security-related information in federal information 50 systems. The Special Publication 800-series reports on ITL's research, guidelines, and outreach 51 efforts in information systems security and privacy and its collaborative activities with industry, 52 government, and academic organizations.

53

Abstract

54 This publication provides a set of procedures for conducting assessments of security and privacy 55 controls employed within systems and organizations. The assessment procedures, executed at 56 various phases of the system development life cycle, are consistent with the security and privacy 57 controls in NIST Special Publication 800-53, Revision 5. The procedures are customizable and can 58 be easily tailored to provide organizations with the needed flexibility to conduct security and 59 privacy control assessments that support organizational risk management processes and are 60 aligned with the stated risk tolerance of the organization. Information on building effective 61 security and privacy assessment plans is also provided along with guidance on analyzing 62 assessment results.

63

Keywords

64 Assessment; assessment plan; assurance; control assessment; FISMA; Privacy Act; privacy

65 controls; Open Security Controls Assessment Language; OSCAL; privacy requirements; Risk

66 Management Framework; security controls; security requirements.

Acknowledgments

- 68 This publication was developed by the *Joint Task Force* Interagency Working Group. The group
- 69 includes representatives from the civil, defense, and intelligence communities. The National
- 70 Institute of Standards and Technology wishes to acknowledge and thank the senior leaders from
- 71 the Department of Commerce, Department of Defense, the Office of the Director of National
- 72 Intelligence, the Committee on National Security Systems, and the members of the interagency
- 73 working group whose dedicated efforts contributed significantly to this publication.

Department of Defense

John Sherman Acting Chief Information Officer

Kelly Fletcher Principal Deputy CIO

David McKeown Deputy CIO for Cybersecurity and DoD SISO

Kevin Dulany Director, Cybersecurity Policy and Partnerships

National Institute of Standards and Technology

James St. Pierre Acting Director, Information Technology Laboratory (ITL)

Kevin Stine Acting Cybersecurity Advisor, ITL

Matthew Scholl Chief, Computer Security Division

Kevin Stine Chief, Applied Cybersecurity Division

Victoria Yan Pillitteri Risk Management Framework Project Leader

Office of the Director of National Intelligence

Michael E. Waschull Acting Chief Information Officer

Michael E. Waschull Deputy Chief Information Officer

C. Matthew Conner Cybersecurity Group and IC CISO

Cheri Benedict Director, Security Coordination Center

Committee on National Security Systems

Mark G. Hakun *Chair*

Dominic A. Cussatt *Co-Chair*

Kevin Dulany Tri-Chair—Defense Community

Chris Johnson Tri-Chair—Intelligence Community

Vicki Michetti Tri-Chair—Civil Agencies

Joint Task Force (JTF) Working Group

Victoria Yan Pillitteri	Eduardo Takamura	Kelley Dempsey	Ron Ross
NIST, JTF Leader	<i>NIST</i>	<i>NIST</i>	<i>NIST</i>
McKay Tolboe	Dave Myers	Vicki Michetti	Naomi Lefkovitz
<i>DoD</i>	Veterans Affairs	Veterans Affairs	<i>NIST</i>
Tim Clark	Tim Greer	Peter Duspiva	Jessica Dickson
Intelligence Community	Intelligence Community	Intelligence Community	<i>NIST</i>
Angela Smith	Jon Boyens	Ned Goren	Kaitlin Boeckl
NIST	<i>NIST</i>	<i>NIST</i>	<i>NIST</i>
Katie Isaacson	Randy Gabel	David Black	Pam Miller
The MITRE Corporation	The MITRE Corporation	The MITRE Corporation	The MITRE Corporation

- 75 In addition to the above acknowledgments, a special note of thanks goes to Jeff Brewer, Isabel 76 Van Wyk, Jim Foti, and the NIST web team for their outstanding administrative support, and to 77 David Waltermire and Wendell Piez for their contribution to the development of the SP 800-53A 78 assessment tables (both electronic sources, and derivative publications) using Open Security 79 Controls Assessment Language (OSCAL). The authors also wish to recognize the professional 80 staff from the NIST Computer Security Division and Applied Cybersecurity Division, and the 81 representatives from the Federal CIO Council, Federal CISO Council, Federal Privacy Council, and 82 Federal Privacy Council for their ongoing contributions in helping to improve the content of the 83 publication. Finally, the authors gratefully acknowledge the contributions from individuals and 84 organizations in the public and private sectors, both nationally and internationally, whose 85 insightful and constructive comments improved the overall quality, thoroughness, and 86
- usefulness of this publication.

07	
87	HISTORICAL CONTRIBUTIONS TO NIST SPECIAL PUBLICATION 800-53A
88	
89	The authors wanted to acknowledge the many individuals who contributed to previous versions of Special
90	Publication 800-53A since its inception in 2005. They include Stu Katzke, Arnold Johnson, Marianne
91	Swanson, Gary Stoneburner, George Rogers, Peggy Himes, Murugiah Souppaya, Keith Stouffer, Marshall
92	Abrams, Esten Porter, Richard Graubart, Bennett Hodge, Glenda Turner, Christian Enloe, Donna Dodson,
93	Pat Toth, Matt Scholl, Sharon Keller, Randy Easter, Tim Polk, Kevin Stine, Matt Barrett, Steve Quinn, Bill
94	MacGregor, Karen Scarfone, Bill Burr, Doug Montgomery, Scott Rose, Mark Wilson, Ed Roback, Erika
95	McCallister, Jennifer Fabius Greene, Harriett Goldman, John Woodward, Karen Quigg, Joe Weiss, Peter
96	Gouldmann, Roger Johnson, Sarbari Gupta, Dennis Bailey, Richard Wilsher, Nadya Bartol, Mike Rubin, Tom
97	Madden, Denise Farrar, Paul Bicknell, Robert Niemeyer, Brett Burley, Daniel Faigin, Lisa Kaiser, Sandra
98	Miravalle, Frank Belz, Deb Bodeau, Dawn Cappelli, Corinne Castanza, Matt Coose, George Dinolt, Kurt
99	Eleam, Jennifer Guild, Cynthia Irvina, Cass Kelly, Steve LaFountain, Steve Lipner, Tom Macklin, Tim
100	McChesney, Michael McEvilley, John Mildner, Joji Montelibano, George Moore, LouAnna Notargiacomo,
101	Dorian Pappas, Roger Schell, Carol Woody.

iv

102Document Conventions

103 For the purposes of this document, "security *and* privacy" is universally used since the guidance

104 is applicable to both security and privacy control assessments. For certain systems, however, the

105 guidance may only be relevant for *security or privacy*. Organizations make their own

106 determinations on when to manage security and privacy control assessments together or

107 separately.

136

137

108 SP 800-53A provides guidance on assessing controls in information security program plans,

109 privacy program plans, system security plans, and privacy plans. Where the guidance refers to all

110 plans listed above, the term "security and privacy plans" is used. If the guidance is specific to a

111 single type of plan (e.g., system security plan), the specific plan is listed.

112Supplemental Content

113 The assessment procedures in Chapter 4 are published in multiple data formats, including

114 comma-separated values (CSV), plain text, and Open Security Controls Assessment (OSCAL)

115 formats; these are available on the Draft NIST SP 800-53A, Revision 5 publication details page at

116 <u>https://csrc.nist.gov/publications/detail/sp/800-53A/rev-5/draft</u>. The OSCAL Content Git

117 Repository is available at <u>https://github.com/usnistgov/oscal-content</u>.

118 The CSV, plain text and OSCAL formats represent derivative formats of the (normative)

119 assessment procedures in this draft publication. If there are any discrepancies between the

120 content in derivative formats and this draft, please contact <u>sec-cert@nist.gov</u>.

121Note to Reviewers

122 Draft NIST Special Publication (SP) 800-53A, Revision 5, Assessing Security and Privacy Controls

in Information Systems and Organizations, provides organizations with a flexible, scalable, and

124 repeatable assessment methodology and assessment procedures that correspond with the

125 controls in NIST SP 800-53, Revision 5. Like previous revisions of SP 800-53A, the generalized 126 assessment procedures are flexible, provide a framework and starting point to assess the

126 assessment procedures are flexible, provide a framework and starting point to assess the 127 enhanced security requirements, and can be tailored to the needs of organizations and

128 assessors. Organizations tailor the assessment procedures by selecting specific assessment

methods and objects to achieve the assessment objectives and by determining the scope of the

130 assessment and the degree of rigor applied during the assessment process. The assessment

131 procedures can be employed in self-assessments or independent third-party assessments.

- 132 A new format for assessment procedures in this revision to SP 800-53A is introduced to:
- identify determination statements for organization-defined parameters (ODPs) first
 within each control/control enhancement and provide a labeling schema to easily
 identify ODPs throughout;
 - provide a better format and structure for use of automated tools;
 - improve the efficiency of security and privacy control assessments; and
- support continuous monitoring and ongoing authorization programs by providing a
 greater number of component parts of controls that can be assessed at organization defined frequencies and degrees of rigor.

- 141 To facilitate review and use for a broad range of stakeholders, the assessment procedures are
- 142 available for comment and use in PDF format, as well as comma-separated values (CSV), plain
- 143 text, and Open Security Controls Assessment Language (OSCAL) formats.
- 144 NIST is seeking feedback on the assessment procedures in this publication and in electronic
- 145 versions, including the assessment objectives, determination statements, and potential
- 146 assessment methods and objects. We are also interested in the approach taken to incorporate
- 147 organization-defined parameters into the determination statements for the assessment
- 148 objectives.
- 149 Your feedback on this draft publication is important to NIST. We appreciate each contribution
- 150 from our reviewers. The thorough and insightful comments from the public and private sectors,
- 151 nationally and internationally, continue to help shape the final publication to ensure it meets
- 152 the needs and expectations of our customers.
- 153

154 -Victoria Yan Pillitteri, JTF Leader, NIST

155Call for Patent Claims

156 This public review includes a call for information on essential patent claims (claims whose use

157 would be required for compliance with the guidance or requirements in this Information

158 Technology Laboratory (ITL) draft publication). Such guidance and/or requirements may be

159 directly stated in this ITL Publication or by reference to another publication. This call also

- 160 includes disclosure, where known, of the existence of pending U.S. or foreign patent
- applications relating to this ITL draft publication and of any relevant unexpired U.S. or foreign
- 162 patents.

170

171

163 ITL may require from the patent holder, or a party authorized to make assurances on its behalf,164 in written or electronic form, either:

- 165a) assurance in the form of a general disclaimer to the effect that such party does not hold166and does not currently intend holding any essential patent claim(s); or
- b) assurance that a license to such essential patent claim(s) will be made available to
 applicants desiring to utilize the license for the purpose of complying with the guidance
 or requirements in this ITL draft publication either:
 - i. under reasonable terms and conditions that are demonstrably free of any unfair discrimination; or
- 172ii.without compensation and under reasonable terms and conditions that are173demonstrably free of any unfair discrimination.
- 174 Such assurance shall indicate that the patent holder (or third party authorized to make

assurances on its behalf) will include in any documents transferring ownership of patents

176 subject to the assurance, provisions sufficient to ensure that the commitments in the assurance

177 are binding on the transferee, and that the transferee will similarly include appropriate

178 provisions in the event of future transfers with the goal of binding each successor-in-interest.

179 The assurance shall also indicate that it is intended to be binding on successors-in-interest

180 regardless of whether such provisions are included in the relevant transfer documents.

181 Such statements should be addressed to: <u>sec-cert@nist.gov</u>.

182	DEVELOPING COMMON INFORMATION SECURITY AND PRIVACY FOUNDATIONS
183	COLLABORATION AMONG PUBLIC AND PRIVATE SECTOR ENTITIES
184	
185	In developing standards and guidelines required by [FISMA], NIST consults with other federal agencies and
186	offices as well as private sector entities to improve information security, avoid unnecessary and costly
187	duplication of effort, and ensure that NIST publications complement the standards and guidelines
188	employed for the protection of national security systems. In addition to its comprehensive public review
189	and vetting process, NIST is collaborating with the Office of the Director of National Intelligence (ODNI),
190	the Department of Defense (DoD), and the Committee on National Security Systems (CNSS) to establish a
191	unified framework and common foundation for information security across the Federal Government. A
192	common foundation and framework for information security will provide the intelligence, defense, and
193	civilian sectors of the Federal Government and their contractors more uniform and consistent ways to
194	manage risks to organizational operations and assets, individuals, other organizations, and the Nation that
195	result from the operation and use of systems. A common foundation and framework will also provide a
196	strong basis for the reciprocal acceptance of security authorization decisions and facilitate information
197	sharing. NIST is also working with public and private sector entities to establish specific mappings and
198	relationships between the security standards and guidelines developed by NIST, the International
199	Organization for Standardization (ISO), and the International Electrotechnical Commission (IEC).
200	
200	

201	ASSESSMENT PROCEDURE FORMATTING
202 203	A new formet for eccentration duration duration for soid Dublication (CD) 000 F2A. Devision 4 is
203 204	A new format for assessment procedures introduced in Special Publication (SP) 800-53A, Revision 4, is
204	further improved in this revision (SP 800-53A, Revision 5). The format continues to reflect the
203	decomposition of assessment objectives into more <i>granular</i> determination statements wherever possible, thus providing the capability to identify and assess specific parts of security and privacy controls. The SP
200 207	800-53A, Revision 5, updates:
207	ou-55A, Revision 5, updates.
200	Identify determination statements for organization-defined parameters (ODPs) first and separately
20)	from the determination statements for each control item to enable the assessor to determine if the
210	ODPs are defined by the organization;
212	 Improve the readability of the assessment procedures;
212	 Provide a better format and structure for automated tools when assessment information is imported
213	into such tools;
215	 Provide greater flexibility in conducting assessments by giving organizations the capability to target
216	certain aspects of controls (highlighting the particular weaknesses and/or deficiencies in controls),
217	 Improve the efficiency of security and privacy control assessments;
218	 Support continuous monitoring and ongoing authorization programs by providing a greater number
219	of component parts of security and privacy controls that can be assessed at organization-defined
220	frequencies and degrees of rigor.
221	
222	The ability to apply assessment and monitoring resources in a targeted and precise manner and
223	simultaneously maximize the use of automation technologies can result in more timely and cost-effective
224	assessment processes for organizations.
225	
	Note: NIST [SP 800-53] will be updated accordingly to ensure that the numbering scheme for all security and privacy
227	controls is consistent with the new format introduced in this publication.
224	assessment processes for organizations. Note: NIST [SP 800-53] will be updated accordingly to ensure that the numbering scheme for all security and privac

228 Executive Summary

Security and privacy control assessments are not about checklists, simple pass/fail results, or
 generating paperwork to pass inspections or audits. Rather, control assessments are the
 principal vehicle used to verify that implemented security and privacy controls are meeting their
 stated goals and objectives. Special Publication (SP) 800-53A, Assessing Security and Privacy
 Controls in Information Systems and Organizations, is written to facilitate security control
 assessments and privacy control assessments conducted within an effective risk management
 framework. The control assessment results provide organizational officials with:

- Evidence of the effectiveness of implemented controls,
- An indication of the quality of the risk management processes, and
- Information about the security and privacy strengths and weaknesses of systems that
 are supporting organizational missions and business functions.

240 The findings captured by assessors are used to determine the overall effectiveness of security 241 and privacy controls associated with systems and their environments of operation and to 242 provide credible and meaningful inputs to the organization's risk management process. A well-243 executed assessment helps determine the validity of the controls contained in the organization's 244 security and privacy plans and subsequently employed in organizational systems and 245 environments of operation, and it facilitates a cost-effective approach to managing risk by 246 correcting weaknesses or deficiencies in systems in a disciplined manner that is consistent with 247 organizational mission and business needs. 248 SP 800-53A is a companion guideline to [SP 800-53] Security and Privacy Controls for Systems 249 and Organizations. Each publication provides guidance for implementing specific steps in the 250 Risk Management Framework (RMF).¹ SP 800-53 and [SP 800-53B] address the Select step of the

RMF: security and privacy control selection (i.e., determining the controls needed to manage
risks to organizational operations and assets, individuals, other organizations, and the Nation).
SP 800-53A addresses the Assess and Monitor steps of the RMF and provides guidance on the
security and privacy control assessment processes. SP 800-53A also includes guidance on how to

build effective assessment plans and how to analyze and manage assessment results.

256 SP 800-53A provides a process that allows organizations to tailor the assessment procedures 257 outlined in the guidance. Tailoring involves customizing the assessment procedures to match 258 the characteristics of the system and its environment of operation more closely. The tailoring 259 process described in this guidance gives organizations the flexibility needed to avoid assessment 260 approaches that are unnecessarily complex or costly while simultaneously meeting the 261 assessment requirements and risk management principles established in the RMF. Tailoring 262 decisions are left to the discretion of the organization to maximize flexibility in developing 263 assessment plans – applying the results of risk assessments to determine the extent, rigor, and 264 level of intensity of the assessments needed to provide sufficient assurance about the system's 265 security and privacy posture. A major design objective for SP 800-53A is to provide an 266 assessment framework and initial starting point for assessment procedures that are flexible 267 enough to meet the needs of different organizations while providing consistency in conducting 268 control assessments.

¹ [SP 800-37], Risk Management Framework for Information Systems and Organizations: A System Life Cycle Approach for Security and Privacy, provides guidance on applying the RMF to systems and organizations.

Table of Contents

270	CHAPTER ONE INTRODUCTION	1
271	1.1 PURPOSE AND APPLICABILITY	1
272	1.2 TARGET AUDIENCE	4
273	1.3 RELATED PUBLICATIONS AND ASSESSMENT PROCESSES	4
274	1.4 ORGANIZATION OF THIS PUBLICATION	5
275	CHAPTER TWO THE FUNDAMENTALS	6
276	2.1 ASSESSMENTS WITHIN THE SYSTEM DEVELOPMENT LIFE CYCLE	6
277	2.2 CONTROL STRUCTURE AND ORGANIZATION	7
278	2.3 BUILDING AN EFFECTIVE ASSURANCE CASE	-
279	2.4 ASSESSMENT PROCEDURES: ASSESSMENT OBJECTS, METHODS AND OBJECTIVES	11
280	CHAPTER THREE THE PROCESS	19
281	3.1 PREPARE FOR SECURITY AND PRIVACY CONTROL ASSESSMENTS	20
282	3.2 DEVELOP SECURITY AND PRIVACY ASSESSMENT PLANS	23
283	3.3 CONDUCT SECURITY AND PRIVACY CONTROL ASSESSMENTS	
284	3.4 ANALYZE ASSESSMENT REPORT RESULTS	
285	3.5 ASSESS SECURITY AND PRIVACY CAPABILITIES	
286	CHAPTER FOUR SECURITY AND PRIVACY ASSESSMENT PROCEDURES	
287	4.1 ACCESS CONTROL	
288	4.2 AWARENESS AND TRAINING	
289	4.3 AUDIT AND ACCOUNTABILITY	
290	4.4 ASSESSMENT, AUTHORIZATION, AND MONITORING	
291	4.5 CONFIGURATION MANAGEMENT	
292 293	4.6 CONTINGENCY PLANNING	
293 294	4.7 IDENTIFICATION AND AUTHENTICATION	
294	4.8 INCIDENT RESPONSE	
296	4.9 MAINTENANCE	
297	4.11 PHYSICAL AND ENVIRONMENTAL PROTECTION	
298	4.12 PLANNING	
299	4.13 PROGRAM MANAGEMENT	
300	4.14 PERSONNEL SECURITY	
301	4.15 PERSONALLY IDENTIFIABLE INFORMATION PROCESSING AND TRANSPARENCY	
302	4.16 RISK ASSESSMENT	460
303	4.17 SYSTEM AND SERVICES ACQUISITION	476
304	4.18 SYSTEM AND COMMUNICATIONS PROTECTION	
305	4.19 SYSTEM AND INFORMATION INTEGRITY	
306	4.20 SUPPLY CHAIN RISK MANAGEMENT	719
307	REFERENCES	741
308	APPENDIX A GLOSSARY	-
309	APPENDIX B ACRONYMS	
310	APPENDIX C ASSESSMENT METHOD DESCRIPTIONS	764
311	APPENDIX D PENETRATION TESTING	
312	APPENDIX E ASSESSMENT REPORTS	
313	APPENDIX F ONGOING ASSESSMENT AND AUTOMATION	777
314		

315 **CHAPTER ONE**

INTRODUCTION 316

317 THE NEED TO ASSESS SECURITY AND PRIVACY CONTROL EFFECTIVENESS

318 Today's systems² are complex assemblages of technology (i.e., hardware, software, and 319 firmware), processes, and people working together to provide organizations with the 320 capabilities to process, store, and transmit information in a timely manner in support of various 321 mission and business functions. The degree to which organizations have come to depend upon 322 these systems to conduct routine, important, and critical mission and business functions means 323 that the protection of the underlying systems and environments of operation is paramount to 324 the success of the organization. The selection of appropriate security and privacy controls for a 325 system is an important task that can have significant implications on the operations and assets 326 of an organization as well as the welfare of individuals. Security controls are the safeguards or 327 countermeasures prescribed for a system or an organization to protect the confidentiality, 328 integrity, and availability of its system and information and to manage information security risk. 329 Privacy controls are the administrative, technical, and physical safeguards employed within a 330 system or an organization to manage privacy risks and ensure compliance with applicable 331 privacy requirements.³

- 332 Once employed within a system, security and privacy controls are assessed to determine their
- 333 overall effectiveness (i.e., the extent to which the controls are implemented correctly, operating
- 334 as intended, and producing the desired outcome with respect to meeting the security and
- 335 privacy requirements for the system and the organization). Understanding the overall
- 336 effectiveness of implemented security and privacy controls is essential in determining the risk to
- 337 the organization's operations and assets, individuals, other organizations, and the Nation
- 338 resulting from the use of the system.

339 **1.1 PURPOSE AND APPLICABILITY**

- 340 The purpose of this publication is to provide guidelines for building effective security and
- 341 privacy assessment plans, as well as a comprehensive set of procedures for assessing the
- 342 effectiveness of security and privacy controls employed in systems and organizations. The
- 343 guidelines apply to the security and privacy controls defined in [SP 800-53] (as amended),
- 344 Security and Privacy Controls for Information Systems and Organizations. The guidelines have
- 345 been developed to help achieve more secure systems by:
- 346 Enabling more consistent, comparable, and repeatable assessments of security and 347 privacy controls with reproducible results; 348 • Promoting a better understanding of the risks to organizational operations, 349 organizational assets, individuals, other organizations, and the Nation resulting from 350 the operation and use of systems; 351
 - Facilitating more cost-effective assessments of security and privacy controls; and •

² A system is a discrete set of information resources organized expressly for the collection, processing, maintenance, use, sharing, dissemination, or disposition of information.

³ OMB Circular A-130 [OMB A-130] defines security and privacy controls.

Creating more complete, reliable, and trustworthy information for organizational
 officials to support risk management decisions, reciprocity of assessment results,
 information sharing, and compliance with federal laws, Executive Orders, directives,
 regulations, and policies.

356 This publication satisfies the requirements of Office of Management and Budget (OMB)

357 Circular A-130 [OMB A-130] and the provisions of the Federal Information Security

358 Modernization Act [FISMA]. The security and privacy guidelines in this publication are

applicable to federal systems other than those systems designated as national security

360 systems, as defined in 44 U.S.C., Section 3542. The guidelines have been broadly developed

361 from a technical perspective to complement similar guidelines for national security systems

and may be used for such systems with the approval of appropriate federal officials exercising

363 policy authority over such systems. ⁴

364 Organizations use this publication in conjunction with approved information security program

365 plans, privacy program plans, system security plans, and privacy plans in developing

366 assessment plans for producing and compiling the information necessary to determine the

367 effectiveness of the security and privacy controls employed in the system and organization.

368 The guidance in this publication has been developed with the intention of enabling

369 organizations to tailor the basic assessment procedures provided. The assessment procedures

are used as a starting point for and as input to the assessment plan. In developing effective

371 security and privacy assessment plans, organizations take into consideration existing

372 information about the controls to be assessed (e.g., results from organizational assessments of

373 risk; platform-specific dependencies in the hardware, software, or firmware; and any

assessment procedures needed as a result of organization-specific controls not included in [SP
 800-53]). ⁵

The selection of appropriate assessment procedures and the rigor, intensity, and scope of the assessment depend on the following factors:

- The security categorization of the system; ⁶
- The privacy risk assessment for the system;

⁴ In accordance with the provisions of [FISMA] and OMB policy, whenever the interconnection of federal systems to systems operated by state/local/tribal governments, contractors, or grantees involves the processing, storage, or transmission of federal information, the information security standards and guidelines described in this publication apply. Specific information security requirements and the terms and conditions of the system interconnections are expressed in Memoranda of Understanding and Interconnection Security Agreements established by participating organizations. For additional guidance on managing the security of information exchanges, see NIST [SP 800-47], Revision 1, *Managing the Security of Information Exchanges*.

⁵ For example, detailed test scripts may need to be developed for the specific operating system, network component, middleware, or application employed within the system to adequately assess certain characteristics of a particular security or privacy control. Such test scripts are at a lower level of detail than provided by the assessment procedures contained in this guidance and are, therefore, beyond the scope of this publication.

⁶ For national security systems, security categorization is accomplished in accordance with CNSS Instruction 1253 [CNSSI 1253]. For other than national security systems, security categorization is accomplished in accordance with Federal Information Processing Standard (FIPS) 199 [FIPS 199], NIST [SP 800-37], NIST [SP 800-60 Vol 1], NIST [SP 800-60 Vol 2], and the CUI Registry [NARA CUI] as managed by the National Archives and Records Administration.

384

- The security and privacy controls from [SP 800-53] as identified in the approved information security program plans, privacy program plans, security plans, and privacy plans; ⁷ and
 - The assurance requirements that the organization intends to meet in determining the overall effectiveness of the security and privacy controls.

385 The assessment process is an information-gathering activity of the as-implemented state of 386 the system or common controls, not a security- or privacy-producing activity. Organizations 387 determine the most cost-effective implementation of the assessment process by applying the 388 results of risk assessments, considering the maturity and quality level of the organization's risk 389 management processes, and taking advantage of the flexibility in the concepts described in 390 this publication. The use of SP 800-53A as a starting point in the process of defining 391 procedures for assessing the security and privacy controls in systems and organizations 392 promotes the consistent application of security and privacy controls and offers the needed 393 flexibility to customize the assessment based on organizational policies and requirements, 394 known threat and vulnerability information, operational considerations, system and platform 395 dependencies, and tolerance for risk.⁸ The information produced during control assessments 396 can be used by an organization to:

- 397 • Identify potential problems or shortfalls in the organization's implementation of the 398 Risk Management Framework, 399 Identify security- and privacy-related weaknesses and deficiencies in the system and in • 400 the environment in which the system operates, 401 Prioritize risk mitigation decisions and associated risk mitigation activities, ٠ 402 Confirm that identified security- and privacy-related weaknesses and deficiencies in 403 the system and in the environment of operation have been addressed, 404 • Support monitoring activities and information security and privacy situational 405 awareness, 406 Facilitate all types of system authorization decisions,⁹ and • 407 Inform budgetary decisions and the capital investment process. ٠ 408 Organizations are not expected to employ all of the assessment methods and assessment 409 objects contained within the assessment procedures identified in this publication for the 410 associated security and privacy controls deployed within or available for inheritance by 411 organizational systems. Rather, organizations have the inherent flexibility to determine the 412 level of effort needed and the assurance required for a particular assessment (e.g., which 413 assessment methods and assessment objects are most useful in obtaining the desired results). 414 Determination of the level of effort and required assurance is made based on what is
- 415 necessary to accomplish the assessment objectives in the most cost-effective manner and with
- 416 sufficient confidence to support the subsequent determination of the resulting mission or

⁷ The security and privacy controls for the system and organization are documented in the system security plans and privacy plans after the initial selection and tailoring of the controls, as described in [<u>SP 800-53</u>] and [<u>CNSSI 1253</u>]. The Program Management controls are documented in information security program plans and privacy program plans, as described in SP 800-53.

⁸ In this publication, the term *risk* is used to mean risk to organizational operations (i.e., mission, functions, image, and reputation), organizational assets, individuals, other organizations, and the Nation.

⁹ Types of authorization decisions are described in [SP 800-37], Appendix F.

- 417 business risk (i.e., risk management). Organizations balance the resources expended on the
- 418 deployment of security and privacy controls (i.e., safeguards and countermeasures
- 419 implemented for security and privacy protection) with the resources expended to determine
- 420 overall control effectiveness, both initially and on an ongoing basis through continuous421 monitoring programs.

422 **1.2 TARGET AUDIENCE**

This publication is intended to serve a diverse group of system and information security andprivacy professionals, including:

- Individuals with system development responsibilities (e.g., program managers, system
 designers and developers, systems integrators, information security engineers and privacy
 engineers);
- Individuals with information security and privacy assessment and monitoring responsibilities
 (e.g., Inspectors General, system evaluators, assessors, independent verifiers/validators,
- 430 auditors, analysts, system owners, common control providers);
- Individuals with system, security, privacy, risk management, and oversight responsibilities
 (e.g., authorizing officials, chief information officers, senior information security officers,¹⁰
 senior agency officials for privacy/chief privacy officers, system managers, information
 security and privacy managers); and
- Individuals with information security and privacy implementation and operational
 responsibilities (e.g., system owners, common control providers, information
 owners/stewards, mission and business owners, system administrators, system security
 officers, system privacy officers).
- 439

440 **1.3 RELATED PUBLICATIONS AND ASSESSMENT PROCESSES**

441 SP 800-53A is designed to support [SP 800-37], Risk Management Framework for Information 442 Systems and Organizations: A System Life Cycle Approach for Security and Privacy. In particular, 443 the assessment procedures contained in this publication and the guidelines provided for 444 developing security and privacy assessment plans for organizational systems directly support the 445 assessment and monitoring activities that are integral to the risk management process. The 446 integral activities include providing near real-time security- and privacy-related information to 447 organizational officials regarding the ongoing security and privacy state of their systems and 448 organizations.

- 449 Organizations are encouraged to take advantage of the control assessment results and
- 450 associated assessment documentation, artifacts, and evidence available for system
- 451 components from previous assessments, including independent third-party testing, evaluation,
- 452 and validation.¹¹ Product testing, evaluation, and validation may be conducted on

¹⁰ At the federal *agency* level, the role is known as the Senior Agency Information Security Officer. Organizations may also refer to the role as the *Senior Information Security Officer* or the *Chief Information Security Officer*.

¹¹ Assessment results can be obtained from many activities that occur routinely during the system development life cycle. For example, assessment results are produced during the testing and evaluation of new system components during system upgrades or system integration activities. Organizations can take advantage of previous assessment results whenever possible, to reduce the overall cost of assessments and to make the assessment process more efficient.

- 453 cryptographic modules and general-purpose information technology products, such as
- 454 operating systems, database systems, firewalls, intrusion detection devices, web browsers,
- 455 web applications, smart cards, biometrics devices, personal identity verification devices,
- 456 network devices, and hardware platforms using national and international standards. If a
- 457 system component product is identified as providing support for the implementation of a
- 458 particular control in [SP 800-53], then evidence produced during the product testing,
- 459 evaluation, and validation processes (e.g., security or privacy specifications, analyses and test
- 460 results, validation reports, and validation certificates)¹² is used to the extent that it is
- 461 applicable. The applicable product testing evidence can be combined with the assessment-
- 462 related evidence obtained from the application of the assessment procedures in this
- 463 publication to cost-effectively produce the information necessary to determine whether the
- 464 security and privacy controls are effective in their application.

465 **1.4 ORGANIZATION OF THIS PUBLICATION**

466 The remainder of this publication is organized as follows:

- Chapter Two describes the fundamental concepts associated with security and privacy control assessments, including (i) the integration of assessments into the system development life cycle, (ii) the importance of an organization-wide strategy for conducting security and privacy control assessments, (iii) the development of effective assurance cases to help increase grounds for confidence in the effectiveness of the security and privacy controls being assessed, and (iv) the format and content of assessment procedures.
- 474 **Chapter Three** describes the process of assessing the security and privacy controls in • 475 organizational systems and their environments of operation, including the activities 476 carried out by organizations and assessors to prepare for security and privacy control 477 assessments; the development of security assessment plans; the conduct of security and 478 privacy control assessments; the analysis, documentation, and reporting of assessment 479 results; and the post-assessment report analysis and follow-on activities carried out by 480 organizations. It also provides a catalog of security and privacy assessment procedures 481 that can be used to develop plans for assessing security controls.
- 482 Chapter Four describes security and privacy assessment procedures.
- 483
 Supporting appendices provide detailed assessment-related information, including general references, definitions and terms, acronyms, a description of assessment methods, penetration testing guidelines, content of security and privacy assessment reports, and automation support for ongoing assessments.

¹² Organizations review the available information from component information technology products to determine what security and privacy controls are implemented by the product, if those controls meet the intended control requirements of the system under assessment, if the configuration of the product and the environment in which the product operates are consistent with the environmental and product configuration stated by the vendor and/or developer, and if the assurance requirements stated in the developer/vendor specification satisfy the assurance requirements for assessing those controls. Meeting the above criteria provides a sound rationale that the product is suitable and meets the intended security and privacy control requirements of the system under assessment.

487 CHAPTER TWO

488 **THE FUNDAMENTALS**

489 BASIC CONCEPTS ASSOCIATED WITH SECURITY AND PRIVACY CONTROL ASSESSMENTS

490 This chapter describes the basic concepts associated with assessing the security and privacy 491 controls in organizational systems and the environments in which those systems operate, 492 including the integration of assessments into the system development life cycle, the importance 493 of an organization-wide strategy for conducting assessments, the development of effective 494 assurance cases to help increase grounds for confidence in the effectiveness of security and 495 privacy controls, and the format and content of assessment procedures. A fundamental design 496 objective for SP 800-53A is to provide a flexible assessment framework and a starting point for 497 assessment procedures to be used by different organizations and systems while providing a 498 repeatable approach to facilitate consistency in conducting control assessments.

499 **2.1 ASSESSMENTS WITHIN THE SYSTEM DEVELOPMENT LIFE CYCLE**

500 Security and privacy assessments can be carried out at various stages in the system

501 development life cycle¹³ to increase grounds for confidence that the security and privacy

- 502 controls employed within or inherited by a system are effective in their application. The
- 503 guidance in this publication provides a comprehensive set of assessment procedures to support

504 security and privacy assessment activities throughout the system development life cycle. For

- 505 example, security and privacy assessments are routinely conducted during the
- 506 development/acquisition and implementation phases of the life cycle. This helps to ensure that
- 507 the required controls for the system are properly designed and developed, correctly
- 508 implemented, and consistent with the established organizational information security and
- 509 privacy architecture before the system enters the operations and maintenance phase. Security
- 510 and privacy assessments in the initial system development life cycle phases include design and
- 511 code reviews, application scanning, regression testing, and ensuring that applicable privacy laws
- 512 and policies are adhered to and that privacy protections are embedded in the system's design.
- 513 Security- and privacy-related weaknesses and deficiencies identified early in the system
- 514 development life cycle can be resolved more quickly and cost-effectively than deficiencies
- 515 identified in subsequent phases of the life cycle. The objective is to identify the security and
- 516 privacy controls early to ensure that the system design and testing validate the implementation
- of controls.
- 518 Security and privacy assessments are also conducted during the operations and maintenance
- 519 phase of the life cycle to ensure that the controls continue to be effective in the operational
- 520 environment and protect against constantly evolving risks. Organizations assess all security and
- 521 privacy controls employed within and inherited by the system during the initial system
- 522 authorization. Following the initial authorization, the organization assesses all implemented
- 523 security and privacy controls on an ongoing basis in accordance with its Information Security

¹³ There are typically five phases in a generic system development life cycle: (i) initiation, (ii) development/acquisition, (iii) implementation, (iv) operations and maintenance, and (v) disposition (disposal).

- 524 Continuous Monitoring (ISCM) strategy and privacy continuous monitoring strategy. ¹⁴ The
- 525 ongoing assessment and monitoring of controls use the assessment procedures defined in this
- 526 publication. The frequency of such assessments and monitoring is determined by the
- 527 organization, system owner, and/or common control provider and is approved by the
- 528 authorizing official. Finally, at the end of the life cycle, security and privacy assessments are
- 529 conducted to ensure that important organizational information, including personally identifiable
- 530 information, are purged from the system prior to disposal and organizational retention
- 531 schedules are adhered to.

532 2.2 CONTROL STRUCTURE AND ORGANIZATION

- 533 Organizations are encouraged to develop a broad-based, organization-wide strategy for
- 534 conducting security and privacy assessments to facilitate more cost-effective and consistent
- 535 assessments across the inventory of systems. Maximizing the number of common controls
- 536 employed within an organization significantly reduces the costs of development,
- 537 implementation, and assessment of security and privacy controls; allows organizations to
- 538 centralize and automate control assessments and amortize the cost of those assessments across
- all systems in the organization; and increases the consistency of security and privacy controls.

540 541 542 543 544 545 546 547 548 549 550 551 552	 THE BENEFIT OF IMPLEMENTATION AND ASSESSMENT OF COMMON CONTROLS An organization-wide approach to identifying common controls early in the application of the RMF facilitates a more global strategy for assessing those controls and sharing essential assessment results with system owners and authorizing officials. The sharing of assessment results among key organizational officials across system boundaries has many important benefits, including: Providing the capability to review assessment results for all systems and to make mission and business-related decisions on risk mitigation activities according to organizational priorities, the security categorization of the systems, and risk assessment results; Providing a more global view of systemic weaknesses and deficiencies occurring in systems across the organization and an opportunity to develop organization-wide solutions to information security and privacy problems; and Increasing the organization's knowledge base regarding threats, vulnerabilities, privacy risks, and
552 553	 Increasing the organization's knowledge base regarding threats, vulnerabilities, privacy risks, and strategies for more cost-effective solutions to common information security and privacy problems.
554 555 556 557	Organizations can also promote a more focused and cost-effective assessment process by developing specific assessment procedures that are tailored to their specific environments of operation and requirements (instead of relegating these tasks to each control assessor or assessment team) and by providing organization-wide tools, templates, and techniques to

558 support more consistent assessments throughout the organization. ¹⁵

¹⁴ [SP 800-137] provides guidance on the continuous monitoring of security controls as part of an ISCM Program. Continuous monitoring can be applied effectively to privacy controls consistent with the concepts, techniques, and principles described in SP 800-137. Senior Agency Officials for Privacy (SAOPs)/Chief Privacy Officers (CPOs) provide guidance on the ongoing monitoring of privacy controls. NIST Interagency Report 8011 [NISTIR 8011], Automation Support for Security Control Assessments, provides guidance on methods to automate the assessment process.

¹⁵ Organizations may also provide security and privacy control assessment plans, including tailored assessment procedures, to external service providers who are operating systems on behalf of those organizations. In addition,

- 559 The roles responsible for conducting control assessments may include system owners, common 560 control providers, system security and privacy officers, independent assessors, auditors, and 561 Inspectors General with oversight by the authorizing official(s).¹⁶ There is also significant 562 involvement in the assessment process of other parties within the organization who have a 563 vested interest in the outcome of assessments. Other interested parties include mission and 564 business owners and information owners/stewards (when those roles are filled by someone 565 other than the system owner). It is imperative that system owners and common control 566 providers identify and coordinate with other parties in the organization that have an interest in 567 control assessments to help ensure that the organization's core missions and business functions
- 568 are adequately addressed in the selection of security and privacy controls to be assessed.

569

CAUTIONARY NOTE

Organizations carefully consider the potential impacts of employing the assessment procedures defined in this publication when assessing the security and privacy controls in operational systems. Certain assessment procedures – particularly those that directly impact the operation or function of the hardware, software, or firmware components of an information system – may inadvertently affect the routine processing, transmission, or storage of information that supports organizational missions or business functions. For example, a critical information system component may be taken offline for assessment purposes, or a component may suffer a fault or failure during the assessment process. 578 Organizations take the necessary precautions to ensure that organizational missions and business 579 functions continue to be supported by information systems and that any potential impacts to operational 580 effectiveness resulting from assessment activities are considered in advance.

581 2.3 BUILDING AN EFFECTIVE ASSURANCE CASE

582 Building an effective assurance case¹⁷ for security and privacy control effectiveness is a process 583 that involves compiling evidence from a variety of activities conducted during the system 584 development life cycle that the controls employed in the system are implemented correctly, 585 operating as intended, and producing the desired outcome with respect to meeting the security 586 and privacy requirements of the system and the organization and presenting the evidence in a 587 manner that decision makers are able to use effectively in making risk-based decisions about the 588 operation or use of the system. The evidence described above comes from the implementation 589 of the security and privacy controls in the system and inherited by the system (i.e., common 590 controls) and from the assessments of that implementation. Ideally, the assessor builds on 591 previously developed materials that started with the specification of the organization's 592 information security and privacy needs and was further developed during the design, 593 development, and implementation of the system. The materials developed while implementing

tailored control and privacy assessment plans can recommend supporting templates, tools, and techniques and also be further tailored to the contract with the service provider, helping to make assessments more consistent and to maximize the reuse of assessment-related artifacts. The reuse of artifacts can improve security and privacy through uniformity and reduce/eliminate contracting ambiguity, resulting in reduced costs and risk to the organization.

¹⁶ In accordance with [OMB A-130], an independent evaluation of privacy program and practices is not required. However, an organization may choose to employ independent privacy assessments at the organization's discretion.

¹⁷ An assurance case is a body of evidence organized into an argument demonstrating that some claim about a system holds (i.e., is assured). An assurance case is needed when it is important to show that a system exhibits some complex property, such as safety, security, privacy, or reliability.

594 security and privacy throughout the life cycle of the system provide the initial evidence for an 595 assurance case.

596 During the assessment process, assessors obtain the evidence needed to allow the appropriate 597 organizational officials to make objective determinations about the effectiveness of the security 598 and privacy controls and the overall security and privacy state of the system. The assessment 599 evidence needed to make such determinations can be obtained from a variety of sources, 600 including information technology product and system assessments and – in the case of privacy 601 assessments – documentation such as privacy impact assessments and Privacy Act system of 602 record notices. Product assessments (also known as product testing, evaluation, and validation) 603 are typically conducted by independent, third-party testing organizations. Assessments examine 604 the security and privacy functions of products and established configuration settings. 605 Assessments can be conducted to demonstrate compliance with industry, national, or 606 international information security and privacy standards and developer/vendor claims. Since 607 many information technology products are assessed by commercial testing organizations and 608 then subsequently deployed in millions of systems, product assessments can be carried out at a 609 greater level of depth and provide deeper insights into the security and privacy capabilities of 610 the particular products.

611 System and common control assessments are typically conducted by system developers, system

- 612 integrators, system owners, common control providers, assessors, auditors, Inspectors General,
- 613 and organizational information security and privacy personnel. The assessors or assessment
- 614 teams bring together available information about the system or common control, such as the
- 615 results from individual component product assessments, and conduct additional system-level or
- 616 common control assessments using a variety of methods and techniques. System and common
- 617 control assessments are used to compile and evaluate the evidence needed by organizational
- 618 officials to determine how effectively the security and privacy controls employed in systems will
- 619 mitigate risks to organizational operations and assets, individuals, other organizations, and the
- 620 Nation. The results of assessments conducted using system-specific and organization-specific
- assessment procedures derived from the guidelines in this publication contribute to compiling
- 622 the necessary evidence to determine security and privacy control effectiveness in accordance
- 623 with the assurance requirements documented in security and privacy plans.

624 Assurance Evidence from Developmental and Operational Activities

- 625 Organizations obtain security and privacy assurance by the actions taken by system developers,
- 626 implementers, operators, maintainers, and assessors. Actions by individuals and/or groups
- 627 during the development/operation of systems produce security and privacy evidence that
- 628 contributes to the assurance, or measures of confidence, in the security and privacy
- 629 functionality needed to deliver the security and privacy capability. The depth and coverage of
- 630 these actions (as described in Appendix C) also contribute to the efficacy of the evidence and
- 631 measures of confidence. The evidence produced by developers, implementers, operators,
- 632 assessors, and maintainers during the system development life cycle (e.g., design/development
- 633 artifacts and assessment results) contributes to the understanding of the security and privacy
- 634 controls implemented by organizations.

635 The strength of the security and privacy functionality¹⁸ plays an important part in achieving the

- 636 desired capabilities and subsequently satisfy the security and privacy requirements of
- 637 organizations. System developers can increase the strength of security and privacy functionality
- by employing well-defined security and privacy policies and procedures, structured and rigorous
- design and development techniques, and sound system, security, and privacy engineering
- techniques as part of the system development process. The artifacts generated by development
- 641 activities (e.g., functional specifications, system design documentation, and the results of testing 642 and code analysis) can provide important evidence that systems and their components are more
- reliable and trustworthy. Security and privacy evidence can also be generated from testing
- 644 conducted by independent, third-party assessment organizations and other assessment
- 645 activities conducted by government and private sector organizations.¹⁹
- 646 In addition to the evidence produced in the development environment, organizations can 647 produce evidence from the operational environment that contributes to the assurance of
- 648 functionality and ultimately security and privacy capabilities. Operational evidence includes
- 649 records of remediation actions, the results of security incident reporting (including breaches
- 650 involving personally identifiable information), and the results of organizational continuous
- 651 monitoring activities. Such evidence helps determine the effectiveness of deployed security and
- 652 privacy controls, changes to systems and environments of operation, and compliance with
- 653 legislation, policies, directives, regulations, and standards. Security and privacy evidence –
- 654 whether obtained from development or operational activities helps organizations determine
- 655 the extent to which their systems are implemented correctly, operating as intended, and
- 656 producing the desired outcome with respect to meeting stated security and privacy
- 657 requirements, thus providing greater assurance in the system's security and privacy capabilities.
- 658 The depth and coverage of security and privacy evidence can affect the level of assurance in the 659 functionality implemented. Depth and coverage are attributes associated with assessment 660 methods and the generation of security and privacy evidence.²⁰ Assessment methods can be 661 applied to support developmental and operational assurance. For developmental assurance, 662 depth is associated with the rigor, level of detail, and formality of the artifacts produced during 663 system design and development. The level of detail available in development artifacts can affect 664 the type of testing, evaluation, and analysis conducted during the system development life cycle 665 (e.g., black-box testing, gray-box testing, white-box testing, static/dynamic analysis). For 666 operational assurance, the depth attribute addresses the rigor and level of detail for the 667 assessment. In contrast, the coverage attribute is associated with the assessment methods 668 employed during development and operations, addressing the scope and breadth of assessment 669 objects included in the assessments (e.g., number and types of tests conducted on source code).

¹⁸ The security or privacy *strength* of a system component (i.e., hardware, software, or firmware) is determined by the degree to which the security or privacy functionality implemented within that component is correct, complete, resistant to direct attacks (strength of mechanism), and resistant to bypass or tampering.

¹⁹ For example, third-party assessment organizations assess cloud services and service providers in support of the Federal Risk and Authorization Management Program [FedRAMP]. Common Criteria Testing Laboratories test and evaluate information technology products using [ISO/IEC 15408]. Cryptographic/Security Testing Laboratories test cryptographic modules using the [FIPS 140-3] standard.

²⁰ For additional information about depth and coverage, see <u>Section 2.4</u> and <u>Appendix C</u>.

670 2.4 ASSESSMENT PROCEDURES: ASSESSMENT OBJECTS, METHODS AND671 OBJECTIVES

An assessment *procedure* consists of a set of assessment *objectives*, each with an associated set of potential assessment *methods* and assessment *objects*. An assessment objective includes a set of *determination statements* related to the [SP 800-53] control under review. The determination statements are linked to the content of the control (i.e., the security and privacy control functionality) to ensure the traceability of assessment results back to the fundamental control requirements. The application of an assessment procedure to a control produces assessment findings. Assessment findings reflect or are subsequently used to help determine

679 the overall effectiveness of the control.

680 2.4.1 ASSESSMENT OBJECTS

Assessment *objects* identify the specific items being assessed and include *specifications*,
 mechanisms, *activities*, and *individuals*. Specifications are the document-based artifacts (e.g.,

683 policies, procedures, plans, system security and privacy requirements, functional specifications,

architectural designs) associated with a system or common control.²¹ Mechanisms are the

685 specific hardware, software, or firmware safeguards and countermeasures employed within a

686 system or common control. Activities are the specific protection-related actions supporting a

687 system or common control that involve people (e.g., conducting system backup operations,

688 monitoring network traffic, exercising a contingency plan). Individuals or groups of individuals

are people applying the specifications, mechanisms, or activities described above.

690 **2.4.2** ASSESSMENT METHODS

691 Assessment *methods* define the nature of the assessor actions and include examine, interview,692 and test.

693	٠	The examine method is the process of reviewing, inspecting, observing, studying, or
694		analyzing one or more assessment objects (i.e., specifications, mechanisms, or
695		activities). The purpose of the examine method is to facilitate assessor understanding,
696		achieve clarification, or obtain evidence.

- 697
 The *interview* method is the process of holding discussions with individuals or groups of 698
 699
 clarification, or obtain evidence.
- The *test* method is the process of exercising one or more assessment objects (i.e.,
 activities or mechanisms) under specified conditions to compare an actual and desired
 state or expected behavior.
- 703 In all three assessment methods, the results are used to make specific determinations called for
- in the determination statements and thereby achieve the objectives for the assessment
- procedure. A complete description of assessment methods and assessment objects is provided
 in <u>Appendix C</u>.

²¹ Mechanisms also include physical protection devices associated with a system or common control (e.g., locks, keypads, security cameras, fire protection devices, fireproof safes, etc.).

- Assessment methods have a set of associated attributes *depth* and *coverage* which help
- 708 define the level of effort for the assessment. The attributes are hierarchical in nature, providing
- the means to define the rigor and scope of the assessment for the increased assurances that
- 710 may be needed for some systems.
- The depth attribute addresses the rigor and level of detail in the examination, interview, and
- testing processes. Values for the depth attribute include *basic, focused,* and *comprehensive*.
- The coverage attribute addresses the scope or breadth of the examination, interview, and testing processes, including the number and types of specifications, mechanisms, and
- 714 testing processes, including the number and types of specifications, mechanisms, and 715 activities to be examined or tested and individuals to be interviewed. Similar to the depth
- activities to be examined or tested and individuals to be interviewed. Similar to the depth
 attribute, values for the coverage attribute include *basic*, *focused*, and *comprehensive*.
- 717 The appropriate depth and coverage attribute values for a particular assessment method are
- based on the assurance requirements specified by the organization and are an important
- 719 component of protecting information commensurate with risk (i.e., risk management). As
- 720 assurance requirements increase with regard to the development, implementation, and
- 721 operation of controls within or inherited by the system, the rigor and scope of the assessment
- activities (as reflected in the selection of assessment methods and objects and the assignment
- of depth and coverage attribute values) tend to increase as well.²² Appendix C provides a
- 724 detailed description of assessment method attributes and attribute values.

725 **2.4.3** ASSESSMENT OBJECTIVES

- The assessment objectives are numbered sequentially, first in accordance with the numbering
- scheme in [SP 800-53] and, subsequently, where necessary to further granularize the security or
- 728 privacy control requirements to facilitate assessment. Square bracketed sequential numbers, as
- opposed to parentheses, are used to indicate that the control from SP 800-53 has been further
- 730 granularized (e.g., AC-17a.[01], AC-17a.[02], AC-17a.[03]).

²² The level of effort for the assessment, including the depth and coverage, is primarily determined by the privacy risk assessment or security categorization of the system or common control being assessed.

- 731 Figure 1 illustrates an example of an assessment procedure developed to assess the
- right results of control AC-17. The assessment objective for AC-17 is derived from the base
- 733 control statement described in [SP 800-53]. AC-17a.[01] is an example of a determination
- statement for a control item that is further granularized from SP 800-53. AC-17b. is an example
- of a determination statement for a control item that corresponds directly with the SP 800-53
- 736 control. Potential assessment methods and objects are added to each assessment procedure.
- 737 Not all assessment procedures will include all three potential assessment methods (i.e.,
- 738 examine, interview, test).

	AC-17	REMOTE ACCESS	
		ASSESSMENT OBJ Determine if:	ECTIVE:
Ŭ	further larized 800-53	AC-17a.[01]	usage restrictions are established and documented for each type of remote access allowed;
		AC-17a.[02]	configuration/connection requirements are established and documented foreach type of remote access allowed;
		AC-17a.[03]	implementation guidance is established and documented for each type of remote access allowed;
Corres directly 800-53		AC-17b.	each type of remote access to the system is authorized prior to allowing such connections.
		POTENTIAL ASSES	SMENT METHODS AND OBJECTS:
		AC-17-Examine	[SELECT FROM: Access control policy; procedures addressing remote access implementation and usage (including restrictions); configuration management plan; system configuration settings and associated documentation; remote access authorizations; system audit records; system security plan; other relevant documents or records].
		AC-17-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing remote access connections; system/network administrators; organizational personnel with information security responsibilities].
		AC-17-Test	[SELECT FROM: Remote access management capability for the system].
ľ			

FIGURE 1: ASSESSMENT PROCEDURE FOR CONTROL

- Another example of granularization to support control assessments is the case of a privacy
- 742 control requirement not being applicable to a particular system (e.g., the system is not
- 743 processing personally identifiable information); assessors can disregard such non-applicable
- requirements and still find that the control is satisfied. Figure 2 provides an example of control
- 745 CM-4, which is further granularized to address security impacts in CM-04[01] and privacy
- 746 impacts in CM-04[02].

CM-04	IMPACT ANALYSES		
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-04[01]	changes to the system are analyzed to determine potential security impacts prior to change implementation;	
	CM-04[02]	changes to the system are analyzed to determine potential privacy impacts prior to change implementation.	
	POTENTIAL ASSES	SMENT METHODS AND OBJECTS:	
	CM-04-Examine	[SELECT FROM: Configurat security impact analyses for privacy impact analyses for plan; security impact analyses for documentation; privacy impact assessment; privacy risk assessment documentation, system design documentation; analysis tools and associated outputs; change control records; system audit records; system security plan; privacy plan; other relevant documents or records].	
	CM-04-Interview	[SELECT FROM: Organizational personnel with responsibility for conducting security impact analyses; organizational personnel with responsibility for conducting privacy impact analyses; organizational personnel with information security and privacy responsibilities; system developer; system/network administrators; members of change control board or similar].	
	CM-04-Test	[SELECT FROM: Organizational processes for security impact analyses; organizational processes for privacy impact analyses].	

FIGURE 2. ASSESSMENT PROCEDURE FOR CONTROL FURTHER GRANULARIZED TO FACILITATE ASSESSMENT

Additionally, determination statements for organization-defined parameters (ODPs) are listed
first and separately from the determination statements for each control item within each
control or control enhancement to enable the assessor to quickly determine whether the ODPs
are defined or selected by the organization. ODPs appear first in the determination statements,
and each include a unique identifier associated with the control to facilitate a more efficient and
streamlined assessment. ODPs include:

- Assignment statements, where the organization defines a value (e.g., frequency, circumstances, personnel, or roles)
- Selection statements, where the organization selects one or more of the options
 provided in the ODP
- The ODP numbering convention is **"XX-nn_ODP**". Each ODP unique identifier begins with the two-character control family abbreviation (XX), followed by the control number (nn, with a
- 161 leading zero for single digits), then followed by "_ODP". If there is more than one ODP for the
- assessment procedure, "_ODP" is followed by square-bracketed sequential numbers starting
- 763 from "01." The ODP value is referenced in subsequent determination statements using the ODP

- variable in computer programming, the ODP serves as a symbolic name to reference a stored
- value. In this scenario, the ODP unique identifier serves as the symbolic name, and the value
- assigned or selected by the organization is the stored value.
- 768 Figure 3 provides an example of an assessment procedure for control CM-2 that includes two
- 769 assignment statements: CM-02_ODP[01] and CM-02_ODP[02].

CM-02	BASELINE CONFIG	GURATION	
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-02_ODP[01]	the frequency of baseline configuration review and update is defined;	
anization- lefined	CM-02_ODP[02]	the circumstances requiring baseline configuration review and update are defined;	
) identifier	CM-02a.[01]	a current baseline configuration of the softem is developed and documented;	
	CM-02a.[02]	a current baseline configuration for the statement and under configuration control;	
	CM-02b.01	the baseline configuration of the system is reviewed and updated	
	CM-02b.02	the baseline configuration of the system is review due to < <u>CM-02_ODP[02] circumstances>;</u> Reference to ODP in determination	
	CM-02b.03	the baseline configuration of the system is reviev statement when system components are installed or upgraded.	
	POTENTIAL ASSES	SSMENT METHODS AND OBJECTS:	
	CM-02-Examine	[SELECT FROM: Configuration management policy; procedures addressing the baseline configuration of the system; configuration management plan; enterprise architecture documentation; system design documentation; system security plan; privacy plan; system architecture and configuration documentation; system configuration settings and associated documentation; system component inventory; change control records; other relevant documents or records].	
	CM-02-Interview	[SELECT FROM: Organizational personnel with configuration management responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	CM-02-Test	[SELECT FROM: Organizational processes for managing baseline configurations; automated mechanisms supporting configuration control of the baseline configuration].	

770 771

FIGURE 3. ASSESSMENT PROCEDURE FOR CONTROL WITH ORGANIZATION-DEFINED PARAMETER: ASSIGNMENT STATEMENT


- Figure 4 provides an example of an assessment procedure for a control, MP-7, that includes
 assignment statements and a selection statement. Selection statements include a list of
 potential parameter values that the organization choses from and instructions to select one or
- potential parameter values that the organization choses from and instructions to select one or more parameters. The list of parameter values is identified using braces { }, with each potential
- 775 more parameters. The list of parameter values is identified using braces { }, with each potential 776 parameter value separated with a semicolon. When the ODP for a selection statement is
- 7/0 parameter value separated with a semicolon. When the ODP for a selection statement is
- 777 referenced in a subsequent determination statement, the ODP unique identifier and phrase
- 778 "SELECTED PARAMETER VALUE(S)" is surrounded by < >.

Organization- Defined Parameter (ODP) identifier MP-07_ODP[01] types of system media to be restricted or prohibited from use on system system components are defined; MP-07_ODP[02] one of the following PARAMETER VALUES is selected to be applied on sp types of system media: {restrict; prohibit}; MP-07_ODP[03] systems or system components on whithe use of specific types of system media to be restricted or prohibited are lifetined; MP-07_ODP[04] controls to restrict or proh Selection Statement systems or system components are defined; MP-07_ODP[04] controls to restrict or proh Selection Statement systems or system components are defined; MP-07_ODP[04] controls to restrict or proh Selection Statement system components> using MP-07_oDDF[04] controls to restrict or proh Selection Statement system components> using Reference to ODP in determination statement MP-07a. the use of portable storage devices in organizational systems is prohibited such devices have no identifiable owner. POTENTIAL ASSESSMENT METHODS AND OBJECTS: MP-07-Examine [SELECT FROM: System media protection policy; system use policy; proce addressing media usage restrictions; rules of behavior; system design documentation; system configuration settings and associated documentation;		-07 MEDIA USE	MP-07		
Organization- Defined Parameter (ODP) identifier MP-07_ODP[02] one of the following PARAMETER VALUES is selected to be applied on sp types of system media: {restrict; prohibit}; MP-07_ODP[03] systems or system components on whith the use of specific types of system media to be restricted or prohibited and the fined; MP-07_ODP[04] controls to restrict or profession system media; systems or system components are defined; MP-07_ODP[04] controls to restrict or profession system media; systems or system components are defined; MP-07a. the use of < <u>MP-07_ODP[01]</u> types of system media; systems components: using < <u>MP-07_ODP[04]</u> controls MP-07b. the use of portable storage devices in organizational systems is pronitored such devices have no identifiable owner. POTENTIAL ASSESSMENT METHODS AND OBJECTS: MP-07-Examine SELECT FROM: System media protection policy; system use policy; proce addressing media usage restrictions; rules of behavior; system design					
Defined Parameter (ODP) identifier MP-07_ODP[02] one of the following PARAMETER VALUES is selected to be applied on sp types of system media: {restrict; prohibit}; MP-07_ODP[03] systems or system components on which the use of specific types of system media to be restricted or prohibited at the fined; MP-07_ODP[04] controls to restrict or profession statement systems or system components are defined; MP-07_ODP[04] controls to restrict or profession statement systems or system components are defined; MP-07a. the use of <mp-07_odp[01] media="" of="" system="" types=""> is <mp-07_odp[02] parameter="" selected="" value=""> on or system components> using <mp-07_odp[04] controls<="" td=""> MP-07b. the use of portable storage devices in organizational systems is pronioned such devices have no identifiable owner. POTENTIAL ASSESSMENT METHODS AND OBJECTS: MP-07-Examine [SELECT FROM: System media protection policy; system use policy; proce addressing media usage restrictions; rules of behavior; system design</mp-07_odp[04]></mp-07_odp[02]></mp-07_odp[01]>	s or		Organization	Organiz	
MP-07_ODP[03] systems or system components on whith the use of specific types of system dia to be restricted or prohibited at the fined; MP-07_ODP[04] controls to restrict or proference of system media systems or system components are defined; MP-07a. the use of <mp-07_odp[01] media="" of="" system="" types=""> is < <mp-07_odp[02] parameter="" selected="" value=""> on or system components> using <mp-07_odp[04] controls<="" td=""> MP-07b. the use of portable storage devices in organizational systems is pronibute such devices have no identifiable owner. POTENTIAL ASSESSMENT METHODS AND OBJECTS: MP-07-Examine SELECT FROM: System media protection policy; system use policy; proce addressing media usage restrictions; rules of behavior; system design</mp-07_odp[04]></mp-07_odp[02]></mp-07_odp[01]>	ecific	MP-07_ODP[02]	Defined Parameter	Define Paramet	
MP-07_ODP[04] controls to restrict or prof	em				
MP-07a. Ittle use of CDP[01] types of system media 15 OOP in determination or system components> using MP-07b. the use of portable storage devices in organizational systems is promote such devices have no identifiable owner. OPTENTIAL ASSESSMENT METHODS AND OBJECTS: MP-07-Examine [SELECT FROM: System media protection policy; system use policy; proce addressing media usage restrictions; rules of behavior; system design	on	MP-07_ODP[04]			
MP-07b. the use of portable storage devices in organizational systems is promote such devices have no identifiable owner. POTENTIAL ASSESSMENT METHODS AND OBJECTS: MP-07-Examine [SELECT FROM: System media protection policy; system use policy; proceaddressing media usage restrictions; rules of behavior; system design	stems	MP-07a.			
MP-07-Examine [SELECT FROM: System media protection policy; system use policy; proce addressing media usage restrictions; rules of behavior; system design	a when	MP-07b.			
addressing media usage restrictions; rules of behavior; system design		POTENTIAL ASSES			
audit records; system security plan; other relevant documents or records	tion;	MP-07-Examine			
MP-07-Interview [SELECT FROM: Organizational personnel with system media use responses organizational personnel with information security responsibilities; system/network administrators].	bilities;	MP-07-Interview			
MP-07-Test [SELECT FROM: Organizational processes for media use; automated mec restricting or prohibiting use of system media on systems or system components].	anisms	MP-07-Test			

FIGURE 4. ASSESSMENT PROCEDURE FOR CONTROL WITH ORGANIZATION-DEFINED PARAMETER: SELECTION STATEMENT

- 781 Figure 5 provides an example of an assessment procedure for a control, CA-03, that includes an
- 782 ODP that consists of a selection statement with an embedded assignment statement. The
- 783 selection statement, CA-03(01)_ODP[01], identifies a list of parameters to choose from,
- including another ODP. The assignment statement for CA-03(01)_ODP[02] is only defined if the
- 785 organization selects the ODP from the list of parameters. When the ODP for a selection
- 786 statement is referenced in a subsequent determination statement, the ODP unique identifier
- 787 and phrase "SELECTED PARAMETER VALUE(S)" is surrounded by < >. In this scenario, if the
- 788 embedded assignment statement is selected, it becomes the "SELECTED PARAMETER VALUE(S)."

CA-03	INFORMATION EX	CHANGE	assignment statement as potential parameter value	
	ASSESSMENT OB. Determine if:	JECTIVE:		
ganization- Defined arameter P) identifier	CA-03_ODP[01]	one or more of the following PARA {interconnection security agreemen agreements; memoranda of unders agreements; user agreements; non type of agreement>};	nts; information exchange standing or agreement; sei	security vice level
	CA-03_ODP[02]	the type of agreement used to app information is defined (if selected);	-	ange of
	CA-03_ODP[03]	the frequency at which to review a	and update agreements is a	defined;
		ded Assignment g <ca-03 odp[01]="" se<="" td=""><td>en system and other syster ELECTED PARAMETER VALL</td><td></td></ca-03>	en system and other syster ELECTED PARAMETER VALL	
		ment, defined <u> <i>i</i> if</u> selected characteristics are door characteristics are door	cumented part of each e	xchange
	CA-03b.[02]	security requirements are docume		ge agreement;
	CA-03b.[03]	privacy requirements are documer	VALUE(S) in determination	e agreement;
	CA-03b.[04]	controls are documented as part of	each exchange agreement	;
	CA-03b.[05]	responsibilities for each system are documented as part of each exchange agreement;		
	CA-03b.[06]	the impact level of the information each exchange agreement;	communicated is documen	ted as part of
	CA-03c.	agreements are reviewed and upda	ted <ca-03_odp[03] b="" frequ<=""></ca-03_odp[03]>	ency>.
	POTENTIAL ASSES	SSMENT METHODS AND OBJECT	S:	
	CA-03-Examine	[SELECT FROM: Access control polic connections; system and communic interconnection security agreement agreements; memoranda of underst agreements; non-disclosure agreem configuration settings and associate privacy plan; other relevant docume	ations protection policy; sy s; information exchange se tanding or agreements; ser nents; system design docur ed documentation; system	stem curity vice level nentation; syste
	CA-03-Interview	[SELECT FROM: Organizational pers implementing, or approving system personnel with information security managing the system(s) to which the applies].	interconnection agreemen and privacy responsibilitie	ts; organizationa s; personnel



- 792 Although not explicitly noted with each assessment method in the assessment procedure, the
- attribute values of depth and coverage described in <u>Appendix C</u> are assigned by the organization
- and applied by the assessor/assessment team in the execution of the assessment method
- against an assessment object (i.e., the assessment methods applied to selected assessment
- objects in order to conduct the assessment procedure are determined based on the depth and
- 797 coverage needed to provide the level of assurance required by the organization).
- 798 If the control has any enhancements as designated by sequential parenthetical numbers (for
- example, AC-17(01) for the first enhancement for AC-17), assessment objectives are developed
- 800 for each enhancement using the same process as for the base control. The resulting assessment
- 801 objectives are numbered sequentially in the same way as the assessment procedure for the base
- 802 control first in accordance with the numbering scheme in [SP 800-53] and, subsequently, using
- 803 bracketed sequential numbers to further apportion control enhancement requirements to
- 804 facilitate assessments (e.g., AC-17(01), AC-17(02), AC-17(03)).
- 805 Figure 6 illustrates an example of an assessment procedure developed to assess the
- 806 effectiveness of the third enhancement to security control AC-17(01).

AC-17(01)	REMOTE ACCESS N	NONITORING AND CONTROL	
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-17(01)[01]	automated mechanisms are employed to monitor remote access methods;	
	AC-17(01)[02]	automated mechanisms are employed to control remote access methods.	
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:	
	AC-17(01)-Examine	[SELECT FROM: Access control policy; procedures addressing remote access to the system; system design documentation; system configuration settings and associated documentation; system audit records; system monitoring records; system security plan; other relevant documents or records].	
	AC-17(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-17(01)-Test	[SELECT FROM: Automated mechanisms monitoring and controlling remote access methods].	

<u>887</u>

FIGURE 6: ASSESSMENT PROCEDURE FOR CONTROL ENHANCEMENT

809 CHAPTER THREE

810 THE PROCESS

- 811 CONDUCTING EFFECTIVE SECURITY AND PRIVACY CONTROL ASSESSMENTS
- 812 This chapter describes the process of assessing the security and privacy controls in
- 813 organizational systems and environments of operation, including the activities carried out by
- 814 organizations and assessors to prepare for security and privacy control assessments; the
- 815 development of security and privacy assessment plans; the conduct of control assessments and
- the analysis, documentation, and reporting of assessment results; and post-assessment report
- 817 analysis and follow-on activities. Additionally, this chapter describes assessing security and
- 818 privacy capabilities.²³



819 820

FIGURE 7. OVERVIEW OF PROCESS TO CONDUCT EFFECTIVE SECURITY AND PRIVACY CONTROL ASSESSMENTS

821 New controls are developed on a regular basis using threat and vulnerability information and 822 information on the tactics, techniques, and procedures used by adversaries. In addition, new 823 controls are developed based on a better understanding of how to mitigate information security 824 risks to systems and organizations and risks to the privacy of individuals arising from information 825 processing. Finally, new controls are developed based on new or changing requirements in laws, 826 executive orders, regulations, policies, standards, or guidelines. Proposed modifications to the 827 controls are carefully analyzed during each revision cycle, considering the need for stability of 828 controls and the need to be responsive to changing technologies, threats, vulnerabilities, types 829 of attack, and processing methods. The objective is to adjust the level of information security 830 and privacy over time to meet the needs of organizations and individuals.

²³ A security and privacy capability is a combination of mutually reinforcing security and privacy controls (i.e., safeguards and countermeasures) implemented by technical means (i.e., functionality in hardware, software, and firmware), physical means (i.e., physical devices and protective measures), and procedural means (i.e., procedures performed by individuals).

831 **3.1 PREPARE FOR SECURITY AND PRIVACY CONTROL ASSESSMENTS**

Table 1 provides a summary of the purpose, roles, and expected outcomes of the Prepare forSecurity and Privacy Control Assessments Step.

- 834
- 835
- 836

TABLE 1. PREPARE FOR SECURITY AND PRIVACY CONTROL ASSESSMENTS SUMMARY

Purpose	Address a range of issues pertaining to the cost, schedule, scope, and performance of the control assessment.
Primary Roles	Authorizing Official, Authorizing Official Designated Representative, system owner, common control provider, control assessors
Outcomes	 The objective, scope, and timeframe of control assessment determined Key organizational stakeholders notified and necessary resources allocated Assessors/assessment teams identified Artifacts collected and provided to assessors/assessment teams Mechanism to minimize ambiguities and misunderstandings about control implementation and identified control deficiencies or weaknesses established Assessors/assessment teams understand the organization's operations, structure, objective, scope, and timeframe of control assessment

837 Conducting security and privacy control assessments can be difficult, challenging, and resource

838 intensive. Security and privacy control assessments may be conducted by different

839 organizational entities with distinct oversight responsibilities. However, success requires the

840 cooperation and collaboration of all parties with a vested interest in the organization's

841 information security or privacy posture, including system owners, common control providers,

- 842 authorizing officials, chief information officers, senior information security officers, senior
- 843 agency officials for privacy/chief privacy officers, chief executive officers/heads of agencies,

844 security and privacy staffs, Inspectors General, and OMB. Establishing an appropriate set of

845 expectations before, during, and after an assessment is paramount to achieving an acceptable

- 846 outcome (i.e., producing information necessary to help the authorizing official make a credible,
- risk-based decision on whether to place the system into operation or continue its operation).

848 Thorough preparation by the organization and assessors is an important aspect of conducting

effective security and privacy control assessments. Preparatory activities address a range of

850 issues relating to the cost, schedule, and performance of the assessment. From an

- 851 organizational perspective, preparing for a security or privacy control assessment includes the
- 852 following key activities:
- Ensuring that appropriate policies covering security and privacy control assessments,
 respectively, are in place and understood by all affected organizational elements;

855 856 857	 Ensuring that all steps in the RMF prior to the security or privacy control assessment step have been successfully completed and received appropriate management oversight;²⁴
858	 Establishing the objective and scope of assessments (i.e., the purpose of the
859	assessments and what is being assessed);
860	 Ensuring that security and privacy controls identified as common controls (and the
861	common portion of hybrid controls) have been assigned to appropriate organizational
862	entities (i.e., common control providers) for development and implementation; ²⁵
863	 Notifying key organizational officials of impending assessments and allocating necessary
864	resources to carry out the assessments;
865	Establishing appropriate communication channels among organizational officials with an
866	interest in the assessments;
867	 Establishing time frames for completing the assessments and key milestone decision
868	points required by the organization;
869	 Identifying and selecting appropriate assessors/assessment teams that will be
870	responsible for conducting the assessments and considering issues of assessor
871	independence;
872	• Providing artifacts to the assessors/assessment teams (e.g., policies, procedures, plans,
873	specifications, designs, records, administrator/operator manuals, system
874	documentation, interconnection agreements, previous assessment results, legal
875 876	requirements); and
876 877	 Establishing a mechanism between the organization and the assessors and/or
877 878	assessment teams to minimize ambiguities or misunderstandings about the
878 879	implementation of security and privacy controls and related weaknesses or deficiencies identified during the assessments.
019	
880	Control assessors/assessment teams begin preparing for their respective assessments by:
881	• Obtaining a general understanding of the organization's operations (including mission,
882	functions, and business processes) and how the system or common control that is the
883	subject of the particular assessment supports those organizational operations,
884	• Obtaining an understanding of the structure of the system (i.e., system architecture)
885	and the security and privacy controls being assessed (including system-specific, hybrid,
886	and common controls),
887	 Identifying the organizational entities responsible for the development and
888	implementation of the common controls (or the common portion of hybrid controls)
889	supporting the system,
890	 Meeting with appropriate organizational officials to ensure common understanding for
891	assessment objectives and the proposed rigor and scope of the assessment,

²⁴ Conducting security and privacy control assessments in parallel with the development/acquisition and implementation phases of the life cycle allows for the early identification of weaknesses and deficiencies and provides the most cost-effective method for initiating corrective actions. Issues found during development assessments can be referred to authorizing officials for early resolution, as appropriate. The results of security and privacy control assessments carried out during system development and implementation can also be used (consistent with reuse criteria) during the authorization process to avoid system fielding delays or the costly repetition of assessments.

²⁵ Security and privacy control assessments include common controls and the common part of hybrid controls that are the responsibility of organizational entities other than the system owner inheriting the controls.

893 894

895

896

 Obtaining artifacts needed for the assessment (e.g., policies, procedures, plans, specifications, designs, records, administrator and operator manuals, system documentation, interconnection agreements, previous assessment results),

- Establishing appropriate organizational points of contact to carry out the assessments, and
- Obtaining previous assessment results that may be appropriately reused for the current assessment (e.g., Inspector General reports, audits, vulnerability scans, physical security inspections, developmental testing and evaluation, vendor flaw remediation activities, [ISO 15408] evaluations).

901 In preparation for the assessment of security and privacy controls, the necessary background 902 information is assembled and made available to the assessors or assessment team.²⁶ To the 903 extent necessary to support the specific assessment, and depending upon whether security 904 controls or privacy controls are being assessed, the organization identifies and arranges access 905 to elements of the organization responsible for developing, documenting, disseminating, 906 reviewing, and updating all policies and associated procedures for implementing policy-907 compliant controls; the policies for the system and any associated implementing procedures, 908 individuals, or groups responsible for the development, implementation, operation, and 909 maintenance of controls; any artifacts or materials (e.g., security or privacy plans, records, 910 schedules, assessment reports, after-action reports, agreements, authorization packages) 911 associated with the implementation and operation of the controls to be assessed; and the 912 specific objects to be assessed.²⁷ The availability of essential documentation as well as access to 913 key organizational personnel and the system or common control being assessed are paramount 914 to a successful assessment.

- 915 Organizations consider both the technical expertise and level of independence required in
- 916 selecting security and privacy control assessors.²⁸ Organizations ensure that assessors possess
- 917 the required skills and technical expertise to successfully carry out assessments of system-
- 918 specific, hybrid, and common controls.²⁹ This includes knowledge of and experience with the
- 919 specific hardware, software, and firmware components employed by the organization. An
- 920 independent assessor is any individual capable of conducting an impartial assessment of security
- and privacy controls employed within or inherited by a system. Impartiality implies that security
- 922 and privacy control assessors are free from any perceived or actual conflicts of interest with
- 923 respect to the development, operation, and/or management of the system or the determination

²⁶ System (or program) owners and organizational entities developing, implementing, and/or administering common controls (i.e., common control providers) are responsible for providing needed information to assessors.

²⁷ In situations where there are multiple security and privacy assessments ongoing or planned within an organization, access to organizational elements, individuals, and artifacts supporting the assessments is centrally managed by the organization to ensure a cost-effective use of time and resources.

²⁸ In accordance with [<u>OMB A-130</u>], an independent evaluation of the privacy program and practices is not required. However, an organization may choose to employ independent privacy assessments at its discretion.

²⁹ NIST [<u>SP 800-181</u>] describes the Workforce Framework for Cybersecurity (NICE Framework), a fundamental reference for describing and sharing information about cybersecurity work through Task statements, and Knowledge and Skills Statements. The NICE Framework is a reference source with which organizations or sectors can develop additional publications or tools that meet their needs to define or provide guidance on different aspects of cybersecurity education, training, and workforce development.

- 924 of security and privacy control effectiveness.³⁰ The authorizing official or designated
- 925 representative determines the required level of independence for assessors based on the results
- 926 of the security categorization process for the system (in the case of security control
- 927 assessments) and the risk to organizational operations and assets, individuals, other
- 928 organizations, and the Nation. The authorizing official determines whether the level of assessor
- 929 independence is sufficient to provide confidence that the assessment results produced are
- 930 sound and can be used to make a risk-based decision on whether to place the system or
- 931 common control into operation or continue its operation.
- 932 Independent security and privacy control assessment services can be obtained from other
- 933 elements within the organization or be contracted to a public or private sector entity outside of
- 934 the organization. In special situations (e.g., when the organization that owns the system or
- 935 common control is small or the organizational structure requires that the security or privacy
- 936 control assessment be accomplished by individuals who are in the developmental, operational,
- 937 and/or management chain of the system owner), independence in the assessment process can
- 938 be achieved by ensuring that the assessment results are carefully reviewed and analyzed by an
- 939 independent team of experts to validate the completeness, consistency, and veracity of the
 940 results.³¹

941 **3.2 DEVELOP SECURITY AND PRIVACY ASSESSMENT PLANS**

- 942 Table 2 provides a summary of the purpose, roles, and expected outcomes of the Develop
- 943 Security and Privacy Assessment Plans Step.
- 944 945

TABLE 2. DEVELOP SECURITY AND PRIVACY PLANS SUMMARY

Purpose	Provide the objectives for the security and privacy control assessments, as well as a detailed roadmap of how to conduct such assessments based on the security and privacy plan(s).	
Primary Roles	Control assessors	
Outcomes	 Controls and control enhancements to be included in assessments are determined Assessment procedures are selected and tailored; additional procedures for security and privacy requirements/controls not covered by [SP 800-53] are developed Assessment procedures are optimized to reduce duplication of effort Assessment plan is finalized and organizational approval is obtained 	

946

- 947 The security assessment plan and privacy assessment plan provide the objectives for the security
- 948 and privacy control assessments, respectively, as well as a detailed roadmap of how to conduct
- 949 such assessments. The assessment plans may be developed as one integrated plan or as distinct

³⁰ Contracted assessment services are considered independent if the system (or program) owner is not directly involved in the contracting process or cannot unduly influence the independence of the assessor(s) conducting the assessment of the security or privacy controls.

³¹ The authorizing official consults with the Office of the Inspector General, the senior information security officer, senior agency officials for privacy/chief privacy officers, and the chief information officer, as appropriate, to discuss the implications of any decisions on assessor independence in the types of special circumstances described above.

950 plans, depending upon organizational needs. The following steps are considered by assessors

951 when developing plans to assess the security and privacy controls in organizational systems or

952 common controls available for inheritance:

- Determine which security and privacy controls/control enhancements are to be included in assessments based on the contents of the security plan and privacy plan (or equivalent document if the controls to be assessed are non-system-based common controls)³² and the purpose and scope of the assessments,
- 957
 Select the appropriate assessment procedures to be used during assessments based on 958 the security or privacy controls and control enhancements to be included in the 959 assessments,
- Tailor the selected assessment procedures (e.g., select appropriate assessment methods and objects, and assign depth and coverage attribute values),
- 962 Develop additional assessment procedures to address any security requirements or controls that are not sufficiently covered by [SP 800-53],
- 964
 Optimize the assessment procedures to reduce duplication of effort (e.g., sequencing and consolidating assessment procedures) and provide cost-effective assessment solutions, and
- 967
 - Finalize assessment plans and obtain the necessary approvals to execute the plans.

968 3.2.1 DETERMINE WHICH SECURITY AND PRIVACY CONTROLS ARE TO BE ASSESSED

969 The security plan and privacy plan provide an overview of the security and privacy requirements, 970 respectively, for the system and organization and describe the security controls and privacy 971 controls in place or planned for meeting those requirements. For the assessment of common 972 controls that are not implement by a system, a document equivalent to the security or privacy 973 plan may be used. The assessor starts with the security or privacy controls described in the 974 security or privacy plan and considers the purpose of the assessment. A security or privacy 975 control assessment can be a complete assessment of all controls in a system (e.g., during an 976 initial system authorization process), a partial assessment of the controls in a system (e.g., 977 during system development as part of a targeted assessment resulting from changes affecting 978 specific controls or where controls were previously assessed and the results accepted in the 979 reciprocity process), or a common control(s) assessment.

- For partial assessments, system owners and common control providers collaborate with
 organizational officials with an interest in the assessment (e.g., senior information security
 officers, senior agency officials for privacy/chief privacy officers, mission/information owners,
 Inspectors General, and authorizing officials) to determine which controls are to be assessed.
 The determination of the controls to be assessed depends on the purpose of the assessment.
 For example, during the initial phases of the system development life cycle, specific controls
- 986 may be selected for assessment to promote the early detection of weakness and deficiencies
- 987 and a more cost-effective approach to risk mitigation. After the initial authorization to operate
- has been granted, targeted assessments may be necessary when changes are made to the
- 989 system, specific security or privacy controls, common controls, or the environment of operation.

³² The approach to developing assessment plans and conducting control assessments also applies to information security program plans and privacy program plans.

990 In such cases, the focus of the assessment is on the controls that may have been affected by the 991 change.

992 **3.2.2** SELECT PROCEDURES TO ASSESS THE SECURITY AND PRIVACY CONTROLS

SP 800-53A provides assessment procedures for each security and privacy control and control
 enhancement in [SP 800-53]. For each control in the security plan and privacy plan to be
 included in the assessment, assessors select the corresponding assessment procedure from

- 996 <u>Chapter 4</u>. The selected assessment procedures can vary from assessment to assessment based
- 997 on the current content of the security plans and privacy plans and the purpose of the
- 998 assessment (e.g., complete assessment, partial assessment, common control assessment).

999 **3.2.3 TAILOR ASSESSMENT PROCEDURES**

In a manner similar to how the controls from [SP 800-53] are tailored for the organization's mission, business functions, characteristics of the system, and operating environment, organizations tailor the assessment procedures in <u>Chapter 4</u> to meet specific organizational needs. Organizations have the flexibility to perform the tailoring process at the organization level for all systems or common controls, at the individual system level, or using a combination of organization-level and system-specific approaches. Control assessors determine if the organization provides additional tailoring guidance prior to initiating the tailoring process.

1007 Assessment procedures are tailored by:

1008	 Selecting the appropriate assessment methods and objects needed to satisfy the stated
1009	assessment objectives,
1010	 Selecting the appropriate depth and coverage attribute values to define the rigor and
1011	scope of the assessment,
1012	 Identifying common controls that have been assessed by a separately documented
1013	security assessment plan or privacy assessment plan and do not require the repeated
1014	execution of the assessment procedures, ³³
1015 1016	• Developing system/platform-specific and organization-specific assessment procedures (which may be adaptations of those in <u>Chapter 4</u>),
1017	 Incorporating assessment results from previous assessments where the results are
1018	deemed applicable, and
1019	 Making appropriate adjustments in assessment procedures to obtain the requisite
1020	assessment evidence from external providers.

1021 3.2.3.1 ASSESSMENT METHOD- AND OBJECT-RELATED CONSIDERATIONS

1022 Organizations can specify, document, and configure their systems in a variety of ways, and the

- 1023 content and applicability of existing assessment evidence varies. This variety may result in the
- 1024 need to apply a mixture of assessment methods to assessment objects to generate the
- 1025 assessment evidence needed to determine whether the security and privacy controls are

³³ Common controls are not assessed as part of system control assessments unless the common controls are part of a system that provides the common control(s) for inheritance by other systems. The assessor simply verifies that the system being assessed has actually inherited the common control (i.e., that a given inherited common control is being used by the system being assessed to provide protection) and the control is not implemented at the level of the system being assessed.

1026 effective in their application. Additionally, as described in Section 2.3 and Section 2.4, the 1027 number and type of assessment methods and assessment objects needed to provide the 1028 required assurance varies based on the depth and coverage needed for the assessment. 1029 Therefore, the assessment methods and objects provided with each assessment procedure are 1030 termed *potential* to reflect the need to be able to choose the methods and objects most 1031 appropriate for a specific assessment. The assessment methods and objects chosen are those 1032 deemed necessary to produce the evidence needed to make the determinations described in 1033 the determination statements. The potential methods and objects in the assessment procedure 1034 are provided as a resource to assist in the selection of appropriate methods and objects and not 1035 with the intent of limiting the selection. Organizations use their judgment when selecting 1036 assessment methods and associated assessment objects. Organizations select those methods 1037 and objects that most cost-effectively manage risk and contribute to making the determinations 1038 associated with the assessment objective.³⁴ The quality of assessment results is based on the 1039 soundness of the rationale provided for selecting the methods and objects, not the specific set 1040 of methods and objects applied. It is not necessary, in most cases, to apply every assessment

1041 method to every assessment object to obtain the desired assessment results.

1042 **3.2.3.2 DEPTH- AND COVERAGE-RELATED CONSIDERATIONS**

1043 In addition to selecting appropriate assessment methods and objects, each assessment method 1044 (i.e., examine, interview, and test) is associated with the depth and coverage attributes 1045 described in Appendix C. The attribute values identify the rigor and scope of the assessment 1046 procedures executed by the assessor. The values selected by the organization are based on the 1047 characteristics of the system being assessed (including assurance requirements) and the specific 1048 determinations to be made. The depth and coverage attribute values are associated with the 1049 assurance requirements specified by the organization (i.e., the rigor and scope of the 1050 assessment increases in direct relationship with the assurance requirements).

1051 **3.2.3.3 COMMON CONTROL-RELATED CONSIDERATIONS**

1052 Assessors note which security and privacy controls (or parts of such controls) in security plans or

1053 privacy plans are designated as *common controls*.³⁵ Since the assessment of common controls is

1054 the responsibility of the organizational entity that developed and implemented the controls (i.e.,

1055 common control provider), the assessment procedures in in <u>Chapter 4</u> are also used to assess

1056 common controls. The results from the common control assessment are made available to

1057 organizational systems and system owners that elect to inherit the common controls.³⁶

³⁴ The selection of assessment methods and objects (including the number and type of assessment objects) can be a significant factor in cost-effectively managing risk while still meeting the assessment objectives.

³⁵ Common controls support multiple systems within the organization, and the protection measures provided by common controls are inherited by the individual systems. Therefore, the organization determines the appropriate set of common controls to ensure that both the strength of the controls (i.e., security or privacy capability) and level of rigor and intensity of the control assessments are commensurate with the privacy risk assessment and categorization of the individual systems inheriting those controls. Weaknesses or deficiencies in common controls have the potential to adversely affect large portions of the organization and thus require significant attention.

³⁶ If assessment results are not currently available for the common controls, the assessment plans for the systems under assessment that depend on those controls are duly noted. The assessments cannot be considered complete until the assessment results for the common controls are made available to system owners.

1058	Another consideration in assessing common controls is that there are occasionally system-
1059	specific aspects of a common control that are not covered by the organizational entities
1060	responsible for the common aspects of the control. These types of controls are referred to as
1061	hybrid controls. For example, CP-2, the contingency planning security control, may be
1062	considered a hybrid control by the organization if there is a contingency plan developed by the
1063	organization for all organizational systems. System owners are expected to adjust or tailor the
1064	organization-developed contingency plan when there are specific aspects of the plan that need
1065	to be defined for the particular system where the control is employed. For each hybrid control,
1066	assessors include in security assessment plans or privacy assessment plans the portions of the
1067	assessment procedures from Chapter 4 related to the parts of the control that are system-
1068	specific to ensure that, along with the results from common control assessments, all aspects of
1069	the control are assessed.

1070
1071
1072
1073
1074
1075
1076
1077
1078

ASSESSING COMMON CONTROLS AND PORTIONS OF HYBRID CONTROLS INHERITED FROM A COMMON CONTROL PROVIDER

In system security and privacy plans, common controls or portions of hybrid controls implemented and maintained by the common control provider are indicated as "inherited" with a reference to the common control provider. The system owner is not responsible for assessing common controls or the inherited portion of hybrid controls. Common controls are assessed separately and are not reassessed at the system level by each system that inherits them. However, the assessor verifies if the system does, in fact, inherit and utilize the common control as indicated in the system security plans and privacy plans. The 1079 assessment of common controls (for the common control provider) is carried out using the same process 1080 as a system control assessment.

1081 3.2.3.4 SYSTEM/PLATFORM- AND ORGANIZATION-RELATED CONSIDERATIONS

1082 The assessment procedures in SP 800-53A may be adapted to address system-, platform-, or 1083 organization-specific dependencies. For example, the assessment of a Linux implementation of 1084 control IA-2 for the identification and authentication of users might include an explicit 1085 examination of any key-based, "password-less" login capability and potential risks inherent from 1086 any deficiency in key management, account management, system and boundary protection, and 1087 other safeguards to prevent identification and authentication bypass by unauthorized users or 1088 processes acting on behalf of users.

1089 3.2.3.5 REUSE OF ASSESSMENT EVIDENCE-RELATED CONSIDERATIONS

1090 Reuse of assessment results from previously accepted or approved assessments is considered in 1091 the body of evidence for determining overall security and privacy control effectiveness. 1092 Previously accepted or approved assessments include assessments of inherited common 1093 controls that are managed by the organization and support multiple systems, assessments of 1094 security or privacy controls that are reviewed as part of the control implementation (e.g., CP-2 1095 requires a review of the contingency plan), or security-related information generated by the 1096 organization's ISCM program. The acceptability of reusing assessment results in a security 1097 control assessment or privacy control assessment is coordinated with and approved by the users 1098 of the assessment results. It is essential that system owners and common control providers 1099 collaborate with authorizing officials and other appropriate organizational officials to determine 1100 the acceptability of using previous assessment results. When considering the reuse of

- 1101 assessment results and the value of those results to the current assessment, assessors
- 1102 determine the credibility of the assessment evidence, the appropriateness of previous analysis,
- 1103 and the applicability of the assessment evidence to current system operating conditions. If
- 1104 previous assessment results are reused, the date and type of the original assessment are
- 1105 documented in the assessment plan and assessment report.

1106 In certain situations, it may be necessary to supplement previous assessment results under 1107 consideration for reuse with additional assessment activities to fully address the current 1108 assessment objectives. For example, if an independent evaluation of an information technology 1109 product did not test a particular configuration setting that is employed by the organization in a 1110 system, then the assessor may need to supplement the original test results with additional 1111 testing to cover that configuration setting for the current system environment. The decision to 1112 reuse assessment results is documented in the security assessment plan or privacy assessment 1113 plan and the final security assessment report or privacy assessment report, and it is consistent 1114

with legislation, policies, directives, standards, and guidelines.

- 1115 The following items are considered when validating previous assessment results for reuse:
- 1116 Changing conditions associated with security controls and privacy controls over time. • 1117 Security and privacy controls that were deemed effective during previous assessments 1118 may have become ineffective due to changing conditions within the system or its 1119 environment of operation, including emergent threat information. Assessment results 1120 that were found to be previously acceptable may no longer provide credible evidence 1121 for the determination of security or privacy control effectiveness, and therefore, a 1122 reassessment may be required. Applying previous assessment results to a current 1123 assessment necessitates the identification of any changes that have occurred since the 1124 previous assessment and the impact of these changes on the previous results. For 1125 example, reusing previous assessment results from examining an organization's security 1126 or privacy policies and procedures may be acceptable if it is determined that there have 1127 not been any significant changes to the identified policies and procedures. Reusing 1128 assessment results produced during the previous authorization of a system is a cost-1129 effective method for supporting continuous monitoring activities and annual FISMA 1130 reporting requirements when the related controls have not changed and there are 1131 adequate reasons for confidence in their continued application.
- 1132 • Amount of time that has transpired since previous assessments. In general, as the time 1133 between current and previous assessments increases, the credibility and utility of the 1134 previous assessment results decrease. This is primarily because the system or the 1135 environment in which the system operates is more likely to change with the passage of 1136 time, possibly invalidating the original conditions or assumptions on which the previous 1137 assessment was based.
- 1138 Degree of independence of previous assessments. Assessor independence can be a • 1139 critical factor in certain types of assessments. The degree of independence required 1140 from assessment to assessment should be consistent. For example, it is not appropriate 1141 to reuse results from a previous self-assessment where no assessor independence was 1142 required when a current assessment requires a greater degree of independence.
- 1143

1144 **3.2.3.6 EXTERNAL SYSTEM- RELATED CONSIDERATIONS**

1145 The assessment procedures in Chapter 4 need to be adjusted, as appropriate, to accommodate 1146 the assessment of external systems.³⁷ Because the organization does not always have direct 1147 control over the security or privacy controls used in external systems or sufficient visibility into 1148 the development, implementation, and assessment of those controls, alternative assessment 1149 approaches may need to be applied, resulting in the need to tailor the assessment procedures 1150 described in Chapter 4. Where required assurances of agreed-upon security or privacy controls 1151 within a system are documented in contracts or service-level agreements, assessors review the 1152 contracts or agreements and tailor the assessment procedures as appropriate to assess the 1153 security or privacy controls or the security and privacy control assessment results provided 1154 through these agreements. In addition, assessors consider any other assessments that have 1155 been conducted or are in the process of being conducted for external systems that are relied 1156 upon with regard to protecting the system under assessment. Applicable information from these 1157 assessments, if deemed reliable, is incorporated into the security assessment report or privacy 1158 assessment report, as appropriate.

1159 3.2.4 DEVELOP ASSESSMENT PROCEDURES FOR ORGANIZATION-SPECIFIC CONTROLS

1160 Based on organizational policies, mission or business function requirements, and an assessment 1161 of risk, organizations may choose to develop and implement additional (organization-specific) 1162 controls or control enhancements for their systems that are beyond the scope of [SP 800-53]. 1163 Such controls are documented in the security plan and privacy plan as controls not found in SP 1164 800-53. To assess the controls not found in SP 800-53, assessors use the guidelines in Chapter 2 1165 to develop assessment procedures for those controls and control enhancements. The 1166 assessment procedures developed are subsequently integrated into the assessment plan, as 1167 appropriate.

1168 **3.2.5** OPTIMIZE SELECTED ASSESSMENT PROCEDURES TO ENSURE MAXIMUM EFFICIENCY

1169 Assessors have a great deal of flexibility in organizing assessment plans that meet the needs of 1170 the organization and that provide the best opportunity for obtaining the necessary evidence to 1171 determine security or privacy control effectiveness while reducing overall assessment costs. 1172 Combining and consolidating assessment procedures is one area where flexibility can be 1173 applied. During the assessment of a system, assessment methods are applied numerous times 1174 to a variety of assessment objects within a particular family of controls. To save time, reduce 1175 assessment costs, and maximize the usefulness of assessment results, assessors review the 1176 selected assessment procedures for the control families and combine or consolidate the 1177 procedures (or parts of procedures) whenever possible or practicable. For example, assessors 1178 may consolidate interviews with key organizational officials who deal with a variety of security-1179 or privacy-related topics. Assessors may have other opportunities for significant consolidation 1180 and cost savings by examining all policies and procedures from the families of security controls 1181 and privacy controls at the same time or by organizing groups of related policies and procedures 1182 that could be examined as a unified entity. Obtaining and examining configuration settings from

³⁷ An external system is a system or component of a system that is outside of the authorization boundary established by the organization and for which the organization typically has no direct control over the application of required security and privacy controls or the assessment of security and privacy control effectiveness. [SP 800-37] and [SP 800-53] provide additional guidance on external systems and the effect of employing security and privacy controls in external environments.

similar hardware and software components within the system is another example that canprovide significant assessment efficiencies.

1185 An additional area for consideration in optimizing the assessment process is the sequence in 1186 which controls are assessed. The assessment of some controls before others may provide useful 1187 information that facilitates understanding and more efficient assessments of other controls. For 1188 example, controls such as CM-2 (Baseline Configuration), CM-8 (System Component Inventory), 1189 PL-2 (System Security Plan), RA-2 (Security Categorization), and RA-3 (Risk Assessment) produce 1190 general descriptions of the system. Assessing related controls early in the assessment process 1191 may provide a basic understanding of the system that can aid in assessing other controls. In SP 1192 800-53, the discussion identifies related controls that can provide useful information for 1193 organizing the assessment procedures. For example, AC-19 (Access Control for Portable and 1194 Mobile Devices) lists controls MP-4 (Media Storage) and MP-5 (Media Transport) as being 1195 related to AC-19. Since AC-19 is related to MP-4 and MP-5, the sequence in which assessments 1196 are conducted for AC-19, MP-4, and MP-5 may facilitate the reuse of assessment information

1197 from one control in assessing other related controls.

1198 **3.2.6** FINALIZE ASSESSMENT PLAN AND OBTAIN APPROVAL TO EXECUTE PLAN

1199 After selecting the assessment procedures (including developing necessary procedures not 1200 contained in the SP 800-53A catalog of procedures), tailoring the procedures for 1201 system/platform-specific and organization-specific conditions, optimizing the procedures for 1202 efficiency, and addressing the potential for unexpected events that may impact the assessment, 1203 the assessment plan is finalized and the schedule is established, including key milestones for the 1204 assessment process. Once the assessment plan is completed, the plan is reviewed and approved by appropriate organizational officials³⁸ to ensure that the plan is complete, consistent with the 1205 1206 security and privacy objectives of the organization and the organization's assessment of risk, 1207 and cost-effectively manages risk with regard to the resources allocated for the assessment.

1208 **3.3 CONDUCT SECURITY AND PRIVACY CONTROL ASSESSMENTS**

1209 Table 3 provides a summary of the purpose, roles, and expected outcomes of the Conduct

1210 Security and Privacy Control Assessments Step.

³⁸ Organizations establish a security and privacy assessment plan approval process with the specific organizational officials (e.g., systems owners, common control providers, system security and privacy officers, senior information security officers, senior agency officials for privacy/chief privacy officers, authorizing officials) designated as approving authorities.

1211

TABLE 3. CONDUCT SECURITY AND PRIVACY CONTROL ASSESSMENTS SUMMARY

Purpose	Conduct the security and privacy control assessment in accordance with the assessment plan, and document the results in security and privacy assessment report(s).	
Primary Roles	Control assessors	
Outcomes	 In-scope controls and control enhancements are assessed in accordance with the security and privacy assessment plan(s) Security and privacy assessment report(s) documenting the effectiveness of the controls and identified weaknesses/deficiencies are produced 	

1212 After the assessment plan is approved by the organization, the assessor(s) or assessment team

1213 executes the plan in accordance with the agreed-upon schedule. Determining the size and

1214 organizational makeup of the assessment team (i.e., skill sets, technical expertise, and

- assessment experience of the individuals composing the team) is one of the risk management
- decisions made by the organization requesting and initiating the assessment. The results of control assessments are documented in assessment reports, which are key inputs in the
- 1217 control assessments are documented in assessment reports, which are key inputs in the1218 authorization package developed by system owners and common control providers for
- authorization package developed by system owners and common control providers for authorizing officials.³⁹ Assessment reports include information from assessors (in the form of assessment findings) that is necessary to determine the effectiveness of the security and privacy controls employed within the system.⁴⁰ These assessment reports are an important factor in an
- 1222 authorizing official's determination of risk. Organizations may choose to develop an assessment
- summary from the detailed findings that are generated by assessors during the security control
 assessments and privacy control assessments. An assessment summary can provide an
- 1225 authorizing official with an abbreviated version of an assessment report that focuses on the
- 1226 highlights of the assessment, synopsis of key findings, and recommendations for addressing
- 1227 weaknesses and deficiencies in the security or privacy controls assessed. Appendix E provides
- 1228 information on the recommended content of assessment reports.

Assessment objectives are achieved by applying the designated assessment methods to selected
 assessment objects and compiling or producing the evidence necessary to make the
 determination associated with each assessment objective. Each determination statement
 contained within an assessment procedure executed by an assessor produces one of the
 following findings:

1234 • *satisfied (S);* or

1235 • other than satisfied (O).

³⁹ In accordance with [<u>SP 800-37</u>], the authorization package consists of the security plan, privacy plan, security assessment report, privacy assessment report, and plan of action and milestones (POA&M).

⁴⁰ See <u>Section 3.2.3</u> for additional information about assessing common controls and portions of hybrid controls inherited from a common control provider.

A finding of "satisfied" indicates that – for the portion of the control addressed by the
 determination statement – the assessment objective for the control has been met and produces

1238 a fully acceptable result.

1239 A finding of "other than satisfied" indicates – for the portion of the control addressed by the 1240 determination statement – potential anomalies in the operation or implementation of the 1241 control that may need to be addressed by the organization. A finding of "other than satisfied" 1242 may also indicate that the assessor was unable to obtain sufficient information to make the 1243 determination called for in the determination statement for reasons specified in the assessment 1244 report. For assessment findings that are "other than satisfied," organizations may choose to 1245 define subcategories of findings indicating the severity and/or criticality of the weaknesses or 1246 deficiencies discovered and the potential adverse effects on organizational operations (i.e., 1247 mission, functions, image, or reputation), organizational assets, individuals, other organizations, 1248 or the Nation. Defining such subcategories can help to establish priorities for needed risk 1249 mitigation actions.

1250 Assessor findings are an unbiased, factual reporting of what was found concerning the control 1251 assessed. For each finding of "other than satisfied," assessors indicate which parts of the control 1252 are affected by the finding (i.e., aspects of the control that were deemed not satisfied or were 1253 not able to be assessed) and describe how the control differs from the planned or expected 1254 state. The potential for compromises to confidentiality, integrity, and availability or privacy risks 1255 due to "other than satisfied" findings are also noted by the assessor in the assessment report. 1256 This notation reflects the lack of a specified protection and the exploitation that could occur as a 1257 result (e.g., workstation, dataset, root level access).

1258 Risk determination and acceptance activities are conducted by the organization post-1259 assessment as part of the risk management strategy established by the organization. These risk 1260 management activities involve the senior leadership of the organization, such as heads of 1261 agencies, mission and business owners, information owners/stewards, risk executive (function), 1262 and authorizing officials in consultation with appropriate organizational support staff (e.g., 1263 senior information security officers, senior agency officials for privacy/chief privacy officers, 1264 chief information officers, system owners, common control providers, and assessors). Security 1265 control assessment and privacy control assessment results are documented at a level of detail 1266 appropriate for the assessment in accordance with the reporting format prescribed by 1267 organizational policy, NIST guidelines, and OMB policy. The reporting format is appropriate for 1268 the type of assessment conducted (e.g., self-assessments by system owners and common 1269 control providers, independent verification and validation, independent assessments supporting 1270 the authorization process, automated assessments, or independent audits or inspections).

1271 System owners and common control providers rely on the expertise and technical judgment of 1272 assessors to assess the security and privacy controls in the system and inherited by the system 1273 and provide recommendations on how to correct weaknesses or deficiencies in the controls and 1274 reduce or eliminate identified vulnerabilities. The assessment results produced by the assessor 1275 (i.e., findings of "satisfied" or "other than satisfied," identification of the parts of the security or 1276 privacy control that did not produce a satisfactory result, and a description of resulting potential 1277 for compromises to the system or its environment of operation) are provided to system owners 1278 and common control providers in the initial security assessment reports and privacy assessment 1279 reports. System owners and common control providers may choose to act on selected

- 1280 recommendations of the assessor before the assessment reports are finalized if there are
- 1281 specific opportunities to correct weaknesses or deficiencies in the security or privacy controls or
- 1282 to correct and/or clarify misunderstandings or interpretations of assessment results.⁴¹ Security
- 1283 or privacy controls that are modified, enhanced, or added during this process are reassessed by
- 1284 the assessor prior to the production of the final assessment reports.

1285 **3.4 ANALYZE ASSESSMENT REPORT RESULTS**

- 1286 Table 4 provides a summary of the purpose, roles, and expected outcomes of the Analyze
- 1287 Assessment Report Results Step.
- 1288

TABLE 4. ANALYZE ASSESSMENT REPORT RESULTS SUMMARY

	TABLE 4. ANALIZE ASSESSIMENT REPORT RESULTS SUMIMART		
Purpose	Analyze the risks resulting from identified weaknesses and deficiencies in controls and determine an approach to respond to risk in accordance with organizational priorities.		
Primary Roles	System owners or common control providers, authorizing officials		
Outcomes	 Control assessment findings are reviewed Subsequent risk mitigation and remediation efforts are taken to manage risk Authorization package artifacts (e.g., security and privacy plans, security and privacy assessment reports, and plans of action and milestones) are updated to reflect the as-implemented state of the system or common controls 		

1289 The results of control assessments ultimately influence control implementations, the content of 1290 security plans and privacy plans, and the respective plans of action and milestones. Accordingly, 1291 system owners and common control providers review the security assessment reports, privacy 1292 assessment reports, and updated risk assessment documentation and artifacts and – with the 1293 concurrence of designated organizational officials (e.g., authorizing officials, chief information 1294 officer, senior information security officer, senior agency officials for privacy/chief privacy 1295 officers, mission/information owners) – determine the appropriate steps required to respond to 1296 those weaknesses and deficiencies identified during the assessment. By using the labels of 1297 "satisfied" and "other than satisfied," the reporting format for the assessment findings provides 1298 organizational officials with visibility into specific weaknesses and deficiencies in security or 1299 privacy controls within the system or inherited by the system and facilitates a disciplined and 1300 structured approach to responding to risks in accordance with organizational priorities. For 1301 example, system owners or common control providers in consultation with designated 1302 organizational officials may decide that certain assessment findings marked as "other than 1303 satisfied" are inconsequential and present no significant risk to the organization. Conversely, 1304 system owners or common control providers may decide that certain findings marked as "other 1305 than satisfied" are significant and require immediate remediation actions. In all cases, the 1306 organization reviews each assessment finding of "other than satisfied" and applies its judgment

⁴¹ The correction of weaknesses or deficiencies in security or privacy controls or carrying out recommendations during the review of the initial security assessment reports or privacy assessment reports by system owners or common control providers are not intended to replace the formal risk response process by the organization, which occurs after the delivery of the final reports. Rather, it provides the system owner or common control provider with an opportunity to address weaknesses or deficiencies that may be quickly corrected. However, in situations where limited resources exist for remediating weaknesses and deficiencies discovered during the security control assessments or privacy control assessments, organizations may decide without prejudice that waiting for the risk assessment to prioritize remediation efforts is the better course of action.

1307 with regard to the severity of the finding and whether it is significant enough to warrant further 1308 investigation or remedial action.⁴²

1309 Senior leadership involvement in the mitigation process may be necessary to ensure that the 1310 organization's resources are effectively allocated in accordance with organizational priorities, 1311 provide resources first to the systems that support the most critical and sensitive missions for 1312 the organization, or correct the deficiencies that pose the greatest degree of risk. Ultimately, the 1313 assessment findings and any subsequent mitigation actions (informed by the updated risk 1314 assessment) trigger updates to the key artifacts used by authorizing officials to determine the 1315 security and privacy risks of the system and its suitability for authorization to operate. These 1316 documents include security plans and privacy plans, security assessment reports and privacy 1317 assessment reports, and the respective plans of action and milestones.

1318 **3.5 ASSESS SECURITY AND PRIVACY CAPABILITIES**

1319 In accordance with [SP 800-53], organizations may define a set of security and privacy 1320 capabilities as a precursor to the security and privacy control selection process. The concept of 1321 capability⁴³ recognizes that the protection of individuals' privacy and information being 1322 processed by systems seldom derives from a single security or privacy safeguard or 1323 countermeasure. In most cases, such protection results from the selection and implementation 1324 of a set of mutually reinforcing security and privacy controls. Each control contributes to the 1325 overall organization-defined capability with some controls potentially contributing to a greater 1326 degree and other controls contributing to a lesser degree. For example, organizations may wish 1327 to define a capability for secure remote authentication. This capability can be achieved by the 1328 implementation of a set of security controls from SP 800-53 (i.e., IA-2[1], IA-2[2], IA-2[8], IA-2[9], 1329 and SC-8[1]).

1330 Security and privacy capabilities can address a variety of areas, including technical means, 1331 physical means, procedural means, or any combination thereof. By employing the capability 1332 concept, organizations can obtain greater visibility into and a better understanding of the 1333 relationships (i.e., dependencies) among controls, the effects of specific control failures on 1334 organization-defined capabilities, and the potential severity of control weaknesses or 1335 deficiencies. However, when specific capabilities are affected by the failure of particular security 1336 and privacy controls, this approach may add complexity to assessments and necessitate root 1337 cause failure analysis to determine which control or controls are contributing to the failure. The 1338 greater the number of controls included in an organization-defined capability, the more difficult 1339 it may be to ascertain the root cause of failures. There may also be interactions among defined 1340 capabilities, which may contribute to the complexity of assessments. If it is found that a control 1341 is neither contributing to a defined capability nor to the overall security and privacy of the

⁴² Potential risk response actions include risk acceptance, risk mitigation, risk rejection, and risk transfer/sharing. SP 800-39 provides guidance on risk response actions from a risk management perspective.

⁴³ A security capability or privacy capability is a combination of mutually reinforcing security controls or privacy controls (i.e., safeguards and countermeasures) implemented by technical means (i.e., functionality in hardware, software, and firmware), physical means (i.e., physical devices and protective measures), and procedural means (i.e., procedures performed by individuals).

1342 system, the organization revisits RMF Select Step, tailors the control set, and documents the 1343 rationale in the system security plan or privacy plan.

1344 Traditionally, assessments have been conducted on a control-by-control basis and produce 1345 results that are characterized as pass (i.e., control satisfied) or fail (i.e., control not satisfied). 1346 However, the failure of a single control or, in some cases, the failure of multiple controls may 1347 not affect the overall security and privacy capability required by an organization. This is not to 1348 say that such controls do not contribute to the security or privacy of the system and/or 1349 organization (as defined by the security requirements and privacy requirements during the 1350 initiation phase of the system development life cycle) but rather that such controls may not 1351 support the particular security or privacy capability. Furthermore, every implemented security 1352 and privacy control may not necessarily support or need to support an organization-defined 1353 capability.

- 1354 When organizations employ the concept of capabilities, automated and manual assessments
- 1355 account for all security and privacy controls that comprise the security and privacy capabilities. 1356 Assessors are aware of how the controls work together to provide such capabilities. In this way,
- 1357 when assessments identify a failure in a capability, a root cause analysis can be conducted to
- 1358 determine the specific control or controls that are responsible for the failure based on the
- 1359 established relationships among controls. Moreover, employing the broader capability construct
- 1360 allows organizations to assess the severity of vulnerabilities discovered in their systems and
- 1361 organizations and determine if the failure of a particular security control or privacy control
- 1362 (associated with a vulnerability) or the decision not to deploy a certain control during the initial 1363 tailoring process (RMF Select step) affects the overall capability needed for mission and business
- 1364 protection. For example, the failure of a security control deemed critical for a particular security 1365 capability may be assigned a higher severity rating than a failed control of lesser importance to
- 1366 the capability.

1367 Ultimately, authorization decisions (i.e., risk acceptance decisions) are made based on the 1368 degree to which the desired security and privacy capabilities have been effectively achieved and 1369 are meeting the security and privacy requirements defined by an organization. These risk-based 1370 decisions are directly related to organizational risk tolerance that is defined as part of an 1371 organization's risk management strategy.

1372	
1373	
1374	The grouping of controls into sec
1375	determine if the failure of a parti
1376	more security or privacy controls
1377	the assessment procedures in thi
1378	assessment objectives linked to t
1379	cause analysis. Thus, assessment
1380	tailored based on the guidance ir
1381	(e.g., frequency and level of effor
1382	assessments is essential to suppo
1383	and the ongoing authorization de

CAPABILITY-BASED ASSESSMENTS

curity and privacy capabilities necessitates root cause analyses to icular security or privacy capability can be traced to the failure of one or based on the established relationships among controls. The structure of is publication with the token-level decomposition and labelling of the specific content of security and privacy controls supports such root ts of security and privacy controls (defined as part of capabilities) can be n Section 3.2.3 and [SP 800-137] to define the resource expenditures rt) associated with such assessments. This additional precision in orting the continuous monitoring strategies developed by organizations ecisions of senior leaders.

1384 Figure 8 summarizes the security and privacy control assessment process, including the activities carried out before, during, and

1385 after the assessment.




FIGURE 8: SECURITY AND PRIVACY CONTROL ASSESSMENT PROCESS OVERVIEW

1386 1387

1388 **CHAPTER FOUR**

SECURITY AND PRIVACY ASSESSMENT PROCEDURES 1389

1390 OBJECTIVES, METHODS, and OBJECTS FOR ASSESSING SECURITY AND PRIVACY CONTROLS

1391 This chapter provides a catalog of procedures to assess the security and privacy controls and 1392 control enhancements in [SP 800-53].⁴⁴ Assessors select assessment procedures from the 1393 catalog in accordance with the guidance provided in Section 3.2. Since the contents of the 1394 security and privacy plan affect the development of the security and privacy assessment plans 1395 and the assessments, there will likely be assessment procedures in the catalog that assessors 1396 will not use because the associated security and privacy controls or control enhancements are 1397 not contained in the security and privacy plan for the system,⁴⁵ or the security and privacy 1398 controls or control enhancements are not being assessed at this time.

1399

1400	SP 800-53A REVISION 5, ASSESSMENT PROCEDURE SCHEMA
1401	
1402	Section 2.4 provides an overview of the assessment procedures, including the naming and numbering
1403	convention, assessment objectives, determination statements, potential assessment methods, and
1404	objects.
1405	
1406	Appendix C provides definitions of the assessment methods, applicable objects, and additional
1407	information on assessment attributes of depth and coverage.

1408 The same assessment object may appear in multiple object lists in a variety of assessment 1409 procedures. The same object may be used in multiple contexts to obtain needed information or 1410 evidence for a particular aspect of an assessment. Assessors use the general references as 1411 appropriate to obtain the necessary information to make the specified determinations required 1412 by the assessment objective. For example, a reference to access control policy appears in the 1413 assessment procedures for AC-02 and AC-07. For assessment procedure AC-02, assessors use 1414 the access control policy to find information about that portion of the policy that addresses 1415 account management for the system. For assessment procedure AC-07, assessors use the access 1416 control policy to find information about that portion of the policy that addresses unsuccessful 1417 login attempts for the system. 1418 Assessors are responsible for combining and consolidating the assessment procedures 1419 whenever possible or practical. Optimizing assessment procedures can save time, reduce

- 1420 assessment costs, and maximize the usefulness of assessment results. Assessors optimize
- 1421

assessment procedures by determining the best sequencing of the procedures. The assessment

⁴⁴ [SP 800-53] remains the definitive expression of the control or enhancement in the event of any differences between the assessment objectives identified for assessing the security and privacy controls and the underlying intent expressed by the security and privacy control statements defined in the most recent version of SP 800-53.

⁴⁵ The execution of the RMF includes the selection of an initial set of security and privacy controls employed within or inherited by an organizational system followed by a control tailoring process. The tailoring process will likely change the set of security and privacy controls that will be contained in the final security plan and privacy program plan. Therefore, the selection of assessment procedures from the catalog of available procedures is based solely on the content of the plan(s) after the tailoring activities are completed.

of some security and privacy controls before others may provide information that facilitatesunderstanding and assessment of other controls.

1424 1425	CAUTIONARY NOTE
1426 1427	Whereas a set of potential assessment methods are included in the following catalog of assessment procedures, the potential assessment methods are not intended to be mandatory or exclusive. Depending
1428 1429 1430	on the particular circumstances of the system or organization to be assessed, not all methods may be required, or other assessment methods may also be used. In addition, the set of <i>potential assessment objects</i> listed in the catalog are not intended to be mandatory but rather a set from which the necessary
1431 1432	and sufficient set of objects for a given assessment can be selected to make the appropriate determinations.

1433	
1434 1435 1436 1437 1438	IMPLEMENTATION TIPS TIP #1: Select only those assessment procedures from <u>Chapter 4</u> that correspond to the controls and control enhancements in the approved system security plan and privacy plan to be included in the assessment.
1439 1440 1441 1442	TIP #2: The assessment procedures selected from Chapter 4 are simply example procedures that serve as a starting point for organizations preparing for assessments. These assessment procedures are tailored as necessary in accordance with the guidance in <u>Section 3.2</u> to adapt to specific organizational requirements and operating environments.
1443 1444 1445	TIP #3: With respect to the assessment procedures in Chapter 4, assessors need only apply those procedures, methods, and objects necessary for making a final determination that a particular security control requirement is "satisfied" or "not satisfied" (see <u>Section 3.3</u>).
1446 1447 1448 1449 1450 1451 1452 1453	TIP #4: To each assessment method, assessors apply values for depth and coverage (described in Appendix C) that are commensurate with the characteristics of the system (including assurance requirements) and the specific assessment activity that supports making a determination of the effectiveness of the security controls under review. The values selected for the depth and coverage attributes indicate the relative effort required in applying an assessment method to an assessment object (i.e., the rigor and scope of the activities associated with the assessment). The depth and coverage attributes, while not repeated in every assessment procedure in this appendix, can be represented as follows:
1454 1455 1456	Interview: [assign attribute values: <depth>, <coverage>]. [SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities].</coverage></depth>
1457 1458 1459 1460	TIP #5: Assessors may find useful assessment-related information in the Discussion and Related Controls section of each control described in [SP 800-53]. Information from the discussion about related controls can be used to carry out more effective assessments with regard to the application of assessment procedures and the reuse of assessment artifacts.
1461 1462 1463	TIP #6: For controls with ODPs, the ODP values are defined during the RMF Select step and updated as necessary during the RMF Implement and Monitor steps. If ODP values are not defined and implemented, control effectiveness cannot be verified, resulting in an "other than satisfied" finding.
1464 1465 1466 1467	TIP #7: Organizations may refer to this publication or the derivative data formats to easily identify all of the control parameters whose values to define. The ODP definitions are highlighted within the assessment procedure listing and can be filtered using keyword "_ODP" or "XX-nn_ODP" (where XX is the two-character control family abbreviation, and nn is the control number).
1468 1469 1470 1471	Note: When assessing agency compliance with NIST guidance, auditors, Inspectors General, evaluators, and/or assessors consider the intent of the security and privacy concepts and principles articulated within the particular guidance document and how the agency applied the guidance in the context of its specific mission responsibilities, operational environments, and unique organizational conditions.

4.1 ACCESS CONTROL

AC-01	POLICY AND PROCED	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	AC-01_ODP[01]	personnel or roles to whom the access control policy is to be disseminated is/are defined;
	AC-01_ODP[02]	personnel or roles to whom the access control procedures are to be disseminated is/are defined;
	AC-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	AC-01_ODP[04]	an official to manage the access control policy and procedures is defined;
	AC-01_ODP[05]	the frequency at which the current access control policy is reviewed and updated is defined;
	AC-01_ODP[06]	events that would require the current access control policy to be reviewed and updated are defined;
	AC-01_ODP[07]	the frequency at which the current access control procedures are reviewed and updated is defined;
	AC-01_ODP[08]	events that would require procedures to be reviewed and updated are defined;
	AC-01a.[01]	an access control policy is developed and documented;
	AC-01a.[02]	the access control policy is disseminated to <ac-01_odp[01] or<br="" personnel="">roles>;</ac-01_odp[01]>
	AC-01a.[03]	access control procedures to facilitate the implementation of the access control policy and associated controls are developed and documented;
	AC-01a.[04]	the access control procedures are disseminated to <ac-01_odp[02]< b=""> personnel or roles>;</ac-01_odp[02]<>
	AC-01a.01(a)[01]	the < AC-01_ODP[03] SELECTED PARAMETER VALUE(S)> access control policy addresses purpose;
	AC-01a.01(a)[02]	the < AC-01_ODP[03] SELECTED PARAMETER VALUE(S)> access control policy addresses scope;
	AC-01a.01(a)[03]	the < AC-01_ODP[03] SELECTED PARAMETER VALUE(S) > access control policy addresses roles;
	AC-01a.01(a)[04]	the < AC-01_ODP[03] SELECTED PARAMETER VALUE(S) > access control policy addresses responsibilities;
	AC-01a.01(a)[05]	the < AC-01_ODP[03] SELECTED PARAMETER VALUE(S) > access control policy addresses management commitment;
	AC-01a.01(a)[06]	the < AC-01_ODP[03] SELECTED PARAMETER VALUE(S)> access control policy addresses coordination among organizational entities;

POLICY AND P	POLICY AND PROCEDURES		
AC-01a.01(a)[0	7] the < AC-01_ODP[03] SELECTED PARAMETER VALUE(S) > access control polic addresses compliance;		
AC-01a.01(b)	the <ac-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ac-01_odp[03]<> access control polic is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;		
AC-01b.	the <ac-01_odp[04] official=""></ac-01_odp[04]> is designated to manage the development, documentation, and dissemination of the access control policy and procedures;		
AC-01c.01[01]	the current access control policy is reviewed and updated AC-01_ODP[05] frequency>; 		
AC-01c.01[02]	the current access control policy is reviewed and updated following AC-01_ODP[06] events>;		
AC-01c.02[01]	the current access control procedures are reviewed and updated AC-01_ODP[07] frequency>;		
AC-01c.02[02]	the current access control procedures are reviewed and updated following < <i>AC-01_ODP[08] events></i> .		
POTENTIAL A	SSESSMENT METHODS AND OBJECTS:		
AC-01-Examine	[SELECT FROM: Access control policy and procedures; system security plan; privacy plan; other relevant documents or records].		
AC-01-Interview	 [SELECT FROM: Organizational personnel with access control responsibilities organizational personnel with information security with information securit and privacy responsibilities]. 		

AC-02	ACCOUNT MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-02_ODP[01]	prerequisites and criteria for group and role membership are defined;
	AC-02_ODP[02]	attributes (as required) for each account are defined;
	AC-02_ODP[03]	personnel or roles required to approve requests to create accounts is/are defined;
	AC-02_ODP[04]	policy, procedures, prerequisites, and criteria for account creation, enabling, modification, disabling, and removal are defined;
	AC-02_ODP[05]	personnel or roles to be notified is/are defined;
	AC-02_ODP[06]	time period within which to notify account managers when accounts are no longer required is defined;
	AC-02_ODP[07]	time period within which to notify account managers when users are terminated or transferred is defined;

AC-02	ACCOUNT MANAGEMENT	
	AC-02_ODP[08]	time period within which to notify account managers when system usage or the need to know changes for an individual is defined;
	AC-02_ODP[09]	attributes needed to authorize system access (as required) are defined;
	AC-02_ODP[10]	the frequency of account review is defined;
	AC-02a.[01]	account types allowed for use within the system are defined and documented;
	AC-02a.[02]	account types specifically prohibited for use within the system are defined and documented;
	AC-02b.	account managers are assigned;
	AC-02c.	<pre><ac-02_odp[01] and="" criteria="" prerequisites=""> for group and role membership are required;</ac-02_odp[01]></pre>
	AC-02d.01	authorized users of the system are specified;
	AC-02d.02	group and role membership are specified;
	AC-02d.03[01]	access authorizations (i.e., privileges) are specified for each account;
	AC-02d.03[02]	<ac-02_odp[02] (as="" attributes="" required)=""> are specified for each account;</ac-02_odp[02]>
	AC-02e.	approvals are required by <ac-02_odp[03] or="" personnel="" roles=""></ac-02_odp[03]> for requests to create accounts;
	AC-02f.[01]	accounts are created in accordance with <ac-02_odp[04] policy,<br="">procedures, prerequisites, and criteria>;</ac-02_odp[04]>
	AC-02f.[02]	accounts are enabled in accordance with <ac-02_odp[04] policy,<br="">procedures, prerequisites, and criteria>;</ac-02_odp[04]>
	AC-02f.[03]	accounts are modified in accordance with <ac-02_odp[04] policy,<br="">procedures, prerequisites, and criteria>;</ac-02_odp[04]>
	AC-02f.[04]	accounts are disabled in accordance with <ac-02_odp[04] policy,<br="">procedures, prerequisites, and criteria>;</ac-02_odp[04]>
	AC-02f.[05]	accounts are removed in accordance with <ac-02_odp[04] policy,<br="">procedures, prerequisites, and criteria>;</ac-02_odp[04]>
	AC-02g.	the use of accounts is monitored;
	AC-02h.01	account managers and <ac-02_odp[05]< b=""> personnel or roles> are notified within <ac-02_odp[06]< b=""> time period> when accounts are no longer required;</ac-02_odp[06]<></ac-02_odp[05]<>
	AC-02h.02	account managers and <ac-02_odp[05]< b=""> personnel or roles> are notified within <ac-02_odp[07]< b=""> time period> when users are terminated or transferred;</ac-02_odp[07]<></ac-02_odp[05]<>
	AC-02h.03	account managers and <ac-02_odp[05]< b=""> personnel or roles> are notified within <ac-02_odp[08]< b=""> time period> when system usage or the need to know changes for an individual;</ac-02_odp[08]<></ac-02_odp[05]<>
	AC-02i.01	access to the system is authorized based on a valid access authorization;
	AC-02i.02	access to the system is authorized based on intended system usage;

ACCOUNT MANAG	ACCOUNT MANAGEMENT	
AC-02i.03	access to the system is authorized based on <ac-02_odp[09] (as="" attributes="" required)="">;</ac-02_odp[09]>	
AC-02j.	accounts are reviewed for compliance with account management requirements AC-02_ODP[10] frequency>;	
AC-02k.[01]	a process is established for changing shared or group account authenticators (if deployed) when individuals are removed from the group;	
AC-02k.[02]	a process is implemented for changing shared or group account authenticators (if deployed) when individuals are removed from the group;	
AC-02I.[01]	account management processes are aligned with personnel termination processes;	
AC-02I.[02]	account management processes are aligned with personnel transfer processes.	
POTENTIAL ASSES	SMENT METHODS AND OBJECTS:	
AC-02-Examine	[SELECT FROM: Access control policy; personnel termination policy and procedure; personnel transfer policy and procedure; procedures for addressing account management; system design documentation; system configuration settings and associated documentation; list of active system accounts along with the name of the individual associated with each account; list of recently disabled system accounts and the name of the individual associated with each account; list of conditions for group and role membership; notifications of recent transfers, separations, or terminations of employees; access authorization records; account management compliance reviews; system monitoring records; system audit records; system security plan; privacy plan; other relevant documents or records].	
AC-02-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security with information security and privacy responsibilities].	
AC-02-Test	[SELECT FROM: Organizational processes for account management on the system; automated mechanisms for implementing account management].	

AC-02(01)	ACCOUNT MANAGEMENT AUTOMATED SYSTEM ACCOUNT MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-02(01)_ODP	automated mechanisms used to support the management of system accounts are defined;
	AC-02(01)	the management of system accounts is supported using <ac-02(01)_odp< b=""> automated mechanisms>.</ac-02(01)_odp<>

AC-02(01)	ACCOUNT MANAGEMENT AUTOMATED SYSTEM ACCOUNT MANAGEMENT	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(01)-Examine	[SELECT FROM: Access control policy; procedures for addressing account management; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-02(01)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security with information security responsibilities; system developers].
	AC-02(01)-Test	[SELECT FROM: Automated mechanisms for implementing account management functions].

AC-02(02)	ACCOUNT MANAGEMENT AUTOMATED TEMPORARY AND EMERGENCY ACCOUNT MANAGEMENT	
	ASSESSMENT OBJEC Determine if:	ſIVE:
	AC-02(02)_ODP[01]	one of the following PARAMETER VALUES is selected: {remove; disable};
	AC-02(02)_ODP[02]	the time period after which to automatically remove or disable temporary or emergency accounts is defined;
	AC-02(02)	temporary and emergency accounts are automatically <ac-02(02)_odp[01] SELECTED PARAMETER VALUE> after <ac-02(02)_odp[02] period="" time="">.</ac-02(02)_odp[02]></ac-02(02)_odp[01]
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-02(02)-Examine	[SELECT FROM: Access control policy; procedures for addressing account management; system design documentation; system configuration settings and associated documentation; system-generated list of temporary accounts removed and/or disabled; system-generated list of emergency accounts removed and/or disabled; system audit records; system security plan; other relevant documents or records].
	AC-02(02)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security with information security responsibilities; system developers].
	AC-02(02)-Test	[SELECT FROM: Automated mechanisms for implementing account management functions].

2(03)	ACCOUNT MANAGEMENT DISABLE ACCOUNTS	
	ASSESSMENT OBJECT Determine if:	IVE:
	AC-02(03)_ODP[01]	time period within which to disable accounts is defined;
4	AC-02(03)_ODP[02]	time period for account inactivity before disabling is defined;
4	AC-02(03)(a)	accounts are disabled within <ac-02(03)_odp[01] period="" time=""></ac-02(03)_odp[01]> when the accounts have expired;
ŕ	AC-02(03)(b)	accounts are disabled within <ac-02(03)_odp[01] period="" time=""></ac-02(03)_odp[01]> when the accounts are no longer associated with a user or individual;
ľ	AC-02(03)(c)	accounts are disabled within <ac-02(03)_odp[01] period="" time=""></ac-02(03)_odp[01]> when the accounts are in violation of organizational policy;
	AC-02(03)(d)	accounts are disabled within <ac-02(03)_odp[01]< b=""> time period> when the accounts have been inactive for <ac-02(03)_odp[02]< b=""> time period>.</ac-02(03)_odp[02]<></ac-02(03)_odp[01]<>
	POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
	AC-02(03)-Examine	[SELECT FROM: Access control policy; procedures for addressing account management; system security plan; system design documentation; system configuration settings and associated documentation; system-generated list of temporary accounts removed and/or disabled; system-generated list of emergency accounts removed and/or disabled; system audit records; system security plan; other relevant documents or records].
	AC-02(03)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-02(03)-Test	[SELECT FROM: Automated mechanisms for implementing account management functions].

AC-02(04)	ACCOUNT MANAGEMENT	AUTOMATED AUDIT ACTIONS

ASSESSMENT OBJECTIVE: Determine if:	
AC-02(04)[01]	account creation is automatically audited;
AC-02(04)[02]	account modification is automatically audited;
AC-02(04)[03]	account enabling is automatically audited;
AC-02(04)[04]	account disabling is automatically audited;
AC-02(04)[05]	account removal actions are automatically audited.

AC-02(04)	ACCOUNT MANAGEMENT AUTOMATED AUDIT ACTIONS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(04)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; notifications/alerts of account creation, modification, enabling, disabling, and removal actions; system audit records; system security plan; other relevant documents or records].
	AC-02(04)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-02(04)-Test	[SELECT FROM: Automated mechanisms implementing account management functions].

AC-02(05)	ACCOUNT MANAGEMENT INACTIVITY LOGOUT	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	AC-02(05)_ODP	the time period of expected inactivity or description of when to log out is defined;
	AC-02(05)	users are required to log out when <ac-02(05)_odp< b=""> time period of expected inactivity or description of when to log out>.</ac-02(05)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(05)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; security violation reports; system audit records; system security plan; other relevant documents or records].
	AC-02(05)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities; users that must comply with inactivity logout policy].

AC-02(06)	ACCOUNT MANAGEMENT DYNAMIC PRIVILEGE MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if: AC-02(06)_ODP dynamic privilege management capabilities are defined;	
	AC-02(06)	<ac-02(06)_odp capabilities="" dynamics="" management="" privilege=""> are implemented.</ac-02(06)_odp>

AC-02(06)	ACCOUNT MANAGEMENT DYNAMIC PRIVILEGE MANAGEMENT	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(06)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system-generated list of dynamic privilege management capabilities; system audit records; system security plan; other relevant documents or records].
	AC-02(06)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-02(06)-Test	[SELECT FROM: system or mechanisms implementing dynamic privilege management capabilities].

2(07)	ACCOUNT MANAGEMENT PRIVILEGED USER ACCOUNTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-02(07)_ODP	one of the following PARAMETER VALUES is selected: {a role-based access scheme; an attribute-based access scheme};
	AC-02(07)(a)	privileged user accounts are established and administered in accordance with < AC-02(07)_ODP SELECTED PARAMETER VALUE >;
· · · · · · · · · · · · · · · · · · ·	AC-02(07)(b)	privileged role or attribute assignments are monitored;
	AC-02(07)(c)	changes to roles or attributes are monitored;
	AC-02(07)(d)	access is revoked when privileged role or attribute assignments are no longer appropriate.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(07)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system-generated list of privileged user accounts and associated roles; records of actions taken when privileged role assignments are no longer appropriate; system audit records; audit tracking and monitoring reports; system monitoring records; system security plan; other relevant documents or records].
	AC-02(07)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-02(07)-Test	[SELECT FROM: Automated mechanisms implementing account management functions; automated mechanisms monitoring privileged role assignments].

AC-02(08)	ACCOUNT MANAGEMENT DYNAMIC ACCOUNT MANAGEMENT	
	ASSESSMENT OBJECT Determine if:	rive:
	AC-02(08)_ODP	system accounts that are dynamically created, activated, managed, and deactivated are defined;
	AC-02(08)[01]	<ac-02(08)_odp accounts="" system=""> are created dynamically;</ac-02(08)_odp>
	AC-02(08)[02]	<ac-02(08)_odp accounts="" system=""> are activated dynamically;</ac-02(08)_odp>
	AC-02(08)[03]	<ac-02(08)_odp accounts="" system=""> are managed dynamically;</ac-02(08)_odp>
	AC-02(08)[04]	<ac-02(08)_odp accounts="" system=""> are deactivated dynamically.</ac-02(08)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(08)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system-generated list of system accounts; system audit records; system security plan; other relevant documents or records].
	AC-02(08)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-02(08)-Test	[SELECT FROM: Automated mechanisms implementing account management functions].

AC-02(09)	ACCOUNT MANAGEMENT RESTRICTIONS ON USE OF SHARED AND GROUP ACCOUNTS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	AC-02(09)_ODP	conditions for establishing shared and group accounts are defined;
	AC-02(09)	the use of shared and group accounts is only permitted if <ac-02(09)_odp< b=""> conditions> are met.</ac-02(09)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(09)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system-generated list of shared/group accounts and associated roles; system audit records; system security plan; other relevant documents or records].
	AC-02(09)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-02(09)-Test	[SELECT FROM: Automated mechanisms implementing management of shared/group accounts].

AC-02(10) ACCOUNT MANAGEMENT | SHARED AND GROUP ACCOUNT CREDENTIAL CHANGE [WITHDRAWN: Incorporated into AC-2k.]

C-02(11)	ACCOUNT MANAGEMENT USAGE CONDITIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-02(11)_ODP[01]	circumstances and/or usage conditions to be enforced for system accounts are defined;
	AC-02(11)_ODP[02]	system accounts subject to enforcement of circumstances and/or usage conditions are defined;
	AC-02(11)	<ac-02(11)_odp[01] and="" circumstances="" conditions="" or="" usage=""> for <ac-02(11)_odp[02] accounts="" system=""> are enforced.</ac-02(11)_odp[02]></ac-02(11)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(11)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system-generated list of system accounts and associated assignments of usage circumstances and/or usage conditions; system audit records; system security plan; other relevant documents or records].
	AC-02(11)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-02(11)-Test	[SELECT FROM: Automated mechanisms implementing account management functions].

AC-02(12)	ACCOUNT MANAGEMENT ACCOUNT MONITORING FOR ATYPICAL USAGE	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-02(12)_ODP[01]	atypical usage for which to monitor system accounts is defined;
	AC-02(12)_ODP[02]	personnel or roles to report atypical usage is/are defined;
	AC-02(12)(a)	system accounts are monitored for <ac-02(12)_odp[01] atypical="" usage="">;</ac-02(12)_odp[01]>
	AC-02(12)(b)	atypical usage of system accounts is reported to < AC-02(12)_ODP[02] personnel or roles>.

AC-02(12)	ACCOUNT MANAGEMENT ACCOUNT MONITORING FOR ATYPICAL USAGE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(12)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system monitoring records; system audit records; audit tracking and monitoring reports; privacy impact assessment; system security plan; privacy plan; other relevant documents or records].
	AC-02(12)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-02(12)-Test	[SELECT FROM: Automated mechanisms implementing account management functions].

2(13)	ACCOUNT MANAGEMENT DISABLE ACCOUNTS FOR HIGH-RISK INDIVIDUALS	
	ASSESSMENT OBJECTIVE: Determine if:	
ľ	AC-02(13)_ODP[01]	time period within which to disable accounts of individuals who are discovered to pose significant risk is defined;
4	AC-02(13)_ODP[02]	significant risks leading to disabling accounts are defined;
	AC-02(13)	accounts of individuals are disabled within <ac-02(13)_odp[01] time<br="">period> of discovery of <ac-02(13)_odp[02] risks="" significant="">.</ac-02(13)_odp[02]></ac-02(13)_odp[01]>
1	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-02(13)-Examine	[SELECT FROM: Access control policy; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system-generated list of disabled accounts; list of user activities posing significant organizational risk; system audit records; system security plan; other relevant documents or records].
	AC-02(13)-Interview	[SELECT FROM: Organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-02(13)-Test	[SELECT FROM: Automated mechanisms implementing account management functions].

AC-03	ACCESS ENFORCEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-03	approved authorizations for logical access to information and system resources are enforced in accordance with applicable access control policies.

AC-03	ACCESS ENFORCEMENT	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-03-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; list of approved authorizations (user privileges); system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-03-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security and privacy responsibilities; system developers].
	AC-03-Test	[SELECT FROM: Automated mechanisms implementing access control policy].

AC-03(01)) ACCESS ENFORCEMENT RESTRICTED ACCESS TO PRIVILEGED FUNCTIONS	
	[WITHDRAWN: Incorporated into AC-06.]	

AC-03(02)	ACCESS ENFORCEMENT DUAL AUTHORIZATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-03(02)_ODP	privileged commands and/or other actions requiring dual authorization are defined;
	AC-03(02)	dual authorization is enforced for <ac-03(02)_odp actions="" and="" commands="" or="" other="" privileged="">.</ac-03(02)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-03(02)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement and dual authorization; system design documentation; system configuration settings and associated documentation; list of privileged commands requiring dual authorization; list of actions requiring dual authorization; list of approved authorizations (user privileges); system security plan; other relevant documents or records].
	AC-03(02)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-03(02)-Test	[SELECT FROM: Dual authorization mechanisms implementing access control policy].
	AC-03(02)-Test	[SELECT FROM: Dual authorization mechanisms implementing access cont

AC-03(03)	ACCESS ENFORCEME	NT MANDATORY ACCESS CONTROL
	ASSESSMENT OBJECT Determine if:	TIVE:
	AC-03(03)_ODP[01]	mandatory access control policy enforced over the set of covered subjects is defined;
	AC-03(03)_ODP[02]	mandatory access control policy enforced over the set of covered objects is defined;
	AC-03(03)_ODP[03]	subjects to be explicitly granted privileges are defined;
	AC-03(03)_ODP[04]	privileges to be explicitly granted to subjects are defined;
	AC-03(03)[01]	<pre><ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> is enforced over the set of covered subjects specified in the policy;</ac-03(03)_odp[01]></pre>
	AC-03(03)[02]	<pre><ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> is enforced over the set of covered objects specified in the policy;</ac-03(03)_odp[02]></pre>
	AC-03(03)(a)[01]	<pre><ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> is uniformly enforced across the covered subjects within the system;</ac-03(03)_odp[01]></pre>
	AC-03(03)(a)[02]	<pre><ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> is uniformly enforced across the covered objects within the system;</ac-03(03)_odp[02]></pre>
	AC-03(03)(b)(01)	<ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> and<ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> specifying that a subject that has been granted access to information is constrained from passing the information to unauthorized subjects or objects are enforced;</ac-03(03)_odp[02]></ac-03(03)_odp[01]>
	AC-03(03)(b)(02)	<ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> and<ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> specifying that a subject that has been granted access to information is constrained from granting its privileges to other subjects are enforced;</ac-03(03)_odp[02]></ac-03(03)_odp[01]>
	AC-03(03)(b)(03)	<ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> and <ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> specifying that a subject that has been granted access to information is constrained from changing one of more security attributes (specified by the policy) on subjects, objects, the system, or system components are enforced;</ac-03(03)_odp[02]></ac-03(03)_odp[01]>
	AC-03(03)(b)(4)	<ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> and <ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> specifying that a subject that has been granted access to information is constrained from choosing the security attributes and attribute values (specified by the policy) to be associated with newly created or modified objects are enforced;</ac-03(03)_odp[02]></ac-03(03)_odp[01]>
	AC-03(03)(b)(5)	<ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> and <ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> specifying that a subject that has been granted access to information is constrained from changing the rules governing access control are enforced;</ac-03(03)_odp[02]></ac-03(03)_odp[01]>
	AC-03(03)(c)	<pre><ac-03(03)_odp[01] access="" control="" mandatory="" policy=""> and <ac-03(03)_odp[02] access="" control="" mandatory="" policy=""> specifying that <ac-03(03)_odp[03] subjects=""> may explicitly be granted <ac-03(03)_odp[04] privileges=""> such that they are not limited by any defined subset (or all) of the above constraints are enforced.</ac-03(03)_odp[04]></ac-03(03)_odp[03]></ac-03(03)_odp[02]></ac-03(03)_odp[01]></pre>

AC-03(03)	ACCESS ENFORCEMENT MANDATORY ACCESS CONTROL	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-03(03)-Examine	[SELECT FROM: Access control policy; mandatory access control policies; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; list of subjects and objects (i.e., users and resources) requiring enforcement of mandatory access control policies; system audit records; system security plan; other relevant documents or records].
	AC-03(03)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-03(03)-Test	[SELECT FROM: Automated mechanisms implementing mandatory access control].

AC-03(04)	ACCESS ENFORCEMENT DISCRETIONARY ACCESS CONTROL	
	ASSESSMENT OBJEC	TIVE:
	AC-03(04)_ODP[01]	discretionary access control policy enforced over the set of covered subjects is defined;
	AC-03(04)_ODP[02]	discretionary access control policy enforced over the set of covered objects is defined;
	AC-03(04)[01]	<ac-03(04)_odp[01] access="" control="" discretionary="" policy=""> is enforced over the set of covered subjects specified in the policy;</ac-03(04)_odp[01]>
	AC-03(04)[02]	<pre><ac-03(04)_odp[02] access="" control="" discretionary="" policy=""> is enforced over the set of covered objects specified in the policy;</ac-03(04)_odp[02]></pre>
	AC-03(04)(a)	<ac-03(04)_odp[01] access="" control="" discretionary="" policy=""> and <ac-03(04)_odp[02] access="" control="" discretionary="" policy=""> are enforced where the policy specifies that a subject that has been granted access to information can pass the information to any other subjects or objects;</ac-03(04)_odp[02]></ac-03(04)_odp[01]>
	AC-03(04)(b)	<ac-03(04)_odp[01] access="" control="" discretionary="" policy=""> and <ac-03(04)_odp[02] access="" control="" discretionary="" policy=""> are enforced where the policy specifies that a subject that has been granted access to information can grant its privileges to other subjects;</ac-03(04)_odp[02]></ac-03(04)_odp[01]>
	AC-03(04)(c)	<ac-03(04)_odp[01] access="" control="" discretionary="" policy=""> and <ac-03(04)_odp[02] access="" control="" discretionary="" policy=""> are enforced where the policy specifies that a subject that has been granted access to information can change security attributes on subjects, objects, the system, or the system's components;</ac-03(04)_odp[02]></ac-03(04)_odp[01]>
	AC-03(04)(d)	<ac-03(04)_odp[01] access="" control="" discretionary="" policy=""> and <ac-03(04)_odp[02] access="" control="" discretionary="" policy=""> are enforced where the policy specifies that a subject that has been granted access to information can choose the security attributes to be associated with newly created or revised objects;</ac-03(04)_odp[02]></ac-03(04)_odp[01]>

C-03(04)	ACCESS ENFORCEMENT DISCRETIONARY ACCESS CONTROL	
	AC-03(04)(e)	<ac-03(04)_odp[01] access="" control="" discretionary="" policy=""> and <ac-03(04)_odp[02] access="" control="" discretionary="" policy=""> are enforced where the policy specifies that a subject that has been granted access to information can change the rules governing access control.</ac-03(04)_odp[02]></ac-03(04)_odp[01]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-03(04)-Examine	[SELECT FROM: Access control policy; discretionary access control policies; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; list of subjects and objects (i.e., users and resources) requiring enforcement of discretionary access control policies; system audit records; system security plan; other relevant documents or records].
	AC-03(04)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-03(04)-Test	[SELECT FROM: Automated mechanisms implementing discretionary access control policy].

AC-03(05)	ACCESS ENFORCEMENT SECURITY-RELEVANT INFORMATION		
	ASSESSMENT OBJECT	TIVE:	
	AC-03(05)_ODP	security-relevant information to which access is prevented except during secure, non-operable system states is defined;	
	AC-03(05)	access to <ac-03(05)_odp information="" security-relevant=""></ac-03(05)_odp> is prevented except during secure, non-operable system states.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-03(05)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-03(05)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-03(05)-Test	[SELECT FROM: Automated mechanisms preventing access to security- relevant information within the system].	

AC-03(06)	ACCESS ENFORCEMENT PROTECTION OF USER AND SYSTEM INFORMATION	
		_

[WITHDRAWN: Incorporated into MP-04, SC-28.]

AC-03(07)	ACCESS ENFORCEMENT ROLE-BASED ACCESS CONTROL	
	ASSESSMENT OBJECT Determine if:	rive:
	AC-03(07)_ODP[01]	roles upon which to base control of access are defined;
	AC-03(07)_ODP[02]	users authorized to assume roles (defined in AC-03(07)_ODP[01]) are defined;
	AC-03(07)[01]	a role-based access control policy is enforced over defined subjects;
	AC-03(07)[02]	a role-based access control policy is enforced over defined objects;
	AC-03(07)[03]	access is controlled based on <ac-03(07)_odp[01] roles=""></ac-03(07)_odp[01]> and <ac-03(07)_odp[02] assume="" authorized="" roles="" such="" to="" users=""></ac-03(07)_odp[02]> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-03(07)-Examine	[SELECT FROM: Access control policy; role-based access control policies; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; list of roles, users, and associated privileges required to control system access; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-03(07)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security and privacy responsibilities; system developers].
	AC-03(07)-Test	[SELECT FROM: Automated mechanisms implementing role-based access control policy].
	Ī	

AC-03(08)	ACCESS ENFORCEMENT REVOCATION OF ACCESS AUTHORIZATIONS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	AC-03(08)_ODP	rules governing the timing of revocations of access authorizations are defined;
	AC-03(08)[01]	revocation of access authorizations is enforced, resulting from changes to the security attributes of subjects based on <i>AC-03(08)_ODP rules></i> ;
	AC-03(08)[02]	revocation of access authorizations is enforced resulting from changes to the security attributes of objects based on <ac-03(08)_odp rules=""></ac-03(08)_odp> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-03(08)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; rules governing revocation of access authorizations, system audit records; system security plan; other relevant documents or records].

AC-03(08)	ACCESS ENFORCEMENT REVOCATION OF ACCESS AUTHORIZATIONS	
	AC-03(08)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-03(08)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].

AC-03(09)	ACCESS ENFORCEMENT CONTROLLED RELEASE	
	ASSESSMENT OBJECT Determine if:	TIVE:
	AC-03(09)_ODP[01]	the outside system or system component to which to release information is defined;
	AC-03(09)_ODP[02]	controls to be provided by the outside system or system component (defined in AC-03(09)_ODP[01]) are defined;
	AC-03(09)_ODP[03]	controls used to validate appropriateness of information to be released are defined;
	AC-03(09)(a)	information is released outside of the system only if the receiving <ac-03(09)_odp[01] component="" or="" system=""> provides <ac-03(09)_odp[02] controls="">;</ac-03(09)_odp[02]></ac-03(09)_odp[01]>
	AC-03(09)(b)	information is released outside of the system only if <ac-03(09)_odp[03]< b=""> controls> are used to validate the appropriateness of the information designated for release.</ac-03(09)_odp[03]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-03(09)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; list of security and privacy safeguards provided by receiving system or system components; list of security and privacy safeguards validating appropriateness of information designated for release; system audit records; results of period assessments (inspections/ tests) of the external system; information sharing agreements; memoranda of understanding; acquisitions/contractual agreements; system security plan; privacy plan; other relevant documents or records].
	AC-03(09)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel with responsibility for acquisitions/contractual agreements; legal counsel; system developers].
	AC-03(09)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].

AC-03(10)	ACCESS ENFORCEME	ACCESS ENFORCEMENT AUDITED OVERRIDE OF ACCESS CONTROL MECHANISMS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	AC-03(10)_ODP[01]	conditions under which to employ an audited override of automated access control mechanisms are defined;	
	AC-03(10)_ODP[02]	roles allowed to employ an audited override of automated access control mechanisms are defined;	
	AC-03(10)	an audited override of automated access control mechanisms is employed under <ac-03(10)_odp[01] conditions=""></ac-03(10)_odp[01]> by <ac-03(10)_odp[02] roles=""></ac-03(10)_odp[02]> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-03(10)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; conditions for employing audited override of automated access control mechanisms; system audit records; system security plan; other relevant documents or records].	
	AC-03(10)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].	
	AC-03(10)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].	

AC-03(11)	ACCESS ENFORCEMENT RESTRICT ACCESS TO SPECIFIC INFORMATION TYPES		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AC-03(11)_ODP	information types requiring restricted access to data repositories are defined;	
	AC-03(11)	access to data repositories containing <ac-03(11)_odp information="" types=""></ac-03(11)_odp> is restricted.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-03(11)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-03(11)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; organizational personnel with responsibilities for data repositories; system/network administrators; organizational personnel with information security responsibilities].	
	AC-03(11)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].	

AC-03(12)	ACCESS ENFORCEMENT ASSERT AND ENFORCE APPLICATION ACCESS		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-03(12)_ODP	system applications and functions requiring access assertion are defined;	
	AC-03(12)(a)	as part of the installation process, applications are required to assert the access needed to the following system applications and functions: <ac-03(12)_odp and="" applications="" functions="" system="">;</ac-03(12)_odp>	
	AC-03(12)(b)	an enforcement mechanism to prevent unauthorized access is provided;	
	AC-03(12)(c)	access changes after initial installation of the application are approved.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-03(12)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-03(12)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].	
	AC-03(12)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].	

AC-03(13)	ACCESS ENFORCEMENT ATTRIBUTE-BASED ACCESS CONTROL		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-03(13)_ODP	attributes to assume access permissions are defined;	
	AC-03(13)[01]	the attribute-based access control policy is enforced over defined subjects;	
	AC-03(13)[02]	the attribute-based access control policy is enforced over defined objects;	
	AC-03(13)[03]	access is controlled based on <ac-03(13)_odp attributes=""></ac-03(13)_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-03(13)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; list of subjects and objects (i.e., users and resources) requiring enforcement of attribute-based access control policies; system audit records; system security plan; other relevant documents or records].	
	AC-03(13)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].	
	AC-03(13)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].	

AC-03(14)	ACCESS ENFORCEMENT INDIVIDUAL ACCESS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	AC-03(14)_ODP[01]	mechanisms enabling individuals to have access to elements of their personally identifiable information are defined;
	AC-03(14)_ODP[02]	elements of personally identifiable information to which individuals have access are defined;
	AC-03(14)	AC-03(14)_ODP[01] mechanisms> are provided to enable individuals to have access to < AC-03(14)_ODP[02] elements> of their personally identifiable information.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-03(14)-Examine	[SELECT FROM: Access mechanisms (e.g., request forms and application interfaces); access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; documentation regarding access to an individual's personally identifiable information; system audit records; system security plan; privacy plan; privacy impact assessment; privacy assessment findings and/or reports; other relevant documents or records].
	AC-03(14)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security and privacy responsibilities; legal counsel].
	AC-03(14)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions; mechanisms enabling individual access to personally identifiable information].

AC-03(15)	ACCESS ENFORCEMENT DISCRETIONARY AND MANDATORY ACCESS CONTROL	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-03(15)_ODP[01]	a mandatory access control policy enforced over the set of covered subjects specified in the policy is defined;
	AC-03(15)_ODP[02]	a mandatory access control policy enforced over the set of covered objects specified in the policy is defined;
	AC-03(15)_ODP[03]	a discretionary access control policy enforced over the set of covered subjects specified in the policy is defined;
	AC-03(15)_ODP[04]	a discretionary access control policy enforced over the set of covered objects specified in the policy is defined;
	AC-03(15)(a)[01]	<ac-03(15)_odp[01] access="" control="" mandatory="" policy=""> is enforced over the set of covered subjects specified in the policy;</ac-03(15)_odp[01]>
	AC-03(15)(a)[02]	<ac-03(15)_odp[02] access="" control="" mandatory="" policy=""> is enforced over the set of covered objects specified in the policy;</ac-03(15)_odp[02]>

AC-03(15)	ACCESS ENFORCEMENT DISCRETIONARY AND MANDATORY ACCESS CONTROL	
	AC-03(15)(b)[01]	<pre><ac-03(15)_odp[03] access="" control="" discretionary="" policy=""> is enforced over the set of covered subjects specified in the policy;</ac-03(15)_odp[03]></pre>
	AC-03(15)(b)[02]	<pre><ac-03(15)_odp[04] access="" control="" discretionary="" policy=""> is enforced over the set of covered objects specified in the policy.</ac-03(15)_odp[04]></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-03(15)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; list of subjects and objects (i.e., users and resources) requiring enforcement of mandatory access control policies; list of subjects and objects (i.e., users and resources) requiring enforcement of discretionary access control policies; system audit records; system security plan; other relevant documents or records].
	AC-03(15)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-03(15)-Test	[SELECT FROM: Automated mechanisms implementing mandatory and discretionary access control policy].

AC-04	INFORMATION FLOW ENFORCEMENT		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-04_ODP	information flow control policies within the system and between connected systems are defined;	
	AC-04	approved authorizations are enforced for controlling the flow of information within the system and between connected systems based on <ac-04_odp< b=""> <i>information flow control policies></i>.</ac-04_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-04-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; security architecture documentation; privacy architecture documentation; system design documentation; system configuration settings and associated documentation; system baseline configuration; list of information flow authorizations; system audit records; system security plan; privacy plan; other relevant documents or records].	
	AC-04-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy architecture development responsibilities; organizational personnel with information security and privacy responsibilities; system developers].	
	AC-04-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].	

AC-04(01)	INFORMATION FLOW	I ENFORCEMENT OBJECT SECURITY AND PRIVACY ATTRIBUTES	
	ASSESSMENT OBJECT Determine if:	ΓIVE:	
	AC-04(01)_ODP[01]	security attributes to be associated with information, source, and destination objects are defined;	
	AC-04(01)_ODP[02]	privacy attributes to be associated with information, source, and destination objects are defined;	
	AC-04(01)_ODP[03]	information objects to be associated with information security attributes are defined;	
	AC-04(01)_ODP[04]	information objects to be associated with privacy attributes are defined;	
	AC-04(01)_ODP[05]	source objects to be associated with information security attributes are defined;	
	AC-04(01)_ODP[06]	source objects to be associated with privacy attributes are defined;	
	AC-04(01)_ODP[07]	destination objects to be associated with information security attributes are defined;	
	AC-04(01)_ODP[08]	destination objects to be associated with privacy attributes are defined;	
	AC-04(01)_ODP[09]	information flow control policies as a basis for enforcement of flow control decisions are defined;	
	AC-04(01)[01]	<pre><ac-04(01)_odp[01] attributes="" security=""> associated with <ac-04(01)_odp[03] information="" objects="">, <ac-04(01)_odp[05] objects="" source=""> , and <ac-04(01)_odp[07] destination="" objects=""> are used to enforce <ac-04(01)_odp[09] control="" flow="" information="" policies=""> as a basis for flow control decisions;</ac-04(01)_odp[09]></ac-04(01)_odp[07]></ac-04(01)_odp[05]></ac-04(01)_odp[03]></ac-04(01)_odp[01]></pre>	
	AC-04(01)[02]	<pre><ac-04(01)_odp[02] attributes="" privacy=""> associated with <ac-04(01)_odp[04] information="" objects="">, <ac-04(01)_odp[06] objects="" source=""> , and <ac-04(01)_odp[08] destination="" objects=""> are used to enforce <ac-04(01)_odp[09] control="" flow="" information="" policies=""> as a basis for flow control decisions.</ac-04(01)_odp[09]></ac-04(01)_odp[08]></ac-04(01)_odp[06]></ac-04(01)_odp[04]></ac-04(01)_odp[02]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-04(01)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of security and privacy attributes and associated source and destination objects; system audit records; system security plan; privacy plan; other relevant documents or records].	
	AC-04(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with privacy responsibilities; system developers].	
	AC-04(01)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].	

AC-04(02)	INFORMATION FLOW ENFORCEMENT PROCESSING DOMAINS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(02)_ODP	information flow control policies to be enforced by use of protected processing domains are defined;
	AC-04(02)	protected processing domains are used to enforce <ac-04(02)_odp< b=""> <i>information flow control policies></i> as a basis for flow control decisions.</ac-04(02)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-04(02)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system security architecture and associated documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-04(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	AC-04(02)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].
	1	

INFORMATION FLOW ENFORCEMENT DYNAMIC INFORMATION FLOW CONTROL	
ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
AC-04(03)_ODP	information flow control policies to be enforced are defined;
AC-04(03)	<ac-04(03)_odp control="" flow="" information="" policies=""> are enforced.</ac-04(03)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AC-04(03)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system security architecture and associated documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
AC-04(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
AC-04(03)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].
	ASSESSMENT OBJECT Determine if: AC-04(03)_ODP AC-04(03) POTENTIAL ASSESSIV AC-04(03)-Examine

4(04)	INFORMATION FLOW ENFORCEMENT FLOW CONTROL OF ENCRYPTED INFORMATION		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AC-04(04)_ODP[01]	information flow control mechanisms that encrypted information is prevented from bypassing are defined;	
	AC-04(04)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {decrypting the information; blocking the flow of the encrypted information; terminating communications sessions attempting to pass encrypted information; <ac-04(04)_odp[03] organization-defined<br="">procedure or method>};</ac-04(04)_odp[03]>	
	AC-04(04)_ODP[03]	the organization-defined procedure or method used to prevent encrypted information from bypassing information flow control mechanisms is defined (if selected);	
	AC-04(04)	encrypted information is prevented from bypassing <ac-04(04)_odp[01]< b=""> information flow control mechanisms> by <ac-04(04)_odp[02]< b=""> SELECTED PARAMETER VALUE(S)>.</ac-04(04)_odp[02]<></ac-04(04)_odp[01]<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-04(04)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-04(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-04(04)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].	

AC-04(05) INFORMATION FLOW ENFORCEMENT | EMBEDDED DATA TYPES

ASSESSMENT OBJECTIVE: Determine if:	
AC-04(05)_ODP	limitations on embedding data types within other data types are defined;
AC-04(05)	<ac-04(05)_odp limitations=""> are enforced on embedding data types within other data types.</ac-04(05)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AC-04(05)-Examine	[SELECT FROM: Access control policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of limitations to be enforced on embedding data types within other data types; system audit records; system security plan; other relevant documents or records].
AC-04(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].

AC-04(05)	INFORMATION FLOW ENFORCEMENT EMBEDDED DATA TYPES	
	AC-04(05)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].

AC-04(06)	INFORMATION FLOW ENFORCEMENT METADATA	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(06)_ODP	metadata on which to base enforcement of information flow control is defined;
	AC-04(06)	information flow control enforcement is based on <ac-04(06)_odp< b=""> <i>metadata</i>>.</ac-04(06)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-04(06)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; types of metadata used to enforce information flow control decisions; system audit records; system security plan; other relevant documents or records].
	AC-04(06)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-04(06)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].

AC-04(07)	INFORMATION FLOW ENFORCEMENT ONE-WAY FLOW MECHANISMS		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-04(07)	one-way information flows are enforced through hardware-based flow control mechanisms.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-04(07)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system hardware mechanisms and associated configurations; system audit records; system security plan; other relevant documents or records].	
	AC-04(07)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-04(07)-Test	[SELECT FROM: Hardware mechanisms implementing information flow enforcement policy].	

AC-04(08)	INFORMATION FLOW	/ ENFORCEMENT SECURITY AND PRIVACY POLICY FILTERS
	ASSESSMENT OBJECT Determine if:	TIVE:
	AC-04(08)_ODP[01]	security policy filters to be used as a basis for enforcing information flow control are defined;
	AC-04(08)_ODP[02]	privacy policy filters to be used as a basis for enforcing information flow control are defined;
	AC-04(08)_ODP[03]	information flows for which information flow control is enforced by security filters are defined;
	AC-04(08)_ODP[04]	information flows for which information flow control is enforced by privacy filters are defined;
	AC-04(08)_ODP[05]	one or more of the following PARAMETER VALUES is/are selected: {block; strip; modify; quarantine};
	AC-04(08)_ODP[06]	security policy identifying actions to be taken after a filter processing failure are defined;
	AC-04(08)_ODP[07]	privacy policy identifying actions to be taken after a filter processing failure are defined;
	AC-04(08)(a)[01]	information flow control is enforced using <ac-04(08)_odp[01]< b=""> security policy filter> as a basis for flow control decisions for <ac-04(08)_odp[03]< b=""> information flows>;</ac-04(08)_odp[03]<></ac-04(08)_odp[01]<>
	AC-04(08)(a)[02]	information flow control is enforced using <ac-04(08)_odp[02] b="" privacy<=""> policy filter> as a basis for flow control decisions for <ac-04(08)_odp[04]< b=""> information flows>;</ac-04(08)_odp[04]<></ac-04(08)_odp[02]>
	AC-04(08)(b)	<pre><ac-04(08)_odp[05] parameter="" selected="" value(s)=""> data after a filter processing failure in accordance with <ac-04(08)_odp[06] policy="" security="">;</ac-04(08)_odp[06]></ac-04(08)_odp[05]></pre>
		<pre><ac-04(08)_odp[05] parameter="" selected="" value(s)=""> data after a filter processing failure in accordance with <ac-04(08)_odp[07] policy="" privacy="">.</ac-04(08)_odp[07]></ac-04(08)_odp[05]></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-04(08)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of security policy filters regulating flow control decisions; list of privacy policy filters regulating flow control decisions; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-04(08)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developers].
	AC-04(08)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy; security and privacy policy filters].

AC-04(09)	INFORMATION FLOW	V ENFORCEMENT HUMAN REVIEWS
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(09)_ODP[01]	information flows requiring the use of human reviews are defined;
	AC-04(09)_ODP[02]	conditions under which the use of human reviews for information flows are to be enforced are defined;
	AC-04(09)	human reviews are used for <ac-04(09)_odp[01] flows="" information=""> under <ac-04(09)_odp[02] conditions="">.</ac-04(09)_odp[02]></ac-04(09)_odp[01]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-04(09)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; records of human reviews regarding information flows; list of information flows requiring the use of human reviews; list of conditions requiring human reviews for information flows; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-04(09)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel with information flow enforcement responsibilities; system developers].
	AC-04(09)-Test	[SELECT FROM: Automated mechanisms enforcing the use of human reviews].

AC-04(10)	AC-04(10) INFORMATION FLOW ENFORCEMENT ENABLE AND DISABLE SECURITY OR PRIVACY POLICY FILTERS ASSESSMENT OBJECTIVE: Determine if: Determine if:	
	AC-04(10)_ODP[01]	security policy filters that privileged administrators have the capability to enable and disable are defined;
	AC-04(10)_ODP[02]	privacy policy filters that privileged administrators have the capability to enable and disable are defined;
	AC-04(10)_ODP[03]	conditions under which privileged administrators have the capability to enable and disable security policy filters are defined;
	AC-04(10)_ODP[04]	conditions under which privileged administrators have the capability to enable and disable privacy policy filters are defined;
	AC-04(10)[01]	capability is provided for privileged administrators to enable and disable <ac-04(10)_odp[01] filters="" security=""> under <ac-04(10)_odp[03] conditions="">;</ac-04(10)_odp[03]></ac-04(10)_odp[01]>
	AC-04(10)[02]	capability is provided for privileged administrators to enable and disable <ac-04(10)_odp[02] filters="" privacy=""> under <ac-04(10)_odp[04] conditions="">.</ac-04(10)_odp[04]></ac-04(10)_odp[02]>

AC-04(10)	INFORMATION FLOW POLICY FILTERS	V ENFORCEMENT ENABLE AND DISABLE SECURITY OR PRIVACY	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-04(10)-Examine	[SELECT FROM: Access control policy; information flow information policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of security policy filters enabled/disabled by privileged administrators; list of privacy policy filters enabled/disabled by privileged administrators; list of approved data types for enabling/disabling by privileged administrators; system audit records; system security plan; privacy plan; other relevant documents or records].	
	AC-04(10)-Interview	[SELECT FROM: Organizational personnel with responsibilities for enabling/disabling security and privacy policy filters; system/network administrators; organizational personnel with information security and privacy responsibilities; system developers].	
	AC-04(10)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy; security and privacy policy filters].	

AC-04(11)	INFORMATION FLOW ENFORCEMENT CONFIGURATION OF SECURITY OR PRIVACY POLICY FILTERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(11)_ODP[01]	security policy filters that privileged administrators have the capability to configure to support different security and privacy policies are defined;
	AC-04(11)_ODP[02]	privacy policy filters that privileged administrators have the capability to configure to support different security and privacy policies are defined;
	AC-04(11)[01]	capability is provided for privileged administrators to configure < AC-04(11)_ODP[01] security policy filters> to support different security or privacy policies;
	AC-04(11)[02]	capability is provided for privileged administrators to configure < AC-04(11)_ODP[02] privacy policy filters> to support different security or privacy policies.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-04(11)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of security policy filters; list of privacy policy filters; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-04(11)-Interview	[SELECT FROM: Organizational personnel with responsibilities for configuring security and privacy policy filters; system/network administrators; organizational personnel with information security and privacy responsibilities; system developers].

AC-04(11)	INFORMATION FLOW POLICY FILTERS	/ ENFORCEMENT CONFIGURATION OF SECURITY OR PRIVACY
	AC-04(11)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy; security and privacy policy filters].

INFORMATION FLOW ENFORCEMENT DATA TYPE IDENTIFIERS	
	ASSESSMENT OBJECT Determine if:
rmation	AC-04(12)_ODP
ssential	
	POTENTIAL ASSESSMI
tem d ystem	AC-04(12)-Examine
sonnel	AC-04(12)-Interview
flow	AC-04(12)-Test
s te c y	POTENTIAL ASSESSMI AC-04(12)-Examine AC-04(12)-Interview AC-04(12)-Test

AC-04(13)	INFORMATION FLOW ENFORCEMENT DECOMPOSITION INTO POLICY-RELEVANT SUBCOMPONENTS	
	ASSESSMENT OBJECT Determine if:	rive:
	AC-04(13)_ODP	policy-relevant subcomponents into which to decompose information for submission to policy enforcement mechanisms are defined;
	AC-04(13)	when transferring information between different security domains, information is decomposed into <ac-04(13)_odp b="" policy-relevant<=""> subcomponents> for submission to policy enforcement mechanisms.</ac-04(13)_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-04(13)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].

A	C- 04(13)	INFORMATION FLOW ENFORCEMENT DECOMPOSITION INTO POLICY-RELEVANT SUBCOMPONENTS	
		AC-04(13)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
		AC-04(13)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].

AC-04(14)	INFORMATION FLOW ENFORCEMENT SECURITY OR PRIVACY POLICY FILTER CONSTRAINTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(14)_ODP[01]	security policy filters to be implemented that require fully enumerated formats restricting data structure and content have been defined;
	AC-04(14)_ODP[02]	privacy policy filters to be implemented that require fully enumerated formats restricting data structure and content are defined;
	AC-04(14)[01]	when transferring information between different security domains, implemented <ac-04(14)_odp[01]< b=""> security policy filters> require fully enumerated formats that restrict data structure and content;</ac-04(14)_odp[01]<>
	AC-04(14)[02]	when transferring information between different security domains, implemented <ac-04(14)_odp[02] filters="" policy="" privacy=""></ac-04(14)_odp[02]> require fully enumerated formats that restrict data structure and content.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-04(14)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of security and privacy policy filters; list of data structure policy filters; list of data content policy filters; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-04(14)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developers].
	AC-04(14)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy; security and privacy policy filters].

AC-04(15)	INFORMATION FLOW ENFORCEMENT DETECTION OF UNSANCTIONED INFORMATION	
	ASSESSMENT OBJECT Determine if:	TIVE:
	AC-04(15)_ODP[01]	unsanctioned information to be detected is defined;
	AC-04(15)_ODP[02]	security policy that requires the transfer of unsanctioned information between different security domains to be prohibited is defined;

15) INFORMATIO	ON FLOW ENFORCEMENT DETECTION OF UNSANCTIONED INFORMATION
AC-04(15)_0[DP[03] privacy policy that requires the transfer of organization-defined unsanctioned information between different security domains to be prohibited is defined;
AC-04(15)[01]	when transferring information between different security domains, information is examined for the presence of <ac-04(15)_odp[01]< b=""> unsanctioned information>;</ac-04(15)_odp[01]<>
AC-04(15)[02]] when transferring information between different security domains, transfer of <ac-04(15)_odp[01]< b=""> unsanctioned information> is prohibited in accordance with the <ac-04(15)_odp[02]< b=""> security policy>.</ac-04(15)_odp[02]<></ac-04(15)_odp[01]<>
AC-04(15)[03]] when transferring information between different security domains, transfer of < AC-04(15)_ODP[01] unsanctioned information> is prohibited in accordance with the < AC-04(15)_ODP[03] privacy policy> .
POTENTIAL	ASSESSMENT METHODS AND OBJECTS:
AC-04(15)-Exa	amine [SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of unsanctioned information types and associated information; system audit records; system security plan; privacy plan; other relevant documents or records].
AC-04(15)-Int	erview [SELECT FROM: Organizational personnel with information security responsibilities; organizational personnel with privacy responsibilities; system developers].
AC-04(15)-Tes	st [SELECT FROM: Automated mechanisms implementing information flow enforcement policy].

INFORMATION FLOW ENFORCEMENT INFORMATION TRANSFERS ON INTERCONNECTED SYSTEMS
[WITHDRAWN: Incorporated into AC-04.]

AC-04(17)	INFORMATION FLOW ENFORCEMENT DOMAIN AUTHENTICATION	
ASSESSMENT OBJECTIVE: Determine if:		IVE:
	AC-04(17)_ODP	one or more of the following PARAMETER VALUES is/are selected: {organization, system, application, service, individual};
	AC-04(17)	source and destination points are uniquely identified and authenticated by <a><a>AC-04(17)_ODP SELECTED PARAMETER VALUE(S)> for information transfer.

AC-04(17)	INFORMATION FLOW ENFORCEMENT DOMAIN AUTHENTICATION	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-04(17)-Examine	[SELECT FROM: Access control policy; information flow control policies; procedures addressing information flow enforcement; procedures addressing source and destination domain identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of system labels; system security plan; privacy plan; other relevant documents or records].
	AC-04(17)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developers].
	AC-04(17)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement policy].

AC 04/40\	INFORMATION FLOW ENFORCEMENT	CECUDITY ATTRIBUTE DINIDING
AC-04(18)		

[WITHDRAWN: Incorporated into AC-16.]

AC-04(19)	INFORMATION FLOW ENFORCEMENT VALIDATION OF METADATA	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AC-04(19)_ODP[01]	security policy filters to be implemented on metadata are defined;
	AC-04(19)_ODP[02]	privacy policy filters to be implemented on metadata are defined;
	AC-04(19)[01]	when transferring information between different security domains, <pre><ac-04(19)_odp[01] filters="" security=""> are implemented on metadata;</ac-04(19)_odp[01]></pre>
	AC-04(19)[02]	when transferring information between different security domains, <pre><ac-04(19_odp[02] filters="" policy="" privacy=""> are implemented on metadata.</ac-04(19_odp[02]></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-04(19)-Examine	[SELECT FROM: Information flow enforcement policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of security policy filtering criteria applied to metadata and data payloads; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-04(19)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; organizational personnel with privacy responsibilities; system developers].
	AC-04(19)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions; security and policy filters].

AC-04(20)	INFORMATION FLOV	INFORMATION FLOW ENFORCEMENT APPROVED SOLUTIONS	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AC-04(20)_ODP[01]	solutions in approved configurations to control the flow of information across security domains are defined;	
	AC-04(20)_ODP[02]	information to be controlled when it flows across security domains is defined;	
	AC-04(20)	<ac-04(20)_odp[01] approved="" configurations="" in="" solutions=""> are employed to control the flow of <ac-04(20)_odp[02] information=""> across security domains.</ac-04(20)_odp[02]></ac-04(20)_odp[01]>	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	AC-04(20)-Examine	[SELECT FROM: Information flow enforcement policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of solutions in approved configurations; approved configuration baselines; system audit records; system security plan; other relevant documents or records].	
	AC-04(20)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].	
	AC-04(20)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].	

AC-04(21)	INFORMATION FLOW ENFORCEMENT PHYSICAL OR LOGICAL SEPARATION OF INFORMATION FLOWS	
ASSESSMENT OBJECTIVE: Determine if:		TIVE:
	AC-04(21)_ODP[01]	mechanisms and/or techniques used to logically separate information flows are defined;
	AC-04(21)_ODP[02]	mechanisms and/or techniques used to physically separate information flows are defined;
	AC-04(21)_ODP[03]	required separations by types of information are defined;
	AC-04(21)[01]	information flows are separated logically using <ac-04(21)_odp[01]< b=""> mechanisms and/or techniques> to accomplish <ac-04(21)_odp[03]< b=""> required separations>;</ac-04(21)_odp[03]<></ac-04(21)_odp[01]<>
	AC-04(21)[02]	information flows are separated physically using <ac-04(21)_odp[02]< b=""> mechanisms and/or techniques> to accomplish <ac-04(21)_odp[03]< b=""> required separations>.</ac-04(21)_odp[03]<></ac-04(21)_odp[02]<>

AC-04(21)	INFORMATION FLOW ENFORCEMENT PHYSICAL OR LOGICAL SEPARATION OF INFORMATION FLOWS	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		IENT METHODS AND OBJECTS:
	AC-04(21)-Examine	[SELECT FROM: Information flow enforcement policy; information flow control policies; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; list of required separation of information flows by information types; list of mechanisms and/or techniques used to logically or physically separate information flows; system audit records; system security plan; other relevant documents or records].
	AC-04(21)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-04(21)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].

AC-04(22)	INFORMATION FLOW ENFORCEMENT ACCESS ONLY	
	ASSESSMENT OBJECT Determine if:	TIVE:
	AC-04(22)	access is provided from a single device to computing platforms, applications, or data that reside in multiple different security domains while preventing information flow between the different security domains.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-04(22)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-04(22)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-04(22)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].

AC-04(23)	INFORMATION FLOW ENFORCEMENT MODIFY NON-RELEASABLE INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(23)_ODP	modification action implemented on non-releasable information is defined;
	AC-04(23)	when transferring information between security domains, non-releasable information is modified by implementing <ac-04(23)_odp< b=""> modification action>.</ac-04(23)_odp<>

AC-04(23)	INFORMATION FLOW ENFORCEMENT MODIFY NON-RELEASABLE INFORMATION	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		IENT METHODS AND OBJECTS:
	AC-04(23)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-04(23)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-04(23)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].

INFORMATION FLOW ENFORCEMENT INTERNAL NORMALIZED FORMAT	
ASSESSMENT OBJEC Determine if:	TIVE:
AC-04(24)[01]	when transferring information between different security domains, incoming data is parsed into an internal, normalized format;
AC-04(24)[02]	when transferring information between different security domains, the data is regenerated to be consistent with its intended specification.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AC-04(24)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
AC-04(24)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
AC-04(24)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].
	ASSESSMENT OBJEC Determine if: AC-04(24)[01] AC-04(24)[02] POTENTIAL ASSESSM AC-04(24)-Examine AC-04(24)-Interview

AC-04(25)	INFORMATION FLOW ENFORCEMENT DATA SANITIZATION	
	ASSESSMENT OBJEC Determine if:	CTIVE:
	AC-04(25)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {delivery of malicious content, command and control of malicious code, malicious code augmentation, and steganography-encoded data; spillage of sensitive information};
	AC-04(25)_ODP[02]	policy for sanitizing data is defined;

AC-04(25)	INFORMATION FLOW ENFORCEMENT DATA SANITIZATION		
	AC-04(25)	when transferring information between different security domains, data is sanitized to minimize <ac-04(25)_odp[01] b="" parameter<="" selected=""> VALUE(S)> in accordance with <ac-04(25)_odp[02] policy=""></ac-04(25)_odp[02]>.</ac-04(25)_odp[01]>	
	POTENTIAL ASSESSM	ENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-04(25)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-04(25)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].	
	AC-04(25)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].	

INFORMATION FLOW ENFORCEMENT AUDIT FILTERING ACTIONS ASSESSMENT OBJECTIVE: Determine if:	
AC-04(26)[02]	when transferring information between different security domains, results for the information being filtered are recorded and audited.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AC-04(26)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
AC-04(26)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
AC-04(26)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions; mechanisms implementing content filtering; mechanisms recording and auditing content filtering].
	ASSESSMENT OBJEC Determine if: AC-04(26)[01] AC-04(26)[02] POTENTIAL ASSESSM AC-04(26)-Examine AC-04(26)-Interview

AC-04(27)	INFORMATION FLOW ENFORCEMENT REDUNDANT/INDEPENDENT FILTERING MECHANISMS ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(27)	when transferring information between security domains, implemented content filtering solutions provide redundant and independent filtering mechanisms for each data type.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-04(27)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-04(27)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-04(27)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].

INFORMATION FLOW ENFORCEMENT LINEAR FILTER PIPELINES	
ASSESSMENT OBJECTIVE: Determine if:	
AC-04(28)	when transferring information between security domains, a linear content filter pipeline is implemented that is enforced with discretionary and mandatory access controls.
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
AC-04(28)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
AC-04(28)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
AC-04(28)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions; mechanisms implementing linear content filters].
	ASSESSMENT OBJECT Determine if: AC-04(28) POTENTIAL ASSESSM AC-04(28)-Examine AC-04(28)-Interview

AC-04(29)	INFORMATION FLOW ENFORCEMENT FILTER ORCHESTRATION ENGINES	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(29)_ODP	policy for content-filtering actions is defined;

AC-04(29)	INFORMATION FLOW	ENFORCEMENT FILTER ORCHESTRATION ENGINES	
	AC-04(29)(a)	when transferring information between security domains, content filter orchestration engines are employed to ensure that content-filtering mechanisms successfully complete execution without errors;	
	AC-04(29)(b)[01]	when transferring information between security domains, content filter orchestration engines are employed to ensure that content-filtering actions occur in the correct order;	
	AC-04(29)(b)[02]	when transferring information between security domains, content filter orchestration engines are employed to ensure that content-filtering actions comply with <ac-04(29)_odp policy=""></ac-04(29)_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-04(29)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-04(29)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].	
	AC-04(29)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions; mechanisms implementing content filter orchestration engines].	

AC-04(30)	INFORMATION FLOW ENFORCEMENT FILTER MECHANISMS USING MULTIPLE PROCESSES	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(30)	when transferring information between security domains, content-filtering mechanisms using multiple processes are implemented.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		IENT METHODS AND OBJECTS:
	AC-04(30)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-04(30)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-04(30)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions; mechanisms implementing content filtering].

AC-04(31)	INFORMATION FLOW ENFORCEMENT FAILED CONTENT TRANSFER PREVENTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-04(31)	when transferring information between different security domains, the transfer of failed content to the receiving domain is prevented.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-04(31)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-04(31)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	AC-04(31)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions].

AC-04(32)	INFORMATION FLOW ENFORCEMENT PROCESS REQUIREMENTS FOR INFORMATION TRANSFER	
ASSESSMENT OBJECTIVE: Determine if:		ΓΙVΕ:
	AC-04(32)(a)	when transferring information between different security domains, the process that transfers information between filter pipelines does not filter message content;
	AC-04(32)(b)	when transferring information between different security domains, the process that transfers information between filter pipelines validates filtering metadata;
	AC-04(32)(c)	when transferring information between different security domains, the process that transfers information between filter pipelines ensures that the content with the filtering metadata has successfully completed filtering;
	AC-04(32)(d)	when transferring information between different security domains, the process that transfers information between filter pipelines transfers the content to the destination filter pipeline.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-04(32)-Examine	[SELECT FROM: Information flow enforcement policy; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-04(32)-Interview	[SELECT FROM: Organizational personnel with information flow enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities].

AC-04(32	2) INFORMATION FLO TRANSFER	INFORMATION FLOW ENFORCEMENT PROCESS REQUIREMENTS FOR INFORMATION TRANSFER	
	AC-04(32)-Test	[SELECT FROM: Automated mechanisms implementing information flow enforcement functions; mechanisms implementing content filtering].	

5 SEPARATION OF D	SEPARATION OF DUTIES	
ASSESSMENT OBJ Determine if:	ECTIVE:	
AC-05_ODP	duties of individuals requiring separation are defined;	
AC-05a.	<pre><ac-05_odp duties="" individuals="" of=""> are identified and documented;</ac-05_odp></pre>	
AC-05b.	system access authorizations to support separation of duties are defined.	
POTENTIAL ASSES	SMENT METHODS AND OBJECTS:	
AC-05-Examine	[SELECT FROM: Access control policy; procedures addressing divisions of responsibility and separation of duties; system configuration settings and associated documentation; list of divisions of responsibility and separation of duties; system access authorizations; system audit records; system security plan; other relevant documents or records].	
AC-05-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining appropriate divisions of responsibility and separation of duties; organizational personnel with information security responsibilities; system/ network administrators].	
AC-05-Test	[SELECT FROM: Automated mechanisms implementing separation of duties policy].	

AC-06	LEAST PRIVILEGE		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-06	the principle of least privilege is employed, allowing only authorized accesses for users (or processes acting on behalf of users) that are necessary to accomplish assigned organizational tasks.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-06-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; list of assigned access authorizations (user privileges); system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-06-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators].	

AC-06	LEAST PRIVILEGE	
	AC-06-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions].

AC-06(01)	LEAST PRIVILEGE AUTHORIZE ACCESS TO SECURITY FUNCTIONS	
	ASSESSMENT OBJECT Determine if:	ΓIVE:
	AC-06(01)_ODP[01]	individuals and roles with authorized access to security functions and security-relevant information are defined;
	AC-06(01)_ODP[02]	security functions (deployed in hardware) for authorized access are defined;
	AC-06(01)_ODP[03]	security functions (deployed in software) for authorized access are defined;
	AC-06(01)_ODP[04]	security functions (deployed in firmware) for authorized access are defined;
	AC-06(01)_ODP[05]	security-relevant information for authorized access is defined;
	AC-06(01)(a)[01]	access is authorized for <ac-06(01)_odp[01] and="" individuals="" roles=""> to <ac-06(01)_odp[02] (deployed="" functions="" hardware)="" in="" security="">;</ac-06(01)_odp[02]></ac-06(01)_odp[01]>
	AC-06(01)(a)[02]	access is authorized for <ac-06(01)_odp[01] and="" individuals="" roles=""> to <ac-06(01)_odp[03] (deployed="" functions="" in="" security="" software)="">;</ac-06(01)_odp[03]></ac-06(01)_odp[01]>
	AC-06(01)(a)[03]	access is authorized for < AC-06(01)_ODP[01] individuals and roles> to < AC-06(01)_ODP[04] security functions (deployed in firmware) >;
	AC-06(01)(b)	access is authorized for < AC-06(01)_ODP[01] individuals and roles> to < AC-06(01)_ODP[05] security-relevant functions> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-06(01)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; list of security functions (deployed in hardware, software, and firmware) and security-relevant information for which access must be explicitly authorized; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-06(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators].
	AC-06(01)-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions].

AC-06(02)	LEAST PRIVILEGE NON-PRIVILEGED ACCESS FOR NONSECURITY FUNCTIONS		
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	AC-06(02)_ODP	security functions or security-relevant information, the access to which requires users to use non-privileged accounts to access non-security functions, are defined;	
	AC-06(02)	users of system accounts (or roles) with access to <ac-06(02)_odp b="" security<=""> <i>functions or security-relevant information></i> are required to use non- privileged accounts or roles when accessing non-security functions.</ac-06(02)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-06(02)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; list of system-generated security functions or security-relevant information assigned to system accounts or roles; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-06(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators].	
	AC-06(02)-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions].	

AC-06(03)	LEAST PRIVILEGE N	LEAST PRIVILEGE NETWORK ACCESS TO PRIVILEGED COMMANDS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	AC-06(03)_ODP[01]	privileged commands to which network access is to be authorized only for compelling operational needs are defined;	
	AC-06(03)_ODP[02]	compelling operational needs necessitating network access to privileged commands are defined;	
	AC-06(03)[01]	network access to <ac-06(03)_odp[01] commands="" privileged=""></ac-06(03)_odp[01]> is authorized only for <ac-06(03)_odp[02] compelling="" needs="" operational=""></ac-06(03)_odp[02]> ;	
	AC-06(03)[02]	the rationale for authorizing network access to privileged commands is documented in the security plan for the system.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-06(03)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; system configuration settings and associated documentation; system audit records; list of operational needs for authorizing network access to privileged commands; system security plan; other relevant documents or records].	

	AC-06(03)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities].
A land	AC-06(03)-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions].

AC-06(04)	LEAST PRIVILEGE SEPARATE PROCESSING DOMAINS	
	ASSESSMENT OBJECT Determine if:	rive:
	AC-06(04)	separate processing domains are provided to enable finer-grain allocation of user privileges.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-06(04)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-06(04)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system developers].
	AC-06(04)-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions].

AC-06(05)	LEAST PRIVILEGE PRIVILEGED ACCOUNTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-06(05)_ODP	personnel or roles to which privileged accounts on the system are to be restricted is/are defined;
	AC-06(05)	privileged accounts on the system are restricted to <ac-06(05)_odp< b=""> personnel or roles>.</ac-06(05)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-06(05)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; list of system-generated privileged accounts; list of system administration personnel; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].

AC-06(05)	LEAST PRIVILEGE PRIVILEGED ACCOUNTS	
	AC-06(05)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators].
	AC-06(05)-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions].

AC-06(06)	LEAST PRIVILEGE PRIVILEGED ACCESS BY NON-ORGANIZATIONAL USERS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	AC-06(06)	privileged access to the system by non-organizational users is prohibited.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-06(06)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; list of system-generated privileged accounts; list of non-organizational users; system configuration settings and associated documentation; audit records; system security plan; other relevant documents or records].
	AC-06(06)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators].
	AC-06(06)-Test	[SELECT FROM: Automated mechanisms prohibiting privileged access to the system].

AC-06(07) LEAST PRIVILEGE F	LEAST PRIVILEGE REVIEW OF USER PRIVILEGES	
ASSESSMENT OBJECTIVE: Determine if:		TIVE:	
	AC-06(07)_ODP[01]	the frequency at which to review the privileges assigned to roles or classes of users is defined;	
	AC-06(07)_ODP[02]	roles or classes of users to which privileges are assigned are defined;	
	AC-06(07)(a)	privileges assigned to < AC-06(07)_ODP[02] roles and classes> are reviewed < AC-06(07)_ODP[01] frequency> to validate the need for such privileges;	
	AC-06(07)(b)	privileges are reassigned or removed, if necessary, to correctly reflect organizational mission and business needs.	

AC-06(07)	LEAST PRIVILEGE REVIEW OF USER PRIVILEGES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-06(07)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; list of system-generated roles or classes of users and assigned privileges; system design documentation; system configuration settings and associated documentation; validation reviews of privileges assigned to roles or classes or users; records of privilege removals or reassignments for roles or classes of users; system audit records; system security plan; other relevant documents or records].
	AC-06(07)-Interview	[SELECT FROM: Organizational personnel with responsibilities for reviewing least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators].
	AC-06(07)-Test	[SELECT FROM: Automated mechanisms implementing review of user privileges].

AC-06(08) LEAST PRIVILEGE PRIVILEGE LEVELS FOR CODE EXECUTION		RIVILEGE LEVELS FOR CODE EXECUTION	
	ASSESSMENT OBJEC Determine if:	ſIVE:	
	AC-06(08)_ODP	software to be prevented from executing at higher privilege levels than users executing the software is defined;	
	AC-06(08)	<ac-06(08)_odp software=""> is prevented from executing at higher privilege levels than users executing the software.</ac-06(08)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-06(08)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; list of software that should not execute at higher privilege levels than users executing software; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-06(08)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	AC-06(08)-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions for software execution].	

AC-06(09)	LEAST PRIVILEGE LOG USE OF PRIVILEGED FUNCTIONS	
ASSESSMENT OB. Determine if:		ΓΙVΕ:
	AC-06(09)	the execution of privileged functions is logged.

This document is produced from OSCAL source data

AC-06(09)	LEAST PRIVILEGE LO	DG USE OF PRIVILEGED FUNCTIONS
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-06(09)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; system design documentation; system configuration settings and associated documentation; list of privileged functions to be audited; list of audited events; system audit records; system security plan; other relevant documents or records].
	AC-06(09)-Interview	[SELECT FROM: Organizational personnel with responsibilities for reviewing least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system/network administrators; system developers].
	AC-06(09)-Test	[SELECT FROM: Automated mechanisms auditing the execution of least privilege functions].

AC-06(10)	LEAST PRIVILEGE PROHIBIT NON-PRIVILEGED USERS FROM EXECUTING PRIVILEGED FUNCTIONS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	AC-06(10)	non-privileged users are prevented from executing privileged functions.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-06(10)-Examine	[SELECT FROM: Access control policy; procedures addressing least privilege; system design documentation; system configuration settings and associated documentation; list of privileged functions and associated user account assignments; system audit records; system security plan; other relevant documents or records].
	AC-06(10)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining least privileges necessary to accomplish specified tasks; organizational personnel with information security responsibilities; system developers].
	AC-06(10)-Test	[SELECT FROM: Automated mechanisms implementing least privilege functions for non-privileged users].

AC-07	UNSUCCESSFUL LOGON ATTEMPTS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AC-07_ODP[01]	the number of consecutive invalid logon attempts by a user allowed during a time period is defined;
	AC-07_ODP[02]	the time period to which the number of consecutive invalid logon attempts by a user is limited is defined;

7	UNSUCCESSFUL LOGON ATTEMPTS		
	AC-07_0DP[03]	one or more of the following PARAMETER VALUES is/are selected: {lock the account or node for an <ac-07_odp[04] period="" time="">; lock the account or node until released by an administrator; delay next logon prompt per<ac-07_odp[05] algorithm="" delay="">; notify system administrator; take other<ac-07_odp[06] action="">};</ac-07_odp[06]></ac-07_odp[05]></ac-07_odp[04]>	
	AC-07_ODP[04]	time period for an account or node to be locked is defined (if selected);	
	AC-07_ODP[05]	delay algorithm for the next logon prompt is defined (if selected);	
	AC-07_ODP[06]	other action to be taken when the maximum number of unsuccessful attempts is exceeded is defined (if selected);	
	AC-07a.	a limit of < AC-07_ODP[01] number > consecutive invalid logon attempts by a user during a < AC-07_ODP[02] time period> is enforced;	
	AC-07b.	automatically < AC-07_ODP[03] SELECTED PARAMETER VALUE(S) > when the maximum number of unsuccessful attempts is exceeded.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-07-Examine	[SELECT FROM: Access control policy; procedures addressing unsuccessful logon attempts; system design documentation; system configuration setting and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-07-Interview	[SELECT FROM: Organizational personnel with information security responsibilities; system developers; system/network administrators].	
	AC-07-Test	[SELECT FROM: Automated mechanisms implementing access control policy for unsuccessful logon attempts].	

AC-07(01) UNSUCCESSFUL LOGON ATTEMPTS AUTOMATIC ACCOUNT LOCK	
	[WITHDRAWN: Incorporated into AC-07.]

	AC-07(02)	UNSUCCESSFUL LOGON ATTEMPTS PURGE OR WIPE MOBILE DEVICE	
		ASSESSMENT OBJECTIVE: Determine if:	
		AC-07(02)_ODP[01]	mobile devices to be purged or wiped of information are defined;
		AC-07(02)_ODP[02]	purging or wiping requirements and techniques to be used when mobile devices are purged or wiped of information are defined;
		AC-07(02)_ODP[03]	the number of consecutive, unsuccessful logon attempts before the information is purged or wiped from mobile devices is defined;

02)	UNSUCCESSFUL LOGON ATTEMPTS PURGE OR WIPE MOBILE DEVICE	
	AC-07(02)	information is purged or wiped from < AC-07(02)_ODP[01] mobile devices> based on < AC-07(02)_ODP[02] purging or wiping requirements or techniques> after < AC-07(02)_ODP[03] number> consecutive, unsuccessful device logon attempts.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-07(02)-Examine	[SELECT FROM: Access control policy; procedures addressing unsuccessful logon attempts on mobile devices; system design documentation; system configuration settings and associated documentation; list of mobile devices to be purged/wiped after organization-defined consecutive, unsuccessful device logon attempts; list of purging/wiping requirements or techniques for mobile devices; system audit records; system security plan; other relevant documents or records].
	AC-07(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	AC-07(02)-Test	[SELECT FROM: Automated mechanisms implementing access control policy for unsuccessful device logon attempts].

C-07(03)	UNSUCCESSFUL LOG	ESSFUL LOGON ATTEMPTS BIOMETRIC ATTEMPT LIMITING	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AC-07(03)_ODP	the number of unsuccessful biometric logon attempts is defined;	
	AC-07(03)	unsuccessful biometric logon attempts are limited to < AC-07(03)_ODP number>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-07(03)-Examine	[SELECT FROM: Access control policy; procedures addressing unsuccessful logon attempts on biometric devices; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-07(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
	AC-07(03)-Test	[SELECT FROM: Automated mechanisms implementing access control policy for unsuccessful logon attempts].	

AC-07(04)	UNSUCCESSFUL LOGON ATTEMPTS USE OF ALTERNATE AUTHENTICATION FACTOR	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-07(04)_ODP[01]	authentication factors allowed to be used that are different from the primary authentication factors are defined;

AC-07(04)		ON ATTEMPTS USE OF ALTERNATE AUTHENTICATION FACTOR
	AC-07(04)_ODP[02]	the number of consecutive, invalid logon attempts through the use of alternative factors for which to enforce a limit by a user is defined;
	AC-07(04)_ODP[03]	time period during which a user can attempt logons through alternative factors is defined;
	AC-07(04)(a)	<ac-07(04)_odp[01] authentication="" factors=""> that are different from the primary authentication factors are allowed to be used after the number of organization-defined consecutive invalid logon attempts have been exceeded;</ac-07(04)_odp[01]>
	AC-07(04)(b)	a limit of < AC-07(04)_ODP[02] number> consecutive invalid logon attempts through the use of the alternative factors by the user during a < AC-07(04)_ODP[03] time period> is enforced.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-07(04)-Examine	[SELECT FROM: Access control policy; procedures addressing unsuccessful logon attempts for primary and alternate authentication factors; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-07(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	AC-07(04)-Test	[SELECT FROM: Automated mechanisms implementing access control policy for unsuccessful logon attempts].

AC-08	SYSTEM USE NOTIFI	SYSTEM USE NOTIFICATION	
	ASSESSMENT OBJEC	TIVE:	
	AC-08_ODP[01]	system use notification message or banner to be displayed by the system to users before granting access to the system is defined;	
	AC-08_ODP[02]	conditions for system use to be displayed by the system before granting further access are defined;	
	AC-08a.	<ac-08_odp[01] notification="" system="" use=""> is displayed to users before granting access to the system that provides privacy and security notices consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;</ac-08_odp[01]>	
	AC-08a.01	the system use notification states that users are accessing a U.S. Government system;	
	AC-08a.02	the system use notification states that system usage may be monitored, recorded, and subject to audit;	
	AC-08a.03	the system use notification states that unauthorized use of the system is prohibited and subject to criminal and civil penalties; and	

SYSTEM USE NOTIFIC	SYSTEM USE NOTIFICATION		
AC-08a.04	the system use notification states that use of the system indicates consent to monitoring and recording;		
AC-08b.	the notification message or banner is retained on the screen until users acknowledge the usage conditions and take explicit actions to log on to or further access the system;		
AC-08c.01	for publicly accessible systems, system use information <ac-08_odp[02]< b=""> conditions> is displayed before granting further access to the publicly accessible system;</ac-08_odp[02]<>		
AC-08c.02	for publicly accessible systems, any references to monitoring, recording, or auditing that are consistent with privacy accommodations for such systems that generally prohibit those activities are displayed;		
AC-08c.03	for publicly accessible systems, a description of the authorized uses of the system is included.		
POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
AC-08-Examine	[SELECT FROM: Access control policy; privacy and security policies, procedures addressing system use notification; documented approval of system use notification messages or banners; system audit records; user acknowledgements of notification message or banner; system design documentation; system configuration settings and associated documentation; system use notification messages; system security plan; privacy plan; privacy impact assessment; privacy assessment report; other relevant documents or records].		
AC-08-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; legal counsel; system developers].		
AC-08-Test	[SELECT FROM: Automated mechanisms implementing system use notification].		

AC-09	PREVIOUS LOGON NOTIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-09	the user is notified, upon successful logon to the system, of the date and time of the last logon.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-09-Examine	[SELECT FROM: Access control policy; procedures addressing previous logon notification; system design documentation; system configuration settings and associated documentation; system notification messages; system security plan; other relevant documents or records].
	AC-09-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].

AC-09	PREVIOUS LOGON NOTIFICATION	
	AC-09-Test	[SELECT FROM: Automated mechanisms implementing access control policy for previous logon notification].

AC-09(01)	PREVIOUS LOGON NOTIFICATION UNSUCCESSFUL LOGONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-09(01)	the user is notified, upon successful logon, of the number of unsuccessful logon attempts since the last successful logon.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-09(01)-Examine	[SELECT FROM: Access control policy; procedures addressing previous logon notification; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-09(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-09(01)-Test	[SELECT FROM: Automated mechanisms implementing access control policy for previous logon notification].

09(02)	PREVIOUS LOGON NOTIFICATION SUCCESSFUL AND UNSUCCESSFUL LOGONS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	AC-09(02)_ODP[01]	one of the following PARAMETER VALUES is selected: {successful logons; unsuccessful logon attempts; both};
	AC-09(02)_ODP[02]	the time period for which the system notifies the user of the number of successful logons, unsuccessful logon attempts, or both is defined;
	AC-09(02)	the user is notified, upon successful logon, of the number of <ac-09(02)_odp[01] parameter="" selected="" value=""> during <ac-09(02)_odp[02] period="" time="">.</ac-09(02)_odp[02]></ac-09(02)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-09(02)-Examine	[SELECT FROM: Access control policy; procedures addressing previous logon notification; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-09(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-09(02)-Test	[SELECT FROM: Automated mechanisms implementing access control policy for previous logon notification].

AC-09(03)	PREVIOUS LOGON NOTIFICATION NOTIFICATION OF ACCOUNT CHANGES		
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	AC-09(03)_ODP[01]	changes to security-related characteristics or parameters of the user's account that require notification are defined;	
	AC-09(03)_ODP[02]	the time period for which the system notifies the user of changes to security-related characteristics or parameters of the user's account is defined;	
	AC-09(03)	the user is notified, upon successful logon, of changes to <a>AC-09(03)_ODP[01] security-related characteristics or parameters> during <a>AC-09(03)_ODP[02] time period>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-09(03)-Examine	[SELECT FROM: Access control policy; procedures addressing previous logon notification; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-09(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-09(03)-Test	[SELECT FROM: Automated mechanisms implementing access control policy for previous logon notification].	

PREVIOUS LOGON NOTIFICATION ADDITIONAL LOGON INFORMATION	
ASSESSMENT OBJEC Determine if:	TIVE:
AC-09(04)_ODP	additional information about which to notify the user is defined;
AC-09(04)	the user is notified, upon successful logon, of <ac-09(04)_odp additional<="" b=""> information>.</ac-09(04)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AC-09(04)-Examine	[SELECT FROM: Access control policy; procedures addressing previous logon notification; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
AC-09(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
AC-09(04)-Test	[SELECT FROM: Automated mechanisms implementing access control policy for previous logon notification].
	ASSESSMENT OBJECT Determine if: AC-09(04)_ODP AC-09(04) POTENTIAL ASSESSM AC-09(04)-Examine

AC-10	CONCURRENT SESSION CONTROL		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	AC-10_ODP[01]	accounts and/or account types for which to limit the number of concurrent sessions is defined;	
	AC-10_ODP[02]	the number of concurrent sessions to be allowed for each account and/or account type is defined;	
	AC-10	the number of concurrent sessions for each <ac-10_odp[01] <br="" account="" and="">or account types> is limited to <ac-10_odp[02] number="">.</ac-10_odp[02]></ac-10_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-10-Examine	[SELECT FROM: Access control policy; procedures addressing concurrent session control; system design documentation; system configuration settings and associated documentation; security plan; system security plan; other relevant documents or records].	
	AC-10-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-10-Test	[SELECT FROM: Automated mechanisms implementing access control policy for concurrent session control].	

AC-11	DEVICE LOCK	DEVICE LOCK	
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-11_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {initiating a device lock after <ac-11_odp[02] period="" time="">of inactivity; requiring the user to initiate a device lock before leaving the system unattended};</ac-11_odp[02]>	
	AC-11_ODP[02]	time period of inactivity after which a device lock is initiated is defined (if selected);	
	AC-11a.	further access to the system is prevented by <ac-11_odp[01] b="" selected<=""> PARAMETER VALUE(S)>;</ac-11_odp[01]>	
	AC-11b.	device lock is retained until the user re-establishes access using established identification and authentication procedures.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-11-Examine	[SELECT FROM: Access control policy; procedures addressing session lock; procedures addressing identification and authentication; system design documentation; system configuration settings and associated documentation; security plan; system security plan; other relevant documents or records].	
	AC-11-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	

AC-11	DEVICE LOCK	
	AC-11-Test	[SELECT FROM: Automated mechanisms implementing access control policy for session lock].

AC-11(01)	DEVICE LOCK PATTERN-HIDING DISPLAYS	
	ASSESSMENT OBJEC Determine if:	ΤΙVΕ:
	AC-11(01)	information previously visible on the display is concealed, via device lock, with a publicly viewable image.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-11(01)-Examine	[SELECT FROM: Access control policy; procedures addressing session lock; display screen with session lock activated; system design documentation; system configuration settings and associated documentation; system security plan; other relevant documents or records].
	AC-11(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-11(01)-Test	[SELECT FROM: System session lock mechanisms].

SESSION TERMINATI	SESSION TERMINATION	
ASSESSMENT OBJEC Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
AC-12_ODP	conditions or trigger events requiring session disconnect are defined;	
AC-12	a user session is automatically terminated after < AC-12_ODP conditions or <i>trigger events</i> >.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
AC-12-Examine	[SELECT FROM: Access control policy; procedures addressing session termination; system design documentation; system configuration settings and associated documentation; list of conditions or trigger events requiring session disconnect; system audit records; system security plan; other relevant documents or records].	
AC-12-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
AC-12-Test	[SELECT FROM: Automated mechanisms implementing user session termination].	
	AC-12 POTENTIAL ASSESSM AC-12-Examine AC-12-Interview	

AC-12(01)	SESSION TERMINATION USER-INITIATED LOGOUTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-12(01)_ODP	information resources for which a logout capability for user-initiated communications sessions is required are defined;	
	AC-12(01)	a logout capability is provided for user-initiated communications sessions whenever authentication is used to gain access to <ac-12(01)_odp< b=""> <i>information resources></i>.</ac-12(01)_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-12(01)-Examine	[SELECT FROM: Access control policy; procedures addressing session termination; user logout messages; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-12(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-12(01)-Test	[SELECT FROM: System session termination mechanisms; logout capabilities for user-initiated communications sessions].	
	7		

AC-12(02)	SESSION TERMINATION TERMINATION MESSAGE		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-12(02)	an explicit logout message is displayed to users indicating the termination of authenticated communication sessions.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-12(02)-Examine	[SELECT FROM: Access control policy; procedures addressing session termination; user logout messages; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-12(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-12(02)-Test	[SELECT FROM: System session termination mechanisms; display of logout messages].	

AC-12(03) SESSION TERMINATION | TIMEOUT WARNING MESSAGE

ASSESSMENT OBJECT Determine if:	TVE:
AC-12(03)_ODP	time until the end of session for display to users is defined;

AC-12(03)	SESSION TERMINATION TIMEOUT WARNING MESSAGE		
	AC-12(03)	an explicit message to users is displayed indicating that the session will end in <ac-12(03)_odp time=""></ac-12(03)_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-12(03)-Examine	[SELECT FROM: Access control policy; procedures addressing session termination; time until end of session messages; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-12(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-12(03)-Test	[SELECT FROM: System session termination mechanisms; display of end of session time].	

AC-13	SUPERVISION AND REVIEW — ACCESS CONTROL	
[WITHDRAWN: Incorporated into AC-02, AU-06.]		

AC-14 PERMITTED ACTIONS WITHOUT IDENTIFICATION OR AUTHENTICATION		S WITHOUT IDENTIFICATION OR AUTHENTICATION
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-14_ODP	user actions that can be performed on the system without identification or authentication are defined;
	AC-14a.	<ac-14_odp actions="" user=""> that can be performed on the system without identification or authentication consistent with organizational mission and business functions are identified;</ac-14_odp>
	AC-14b.[01]	user actions not requiring identification or authentication are documented in the security plan for the system;
	AC-14b.[02]	a rationale for user actions not requiring identification or authentication is provided in the security plan for the system.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-14-Examine	[SELECT FROM: Access control policy; procedures addressing permitted actions without identification or authentication; system configuration settings and associated documentation; security plan; list of user actions that can be performed without identification or authentication; system audit records; system security plan; other relevant documents or records].
	AC-14-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].

AC-14(01)) PERMITTED ACTIONS WITHOUT IDENTIFICATION OR AUTHENTICATION NECESSARY USES	
	[WITHDRAWN: Incorporated into AC-14.]	

AC-15	AUTOMATED MARKING	
	[WITHDRAWN: Incorporated into MP-03.]	

AC-16	SECURITY AND PRI	VACY ATTRIBUTES
	ASSESSMENT OBJE Determine if:	CTIVE:
	AC-16_ODP[01]	types of security attributes to be associated with information security attribute values for information in storage, in process, and/or in transmission are defined;
	AC-16_ODP[02]	types of privacy attributes to be associated with privacy attribute values for information in storage, in process, and/or in transmission are defined;
	AC-16_ODP[03]	security attribute values for types of security attributes are defined;
	AC-16_ODP[04]	privacy attribute values for types of privacy attributes are defined;
	AC-16_ODP[05]	systems for which permitted security attributes are to be established are defined;
	AC-16_ODP[06]	systems for which permitted privacy attributes are to be established are defined;
	AC-16_ODP[07]	security attributes defined as part of AC-16a that are permitted for systems are defined;
	AC-16_ODP[08]	privacy attributes defined as part of AC-16a that are permitted for systems are defined;
	AC-16_ODP[09]	attribute values or ranges for established attributes are defined;
	AC-16_ODP[10]	the frequency at which to review security attributes for applicability is defined;
	AC-16_ODP[11]	the frequency at which to review privacy attributes for applicability is defined;
	AC-16a.[01]	the means to associate <ac-16_odp[01] attributes="" of="" security="" types=""></ac-16_odp[01]> with <ac-16_odp[03] attribute="" security="" values=""></ac-16_odp[03]> for information in storage, in process, and/or in transmission are provided;
	AC-16a.[02]	the means to associate <ac-16_odp[02]< b=""> types of privacy attributes></ac-16_odp[02]<> with <ac-16_odp[04]< b=""> privacy attribute values></ac-16_odp[04]<> for information in storage, in process, and/or in transmission are provided;
	AC-16b.[01]	attribute associations are made;

AC-16	SECURITY AND PRIV	ACY ATTRIBUTES	
	AC-16b.[02]	attribute associations are retained with the information;	
	AC-16c.[01]	the following permitted security attributes are established from the attributes defined in AC-16a. for <ac-16_odp[05] systems=""></ac-16_odp[05]> : <ac-16_odp[07] attributes="" security=""></ac-16_odp[07]> ;	
	AC-16c.[02]	the following permitted privacy attributes are established from the attributes defined in AC-16a. for <ac-16_odp[06] systems=""></ac-16_odp[06]> : <ac-16_odp[08] attributes="" privacy=""></ac-16_odp[08]> ;	
	AC-16d.	the following permitted attribute values or ranges for each of the established attributes are determined: <ac-16_odp[09] attribute="" b="" or<="" values=""> ranges>;</ac-16_odp[09]>	
	AC-16e.	changes to attributes are audited;	
	AC-16f.[01]	<pre><ac-16_odp[07] attributes="" security=""> are reviewed for applicability <ac-16_odp[10] frequency="">;</ac-16_odp[10]></ac-16_odp[07]></pre>	
	AC-16f.[02]	<pre><ac-16_odp[08] attributes="" privacy=""> are reviewed for applicability</ac-16_odp[08]></pre> <pre><ac-16_odp[11] frequency="">.</ac-16_odp[11]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-16-Examine	[SELECT FROM: Access control policy; procedures addressing the association of security and privacy attributes to information in storage, in process, and in transmission; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	
	AC-16-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developers].	
	AC-16-Test	[SELECT FROM: Organizational capability supporting and maintaining the association of security and privacy attributes to information in storage, in process, and in transmission].	

AC-16(01)	SECURITY AND PRIVACY ATTRIBUTES DYNAMIC ATTRIBUTE ASSOCIATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-16(01)_ODP[01]	subjects with which security attributes are to be dynamically associated as information is created and combined are defined;	
	AC-16(01)_ODP[02]	objects with which security attributes are to be dynamically associated as information is created and combined are defined;	
	AC-16(01)_ODP[03]	subjects with which privacy attributes are to be dynamically associated as information is created and combined are defined;	
	AC-16(01)_ODP[04]	objects with which privacy attributes are to be dynamically associated as information is created and combined are defined;	

AC-16(01)	SECURITY AND PRIVACY ATTRIBUTES DYNAMIC ATTRIBUTE ASSOCIATION		
	AC-16(01)_ODP[05]	security policies requiring dynamic association of security attributes with subjects and objects are defined;	
	AC-16(01)_ODP[06]	privacy policies requiring dynamic association of privacy attributes with subjects and objects are defined;	
	AC-16(01)[01]	security attributes are dynamically associated with <ac-16(01)_odp[01]< b=""> subjects> in accordance with the following security policies as information is created and combined: <ac-16(01)_odp[05]< b=""> security policies>;</ac-16(01)_odp[05]<></ac-16(01)_odp[01]<>	
	AC-16(01)[02]	security attributes are dynamically associated with <ac-16(01)_odp[02]< b=""> objects> in accordance with the following security policies as information is created and combined: <ac-16(01)_odp[05]< b=""> security policies>;</ac-16(01)_odp[05]<></ac-16(01)_odp[02]<>	
	AC-16(01)[03]	privacy attributes are dynamically associated with <ac-16(01)_odp[03]< b=""> subjects> in accordance with the following privacy policies as information is created and combined: <ac-16(01)_odp[06]< b=""> privacy policies>;</ac-16(01)_odp[06]<></ac-16(01)_odp[03]<>	
	AC-16(01)[04]	privacy attributes are dynamically associated with <ac-16(01)_odp[04]< b=""> objects> in accordance with the following privacy policies as information is created and combined: <ac-16(01)_odp[06]< b=""> privacy policies>.</ac-16(01)_odp[06]<></ac-16(01)_odp[04]<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-16(01)-Examine	[SELECT FROM: Access control policy; procedures addressing dynamic association of security and privacy attributes to information; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	
	AC-16(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developers].	
	AC-16(01)-Test	[SELECT FROM: Automated mechanisms implementing dynamic association of security and privacy attributes to information].	

	AC-16(02)	SECURITY AND PRIVACY ATTRIBUTES ATTRIBUTE VALUE CHANGES BY AUTHORIZED INDIVIDUALS	
		ASSESSMENT OBJECTIVE: Determine if:	
		AC-16(02)[01]	authorized individuals (or processes acting on behalf of individuals) are provided with the capability to define or change the value of associated security attributes;
		AC-16(02)[02]	authorized individuals (or processes acting on behalf of individuals) are provided with the capability to define or change the value of associated privacy attributes.

AC-16(02)	SECURITY AND PRIVACY ATTRIBUTES ATTRIBUTE VALUE CHANGES BY AUTHORIZED INDIVIDUALS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-16(02)-Examine	[SELECT FROM: Access control policy; procedures addressing the change of security and privacy attribute values; system design documentation; system configuration settings and associated documentation; list of individuals authorized to change security and privacy attributes; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-16(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for changing values of security and privacy attributes; organizational personnel with information security and privacy responsibilities; system developers].
	AC-16(02)-Test	[SELECT FROM: Automated mechanisms permitting changes to values of security and privacy attributes].

AC-16(03)	16(03) SECURITY AND PRIVACY ATTRIBUTES MAINTENANCE OF ATTRIBUTE ASSOCIATIONS BY SYSTEM	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AC-16(03)_ODP[01]	security attributes that require association and integrity maintenance are defined;
	AC-16(03)_ODP[02]	privacy attributes that require association and integrity maintenance are defined;
	AC-16(03)_ODP[03]	subjects requiring the association and integrity of security attributes to such subjects to be maintained are defined;
	AC-16(03)_ODP[04]	objects requiring the association and integrity of security attributes to such objects to be maintained are defined;
	AC-16(03)_ODP[05]	subjects requiring the association and integrity of privacy attributes to such subjects to be maintained are defined;
	AC-16(03)_ODP[06]	objects requiring the association and integrity of privacy attributes to such objects to be maintained are defined;
	AC-16(03)[01]	the association and integrity of <ac-16(03)_odp[01] attributes="" security=""></ac-16(03)_odp[01]> to <ac-16(03)_odp[03] subjects=""></ac-16(03)_odp[03]> is maintained;
	AC-16(03)[02]	the association and integrity of <ac-16(03)_odp[01]< b=""> security attributes> to <ac-16(03)_odp[04]< b=""> objects> is maintained.</ac-16(03)_odp[04]<></ac-16(03)_odp[01]<>
	AC-16(03)[03]	the association and integrity of <ac-16(03)_odp[02] attributes="" privacy=""></ac-16(03)_odp[02]> to <ac-16(03)_odp[05] subjects=""></ac-16(03)_odp[05]> is maintained;
	AC-16(03)[04]	the association and integrity of < AC-16(03)_ODP[02] privacy attributes> to < AC-16(03)_ODP[06] objects> is maintained.

AC-16(03)	SECURITY AND PRIVACY ATTRIBUTES MAINTENANCE OF ATTRIBUTE ASSOCIATIONS BY SYSTEM	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-16(03)-Examine	[SELECT FROM: Access control policy; procedures addressing the association of security and privacy attributes to information; procedures addressing labeling or marking; system design documentation; system configuration settings and associated documentation; system security plan; privacy plan; other relevant documents or records].
	AC-16(03)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system developers].
	AC-16(03)-Test	[SELECT FROM: Automated mechanisms maintaining association and integrity of security and privacy attributes to information].

AC-16(04)	SECURITY AND PRIVACY ATTRIBUTES ASSOCIATION OF ATTRIBUTES BY AUTHORIZED INDIVIDUALS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AC-16(04)_ODP[01]	security attributes to be associated with subjects by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)_ODP[02]	security attributes to be associated with objects by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)_ODP[03]	privacy attributes to be associated with subjects by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)_ODP[04]	privacy attributes to be associated with objects by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)_ODP[05]	subjects requiring the association of security attributes by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)_ODP[06]	objects requiring the association of security attributes by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)_ODP[07]	subjects requiring the association of privacy attributes by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)_ODP[08]	objects requiring the association of privacy attributes by authorized individuals (or processes acting on behalf of individuals) are defined;
	AC-16(04)[01]	authorized individuals (or processes acting on behalf of individuals) are provided with the capability to associate <ac-16(04)_odp[01]< b=""> security attributes> with <ac-16(04)_odp[05]< b=""> subjects>;</ac-16(04)_odp[05]<></ac-16(04)_odp[01]<>
	AC-16(04)[02]	authorized individuals (or processes acting on behalf of individuals) are provided with the capability to associate < AC-16(04)_ODP[02] security attributes> with < AC-16(04)_ODP[06] objects>;

(04) SECURITY AND I INDIVIDUALS	SECURITY AND PRIVACY ATTRIBUTES ASSOCIATION OF ATTRIBUTES BY AUTHORIZED INDIVIDUALS	
AC-16(04)[03]	authorized individuals (or processes acting on behalf of individuals) are provided with the capability to associate AC-16(04)_ODP[03] privacy attributes > with AC-16(04)_ODP[07] subjects >;	
AC-16(04)[04]	authorized individuals (or processes acting on behalf of individuals) are provided with the capability to associate <ac-16(04)_odp[04]< b=""> privacy attributes> with <ac-16(04)_odp[08]< b=""> objects>.</ac-16(04)_odp[08]<></ac-16(04)_odp[04]<>	
POTENTIAL ASS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AC-16(04)-Examir	[SELECT FROM: Access control policy; procedures addressing the association of security and privacy attributes to information; system design documentation; system configuration settings and associated documentation; list of users authorized to associate security and privacy attributes to information; system prompts for privileged users to select security and privacy attributes to be associated with information objects; system audit records; system security plan; privacy plan; other relevant documents or records].	
AC-16(04)-Intervi	ew [SELECT FROM: Organizational personnel with responsibilities for associating security and privacy attributes to information; organizational personnel with information security and privacy responsibilities; system developers].	
AC-16(04)-Test	[SELECT FROM: Automated mechanisms supporting user associations of security and privacy attributes to information].	

AC-16(05)	SECURITY AND PRIVACY ATTRIBUTES ATTRIBUTE DISPLAYS ON OBJECTS TO BE OUTPUT	
	ASSESSMENT OBJEC Determine if:	CTIVE:
	AC-16(05)_ODP[01]	special dissemination, handling, or distribution instructions to be used for each object that the system transmits to output devices are defined;
	AC-16(05)_ODP[02]	human-readable, standard naming conventions for the security and privacy attributes to be displayed in human-readable form on each object that the system transmits to output devices are defined;
	AC-16(05)[01]	security attributes are displayed in human-readable form on each object that the system transmits to output devices to identify <ac-16(05)_odp[01]< b=""> special dissemination, handling, or distribution instructions> using <ac-16(05)_odp[02]< b=""> human-readable, standard naming conventions>;</ac-16(05)_odp[02]<></ac-16(05)_odp[01]<>
	AC-16(05)[02]	privacy attributes are displayed in human-readable form on each object that the system transmits to output devices to identify <ac-16(05)_odp[01]< b=""> <i>special dissemination, handling, or distribution instructions</i>> using <ac-16(05)_odp[02] b="" conventions<="" human-readable,="" naming="" standard="">>.</ac-16(05)_odp[02]></ac-16(05)_odp[01]<>

AC-16(05)	SECURITY AND PRIVACY ATTRIBUTES ATTRIBUTE DISPLAYS ON OBJECTS TO BE OUTPUT	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-16(05)-Examine	[SELECT FROM: Access control policy; procedures addressing display of security and privacy attributes in human-readable form; special dissemination, handling, or distribution instructions; types of human- readable, standard naming conventions; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-16(05)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system developers].
	AC-16(05)-Test	[SELECT FROM: System output devices displaying security and privacy attributes in human-readable form on each object].

AC-16(06)	SECURITY AND PRIVACY ATTRIBUTES MAINTENANCE OF ATTRIBUTE ASSOCIATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-16(06)_ODP[01]	security attributes to be associated with subjects are defined;
	AC-16(06)_ODP[02]	security attributes to be associated with objects are defined;
	AC-16(06)_ODP[03]	privacy attributes to be associated with subjects are defined;
	AC-16(06)_ODP[04]	privacy attributes to be associated with objects are defined;
	AC-16(06)_ODP[05]	subjects to be associated with information security attributes are defined;
	AC-16(06)_ODP[06]	objects to be associated with information security attributes are defined;
	AC-16(06)_ODP[07]	subjects to be associated with privacy attributes are defined;
	AC-16(06)_ODP[08]	objects to be associated with privacy attributes are defined;
	AC-16(06)_ODP[09]	security policies that require personnel to associate and maintain the association of security and privacy attributes with subjects and objects;
	AC-16(06)_ODP[10]	privacy policies that require personnel to associate and maintain the association of security and privacy attributes with subjects and objects;
	AC-16(06)[01]	personnel are required to associate and maintain the association of <ac-16(06)_odp[01] attributes="" security=""> with <ac-16(06)_odp[05] subjects> in accordance with <ac-16(06)_odp[09] policies="" security="">;</ac-16(06)_odp[09]></ac-16(06)_odp[05] </ac-16(06)_odp[01]>
	AC-16(06)[02]	personnel are required to associate and maintain the association of <ac-16(06)_odp[02] attributes="" security=""> with <ac-16(06)_odp[06] objects> in accordance with <ac-16(06)_odp[09] policies="" security="">;</ac-16(06)_odp[09]></ac-16(06)_odp[06] </ac-16(06)_odp[02]>
	AC-16(06)[03]	personnel are required to associate and maintain the association of <ac-16(06)_odp[03] attributes="" privacy=""> with <ac-16(06)_odp[07] subjects> in accordance with <ac-16(06)_odp[10] policies="" privacy="">;</ac-16(06)_odp[10]></ac-16(06)_odp[07] </ac-16(06)_odp[03]>

AC-16(06)	SECURITY AND PRIVACY ATTRIBUTES MAINTENANCE OF ATTRIBUTE ASSOCIATION		
	AC-16(06)[04]	personnel are required to associate and maintain the association of < AC-16(06)_ODP[04] privacy attributes> with <ac-16(06)_odp[08] objects=""></ac-16(06)_odp[08]> in accordance with <ac-16(06)_odp[10] policies="" privacy=""></ac-16(06)_odp[10]> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-16(06)-Examine	[SELECT FROM: Access control policy; procedures addressing association of security and privacy attributes with subjects and objects; system security plan; privacy plan; other relevant documents or records].	
	AC-16(06)-Interview	[SELECT FROM: Organizational personnel with responsibilities for associating and maintaining association of security and privacy attributes with subjects and objects; organizational personnel with information security and privacy responsibilities; system developers].	
	AC-16(06)-Test	[SELECT FROM: Automated mechanisms supporting associations of security and privacy attributes to subjects and objects].	

C-16(07)	SECURITY AND PRIVACY ATTRIBUTES CONSISTENT ATTRIBUTE INTERPRETATION ASSESSMENT OBJECTIVE: Determine if:	
	AC-16(07)[01]	a consistent interpretation of security attributes transmitted between distributed system components is provided;
	AC-16(07)[02]	a consistent interpretation of privacy attributes transmitted between distributed system components is provided.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-16(07)-Examine	[SELECT FROM: Access control policies and procedures; procedures addressing consistent interpretation of security and privacy attributes transmitted between distributed system components; procedures addressing access enforcement; procedures addressing information flow enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy access control policy; other relevant documents or records].
	AC-16(07)-Interview	[SELECT FROM: Organizational personnel with responsibilities for providing consistent interpretation of security and privacy attributes used in access enforcement and information flow enforcement actions; organizational personnel with information security and privacy responsibilities; system developers].
	AC-16(07)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement and information flow enforcement functions].

AC-16(08)	SECURITY AND PRIV	ACY ATTRIBUTES ASSOCIATION TECHNIQUES AND TECHNOLOGIES
	ASSESSMENT OBJEC Determine if:	TIVE:
	AC-16(08)_ODP[01]	techniques and technologies to be implemented in associating security attributes to information are defined;
	AC-16(08)_ODP[02]	techniques and technologies to be implemented in associating privacy attributes to information are defined;
	AC-16(08)[01]	<ac-16(08)_odp[01] and="" techniques="" technologies=""> are implemented in associating security attributes to information;</ac-16(08)_odp[01]>
	AC-16(08)[02]	AC-16(08)_ODP[02] techniques and technologies> are implemented in associating privacy attributes to information.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-16(08)-Examine	[SELECT FROM: Access control policy; procedures addressing association of security and privacy attributes to information; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-16(08)-Interview	[SELECT FROM: Organizational personnel with responsibilities for associating security and privacy attributes to information; organizational personnel with information security and privacy responsibilities; system developers].
	AC-16(08)-Test	[SELECT FROM: Automated mechanisms implementing techniques or technologies associating security and privacy attributes to information].

AC-16(09)	SECURITY AND PRIVACY ATTRIBUTES ATTRIBUTE REASSIGNMENT — REGRADING MECHANISMS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-16(09)_ODP[01]	techniques or procedures used to validate regrading mechanisms for security attributes are defined;
	AC-16(09)_ODP[02]	techniques or procedures used to validate regrading mechanisms for privacy attributes are defined;
	AC-16(09)[01]	security attributes associated with information are changed only via regarding mechanisms validated using <ac-16(09)_odp[01]< b=""> techniques and procedures>;</ac-16(09)_odp[01]<>
	AC-16(09)[02]	privacy attributes associated with information are changed only via regarding mechanisms validated using <ac-16(09)_odp[02] and<="" b="" techniques=""> procedures>.</ac-16(09)_odp[02]>

	AC-16(09)	SECURITY AND PRIVACY ATTRIBUTES ATTRIBUTE REASSIGNMENT — REGRADING MECHANISMS	
		POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-16(09)-Examine	[SELECT FROM: Access control policy; procedures addressing reassignment of security attributes to information; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	
	AC-16(09)-Interview	[SELECT FROM: Organizational personnel with responsibilities for reassigning association of security and privacy attributes to information; organizational personnel with information security and privacy responsibilities; system developers].	
		AC-16(09)-Test	[SELECT FROM: Automated mechanisms implementing techniques or procedures for reassigning association of security and privacy attributes to information].

AC-16(10)	SECURITY AND PRIVACY ATTRIBUTES ATTRIBUTE CONFIGURATION BY AUTHORIZED INDIVIDUALS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-16(10)[01]	authorized individuals are provided with the capability to define or change the type and value of security attributes available for association with subjects and objects;
	AC-16(10)[02]	authorized individuals are provided with the capability to define or change the type and value of privacy attributes available for association with subjects and objects.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-16(10)-Examine	[SELECT FROM: Access control policy; procedures addressing configuration of security and privacy attributes by authorized individuals; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].
	AC-16(10)-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining or changing security and privacy attributes associated with information; organizational personnel with information security and privacy responsibilities; system developers].
	AC-16(10)-Test	[SELECT FROM: Automated mechanisms implementing capability for defining or changing security and privacy attributes].

AC-17	REMOTE ACCESS		
	ASSESSMENT OBJEC	TIVE:	
	AC-17a.[01]	usage restrictions are established and documented for each type of remote access allowed;	
	AC-17a.[02]	configuration/connection requirements are established and documented for each type of remote access allowed;	
	AC-17a.[03]	implementation guidance is established and documented for each type of remote access allowed;	
	AC-17b.	each type of remote access to the system is authorized prior to allowing such connections.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-17-Examine	[SELECT FROM: Access control policy; procedures addressing remote access implementation and usage (including restrictions); configuration management plan; system configuration settings and associated documentation; remote access authorizations; system audit records; system security plan; other relevant documents or records].	
	AC-17-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing remote access connections; system/network administrators; organizational personnel with information security responsibilities].	
	AC-17-Test	[SELECT FROM: Remote access management capability for the system].	

AC-17(01)	REMOTE ACCESS MONITORING AND CONTROL	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-17(01)[01]	automated mechanisms are employed to monitor remote access methods;
	AC-17(01)[02]	automated mechanisms are employed to control remote access methods.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-17(01)-Examine	[SELECT FROM: Access control policy; procedures addressing remote access to the system; system design documentation; system configuration settings and associated documentation; system audit records; system monitoring records; system security plan; other relevant documents or records].
	AC-17(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-17(01)-Test	[SELECT FROM: Automated mechanisms monitoring and controlling remote access methods].
	1	

REMOTE ACCESS PROTECTION OF CONFIDENTIALITY AND INTEGRITY USING ENCRYPTION		
ASSESSMENT OBJECTIVE: Determine if:		
AC-17(02)	cryptographic mechanisms are implemented to protect the confidentiality and integrity of remote access sessions.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
AC-17(02)-Examine	[SELECT FROM: Access control policy; procedures addressing remote access to the system; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms and associated configuration documentation; system audit records; system security plan; other relevant documents or records].	
AC-17(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
AC-17(02)-Test	[SELECT FROM: Cryptographic mechanisms protecting confidentiality and integrity of remote access sessions].	
	ENCRYPTION ASSESSMENT OBJECT Determine if: AC-17(02) POTENTIAL ASSESSM AC-17(02)-Examine AC-17(02)-Interview	

AC-17(03)	REMOTE ACCESS MANAGED ACCESS CONTROL POINTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-17(03)	remote accesses are routed through authorized and managed network access control points.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-17(03)-Examine	[SELECT FROM: Access control policy; procedures addressing remote access to the system; system design documentation; list of all managed network access control points; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-17(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
	AC-17(03)-Test	[SELECT FROM: Automated mechanisms routing all remote accesses through managed network access control points].	

AC-17(04)	REMOTE ACCESS PRIVILEGED COMMANDS AND ACCESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-17(04)_ODP[01]	needs requiring execution of privileged commands via remote access are defined;

note access		
norized only		
horized only		
norized r ing remote		
horized ring remote		
lan for the		
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
mote access cumentation; relevant		
personnel		
access		

AC-17(05) REMOTE ACCESS | MONITORING FOR UNAUTHORIZED CONNECTIONS

[WITHDRAWN: Incorporated into SI-04.]

AC-17(06)	REMOTE ACCESS PROTECTION OF MECHANISM INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-17(06)	information about remote access mechanisms is protected from unauthorized use and disclosure.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-17(06)-Examine	[SELECT FROM: Access control policy; procedures addressing remote access to the system; system security plan; other relevant documents or records].

		REMOTE ACCESS PROTECTION OF MECHANISM INFORMATION	
AC-:	. ,	[SELECT FROM: Organizational personnel with responsibilities for implementing or monitoring remote access to the system; system users with knowledge of information about remote access mechanisms; organizational personnel with information security responsibilities].	

AC-17(07)	07) REMOTE ACCESS ADDITIONAL PROTECTION FOR SECURITY FUNCTION ACCESS	
	[WITHDRAWN: Incorporated into AC-03(10).]	

AC-17(08) REMOTE ACCESS DISABLE NONSECURE NETWORK PROTOCOLS		REMOTE ACCESS DISABLE NONSECURE NETWORK PROTOCOLS
		[WITHDRAWN: Incorporated into CM-07.]

AC-17(09)	REMOTE ACCESS D	REMOTE ACCESS DISCONNECT OR DISABLE ACCESS	
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-17(09)_ODP	the time period within which to disconnect or disable remote access to the system is defined;	
	AC-17(09)	the capability to disconnect or disable remote access to the system within <ac-17(09)_odp period="" time=""></ac-17(09)_odp> is provided.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-17(09)-Examine	[SELECT FROM: Access control policy; procedures addressing disconnecting or disabling remote access to the system; system design documentation; system configuration settings and associated documentation; security plan, system audit records; system security plan; other relevant documents or records].	
	AC-17(09)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-17(09)-Test	[SELECT FROM: Automated mechanisms implementing capability to disconnect or disable remote access to system].	
		-	

AC-17(10) REMOTE ACCESS | AUTHENTICATE REMOTE COMMANDS

ASSESSMENT OBJECTIVE: Determine if:	
AC-17(10)_ODP[01]	mechanisms implemented to authenticate remote commands are defined;
AC-17(10)_ODP[02]	remote commands to be authenticated by mechanisms are defined;

AC-17(10)	REMOTE ACCESS A	UTHENTICATE REMOTE COMMANDS
	AC-17(10)	<pre><ac-17(10)_odp[01] mechanisms=""> are implemented to authenticate <ac-17(10)_odp[02] commands="" remote="">.</ac-17(10)_odp[02]></ac-17(10)_odp[01]></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-17(10)-Examine	[SELECT FROM: Access control policy; procedures addressing authentication of remote commands; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-17(10)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-17(10)-Test	[SELECT FROM: Automated mechanisms implementing authentication of remote commands].

WIRELESS ACCESS	
ASSESSMENT OBJEC Determine if:	TIVE:
AC-18a.[01]	configuration requirements are established for each type of wireless access;
AC-18a.[02]	connection requirements are established for each type of wireless access;
AC-18a.[03]	implementation guidance is established for each type of wireless access;
AC-18b.	each type of wireless access to the system is authorized prior to allowing such connections.
POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
AC-18-Examine	[SELECT FROM: Access control policy; procedures addressing wireless access implementation and usage (including restrictions); configuration management plan; system design documentation; system configuration settings and associated documentation; wireless access authorizations; system audit records; system security plan; other relevant documents or records].
AC-18-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing wireless access connections; organizational personnel with information security responsibilities].
AC-18-Test	[SELECT FROM: Wireless access management capability for the system].

AC-18(01)	WIRELESS ACCESS	AUTHENTICATION AND ENCRYPTION
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-18(01)_ODP	one or more of the following PARAMETER VALUES is/are selected: {users; devices};

AC-18(01)	WIRELESS ACCESS	AUTHENTICATION AND ENCRYPTION
	AC-18(01)[01]	wireless access to the system is protected using authentication of <ac-18(01)_odp parameter="" selected="" value(s)="">;</ac-18(01)_odp>
	AC-18(01)[02]	wireless access to the system is protected using encryption.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-18(01)-Examine	[SELECT FROM: Access control policy; procedures addressing wireless implementation and usage (including restrictions); system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-18(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-18(01)-Test	[SELECT FROM: Automated mechanisms implementing wireless access protections to the system].

AC-18(02)	WIRELESS ACCESS MONITORING UNAUTHORIZED CONNECTIONS	
	[WITHDRAWN: Incorporated into SI-04.]	

AC-18(03)	WIRELESS ACCESS	DISABLE WIRELESS NETWORKING
	ASSESSMENT OBJEC Determine if:	ΓΙVE:
	AC-18(03)	when not intended for use, wireless networking capabilities embedded within system components are disabled prior to issuance and deployment.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-18(03)-Examine	[SELECT FROM: Access control policy; procedures addressing wireless implementation and usage (including restrictions); system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-18(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	AC-18(03)-Test	[SELECT FROM: Automated mechanisms managing the disabling of wireless networking capabilities internally embedded within system components].

AC-18(04)	WIRELESS ACCESS I	RESTRICT CONFIGURATIONS BY USERS
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	AC-18(04)[01]	users allowed to independently configure wireless networking capabilities are identified;
	AC-18(04)[02]	users allowed to independently configure wireless networking capabilities are explicitly authorized.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-18(04)-Examine	[SELECT FROM: Access control policy; procedures addressing wireless implementation and usage (including restrictions); system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-18(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	AC-18(04)-Test	[SELECT FROM: Automated mechanisms authorizing independent user configuration of wireless networking capabilities].
	1	

AC-18(05)	WIRELESS ACCESS	ANTENNAS AND TRANSMISSION POWER LEVELS
	ASSESSMENT OBJEC Determine if:	TIVE:
	AC-18(05)[01]	radio antennas are selected to reduce the probability that signals from wireless access points can be received outside of organization-controlled boundaries;
	AC-18(05)[02]	transmission power levels are calibrated to reduce the probability that signals from wireless access points can be received outside of organization-controlled boundaries.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-18(05)-Examine	[SELECT FROM: Access control policy; procedures addressing wireless implementation and usage (including restrictions); system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-18(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	AC-18(05)-Test	[SELECT FROM: Calibration of transmission power levels for wireless access; radio antenna signals for wireless access; wireless access reception outside of organization-controlled boundaries].

AC-19	ACCESS CONTROL FO	OR MOBILE DEVICES
	ASSESSMENT OBJEC	TIVE:
	AC-19a.[01]	configuration requirements are established for organization-controlled mobile devices, including when such devices are outside of the controlled area;
	AC-19a.[02]	connection requirements are established for organization-controlled mobile devices, including when such devices are outside of the controlled area;
	AC-19a.[03]	implementation guidance is established for organization-controlled mobile devices, including when such devices are outside of the controlled area;
	AC-19b.	the connection of mobile devices to organizational systems is authorized.
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	AC-19-Examine	[SELECT FROM: Access control policy; procedures addressing access control for mobile device usage (including restrictions); configuration management plan; system design documentation; system configuration settings and associated documentation; authorizations for mobile device connections to organizational systems; system audit records; system security plan; other relevant documents or records].
	AC-19-Interview	[SELECT FROM: Organizational personnel using mobile devices to access organizational systems; system/network administrators; organizational personnel with information security responsibilities].
	AC-19-Test	[SELECT FROM: Access control capability for mobile device connections to organizational systems; configurations of mobile devices].

AC-19(01)	ACCESS CONTROL FOR MOBILE DEVICES USE OF WRITABLE AND PORTABLE STORAGE DEVICES
	[WITHDRAWN: Incorporated into MP-07.]

AC-19(02)	ACCESS CONTROL FOR MOBILE DEVICES USE OF PERSONALLY OWNED PORTABLE STORAGE DEVICES
	[WITHDRAWN: Incorporated into MP-07.]

AC-19(03)	ACCESS CONTROL FOR MOBILE DEVICES USE OF PORTABLE STORAGE DEVICES WITH NO IDENTIFIABLE OWNER
	[WITHDRAWN: Incorporated into MP-07.]

AC-19(04)	ACCESS CONTROL FOR MOBILE DEVICES RESTRICTIONS FOR CLASSIFIED INFORMATION	
	ASSESSMENT OBJECT Determine if:	ΓIVE:
	AC-19(04)_ODP[01]	security officials responsible for the review and inspection of unclassified mobile devices and the information stored on those devices are defined;
	AC-19(04)_ODP[02]	security policies restricting the connection of classified mobile devices to classified systems are defined;
	AC-19(04)(a)	the use of unclassified mobile devices in facilities containing systems processing, storing, or transmitting classified information is prohibited unless specifically permitted by the authorizing official;
	AC-19(04)(b)(01)	prohibition of the connection of unclassified mobile devices to classified systems is enforced on individuals permitted by an authorizing official to use unclassified mobile devices in facilities containing systems processing, storing, or transmitting classified information;
	AC-19(04)(b)(02)	approval by the authorizing official for the connection of unclassified mobile devices to unclassified systems is enforced on individuals permitted to use unclassified mobile devices in facilities containing systems processing, storing, or transmitting classified information;
	AC-19(04)(b)(03)	prohibition of the use of internal or external modems or wireless interfaces within unclassified mobile devices is enforced on individuals permitted by an authorizing official to use unclassified mobile devices in facilities containing systems processing, storing, or transmitting classified information;
	AC-19(04)(b)(04)[01]	random review and inspection of unclassified mobile devices and the information stored on those devices by <ac-19(04)_odp[01] b="" security<=""> officials> are enforced;</ac-19(04)_odp[01]>
	AC-19(04)(b)(04)[02]	following of the incident handling policy is enforced if classified information is found during a random review and inspection of unclassified mobile devices;
	AC-19(04)(c)	the connection of classified mobile devices to classified systems is restricted in accordance with <ac-19(04)_odp[02]< b=""> security policies>.</ac-19(04)_odp[02]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AC-19(04)-Examine	[SELECT FROM: Access control policy; incident handling policy; procedures addressing access control for mobile devices; system design documentation; system configuration settings and associated documentation; evidentiary documentation for random inspections and reviews of mobile devices; system audit records; system security plan; other relevant documents or records].
	AC-19(04)-Interview	[SELECT FROM: Organizational personnel responsible for random reviews/ inspections of mobile devices; organizational personnel using mobile devices in facilities containing systems processing, storing, or transmitting classified information; organizational personnel with incident response responsibilities; system/network administrators; organizational personnel with information security responsibilities].

AC-19(04)	ACCESS CONTROL FOR MOBILE DEVICES RESTRICTIONS FOR CLASSIFIED INFORMATION	
	AC-19(04)-Test	[SELECT FROM: Automated mechanisms prohibiting the use of internal or external modems or wireless interfaces with mobile devices].

AC-19(05)	ACCESS CONTROL FOR MOBILE DEVICES FULL DEVICE OR CONTAINER-BASED ENCRYPTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-19(05)_ODP[01]	one of the following PARAMETER VALUES is selected: {full-device encryption; container-based encryption};
	AC-19(05)_ODP[02] mobile devices on which to employ encryption are defined;	
	AC-19(05)	<ac-19(05)_odp[01] parameter="" selected="" value=""> is employed to protect the confidentiality and integrity of information on <ac-19(05)_odp[02] mobile devices>.</ac-19(05)_odp[02] </ac-19(05)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-19(05)-Examine	[SELECT FROM: Access control policy; procedures addressing access control for mobile devices; system design documentation; system configuration settings and associated documentation; encryption mechanisms and associated configuration documentation; system audit records; system security plan; other relevant documents or records].
	AC-19(05)-Interview	[SELECT FROM: Organizational personnel with access control responsibilities for mobile devices; system/network administrators; organizational personnel with information security responsibilities].
	AC-19(05)-Test	[SELECT FROM: Encryption mechanisms protecting confidentiality and integrity of information on mobile devices].

AC-20	USE OF EXTERNAL SYSTEMS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-20_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {establish <ac-20_odp[02] and="" conditions="" terms="">; identify<ac-20_odp[03] controls asserted>};</ac-20_odp[03] </ac-20_odp[02]>
	AC-20_ODP[02]	terms and conditions consistent with the trust relationships established with other organizations owning, operating, and/or maintaining external systems are defined (if selected);
	AC-20_ODP[03]	controls asserted to be implemented on external systems consistent with the trust relationships established with other organizations owning, operating, and/or maintaining external systems are defined (if selected);
	AC-20_ODP[04]	types of external systems prohibited from use are defined;

AC-20	USE OF EXTERNAL SYSTEMS	
	AC-20a.1	<ac-20_odp[01] parameter="" selected="" value(s)=""> is/are consistent with the trust relationships established with other organizations owning, operating, and/or maintaining external systems, allowing authorized individuals to access the system from external systems (if applicable);</ac-20_odp[01]>
	AC-20a.2	<ac-20_odp[01] parameter="" selected="" value(s)=""> is/are consistent with the trust relationships established with other organizations owning, operating, and/or maintaining external systems, allowing authorized individuals to process, store, or transmit organization-controlled information using external systems (if applicable);</ac-20_odp[01]>
	AC-20b.	the use of <ac-20_odp[04]< b=""> prohibited types of external systems> is prohibited (if applicable).</ac-20_odp[04]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-20-Examine	[SELECT FROM: Access control policy; procedures addressing the use of external systems; external systems terms and conditions; list of types of applications accessible from external systems; maximum security categorization for information processed, stored, or transmitted on external systems; system configuration settings and associated documentation; system security plan; other relevant documents or records].
	AC-20-Interview	[SELECT FROM: Organizational personnel with responsibilities for defining terms and conditions for use of external systems to access organizational systems; system/network administrators; organizational personnel with information security responsibilities].
	AC-20-Test	[SELECT FROM: Automated mechanisms implementing terms and conditions on use of external systems].

AC-20(01)	USE OF EXTERNAL SYSTEMS LIMITS ON AUTHORIZED USE		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AC-20(01)(a)	authorized individuals are permitted to use an external system to access the system or to process, store, or transmit organization-controlled information only after verification of the implementation of controls on the external system as specified in the organization's security and privacy policies and security and privacy plans (if applicable);	
	AC-20(01)(b)	authorized individuals are permitted to use an external system to access the system or to process, store, or transmit organization-controlled information only after retention of approved system connection or processing agreements with the organizational entity hosting the external system (if applicable).	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-20(01)-Examine	[SELECT FROM: Access control policy; procedures addressing the use of external systems; system connection or processing agreements; account management documents; system security plan; other relevant documents or records].	

AC-20(01)	USE OF EXTERNAL SYSTEMS LIMITS ON AUTHORIZED USE	
	AC-20(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	AC-20(01)-Test	[SELECT FROM: Automated mechanisms implementing limits on use of external systems].
		·

AC-20(02)	USE OF EXTERNAL SYSTEMS PORTABLE STORAGE DEVICES — RESTRICTED USE	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-20(02)_ODP	restrictions on the use of organization-controlled portable storage devices by authorized individuals on external systems are defined;
	AC-20(02)	the use of organization-controlled portable storage devices by authorized individuals is restricted on external systems using <ac-20(02)_odp< b=""> <i>restrictions</i>>.</ac-20(02)_odp<>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AC-20(02)-Examine	[SELECT FROM: Access control policy; procedures addressing the use of external systems; system configuration settings and associated documentation; system connection or processing agreements; account management documents; system security plan; other relevant documents or records].
	AC-20(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for restricting or prohibiting the use of organization-controlled storage devices on external systems; system/network administrators; organizational personnel with information security responsibilities].
	AC-20(02)-Test	[SELECT FROM: Automated mechanisms implementing restrictions on use of portable storage devices].

AC-20(03) USE OF EXTERNA USE	USE OF EXTERNAL SYSTEMS NON-ORGANIZATIONALLY OWNED SYSTEMS — RESTRICTED USE	
ASSESSMENT OBJECTIVE: Determine if:		IECTIVE:	
	AC-20(03)_ODP	restrictions on the use of non-organizationally owned systems or system components to process, store, or transmit organizational information are defined;	
	AC-20(03)	the use of non-organizationally owned systems or system components to process, store, or transmit organizational information is restricted using <ac-20(03)_odp restrictions=""></ac-20(03)_odp> .	

AC-20(03)	USE OF EXTERNAL SYSTEMS NON-ORGANIZATIONALLY OWNED SYSTEMS — RESTRICTED USE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-20(03)-Examine	[SELECT FROM: Access control policy; procedures addressing the use of external systems; system design documentation; system configuration settings and associated documentation; system connection or processing agreements; account management documents; system audit records, other relevant documents or records].
	AC-20(03)-Interview	[SELECT FROM: Organizational personnel with responsibilities for restricting or prohibiting the use of non-organizationally owned systems, system components, or devices; system/network administrators; organizational personnel with information security responsibilities].
	AC-20(03)-Test	[SELECT FROM: Automated mechanisms implementing restrictions on the use of non-organizationally owned systems, components, or devices].

AC-20(04)	USE OF EXTERNAL SYSTEMS NETWORK ACCESSIBLE STORAGE DEVICES — PROHIBITED USE		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-20(04)_ODP	network-accessible storage devices prohibited from use in external systems are defined;	
	AC-20(04)	the use of <ac-20(04)_odp devices="" network-accessible="" storage=""></ac-20(04)_odp> is prohibited in external systems.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-20(04)-Examine	[SELECT FROM: Access control policy; procedures addressing use of network-accessible storage devices in external systems; system design documentation; system configuration settings and associated documentation; system connection or processing agreements; list of network-accessible storage devices prohibited from use in external systems; system audit records; system security plan; other relevant documents or records].	
	AC-20(04)-Interview	[SELECT FROM: Organizational personnel with responsibilities for prohibiting the use of network-accessible storage devices in external systems; system/ network administrators; organizational personnel with information security responsibilities].	
	AC-20(04)-Test	[SELECT FROM: Automated mechanisms prohibiting the use of network- accessible storage devices in external systems].	

AC-20(05)	USE OF EXTERNAL SYSTEMS PORTABLE STORAGE DEVICES — PROHIBITED USE	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-20(05)	the use of organization-controlled portable storage devices by authorized individuals is prohibited on external systems.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-20(05)-Examine	[SELECT FROM: Access control policy; procedures addressing use of portable storage devices in external systems; system design documentation; system configuration settings and associated documentation; system connection or processing agreements; system audit records; system security plan; other relevant documents or records].
	AC-20(05)-Interview	[SELECT FROM: Organizational personnel with responsibilities for prohibiting the use of portable storage devices in external systems; system/network administrators; organizational personnel with information security responsibilities].

AC-21	INFORMATION SHARING		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	AC-21_ODP[01]	information-sharing circumstances where user discretion is required to determine whether access authorizations assigned to a sharing partner match the information's access and use restrictions are defined;	
	AC-21_ODP[02]	automated mechanisms or manual processes that assist users in making information-sharing and collaboration decisions are defined;	
	AC-21a.	authorized users are enabled to determine whether access authorizations assigned to a sharing partner match the information's access and use restrictions for <ac-21_odp[01]< b=""> information-sharing circumstances>;</ac-21_odp[01]<>	
	AC-21b.	<ac-21_odp[02] automated="" mechanisms=""> are employed to assist users in making information-sharing and collaboration decisions.</ac-21_odp[02]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-21-Examine	[SELECT FROM: Access control policy; procedures addressing user-based collaboration and information sharing (including restrictions); system design documentation; system configuration settings and associated documentation; list of users authorized to make information-sharing/ collaboration decisions; list of information-sharing circumstances requiring user discretion; non-disclosure agreements; acquisitions/contractual agreements; system security plan; privacy plan; privacy impact assessment; security and privacy risk assessments; other relevant documents or records].	
	AC-21-Interview	[SELECT FROM: Organizational personnel responsible for information- sharing/collaboration decisions; organizational personnel with responsibility for acquisitions/contractual agreements; system/network administrators; organizational personnel with information security and privacy responsibilities].	

AC-21	INFORMATION SHARING	
	AC-21-Test	[SELECT FROM: Automated mechanisms or manual process implementing access authorizations supporting information-sharing/user collaboration decisions].

INFORMATION SHARING AUTOMATED DECISION SUPPORT	
ASSESSMENT OBJEC Determine if:	TIVE:
AC-21(01)_ODP	automated mechanisms employed to enforce information-sharing decisions by authorized users are defined;
AC-21(01)	<ac-21(01)_odp automated="" mechanisms=""> are employed to enforce information-sharing decisions by authorized users based on access authorizations of sharing partners and access restrictions on information to be shared.</ac-21(01)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AC-21(01)-Examine	[SELECT FROM: Access control policy; procedures addressing user-based collaboration and information sharing (including restrictions); system design documentation; system configuration settings and associated documentation; system-generated list of users authorized to make information-sharing/collaboration decisions; system-generated list of sharing partners and access authorizations; system-generated list of access restrictions regarding information to be shared; system security plan; other relevant documents or records].
AC-21(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].
AC-21(01)-Test	[SELECT FROM: Automated mechanisms implementing access authorizations supporting information-sharing/user collaboration decisions].
	ASSESSMENT OBJEC Determine if: AC-21(01)_ODP AC-21(01) POTENTIAL ASSESSM AC-21(01)-Examine

AC-21(02)	INFORMATION SHARING INFORMATION SEARCH AND RETRIEVAL	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-21(02)_ODP	information-sharing restrictions to be enforced by information search and retrieval services are defined;
	AC-21(02)	information search and retrieval services that enforce <ac-21(02)_odp< b=""> <i>information-sharing restrictions></i> are implemented.</ac-21(02)_odp<>

AC-21(02)	INFORMATION SHARING INFORMATION SEARCH AND RETRIEVAL	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-21(02)-Examine	[SELECT FROM: Access control policy; procedures addressing user-based collaboration and information sharing (including restrictions); system design documentation; system configuration settings and associated documentation; system-generated list of access restrictions regarding information to be shared; information search and retrieval records; system audit records; system security plan; other relevant documents or records].
	AC-21(02)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities for system search and retrieval services; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-21(02)-Test	[SELECT FROM: System search and retrieval services enforcing information- sharing restrictions].

AC-22	PUBLICLY ACCESSIBL	PUBLICLY ACCESSIBLE CONTENT	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AC-22_ODP	the frequency at which to review the content on the publicly accessible system for non-public information is defined;	
	AC-22a.	designated individuals are authorized to make information publicly accessible;	
	AC-22b.	authorized individuals are trained to ensure that publicly accessible information does not contain non-public information;	
	AC-22c.	the proposed content of information is reviewed prior to posting onto the publicly accessible system to ensure that non-public information is not included;	
	AC-22d.[01]	the content on the publicly accessible system is reviewed for non-public information < AC-22_ODP frequency> ;	
	AC-22d.[02]	non-public information is removed from the publicly accessible system, if discovered.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-22-Examine	[SELECT FROM: Access control policy; procedures addressing publicly accessible content; list of users authorized to post publicly accessible content on organizational systems; training materials and/or records; records of publicly accessible information reviews; records of response to non-public information on public websites; system audit logs; security awareness training records; system security plan; other relevant documents or records].	
	AC-22-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing publicly accessible information posted on organizational systems; organizational personnel with information security responsibilities].	

This document is produced from OSCAL source data

	PUBLICLY ACCESSIBLE CONTENT	
AC-22-Test	[SELECT FROM: Automated mechanisms implementing management of publicly accessible content].	

DATA MINING PR	DATA MINING PROTECTION	
ASSESSMENT OBJ Determine if:	ECTIVE:	
AC-23_ODP[01]	data mining prevention and detection techniques are defined;	
AC-23_ODP[02]	data storage objects to be protected against unauthorized data mining are defined;	
AC-23	<pre><ac-23_odp[01] techniques=""> are employed for <ac-23_odp[02] data="" objects="" storage=""> to detect and protect against unauthorized data mining.</ac-23_odp[02]></ac-23_odp[01]></pre>	
POTENTIAL ASSES	SMENT METHODS AND OBJECTS:	
AC-23-Examine	[SELECT FROM: Access control policy; procedures for preventing and detecting data mining; policies and procedures addressing authorized data mining techniques; procedures addressing protection of data storage objects against data mining; system design documentation; system configuration settings and associated documentation; system audit logs; system audit records; procedures addressing differential privacy techniques; notifications of atypical database queries or accesses; documentation or reports of insider threat program; system security plan; privacy plan; other relevant documents or records].	
AC-23-Interview	[SELECT FROM: Organizational personnel with responsibilities for implementing data mining detection and prevention techniques for data storage objects; legal counsel; organizational personnel with information security and privacy responsibilities; system developers].	
AC-23-Test	[SELECT FROM: Automated mechanisms implementing data mining prevention and detection].	

AC-24	ACCESS CONTROL DECISIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-24_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {establish procedures; implement mechanisms};
	AC-24_ODP[02]	access control decisions applied to each access request prior to access enforcement are defined;
	AC-24	<ac-24_odp[01] parameter="" selected="" value(s)=""> are taken to ensure that <ac-24_odp[02] access="" control="" decisions=""> are applied to each access request prior to access enforcement.</ac-24_odp[02]></ac-24_odp[01]>

AC-24	ACCESS CONTROL DECISIONS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AC-24-Examine	[SELECT FROM: Access control policy; procedures addressing access control decisions; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-24-Interview	[SELECT FROM: Organizational personnel with responsibilities for establishing procedures regarding access control decisions to the system; organizational personnel with information security responsibilities].
	AC-24-Test	[SELECT FROM: Automated mechanisms applying established access control decisions and procedures].

4(01)	ACCESS CONTROL DECISIONS TRANSMIT ACCESS AUTHORIZATION INFORMATION	
	ASSESSMENT OBJECT Determine if:	TIVE:
	AC-24(01)_ODP[01]	access authorization information transmitted to systems that enforce access control decisions is defined;
	AC-24(01)_ODP[02]	controls to be used when authorization information is transmitted to systems that enforce access control decisions are defined;
	AC-24(01)_ODP[03]	systems that enforce access control decisions are defined;
	AC-24(01)	<ac-24(01)_odp[01] access="" authorization="" information=""> is transmitted using <ac-24(01)_odp[02] controls=""> to <ac-24(01)_odp[03] systems=""> that enforce access control decisions.</ac-24(01)_odp[03]></ac-24(01)_odp[02]></ac-24(01)_odp[01]>
	POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
	AC-24(01)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	AC-24(01)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].
	AC-24(01)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].

AC-24(02)	ACCESS CONTROL DECISIONS NO USER OR PROCESS IDENTITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	AC-24(02)_ODP[01]	security attributes that do not include the identity of the user or process acting on behalf of the user are defined;

AC-24(02)	ACCESS CONTROL DECISIONS NO USER OR PROCESS IDENTITY		
	AC-24(02)_ODP[02]	privacy attributes that do not include the identity of the user or process acting on behalf of the user are defined;	
	AC-24(02)[01]	access control decisions are enforced based on <ac-24(02)_odp[01]< b=""> security attributes> that do not include the identity of the user or process acting on behalf of the user;</ac-24(02)_odp[01]<>	
	AC-24(02)[02]	access control decisions are enforced based on <ac-24(02)_odp[02] b="" privacy<=""> attributes> that do not include the identity of the user or process acting on behalf of the user.</ac-24(02)_odp[02]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-24(02)-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	
	AC-24(02)-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security and privacy responsibilities; system developers].	
	AC-24(02)-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].	

AC-25	REFERENCE MONITOR		
	ASSESSMENT OBJECTIVE: Determine if:		
	AC-25_ODP	access control policies for which a reference monitor is implemented are defined;	
	AC-25	a reference monitor is implemented for < AC-25_ODP access control policies> that is tamper-proof, always invoked, and small enough to be subject to analysis and testing, the completeness of which can be assured.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AC-25-Examine	[SELECT FROM: Access control policy; procedures addressing access enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	AC-25-Interview	[SELECT FROM: Organizational personnel with access enforcement responsibilities; system/network administrators; organizational personnel with information security responsibilities; system developers].	
	AC-25-Test	[SELECT FROM: Automated mechanisms implementing access enforcement functions].	

4.2 AWARENESS AND TRAINING

AT-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AT-01_ODP[01]	personnel or roles to whom the awareness and training policy is to be disseminated is/are defined;
	AT-01_ODP[02]	personnel or roles to whom the awareness and training procedures are to be disseminated is/are defined;
	AT-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	AT-01_ODP[04]	an official to manage the awareness and training policy and procedures is defined;
	AT-01_ODP[05]	the frequency at which the current awareness and training policy is reviewed and updated is defined;
	AT-01_ODP[06]	events that would require the current awareness and training policy to be reviewed and updated are defined;
	AT-01_ODP[07]	the frequency at which the current awareness and training procedures are reviewed and updated is defined;
	AT-01_ODP[08]	events that would require procedures to be reviewed and updated are defined;
	AT-01a.[01]	an awareness and training policy is developed and documented;
	AT-01a.[02]	the awareness and training policy is disseminated to < AT-01_ODP[01] personnel or roles>;
	AT-01a.[03]	awareness and training procedures to facilitate the implementation of the awareness and training policy and associated access controls are developed and documented;
	AT-01a.[04]	the awareness and training procedures are disseminated to < AT-01_ODP[02] personnel or roles>.
	AT-01a.01(a)[01]	the < AT-01_ODP[03] SELECTED PARAMETER VALUE(S)> awareness and training policy addresses purpose;
	AT-01a.01(a)[02]	the < AT-01_ODP[03] SELECTED PARAMETER VALUE(S)> awareness and training policy addresses scope;
	AT-01a.01(a)[03]	the < AT-01_ODP[03] SELECTED PARAMETER VALUE(S)> awareness and training policy addresses roles;
	AT-01a.01(a)[04]	the < AT-01_ODP[03] SELECTED PARAMETER VALUE(S)> awareness and training policy addresses responsibilities;
	AT-01a.01(a)[05]	the <at-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> awareness and training policy addresses management commitment;</at-01_odp[03]<>

POLICY AND PRO	POLICY AND PROCEDURES	
AT-01a.01(a)[06]	the <at-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> awareness and training policy addresses coordination among organizational entities;</at-01_odp[03]<>	
AT-01a.01(a)[07]	the <at-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> awareness and training policy addresses compliance; and</at-01_odp[03]<>	
AT-01a.01(b)	the <at-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> awareness and training policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines; and</at-01_odp[03]<>	
АТ-01Ь.	the <at-01_odp[04] official=""></at-01_odp[04]> is designated to manage the development, documentation, and dissemination of the awareness and training policy and procedures;	
AT-01c.01[01]	the current awareness and training policy is reviewed and updated <a and="" are="" awarene<="" awareness="" content="" current="" is="" of="" policy="" reviewed="" td="" the="" training="" updated="">	
AT-01c.01[02]	the current awareness and training policy is reviewed and updated following <art-o1_odp[06] events="">;</art-o1_odp[06]>	
AT-01c.02[01]	the current awareness and training procedures are reviewed and updated <a>AT-01_ODP[07] frequency>;	
AT-01c.02[02]	the current awareness and training procedures are reviewed and updated following <AT-01_ODP[08] events> .	
POTENTIAL ASSE	SSMENT METHODS AND OBJECTS:	
AT-01-Examine	[SELECT FROM: System security plan; privacy plan; awareness and training policy and procedures; other relevant documents or records].	
AT-01-Interview	[SELECT FROM: Organizational personnel with awareness and training responsibilities; organizational personnel with information security and privacy responsibilities].	

AT-02	LITERACY TRAINING AND AWARENESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AT-02_ODP[01]	the frequency at which to provide security literacy training to system users (including managers, senior executives, and contractors) after initial training is defined;
	AT-02_ODP[02]	the frequency at which to provide privacy literacy training to system users (including managers, senior executives, and contractors) after initial training is defined;
	AT-02_ODP[03]	events that require security literacy training for system users are defined;
	AT-02_ODP[04]	events that require privacy literacy training for system users are defined;
	AT-02_ODP[05]	techniques to be employed to increase the security and privacy awareness of system users are defined;

2	LITERACY TRAINING AND AWARENESS			
	AT-02_ODP[06]	the frequency at which to update literacy training and awareness content is defined;		
	AT-02_ODP[07]	events that would require literacy training and awareness content to be updated are defined;		
	AT-02a.01[01]	security literacy training is provided to system users (including managers, senior executives, and contractors) as part of initial training for new users;		
	AT-02a.01[02]	privacy literacy training is provided to system users (including managers, senior executives, and contractors) as part of initial training for new users;		
	AT-02a.01[03]	security literacy training is provided to system users (including managers, senior executives, and contractors) <at-02_odp[01] frequency=""></at-02_odp[01]> thereafter;		
	AT-02a.01[04]	privacy literacy training is provided to system users (including managers, senior executives, and contractors) < <i>AT-02_ODP[02] frequency></i> thereafter;		
	AT-02a.02[01]	security literacy training is provided to system users (including managers, senior executives, and contractors) when required by system changes or following <AT-02_ODP[03] events>;		
	AT-02a.02[02]	privacy literacy training is provided to system users (including managers, senior executives, and contractors) when required by system changes or following <at-02_odp[04] events=""></at-02_odp[04]> ;		
	AT-02b	<at-02_odp[05] awareness="" techniques=""> are employed to increase the security and privacy awareness of system users;</at-02_odp[05]>		
	AT-02c.[01]	literacy training and awareness content is updated < AT-02_ODP[06] frequency>;		
	AT-02c.[02]	literacy training and awareness content is updated following awareness.content.is updated following awareness.content.is updated following awareness.content.is updated following awareness.content.is updated following awareness.content.is updated following		
	AT-02d.	lessons learned from internal or external security incidents or breaches are incorporated into literacy training and awareness techniques.		
	POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-02-Examine	[SELECT FROM: System security plan; privacy plan; literacy training and awareness policy; procedures addressing literacy training and awareness implementation; appropriate codes of federal regulations; security and privacy literacy training curriculum; security and privacy literacy training materials; training records; other relevant documents or records].		
	AT-02-Interview	[SELECT FROM: Organizational personnel with responsibilities for literacy training and awareness; organizational personnel with information security and privacy responsibilities; organizational personnel comprising the general system user community].		
	AT-02-Test	[SELECT FROM: Automated mechanisms managing information security and privacy literacy training].		

AT-02(01)	LITERACY TRAINING AND AWARENESS PRACTICAL EXERCISES	
	ASSESSMENT OBJECT Determine if:	TIVE:
	AT-02(01)	practical exercises in literacy training that simulate events and incidents are provided.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AT-02(01)-Examine	[SELECT FROM: System security plan; privacy plan; security awareness and training policy; procedures addressing security awareness training implementation; security awareness training curriculum; security awareness training materials; other relevant documents or records].
	AT-02(01)-Interview	[SELECT FROM: Organizational personnel who participate in security awareness training; organizational personnel with responsibilities for security awareness training; organizational personnel with information security responsibilities].
	AT-02(01)-Test	[SELECT FROM: Automated mechanisms implementing cyber-attack simulations in practical exercises].

AT-02(02)	LITERACY TRAINING AND AWARENESS INSIDER THREAT		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AT-02(02)[01]	literacy training on recognizing potential indicators of insider threat is provided;	
	AT-02(02)[02]	literacy training on reporting potential indicators of insider threat is provided.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-02(02)-Examine	[SELECT FROM: System security plan; privacy plan; literacy training and awareness policy; procedures addressing literacy training and awareness implementation; literacy training and awareness curriculum; literacy training and awareness materials; other relevant documents or records].	
	AT-02(02)-Interview	[SELECT FROM: Organizational personnel who participate in literacy training and awareness; organizational personnel with responsibilities for literacy training and awareness; organizational personnel with information security and privacy responsibilities].	

AT-02(03)	LITERACY TRAINING AND AWARENESS SOCIAL ENGINEERING AND MINING	
	ASSESSMENT OBJECTIVE: Determine if:	
	AT-02(03)[01]	literacy training on recognizing potential and actual instances of social engineering is provided;

AT-02(03)	LITERACY TRAINING AND AWARENESS SOCIAL ENGINEERING AND MINING		
	AT-02(03)[02]	literacy training on reporting potential and actual instances of social engineering is provided;	
	AT-02(03)[03]	literacy training on recognizing potential and actual instances of social mining is provided;	
	AT-02(03)[04]	literacy training on reporting potential and actual instances of social mining is provided.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-02(03)-Examine	[SELECT FROM: System security plan; privacy plan; literacy training and awareness policy; procedures addressing literacy training and awareness implementation; literacy training and awareness curriculum; literacy training and awareness materials; other relevant documents or records].	
	AT-02(03)-Interview	[SELECT FROM: Organizational personnel who participate in literacy training and awareness; organizational personnel with responsibilities for literacy training and awareness; organizational personnel with information security and privacy responsibilities].	

AT-02(04)	LITERACY TRAINING AND AWARENESS SUSPICIOUS COMMUNICATIONS AND ANOMALOUS SYSTEM BEHAVIOR	
	ASSESSMENT OBJECTIVE: Determine if:	
	AT-02(04)_ODP	indicators of malicious code are defined;
	AT-02(04)	literacy training on recognizing suspicious communications and anomalous behavior in organizational systems using <at-02(04)_odp< b=""> indicators of <i>malicious code></i> is provided.</at-02(04)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AT-02(04)-Examine	[SELECT FROM: System security plan; privacy plan; literacy training and awareness policy; procedures addressing literacy training and awareness implementation; literacy training and awareness curriculum; literacy training and awareness materials; other relevant documents or records].
	AT-02(04)-Interview	[SELECT FROM: Organizational personnel who participate in literacy training and awareness; organizational personnel with responsibilities for basic literacy training and awareness; organizational personnel with information security and privacy responsibilities].

AT-02(05)	LITERACY TRAINING AND AWARENESS ADVANCED PERSISTENT THREAT	
	ASSESSMENT OBJECTIVE: Determine if:	
	AT-02(05)	literacy training on the advanced persistent threat is provided.

AT-02(05)	LITERACY TRAINING AND AWARENESS ADVANCED PERSISTENT THREAT		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-02(05)-Examine	[SELECT FROM: System security plan; privacy plan; literacy training and awareness policy; procedures addressing literacy training and awareness implementation; literacy training and awareness curriculum; literacy training and awareness materials; other relevant documents or records].	
	AT-02(05)-Interview	[SELECT FROM: Organizational personnel who participate in literacy training and awareness; organizational personnel with responsibilities for basic literacy training and awareness; organizational personnel with information security and privacy responsibilities].	

AT-02(06)	LITERACY TRAINING AND AWARENESS CYBER THREAT ENVIRONMENT		
	ASSESSMENT OBJECTIVE: Determine if:		
	AT-02(06)(a)	literacy training on the cyber threat environment is provided;	
	AT-02(06)(b)	system operations reflects current cyber threat information.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-02(06)-Examine	[SELECT FROM: System security plan; privacy plan; literacy training and awareness policy; procedures addressing literacy training and awareness training implementation; literacy training and awareness curriculum; literacy training and awareness materials; other relevant documents or records].	
	AT-02(06)-Interview	[SELECT FROM: Organizational personnel who participate in literacy training and awareness; organizational personnel with responsibilities for basic literacy training and awareness; organizational personnel with information security and privacy responsibilities].	

AT-03	ROLE-BASED TRAINING		
	ASSESSMENT OBJECTIVE: Determine if:		
	AT-03_0DP[01]	roles and responsibilities for role-based security training are defined;	
	AT-03_0DP[02]	roles and responsibilities for role-based privacy training are defined;	
	AT-03_ODP[03]	the frequency at which to provide role-based security and privacy training to assigned personnel after initial training is defined;	
	AT-03_ODP[04]	the frequency at which to update role-based training content is defined;	
	AT-03_ODP[05]	events that require role-based training content to be updated are defined;	
	AT-03a.01[01]	role-based security training is provided to <at-03_odp[01] and<="" b="" roles=""> <i>responsibilities</i>> before authorizing access to the system, information, or performing assigned duties;</at-03_odp[01]>	

AT-03	ROLE-BASED TRAINING		
	AT-03a.01[02]	role-based privacy training is provided to <at-03_odp[02]< b=""> roles and responsibilities> before authorizing access to the system, information, or performing assigned duties;</at-03_odp[02]<>	
	AT-03a.01[03]	role-based security training is provided to < AT-03_ODP[01] roles and <i>responsibilities</i> > < AT-03_ODP[03] frequency> thereafter;	
	AT-03a.01[04]	role-based privacy training is provided to < AT-03_ODP[02] roles and <i>responsibilities</i> > < AT-03_ODP[03] frequency> thereafter;	
	AT-03a.02[01]	role-based security training is provided to personnel with assigned security roles and responsibilities when required by system changes;	
	AT-03a.02[02]	role-based privacy training is provided to personnel with assigned security roles and responsibilities when required by system changes;	
	AT-03b.[01]	role-based training content is updated AT-03_0DP[04] frequency>;	
	AT-03b.[02]	role-based training content is updated following <at-03_odp[05] events="">;</at-03_odp[05]>	
	AT-03c.	lessons learned from internal or external security incidents or breaches are incorporated into role-based training.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-03-Examine	[SELECT FROM: System security plan; privacy plan; security and privacy awareness and training policy; procedures addressing security and privacy training implementation; codes of federal regulations; security and privacy training curriculum; security and privacy training materials; training records; other relevant documents or records].	
	AT-03-Interview	[SELECT FROM: Organizational personnel with responsibilities for role-based security and privacy training; organizational personnel with assigned system security and privacy roles and responsibilities].	
	AT-03-Test	[SELECT FROM: Automated mechanisms managing role-based security and privacy training].	

AT-03(01)	ROLE-BASED TRAINING ENVIRONMENTAL CONTROLS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AT-03(01)_ODP[01]	personnel or roles to be provided with initial and refresher training in the employment and operation of environmental controls are defined;
	AT-03(01)_ODP[02]	the frequency at which to provide refresher training in the employment and operation of environmental controls is defined;
	AT-03(01)	AT-03(01)_ODP[01] personnel or roles> are provided with initial and refresher training AT-03(01)_ODP[02] frequency> in the employment and operation of environmental.

AT-03(01)	ROLE-BASED TRAINING ENVIRONMENTAL CONTROLS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AT-03(01)-Examine	[SELECT FROM: Security and privacy awareness and training policy; procedures addressing security and privacy training implementation; security and privacy training curriculum; security and privacy training materials; system security plan; privacy plan; training records; other relevant documents or records].
	AT-03(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for role-based security and privacy training; organizational personnel with responsibilities for employing and operating environmental controls].

AT-03(02)	ROLE-BASED TRAININ	ROLE-BASED TRAINING PHYSICAL SECURITY CONTROLS	
	ASSESSMENT OBJECTIVE: Determine if:		
	AT-03(02)_ODP[01]	personnel or roles to be provided with initial and refresher training in the employment and operation of physical security controls is/are defined;	
	AT-03(02)_ODP[02]	the frequency at which to provide refresher training in the employment and operation of physical security controls is defined;	
	AT-03(02)	AT-03(02)_ODP[01] personnel or roles > is/are provided with initial and refresher training < AT-03(02)_ODP[02] frequency> in the employment and operation of physical security controls.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-03(02)-Examine	[SELECT FROM: Security and privacy awareness and training policy; procedures addressing security and privacy training implementation; security and privacy training curriculum; security and privacy training materials; system security plan; privacy plan; training records; other relevant documents or records].	
	AT-03(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for role-based security and privacy training; organizational personnel with responsibilities for employing and operating physical security controls].	

AT-03(03)	ROLE-BASED TRAINING PRACTICAL EXERCISES	
	ASSESSMENT OBJECTIVE: Determine if:	
	AT-03(03)[01]	practical exercises in security training that reinforce training objectives are provided;
	AT-03(03)[02]	practical exercises in privacy training that reinforce training objectives are provided.

AT-03(03)	ROLE-BASED TRAINING PRACTICAL EXERCISES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AT-03(03)-Examine	[SELECT FROM: Security and privacy awareness and training policy; procedures addressing security and privacy awareness training implementation; security and privacy awareness training curriculum; security and privacy awareness training materials; security and privacy awareness training reports and results; system security plan; privacy plan; other relevant documents or records].
	AT-03(03)-Interview	[SELECT FROM: Organizational personnel with responsibilities for role-based security and privacy training; organizational personnel who participate in security and privacy awareness training].

AT-03(04)	ROLE-BASED TRAINING SUSPICIOUS COMMUNICATIONS AND ANOMALOUS SYSTEM BEHAVIOR
[WITHDRAWN: Moved to AT-02(04).]	

AT-03(05)	ROLE-BASED TRAINING PROCESSING PERSONALLY IDENTIFIABLE INFORMATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	AT-03(05)_ODP[01]	personnel or roles to be provided with initial and refresher training in the employment and operation of personally identifiable information processing and transparency controls is/are defined;	
	AT-03(05)_ODP[02]	the frequency at which to provide refresher training in the employment and operation of personally identifiable information processing and transparency controls is defined;	
	AT-03(05)	AT-03(05)_ODP[01] personnel or roles > are provided with initial and refresher training AT-03(05)_ODP[02] frequency> in the employment and operation of personally identifiable information processing and transparency controls.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AT-03(05)-Examine	[SELECT FROM: Security and privacy awareness and training policy; procedures addressing security and privacy awareness training implementation; security and privacy awareness training curriculum; security and privacy awareness training materials; system security plan; privacy plan; organizational privacy notices; organizational policies; system of records notices; Privacy Act statements; computer matching agreements and notices; privacy impact assessments; information sharing agreements; other relevant documents or records].	
	AT-03(05)-Interview	[SELECT FROM: Organizational personnel with responsibilities for role-based security and privacy training; organizational personnel who participate in security and privacy awareness training].	

AT-04 TRAIN	TRAINING RECORDS		
	ASSESSMENT OBJECTIVE: Determine if:		
AT-04_0	ODP	time period for retaining individual training records is defined;	
AT-04a.	[01]	information security and privacy training activities, including security and privacy awareness training and specific role-based security and privacy training, are documented;	
AT-04a.	[02]	information security and privacy training activities, including security and privacy awareness training and specific role-based security and privacy training, are monitored;	
AT-04b.		individual training records are retained for <i>AT-04_ODP time period</i> .	
POTEN	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
АТ-04-Е	xamine	[SELECT FROM: Security and privacy awareness and training policy; procedures addressing security and privacy training records; security and privacy awareness and training records; system security plan; privacy plan; other relevant documents or records].	
AT-04-I	nterview	[SELECT FROM: Organizational personnel with information security and privacy training record retention responsibilities].	
AT-04-T	Test	[SELECT FROM: Automated mechanisms supporting management of security and privacy training records].	

AT-05	CONTACTS WITH SECURITY GROUPS AND ASSOCIATIONS	
[WITHDRAWN: Incorporated into PM-15.]		

AT-06	TRAINING FEEDBACK	
	ASSESSMENT OBJECTIVE: Determine if:	
	AT-06_ODP[01]	frequency at which to provide feedback on organizational training results is defined;
	AT-06_ODP[02]	personnel to whom feedback on organizational training results will be provided is/are assigned;
	AT-06	feedback on organizational training results is provided <at-06_odp[01]< b=""> frequency> to <at-06_odp[02]< b=""> personnel>.</at-06_odp[02]<></at-06_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AT-06-Examine	[SELECT FROM: Security awareness and training policy; procedures addressing security training records; security awareness and training records; security plan; other relevant documents or records].

AT-0	06	TRAINING FEEDBACK	
	AT-06-Interview	[SELECT FROM: Organizational personnel with information security training record retention responsibilities].	
	AT-06-Test	[SELECT FROM: Automated mechanisms supporting management of security training records].	

4.3 AUDIT AND ACCOUNTABILITY

AU-01	POLICY AND PROCEE	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	AU-01_ODP[01]	personnel or roles to whom the audit and accountability policy is to be disseminated is/are defined;
	AU-01_ODP[02]	personnel or roles to whom the audit and accountability procedures are to be disseminated is/are defined;
	AU-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	AU-01_ODP[04]	an official to manage the audit and accountability policy and procedures is defined;
	AU-01_ODP[05]	the frequency at which the current audit and accountability policy is reviewed and updated is defined;
	AU-01_ODP[06]	events that would require the current audit and accountability policy to be reviewed and updated are defined;
	AU-01_ODP[07]	the frequency at which the current audit and accountability procedures are reviewed and updated is defined;
	AU-01_ODP[08]	events that would require audit and accountability procedures to be reviewed and updated are defined;
	AU-01a.[01]	an audit and accountability policy is developed and documented;
	AU-01a.[02]	the audit and accountability policy is disseminated to <au-01_odp[01]< b=""> personnel or roles>;</au-01_odp[01]<>
	AU-01a.[03]	audit and accountability procedures to facilitate the implementation of the audit and accountability policy and associated audit and accountability controls are developed and documented;
	AU-01a.[04]	the audit and accountability procedures are disseminated to <a> AU-01_ODP[02] personnel or roles>;
	AU-01a.01(a)[01]	the <au-01_odp[03] parameter="" selected="" value(s)=""></au-01_odp[03]> of the audit and accountability policy addresses purpose;
	AU-01a.01(a)[02]	the < AU-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the audit and accountability policy addresses scope;
	AU-01a.01(a)[03]	the <au-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></au-01_odp[03]<> of the audit and accountability policy addresses roles;
	AU-01a.01(a)[04]	the <au-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></au-01_odp[03]<> of the audit and accountability policy addresses responsibilities;
	AU-01a.01(a)[05]	the <au-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></au-01_odp[03]<> of the audit and accountability policy addresses management commitment;

POLICY AND PRO	DCEDURES	
AU-01a.01(a)[06]	the < AU-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the audit and accountability policy addresses coordination among organizational entities;	
AU-01a.01(a)[07]	the < AU-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the audit and accountability policy addresses compliance;	
AU-01a.01(b)	the < <i>AU-01_ODP[03]</i> SELECTED PARAMETER VALUE(S) > of the audit and accountability policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
AU-01b.	the <au-01_odp[04] official=""></au-01_odp[04]> is designated to manage the development, documentation, and dissemination of the audit and accountability policy and procedures;	
AU-01c.01[01]	the current audit and accountability policy is reviewed and updated < <i>AU-01_ODP[05] frequency></i> ;	
AU-01c.01[02]	the current audit and accountability policy is reviewed and updated following <au-01_odp[06]< b=""> events>;</au-01_odp[06]<>	
AU-01c.02[01]	the current audit and accountability procedures are reviewed and updated < <i>AU-01_ODP[07] frequency></i> ;	
AU-01c.02[02]	the current audit and accountability procedures are reviewed and updated following <au-01_odp[08]< b=""> events>.</au-01_odp[08]<>	
POTENTIAL ASSE	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AU-01-Examine	[SELECT FROM: Audit and accountability policy and procedures; system security plan; privacy plan; other relevant documents or records].	
AU-01-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities].	

AU-02	EVENT LOGGING	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AU-02_ODP[01]	the event types that the system is capable of logging in support of the audit function are defined;
	AU-02_ODP[02]	the event types (subset of AU-02_ODP[01]) for logging within the system are defined;
	AU-02_ODP[03]	the frequency or situation requiring logging for each specified event type is defined;
	AU-02_ODP[04]	the frequency of event types selected for logging are reviewed and updated;
	AU-02a.	<pre><au-02_odp[01] event="" types=""> that the system is capable of logging are identified in support of the audit logging function;</au-02_odp[01]></pre>

AU-02	EVENT LOGGING	
	AU-02b.	the event logging function is coordinated with other organizational entities requiring audit-related information to guide and inform the selection criteria for events to be logged;
	AU-02c.[01]	<pre><au-02_odp[02] (subset="" au-02_odp[01])="" event="" of="" types=""> are specified for logging within the system;</au-02_odp[02]></pre>
	AU-02c.[02]	the specified event types are logged within the system <au-02_odp[03]< b=""> frequency or situation>;</au-02_odp[03]<>
	AU-02d.	a rationale is provided for why the event types selected for logging are deemed to be adequate to support after-the-fact investigations of incidents;
	AU-02e.	the event types selected for logging are reviewed and updated < AU-02_ODP[04] frequency> .
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AU-02-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing auditable events; system security plan; privacy plan; system design documentation; system configuration settings and associated documentation; system audit records; system auditable events; other relevant documents or records].
	AU-02-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	AU-02-Test	[SELECT FROM: Automated mechanisms implementing system auditing].

AU-02(01)	EVENT LOGGING COMPILATION OF AUDIT RECORDS FROM MULTIPLE SOURCES	
	[WITHDRAWN: Incorporated into AU-12.]	

AU-02(02)	EVENT LOGGING SELECTION OF AUDIT EVENTS BY COMPONENT	
	[WITHDRAWN: Incorporated into AU-12.]	

AU-02(03)	EVENT LOGGING REVIEWS AND UPDATES	
	[WITHDRAWN: Incorporated into AU-02.]	

AU-02(04	EVENT LOGGING PRIVILEGED FUNCTIONS	
[WITHDRAWN: Incorporated into AC-06(09).]		

AU-03	CONTENT OF AUDIT RECORDS	
	ASSESSMENT OBJE	ECTIVE:
	AU-03a.	audit records contain information that establishes what type of event occurred;
	AU-03b.	audit records contain information that establishes when the event occurred;
	AU-03c.	audit records contain information that establishes where the event occurred;
	AU-03d.	audit records contain information that establishes the source of the event;
	AU-03e.	audit records contain information that establishes the outcome of the event;
	AU-03f.	audit records contain information that establishes the identity of any individuals, subjects, or objects/entities associated with the event.
	POTENTIAL ASSESS	SMENT METHODS AND OBJECTS:
	AU-03-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing content of audit records; system design documentation; system configuration settings and associated documentation; list of organization-defined auditable events; system audit records; system incident reports; other relevant documents or records].
	AU-03-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	AU-03-Test	[SELECT FROM: Automated mechanisms implementing system auditing of auditable events].

AU-03(01)	CONTENT OF AUDIT RECORDS ADDITIONAL AUDIT INFORMATION	
	ASSESSMENT OBJECT Determine if:	FIVE:
	AU-03(01)_ODP	additional information to be included in audit records is defined;
	AU-03(01)	generated audit records contain the following <au-03(01)_odp additional<="" b=""> <i>information></i>.</au-03(01)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-03(01)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing content of audit records; system security plan; privacy plan; system design documentation; system configuration settings and associated documentation; list of organization-defined auditable events; system audit records; other relevant documents or records].
	AU-03(01)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].

AU-03(01)	CONTENT OF AUDIT RECORDS ADDITIONAL AUDIT INFORMATION	
	AU-03(01)-Test	[SELECT FROM: system audit capability].

AU-03(02)	CONTENT OF AUDIT RECORDS CENTRALIZED MANAGEMENT OF PLANNED AUDIT RECORD CONTENT	
	[WITHDRAWN: Incorporated into PL-09.]	

AU-03(03)	CONTENT OF AUDIT RECORDS LIMIT PERSONALLY IDENTIFIABLE INFORMATION ELEMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-03(03)_ODP	elements identified in the privacy risk assessment are defined;
	AU-03(03)	personally identifiable information contained in audit records is limited to < AU-03(03)_ODP elements> identified in the privacy risk assessment.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-03(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; privacy risk assessment; privacy risk assessment results; procedures addressing content of audit records; system design documentation; system configuration settings and associated documentation; list of organization- defined auditable events; system audit records; third party contracts; other relevant documents or records].
	AU-03(03)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-03(03)-Test	[SELECT FROM: system audit capability].

AU-04	AUDIT LOG STORAGE CAPACITY	
	ASSESSMENT OBJEC Determine if:	ΤΙVΕ:
	AU-04_ODP	audit log retention requirements are defined;
	AU-04	audit log storage capacity is allocated to accommodate <au-04_odp< b=""> audit log retention requirements>.</au-04_odp<>

AU-04	AUDIT LOG STORAGE CAPACITY	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-04-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing audit storage capacity; system security plan; privacy plan; system design documentation; system configuration settings and associated documentation; audit record storage requirements; audit record storage capability for system components; system audit records; other relevant documents or records].
	AU-04-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-04-Test	[SELECT FROM: Audit record storage capacity and related configuration settings].

AU-04(01)	AUDIT LOG STORAGE CAPACITY TRANSFER TO ALTERNATE STORAGE		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AU-04(01)_ODP	the frequency of audit logs transferred to a different system, system component, or media other than the system or system component conducting the logging is defined;	
	AU-04(01)	audit logs are transferred <au-04(01)_odp frequency=""></au-04(01)_odp> to a different system, system component, or media other than the system or system component conducting the logging.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-04(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit storage capacity; procedures addressing transfer of system audit records to secondary or alternate systems; system design documentation; system configuration settings and associated documentation; logs of audit record transfers to secondary or alternate systems; system audit records transferred to secondary or alternate systems; other relevant documents or records].	
	AU-04(01)-Interview	[SELECT FROM: Organizational personnel with audit storage capacity planning responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	AU-04(01)-Test	[SELECT FROM: Automated mechanisms supporting transfer of audit records onto a different system].	

AU-05	RESPONSE TO AUDIT LOGGING PROCESS FAILURES		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AU-05_ODP[01]	personnel or roles receiving audit logging process failure alerts are defined;	
	AU-05_ODP[02]	time period for personnel or roles receiving audit logging process failure alerts is defined;	
	AU-05_ODP[03]	additional actions to be taken in the event of an audit logging process failure are defined;	
	AU-05a.	<pre><au-05_odp[01] or="" personnel="" roles=""> are alerted in the event of an audit logging process failure within <au-05_odp[02] period="" time="">;</au-05_odp[02]></au-05_odp[01]></pre>	
	AU-05b.	<au-05_odp[03] actions="" additional=""> are taken in the event of an audit logging process failure.</au-05_odp[03]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-05-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing response to audit processing failures; system design documentation; system security plan; privacy plan; system configuration settings and associated documentation; list of personnel to be notified in case of an audit processing failure; system audit records; other relevant documents or records].	
	AU-05-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	
	AU-05-Test	[SELECT FROM: Automated mechanisms implementing system response to audit processing failures].	

AU-05(01) RESPONSE TO AUDI	RESPONSE TO AUDIT LOGGING PROCESS FAILURES STORAGE CAPACITY WARNING	
	ASSESSMENT OBJEC	CTIVE:	
	AU-05(01)_ODP[01]	personnel, roles, and/or locations to be warned when allocated audit log storage volume reaches a percentage of repository maximum audit log storage capacity.	
	AU-05(01)_ODP[02]	time period for defined personnel, roles, and/or locations to be warned when allocated audit log storage volume reaches a percentage of repository maximum audit log storage capacity is defined;	
	AU-05(01)_ODP[03]	percentage of repository maximum audit log storage capacity is defined;	
	AU-05(01)	a warning is provided to < AU-05(01)_ODP[01] personnel, roles, and/or <i>locations></i> within < AU-05(01)_ODP[02] time period> when allocated audit log storage volume reaches < AU-05(01)_ODP[03] percentage> of repository maximum audit log storage capacity.	

AU-05(01)	RESPONSE TO AUDIT LOGGING PROCESS FAILURES STORAGE CAPACITY WARNING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-05(01)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing response to audit processing failures; system design documentation; system security plan; privacy system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-05(01)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-05(01)-Test	[SELECT FROM: Automated mechanisms implementing audit storage limit warnings].

AU-05(02)	RESPONSE TO AUDIT	RESPONSE TO AUDIT LOGGING PROCESS FAILURES REAL-TIME ALERTS	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	AU-05(02)_ODP[01]	real-time period requiring alerts when audit failure events (defined in AU-05(02)_ODP[03]) occur is defined;	
	AU-05(02)_ODP[02]	personnel, roles, and/or locations to be alerted in real time when audit failure events (defined in AU-05(02)_ODP[03]) occur is/are defined;	
	AU-05(02)_ODP[03]	audit logging failure events requiring real-time alerts are defined;	
	AU-05(02)	an alert is provided within <au-05(02)_odp[01] period="" real-time=""> to <au-05(02)_odp[02] and="" locations="" or="" personnel,="" roles,=""> when <au-05(02)_odp[03] audit="" events="" failure="" logging="" real-time<br="" requiring="">alerts> occurs.</au-05(02)_odp[03]></au-05(02)_odp[02]></au-05(02)_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-05(02)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing response to audit processing failures; system design documentation; system security plan; privacy plan; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	AU-05(02)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	

	AU-05(03)	RESPONSE TO AUDIT LOGGING PROCESS FAILURES CONFIGURABLE TRAFFIC VOLUME THRESHOLDS	
ASSESSMENT OBJECTIVE: Determine if:		TIVE:	
		AU-05(03)_ODP	one or more of the following PARAMETER VALUES is/are selected: {reject; delay};

AU-05(03)	RESPONSE TO AUDIT LOGGING PROCESS FAILURES CONFIGURABLE TRAFFIC VOLUME THRESHOLDS		
	AU-05(03)[01]	configurable network communications traffic volume thresholds reflecting limits on audit log storage capacity are enforced;	
	AU-05(03)[02]	network traffic is <au-05(03)_odp parameter="" selected="" value(s)=""></au-05(03)_odp> if network traffic volume reaches thresholds.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-05(03)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing response to audit processing failures; system design documentation; system security plan; privacy plan; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	AU-05(03)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	

AU-05(04)	RESPONSE TO AUDIT	LOGGING PROCESS FAILURES SHUTDOWN ON FAILURE
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	AU-05(04)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {full system shutdown; partial system shutdown; degraded operational mode with limited mission or business functionality available};
	AU-05(04)_ODP[02]	audit logging failures that trigger a change in operational mode are defined;
	AU-05(04)	AU-05(04)_ODP[01] SELECTED PARAMETER VALUE(S) is invoked in the event of AU-05(04)_ODP[02] audit logging failures , unless an alternate audit logging capability exists.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-05(04)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing response to audit processing failures; system design documentation; system security plan; privacy plan; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-05(04)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-05(04)-Test	[SELECT FROM: System capability invoking system shutdown or degraded operational mode in the event of an audit processing failure].

AU-05(05)	RESPONSE TO AUDIT LOGGING PROCESS FAILURES ALTERNATE AUDIT LOGGING CAPABILITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-05(05)_ODP	an alternate audit logging functionality in the event of a failure in primary audit logging capability is defined;
	AU-05(05)	an alternate audit logging capability is provided in the event of a failure in primary audit logging capability that implements <au-05(05)_odp alternate<="" b=""> audit logging functionality>.</au-05(05)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-05(05)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing response to audit processing failures; system design documentation; system security plan; privacy plan; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-05(05)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-05(05)-Test	[SELECT FROM: Alternate audit logging capability].

AU-06	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING		
	ASSESSMENT OBJECTIVE: Determine if:		
	AU-06_ODP[01]	frequency at which system audit records are reviewed and analyzed is defined;	
	AU-06_ODP[02]	inappropriate or unusual activity is defined;	
	AU-06_ODP[03]	personnel or roles to receive findings from reviews and analyses of system records is/are defined;	
	AU-06a	system audit records are reviewed and analyzed < AU-06_ODP[01] frequency> for indications of < AU-06_ODP[02] inappropriate or unusual activity> and the potential impact of the inappropriate or unusual activity;	
	AU-06b	findings are reported to < AU-06_ODP[03] personnel or roles> ;	
	AU-06c	the level of audit record review, analysis, and reporting within the system is adjusted when there is a change in risk based on law enforcement information, intelligence information, or other credible sources of information.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-06-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit review, analysis, and reporting; reports of audit findings; records of actions taken in response to reviews/analyses of audit records; other relevant documents or records].	

AU-06	AUDIT RECORD RE	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING	
	AU-06-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities].	

AU-06(01)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING AUTOMATED PROCESS INTEGRATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	AU-06(01)_ODP	automated mechanisms used for integrating audit record review, analysis, and reporting processes are defined;	
	AU-06(01)	audit record review, analysis, and reporting processes are integrated using < AU-06(01)_ODP automated mechanisms>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-06(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit review, analysis, and reporting; procedures addressing investigation and response to suspicious activities; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	AU-06(01)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities].	
	AU-06(01)-Test	[SELECT FROM: Automated mechanisms integrating audit review, analysis, and reporting processes].	

AU-06(02) AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING | AUTOMATED SECURITY ALERTS

[WITHDRAWN: Incorporated into SI-04.]

AU-06(03)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING CORRELATE AUDIT RECORD REPOSITORIES	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-06(03)	audit records across different repositories are analyzed and correlated to gain organization-wide situational awareness.

AU-06(03)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING CORRELATE AUDIT RECORD REPOSITORIES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-06(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit review, analysis, and reporting; system design documentation; system configuration settings and associated documentation; system audit records across different repositories; other relevant documents or records].
	AU-06(03)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities].
	AU-06(03)-Test	[SELECT FROM: Automated mechanisms supporting analysis and correlation of audit records].

AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING CENTRAL REVIEW AND ANALYSIS		
ASSESSMENT OBJEC Determine if:	TIVE:	
AU-06(04)[01]	the capability to centrally review and analyze audit records from multiple components within the system is provided;	
AU-06(04)[02]	the capability to centrally review and analyze audit records from multiple components within the system is implemented.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
AU-06(04)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing audit review, analysis, and reporting; system design documentation; system configuration settings and associated documentation; system security plan; privacy plan; system audit records; other relevant documents or records].	
AU-06(04)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities; system developers].	
AU-06(04)-Test	[SELECT FROM: System capability to centralize review and analysis of audit records].	
	ASSESSMENT OBJECT Determine if: AU-06(04)[01] AU-06(04)[02] POTENTIAL ASSESSM AU-06(04)-Examine AU-06(04)-Interview	

	AU-06(05)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING INTEGRATED ANALYSIS OF AUDIT RECORDS	
ASSESSMENT OBJECTIVE: Determine if:			ΓΙVΕ:
		AU-06(05)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {vulnerability scanning information; performance data; system monitoring information; <au-06(05)_odp[02] collected="" data="" from="" information="" other<br="">sources>};</au-06(05)_odp[02]>

AU-06(05)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING INTEGRATED ANALYSIS OF AUDIT RECORDS		
	AU-06(05)_ODP[02]	data/information collected from other sources to be analyzed is defined (if selected);	
	AU-06(05)	analysis of audit records is integrated with analysis of <i>AU-06(05)_ODP[01]</i> <i>SELECTED PARAMETER VALUE(S)></i> to further enhance the ability to identify inappropriate or unusual activity.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-06(05)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit review, analysis, and reporting; system design documentation; system configuration settings and associated documentation; integrated analysis of audit records, vulnerability scanning information, performance data, network monitoring information, and associated documentation; other relevant documents or records].	
	AU-06(05)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities].	
	AU-06(05)-Test	[SELECT FROM: Automated mechanisms implementing capability to integrate analysis of audit records with analysis of data/information sources].	

AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING CORRELATION WITH PHYSICAL MONITORING ASSESSMENT OBJECTIVE: Determine if:	
POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
AU-06(06)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing audit review, analysis, and reporting; procedures addressing physical access monitoring; system design documentation; system configuration settings and associated documentation; documentation providing evidence of correlated information obtained from audit records and physical access monitoring records; system security plan; privacy plan; other relevant documents or records].
AU-06(06)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with physical access monitoring responsibilities; organizational personnel with information security and privacy responsibilities].
AU-06(06)-Test	[SELECT FROM: Automated mechanisms implementing capability to correlate information from audit records with information from monitoring physical access].
	MONITORING ASSESSMENT OBJECT Determine if: AU-06(06) POTENTIAL ASSESSM AU-06(06)-Examine

AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING PERMITTED ACTIONS		
ASSESSMENT OBJECTIVE: Determine if:		
AU-06(07)_ODP	one or more of the following PARAMETER VALUES is/are selected: {system process; role; user};	
AU-06(07)	the permitted actions for each < <i>AU-06(07)_ODP SELECTED PARAMETER</i> VALUE(S)> associated with the review, analysis, and reporting of audit record information is specified.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
AU-06(07)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing process, role and/or user permitted actions from audit review, analysis, and reporting; system security plan; privacy plan; other relevant documents or records].	
AU-06(07)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities].	
AU-06(07)-Test	[SELECT FROM: Automated mechanisms supporting permitted actions for review, analysis, and reporting of audit information].	
	ASSESSMENT OBJECT Determine if: AU-06(07)_ODP AU-06(07) POTENTIAL ASSESSIV AU-06(07)-Examine	

AU-06(08)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING FULL TEXT ANALYSIS OF PRIVILEGED COMMANDS		
	ASSESSMENT OBJECTIVE: Determine if:		
	AU-06(08)	a full text analysis of logged privileged commands in a physically distinct component or subsystem of the system or other system that is dedicated to that analysis is performed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-06(08)-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing audit review, analysis, and reporting; system design documentation; system configuration settings and associated documentation; text analysis tools and techniques; text analysis documentation of audited privileged commands; system security plan; privacy plan; other relevant documents or records].	
	AU-06(08)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities].	
	AU-06(08)-Test	[SELECT FROM: Automated mechanisms implementing capability to perform a full text analysis of audited privilege commands].	

AU-06(09)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING CORRELATION WITH INFORMATION FROM NONTECHNICAL SOURCES	
ASSESSMENT OBJECTIVE: Determine if:		FIVE:
	AU-06(09)	information from non-technical sources is correlated with audit record information to enhance organization-wide situational awareness.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-06(09)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit review, analysis, and reporting; system design documentation; system configuration settings and associated documentation; documentation providing evidence of correlated information obtained from audit records and organization-defined non- technical sources; list of information types from non-technical sources for correlation with audit information; other relevant documents or records].
	AU-06(09)-Interview	[SELECT FROM: Organizational personnel with audit review, analysis, and reporting responsibilities; organizational personnel with information security and privacy responsibilities].
	AU-06(09)-Test	[SELECT FROM: Automated mechanisms implementing capability to correlate information from non-technical sources].

AU-06(10)	AUDIT RECORD REVIEW, ANALYSIS, AND REPORTING AUDIT LEVEL ADJUSTMENT
	[WITHDRAWN: Incorporated into AU-06.]

AU-07	AUDIT RECORD REDUCTION AND REPORT GENERATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-07a.[01]	an audit record reduction and report generation capability is provided that supports on-demand audit record review, analysis, and reporting requirements and after-the-fact investigations of incidents;
	AU-07a.[02]	an audit record reduction and report generation capability is implemented that supports on-demand audit record review, analysis, and reporting requirements and after-the-fact investigations of incidents;
	AU-07b.[01]	an audit record reduction and report generation capability is provided that does not alter the original content or time ordering of audit records;
	AU-07b.[02]	an audit record reduction and report generation capability is implemented that does not alter the original content or time ordering of audit records.

AU-07	AUDIT RECORD REDUCTION AND REPORT GENERATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-07-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit reduction and report generation; system design documentation; system configuration settings and associated documentation; audit reduction, review, analysis, and reporting tools; system audit records; other relevant documents or records].
	AU-07-Interview	[SELECT FROM: Organizational personnel with audit reduction and report generation responsibilities; organizational personnel with information security and privacy responsibilities].
	AU-07-Test	[SELECT FROM: Audit reduction and report generation capability].

AU-07(01)	AUDIT RECORD REDUCTION AND REPORT GENERATION AUTOMATIC PROCESSING		
	ASSESSMENT OBJECT	ſIVE:	
	AU-07(01)_ODP	fields within audit records that can be processed, sorted, or searched are defined;	
	AU-07(01)[01]	the capability to process, sort, and search audit records for events of interest based on <au-07(01)_odp audit="" fields="" records="" within=""></au-07(01)_odp> are provided;	
	AU-07(01)[02]	the capability to process, sort, and search audit records for events of interest based on <au-07(01)_odp audit="" fields="" records="" within=""></au-07(01)_odp> are implemented.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-07(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit reduction and report generation; system design documentation; system configuration settings and associated documentation; audit reduction, review, analysis, and reporting tools; audit record criteria (fields) establishing events of interest; system audit records; other relevant documents or records].	
	AU-07(01)-Interview	[SELECT FROM: Organizational personnel with audit reduction and report generation responsibilities; organizational personnel with information security and privacy responsibilities; system developers].	
	AU-07(01)-Test	[SELECT FROM: Audit reduction and report generation capability].	

AU-07(02) AUDIT RECORD REDUCTION AND REPORT GENERATION | AUTOMATIC SORT AND SEARCH

[WITHDRAWN: Incorporated into AU-07(01).]

AU-08	TIME STAMPS		
	ASSESSMENT OBJECT Determine if:	rive:	
	AU-08_ODP	granularity of time measurement for audit record timestamps is defined;	
	AU-08a.	internal system clocks are used to generate timestamps for audit records;	
	AU-08b.	timestamps are recorded for audit records that meet <i>AU-08_ODP</i> <i>granularity of time measurement></i> and that use Coordinated Universal Time, have a fixed local time offset from Coordinated Universal Time, or include the local time offset as part of the timestamp.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-08-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing timestamp generation; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	AU-08-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	
	AU-08-Test	[SELECT FROM: Automated mechanisms implementing timestamp generation].	

AU-08(01)	TIME STAMPS SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE
	[WITHDRAWN: Moved to SC-45(01).]

AU-08(02)	TIME STAMPS SECONDARY AUTHORITATIVE TIME SOURCE	
	[WITHDRAWN: Moved to SC-45(02).]	

AU-09	PROTECTION OF AUDIT INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-09_ODP	personnel or roles to be alerted upon detection of unauthorized access, modification, or deletion of audit information is/are defined;
	AU-09a.	audit information and audit logging tools are protected from unauthorized access, modification, and deletion;
	AU-09b.	AU-09_ODP personnel or roles> are alerted upon detection of unauthorized access, modification, or deletion of audit information.

AU-09	PROTECTION OF AUDIT INFORMATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
,	AU-09-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; access control policy and procedures; procedures addressing protection of audit information; system design documentation; system configuration settings and associated documentation; system audit records; audit tools; other relevant documents or records].
	AU-09-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-09-Test	[SELECT FROM: Mechanisms implementing audit information protection].

AU-09(01)	PROTECTION OF AUDIT INFORMATION	HARDWARE WRITE-ONCE MEDIA

ASSESSMENT OBJECT	ASSESSMENT OBJECTIVE: Determine if:		
AU-09(01)	audit trails are written to hardware-enforced, write-once media.		
POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
AU-09(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; access control policy and procedures; procedures addressing protection of audit information; system design documentation; system hardware settings; system configuration settings and associated documentation; system storage media; system audit records; other relevant documents or records].		
AU-09(01)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].		
AU-09(01)-Test	[SELECT FROM: System media storing audit trails].		

	AU-09(02)	PROTECTION OF AUDIT INFORMATION STORE ON SEPARATE PHYSICAL SYSTEMS OR COMPONENTS	
		ASSESSMENT OBJECTIVE: Determine if:	
		AU-09(02)_ODP	the frequency of storing audit records in a repository is defined;
		AU-09(02)	audit records are stored <au-09(02)_odp frequency=""></au-09(02)_odp> in a repository that is part of a physically different system or system component than the system or component being audited.

AU-09(02)	PROTECTION OF AUDIT INFORMATION STORE ON SEPARATE PHYSICAL SYSTEMS OR COMPONENTS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-09(02)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing protection of audit information; system design documentation; system configuration settings and associated documentation; system or media storing backups of system audit records; system audit records; other relevant documents or records].
	AU-09(02)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-09(02)-Test	[SELECT FROM: Automated mechanisms implementing the backing up of audit records].

AU-09(03)	PROTECTION OF AUDIT INFORMATION CRYPTOGRAPHIC PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-09(03)	cryptographic mechanisms to protect the integrity of audit information and audit tools are implemented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-09(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; access control policy and procedures; procedures addressing protection of audit information; system design documentation; system hardware settings; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-09(03)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-09(03)-Test	[SELECT FROM: Cryptographic mechanisms protecting integrity of audit information and tools].

AU-09(04)	PROTECTION OF AUDIT INFORMATION ACCESS BY SUBSET OF PRIVILEGED USERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-09(04)_ODP	a subset of privileged users or roles authorized to access management of audit logging functionality is defined;
	AU-09(04)	access to management of audit logging functionality to only < <i>AU-09(04)_ODP subset of privileged users or roles></i> is authorized.

AU-09(04)	PROTECTION OF AUDIT INFORMATION ACCESS BY SUBSET OF PRIVILEGED USERS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-09(04)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; access control policy and procedures; procedures addressing protection of audit information; system design documentation; system configuration settings and associated documentation; system-generated list of privileged users with access to management of audit functionality; access authorizations; access control list; system audit records; other relevant documents or records].
	AU-09(04)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	AU-09(04)-Test	[SELECT FROM: Automated mechanisms managing access to audit functionality].

AU-09(05)	PROTECTION OF AUDIT INFORMATION DUAL AUTHORIZATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-09(05)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {movement; deletion};
	AU-09(05)_ODP[02]	audit information for which dual authorization is to be enforced is defined;
	AU-09(05)	dual authorization is enforced for the <au-09(05)_odp[01] b="" selected<=""> PARAMETER VALUE(S)> of <au-09(05)_odp[02]< b=""> audit information>.</au-09(05)_odp[02]<></au-09(05)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-09(05)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; access control policy and procedures; procedures addressing protection of audit information; system design documentation; system configuration settings and associated documentation; access authorizations; system audit records; other relevant documents or records].
	AU-09(05)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	AU-09(05)-Test	[SELECT FROM: Automated mechanisms implementing enforcement of dual authorization].

AU-09(06)	PROTECTION OF AUDIT INFORMATION READ-ONLY ACCESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-09(06)_ODP	a subset of privileged users or roles with authorized read-only access to audit information is defined;
	AU-09(06)	read-only access to audit information is authorized to < AU-09(06)_ODP subset of privileged users or roles>.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-09(06)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; access control policy and procedures; procedures addressing protection of audit information; system design documentation; system configuration settings and associated documentation; system-generated list of privileged users with read-only access to audit information; access authorizations; access control list; system audit records; other relevant documents or records].
	AU-09(06)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	AU-09(06)-Test	[SELECT FROM: Automated mechanisms managing access to audit information].

AU-09(07)	PROTECTION OF AUDIT INFORMATION STORE ON COMPONENT WITH DIFFERENT OPERATING SYSTEM	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-09(07)	audit information is stored on a component running a different operating system than the system or component being audited.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-09(07)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; access control policy and procedures; procedures addressing protection of audit information; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-09(07)-Interview	[SELECT FROM: Organizational personnel with audit and accountability responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	AU-09(07)-Test	[SELECT FROM: Mechanisms implementing operating system verification capability; mechanisms verifying audit information storage location].

AU-10	NON-REPUDIATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-10_ODP	actions to be covered by non-repudiation are defined;
	AU-10	irrefutable evidence is provided that an individual (or process acting on behalf of an individual) has performed <au-10_odp actions="" b="" be="" covered<="" to=""> by non-repudiation>.</au-10_odp>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	AU-10-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing non-repudiation; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-10-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-10-Test	[SELECT FROM: Automated mechanisms implementing non-repudiation capability].
		· · ·-

AU-10(01)	NON-REPUDIATION ASSOCIATION OF IDENTITIES		
	ASSESSMENT OBJECTIVE: Determine if:		
	AU-10(01)_ODP	the strength of binding between the identity of the information producer and the information is defined;	
	AU-10(01)(a)	the identity of the information producer is bound with the information to < <i>AU-10(01)_ODP strength of binding></i> ;	
	AU-10(01)(b)	the means for authorized individuals to determine the identity of the producer of the information is provided.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-10(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing non-repudiation; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	AU-10(01)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	
	AU-10(01)-Test	[SELECT FROM: Automated mechanisms implementing non-repudiation capability].	
	·		

AU-10(02)	NON-REPUDIATION VALIDATE BINDING OF INFORMATION PRODUCER IDENTITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-10(02)_ODP[01]	the frequency at which to validate the binding of the information producer identity to the information is defined;
	AU-10(02)_ODP[02]	the actions to be performed in the event of a validation error are defined;
	AU-10(02)(a)	the binding of the information producer identity to the information < <i>AU-10(02)_ODP[01] frequency></i> is validated;
	AU-10(02)(b)	<au-10(02)_odp[02] actions=""> in the event of a validation error are performed.</au-10(02)_odp[02]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AU-10(02)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing non-repudiation; system design documentation; system configuration settings and associated documentation; validation records; system audit records; other relevant documents or records].
	AU-10(02)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-10(02)-Test	[SELECT FROM: Automated mechanisms implementing non-repudiation capability].

NON-REPUDIATION CHAIN OF CUSTODY	
ASSESSMENT OBJECTIVE: Determine if:	
AU-10(03)	reviewer or releaser credentials are maintained within the established chain of custody for information reviewed or released.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AU-10(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing non-repudiation; system design documentation; system configuration settings and associated documentation; records of information reviews and releases; system audit records; other relevant documents or records].
AU-10(03)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
AU-10(03)-Test	[SELECT FROM: Automated mechanisms implementing non-repudiation capability].
	ASSESSMENT OBJEC Determine if: AU-10(03) POTENTIAL ASSESSM AU-10(03)-Examine AU-10(03)-Interview

(04) NON-REPUDIATION	NON-REPUDIATION VALIDATE BINDING OF INFORMATION REVIEWER IDENTITY	
ASSESSMENT OBJECT Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
AU-10(04)_ODP[01]	security domains for which the binding of the information reviewer identity to the information is to be validated at transfer or release are defined;	
AU-10(04)_ODP[02]	actions to be performed in the event of a validation error are defined;	
AU-10(04)(a)	the binding of the information reviewer identity to the information at the transfer or release points prior to release or transfer between < AU-10(04)_ODP[01] security domains> is validated;	
AU-10(04)(b)	<au-10(04)_odp[02] actions=""> are performed in the event of a validation error.</au-10(04)_odp[02]>	
POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:	
AU-10(04)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing non-repudiation; system design documentation; system configuration settings and associated documentation; validation records; system audit records; other relevant documents or records].	
AU-10(04)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	
AU-10(04)-Test	[SELECT FROM: Automated mechanisms implementing non-repudiation capability].	

	AU-10(05)	NON-REPUDIATION DIGITAL SIGNATURES	
[WITHDRAWN: Incorporated into SI-07.]		[WITHDRAWN: Incorporated into SI-07.]	

AU-11	AUDIT RECORD RETENTION	
ASSESSMENT OBJECTIVE: Determine if:		ΓIVE:
	AU-11_ODP	a time period to retain audit records that is consistent with the records retention policy is defined;
	AU-11	audit records are retained for < AU-11_ODP time period consistent with <i>records retention policy></i> to provide support for after-the-fact investigations of incidents and to meet regulatory and organizational information retention requirements.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-11-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; audit record retention policy and procedures; security plan; organization-defined retention period for audit records; audit record archives; audit logs; audit records; other relevant documents or records].

AU-11	AUDIT RECORD RETENTION	
	AU-11-Interview	[SELECT FROM: Organizational personnel with audit record retention responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].

AU-11(01)	AUDIT RECORD RETENTION LONG-TERM RETRIEVAL CAPABILITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-11(01)_ODP	measures to be employed to ensure that long-term audit records generated by the system can be retrieved are defined;
	AU-11(01)	<pre><au-11(01)_odp measures=""> are employed to ensure that long-term audit records generated by the system can be retrieved.</au-11(01)_odp></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-11(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; audit record retention policy and procedures; system design documentation; system configuration settings and associated documentation; audit record archives; audit logs; audit records; other relevant documents or records].
	AU-11(01)-Interview	[SELECT FROM: Organizational personnel with audit record retention responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	AU-11(01)-Test	[SELECT FROM: Automated mechanisms implementing audit record retention capability].

AU-12	AUDIT RECORD GENERATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-12_ODP[01]	system components that provide an audit record generation capability for the events types (defined in AU-02_ODP[02]) are defined;
	AU-12_ODP[02]	personnel or roles allowed to select the event types that are to be logged by specific components of the system is/are defined;
	AU-12a.	audit record generation capability for the event types the system is capable of auditing, as defined in AU-2a, are provided on <i>AU-12_ODP[01] system</i> <i>components></i> ;
	AU-12b.	<au-12_odp[02] or="" personnel="" roles=""> is/are allowed to select the event types that are to be logged by specific components of the system;</au-12_odp[02]>
	AU-12c.	audit records for the event types defined in AU-2c that include the audit record content defined in AU-3 are generated.

AU-12	AUDIT RECORD GENERATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-12-Examine	[SELECT FROM: Audit and accountability policy; procedures addressing audit record generation; system security plan; privacy plan; system design documentation; system configuration settings and associated documentation; list of auditable events; system audit records; other relevant documents or records].
	AU-12-Interview	[SELECT FROM: Organizational personnel with audit record generation responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-12-Test	[SELECT FROM: Automated mechanisms implementing audit record generation capability].

AU-12(01)	AUDIT RECORD GENERATION SYSTEM-WIDE AND TIME-CORRELATED AUDIT TRAIL	
	ASSESSMENT OBJECT Determine if:	TIVE:
	AU-12(01)_ODP[01]	system components from which audit records are to be compiled into a system-wide (logical or physical) audit trail are defined;
	AU-12(01)_ODP[02]	level of tolerance for the relationship between timestamps of individual records in the audit trail is defined;
	AU-12(01)	audit records from <au-12(01)_odp[01] components="" system=""></au-12(01)_odp[01]> are compiled into a system-wide (logical or physical) audit trail that is time-correlated to within <au-12(01)_odp[02]< b=""> level of tolerance for the relationship between timestamps of individual records in the audit trail>.</au-12(01)_odp[02]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-12(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit record generation; system design documentation; system configuration settings and associated documentation; system-wide audit trail (logical or physical); system audit records; other relevant documents or records].
	AU-12(01)-Interview	[SELECT FROM: Organizational personnel with audit record generation responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-12(01)-Test	[SELECT FROM: Automated mechanisms implementing audit record generation capability].
	1	·

L 2(02)	AUDIT RECORD GENERATION STANDARDIZED FORMATS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AU-12(02)	a system-wide (logical or physical) audit trail composed of audit records is produced in a standardized format.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-12(02)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit record generation; system design documentation; system configuration settings and associated documentation; system-wide audit trail (logical or physical); system audit records; other relevant documents or records].
	AU-12(02)-Interview	[SELECT FROM: Organizational personnel with audit record generation responsibilities; organizational personnel with security responsibilities; system/network administrators; system developers].
	AU-12(02)-Test	[SELECT FROM: Automated mechanisms implementing audit record generation capability].

AU-12(03)	AUDIT RECORD GENERATION CHANGES BY AUTHORIZED INDIVIDUALS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	AU-12(03)_ODP[01]	individuals or roles authorized to change logging on system components are defined;
	AU-12(03)_ODP[02]	system components on which logging is to be performed are defined;
	AU-12(03)_ODP[03]	selectable event criteria with which change logging to be performed are defined;
	AU-12(03)_ODP[04]	time thresholds in which logging actions are to change is defined;
	AU-12(03)[01]	the capability for <au-12(03)_odp[01] individuals="" or="" roles=""> to change the logging to be performed on <au-12(03)_odp[02] components="" system=""> based on <au-12(03)_odp[03] criteria="" event="" selectable=""> within <au-12(03)_odp[04] thresholds="" time=""> are provided;</au-12(03)_odp[04]></au-12(03)_odp[03]></au-12(03)_odp[02]></au-12(03)_odp[01]>
	AU-12(03)[02]	the capability for < AU-12(03)_ODP[01] individuals or roles> to change the logging to be performed on < AU-12(03)_ODP[02] system components> based on < AU-12(03)_ODP[03] selectable event criteria> within < AU-12(03)_ODP[04] time thresholds> are implemented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-12(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit record generation; system design documentation; system configuration settings and associated documentation; system-generated list of individuals or roles authorized to change auditing to be performed; system audit records; other relevant documents or records].

AU-12(03)	AUDIT RECORD GENERATION CHANGES BY AUTHORIZED INDIVIDUALS	
	AU-12(03)-Interview	[SELECT FROM: Organizational personnel with audit record generation responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-12(03)-Test	[SELECT FROM: Automated mechanisms implementing audit record generation capability].

AU-12(04)	AUDIT RECORD GENERATION QUERY PARAMETER AUDITS OF PERSONALLY IDENTIFIABLE INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-12(04)[01]	the capability to audit the parameters of user query events for data sets containing personally identifiable information is provided;
	AU-12(04)[02]	the capability to audit the parameters of user query events for data sets containing personally identifiable information is implemented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-12(04)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing audit record generation; query event records; system design documentation; system configuration settings and associated documentation; map of system data actions; system audit records; other relevant documents or records].
	AU-12(04)-Interview	[SELECT FROM: Organizational personnel with audit record generation responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-12(04)-Test	[SELECT FROM: Automated mechanisms implementing audit record generation capability].

AU-13	MONITORING FOR INFORMATION DISCLOSURE	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-13_ODP[01]	open-source information and/or information sites to be monitored for evidence of unauthorized disclosure of organizational information is/are defined;
	AU-13_ODP[02]	frequency with which open-source information and/or information sites are monitored for evidence of unauthorized disclosure of organizational information is defined;
	AU-13_ODP[03]	personnel or roles to be notified if an information disclosure is discovered is/are defined;

AU-13	MONITORING FOR INFORMATION DISCLOSURE	
	AU-13_ODP[04]	additional actions to be taken if an information disclosure is discovered are defined;
	AU-13a.	<pre><au-13_odp[01] and="" information="" open-source="" or="" sites=""> are monitored <au-13_odp[02] frequency=""> for evidence of unauthorized disclosure of organizational information;</au-13_odp[02]></au-13_odp[01]></pre>
	AU-13b.01	<au-13_odp[03] or="" personnel="" roles=""> are notified if an information disclosure is discovered;</au-13_odp[03]>
	AU-13b.02	<au-13_odp[04] actions="" additional=""> are taken if an information disclosure is discovered.</au-13_odp[04]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	AU-13-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing information disclosure monitoring; system design documentation; system configuration settings and associated documentation; monitoring records; system audit records; other relevant documents or records].
	AU-13-Interview	[SELECT FROM: Organizational personnel with responsibilities for monitoring open-source information and/or information sites; organizational personnel with security and privacy responsibilities].
	AU-13-Test	[SELECT FROM: Mechanisms implementing monitoring for information disclosure].

AU-13(01)	MONITORING FOR INFORMATION DISCLOSURE USE OF AUTOMATED TOOLS	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-13(01)_ODP	automated mechanisms for monitoring open-source information and information sites are defined;
	AU-13(01)	open-source information and information sites are monitored using < AU-13(01)_ODP automated mechanisms>.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-13(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing information disclosure monitoring; system design documentation; system configuration settings and associated documentation; automated monitoring tools; system audit records; other relevant documents or records].
	AU-13(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for monitoring information disclosures; organizational personnel with information security and privacy responsibilities].
	AU-13(01)-Test	[SELECT FROM: Automated mechanisms implementing monitoring for information disclosure].

AU-13(02)	MONITORING FOR INFORMATION DISCLOSURE REVIEW OF MONITORED SITES		
	ASSESSMENT OBJECTIVE: Determine if:		
	AU-13(02)_ODP	the frequency at which to review the open-source information sites being monitored is defined;	
	AU-13(02)	the list of open-source information sites being monitored is reviewed <i>AU-13(02)_ODP frequency>.</i>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-13(02)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing information disclosure monitoring; system design documentation; system configuration settings and associated documentation; reviews for open-source information sites being monitored; system audit records; other relevant documents or records].	
	AU-13(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for monitoring open-source information sites; organizational personnel with information security and privacy responsibilities].	
	AU-13(02)-Test	[SELECT FROM: Automated mechanisms implementing monitoring for information disclosure].	

AU-13(03)	MONITORING FOR INFORMATION DISCLOSURE UNAUTHORIZED REPLICATION OF INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-13(03)	discovery techniques, processes, and tools are employed to determine if external entities are replicating organizational information in an unauthorized manner.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-13(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing information disclosure monitoring; procedures addressing information replication; system design documentation; system configuration settings and associated documentation; system audit records; training resources for staff to recognize the unauthorized use of organizational information; other relevant documents or records].
	AU-13(03)-Interview	[SELECT FROM: Organizational personnel with responsibilities for monitoring unauthorized replication of information; organizational personnel with information security and privacy responsibilities].
	AU-13(03)-Test	[SELECT FROM: Discovery tools for identifying unauthorized information replication].
	Ì	

AU-14	SESSION AUDIT		
	ASSESSMENT OBJECTIVE: Determine if:		
	AU-14_ODP[01]	users or roles who can audit the content of a user session are defined;	
	AU-14_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {record; view; hear; log};	
	AU-14_ODP[03]	circumstances under which the content of a user session can be audited are defined;	
	AU-14a.[01]	<pre><au-14_odp[01] or="" roles="" users=""> provided with the capability to <au-14_odp[02] parameter="" selected="" value(s)=""> the content of a user session under <au-14_odp[03] circumstances="">;</au-14_odp[03]></au-14_odp[02]></au-14_odp[01]></pre>	
	AU-14a.[02]	the capability for <au-14_odp[01] or="" roles="" users=""> to <au-14_odp[02] SELECTED PARAMETER VALUE(S)> the content of a user session under <au-14_odp[03] circumstances=""> is implemented;</au-14_odp[03]></au-14_odp[02] </au-14_odp[01]>	
	AU-14b.[01]	session auditing activities are developed in consultation with legal counsel and in accordance with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
	AU-14b.[02]	session auditing activities are integrated in consultation with legal counsel and in accordance with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
	AU-14b.[03]	session auditing activities are used in consultation with legal counsel and in accordance with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-14-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing user session auditing; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	AU-14-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers; legal counsel; personnel with civil liberties responsibilities].	
	AU-14-Test	[SELECT FROM: Mechanisms implementing user session auditing capability].	

AU-14(01)	SESSION AUDIT SYSTEM START-UP	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-14(01)	session audits are initiated automatically at system start-up.

AU-14(01)	SESSION AUDIT SYSTEM START-UP	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-14(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing user session auditing; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-14(01)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	AU-14(01)-Test	[SELECT FROM: Automated mechanisms implementing user session auditing capability].

AU-14(02) SESSION AUDIT | CAPTURE AND RECORD CONTENT

[WITHDRAWN: Incorporated into AU-14.]

AU-14(03)	SESSION AUDIT REMOTE VIEWING AND LISTENING	
	ASSESSMENT OBJECTIVE: Determine if:	
	AU-14(03)[01]	the capability for authorized users to remotely view and hear content related to an established user session in real time is provided;
	AU-14(03)[02]	the capability for authorized users to remotely view and hear content related to an established user session in real time is implemented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	AU-14(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing user session auditing; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	AU-14(03)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; system/network administrators; system developers; legal counsel; personnel with civil liberties responsibilities].
	AU-14(03)-Test	[SELECT FROM: Automated mechanisms implementing user session auditing capability].

AU-15 A

ALTERNATE AUDIT LOGGING CAPABILITY

[WITHDRAWN: Moved to AU-05(05).]

CROSS-ORGANIZATIONAL AUDIT LOGGING		
ASSESSMENT OBJEC	TIVE:	
AU-16_ODP[01]	methods for coordinating audit information among external organizations when audit information is transmitted across organizational boundaries are defined;	
AU-16_ODP[02]	audit information to be coordinated among external organizations when audit information is transmitted across organizational boundaries is defined;	
AU-16	<au-16_odp[01] methods=""> for coordinating <au-16_odp[02] audit<br="">information> among external organizations when audit information is transmitted across organizational boundaries are employed.</au-16_odp[02]></au-16_odp[01]>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
AU-16-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing methods for coordinating audit information among external organizations; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
AU-16-Interview	[SELECT FROM: Organizational personnel with responsibilities for coordinating audit information among external organizations; organizational personnel with information security and privacy responsibilities].	
AU-16-Test	[SELECT FROM: Automated mechanisms implementing cross-organizational auditing].	
	ASSESSMENT OBJEC Determine if: AU-16_ODP[01] AU-16_ODP[02] AU-16 POTENTIAL ASSESSM AU-16-Examine AU-16-Interview	

CROSS-ORGANIZATIONAL AUDIT LOGGING IDENTITY PRESERVATION	
ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
AU-16(01)	the identity of individuals in cross-organizational audit trails is preserved.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AU-16(01)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing cross-organizational audit trails; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
AU-16(01)-Interview	[SELECT FROM: Organizational personnel with cross-organizational audit responsibilities; organizational personnel with information security and privacy responsibilities].
AU-16(01)-Test	[SELECT FROM: Automated mechanisms implementing cross-organizational auditing (if applicable)].
	ASSESSMENT OBJECT Determine if: AU-16(01) POTENTIAL ASSESSIV AU-16(01)-Examine AU-16(01)-Interview

AU-16(02) CROSS-ORGANIZATIONAL AUDIT LOGGING SHA		DNAL AUDIT LOGGING SHARING OF AUDIT INFORMATION	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	AU-16(02)_ODP[01]	organizations with which cross-organizational audit information is to be shared are defined;	
	AU-16(02)_ODP[02]	cross-organizational sharing agreements to be used when providing cross- organizational audit information to organizations are defined;	
	AU-16(02)	cross-organizational audit information is provided to <au-16(02)_odp[01] organizations> based on <au-16(02)_odp[02] cross-organizational="" sharing<br="">agreements>.</au-16(02)_odp[02]></au-16(02)_odp[01] 	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	AU-16(02)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing cross-organizational sharing of audit information; information sharing agreements; other relevant documents or records].	
	AU-16(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for sharing cross-organizational audit information; organizational personnel with information security and privacy responsibilities].	

CROSS-ORGANIZATIONAL AUDIT LOGGING DISASSOCIABILITY	
ASSESSMENT OBJECT Determine if:	TVE:
AU-16(03)_ODP	measures to disassociate individuals from audit information transmitted across organizational boundaries are defined;
AU-16(03)	<au-16(03)_odp measures=""> are implemented to disassociate individuals from audit information transmitted across organizational boundaries.</au-16(03)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
AU-16(03)-Examine	[SELECT FROM: Audit and accountability policy; system security plan; privacy plan; procedures addressing cross-organizational sharing of audit information; policy and/or procedures regarding the deidentification of PII; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
AU-16(03)-Interview	[SELECT FROM: Organizational personnel with responsibilities for sharing cross-organizational audit information; organizational personnel with information security and privacy responsibilities].
AU-16(03)-Test	[SELECT FROM: Automated mechanisms implementing disassociability].
	ASSESSMENT OBJECT Determine if: AU-16(03)_ODP AU-16(03) POTENTIAL ASSESSM AU-16(03)-Examine AU-16(03)-Interview

4.4 ASSESSMENT, AUTHORIZATION, AND MONITORING

CA-01	POLICY AND PROCEE	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	CA-01_ODP[01]	personnel or roles to whom the assessment, authorization, and monitoring policy is to be disseminated is/are defined;
	CA-01_ODP[02]	personnel or roles to whom the assessment, authorization, and monitoring procedures are to be disseminated is/are defined;
	CA-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	CA-01_ODP[04]	an official to manage the assessment, authorization, and monitoring policy and procedures is defined;
	CA-01_ODP[05]	the frequency at which the current assessment, authorization, and monitoring policy is reviewed and updated is defined;
	CA-01_ODP[06]	events that would require the current assessment, authorization, and monitoring policy to be reviewed and updated are defined;
	CA-01_ODP[07]	the frequency at which the current assessment, authorization, and monitoring procedures are reviewed and updated is defined;
	CA-01_ODP[08]	events that would require assessment, authorization, and monitoring procedures to be reviewed and updated are defined;
	CA-01a.[01]	an assessment, authorization, and monitoring policy is developed and documented;
	CA-01a.[02]	the assessment, authorization, and monitoring policy is disseminated to <pre><ca-01_odp[01] or="" personnel="" roles="">;</ca-01_odp[01]></pre>
	CA-01a.[03]	assessment, authorization, and monitoring procedures to facilitate the implementation of the assessment, authorization, and monitoring policy and associated assessment, authorization, and monitoring controls are developed and documented;
	CA-01a.[04]	the assessment, authorization, and monitoring procedures are disseminated to < CA-01_ODP[02] personnel or roles> ;
	CA-01a.01(a)[01]	the <ca-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ca-01_odp[03]<> assessment, authorization, and monitoring policy addresses purpose;
	CA-01a.01(a)[02]	the <ca-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ca-01_odp[03]<> assessment, authorization, and monitoring policy addresses scope;[03] SELECTED PARAMETER(S)> assessment, authorization, and monitoring policy addresses scope;
	CA-01a.01(a)[03]	the <ca-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ca-01_odp[03]<> assessment, authorization, and monitoring policy addresses roles;[03] SELECTED PARAMETER(S)> assessment, authorization, and monitoring policy addresses roles;

CA-01	POLICY AND PROCEDURES	
	CA-01a.01(a)[04]	the < CA-01_ODP[03] SELECTED PARAMETER VALUE(S)> assessment, authorization, and monitoring policy addresses responsibilities;
	CA-01a.01(a)[05]	the <ca-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ca-01_odp[03]<> assessment, authorization, and monitoring policy addresses management commitment;
	CA-01a.01(a)[06]	the <ca-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ca-01_odp[03]<> assessment, authorization, and monitoring policy addresses coordination among organizational entities;
	CA-01a.01(a)[07]	the <ca-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ca-01_odp[03]<> assessment, authorization, and monitoring policy addresses compliance;
	CA-01a.01(b)	the <ca-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ca-01_odp[03]<> assessment, authorization, and monitoring policy is consistent with applicable laws, executive orders, directives, regulations, policies, standards, and guidelines;
	CA-01b.	the <ca-01_odp[04] official=""></ca-01_odp[04]> is designated to manage the development, documentation, and dissemination of the assessment, authorization, and monitoring policy and procedures;
	CA-01c.01[01]	the current assessment, authorization, and monitoring policy is reviewed and updated <ca-01_odp[05] frequency=""></ca-01_odp[05]> ;
	CA-01c.01[02]	the current assessment, authorization, and monitoring policy is reviewed and updated following <ca-01_odp[06] events=""></ca-01_odp[06]> ;
	CA-01c.02[01]	the current assessment, authorization, and monitoring procedures are reviewed and updated <ca-01_odp[07] frequency=""></ca-01_odp[07]> ;
	CA-01c.02[02]	the current assessment, authorization, and monitoring procedures are reviewed and updated following <ca-01_odp[08]< b=""> events>.</ca-01_odp[08]<>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CA-01-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy and procedures; system security plan; privacy plan; other relevant documents or records].
	CA-01-Interview	[SELECT FROM: Organizational personnel with assessment, authorization, and monitoring policy responsibilities; organizational personnel with information security and privacy responsibilities].

	CA-02	CONTROL ASSESSMENTS	
ASSESSMENT OBJECTIVE: Determine if:		ΓΙVΕ:	
		CA-02_ODP[01]	the frequency at which to assess controls in the system and its environment of operation is defined;
		CA-02_ODP[02]	individuals or roles to whom control assessment results are to be provided are defined;

CONTROL ASSESSM	IENTS
CA-02a.	an appropriate assessor or assessment team is selected for the type of assessment to be conducted;
CA-02b.01	a control assessment plan is developed that describes the scope of the assessment, including controls and control enhancements under assessment;
CA-02b.02	a control assessment plan is developed that describes the scope of the assessment, including assessment procedures to be used to determine control effectiveness;
CA-02b.03[01]	a control assessment plan is developed that describes the scope of the assessment, including the assessment environment;
	a control assessment plan is developed that describes the scope of the assessment, including assessment roles and responsibilities;
CA-02b.03[02]	a control assessment plan is developed that describes the scope of the assessment, including the assessment team;
CA-02c.	the control assessment plan is reviewed and approved by the authorizing official or designated representative prior to conducting the assessment;
CA-02d.[01]	controls are assessed in the system and its environment of operation < CA-02_ODP[01] assessment frequency> to determine the extent to which the controls are implemented correctly, operating as intended, and producing the desired outcome with respect to meeting established securit requirements;
CA-02d.[02]	controls are assessed in the system and its environment of operation < CA-02_ODP[01] assessment frequency> to determine the extent to which the controls are implemented correctly, operating as intended, and producing the desired outcome with respect to meeting established privacy requirements;
CA-02e.	a control assessment report is produced that documents the results of the assessment;
CA-02f.	the results of the control assessment are provided to <ca-02_odp[02]< b=""> <i>individuals or roles></i>.</ca-02_odp[02]<>
POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
CA-02-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing assessment planning; procedures addressing contro assessments; control assessment plan; system security plan; privacy plan; other relevant documents or records].
CA-02-Interview	[SELECT FROM: Organizational personnel with control assessment responsibilities; organizational personnel with information security and privacy responsibilities].
CA-02-Test	[SELECT FROM: Automated mechanisms supporting control assessment, control assessment plan development, and/or control assessment reporting].

CA-02(01)	CONTROL ASSESSMENTS INDEPENDENT ASSESSORS	
	ASSESSMENT OBJECTIVE: Determine if:	
	CA-02(01)	independent assessors or assessment teams are employed to conduct control assessments.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-02(01)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing control assessments; previous control assessment plan; previous control assessment report; plan of action and milestones; existing authorization statement; system security plan; privacy plan; other relevant documents or records].
	CA-02(01)-Interview	[SELECT FROM: Organizational personnel with security assessment responsibilities; organizational personnel with information security and privacy responsibilities].

CA-02(02)	CONTROL ASSESSME	CONTROL ASSESSMENTS SPECIALIZED ASSESSMENTS	
	ASSESSMENT OBJECTIVE: Determine if:		
	CA-02(02)_ODP[01]	frequency at which to include specialized assessments as part of the control assessment is defined;	
	CA-02(02)_ODP[02]	one of the following PARAMETER VALUES is selected: {announced; unannounced};	
	CA-02(02)_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {in- depth monitoring; security instrumentation; automated security test cases; vulnerability scanning; malicious user testing; insider threat assessment; performance and load testing; data leakage or data loss assessment; <ca-02(02)_odp[04] assessment="" forms="" of="" other="">};</ca-02(02)_odp[04]>	
	CA-02(02)_ODP[04]	other forms of assessment are defined (if selected);	
	CA-02(02)	<ca-02(02)_odp[01] assessment="" frequency="" specialized=""><ca-02(02)_odp[02] parameter="" selected="" value=""> <ca-02(02)_odp[03]< p="">SELECTED PARAMETER VALUE(S)> is/are included as part of control assessments.</ca-02(02)_odp[03]<></ca-02(02)_odp[02]></ca-02(02)_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-02(02)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing control assessments; control assessment plan; control assessment report; control assessment evidence; system security plan; privacy plan; other relevant documents or records].	
	CA-02(02)-Interview	[SELECT FROM: Organizational personnel with control assessment responsibilities; organizational personnel with information security and privacy responsibilities].	
	CA-02(02)-Test	[SELECT FROM: Automated mechanisms supporting control assessment].	

CA-02(03)	CONTROL ASSESSME	NTS LEVERAGING RESULTS FROM EXTERNAL ORGANIZATIONS
	ASSESSMENT OBJECT	ΓΙVΕ:
	CA-02(03)_ODP[01]	external organizations from which the results of control assessments are leveraged are defined;
	CA-02(03)_ODP[02]	system on which a control assessment was performed by an external organization is defined;
	CA-02(03)_ODP[03]	requirements to be met by the control assessment performed by an external organization on the system are defined;
	CA-02(03)	the results of control assessments performed by <ca-02(03)_odp[01]< b=""> <i>external organizations></i> on <ca-02(03)_odp[02] system=""></ca-02(03)_odp[02]> are leveraged when the assessment meets <ca-02(03)_odp[03] requirements=""></ca-02(03)_odp[03]>.</ca-02(03)_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-02(03)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing control assessments; control assessment requirements; control assessment plan; control assessment report; control assessment evidence; plan of action and milestones; system security plan; privacy plan; other relevant documents or records].
	CA-02(03)-Interview	[SELECT FROM: Organizational personnel with control assessment responsibilities; organizational personnel with information security and privacy responsibilities; personnel performing control assessments for the specified external organization].

CA-03	INFORMATION EXCHANGE	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CA-03_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {interconnection security agreements; information exchange security agreements; memoranda of understanding or agreement; service level agreements; user agreements; non-disclosure agreements; <ca-03_odp[02] agreement="" of="" type="">};</ca-03_odp[02]>
	CA-03_ODP[02]	the type of agreement used to approve and manage the exchange of information is defined (if selected);
	CA-03_ODP[03]	the frequency at which to review and update agreements is defined;
	СА-03а.	the exchange of information between system and other systems is approved and managed using <ca-03_odp[01]< b=""> SELECTED PARAMETER VALUE(S)>;</ca-03_odp[01]<>
	CA-03b.[01]	the interface characteristics are documented as part of each exchange agreement;
	CA-03b.[02]	security requirements are documented as part of each exchange agreement;
	CA-03b.[03]	privacy requirements are documented as part of each exchange agreement;

4-03	INFORMATION EXCHANGE			
	CA-03b.[04]	controls are documented as part of each exchange agreement;		
	CA-03b.[05]	responsibilities for each system are documented as part of each exchange agreement;		
	CA-03b.[06]	the impact level of the information communicated is documented as part of each exchange agreement;		
	CA-03c.	agreements are reviewed and updated <ca-03_odp[03] frequency="">.</ca-03_odp[03]>		
	POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-03-Examine	[SELECT FROM: Access control policy; procedures addressing system connections; system and communications protection policy; system interconnection security agreements; information exchange security agreements; memoranda of understanding or agreements; service level agreements; non-disclosure agreements; system design documentation; system configuration settings and associated documentation; system security plan; privacy plan; other relevant documents or records].		
	CA-03-Interview	[SELECT FROM: Organizational personnel with responsibilities for developing, implementing, or approving system interconnection agreements; organizational personnel with information security and privacy responsibilities; personnel managing the system(s) to which the interconnection security agreement applies].		

CA-03(01)	INFORMATION EXCHANGE UNCLASSIFIED NATIONAL SECURITY SYSTEM CONNECTION	
	[WITHDRAWN: Moved to SC-07(25).]	

CA-03(02)	INFORMATION EXCHANGE CLASSIFIED NATIONAL SECURITY SYSTEM CONNECTIONS	
	[WITHDRAWN: Moved to SC-07(26).]	

CA-03(03)	INFORMATION EXCHANGE UNCLASSIFIED NON-NATIONAL SECURITY SYSTEM CONNECTIONS	
	[WITHDRAWN: Moved to SC-07(27).]	

CA-03(04)	INFORMATION EXCHANGE CONNECTIONS TO PUBLIC NETWORKS	
	[WITHDRAWN: Moved to SC-07(28).]	

CA-03(05) INFORMATION EXCHANGE | RESTRICTIONS ON EXTERNAL SYSTEM CONNECTIONS

[WITHDRAWN: Moved to SC-07(05).]

INFORMATION EXCHANGE TRANSFER AUTHORIZATIONS	
ASSESSMENT OBJECT Determine if:	ſIVE:
CA-03(06)	individuals or systems transferring data between interconnecting systems have the requisite authorizations (i.e., write permissions or privileges) prior to accepting such data.
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
CA-03(06)-Examine	[SELECT FROM: Access control policy; procedures addressing system connections; system and communications protection policy; system interconnection agreements; information exchange security agreements; memoranda of understanding or agreements; service level agreements; non- disclosure agreements; system design documentation; system configuration settings and associated documentation; control assessment report; system audit records; system security plan; privacy plan; other relevant documents or records].
CA-03(06)-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing connections to external systems; network administrators; organizational personnel with information security and privacy responsibilities].
CA-03(06)-Test	[SELECT FROM: Automated mechanisms implementing restrictions on external system connections].
	ASSESSMENT OBJECT Determine if: CA-03(06) POTENTIAL ASSESSM CA-03(06)-Examine

CA-03(07)	INFORMATION EXCHANGE TRANSITIVE INFORMATION EXCHANGES		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	CA-03(07)(a)	transitive (downstream) information exchanges with other systems through the systems identified in CA-03a are identified;	
	CA-03(07)(b)	measures are taken to ensure that transitive (downstream) information exchanges cease when the controls on identified transitive (downstream) systems cannot be verified or validated.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-03(07)-Examine	[SELECT FROM: Access control policy; procedures addressing system connections; system and communications protection policy; system interconnection agreements; information exchange security agreements; memoranda of understanding or agreements; service level agreements; non- disclosure agreements; system design documentation; system configuration settings and associated documentation; control assessment report; system audit records; system security plan; privacy plan; other relevant documents or records].	

CA-03(07)	INFORMATION EXCHANGE TRANSITIVE INFORMATION EXCHANGES	
	CA-03(07)-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing connections to external systems; network administrators; organizational personnel with information security and privacy responsibilities].
	CA-03(07)-Test	[SELECT FROM: Automated mechanisms implementing restrictions on external system connections].

CA-04	SECURITY CERTIFICATION	
	[WITHDRAWN: Incorporated into CA-02.]	

CA-05	PLAN OF ACTION AND MILESTONES	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	CA-05_ODP	the frequency at which to update an existing plan of action and milestones based on the findings from control assessments, independent audits or reviews, and continuous monitoring activities is defined;
	CA-05a.	a plan of action and milestones for the system is developed to document the planned remediation actions of the organization to correct weaknesses or deficiencies noted during the assessment of the controls and to reduce or eliminate known vulnerabilities in the system;
	СА-05Ь.	existing plan of action and milestones are updated <ca-05_odp frequency=""></ca-05_odp> based on the findings from control assessments, independent audits or reviews, and continuous monitoring activities.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-05-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing plan of action and milestones; control assessment plan; control assessment report; control assessment evidence; plan of action and milestones; system security plan; privacy plan; other relevant documents or records].
	CA-05-Interview	[SELECT FROM: Organizational personnel with plan of action and milestones development and implementation responsibilities; organizational personnel with information security and privacy responsibilities].
	CA-05-Test	[SELECT FROM: Automated mechanisms for developing, implementing, and maintaining plan of action and milestones].

CA-05(01)	PLAN OF ACTION AND MILESTONES AUTOMATION SUPPORT FOR ACCURACY AND CURRENCY	
	ASSESSMENT OBJECTIVE: Determine if:	
	CA-05(01)_ODP	automated mechanisms used to ensure the accuracy, currency, and availability of the plan of action and milestones for the system are defined;
	CA-05(01)	< CA-05(01)_ODP automated mechanisms> are used to ensure the accuracy, currency, and availability of the plan of action and milestones for the system.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-05(01)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing plan of action and milestones; system design documentation; system configuration settings and associated documentation; system audit records; plan of action and milestones; system security plan; privacy plan; other relevant documents or records].
	CA-05(01)-Interview	[SELECT FROM: Organizational personnel with plan of action and milestones development and implementation responsibilities; organizational personnel with information security and privacy responsibilities].
	CA-05(01)-Test	[SELECT FROM: Automated mechanisms for developing, implementing, and maintaining a plan of action and milestones].

CA-06	AUTHORIZATION		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	CA-06_ODP	frequency at which to update the authorizations is defined;	
	CA-06a.	a senior official is assigned as the authorizing official for the system;	
	CA-06b.	a senior official is assigned as the authorizing official for common controls available for inheritance by organizational systems;	
	CA-06c.01	before commencing operations, the authorizing official for the system accepts the use of common controls inherited by the system;	
	CA-06c.02	before commencing operations, the authorizing official for the system authorizes the system to operate;	
	CA-06d.	the authorizing official for common controls authorizes the use of those controls for inheritance by organizational systems;	
	CA-06e.	the authorizations are updated <ca-06_odp frequency=""></ca-06_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-06-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing authorization; system security plan, privacy plan, assessment report, plan of action and milestones; authorization statement; other relevant documents or records].	

CA-06	AUTHORIZATION	
	CA-06-Interview	[SELECT FROM: Organizational personnel with authorization responsibilities; organizational personnel with information security and privacy responsibilities].
	CA-06-Test	[SELECT FROM: Automated mechanisms that facilitate authorizations and updates].

AUTHORIZATION JOINT AUTHORIZATION — INTRA-ORGANIZATION	
ASSESSMENT OBJECTIVE: Determine if:	
CA-06(01)[01]	a joint authorization process is employed for the system;
CA-06(01)[02]	the joint authorization process employed for the system includes multiple authorizing officials from the same organization conducting the authorization.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
CA-06(01)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing authorization; system security plan; privacy plan; assessment report; plan of action and milestones; authorization statement; other relevant documents or records].
CA-06(01)-Interview	[SELECT FROM: Organizational personnel with authorization responsibilities; organizational personnel with information security and privacy responsibilities].
CA-06(01)-Test	[SELECT FROM: Automated mechanisms that facilitate authorizations and updates].
	Determine if: CA-06(01)[01] CA-06(01)[02] POTENTIAL ASSESSM CA-06(01)-Examine CA-06(01)-Interview

CA-06(02)	AUTHORIZATION JOINT AUTHORIZATION — INTER-ORGANIZATION	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	CA-06(02)[01]	a joint authorization process is employed for the system;
	CA-06(02)[02]	the joint authorization process employed for the system includes multiple authorizing officials with at least one authorizing official from an organization external to the organization conducting the authorization.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-06(02)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing authorization; system security plan; privacy plan; assessment report; plan of action and milestones; authorization statement; other relevant documents or records].

CA-06(02)	AUTHORIZATION JOINT AUTHORIZATION — INTER-ORGANIZATION	
	CA-06(02)-Interview	[SELECT FROM: Organizational personnel with authorization responsibilities; organizational personnel with information security and privacy responsibilities].
	CA-06(02)-Test	[SELECT FROM: Automated mechanisms that facilitate authorizations and updates].

CA-07	CONTINUOUS MONITORING	
	ASSESSMENT OBJECTIVE: Determine if:	
	CA-07_ODP[01]	system-level metrics to be monitored are defined;
	CA-07_ODP[02]	frequencies at which to monitor control effectiveness are defined;
	CA-07_ODP[03]	frequencies at which to assess control effectiveness are defined;
	CA-07_ODP[04]	personnel or roles to whom the security status of the system is reported are defined;
	CA-07_ODP[05]	frequency at which the security status of the system is reported is defined;
	CA-07_ODP[06]	personnel or roles to whom the privacy status of the system is reported are defined;
	CA-07_ODP[07]	frequency at which the privacy status of the system is reported is defined;
	CA-07[01]	a system-level continuous monitoring strategy is developed;
	CA-07[02]	system-level continuous monitoring is implemented in accordance with the organization-level continuous monitoring strategy;
	CA-07a.	system-level continuous monitoring includes establishment of the following system-level metrics to be monitored <ca-07_odp[01] b="" system-level<=""> <i>metrics</i>>;</ca-07_odp[01]>
	CA-07b.[01]	system-level continuous monitoring includes established < <i>CA-07_ODP[02]</i> <i>frequencies></i> for monitoring;
	CA-07b.[02]	system-level continuous monitoring includes established < CA-07_ODP[03] frequencies> for assessment of control effectiveness;
	СА-07с.	system-level continuous monitoring includes ongoing control assessments in accordance with the continuous monitoring strategy;
	CA-07d.	system-level continuous monitoring includes ongoing monitoring of system and organization-defined metrics in accordance with the continuous monitoring strategy;
	CA-07e.	system-level continuous monitoring includes correlation and analysis of information generated by control assessments and monitoring;
	CA-07f.	system-level continuous monitoring includes response actions to address the results of the analysis of control assessment and monitoring information;

-07	CONTINUOUS MONITORING	
	CA-07g.[01]	system-level continuous monitoring includes reporting the security status of the system to <ca-07_odp[04]< b=""> personnel or roles> <ca-07_odp[05]< b=""> frequency>;</ca-07_odp[05]<></ca-07_odp[04]<>
	CA-07g.[02]	system-level continuous monitoring includes reporting the privacy status of the system to <ca-07_odp[06] or="" personnel="" roles=""> <ca-07_odp[07]< b=""> frequency>ODP[07] frequency>.</ca-07_odp[07]<></ca-07_odp[06]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CA-07-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; organizational continuous monitoring strategy; system-level continuous monitoring strategy; procedures addressing continuous monitoring of system controls; procedures addressing configuration management; control assessment report; plan of action and milestones; system monitoring records; configuration management records; impact analyses; status reports; system security plan; privacy plan; other relevant documents or records].
	CA-07-Interview	[SELECT FROM: Organizational personnel with continuous monitoring responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	CA-07-Test	[SELECT FROM: Mechanisms implementing continuous monitoring; mechanisms supporting response actions to address assessment and monitoring results; mechanisms supporting security and privacy status reporting].

CA-07(01)	CONTINUOUS MONITORING INDEPENDENT ASSESSMENT	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CA-07(01)	independent assessors or assessment teams are employed to monitor the controls in the system on an ongoing basis.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-07(01)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; organizational continuous monitoring strategy; system-level continuous monitoring strategy; procedures addressing continuous monitoring of system controls; control assessment report; plan of action and milestones; system monitoring records; impact analyses; status reports; system security plan; privacy plan; other relevant documents or records].
	CA-07(01)-Interview	[SELECT FROM: Organizational personnel with continuous monitoring responsibilities; organizational personnel with information security and privacy responsibilities].

CA-07(02) CONTINUOUS MONITORING | TYPES OF ASSESSMENTS

[WITHDRAWN: Incorporated into CA-02.]

CONTINUOUS MONITORING TREND ANALYSES	
ASSESSMENT OBJECT Determine if:	ſIVE:
CA-07(03)[01]	trend analysis is employed to determine if control implementations used in the continuous monitoring process need to be modified based on empirical data;
CA-07(03)[02]	trend analysis is employed to determine if the frequency of continuous monitoring activities used in the continuous monitoring process needs to be modified based on empirical data;
CA-07(03)[03]	trend analysis is employed to determine if the types of activities used in the continuous monitoring process need to be modified based on empirical data.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
CA-07(03)-Examine	[SELECT FROM: Organizational continuous monitoring strategy; system-level continuous monitoring strategy; assessment, authorization, and monitoring policy; procedures addressing continuous monitoring of system controls; privacy controls; assessment report; plan of action and milestones; system monitoring records; impact analyses; status reports; system security plan; privacy plan; other relevant documents or records].
CA-07(03)-Interview	[SELECT FROM: Organizational personnel with continuous monitoring responsibilities; organizational personnel with information security and privacy responsibilities].
CA-07(03)-Test	[SELECT FROM: Mechanisms supporting trend analyses].
	ASSESSMENT OBJECT Determine if: CA-07(03)[01] CA-07(03)[02] CA-07(03)[03] POTENTIAL ASSESSM CA-07(03)-Examine

CA-07(04)	CONTINUOUS MONITORING RISK MONITORING	
	ASSESSMENT OBJECT Determine if:	TIVE:
	CA-07(04)	risk monitoring is an integral part of the continuous monitoring strategy;
	CA-07(04)(a)	effectiveness monitoring is included in risk monitoring;
	CA-07(04)(b)	compliance monitoring is included in risk monitoring;
	CA-07(04)(c)	change monitoring is included in risk monitoring.

CA-07(04)	CONTINUOUS MONITORING RISK MONITORING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-07(04)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; organizational continuous monitoring strategy; system-level continuous monitoring strategy; procedures addressing continuous monitoring of system controls; assessment report; plan of action and milestones; system monitoring records; impact analyses; status reports; system security plan; privacy plan; other relevant documents or records].
	CA-07(04)-Interview	[SELECT FROM: Organizational personnel with continuous monitoring responsibilities; organizational personnel with information security and privacy responsibilities].
	CA-07(04)-Test	[SELECT FROM: Mechanisms supporting risk monitoring].

(05)	CONTINUOUS MONITORING CONSISTENCY ANALYSIS		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	CA-07(05)_ODP[01]	actions to validate that policies are established are defined;	
	CA-07(05)_ODP[02]	actions to validate that implemented controls are operating in a consistent manner are defined;	
	CA-07(05)[01]	<pre><ca-07(05)_odp[01] actions=""> are employed to validate that policies are established;</ca-07(05)_odp[01]></pre>	
	CA-07(05)[02]	CA-07(05)_ODP[02] actions> are employed to validate that implemented controls are operating in a consistent manner.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-07(05)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; organizational continuous monitoring strategy; system-level continuous monitoring strategy; procedures addressing continuous monitoring of system security controls; assessment report; plan of action and milestones; system monitoring records; security impact analyses; status reports; system security plan; other relevant documents or records].	
	CA-07(05)-Interview	[SELECT FROM: Organizational personnel with continuous monitoring responsibilities; organizational personnel with information security and privacy responsibilities].	
	CA-07(05)-Test	[SELECT FROM: Mechanisms supporting consistency analyses].	

CA-07(06)	CONTINUOUS MONITORING AUTOMATION SUPPORT FOR MONITORING		
	ASSESSMENT OBJECTIVE: Determine if:		
	CA-07(06)_ODP	automated mechanisms used to ensure the accuracy, currency, and availability of monitoring results for the system are defined;	
	CA-07(06)	<ca-07(06)_odp automated="" mechanisms=""> are used to ensure the accuracy, currency, and availability of monitoring results for the system.</ca-07(06)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-07(06)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; organizational continuous monitoring strategy; system-level continuous monitoring strategy; procedures addressing continuous monitoring of system controls; assessment report; plan of action and milestones; system monitoring records; impact analyses; status reports; system security plan; privacy plan; other relevant documents or records].	
	CA-07(06)-Interview	[SELECT FROM: Organizational personnel with continuous monitoring responsibilities; organizational personnel with information security and privacy responsibilities].	
	CA-07(06)-Test	[SELECT FROM: Mechanisms supporting automated monitoring].	

CA-08	PENETRATION TESTI	PENETRATION TESTING	
	ASSESSMENT OBJECT	TIVE:	
	CA-08_ODP[01]	frequency at which to conduct penetration testing on systems or system components is defined;	
	CA-08_ODP[02]	systems or system components on which penetration testing is to be conducted are defined;	
	CA-08	penetration testing is conducted <ca-08_odp[01] frequency=""></ca-08_odp[01]> on <ca-08_odp[02] components="" or="" system="" system(s)=""></ca-08_odp[02]> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-08-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing penetration testing; assessment plan; penetration test report; assessment report; assessment evidence; system security plan; privacy plan; other relevant documents or records].	
	CA-08-Interview	[SELECT FROM: Organizational personnel with control assessment responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	CA-08-Test	[SELECT FROM: Automated mechanisms supporting penetration testing].	

CA-08(01)	PENETRATION TESTING INDEPENDENT PENETRATION TESTING AGENT OR TEAM	
	ASSESSMENT OBJECT Determine if:	FIVE:
	CA-08(01)	an independent penetration testing agent or team is employed to perform penetration testing on the system or system components.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CA-08(01)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing penetration testing; assessment plan; penetration test report; assessment report; security assessment evidence; system security plan; privacy plan; other relevant documents or records].
	CA-08(01)-Interview	[SELECT FROM: Organizational personnel with assessment responsibilities; organizational personnel with information security and privacy responsibilities].

CA-08(02)	PENETRATION TESTING RED TEAM EXERCISES		
	ASSESSMENT OBJECTIVE: Determine if:		
	CA-08(02)_ODP	red team exercises to simulate attempts by adversaries to compromise organizational systems are defined;	
	CA-08(02)	<ca-08(02)_odp exercises="" red="" team=""> are employed to simulate attempts by adversaries to compromise organizational systems in accordance with applicable rules of engagement.</ca-08(02)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-08(02)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing penetration testing; procedures addressing red team exercises; assessment plan; results of red team exercises; penetration test report; assessment report; rules of engagement; assessment evidence; system security plan; privacy plan; other relevant documents or records].	
	CA-08(02)-Interview	[SELECT FROM: Organizational personnel with assessment responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	CA-08(02)-Test	[SELECT FROM: Automated mechanisms supporting the employment of red team exercises].	

CA-08(03)	PENETRATION TESTING FACILITY PENETRATION TESTING		
	ASSESSMENT OBJECTIVE: Determine if:		
	CA-08(03)_ODP[01]	frequency at which to employ penetration testing that attempts to bypass or circumvent controls associated with physical access points to the facility is defined;	
	CA-08(03)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {announced; unannounced};	
	CA-08(03)	the penetration testing process includes <ca-08(03)_odp[01] frequency=""></ca-08(03)_odp[01]> <ca-08(03)_odp[02] parameter="" selected="" value(s)=""></ca-08(03)_odp[02]> attempts to bypass or circumvent controls associated with physical access points to facility.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CA-08(03)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; procedures addressing penetration testing; procedures addressing red team exercises; assessment plan; results of red team exercises; penetration test report; assessment report; rules of engagement; assessment evidence; system security plan; privacy plan; other relevant documents or records].	
	CA-08(03)-Interview	[SELECT FROM: Organizational personnel with assessment responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	CA-08(03)-Test	[SELECT FROM: Automated mechanisms supporting the employment of red team exercises].	

CA-09	INTERNAL SYSTEM CONNECTIONS	
	ASSESSMENT OBJEC	CTIVE:
	CA-09_ODP[01]	system components or classes of components requiring internal connections to the system are defined;
	CA-09_ODP[02]	conditions requiring termination of internal connections are defined;
	CA-09_ODP[03]	frequency at which to review the continued need for each internal connection is defined;
	CA-09a.	internal connections of <ca-09_odp[01] components="" system=""></ca-09_odp[01]> to the system are authorized;
	CA-09b.[01]	for each internal connection, the interface characteristics are documented;
	CA-09b.[02]	for each internal connection, the security requirements are documented;
	CA-09b.[03]	for each internal connection, the privacy requirements are documented;
	CA-09b.[04]	for each internal connection, the nature of the information communicated is documented;

INTERNALS	INTERNAL SYSTEM CONNECTIONS		
CA-09c.	internal system connections are terminated after < CA-09_ODP[02] conditions>;		
CA-09d.	the continued need for each internal connection is reviewed <i><ca-09_odp[03] frequency=""></ca-09_odp[03]></i> .		
POTENTIAL	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
CA-09-Exami	ne [SELECT FROM: Assessment, authorization, and monitoring policy; access control policy; procedures addressing system connections; system and communications protection policy; system design documentation; system configuration settings and associated documentation; list of components or classes of components authorized as internal system connections; assessment report; system audit records; system security plan; privacy plan other relevant documents or records].		
CA-09-Interv	ew [SELECT FROM: Organizational personnel with responsibilities for developing, implementing, or authorizing internal system connections; organizational personnel with information security and privacy responsibilities].		
CA-09-Test	[SELECT FROM: Mechanisms supporting internal system connections].		

INTERNAL SYSTEM CONNECTIONS COMPLIANCE CHECKS		
ASSESSMENT OBJECTIVE: Determine if:		
CA-09(01)[01]	security compliance checks are performed on constituent system components prior to the establishment of the internal connection;	
CA-09(01)[02]	privacy compliance checks are performed on constituent system components prior to the establishment of the internal connection.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
CA-09(01)-Examine	[SELECT FROM: Assessment, authorization, and monitoring policy; access control policy; procedures addressing system connections; system and communications protection policy; system design documentation; system configuration settings and associated documentation; list of components or classes of components authorized as internal system connections; assessment report; system audit records; system security plan; privacy plan; other relevant documents or records].	
CA-09(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for developing, implementing, or authorizing internal system connections; organizational personnel with information security and privacy responsibilities].	
CA-09(01)-Test	[SELECT FROM: Automated mechanisms supporting compliance checks].	
	ASSESSMENT OBJECT Determine if: CA-09(01)[01] CA-09(01)[02] POTENTIAL ASSESSIV CA-09(01)-Examine	

4.5 CONFIGURATION MANAGEMENT

CM-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-01_ODP[01]	personnel or roles to whom the configuration management policy is to be disseminated is/are defined;
	CM-01_ODP[02]	personnel or roles to whom the configuration management procedures are to be disseminated is/are defined;
	CM-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	CM-01_ODP[04]	an official to manage the configuration management policy and procedures is defined;
	CM-01_ODP[05]	the frequency at which the current configuration management policy is reviewed and updated is defined;
	CM-01_ODP[06]	events that would require the current configuration management policy to be reviewed and updated are defined;
	CM-01_ODP[07]	the frequency at which the current configuration management procedures are reviewed and updated is defined;
	CM-01_ODP[08]	events that would require configuration management procedures to be reviewed and updated are defined;
	CM-01a.[01]	a configuration management policy is developed and documented;
	CM-01a.[02]	the configuration management policy is disseminated to <cm-01_odp[01]< b=""> personnel or roles>;</cm-01_odp[01]<>
	CM-01a.[03]	configuration management procedures to facilitate the implementation of the configuration management policy and associated configuration management controls are developed and documented;
	СМ-01а.[04]	the configuration management procedures are disseminated to
	CM-01a.01(a)[01]	the < CM-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the configuration management policy addresses purpose;
	СМ-01а.01(а)[02]	the < CM-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the configuration management policy addresses scope;
	СМ-01а.01(а)[03]	the <cm-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> of the configuration management policy addresses roles;</cm-01_odp[03]<>
	СМ-01а.01(а)[04]	the < CM-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the configuration management policy addresses responsibilities;
	CM-01a.01(a)[05]	the < CM-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the configuration management policy addresses management commitment;

CM-01	POLICY AND PROCEDURES	
	CM-01a.01(a)[06]	the < CM-01_ODP[03] SELECTED PARAMETER VALUE(S)> of the configuration management policy addresses coordination among organizational entities;
	CM-01a.01(a)[07]	the < CM-01_ODP[03] SELECTED PARAMETER VALUE(S) of the configuration management policy addresses compliance;
	CM-01a.01(b)	the configuration management policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;
	СМ-01Ь.	the < <i>CM-01_ODP[04] official</i> > is designated to manage the development, documentation, and dissemination of the configuration management policy and procedures;
	CM-01c.01[01]	the current configuration management policy is reviewed and updated < CM-01_ODP[05] frequency >;
	CM-01c.01[02]	the current configuration management policy is reviewed and updated following <cm-01_odp[06] events=""></cm-01_odp[06]> ;
	CM-01c.02[01]	the current configuration management procedures are reviewed and updated < CM-01_ODP[07] frequency> ;
	CM-01c.02[02]	the current configuration management procedures are reviewed and updated following <cm-01_odp[08]< b=""> events>.</cm-01_odp[08]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CM-01-Examine	[SELECT FROM: Configuration management policy and procedures; security and privacy program policies and procedures; assessment or audit findings; documentation of security incidents or breaches; system security plan; privacy plan; risk management strategy; other relevant artifacts, documents, or records].
	CM-01-Interview	[SELECT FROM: Organizational personnel with configuration management responsibilities; organizational personnel with information security and privacy responsibilities].

CM-02	BASELINE CONFIGURATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-02_ODP[01]	the frequency of baseline configuration review and update is defined;
	CM-02_ODP[02]	the circumstances requiring baseline configuration review and update are defined;
	CM-02a.[01]	a current baseline configuration of the system is developed and documented;
	CM-02a.[02]	a current baseline configuration of the system is maintained under configuration control;
	CM-02b.01	the baseline configuration of the system is reviewed and updated

CM-02	BASELINE CONFIGURATION	
	СМ-02b.02	the baseline configuration of the system is reviewed and updated when required due to < CM-02_ODP[02] circumstances>;
	СМ-02b.03	the baseline configuration of the system is reviewed and updated when system components are installed or upgraded.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-02-Examine	[SELECT FROM: Configuration management policy; procedures addressing the baseline configuration of the system; configuration management plan; enterprise architecture documentation; system design documentation; system security plan; privacy plan; system architecture and configuration documentation; system configuration settings and associated documentation; system component inventory; change control records; other relevant documents or records].
	CM-02-Interview	[SELECT FROM: Organizational personnel with configuration management responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	CM-02-Test	[SELECT FROM: Organizational processes for managing baseline configurations; automated mechanisms supporting configuration control of the baseline configuration].

CM-02(01) BASELINE CONFIGURATION | REVIEWS AND UPDATES

[WITHDRAWN: Incorporated into CM-02.]

CM-02(02)	BASELINE CONFIGURATION AUTOMATION SUPPORT FOR ACCURACY AND CURRENCY	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-02(02)_ODP	automated mechanisms for maintaining baseline configuration of the system are defined;
	СМ-02(02)[01]	the currency of the baseline configuration of the system is maintained using < CM-02(02)_ODP automated mechanisms>;
	СМ-02(02)[02]	the completeness of the baseline configuration of the system is maintained using <cm-02(02)_odp automated="" mechanisms=""></cm-02(02)_odp> ;
	СМ-02(02)[03]	the accuracy of the baseline configuration of the system is maintained using < CM-02(02)_ODP automated mechanisms> ;
	СМ-02(02)[04]	the availability of the baseline configuration of the system is maintained using <cm-02(02)_odp automated="" mechanisms=""></cm-02(02)_odp> .

CM-02(02)	BASELINE CONFIGUR	ATION AUTOMATION SUPPORT FOR ACCURACY AND CURRENCY
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-02(02)-Examine	[SELECT FROM: System security plan; configuration management policy; procedures addressing the baseline configuration of the; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; system component inventory; configuration change control records; other relevant documents or records].
	CM-02(02)-Interview	[SELECT FROM: Organizational personnel with configuration management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	CM-02(02)-Test	[SELECT FROM: Organizational processes for managing baseline configurations; automated mechanisms implementing baseline configuration maintenance].

CM-02(03)	BASELINE CONFIGURATION RETENTION OF PREVIOUS CONFIGURATIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-02(03)_ODP	the number of previous baseline configuration versions to be retained is defined;	
	СМ-02(03)	< CM-02(03)_ODP number> of previous baseline configuration version(s) of the system is/are retained to support rollback.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-02(03)-Examine	[SELECT FROM: Configuration management policy; procedures addressing the baseline configuration of the system; configuration management plan; system architecture and configuration documentation; system configuration settings and associated documentation; copies of previous baseline configuration versions; system security plan; other relevant documents or records].	
	CM-02(03)-Interview	[SELECT FROM: Organizational personnel with configuration management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	CM-02(03)-Test	[SELECT FROM: Organizational processes for managing baseline configurations].	

CM-02(04) BASELINE CONFIGURATION | UNAUTHORIZED SOFTWARE

[WITHDRAWN: Incorporated into CM-07(04).]

CM-02(05) BASELINE CONFIGURATION | AUTHORIZED SOFTWARE

[WITHDRAWN: Incorporated into CM-07(05).]

CM-02(06)	BASELINE CONFIGURATION DEVELOPMENT AND TEST ENVIRONMENTS		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	CM-02(06)[01]	a baseline configuration for system development environments that is managed separately from the operational baseline configuration is maintained;	
	СМ-02(06)[02]	a baseline configuration for test environments that is managed separately from the operational baseline configuration is maintained.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-02(06)-Examine	[SELECT FROM: Configuration management policy; procedures addressing the baseline configuration of the system; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; system security plan; other relevant documents or records].	
	CM-02(06)-Interview	[SELECT FROM: Organizational personnel with configuration management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	CM-02(06)-Test	[SELECT FROM: Organizational processes for managing baseline configurations; automated mechanisms implementing separate baseline configurations for development, test, and operational environments].	

CM-02(07)	BASELINE CONFIGURATION CONFIGURE SYSTEMS AND COMPONENTS FOR HIGH-RISK AREAS	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-02(07)_ODP[01]	the systems or system components to be issued when individuals travel to high-risk areas are defined;
	CM-02(07)_ODP[02]	configurations for systems or system components to be issued when individuals travel to high-risk areas are defined;
	CM-02(07)_ODP[03]	the controls to be applied when the individuals return from travel are defined;
	CM-02(07)(a)	<pre><cm-02(07)_odp[01] components="" or="" system="" systems=""> with <cm-02(07)_odp[02] configurations=""> are issued to individuals traveling to locations that the organization deems to be of significant risk;</cm-02(07)_odp[02]></cm-02(07)_odp[01]></pre>
	СМ-02(07)(b)	< CM-02(07)_ODP[03] controls> are applied to the systems or system components when the individuals return from travel.

CM-02(07)	BASELINE CONFIGURATION CONFIGURE SYSTEMS AND COMPONENTS FOR HIGH-RISK AREAS	
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-02(07)-Examine	[SELECT FROM: Configuration management policy; configuration management plan; procedures addressing the baseline configuration of the system; procedures addressing system component installations and upgrades; system architecture and configuration documentation; system configuration settings and associated documentation; system component inventory; records of system baseline configuration reviews and updates; system component installations/upgrades and associated records; change control records; system security plan; other relevant documents or records].
	CM-02(07)-Interview	[SELECT FROM: Organizational personnel with configuration management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	CM-02(07)-Test	[SELECT FROM: Organizational processes for managing baseline configurations].

CM-03	CONFIGURATION C	CONFIGURATION CHANGE CONTROL	
	ASSESSMENT OBJE	CTIVE:	
	CM-03_ODP[01]	the time period to retain records of configuration-controlled changes is defined;	
	CM-03_ODP[02]	the configuration change control element responsible for coordinating and overseeing change control activities is defined;	
	CM-03_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: { <cm-03_odp[04] frequency="">; <cm-03_odp[05] change="" conditions="" defined="" in="">};</cm-03_odp[05]></cm-03_odp[04]>	
	CM-03_ODP[04]	the frequency at which the configuration control element convenes is defined (if selected);	
	CM-03_ODP[05]	change conditions that prompt the configuration control element to convene are defined (if selected);	
	СМ-03а.	the types of changes to the system that are configuration-controlled are determined and documented;	
	CM-03b.[01]	proposed configuration-controlled changes to the system are reviewed;	
	СМ-03b.[02]	proposed configuration-controlled changes to the system are approved or disapproved with explicit consideration for security and privacy impact analyses;	
	СМ-03с.	configuration change decisions associated with the system are documented;	
	CM-03d.	approved configuration-controlled changes to the system are implemented;	
	СМ-03е.	records of configuration-controlled changes to the system are retained for < CM-03_ODP[01] time period> ;	

CM-03	CONFIGURATION CHANGE CONTROL		
	CM-03f.[01]	activities associated with configuration-controlled changes to the system are monitored;	
	CM-03f.[02]	activities associated with configuration-controlled changes to the system are reviewed;	
	CM-03g.[01]	configuration change control activities are coordinated and overseen by <pre><cm-03_odp[02] change="" configuration="" control="" element="">;</cm-03_odp[02]></pre>	
	CM-03g.[02]	the configuration control element convenes <cm-03_odp[03] b="" selected<=""> PARAMETER VALUE(S)>.</cm-03_odp[03]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-03-Examine	[SELECT FROM: Configuration management policy; procedures addressing system configuration change control; configuration management plan; system architecture and configuration documentation; change control records; system audit records; change control audit and review reports; agenda/minutes/documentation from configuration change control oversight meetings; system security plan; privacy plan; privacy impact assessments; system of records notices; other relevant documents or records].	
	CM-03-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; members of change control board or similar].	
	CM-03-Test	[SELECT FROM: Organizational processes for configuration change control; automated mechanisms that implement configuration change control].	

CM-03(01)	CONFIGURATION CHANGE CONTROL AUTOMATED DOCUMENTATION, NOTIFICATION, AND PROHIBITION OF CHANGES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-03(01)_ODP[01]	mechanisms used to automate configuration change control are defined;
	CM-03(01)_ODP[02]	approval authorities to be notified of and request approval for proposed changes to the system are defined;
	CM-03(01)_ODP[03]	the time period after which to highlight changes that have not been approved or disapproved is defined;
	CM-03(01)_ODP[04]	personnel to be notified when approved changes are complete is/are defined;
	СМ-03(01)(а)	< CM-03(01)_ODP[01] automated mechanisms> are used to document proposed changes to the system;
	CM-03(01)(b)	<pre><cm-03(01)_odp[01] automated="" mechanisms=""> are used to notify <cm-03(01)_odp[02] approval="" authorities=""> of proposed changes to the system and request change approval;</cm-03(01)_odp[02]></cm-03(01)_odp[01]></pre>

CM-03(01)	CONFIGURATION CHANGE CONTROL AUTOMATED DOCUMENTATION, NOTIFICATION, AND PROHIBITION OF CHANGES			
	CM-03(01)(c)	CM-03(01)_ODP[01] automated mechanisms> are used to highlight proposed changes to the system that have not been approved or disapproved within <cm-03(01)_odp[03] period="" time="">;</cm-03(01)_odp[03]>		
	CM-03(01)(d)	<pre><cm-03(01)_odp[01] automated="" mechanisms=""> are used to prohibit changes to the system until designated approvals are received;</cm-03(01)_odp[01]></pre>		
	CM-03(01)(e)	< CM-03(01)_ODP[01] automated mechanisms> are used to document all changes to the system;		
	CM-03(01)(f)	< CM-03(01)_ODP[01] automated mechanisms> are used to notify < CM-03(01)_ODP[04] personnel> when approved changes to the system are completed.		
	POTENTIAL ASSESSN	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-03(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system configuration change control; configuration management plan; system design documentation; system architecture and configuration documentation; automated configuration control mechanisms; system configuration settings and associated documentation; change control records; system audit records; change approval requests; change approvals; system security plan; other relevant documents or records].		
	CM-03(01)-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; members of change control board or similar].		
	CM-03(01)-Test	[SELECT FROM: Organizational processes for configuration change control; automated mechanisms implementing configuration change control activities].		

CM-03(02) CONFIGURATION CHANGE CONTROL | TESTING, VALIDATION, AND DOCUMENTATION OF CHANGES ASSESSMENT OBJECTIVE: Determine if: CM-03(02)[01] CM-03(02)[01] changes to the system are tested before finalizing the implementation of the changes; CM-03(02)[02] changes to the system are validated before finalizing the implementation of the system are validated before finalizing the implementation of the changes;

CIVI-05(02)[02]	the changes;	
CM-03(02)[03]	changes to the system are documented before finalizing the implementation of the changes.	

CM-03(02)	CONFIGURATION CHANGE CONTROL TESTING, VALIDATION, AND DOCUMENTATION OF CHANGES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-03(02)-Examine	[SELECT FROM: Configuration management policy; configuration management plan; procedures addressing system configuration change control; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; test records; validation records; change control records; system audit records; system security plan; other relevant documents or records].
	CM-03(02)-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; members of change control board or similar].
	CM-03(02)-Test	[SELECT FROM: Organizational processes for configuration change control; automated mechanisms supporting and/or implementing, testing, validating, and documenting system changes].

CM-03(03)	CONFIGURATION CHANGE CONTROL AUTOMATED CHANGE IMPLEMENTATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-03(03)_ODP	mechanisms used to automate the implementation of changes and deployment of the updated baseline across the installed base are defined;	
	СМ-03(03)[01]	changes to the current system baseline are implemented using <cm-03(03)_odp automated="" mechanisms="">;</cm-03(03)_odp>	
	СМ-03(03)[02]	the updated baseline is deployed across the installed base using <cm-03(03)_odp automated="" mechanisms="">.</cm-03(03)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-03(03)-Examine	[SELECT FROM: Configuration management policy; configuration management plan; procedures addressing system configuration change control; system design documentation; system architecture and configuration documentation; automated configuration control mechanisms; change control records; system component inventory; system audit records; system security plan; other relevant documents or records].	
	CM-03(03)-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; members of change control board or similar].	
	CM-03(03)-Test	[SELECT FROM: Organizational processes for configuration change control; automated mechanisms implementing changes to current system baseline].	

CHAPTER FOUR

CM-03(04)	CONFIGURATION CH	CONFIGURATION CHANGE CONTROL SECURITY AND PRIVACY REPRESENTATIVES	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	CM-03(04)_ODP[01]	security representatives required to be members of the change control element are defined;	
	CM-03(04)_ODP[02]	privacy representatives required to be members of the change control element are defined;	
	CM-03(04)_ODP[03]	the configuration change control element of which the security and privacy representatives are to be members is defined;	
	CM-03(04)[01]	<pre><cm-03(04)_odp[01] representatives="" security=""> are required to be members of the <cm-03(04)_odp[03] change="" configuration="" control="" element="">;</cm-03(04)_odp[03]></cm-03(04)_odp[01]></pre>	
	CM-03(04)[02]	<pre><cm-03(04)_odp[02] privacy="" representatives=""> are required to be members of the <cm-03(04)_odp[03] change="" configuration="" control="" element="">.</cm-03(04)_odp[03]></cm-03(04)_odp[02]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-03(04)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system configuration change control; configuration management plan; system security plan; privacy plan; other relevant documents or records].	
	CM-03(04)-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with information security and privacy responsibilities; members of change control board or similar].	
	CM-03(04)-Test	[SELECT FROM: Organizational processes for configuration change control].	

CM-03(05)	CONFIGURATION CHANGE CONTROL AUTOMATED SECURITY RESPONSE		
	ASSESSMENT OBJECT	ΓΙVΕ:	
	CM-03(05)_ODP	security responses to be automatically implemented are defined;	
	СМ-03(05)	< CM-03(05)_ODP security responses> are automatically implemented if baseline configurations are changed in an unauthorized manner.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-03(05)-Examine	[SELECT FROM: System security plan; configuration management policy; procedures addressing system configuration change control; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; alerts/notifications of unauthorized baseline configuration changes; system audit records; other relevant documents or records].	
	CM-03(05)-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; members of change control board or similar].	

СМ	1-03(05)	CONFIGURATION CHANGE CONTROL AUTOMATED SECURITY RESPONSE	
		CM-03(05)-Test	[SELECT FROM: Organizational processes for configuration change control; automated mechanisms implementing security responses to unauthorized changes to the baseline configurations].

(06) CONFIG	CONFIGURATION CHANGE CONTROL CRYPTOGRAPHY MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
CM-03(0	6)_ODP	controls provided by cryptographic mechanisms that are to be under configuration management are defined;
СМ-03(0	6)	cryptographic mechanisms used to provide < CM-03(06)_ODP controls> are under configuration management.
POTENT	TAL ASSESSM	IENT METHODS AND OBJECTS:
СМ-03(0	6)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system configuration change control; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; system security plan; other relevant documents or records].
СМ-03(0	6)-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; members of change control board or similar].
СМ-03(0	6)-Test	[SELECT FROM: Organizational processes for configuration change control; cryptographic mechanisms implementing organizational security safeguards (controls)].

CM-03(07)	CONFIGURATION CHANGE CONTROL REVIEW SYSTEM CHANGES	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-03(07)_ODP[01]	the frequency at which changes are to be reviewed is defined;
	CM-03(07)_ODP[02]	the circumstances under which changes are to be reviewed are defined;
	СМ-03(07)	changes to the system are reviewed <cm-03(07)_odp[01] frequency=""></cm-03(07)_odp[01]> or when <cm-03(07)_odp[02] circumstances=""></cm-03(07)_odp[02]> to determine whether unauthorized changes have occurred.

CM-03(07)	CONFIGURATION CHANGE CONTROL REVIEW SYSTEM CHANGES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-03(07)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system configuration change control; configuration management plan; change control records; system architecture and configuration documentation; system configuration settings and associated documentation; system audit records; system component inventory; system security plan; other relevant documents or records].
	CM-03(07)-Interview	[SELECT FROM: Organizational personnel with configuration change control responsibilities; organizational personnel with security responsibilities; system/network administrators; members of change control board or similar].
	CM-03(07)-Test	[SELECT FROM: Organizational processes for configuration change control; mechanisms implementing audit records for changes].

CM-03(08)	CONFIGURATION CHANGE CONTROL PREVENT OR RESTRICT CONFIGURATION CHANGES		
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-03(08)_ODP	the circumstances under which changes are to be prevented or restricted are defined;	
	СМ-03(08)	changes to the configuration of the system are prevented or restricted under < <i>CM-03(08)_ODP circumstances</i> >.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-03(08)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system configuration change control; configuration management plan; change control records; system architecture and configuration documentation; system configuration settings and associated documentation; system component inventory; system audit records; system security plan; other relevant documents or records].	

CM-04	IMPACT ANALYSES	
	ASSESSMENT OBJECTIVE: Determine if:	
	СМ-04[01]	changes to the system are analyzed to determine potential security impacts prior to change implementation;
	СМ-04[02]	changes to the system are analyzed to determine potential privacy impacts prior to change implementation.

CM-04	IMPACT ANALYSES		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-04-Examine	[SELECT FROM: Configuration management policy; procedures addressing security impact analyses for changes to the system; procedures addressing privacy impact analyses for changes to the system; configuration management plan; security impact analysis documentation; privacy impact analysis documentation; privacy impact assessment; privacy risk assessment documentation, system design documentation; analysis tools and associated outputs; change control records; system audit records; system security plan; privacy plan; other relevant documents or records].	
	CM-04-Interview	[SELECT FROM: Organizational personnel with responsibility for conducting security impact analyses; organizational personnel with responsibility for conducting privacy impact analyses; organizational personnel with information security and privacy responsibilities; system developer; system/ network administrators; members of change control board or similar].	
	CM-04-Test	[SELECT FROM: Organizational processes for security impact analyses; organizational processes for privacy impact analyses].	

CM-04(01)	IMPACT ANALYSES	IMPACT ANALYSES SEPARATE TEST ENVIRONMENTS	
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-04(01)[01]	changes to the system are analyzed in a separate test environment before implementation in an operational environment;	
	СМ-04(01)[02]	changes to the system are analyzed for security impacts due to flaws;	
	CM-04(01)[03]	changes to the system are analyzed for privacy impacts due to flaws;	
	CM-04(01)[04]	changes to the system are analyzed for security impacts due to weaknesses;	
	CM-04(01)[05]	changes to the system are analyzed for privacy impacts due to weaknesses;	
	CM-04(01)[06]	changes to the system are analyzed for security impacts due to incompatibility;	
	CM-04(01)[07]	changes to the system are analyzed for privacy impacts due to incompatibility;	
	CM-04(01)[08]	changes to the system are analyzed for security impacts due to intentional malice;	
	СМ-04(01)[09]	changes to the system are analyzed for privacy impacts due to intentional malice.	

CM-04(01)	IMPACT ANALYSES SEPARATE TEST ENVIRONMENTS		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-04(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing security impact analyses for changes to the system; procedures addressing privacy impact analyses for changes to the system; configuration management plan; security impact analysis documentation; privacy impact analysis documentation; privacy impact assessment; privacy risk assessment documentation; analysis tools and associated outputs system design documentation; system architecture and configuration documentation; change control records; procedures addressing the authority to test with PII; system audit records; documentation of separate test and operational environments; system security plan; privacy plan; other relevant documents or records].	
	CM-04(01)-Interview	[SELECT FROM: Organizational personnel with responsibility for conducting security and privacy impact analyses; organizational personnel with information security and privacy responsibilities; system/network administrators; members of change control board or similar].	
	CM-04(01)-Test	[SELECT FROM: Organizational processes for security and privacy impact analyses; automated mechanisms supporting and/or implementing security and privacy impact analyses of changes].	

CM-04(02)	IMPACT ANALYSES VERIFICATION OF CONTROLS ASSESSMENT OBJECTIVE: Determine if:	
	СМ-04(02)[01]	the impacted controls are implemented correctly with regard to meeting the security requirements for the system after system changes;
	СМ-04(02)[02]	the impacted controls are implemented correctly with regard to meeting the privacy requirements for the system after system changes;
	СМ-04(02)[03]	the impacted controls are operating as intended with regard to meeting the security requirements for the system after system changes;
	СМ-04(02)[04]	the impacted controls are operating as intended with regard to meeting the privacy requirements for the system after system changes;
	СМ-04(02)[05]	the impacted controls are producing the desired outcome with regard to meeting the security requirements for the system after system changes;
	СМ-04(02)[06]	the impacted controls are producing the desired outcome with regard to meeting the privacy requirements for the system after system changes.

CM-04(02)	IMPACT ANALYSES VERIFICATION OF CONTROLS		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-04(02)-Examine	[SELECT FROM: Configuration management policy; procedures addressing security impact analyses for changes to the system; procedures addressing privacy impact analyses for changes to the system; privacy risk assessment documentation; configuration management plan; security and privacy impact analysis documentation; privacy impact assessment; analysis tools and associated outputs; change control records; control assessment results; system audit records; system component inventory; system security plan; privacy plan; other relevant documents or records].	
	CM-04(02)-Interview	[SELECT FROM: Organizational personnel with responsibility for conducting security and privacy impact analyses; organizational personnel with information security and privacy responsibilities; system/network administrators; security and privacy assessors].	
	CM-04(02)-Test	[SELECT FROM: Organizational processes for security and privacy impact analyses; automated mechanisms supporting and/or implementing security and privacy impact analyses of changes].	

CM-05	ACCESS RESTRICTIONS FOR CHANGE		
	ASSESSMENT OBJECTIVE: Determine if:		
	СМ-05[01]	physical access restrictions associated with changes to the system are defined and documented;	
	СМ-05[02]	physical access restrictions associated with changes to the system are approved;	
	СМ-05[03]	physical access restrictions associated with changes to the system are enforced;	
	СМ-05[04]	logical access restrictions associated with changes to the system are defined and documented;	
	СМ-05[05]	logical access restrictions associated with changes to the system are approved;	
	СМ-05[06]	logical access restrictions associated with changes to the system are enforced.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-05-Examine	[SELECT FROM: Configuration management policy; procedures addressing access restrictions for changes to the system; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; logical access approvals; physical access approvals; access credentials; change control records; system audit records; system security plan; other relevant documents or records].	

CM-05	ACCESS RESTRICTIONS FOR CHANGE	
	CM-05-Interview	[SELECT FROM: Organizational personnel with logical access control responsibilities; organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	CM-05-Test	[SELECT FROM: Organizational processes for managing access restrictions to change; automated mechanisms supporting, implementing, or enforcing access restrictions associated with changes to the system].

CM-05(01)	ACCESS RESTRICTIONS FOR CHANGE AUTOMATED ACCESS ENFORCEMENT AND AUDIT RECORDS		
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-05(01)_ODP	mechanisms used to automate the enforcement of access restrictions are defined;	
	СМ-05(01)(а)	access restrictions for change are enforced using <cm-05(01)_odp< b=""> automated mechanisms>;</cm-05(01)_odp<>	
	CM-05(01)(b)	audit records of enforcement actions are automatically generated.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-05(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing access restrictions for changes to the system; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; change control records; system audit records; system security plan; other relevant documents or records].	
	CM-05(01)-Interview	[SELECT FROM: Organizational personnel with logical access control responsibilities; organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	CM-05(01)-Test	[SELECT FROM: Organizational processes for managing access restrictions to change; automated mechanisms implementing the enforcement of access restrictions for changes to the system; automated mechanisms supporting auditing of enforcement actions].	

CM-05(02)	5(02) ACCESS RESTRICTIONS FOR CHANGE REVIEW SYSTEM CHANGES	
	[WITHDRAWN: Incorporated into CM-03(07).]	

	CM-05(03)	ACCESS RESTRICTIONS FOR CHANGE SIGNED COMPONENTS
[WITI		[WITHDRAWN: Moved to CM-14.]

CM-05(04)	ACCESS RESTRICTIONS FOR CHANGE DUAL AUTHORIZATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-05(04)_ODP[01]	system components requiring dual authorization for changes are defined;
	CM-05(04)_ODP[02]	system-level information requiring dual authorization for changes is defined;
	СМ-05(04)[01]	dual authorization for implementing changes to < CM-05(04)_ODP[01] system components> is enforced;
	СМ-05(04)[02]	dual authorization for implementing changes to < CM-05(04)_ODP[02] system-level information> is enforced.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CM-05(04)-Examine	[SELECT FROM: Configuration management policy; procedures addressing access restrictions for changes to the system; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; change control records; system audit records; system component inventory; system information types information; system security plan; other relevant documents or records].
	CM-05(04)-Interview	[SELECT FROM: Organizational personnel with dual authorization enforcement responsibilities for implementing system changes; organizational personnel with information security responsibilities; system/ network administrators].
	CM-05(04)-Test	[SELECT FROM: Organizational processes for managing access restrictions to change; automated mechanisms implementing dual authorization enforcement].

CM-05(05) ACCESS RESTRICTIONS FOR CHANGE | PRIVILEGE LIMITATION FOR PRODUCTION AND OPERATION

	ASSESSMENT OBJECTIVE: Determine if:	
	CM-05(05)_ODP[01]	frequency at which to review privileges is defined;
	CM-05(05)_ODP[02]	frequency at which to reevaluate privileges is defined;
	CM-05(05)(a)[01]	privileges to change system components within a production or operational environment are limited;
	CM-05(05)(a)[02]	privileges to change system-related information within a production or operational environment are limited;
	CM-05(05)(b)[01]	privileges are reviewed < CM-05(05)_ODP[01] frequency >;
	CM-05(05)(b)[02]	privileges are reevaluated <cm-05(05)_odp[02] frequency="">.</cm-05(05)_odp[02]>

ACCESS RESTRICTIONS FOR CHANGE PRIVILEGE LIMITATION FOR PRODUCTION AND OPERATION	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
CM-05(05)-Examine	[SELECT FROM: Configuration management policy; procedures addressing access restrictions for changes to the system; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; user privilege reviews; user privilege recertifications; system component inventory; change control records; system audit records; system security plan; other relevant documents or records].
CM-05(05)-Interview	[SELECT FROM: Organizational personnel with information security responsibilities; system/network administrators].
CM-05(05)-Test	[SELECT FROM: Organizational processes for managing access restrictions to change; automated mechanisms supporting and/or implementing access restrictions for change].
	OPERATION POTENTIAL ASSESSM CM-05(05)-Examine CM-05(05)-Interview

CM-05(06)	ACCESS RESTRICTIONS FOR CHANGE LIMIT LIBRARY PRIVILEGES	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-05(06)	privileges to change software resident within software libraries are limited.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-05(06)-Examine	[SELECT FROM: Configuration management policy; procedures addressing access restrictions for changes to the system; configuration management plan; system design documentation; system architecture and configuration documentation; system configuration settings and associated documentation; system component inventory; change control records; system audit records; system security plan; other relevant documents or records].
	CM-05(06)-Interview	[SELECT FROM: Organizational personnel with information security responsibilities; system/network administrators].
	CM-05(06)-Test	[SELECT FROM: Organizational processes for managing access restrictions to change; automated mechanisms supporting and/or implementing access restrictions for change].

	CM-05(07)	ACCESS RESTRICTIONS FOR CHANGE AUTOMATIC IMPLEMENTATION OF SECURITY SAFEGUARDS
[WITHDRAWN: Incorporated into SI-07.]		[WITHDRAWN: Incorporated into SI-07.]

CM-06	CONFIGURATION SE	CONFIGURATION SETTINGS	
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-06_ODP[01]	common secure configurations to establish and document configuration settings for components employed within the system are defined;	
	CM-06_ODP[02]	system components for which approval of deviations is needed are defined;	
	CM-06_ODP[03]	operational requirements necessitating approval of deviations are defined;	
	СМ-06а.	configuration settings that reflect the most restrictive mode consistent with operational requirements are established and documented for components employed within the system using <cm-06_odp[01]< b=""> common secure configurations>;</cm-06_odp[01]<>	
	СМ-06b.	the configuration settings documented in CM-06a are implemented;	
	CM-06c.[01]	any deviations from established configuration settings for < CM-06_ODP[02] system components> are identified and documented based on < CM-06_ODP[03] operational requirements> ;	
	CM-06c.[02]	any deviations from established configuration settings for <cm-06_odp[02]< b=""> system components> are approved;</cm-06_odp[02]<>	
	CM-06d.[01]	changes to the configuration settings are monitored in accordance with organizational policies and procedures;	
	CM-06d.[02]	changes to the configuration settings are controlled in accordance with organizational policies and procedures.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-06-Examine	[SELECT FROM: Configuration management policy; procedures addressing configuration settings for the system; configuration management plan; system design documentation; system configuration settings and associated documentation; common secure configuration checklists; system component inventory; evidence supporting approved deviations from established configuration settings; change control records; system data processing and retention permissions; system audit records; system security plan; privacy plan; other relevant documents or records].	
	CM-06-Interview	[SELECT FROM: Organizational personnel with security configuration management responsibilities; organizational personnel with privacy configuration management responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	CM-06-Test	[SELECT FROM: Organizational processes for managing configuration settings; automated mechanisms that implement, monitor, and/or control system configuration settings; automated mechanisms that identify and/or document deviations from established configuration settings].	

CM-06(01)	CONFIGURATION SETTINGS AUTOMATED MANAGEMENT, APPLICATION, AND VERIFICATION		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	CM-06(01)_ODP[01]	system components for which to manage, apply, and verify configuration settings are defined;	
	CM-06(01)_ODP[02]	automated mechanisms to manage configuration settings are defined;	
	CM-06(01)_ODP[03]	automated mechanisms to apply configuration settings are defined;	
	CM-06(01)_ODP[04]	automated mechanisms to verify configuration settings are defined;	
	СМ-06(01)[01]	configuration settings for <cm-06(01)_odp[01] components="" system=""></cm-06(01)_odp[01]> are managed using <cm-06(01)_odp[02] automated="" mechanisms=""></cm-06(01)_odp[02]> ;	
	СМ-06(01)[02]	configuration settings for <cm-06(01)_odp[01] components="" system=""></cm-06(01)_odp[01]> are applied using <cm-06(01)_odp[03] automated="" mechanisms=""></cm-06(01)_odp[03]> ;	
	СМ-06(01)[03]	configuration settings for <cm-06(01)_odp[01] components="" system=""></cm-06(01)_odp[01]> are verified using <cm-06(01)_odp[04] automated="" mechanisms=""></cm-06(01)_odp[04]> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-06(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing configuration settings for the system; configuration management plan; system design documentation; system configuration settings and associated documentation; system component inventory; common secure configuration checklists; change control records; system audit records; system security plan; privacy plan; other relevant documents or records].	
	CM-06(01)-Interview	[SELECT FROM: Organizational personnel with security configuration management responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	
	CM-06(01)-Test	[SELECT FROM: Organizational processes for managing configuration settings; automated mechanisms implemented to manage, apply, and verify system configuration settings].	

CM-06(02)	CONFIGURATION SETTINGS RESPOND TO UNAUTHORIZED CHANGES	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-06(02)_ODP[01]	actions to be taken upon an unauthorized change are defined;
	CM-06(02)_ODP[02]	configuration settings requiring action upon an unauthorized change are defined;
	СМ-06(02)	<cm-06(02)_odp[01] actions=""> are taken in response to unauthorized changes to <cm-06(02)_odp[02] configuration="" settings="">.</cm-06(02)_odp[02]></cm-06(02)_odp[01]>

CM-06(02)	CONFIGURATION SETTINGS RESPOND TO UNAUTHORIZED CHANGES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-06(02)-Examine	[SELECT FROM: System security plan; privacy plan; configuration management policy; procedures addressing configuration settings for the system; configuration management plan; system design documentation; system configuration settings and associated documentation; alerts/ notifications of unauthorized changes to system configuration settings; system component inventory; documented responses to unauthorized changes to system configuration settings; change control records; system audit records; other relevant documents or records].
	CM-06(02)-Interview	[SELECT FROM: Organizational personnel with security configuration management responsibilities; organizational personnel with security and privacy responsibilities; system/network administrators].
	CM-06(02)-Test	[SELECT FROM: Organizational process for responding to unauthorized changes to system configuration settings; automated mechanisms supporting and/or implementing actions in response to unauthorized changes].

[WITHDRAWN: Incorporated into SI-07.]

CM-06(04)	a) CONFIGURATION SETTINGS CONFORMANCE DEMONSTRATION	
	[WITHDRAWN: Incorporated into CM-04.]	

CM-07	LEAST FUNCTIONALITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-07_ODP[01]	mission-essential capabilities for the system are defined;
	CM-07_ODP[02]	functions to be prohibited or restricted are defined;
	CM-07_ODP[03]	ports to be prohibited or restricted are defined;
	CM-07_ODP[04]	protocols to be prohibited or restricted are defined;
	CM-07_ODP[05]	software to be prohibited or restricted is defined;
	CM-07_ODP[06]	services to be prohibited or restricted are defined;
	CM-07a.	the system is configured to provide only < CM-07_ODP[01] mission-essential capabilities>;
	CM-07b.[01]	the use of < CM-07_ODP[02] functions> is prohibited or restricted;

CM-07	LEAST FUNCTIONALITY	
	CM-07b.[02]	the use of <cm-07_odp[03] ports=""></cm-07_odp[03]> is prohibited or restricted;
	CM-07b.[03]	the use of <cm-07_odp[04]< b=""> protocols> is prohibited or restricted;</cm-07_odp[04]<>
	CM-07b.[04]	the use of <cm-07_odp[05]< b=""> software> is prohibited or restricted;</cm-07_odp[05]<>
	CM-07b.[05]	the use of <cm-07_odp[06] services=""></cm-07_odp[06]> is prohibited or restricted.
	POTENTIAL ASSESSI	IENT METHODS AND OBJECTS:
	CM-07-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system design documentation; system configuration settings and associated documentation; system component inventory; common secure configuration checklists; system security plan; other relevant documents or records].
	CM-07-Interview	[SELECT FROM: Organizational personnel with security configuration management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
	CM-07-Test	[SELECT FROM: Organizational processes prohibiting or restricting functions, ports, protocols, software, and/or services; automated mechanisms implementing restrictions or prohibition of functions, ports, protocols, software, and/or services].

CM-07(01)	LEAST FUNCTIONALITY PERIODIC REVIEW	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-07(01)_ODP[01]	the frequency at which to review the system to identify unnecessary and/ or non-secure functions, ports, protocols, software, and/or services is defined;
	CM-07(01)_ODP[02]	functions to be disabled or removed when deemed unnecessary or non- secure are defined;
	CM-07(01)_ODP[03]	ports to be disabled or removed when deemed unnecessary or non-secure are defined;
	CM-07(01)_ODP[04]	protocols to be disabled or removed when deemed unnecessary or non- secure are defined;
	CM-07(01)_ODP[05]	software to be disabled or removed when deemed unnecessary or non- secure is defined;
	CM-07(01)_ODP[06]	services to be disabled or removed when deemed unnecessary or non- secure are defined;
	CM-07(01)(a)	the system is reviewed <cm-07(01)_odp[01] frequency=""></cm-07(01)_odp[01]> to identify unnecessary and/or non-secure functions, ports, protocols, software, and services:

CM-07(01)	LEAST FUNCTIONALITY PERIODIC REVIEW	
	CM-07(01)(b)[01]	< CM-07(01)_ODP[02] functions> deemed to be unnecessary and/or non-secure are disabled or removed;
	CM-07(01)(b)[02]	<pre><cm-07(01)_odp[03] ports=""> deemed to be unnecessary and/or non-secure are disabled or removed;</cm-07(01)_odp[03]></pre>
	CM-07(01)(b)[03]	<pre><cm-07(01)_odp[04] protocols=""> deemed to be unnecessary and/or non- secure are disabled or removed;</cm-07(01)_odp[04]></pre>
	CM-07(01)(b)[04]	CM-07(01)_ODP[05] software> deemed to be unnecessary and/or non-secure is disabled or removed;
	CM-07(01)(b)[05]	CM-07(01)_ODP[06] services> deemed to be unnecessary and/or non-secure are disabled or removed.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-07(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system design documentation; system configuration settings and associated documentation; common secure configuration checklists; documented reviews of functions, ports, protocols, and/or services; change control records; system audit records; system security plan; other relevant documents or records].
	CM-07(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for reviewing functions, ports, protocols, and services on the system; organizational personnel with information security responsibilities; system/network administrators; system developers].
	CM-07(01)-Test	[SELECT FROM: Organizational processes for reviewing or disabling functions, ports, protocols, and services on the system; automated mechanisms implementing review and disabling of functions, ports, protocols, and/or services].

CM-07(02)	LEAST FUNCTIONALITY PREVENT PROGRAM EXECUTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-07(02)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: { <cm-07(02)_odp[02] access="" agreements<br="" and="" behavior,="" of="" or="" policies,="" rules="">regarding software program usage and restrictions>; rules authorizing the terms and conditions of software program usage};</cm-07(02)_odp[02]>
	CM-07(02)_ODP[02]	policies, rules of behavior, and/or access agreements regarding software program usage and restrictions are defined (if selected);
	СМ-07(02)	program execution is prevented in accordance with <cm-07(02)_odp[01]< b=""> SELECTED PARAMETER VALUE(S)>.</cm-07(02)_odp[01]<>

CM-07(02)	LEAST FUNCTIONALITY PREVENT PROGRAM EXECUTION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-07(02)-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system design documentation; system configuration settings and associated documentation; system component inventory; common secure configuration checklists; specifications for preventing software program execution; change control records; system audit records; system security plan; other relevant documents or records].
	CM-07(02)-Interview	[SELECT FROM: Organizational personnel with information security responsibilities; system/network administrators; system developers].
	CM-07(02)-Test	[SELECT FROM: Organizational processes preventing program execution on the system; organizational processes for software program usage and restrictions; automated mechanisms preventing program execution on the system; automated mechanisms supporting and/or implementing software program usage and restrictions].

ASSESSMENT OBJECT	
Determine if:	IVE:
CM-07(03)_ODP	registration requirements for functions, ports, protocols, and services are defined;
CM-07(03)	<cm-07(03)_odp for="" functions,="" ports,="" protocols,<br="" registration="" requirements="">and services> are complied with.</cm-07(03)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
CM-07(03)-Examine	[SELECT FROM: System security plan; configuration management policy; procedures addressing least functionality in the system; configuration management plan; system configuration settings and associated documentation; system component inventory; audit and compliance reviews; system audit records; other relevant documents or records].
CM-07(03)-Interview	[SELECT FROM: Organizational personnel with security responsibilities; system/network administrators; system developers].
CM-07(03)-Test	[SELECT FROM: Organizational processes ensuring compliance with registration requirements for functions, ports, protocols, and/or services; automated mechanisms implementing compliance with registration requirements for functions, ports, protocols, and/or services].
	CM-07(03) POTENTIAL ASSESSM CM-07(03)-Examine CM-07(03)-Interview

CM-07(04)	LEAST FUNCTIONALITY UNAUTHORIZED SOFTWARE — DENY-BY-EXCEPTION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-07(04)_ODP[01]	software programs not authorized to execute on the system are defined;
	CM-07(04)_ODP[02]	frequency at which to review and update the list of unauthorized software programs is defined;
	СМ-07(04)(а)	<cm-07(04)_odp[01] authorized="" execute="" not="" on="" programs="" software="" the<br="" to="">system> are identified;</cm-07(04)_odp[01]>
	СМ-07(04)(b)	an allow-all, deny-by-exception policy is employed to prohibit the execution of unauthorized software programs on the system;
	СМ-07(04)(с)	the list of unauthorized software programs is reviewed and updated < <i>CM-07(04)_ODP[02] frequency></i> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CM-07(04)-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system design documentation; system configuration settings and associated documentation; list of software programs not authorized to execute on the system; system component inventory; common secure configuration checklists; review and update records associated with list of unauthorized software programs; change control records; system audit records; system security plan; other relevant documents or records].
	CM-07(04)-Interview	[SELECT FROM: Organizational personnel with responsibilities for identifying software not authorized to execute on the system; organizational personnel with information security responsibilities; system/network administrators].
	CM-07(04)-Test	[SELECT FROM: Organizational process for identifying, reviewing, and updating programs not authorized to execute on the system; organizational process for implementing unauthorized software policy; automated mechanisms supporting and/or implementing unauthorized software policy].

CM-07(05)	LEAST FUNCTIONALITY AUTHORIZED SOFTWARE — ALLOW-BY-EXCEPTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-07(05)_ODP[01]	software programs authorized to execute on the system are defined;
	CM-07(05)_ODP[02]	frequency at which to review and update the list of authorized software programs is defined;
	СМ-07(05)(а)	<cm-07(05)_odp[01] authorized="" execute="" on="" programs="" software="" the<br="" to="">system> are identified;</cm-07(05)_odp[01]>
	СМ-07(05)(b)	a deny-all, permit-by-exception policy to allow the execution of authorized software programs on the system is employed;
	CM-07(05)(c)	the list of authorized software programs is reviewed and updated < <i>CM-07(05)_ODP[02] frequency</i> >.

CM-07(05)	LEAST FUNCTIONALI	TY AUTHORIZED SOFTWARE — ALLOW-BY-EXCEPTION
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-07(05)-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system design documentation; system configuration settings and associated documentation; list of software programs authorized to execute on the system; system component inventory; common secure configuration checklists; review and update records associated with list of authorized software programs; change control records; system audit records; system security plan; other relevant documents or records].
	CM-07(05)-Interview	[SELECT FROM: Organizational personnel with responsibilities for identifying software authorized to execute on the system; organizational personnel with information security responsibilities; system/network administrators].
	CM-07(05)-Test	[SELECT FROM: Organizational process for identifying, reviewing, and updating programs authorized to execute on the system; organizational process for implementing authorized software policy; automated mechanisms supporting and/or implementing authorized software policy].

CM-07(06)	LEAST FUNCTIONALI	TY CONFINED ENVIRONMENTS WITH LIMITED PRIVILEGES
	ASSESSMENT OBJEC Determine if:	FIVE:
	CM-07(06)_ODP	user-installed software required to be executed in a confined environment is defined;
	СМ-07(06)	< CM-07(06)_ODP user-installed software> is required to be executed in a confined physical or virtual machine environment with limited privileges.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-07(06)-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system design documentation; system configuration settings and associated documentation; list or record of software required to execute in a confined environment; system component inventory; common secure configuration checklists; system audit records; system security plan; other relevant documents or records].
	CM-07(06)-Interview	[SELECT FROM: Organizational personnel with responsibilities for identifying and/or managing user-installed software and associated privileges; organizational personnel with information security responsibilities; system/ network administrators].
	CM-07(06)-Test	[SELECT FROM: Organizational process for identifying user-installed software required to execute in a confined environment; automated mechanisms supporting and/or implementing the confinement of user-installed software to physical or virtual machine environments; automated mechanisms supporting and/or implementing privilege limitations on user-installed software].

CM-07(07)	LEAST FUNCTIONALI	TY CODE EXECUTION IN PROTECTED ENVIRONMENTS
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-07(07)_ODP	personnel or roles to explicitly approve execution of binary or machine- executable code is/are defined;
	СМ-07(07)	the execution of binary or machine-executable code is only allowed in confined physical or virtual machine environments;
	CM-07(07)(a)	the execution of binary or machine-executable code obtained from sources with limited or no warranty is only allowed with the explicit approval of <cm-07(07)_odp or="" personnel="" roles=""></cm-07(07)_odp> ;
	СМ-07(07)(b)	the execution of binary or machine-executable code without the provision of source code is only allowed with the explicit approval of < <i>CM-07(07)_ODP personnel or roles</i> > .
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-07(07)-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system design documentation; system configuration settings and associated documentation; list or record of binary or machine-executable code; system component inventory; common secure configuration checklists; system audit records; system security plan; other relevant documents or records].
	CM-07(07)-Interview	[SELECT FROM: Organizational personnel with responsibilities for approving execution of binary or machine-executable code; organizational personnel with information security responsibilities; organizational personnel with software management responsibilities; system/network administrators; system developers].
	CM-07(07)-Test	[SELECT FROM: Organizational process for approving execution of binary or machine-executable code; organizational process for confining binary or machine-executable code to physical or virtual machine environments; automated mechanisms supporting and/or implementing the confinement of binary or machine-executable code to physical or virtual machine environments].

CM-07(08)	LEAST FUNCTIONALITY BINARY OR MACHINE EXECUTABLE CODE	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-07(08)(a)	the use of binary or machine-executable code is prohibited when it originates from sources with limited or no warranty or without the provision of source code;
	CM-07(08)(b)[01]	exceptions to the prohibition of binary or machine-executable code from sources with limited or no warranty or without the provision of source code are allowed only for compelling mission or operational requirements;

CM-07(08)	LEAST FUNCTIONALI	TY BINARY OR MACHINE EXECUTABLE CODE
	CM-07(08)(b)[02]	exceptions to the prohibition of binary or machine-executable code from sources with limited or no warranty or without the provision of source code are allowed only with the approval of the authorizing official.
	POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
	CM-07(08)-Examine	[SELECT FROM: Configuration management policy; procedures addressing least functionality in the system; configuration management plan; system security plan; system design documentation; system configuration settings and associated documentation; list or record of binary or machine-executable code; system component inventory; common secure configuration checklists; system audit records; system security plan; other relevant documents or records].
	CM-07(08)-Interview	[SELECT FROM: Organizational personnel with responsibilities for determining mission and operational requirements; authorizing official for the system; organizational personnel with information security responsibilities; organizational personnel with software management responsibilities; system/network administrators].
	CM-07(08)-Test	[SELECT FROM: Organizational process for approving execution of binary or machine-executable code; automated mechanisms supporting and/or implementing the prohibition of binary or machine-executable code].

CM-07(09)	LEAST FUNCTIONALITY PROHIBITING THE USE OF UNAUTHORIZED HARDWARE	
	ASSESSMENT OBJECT	FIVE:
	CM-07(09)_ODP[01]	hardware components authorized for system use are defined;
	CM-07(09)_ODP[02]	frequency at which to review and update the list of authorized hardware components is defined;
	СМ-07(09)(а)	<cm-07(09)_odp[01] authorized="" components="" for="" hardware="" system="" use=""> are identified;</cm-07(09)_odp[01]>
	CM-07(09)(b)	the use or connection of unauthorized hardware components is prohibited;
	СМ-07(09)(с)	the list of authorized hardware components is reviewed and updated < <i>CM-07(09)_ODP[02] frequency</i> >.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-07(09)-Examine	[SELECT FROM: Configuration management policy; network connection policy and procedures; configuration management plan; system security plan; system design documentation; system component inventory; system audit records; system security plan; other relevant documents or records].
	CM-07(09)-Interview	[SELECT FROM: Organizational personnel with system hardware management responsibilities; organizational personnel with information security responsibilities; system/network administrators].

CM-07(09)	LEAST FUNCTIONALITY PROHIBITING THE USE OF UNAUTHORIZED HARDWARE	
	CM-07(09)-Test	[SELECT FROM: Organizational process for approving execution of binary or machine-executable code; automated mechanisms supporting and/or implementing the prohibition of binary or machine-executable code].

CM-08	SYSTEM COMPONENT INVENTORY	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-08_ODP[01]	information deemed necessary to achieve effective system component accountability is defined;
	CM-08_ODP[02]	frequency at which to review and update the system component inventory is defined;
	CM-08a.01	an inventory of system components that accurately reflects the system is developed and documented;
	CM-08a.02	an inventory of system components that includes all components within the system is developed and documented;
	СМ-08а.03	an inventory of system components that does not include duplicate accounting of components or components assigned to any other system is developed and documented;
	CM-08a.04	an inventory of system components that is at the level of granularity deemed necessary for tracking and reporting is developed and documented;
	CM-08a.05	an inventory of system components that includes <cm-08_odp[01]< b=""> information deemed necessary to achieve effective system component accountability> is developed and documented;</cm-08_odp[01]<>
	CM-08b.	the system component inventory is reviewed and updated <cm-08_odp[02]< b=""> <i>frequency</i>>.</cm-08_odp[02]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CM-08-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system security plan; system design documentation; system component inventory; inventory reviews and update records; system security plan; other relevant documents or records].
	CM-08-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	CM-08-Test	[SELECT FROM: Organizational processes for managing the system component inventory; automated mechanisms supporting and/or implementing system component inventory].

CM-08(01)	SYSTEM COMPONENT INVENTORY UPDATES DURING INSTALLATION AND REMOVAL	
	ASSESSMENT OBJECT	ΓΙVΕ:
	CM-08(01)[01]	the inventory of system components is updated as part of component installations;
	CM-08(01)[02]	the inventory of system components is updated as part of component removals;
	CM-08(01)[03]	the inventory of system components is updated as part of system updates.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-08(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system security plan; system component inventory; inventory reviews and update records; change control records; component installation records; component removal records; system security plan; other relevant documents or records].
	CM-08(01)-Interview	[SELECT FROM: Organizational personnel with component inventory updating responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	CM-08(01)-Test	[SELECT FROM: Organizational processes for updating the system component inventory; automated mechanisms supporting and/or implementing system component inventory updates].

CM-08(02)	SYSTEM COMPONEN	IT INVENTORY AUTOMATED MAINTENANCE
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-08(02)_ODP[01]	automated mechanisms used to maintain the currency of the system component inventory are defined;
	CM-08(02)_ODP[02]	automated mechanisms used to maintain the completeness of the system component inventory are defined;
	CM-08(02)_ODP[03]	automated mechanisms used to maintain the accuracy of the system component inventory are defined;
	CM-08(02)_ODP[04]	automated mechanisms used to maintain the availability of the system component inventory are defined;
	СМ-08(02)[01]	<pre><cm-08(02)_odp[01] automated="" mechanisms=""> are used to maintain the currency of the system component inventory;</cm-08(02)_odp[01]></pre>
	СМ-08(02)[02]	<pre><cm-08(02)_odp[02] automated="" mechanisms=""> are used to maintain the completeness of the system component inventory;</cm-08(02)_odp[02]></pre>
	CM-08(02)[03]	< CM-08(02)_ODP[03] automated mechanisms> are used to maintain the accuracy of the system component inventory;

CM-08(02)	SYSTEM COMPONEN	T INVENTORY AUTOMATED MAINTENANCE	
	СМ-08(02)[04]	< CM-08(02)_ODP[04] automated mechanisms> are used to maintain the availability of the system component inventory.	
	POTENTIAL ASSESSIV	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-08(02)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system design documentation; system security plan; system component inventory; change control records; system maintenance records; system audit records; system security plan; other relevant documents or records].	
	CM-08(02)-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	CM-08(02)-Test	[SELECT FROM: Organizational processes for maintaining the system component inventory; automated mechanisms supporting and/or implementing the system component inventory].	

CM-08(03)	SYSTEM COMPONENT INVENTORY AUTOMATED UNAUTHORIZED COMPONENT
	DETECTION

	ASSESSMENT OBJECTIVE: Determine if:	
	CM-08(03)_ODP[01]	automated mechanisms used to detect the presence of unauthorized hardware within the system are defined;
	CM-08(03)_ODP[02]	automated mechanisms used to detect the presence of unauthorized software within the system are defined;
	CM-08(03)_ODP[03]	automated mechanisms used to detect the presence of unauthorized firmware within the system are defined;
	CM-08(03)_ODP[04]	frequency at which automated mechanisms are used to detect the presence of unauthorized system components within the system is defined;
	CM-08(03)_ODP[05]	one or more of the following PARAMETER VALUES is/are selected: {disable network access by unauthorized components; isolate unauthorized components; notify <cm-08(03)_odp[06] or="" personnel="" roles="">};</cm-08(03)_odp[06]>
	CM-08(03)_ODP[06]	personnel or roles to be notified when unauthorized components are detected is/are defined (if selected);
	CM-08(03)(a)[01]	the presence of unauthorized hardware within the system is detected using <cm-08(03)_odp[01] automated="" mechanisms=""> <cm-08(03)_odp[04] frequency="">;</cm-08(03)_odp[04]></cm-08(03)_odp[01]>
	CM-08(03)(a)[02]	the presence of unauthorized software within the system is detected using <cm-08(03)_odp[02] automated="" mechanisms=""> <cm-08(03)_odp[04] frequency="">;</cm-08(03)_odp[04]></cm-08(03)_odp[02]>

CM-08(03)	SYSTEM COMPONENT INVENTORY AUTOMATED UNAUTHORIZED COMPONENT DETECTION	
	CM-08(03)(a)[03]	the presence of unauthorized firmware within the system is detected using <cm-08(03)_odp[03] automated="" mechanisms=""> <cm-08(03)_odp[04] frequency="">;</cm-08(03)_odp[04]></cm-08(03)_odp[03]>
	СМ-08(03)(b)[01]	<pre><cm-08(03)_odp[05] parameter="" selected="" value(s)=""> are taken when unauthorized hardware is detected;</cm-08(03)_odp[05]></pre>
	СМ-08(03)(b)[02]	<pre><cm-08(03)_odp[05] parameter="" selected="" value(s)=""> are taken when unauthorized software is detected;</cm-08(03)_odp[05]></pre>
	СМ-08(03)(b)[03]	< CM-08(03)_ODP[05] SELECTED PARAMETER VALUE(S) > are taken when unauthorized firmware is detected.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CM-08(03)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system design documentation; system security plan; system component inventory; change control records; alerts/notifications of unauthorized components within the system; system monitoring records; system maintenance records; system audit records; system security plan; other relevant documents or records].
	CM-08(03)-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; organizational personnel with responsibilities for managing the automated mechanisms implementing unauthorized system component detection; organizational personnel with information security responsibilities; system/network administrators; system developers].
	CM-08(03)-Test	[SELECT FROM: Organizational processes for detection of unauthorized system components; organizational processes for taking action when unauthorized system components are detected; automated mechanisms supporting and/or implementing the detection of unauthorized system components; automated mechanisms supporting and/or implementing actions taken when unauthorized system components are detected].

	CM-08(04)	SYSTEM COMPONENT INVENTORY ACCOUNTABILITY INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:		
		CM-08(04)_ODP	one or more of the following PARAMETER VALUES is/are selected: {name; position; role};
		СМ-08(04)	individuals responsible and accountable for administering system components are identified by <cm-08(04)_odp b="" parameter<="" selected=""> VALUE(S) in the system component inventory.</cm-08(04)_odp>

CM-08(04)	SYSTEM COMPONENT INVENTORY ACCOUNTABILITY INFORMATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-08(04)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system security plan; system component inventory; system security plan; other relevant documents or records].
	CM-08(04)-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	CM-08(04)-Test	[SELECT FROM: Organizational processes for managing the system component inventory; automated mechanisms supporting and/or implementing the system component inventory].

CM-08(05) SYSTEM COMPONENT INVENTORY NO DUPLICATE ACCOUNTING OF COMPONENT	
	[WITHDRAWN: Incorporated into CM-08.]

CM-08(06)	SYSTEM COMPONENT INVENTORY ASSESSED CONFIGURATIONS AND APPROVED DEVIATIONS		
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	СМ-08(06)[01]	assessed component configurations are included in the system component inventory;	
	СМ-08(06)[02]	any approved deviations to current deployed configurations are included in the system component inventory.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-08(06)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system security plan; system design documentation; system component inventory; system configuration settings and associated documentation; change control records; system security plan; other relevant documents or records].	
	CM-08(06)-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; organizational personnel with assessment responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	CM-08(06)-Test	[SELECT FROM: Organizational processes for managing the system component inventory; automated mechanisms supporting and/or implementing system component inventory].	

CM-08(07)	SYSTEM COMPONENT INVENTORY CENTRALIZED REPOSITORY	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	СМ-08(07)	a centralized repository for the system component inventory is provided.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-08(07)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system design documentation; system security plan; system component inventory; system configuration settings and associated documentation; change control records; system security plan; other relevant documents or records].
	CM-08(07)-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; organizational personnel with security responsibilities;].
	CM-08(07)-Test	[SELECT FROM: Organizational processes for managing the system component inventory; automated mechanisms supporting and/or implementing system component inventory].
	Ī	

CM-08(08)	SYSTEM COMPONENT INVENTORY AUTOMATED LOCATION TRACKING	
	ASSESSMENT OBJECT	ΓΙVΕ:
	CM-08(08)_ODP	automated mechanisms for tracking components are defined;
	СМ-08(08)	< CM-08(08)_ODP automated mechanisms> are used to support the tracking of system components by geographic location.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CM-08(08)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system design documentation; system component inventory; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].
	CM-08(08)-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	CM-08(08)-Test	[SELECT FROM: Organizational processes for managing the system component inventory; automated mechanisms supporting and/or implementing system component inventory; automated mechanisms supporting and/or implementing tracking of components by geographic locations].

CM-08(09)	SYSTEM COMPONEN	SYSTEM COMPONENT INVENTORY ASSIGNMENT OF COMPONENTS TO SYSTEMS	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	CM-08(09)_ODP	personnel or roles from which to receive an acknowledgement is/are defined;	
	СМ-08(09)(а)	system components are assigned to a system;	
	СМ-08(09)(b)	an acknowledgement of the component assignment is received from	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-08(09)-Examine	[SELECT FROM: Configuration management policy; procedures addressing system component inventory; configuration management plan; system security plan; system design documentation; system component inventory; change control records; acknowledgements of system component assignments; system security plan; other relevant documents or records].	
	CM-08(09)-Interview	[SELECT FROM: Organizational personnel with component inventory management responsibilities; system owner; organizational personnel with information security responsibilities; system/network administrators].	
	CM-08(09)-Test	[SELECT FROM: Organizational processes for assigning components to systems; organizational processes for acknowledging assignment of components to systems; automated mechanisms implementing assignment of components to the system; automated mechanisms implementing acknowledgment of assignment of components to the system].	

CM-09	CONFIGURATION MANAGEMENT PLAN	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-09_ODP	personnel or roles to review and approve the configuration management plan is/are defined;
	СМ-09[01]	a configuration management plan for the system is developed and documented;
	СМ-09[02]	a configuration management plan for the system is implemented;
	CM-09a.[01]	the configuration management plan addresses roles;
	CM-09a.[02]	the configuration management plan addresses responsibilities;
	CM-09a.[03]	the configuration management plan addresses configuration management processes and procedures;
	CM-09b.[01]	the configuration management plan establishes a process for identifying configuration items throughout the system development life cycle;
	СМ-09Ь.[02]	the configuration management plan establishes a process for managing the configuration of the configuration items;

CM-09	CONFIGURATION MANAGEMENT PLAN		
	CM-09c.[01]	the configuration management plan defines the configuration items for the system;	
	СМ-09с.[02]	the configuration management plan places the configuration items under configuration management;	
	CM-09d.	the configuration management plan is reviewed and approved by <pre><cm-09_odp or="" personnel="" roles="">;</cm-09_odp></pre>	
	CM-09e.[01]	the configuration management plan is protected from unauthorized disclosure;	
	СМ-09е.[02]	the configuration management plan is protected from unauthorized modification.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-09-Examine	[SELECT FROM: Configuration management policy; procedures addressing configuration management planning; configuration management plan; system design documentation; system security plan; privacy plan; other relevant documents or records].	
	CM-09-Interview	[SELECT FROM: Organizational personnel with responsibilities for developing the configuration management plan; organizational personnel with responsibilities for implementing and managing processes defined in the configuration management plan; organizational personnel with responsibilities for protecting the configuration management plan; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	CM-09-Test	[SELECT FROM: Organizational processes for developing and documenting the configuration management plan; organizational processes for identifying and managing configuration items; organizational processes for protecting the configuration management plan; automated mechanisms implementing the configuration management plan; automated mechanisms for managing configuration items; automated mechanisms for managing management plan].	

CM-09(01)	CONFIGURATION MANAGEMENT PLAN ASSIGNMENT OF RESPONSIBILITY	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	СМ-09(01)	the responsibility for developing the configuration management process is assigned to organizational personnel who are not directly involved in system development.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-09(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing responsibilities for configuration management process development; configuration management plan; system security plan; system security plan; other relevant documents or records].

CM-09(01)	CONFIGURATION MANAGEMENT PLAN ASSIGNMENT OF RESPONSIBILITY	
	CM-09(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for configuration management process development; organizational personnel with information security responsibilities].

CM-10	SOFTWARE USAGE	SOFTWARE USAGE RESTRICTIONS	
	ASSESSMENT OBJE Determine if:	CTIVE:	
	СМ-10а.	software and associated documentation are used in accordance with contract agreements and copyright laws;	
	CM-10b.	the use of software and associated documentation protected by quantity licenses is tracked to control copying and distribution;	
	СМ-10с.	the use of peer-to-peer file sharing technology is controlled and documented to ensure that peer-to-peer file sharing is not used for the unauthorized distribution, display, performance, or reproduction of copyrighted work.	
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:	
	CM-10-Examine	[SELECT FROM: Configuration management policy; software usage restrictions; software contract agreements and copyright laws; site license documentation; list of software usage restrictions; software license tracking reports; configuration management plan; system security plan; system security plan; other relevant documents or records].	
	CM-10-Interview	[SELECT FROM: Organizational personnel operating, using, and/or maintaining the system; organizational personnel with software license management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	CM-10-Test	[SELECT FROM: Organizational processes for tracking the use of software protected by quantity licenses; organizational processes for controlling/ documenting the use of peer-to-peer file sharing technology; automated mechanisms implementing software license tracking; automated mechanisms implementing and controlling the use of peer-to-peer files sharing technology].	

CM-10(01)	SOFTWARE USAGE RESTRICTIONS OPEN-SOURCE SOFTWARE	
	ASSESSMENT OBJECTIVE: Determine if:	
	CM-10(01)_ODP restrictions on the use of open-source software are defined;	
	CM-10(01)	< CM-10(01)_ODP restrictions> are established for the use of open-source software.

CM-10(01)	SOFTWARE USAGE RESTRICTIONS OPEN-SOURCE SOFTWARE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-10(01)-Examine	[SELECT FROM: Configuration management policy; software usage restrictions; software contract agreements and copyright laws; site license documentation; list of software usage restrictions; software license tracking reports; configuration management plan; system security plan; system security plan; other relevant documents or records].
	CM-10(01)-Interview	[SELECT FROM: Organizational personnel operating, using, and/or maintaining the system; organizational personnel with software license management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	CM-10(01)-Test	[SELECT FROM: Organizational processes for tracking the use of software protected by quantity licenses; organizational processes for controlling/ documenting the use of peer-to-peer file sharing technology; automated mechanisms implementing software license tracking; automated mechanisms implementing and controlling the use of peer-to-peer files sharing technology].

CM-11	USER-INSTALLED SOFTWARE		
	ASSESSMENT OBJECTIVE: Determine if:		
	CM-11_ODP[01]	policies governing the installation of software by users are defined;	
	CM-11_ODP[02]	methods used to enforce software installation policies are defined;	
	CM-11_ODP[03]	frequency with which to monitor compliance is defined;	
	СМ-11а.	< CM-11_ODP[01] policies> governing the installation of software by users are established;	
	CM-11b.	software installation policies are enforced through < CM-11_ODP[02] methods>;	
	CM-11c.	compliance with < CM-11_ODP[01] policies> is monitored < CM-11_ODP[03] frequency>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-11-Examine	[SELECT FROM: Configuration management policy; procedures addressing user-installed software; configuration management plan; system security plan; system design documentation; system configuration settings and associated documentation; list of rules governing user installed software; system monitoring records; system audit records; continuous monitoring strategy; system security plan; other relevant documents or records].	
	CM-11-Interview	[SELECT FROM: Organizational personnel with responsibilities for governing user-installed software; organizational personnel operating, using, and/or maintaining the system; organizational personnel monitoring compliance with user-installed software policy; organizational personnel with information security responsibilities; system/network administrators].	

CM-11	USER-INSTALLED SOFTWARE	
	CM-11-Test	[SELECT FROM: Organizational processes governing user-installed software on the system; automated mechanisms enforcing policies and methods for governing the installation of software by users; automated mechanisms monitoring policy compliance].

CM-11(01)	USER-INSTALLED SOFTWARE ALERTS FOR UNAUTHORIZED INSTALLATIONS	
	[WITHDRAWN: Incorporated into CM-08(03).]	

	CM-11(02)	USER-INSTALLED SOFTWARE SOFTWARE INSTALLATION WITH PRIVILEGED STATUS	
		ASSESSMENT OBJECTIVE: Determine if:	
		СМ-11(02)	user installation of software is allowed only with explicit privileged status.
		POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CM-11(02)-Examine	[SELECT FROM: Configuration management policy; procedures addressing user-installed software; configuration management plan; system security plan; system design documentation; system configuration settings and associated documentation; alerts/notifications of unauthorized software installations; system audit records; continuous monitoring strategy; system security plan; other relevant documents or records].	
		CM-11(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for governing user-installed software; organizational personnel operating, using, and/or maintaining the system; organizational personnel with information security responsibilities; system/network administrators].
		CM-11(02)-Test	[SELECT FROM: Organizational processes governing user-installed software on the system; automated mechanisms for prohibiting installation of software without privileged status (e.g. access controls)].

CM-11(03)	USER-INSTALLED SOFTWARE AUTOMATED ENFORCEMENT AND MONITORING	
ASSESSMENT OBJ Determine if:		ΓΙVΕ:
	CM-11(03)_ODP[01]	automated mechanisms used to enforce compliance are defined;
	CM-11(03)_ODP[02]	automated mechanisms used to monitor compliance are defined;
	CM-11(03)[01]	compliance with software installation policies is enforced using <cm-11(03)_odp[01] automated="" mechanisms="">;</cm-11(03)_odp[01]>
	CM-11(03)[02]	compliance with software installation policies is monitored using CM-11(03)_ODP[02] automated mechanisms>.

CM-11(03)	USER-INSTALLED SOFTWARE AUTOMATED ENFORCEMENT AND MONITORING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-11(03)-Examine	[SELECT FROM: Configuration management policy; procedures addressing user-installed software; configuration management plan; system security plan; system design documentation; system configuration settings and associated documentation; list of rules governing user installed software; system monitoring records; system audit records; continuous monitoring strategy; system security plan; other relevant documents or records].
	CM-11(03)-Interview	[SELECT FROM: Organizational personnel with responsibilities for governing user-installed software; organizational personnel operating, using, and/or maintaining the system; organizational personnel monitoring compliance with user-installed software policy; organizational personnel with information security responsibilities; system/network administrators].
	CM-11(03)-Test	[SELECT FROM: Organizational processes governing user-installed software on the system; automated mechanisms enforcing policies on installation of software by users; automated mechanisms monitoring policy compliance].

CM-12	INFORMATION LOCATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	CM-12_ODP	information for which the location is to be identified and documented is defined;
	CM-12a.[01]	the location of <cm-12_odp information=""></cm-12_odp> is identified and documented;
	CM-12a.[02]	the specific system components on which <cm-12_odp information=""></cm-12_odp> is processed are identified and documented;
	CM-12a.[03]	the specific system components on which <cm-12_odp information=""></cm-12_odp> is stored are identified and documented;
	CM-12b.[01]	the users who have access to the system and system components where < <i>CM-12_ODP information></i> is processed are identified and documented;
	CM-12b.[02]	the users who have access to the system and system components where < <i>CM-12_ODP information></i> is stored are identified and documented;
	CM-12c.[01]	changes to the location (i.e., system or system components) where
	CM-12c.[02]	changes to the location (i.e., system or system components) where <i><cm-12_odp information=""></cm-12_odp></i> is stored are documented.

CM-12	INFORMATION LOCATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-12-Examine	[SELECT FROM: Configuration management policy; procedures addressing identification and documentation of information location; configuration management plan; system design documentation; system architecture documentation; PII inventory documentation; data mapping documentation; audit records; list of users with system and system component access; change control records; system component inventory; system security plan; privacy plan; other relevant documents or records].
	CM-12-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing information location and user access to information; organizational personnel with responsibilities for operating, using, and/or maintaining the system; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].
	CM-12-Test	[SELECT FROM: Organizational processes governing information location; automated mechanisms enforcing policies and methods for governing information location].

CM-12(01)	INFORMATION LOCATION AUTOMATED TOOLS TO SUPPORT INFORMATION LOCATION	
	ASSESSMENT OBJECT Determine if:	FIVE:
	CM-12(01)_ODP[01]	information to be protected is defined by information type;
	CM-12(01)_ODP[02]	system components where the information is located are defined;
	CM-12(01)	automated tools are used to identify <cm-12(01)_odp[01] b="" information<=""> by information type> on <cm-12(01)_odp[02] components="" system=""></cm-12(01)_odp[02]> to ensure that controls are in place to protect organizational information and individual privacy.</cm-12(01)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CM-12(01)-Examine	[SELECT FROM: Configuration management policy; procedures addressing identification and documentation of information location; configuration management plan; system design documentation; PII inventory documentation; data mapping documentation; change control records; system component inventory; system security plan; privacy plan; other relevant documents or records].
	CM-12(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing information location; organizational personnel with information security responsibilities; system/network administrators; system developers].
	CM-12(01)-Test	[SELECT FROM: Organizational processes governing information location; automated mechanisms enforcing policies and methods for governing information location; automated tools used to identify information on system components].

13	DATA ACTION MAP	DATA ACTION MAPPING	
	ASSESSMENT OBJE Determine if:	CTIVE:	
	СМ-13	a map of system data actions is developed and documented.	
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:	
	CM-13-Examine	[SELECT FROM: Configuration management policy; procedures for identification and documentation of information location; procedures for mapping data actions; configuration management plan; system security plan; privacy plan; system design documentation; PII inventory documentation; data mapping documentation; change control records; system component inventory; other relevant documents or records].	
	CM-13-Interview	[SELECT FROM: Organizational personnel with responsibilities for managing information location; organizational personnel responsible for data action mapping; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].	
	CM-13-Test	[SELECT FROM: Organizational processes governing information location; automated mechanisms supporting or implementing data action mapping].	

CM-14	SIGNED COMPONENTS		
	ASSESSMENT OBJEC	CTIVE:	
	CM-14_ODP[01]	software components requiring verification of a digitally signed certificate before installation are defined;	
	CM-14_ODP[02]	firmware components requiring verification of a digitally signed certificate before installation are defined;	
	CM-14[01]	the installation of <cm-14_odp[01]< b=""> software components> is prevented unless it is verified that the software has been digitally signed using a certificate recognized and approved by the organization;</cm-14_odp[01]<>	
	СМ-14[02]	the installation of <cm-14_odp[02] components="" firmware=""></cm-14_odp[02]> is prevented unless it is verified that the firmware has been digitally signed using a certificate recognized and approved by the organization.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CM-14-Examine	[SELECT FROM: Configuration management policy; procedures addressing digitally signed certificates for software and firmware components; configuration management plan; system security plan; system design documentation; change control records; system component inventory; system security plan; other relevant documents or records].	
	CM-14-Interview	[SELECT FROM: Organizational personnel with responsibilities for verifying digitally signed certificates for software and firmware component installation; organizational personnel with information security responsibilities; system/network administrators; system developers].	

CM-14-Test [SELECT FROM: Organizational processes governing info automated mechanisms enforcing policies and method	SIGNED COMPONENTS	
information location; automated tools supporting or im signatures for software and firmware components; aut supporting or implementing verification of digital signa and firmware component installation].	ds for governing mplementing digitally tomated tools	

4.6 CONTINGENCY PLANNING

CP-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	ΓΙVE:
	CP-01_ODP[01]	personnel or roles to whom the contingency planning policy is to be disseminated is/are defined;
	CP-01_ODP[02]	personnel or roles to whom the contingency planning procedures are to be disseminated is/are defined;
	CP-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	CP-01_ODP[04]	an official to manage the contingency planning policy and procedures is defined;
	CP-01_ODP[05]	the frequency at which the current contingency planning policy is reviewed and updated is defined;
	CP-01_ODP[06]	events that would require the current contingency planning policy to be reviewed and updated are defined;
	CP-01_ODP[07]	the frequency at which the current contingency planning procedures are reviewed and updated is defined;
	CP-01_ODP[08]	events that would require procedures to be reviewed and updated are defined;
	CP-01a.[01]	a contingency planning policy is developed and documented;
	CP-01a.[02]	the contingency planning policy is disseminated to < CP-01_ODP[01] personnel or roles>;
	CP-01a.[03]	contingency planning procedures to facilitate the implementation of the contingency planning policy and associated contingency planning controls are developed and documented;
	CP-01a.[04]	the contingency planning procedures are disseminated to < CP-01_ODP[02] personnel or roles>;
	CP-01a.01(a)[01]	the < CP-01_ODP[03] SELECTED PARAMETER VALUE(S)> contingency planning policy addresses purpose;
	CP-01a.01(a)[02]	the < CP-01_ODP[03] SELECTED PARAMETER VALUE(S)> contingency planning policy addresses scope;
	CP-01a.01(a)[03]	the < CP-01_ODP[03] SELECTED PARAMETER VALUE(S)> contingency planning policy addresses roles;
	CP-01a.01(a)[04]	the < CP-01_ODP[03] SELECTED PARAMETER VALUE(S) > contingency planning policy addresses responsibilities;
	CP-01a.01(a)[05]	the < CP-01_ODP[03] SELECTED PARAMETER VALUE(S)> contingency planning policy addresses management commitment;

CP-01	POLICY AND PROCEDURES	
	CP-01a.01(a)[06]	the < CP-01_ODP[03] SELECTED PARAMETER VALUE(S)> contingency planning policy addresses coordination among organizational entities;
	CP-01a.01(a)[07]	the < CP-01_ODP[03] SELECTED PARAMETER VALUE(S)> contingency planning policy addresses compliance;
	CP-01a.01(b)	the <cp-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> contingency planning policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;</cp-01_odp[03]<>
	СР-01Ь.	the <cp-01_odp[04] official=""></cp-01_odp[04]> is designated to manage the development, documentation, and dissemination of the contingency planning policy and procedures;
	CP-01c.01[01]	the current contingency planning policy is reviewed and updated
	CP-01c.01[02]	the current contingency planning policy is reviewed and updated following <pre><cp-01_odp[06] events="">;</cp-01_odp[06]></pre>
	CP-01c.02[01]	the current contingency planning procedures are reviewed and updated
	CP-01c.02[02]	the current contingency planning procedures are reviewed and updated following <<i>CP-01_ODP[08] events></i> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CP-01-Examine	[SELECT FROM: Contingency planning policy and procedures; system security plan; privacy plan; other relevant documents or records].
	CP-01-Interview	[SELECT FROM: Organizational personnel with contingency planning responsibilities; organizational personnel with information security and privacy responsibilities].

CP-02	CONTINGENCY PLAN	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-02_ODP[01]	personnel or roles to review a contingency plan is/are defined;
	CP-02_ODP[02]	personnel or roles to approve a contingency plan is/are defined;
	CP-02_ODP[03]	key contingency personnel (identified by name and/or by role) to whom copies of the contingency plan are distributed are defined;
	CP-02_ODP[04]	key contingency organizational elements to which copies of the contingency plan are distributed are defined;
	CP-02_ODP[05]	frequency of contingency plan review is defined;
	CP-02_ODP[06]	key contingency personnel (identified by name and/or by role) to communicate changes to are defined;

CP-02	CONTINGENCY PLAN	
	CP-02_ODP[07]	key contingency organizational elements to communicate changes to are defined;
	CP-02a.01	a contingency plan for the system is developed that identifies essential mission and business functions and associated contingency requirements;
	CP-02a.02[01]	a contingency plan for the system is developed that provides recovery objectives;
	CP-02a.02[02]	a contingency plan for the system is developed that provides restoration priorities;
	CP-02a.02[03]	a contingency plan for the system is developed that provides metrics;
	CP-02a.03[01]	a contingency plan for the system is developed that addresses contingency roles;
	CP-02a.03[02]	a contingency plan for the system is developed that addresses contingency responsibilities;
	CP-02a.03[03]	a contingency plan for the system is developed that addresses assigned individuals with contact information;
	CP-02a.04	a contingency plan for the system is developed that addresses maintaining essential mission and business functions despite a system disruption, compromise, or failure;
	CP-02a.05	a contingency plan for the system is developed that addresses eventual, full- system restoration without deterioration of the controls originally planned and implemented;
	CP-02a.06	a contingency plan for the system is developed that addresses the sharing of contingency information;
	CP-02a.07[01]	a contingency plan for the system is developed that is reviewed by <pre><cp-02_odp[01] or="" personnel="" roles="">;</cp-02_odp[01]></pre>
	CP-02a.07[02]	a contingency plan for the system is developed that is approved by <cp-02_odp[02] or="" personnel="" roles="">;</cp-02_odp[02]>
	CP-02b.[01]	copies of the contingency plan are distributed to < CP-02_ODP[03] key contingency personnel (identified by name and/or by role)>;
	CP-02b.[02]	copies of the contingency plan are distributed to < CP-02_ODP[04] organizational elements>;
	CP-02c.	contingency planning activities are coordinated with incident handling activities;
	CP-02d.	the contingency plan for the system is reviewed <cp-02_odp[05]< b=""> frequency>;</cp-02_odp[05]<>
	CP-02e.[01]	the contingency plan is updated to address changes to the organization, system, or environment of operation;
	CP-02e.[02]	the contingency plan is updated to address problems encountered during contingency plan implementation, execution, or testing;

CP-02	CONTINGENCY PLAN		
	CP-02f.[01]	contingency plan changes are communicated to < CP-02_ODP[06] key contingency personnel (identified by name and/or by role)>;	
	CP-02f.[02]	contingency plan changes are communicated to < CP-02_ODP[07] organizational elements>;	
	CP-02g.[01]	lessons learned from contingency plan testing or actual contingency activities are incorporated into contingency testing;	
	CP-02g.[02]	lessons learned from contingency plan training or actual contingency activities are incorporated into contingency testing and training;	
	CP-02h.[01]	the contingency plan is protected from unauthorized disclosure;	
	CP-02h.[02]	the contingency plan is protected from unauthorized modification.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-02-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; evidence of contingency plan reviews and updates; system security plan; other relevant documents or records].	
	CP-02-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with incident handling responsibilities; organizational personnel with knowledge of requirements for mission and business functions; organizational personnel with information security responsibilities].	
	CP-02-Test	[SELECT FROM: Organizational processes for contingency plan development, review, update, and protection; automated mechanisms for developing, reviewing, updating, and/or protecting the contingency plan].	

CP-02(01)	CONTINGENCY PLAN COORDINATE WITH RELATED PLANS		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-02(01)	contingency plan development is coordinated with organizational elements responsible for related plans.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-02(01)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; business contingency plans; disaster recovery plans; continuity of operations plans; crisis communications plans; critical infrastructure plans; cyber incident response plan; insider threat implementation plans; occupant emergency plans; system security plan; other relevant documents or records].	
	CP-02(01)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with information security responsibilities; personnel with responsibility for related plans].	

CP-02(02)	CONTINGENCY PLAN CAPACITY PLANNING		
	ASSESSMENT OBJECT Determine if:	FIVE:	
	CP-02(02)[01]	capacity planning is conducted so that the necessary capacity exists during contingency operations for information processing;	
	CP-02(02)[02]	capacity planning is conducted so that the necessary capacity exists during contingency operations for telecommunications;	
	CP-02(02)[03]	capacity planning is conducted so that the necessary capacity exists during contingency operations for environmental support.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-02(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; capacity planning documents; system security plan; other relevant documents or records].	
	CP-02(02)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel responsible for capacity planning; organizational personnel with information security responsibilities].	
	<u> </u>		

CP-02(03)	CONTINGENCY PLAN RESUME MISSION AND BUSINESS FUNCTIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-02(03)_ODP[01]	one of the following PARAMETER VALUES is selected: {all; essential};
	CP-02(03)_ODP[02]	the contingency plan activation time period within which to resume mission and business functions is defined;
	CP-02(03)	the resumption of <cp-02(03)_odp[01]< b=""> SELECTED PARAMETER VALUE> mission and business functions are planned for within <cp-02(03)_odp[02]< b=""> time period> of contingency plan activation.</cp-02(03)_odp[02]<></cp-02(03)_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-02(03)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; business impact assessment; system security plan; privacy plan; other related plans; system security plan; other relevant documents or records].
	CP-02(03)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with knowledge of requirements for mission and business functions].
	CP-02(03)-Test	[SELECT FROM: Organizational processes for resumption of missions and business functions].

CP-02(04) CONTINGENCY PLAN | RESUME ALL MISSION AND BUSINESS FUNCTIONS

[WITHDRAWN: Incorporated into CP-02(03).]

CP-02(05)	CONTINGENCY PLAN CONTINUE MISSION AND BUSINESS FUNCTIONS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	CP-02(05)_ODP	one of the following PARAMETER VALUES is selected: {all; essential};
	CP-02(05)[01]	the continuance of <cp-02(05)_odp parameter="" selected="" value=""></cp-02(05)_odp> mission and business functions with minimal or no loss of operational continuity is planned for;
	CP-02(05)[02]	continuity is sustained until full system restoration at primary processing and/or storage sites.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-02(05)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; business impact assessment; primary processing site agreements; primary storage site agreements; alternate processing site agreements; alternate storage site agreements; contingency plan test documentation; contingency plan test results; system security plan; other relevant documents or records].
	CP-02(05)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with knowledge of requirements for mission and business functions; organizational personnel with information security responsibilities].
	CP-02(05)-Test	[SELECT FROM: Organizational processes for continuing missions and business functions].

CP-02(06)	CONTINGENCY PLAN ALTERNATE PROCESSING AND STORAGE SITES	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-02(06)_ODP	one of the following PARAMETER VALUES is selected: {all; essential};
	CP-02(06)[01]	the transfer of < CP-02(06)_ODP SELECTED PARAMETER VALUE > mission and business functions to alternate processing and/or storage sites with minimal or no loss of operational continuity is planned for;
	CP-02(06)[02]	operational continuity is sustained until full system restoration at primary processing and/or storage sites.

CP-02(06)	CONTINGENCY PLAN ALTERNATE PROCESSING AND STORAGE SITES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-02(06)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; business impact assessment; alternate processing site agreements; alternate storage site agreements; contingency plan testing documentation; contingency plan test results; system security plan; other relevant documents or records].
	CP-02(06)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with knowledge of requirements for mission and business functions; organizational personnel with information security responsibilities].
	CP-02(06)-Test	[SELECT FROM: Organizational processes for transfer of essential mission and business functions to alternate processing/storage sites].

CP-02(07)	CONTINGENCY PLAN COORDINATE WITH EXTERNAL SERVICE PROVIDERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-02(07)	the contingency plan is coordinated with the contingency plans of external service providers to ensure that contingency requirements can be satisfied.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-02(07)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; contingency plans of external; service providers; service level agreements; contingency plan requirements; system security plan; other relevant documents or records].
	CP-02(07)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; external service providers; organizational personnel with information security responsibilities].

CP-02(08)	CONTINGENCY PLAN IDENTIFY CRITICAL ASSETS	
	ASSESSMENT OBJECT Determine if:	TIVE:
	CP-02(08)_ODP	one of the following PARAMETER VALUES is selected: {all; essential};
	CP-02(08)	critical system assets supporting <cp-02(08)_odp b="" parameter<="" selected=""> VALUE> mission and business functions are identified.</cp-02(08)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-02(08)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency operations for the system; contingency plan; business impact assessment; system security plan; other relevant documents or records].

CP-02(08)	CONTINGENCY PLAN IDENTIFY CRITICAL ASSETS	
	CP-02(08)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with knowledge of requirements for mission and business functions; organizational personnel with information security responsibilities].

CP-03	CONTINGENCY TRAINING	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-03_ODP[01]	the time period within which to provide contingency training after assuming a contingency role or responsibility is defined;
	CP-03_ODP[02]	frequency at which to provide training to system users with a contingency role or responsibility;
	CP-03_ODP[03]	frequency at which to review and update contingency training content;
	CP-03_ODP[04]	events necessitating review and update of contingency training are defined;
	CP-03a.01	contingency training is provided to system users consistent with assigned roles and responsibilities within <cp-03_odp[01]< b=""> time period> of assuming a contingency role or responsibility;</cp-03_odp[01]<>
	CP-03a.02	contingency training is provided to system users consistent with assigned roles and responsibilities when required by system changes;
	CP-03a.03	contingency training is provided to system users consistent with assigned roles and responsibilities < <i>CP-03_ODP[02] frequency></i> thereafter;
	CP-03b.[01]	the contingency plan training content is reviewed and updated CP-03_ODP[03] frequency>;
	CP-03b.[02]	the contingency plan training content is reviewed and updated following <i><cp-03_odp[04] events=""></cp-03_odp[04]></i> .
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CP-03-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency training; contingency plan; contingency training curriculum; contingency training material; contingency training records; system security plan; other relevant documents or records].
	CP-03-Interview	[SELECT FROM: Organizational personnel with contingency planning, plan implementation, and training responsibilities; organizational personnel with information security responsibilities].
	CP-03-Test	[SELECT FROM: Organizational processes for contingency training].

CP-03(01)	CONTINGENCY TRAINING SIMULATED EVENTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-03(01)	simulated events are incorporated into contingency training to facilitate effective response by personnel in crisis situations.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-03(01)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency training; contingency plan; contingency training curriculum; contingency training material; system security plan; other relevant documents or records].	
	CP-03(01)-Interview	[SELECT FROM: Organizational personnel with contingency planning, plan implementation, and training responsibilities; organizational personnel with information security responsibilities].	
	CP-03(01)-Test	[SELECT FROM: Organizational processes for contingency training; automated mechanisms for simulating contingency events].	

CP-03(02)	CONTINGENCY TRAINING MECHANISMS USED IN TRAINING ENVIRONMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-03(02)	mechanisms used in operations are employed to provide a more thorough and realistic contingency training environment.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-03(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency training; contingency plan; contingency training curriculum; contingency training material; system security plan; other relevant documents or records].
	CP-03(02)-Interview	[SELECT FROM: Organizational personnel with contingency planning, plan implementation, and training responsibilities; organizational personnel with information security responsibilities].
	CP-03(02)-Test	[SELECT FROM: Organizational processes for contingency training; automated mechanisms for providing contingency training environments].

СР-04	CONTINGENCY PLAN TESTING	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-04_ODP[01]	frequency of testing the contingency plan for the system is defined;
	CP-04_ODP[02]	tests for determining the effectiveness of the contingency plan are defined;

CP-04	CONTINGENCY PLAN TESTING		
	CP-04_ODP[03]	tests for determining readiness to execute the contingency plan are defined;	
	CP-04a.[01]	the contingency plan for the system is tested < CP-04_ODP[01] frequency >;	
	CP-04a.[02]	<pre><cp-04_odp[02] tests=""> are used to determine the effectiveness of the plan;</cp-04_odp[02]></pre>	
	CP-04a.[03]	<pre><cp-04_odp[03] tests=""> are used to determine the readiness to execute the plan;</cp-04_odp[03]></pre>	
	CP-04b.	the contingency plan test results are reviewed;	
	CP-04c.	corrective actions are initiated, if needed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-04-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency plan testing; contingency plan; contingency plan test documentation; contingency plan test results; system security plan; other relevant documents or records].	
	CP-04-Interview	[SELECT FROM: Organizational personnel with responsibilities for contingency plan testing, reviewing, or responding to contingency plan tests; organizational personnel with information security responsibilities].	
	CP-04-Test	[SELECT FROM: Organizational processes for contingency plan testing; automated mechanisms supporting the contingency plan and/or contingency plan testing].	

CP-04(01)	CONTINGENCY PLAN TESTING COORDINATE WITH RELATED PLANS ASSESSMENT OBJECTIVE: Determine if:	
	CP-04(01)	contingency plan testing is coordinated with organizational elements responsible for related plans.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-04(01)-Examine	[SELECT FROM: Contingency planning policy; incident response policy; procedures addressing contingency plan testing; contingency plan testing documentation; contingency plan; business continuity plans; disaster recovery plans; continuity of operations plans; crisis communications plans; critical infrastructure plans; cyber incident response plans; occupant emergency plans; system security plan; other relevant documents or records].
	CP-04(01)-Interview	[SELECT FROM: Organizational personnel with contingency plan testing responsibilities; personnel with responsibilities for related plans; organizational personnel with information security responsibilities].

CP-04(02)	CONTINGENCY PLAN TESTING ALTERNATE PROCESSING SITE		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-04(02)(a)	the contingency plan is tested at the alternate processing site to familiarize contingency personnel with the facility and available resources;	
	CP-04(02)(b)	the contingency plan is tested at the alternate processing site to evaluate the capabilities of the alternate processing site to support contingency operations.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-04(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency plan testing; contingency plan; contingency plan test documentation; contingency plan test results; alternate processing site agreements; service-level agreements; system security plan; other relevant documents or records].	
	CP-04(02)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with information security responsibilities].	
	CP-04(02)-Test	[SELECT FROM: Organizational processes for contingency plan testing; automated mechanisms supporting the contingency plan and/or contingency plan testing].	

4(03)	CONTINGENCY PLAN TESTING AUTOMATED TESTING	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-04(03)_ODP	automated mechanisms for contingency plan testing are defined;
	CP-04(03)	the contingency plan is tested using <cp-04(03)_odp< b=""> automated mechanisms>.</cp-04(03)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-04(03)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing contingency plan testing; contingency plan; automated mechanisms supporting contingency plan testing; contingency plan test documentation; contingency plan test results; system security plan; other relevant documents or records].
	CP-04(03)-Interview	[SELECT FROM: Organizational personnel with contingency plan testing responsibilities; organizational personnel with information security responsibilities].
	CP-04(03)-Test	[SELECT FROM: Organizational processes for contingency plan testing; automated mechanisms supporting contingency plan testing].

CP-04(04)	CONTINGENCY PLAN TESTING FULL RECOVERY AND RECONSTITUTION		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-04(04)[01]	a full recovery of the system to a known state is included as part of contingency plan testing;	
	CP-04(04)[02]	a full reconstitution of the system to a known state is included as part of contingency plan testing.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-04(04)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system recovery and reconstitution; contingency plan; contingency plan test documentation; contingency plan test results; system security plan; other relevant documents or records].	
	CP-04(04)-Interview	[SELECT FROM: Organizational personnel with contingency plan testing responsibilities; organizational personnel with system recovery and reconstitution responsibilities; organizational personnel with information security responsibilities].	
	CP-04(04)-Test	[SELECT FROM: Organizational processes for contingency plan testing; automated mechanisms supporting contingency plan testing; automated mechanisms supporting recovery and reconstitution of the system].	

ASSESSMENT OBJECT Determine if: CP-04(05)_ODP[01]	
CP-04(05)_ODP[01]	mechanisms employed to disrupt and adversely affect the system or system
	component are aejinea,
CP-04(05)_ODP[02]	system or system component on which to apply disruption mechanisms are defined;
CP-04(05)	<cp-04(05)_odp[01] mechanism="" mechanisms=""> is/are employed to disrupt and adversely affect the <cp-04(05)_odp[02] or="" system="" system<br="">component>.</cp-04(05)_odp[02]></cp-04(05)_odp[01]>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
CP-04(05)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system recovery and reconstitution; contingency plan; contingency plan test documentation; contingency plan test results; system security plan; other relevant documents or records].
CP-04(05)-Interview	[SELECT FROM: Organizational personnel with contingency plan testing responsibilities; organizational personnel with system recovery and reconstitution responsibilities; organizational personnel with information security responsibilities].
CP-04(05)-Test	[SELECT FROM: Organizational processes for contingency plan testing; mechanisms supporting contingency plan testing].
	POTENTIAL ASSESSM CP-04(05)-Examine CP-04(05)-Interview

CP-05 CONTINGENCY PLAN UPDATE [WITHDRAWN: Incorporated into CP-02.]

CP-06	ALTERNATE STORAGE SITE		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-06a.[01]	an alternate storage site is established;	
	CP-06a.[02]	establishment of the alternate storage site includes necessary agreements to permit the storage and retrieval of system backup information;	
	CP-06b.	the alternate storage site provides controls equivalent to that of the primary site.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-06-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate storage sites; contingency plan; alternate storage site agreements; primary storage site agreements; system security plan; other relevant documents or records].	
	CP-06-Interview	[SELECT FROM: Organizational personnel with contingency plan alternate storage site responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with information security responsibilities].	
	CP-06-Test	[SELECT FROM: Organizational processes for storing and retrieving system backup information at the alternate storage site; automated mechanisms supporting and/or implementing storage and retrieval of system backup information at the alternate storage site].	

ALTERNATE STORAGE SITE SEPARATION FROM PRIMARY SITE		
ASSESSMENT OBJECTIVE: Determine if:		
CP-06(01)	an alternate storage site that is sufficiently separated from the primary storage site is identified to reduce susceptibility to the same threats.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
CP-06(01)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate storage sites; contingency plan; alternate storage site; alternate storage site agreements; primary storage site agreements; system security plan; other relevant documents or records].	
CP-06(01)-Interview	[SELECT FROM: Organizational personnel with contingency plan alternate storage site responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with information security responsibilities].	
	ASSESSMENT OBJECT Determine if: CP-06(01) POTENTIAL ASSESSIV CP-06(01)-Examine	

CP-06(02)	ALTERNATE STORAGE SITE RECOVERY TIME AND RECOVERY POINT OBJECTIVES		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-06(02)[01]	the alternate storage site is configured to facilitate recovery operations in accordance with recovery time objectives;	
	CP-06(02)[02]	the alternate storage site is configured to facilitate recovery operations in accordance with recovery point objectives.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-06(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate storage sites; contingency plan; alternate storage site; alternate storage site agreements; alternate storage site configurations; system security plan; other relevant documents or records].	
	CP-06(02)-Interview	[SELECT FROM: Organizational personnel with contingency plan testing responsibilities; organizational personnel with responsibilities for testing related plans; organizational personnel with information security responsibilities].	
	CP-06(02)-Test	[SELECT FROM: Organizational processes for contingency plan testing; automated mechanisms supporting recovery time and point objectives].	

CP-06(03)	ALTERNATE STORAGE SITE ACCESSIBILITY		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-06(03)[01]	potential accessibility problems to the alternate storage site in the event of an area-wide disruption or disaster are identified;	
	CP-06(03)[02]	explicit mitigation actions to address identified accessibility problems are outlined.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-06(03)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate storage sites; contingency plan; alternate storage site; list of potential accessibility problems to alternate storage site; mitigation actions for accessibility problems to alternate storage site; organizational risk assessments; system security plan; other relevant documents or records].	
	CP-06(03)-Interview	[SELECT FROM: Organizational personnel with contingency plan alternate storage site responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with information security responsibilities].	

CP-07	ALTERNATE PROCE	SSING SITE	
	ASSESSMENT OBJE	ASSESSMENT OBJECTIVE: Determine if:	
	CP-07_ODP[01]	system operations for essential mission and business functions are defined;	
	CP-07_ODP[02]	time period consistent with recovery time and recovery point objectives is defined;	
	СР-07а.	an alternate processing site, including necessary agreements to permit the transfer and resumption of <cp-07_odp[01] operations="" system=""></cp-07_odp[01]> for essential mission and business functions, is established within <cp-07_odp[02] period="" time=""></cp-07_odp[02]> when the primary processing capabilities are unavailable;	
	СР-07Ь.[01]	the equipment and supplies required to transfer operations are made available at the alternate processing site or if contracts are in place to support delivery to the site within <cp-07_odp[02] period="" time=""></cp-07_odp[02]> for transfer;	
	СР-07Ь.[02]	the equipment and supplies required to resume operations are made available at the alternate processing site or if contracts are in place to support delivery to the site within <cp-07_odp[02] period="" time=""></cp-07_odp[02]> for resumption;	
	СР-07с.	controls provided at the alternate processing site are equivalent to those at the primary site.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-07-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate processing sites; contingency plan; alternate processing site agreements; primary processing site agreements; spare equipment and supplies inventory at alternate processing site; equipment and supply contracts; service-level agreements; system security plan; other relevant documents or records].	
	CP-07-Interview	[SELECT FROM: Organizational personnel with responsibilities for contingency planning and/or alternate site arrangements; organizational personnel with information security responsibilities].	
	CP-07-Test	[SELECT FROM: Organizational processes for recovery at the alternate site; automated mechanisms supporting and/or implementing recovery at the alternate processing site].	

CP.	-07(01)	ALTERNATE PROCESSING SITE SEPARATION FROM PRIMARY SITE	
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-07(01)	an alternate processing site that is sufficiently separated from the primary processing site to reduce susceptibility to the same threats is identified.	

CP-07(01)	ALTERNATE PROCESSING SITE SEPARATION FROM PRIMARY SITE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-07(01)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate processing sites; contingency plan; alternate processing site; alternate processing site agreements; primary processing site agreements; system security plan; other relevant documents or records].
	CP-07(01)-Interview	[SELECT FROM: Organizational personnel with contingency plan alternate processing site responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with information security responsibilities].

CP-07(02)	ALTERNATE PROCESSING SITE ACCESSIBILITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-07(02)[01]	potential accessibility problems to alternate processing sites in the event of an area-wide disruption or disaster are identified;
	CP-07(02)[02]	explicit mitigation actions to address identified accessibility problems are outlined.
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	CP-07(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate processing sites; contingency plan; alternate processing site; alternate processing site agreements; primary processing site agreements; system security plan; other relevant documents or records].
	CP-07(02)-Interview	[SELECT FROM: Organizational personnel with contingency plan alternate processing site responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with information security responsibilities].

CP-07(03)	ALTERNATE PROCESSING SITE PRIORITY OF SERVICE		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-07(03)	alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives) are developed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-07(03)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate processing sites; contingency plan; alternate processing site agreements; service-level agreements; system security plan; other relevant documents or records].	

CP-07(03)-Interview [SELECT FROM: Organizational personnel with continger processing site responsibilities; organizational personne	ALTERNATE PROCESSING SITE PRIORITY OF SERVICE	
recovery responsibilities; organizational personnel with responsibilities; organizational personnel with responsibilities; organizational personnel with responsibilities; contractual agreements].	ersonnel with system el with information security	

CP-07(04)	ALTERNATE PROCESSING SITE PREPARATION FOR USE		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-07(04)	the alternate processing site is prepared so that the site can serve as the operational site supporting essential mission and business functions.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-07(04)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate processing sites; contingency plan; alternate processing site; alternate processing site agreements; alternate processing site configurations; system security plan; other relevant documents or records].	
	CP-07(04)-Interview	[SELECT FROM: Organizational personnel with contingency plan alternate processing site responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with information security responsibilities].	
	CP-07(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing recovery at the alternate processing site].	

CP-07(05)	ALTERNATE PROCESSING SITE EQUIVALENT INFORMATION SECURITY SAFEGUARDS
	[WITHDRAWN: Incorporated into CP-07.]

CP-07(06)	ALTERNATE PROCESSING SITE INABILITY TO RETURN TO PRIMARY SITE	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-07(06)[01]	circumstances that preclude returning to the primary processing site are planned for;
	CP-07(06)[02]	circumstances that preclude returning to the primary processing site are prepared for.

CP-07(06)	ALTERNATE PROCESSING SITE INABILITY TO RETURN TO PRIMARY SITE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-07(06)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate processing sites; contingency plan; alternate processing site; alternate processing site agreements; alternate processing site configurations; system security plan; other relevant documents or records].
	CP-07(06)-Interview	[SELECT FROM: Organizational personnel with system reconstitution responsibilities; organizational personnel with information security responsibilities].

CP-08	TELECOMMUNICATIONS SERVICES	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-08_ODP[01]	system operations to be resumed for essential mission and business functions are defined;
	CP-08_ODP[02]	time period within which to resume essential mission and business functions when the primary telecommunications capabilities are unavailable is defined;
	CP-08	alternate telecommunications services, including necessary agreements to permit the resumption of <i><cp-08_odp[01] operations="" system=""></cp-08_odp[01]></i> , are established for essential mission and business functions within <i><cp-08_odp[02] period="" time=""></cp-08_odp[02]></i> when the primary telecommunications capabilities are unavailable at either the primary or alternate processing or storage sites.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-08-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate telecommunications services; contingency plan; primary and alternate telecommunications service agreements; system security plan; other relevant documents or records].
	CP-08-Interview	[SELECT FROM: Organizational personnel with contingency plan telecommunications responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with knowledge of requirements for mission and business functions; organizational personnel with information security responsibilities; organizational personnel with responsibility for acquisitions/contractual agreements].
	CP-08-Test	[SELECT FROM: Automated mechanisms supporting telecommunications].

CP-08(01)	TELECOMMUNICATIONS SERVICES PRIORITY OF SERVICE PROVISIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-08(01)(a)[01]	primary telecommunications service agreements that contain priority-of- service provisions in accordance with availability requirements (including recovery time objectives) are developed;	
	CP-08(01)(a)[02]	alternate telecommunications service agreements that contain priority-of- service provisions in accordance with availability requirements (including recovery time objectives) are developed;	
	СР-08(01)(b)	Telecommunications Service Priority is requested for all telecommunications services used for national security emergency preparedness if the primary and/or alternate telecommunications services are provided by a common carrier.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-08(01)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing primary and alternate telecommunications services; contingency plan; primary and alternate telecommunications service agreements; Telecommunications Service Priority documentation; system security plan; other relevant documents or records].	
	CP-08(01)-Interview	[SELECT FROM: Organizational personnel with contingency plan telecommunications responsibilities; organizational personnel with system recovery responsibilities; organizational personnel with information security responsibilities; organizational personnel with responsibility for acquisitions/ contractual agreements].	
	CP-08(01)-Test	[SELECT FROM: Automated mechanisms supporting telecommunications].	

CP-08(02)	TELECOMMUNICATIONS SERVICES SINGLE POINTS OF FAILURE		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-08(02)	alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services are obtained.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-08(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing primary and alternate telecommunications services; contingency plan; primary and alternate telecommunications service agreements; system security plan; other relevant documents or records].	
	CP-08(02)-Interview	[SELECT FROM: Organizational personnel with contingency plan telecommunications responsibilities; organizational personnel with system recovery responsibilities; primary and alternate telecommunications service providers; organizational personnel with information security responsibilities].	

CP-08(03)	TELECOMMUNICATIONS SERVICES SEPARATION OF PRIMARY AND ALTERNATE PROVIDERS		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-08(03)	alternate telecommunications services from providers that are separated from primary service providers are obtained to reduce susceptibility to the same threats.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-08(03)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing primary and alternate telecommunications services; contingency plan; primary and alternate telecommunications service agreements; alternate telecommunications service provider site; primary telecommunications service provider site; other relevant documents or records].	
	CP-08(03)-Interview	[SELECT FROM: Organizational personnel with contingency plan telecommunications responsibilities; organizational personnel with system recovery responsibilities; primary and alternate telecommunications service providers; organizational personnel with information security responsibilities].	
	,		

CP-08(04)	TELECOMMUNICATIONS SERVICES PROVIDER CONTINGENCY PLAN	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-08(04)_ODP[01]	frequency at which to obtain evidence of contingency testing by providers is defined;
	CP-08(04)_ODP[02]	frequency at which to obtain evidence of contingency training by providers is defined;
	CP-08(04)(a)[01]	primary telecommunications service providers are required to have contingency plans;
	СР-08(04)(а)[02]	alternate telecommunications service providers are required to have contingency plans;
	СР-08(04)(b)	provider contingency plans are reviewed to ensure that the plans meet organizational contingency requirements;
	CP-08(04)(c)[01]	evidence of contingency testing by providers is obtained
	CP-08(04)(c)[02]	evidence of contingency training by providers is obtained

CP-08(04)	TELECOMMUNICATIONS SERVICES PROVIDER CONTINGENCY PLAN	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-08(04)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing primary and alternate telecommunications services; contingency plan; provider contingency plans; evidence of contingency testing/training by providers; primary and alternate telecommunications service agreements; system security plan; other relevant documents or records].
	CP-08(04)-Interview	[SELECT FROM: Organizational personnel with contingency planning, plan implementation, and testing responsibilities; primary and alternate telecommunications service providers; organizational personnel with information security responsibilities; organizational personnel with responsibility for acquisitions/contractual agreements].

(05) TELECOMMUNICAT	TELECOMMUNICATIONS SERVICES ALTERNATE TELECOMMUNICATION SERVICE TESTING	
ASSESSMENT OBJEC Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
CP-08(05)_ODP	frequency at which alternate telecommunications services are tested is defined;	
СР-08(05)	alternate telecommunications services are tested <cp-08(05)_odp< b=""> frequency>.</cp-08(05)_odp<>	
POTENTIAL ASSESSI	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
CP-08(05)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate telecommunications services; contingency plan; evidence of testing alternate telecommunications services; alternate telecommunications service agreements; system security plan; other relevant documents or records].	
CP-08(05)-Interview	[SELECT FROM: Organizational personnel with contingency planning, plan implementation, and testing responsibilities; alternate telecommunications service providers; organizational personnel with information security responsibilities].	
CP-08(05)-Test	[SELECT FROM: Automated mechanisms supporting testing alternate telecommunications services].	

СР-09	SYSTEM BACKUP	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-09_ODP[01]	system components for which to conduct backups of user-level information is defined;
	CP-09_ODP[02]	frequency at which to conduct backups of user-level information consistent with recovery time and recovery point objectives is defined;

CP-09	SYSTEM BACKUP	
	CP-09_ODP[03]	frequency at which to conduct backups of system-level information consistent with recovery time and recovery point objectives is defined;
	CP-09_ODP[04]	frequency at which to conduct backups of system documentation consistent with recovery time and recovery point objectives is defined;
	CP-09a.	backups of user-level information contained in < CP-09_ODP[01] system components> are conducted < CP-09_ODP[02] frequency consistent with recovery time and recovery point objectives>;
	СР-09Ь.	backups of system-level information contained in the system are conducted CP-09_ODP[03] frequency consistent with recovery time and recovery point objectives>;
	СР-09с.	backups of system documentation, including security- and privacy-related documentation are conducted <cp-09_odp[04]< b=""> frequency consistent with recovery time and recovery point objectives>;</cp-09_odp[04]<>
	CP-09d.[01]	the confidentiality of backup information is protected;
	CP-09d.[02]	the integrity of backup information is protected;
	CP-09d.[03]	the availability of backup information is protected.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CP-09-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; backup storage location(s); system backup logs or records; system security plan; privacy plan; other relevant documents or records].
	CP-09-Interview	[SELECT FROM: Organizational personnel with system backup responsibilities; organizational personnel with information security and privacy responsibilities].
	CP-09-Test	[SELECT FROM: Organizational processes for conducting system backups; automated mechanisms supporting and/or implementing system backups].

CP-09(01)	SYSTEM BACKUP TESTING FOR RELIABILITY AND INTEGRITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-09(01)_ODP[01]	frequency at which to test backup information for media reliability is defined;
	CP-09(01)_ODP[02]	frequency at which to test backup information for information integrity is defined;
	CP-09(01)[01]	backup information is tested <<i>CP-09(01)_ODP[01] frequency></i> to verify media reliability;
	CP-09(01)[02]	backup information is tested <<i>CP-09(01)_ODP[02] frequency></i> to verify information integrity.

CP-09(01)	SYSTEM BACKUP TESTING FOR RELIABILITY AND INTEGRITY	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-09(01)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; system backup test results; contingency plan test documentation; contingency plan test results; system security plan; other relevant documents or records].
	CP-09(01)-Interview	[SELECT FROM: Organizational personnel with system backup responsibilities; organizational personnel with information security responsibilities].
	CP-09(01)-Test	[SELECT FROM: Organizational processes for conducting system backups; automated mechanisms supporting and/or implementing system backups].

CP-09(02)	SYSTEM BACKUP TEST RESTORATION USING SAMPLING	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-09(02)	a sample of backup information in the restoration of selected system functions is used as part of contingency plan testing.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	CP-09(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; system backup test results; contingency plan test documentation; contingency plan test results; system security plan; other relevant documents or records].
	CP-09(02)-Interview	[SELECT FROM: Organizational personnel with system backup responsibilities; organizational personnel with contingency planning/ contingency plan testing responsibilities; organizational personnel with information security responsibilities].
	CP-09(02)-Test	[SELECT FROM: Organizational processes for conducting system backups; automated mechanisms supporting and/or implementing system backups].

CP-09(03)	SYSTEM BACKUP SEPARATE STORAGE FOR CRITICAL INFORMATION	
ASSESSMENT OBJECTIV Determine if:		CTIVE:
	CP-09(03)_ODP	critical system software and other security-related information backups to be stored in a separate facility are defined;
	CP-09(03)	backup copies of <cp-09(03)_odp and="" b="" critical="" other<="" software="" system=""> security-related information> are stored in a separate facility or in a fire rated container that is not collocated with the operational system.</cp-09(03)_odp>

CP-09(03)	SYSTEM BACKUP SEPARATE STORAGE FOR CRITICAL INFORMATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-09(03)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; backup storage location(s); system backup configurations and associated documentation; system backup logs or records; system security plan; other relevant documents or records].
	CP-09(03)-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with system backup responsibilities; organizational personnel with information security responsibilities].

	CP-09(04)	SYSTEM BACKUP PROTECTION FROM UNAUTHORIZED MODIFICATION
[WITHDRAWN: Incorporated into CP-09.]		[WITHDRAWN: Incorporated into CP-09.]

CP-09(05)	SYSTEM BACKUP TRANSFER TO ALTERNATE STORAGE SITE		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-09(05)_ODP[01]	time period consistent with recovery time and recovery point objectives is defined;	
	CP-09(05)_ODP[02]	transfer rate consistent with recovery time and recovery point objectives is defined;	
	CP-09(05)[01]	system backup information is transferred to the alternate storage site for < <i>CP-09(05)_ODP[01] time period consistent with the recovery time and recovery point objectives></i> ;	
	CP-09(05)[02]	system backup information is transferred to the alternate storage site < CP-09(05)_ODP[02] transfer rate consistent with the recovery time and recovery point objectives>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-09(05)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; system backup logs or records; evidence of system backup information transferred to alternate storage site; alternate storage site agreements; system security plan; other relevant documents or records].	
	CP-09(05)-Interview	[SELECT FROM: Organizational personnel with system backup responsibilities; organizational personnel with information security responsibilities].	
	CP-09(05)-Test	[SELECT FROM: Organizational processes for transferring system backups to the alternate storage site; automated mechanisms supporting and/or implementing system backups; automated mechanisms supporting and/or implementing information transfer to the alternate storage site].	

CP-09(06)	SYSTEM BACKUP REDUNDANT SECONDARY SYSTEM	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	CP-09(06)[01]	system backup is conducted by maintaining a redundant secondary system that is not collocated with the primary system;
	CP-09(06)[02]	system backup is conducted by maintaining a redundant secondary system that can be activated without loss of information or disruption to operations.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	CP-09(06)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; system backup test results; contingency plan test results; contingency plan test documentation; redundant secondary system for system backups; location(s) of redundant secondary backup system(s); system security plan; other relevant documents or records].
	CP-09(06)-Interview	[SELECT FROM: Organizational personnel with system backup responsibilities; organizational personnel with information security responsibilities; organizational personnel with responsibility for the redundant secondary system].
	CP-09(06)-Test	[SELECT FROM: Organizational processes for maintaining redundant secondary systems; automated mechanisms supporting and/or implementing system backups; automated mechanisms supporting and/or implementing information transfer to a redundant secondary system].

(07) SYSTEN	SYSTEM BACKUP DUAL AUTHORIZATION FOR DELETION OR DESTRUCTION	
	ASSESSMENT OBJECTIVE: Determine if:	
СР-09(0	7)_ODP	backup information for which to enforce dual authorization in order to delete or destroy is defined;
CP-09(0	7)	dual authorization for the deletion or destruction of <cp-09(07)_odp< b=""> backup information> is enforced.</cp-09(07)_odp<>
POTEN	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
СР-09(0	7)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; system design documentation; system configuration settings and associated documentation; system generated list of dual authorization credentials or rules; logs or records of deletion or destruction of backup information; system security plan; other relevant documents or records].
CP-09(0	7)-Interview	[SELECT FROM: Organizational personnel with system backup responsibilities; organizational personnel with information security responsibilities].
СР-09(0	7)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing dual authorization; automated mechanisms supporting and/or implementing deletion/destruction of backup information].

CP-09(08) SYSTEM BACKU		RYPTOGRAPHIC PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-09(08)_ODP	backup information to protect against unauthorized disclosure and modification is defined;	
	CP-09(08)	cryptographic mechanisms are implemented to prevent unauthorized disclosure and modification of <cp-09(08)_odp backup="" information=""></cp-09(08)_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-09(08)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; system design documentation; system configuration settings and associated documentation; system security plan; other relevant documents or records].	
	CP-09(08)-Interview	[SELECT FROM: Organizational personnel with system backup responsibilities; organizational personnel with information security responsibilities].	
	CP-09(08)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing cryptographic protection of backup information].	

CP-10	SYSTEM RECOVERY AND RECONSTITUTION		
	ASSESSMENT OBJECTIVE: Determine if:		
	CP-10_ODP[01]	time period consistent with recovery time and recovery point objectives for the recovery of the system is determined;	
	CP-10_ODP[02]	time period consistent with recovery time and recovery point objectives for the reconstitution of the system is determined;	
	CP-10[01]	the recovery of the system to a known state is provided within < <i>CP-10_ODP[01] time period consistent with recovery time and recovery point objectives></i> after a disruption, compromise, or failure;	
	CP-10[02]	a reconstitution of the system to a known state is provided within < <i>CP-10_ODP[02] time period consistent with recovery time and recovery point objectives></i> after a disruption, compromise, or failure.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-10-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system backup; contingency plan; system backup test results; contingency plan test results; contingency plan test documentation; redundant secondary system for system backups; location(s) of redundant secondary backup system(s); system security plan; other relevant documents or records].	
	CP-10-Interview	[SELECT FROM: Organizational personnel with contingency planning, recovery, and/or reconstitution responsibilities; organizational personnel with information security responsibilities].	

CP-10	SYSTEM RECOVERY AND RECONSTITUTION	
	CP-10-Test	[SELECT FROM: Organizational processes implementing system recovery and reconstitution operations; automated mechanisms supporting and/or implementing system recovery and reconstitution operations].

CP-10(01)	SYSTEM RECOVERY AND RECONSTITUTION CONTINGENCY PLAN TESTING	
	[WITHDRAWN: Incorporated into CP-04.]	

SYSTEM RECOVERY AND RECONSTITUTION TRANSACTION RECOVERY ASSESSMENT OBJECTIVE: Determine if:	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
CP-10(02)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system recovery and reconstitution; contingency plan; system design documentation; system configuration settings and associated documentation; contingency plan test documentation; contingency plan test results; system transaction recovery records; system audit records; system security plan; other relevant documents or records].
CP-10(02)-Interview	[SELECT FROM: Organizational personnel with responsibility for transaction recovery; organizational personnel with information security responsibilities].
CP-10(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing transaction recovery capability].
	ASSESSMENT OBJEC Determine if: CP-10(02) POTENTIAL ASSESSM CP-10(02)-Examine

CP-10(03) SYSTEM RECOVERY AND RECONSTITUTION | COMPENSATING SECURITY CONTROLS

[WITHDRAWN. Addressed through tailoring.]

CP-10(04)	SYSTEM RECOVERY AND RECONSTITUTION RESTORE WITHIN TIME PERIOD	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-10(04)_ODP	restoration time period within which to restore system components to a known, operational state is defined;

CP-10(04)	SYSTEM RECOVERY AND RECONSTITUTION RESTORE WITHIN TIME PERIOD		
	CP-10(04)	the capability to restore system components within <cp-10(04)_odp< b=""> <i>restoration time periods></i> from configuration-controlled and integrity- protected information representing a known, operational state for the components is provided.</cp-10(04)_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	CP-10(04)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system recovery and reconstitution; contingency plan; system design documentation; system configuration settings and associated documentation; contingency plan test documentation; contingency plan test results; evidence of system recovery and reconstitution operations; system security plan; other relevant documents or records].	
	CP-10(04)-Interview	[SELECT FROM: Organizational personnel with system recovery and reconstitution responsibilities; organizational personnel with information security responsibilities].	
	CP-10(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing recovery/reconstitution of system information].	

CP-10(05) SYSTEM RECOVERY AND RECONSTITUTION | FAILOVER CAPABILITY

[WITHDRAWN: Incorporated into SI-13.]

SYSTEM RECOVERY AND RECONSTITUTION COMPONENT PROTECTION	
ASSESSMENT OBJECT Determine if:	ÎVE:
CP-10(06)	system components used for recovery and reconstitution are protected.
POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
CP-10(06)-Examine	[SELECT FROM: Contingency planning policy; procedures addressing system recovery and reconstitution; contingency plan; system design documentation; system configuration settings and associated documentation; logical access credentials; physical access credentials; logical access authorization records; physical access authorization records; system security plan; other relevant documents or records].
CP-10(06)-Interview	[SELECT FROM: Organizational personnel with system recovery and reconstitution responsibilities; organizational personnel with information security responsibilities].
CP-10(06)-Test	[SELECT FROM: Organizational processes for protecting backup and restoration of hardware, firmware, and software; automated mechanisms supporting and/or implementing protection of backups and restoration of hardware, firmware, and software].
	Determine if: CP-10(06) POTENTIAL ASSESSM CP-10(06)-Examine CP-10(06)-Interview

CP-11	ALTERNATE COMMUNICATIONS PROTOCOLS	
	ASSESSMENT OBJECT Determine if:	ΓIVE:
	CP-11_ODP	alternative communications protocols in support of maintaining continuity of operations are defined;
	CP-11	the capability to employ <cp-11_odp< b=""> alternative communications protocols> are provided in support of maintaining continuity of operations.</cp-11_odp<>
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	CP-11-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternative communications protocols; contingency plan; continuity of operations plan; system design documentation; system configuration settings and associated documentation; list of alternative communications protocols supporting continuity of operations; system security plan; other relevant documents or records].
	CP-11-Interview	[SELECT FROM: Organizational personnel with contingency planning and plan implementation responsibilities; organizational personnel with continuity of operations planning and plan implementation responsibilities; organizational personnel with information security responsibilities; system/ network administrators; system developers].
	CP-11-Test	[SELECT FROM: Automated mechanisms employing alternative communications protocols].

CP-12	SAFE MODE	
	ASSESSMENT OBJEC	CTIVE:
	CP-12_ODP[01]	restrictions for safe mode of operation are defined;
	CP-12_ODP[02]	conditions detected to enter a safe mode of operation are defined;
	CP-12	a safe mode of operation is entered with <cp-12_odp[01]< b=""> restrictions for safe mode of operation> when <cp-12_odp[02]< b=""> conditions> are detected.</cp-12_odp[02]<></cp-12_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-12-Examine	[SELECT FROM: Contingency planning policy; procedures addressing safe mode of operation for the system; contingency plan; system design documentation; system configuration settings and associated documentation; system administration manuals; system operation manuals; system installation manuals; contingency plan test records; incident handling records; system audit records; system security plan; other relevant documents or records].
	CP-12-Interview	[SELECT FROM: Organizational personnel with system operation responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].

CP-12	SAFE MODE	
	CP-12-Test	[SELECT FROM: Automated mechanisms implementing safe mode of operation].

CP-13	ALTERNATIVE SECURITY MECHANISMS	
	ASSESSMENT OBJECTIVE: Determine if:	
	CP-13_ODP[01]	alternative or supplemental security mechanisms are defined;
	CP-13_ODP[02]	security functions are defined;
	CP-13	< CP-13_ODP[01] alternative or supplemental security mechanisms> are employed for satisfying <cp-13_odp[02] functions="" security=""></cp-13_odp[02]> when the primary means of implementing the security function is unavailable or compromised.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	CP-13-Examine	[SELECT FROM: Contingency planning policy; procedures addressing alternate security mechanisms; contingency plan; continuity of operations plan; system design documentation; system configuration settings and associated documentation; contingency plan test records; contingency plan test results; system security plan; other relevant documents or records].
	CP-13-Interview	[SELECT FROM: Organizational personnel with system operation responsibilities; organizational personnel with information security responsibilities].
	CP-13-Test	[SELECT FROM: system capability implementing alternative security mechanisms].

4.7 IDENTIFICATION AND AUTHENTICATION

IA-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-01_ODP[01]	personnel or roles to whom the identification and authentication policy is to be disseminated are defined;
	IA-01_ODP[02]	personnel or roles to whom the identification and authentication procedures are to be disseminated is/are defined;
	IA-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	IA-01_ODP[04]	an official to manage the identification and authentication policy and procedures is defined;
	IA-01_ODP[05]	the frequency at which the current identification and authentication policy is reviewed and updated is defined;
	IA-01_ODP[06]	events that would require the current identification and authentication policy to be reviewed and updated are defined;
	IA-01_ODP[07]	the frequency at which the current identification and authentication procedures are reviewed and updated is defined;
	IA-01_ODP[08]	events that would require identification and authentication procedures to be reviewed and updated are defined;
	IA-01a.[01]	an identification and authentication policy is developed and documented;
	IA-01a.[02]	the identification and authentication policy is disseminated to
	IA-01a.[03]	identification and authentication procedures to facilitate the implementation of the identification and authentication policy and associated identification and authentication controls are developed and documented;
	IA-01a.[04]	the identification and authentication procedures are disseminated to
	IA-01a.01(a)[01]	the <ia-01_odp[03] parameter="" selected="" value(s)=""> identification and authentication policy addresses purpose;</ia-01_odp[03]>
	IA-01a.01(a)[02]	the <ia-01_odp[03] parameter="" selected="" value(s)=""> identification and authentication policy addresses scope;</ia-01_odp[03]>
	IA-01a.01(a)[03]	the <ia-01_odp[03] parameter="" selected="" value(s)=""> identification and authentication policy addresses roles;</ia-01_odp[03]>
	IA-01a.01(a)[04]	the <ia-01_odp[03] parameter="" selected="" value(s)=""> identification and authentication policy addresses responsibilities;</ia-01_odp[03]>
	IA-01a.01(a)[05]	the <ia-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ia-01_odp[03]<> identification and authentication policy addresses management commitment;

POLICY AND PRO	DCEDURES
IA-01a.01(a)[06]	the <ia-01_odp[03] parameter="" selected="" value(s)=""> identification and authentication policy addresses coordination among organizational entities</ia-01_odp[03]>
IA-01a.01(a)[07]	the < IA-01_ODP[03] SELECTED PARAMETER VALUE(S) > identification and authentication policy addresses compliance;
IA-01a.01(b)	the <ia-01_odp[03] parameter="" selected="" value(s)=""> identification and authentication policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;</ia-01_odp[03]>
IA-01b.	the <ia-01_odp[04]< b=""> official> is designated to manage the development, documentation, and dissemination of the identification and authentication policy and procedures;</ia-01_odp[04]<>
IA-01c.01[01]	the current identification and authentication policy is reviewed and update <ia-01_odp[05] frequency="">;</ia-01_odp[05]>
IA-01c.01[02]	the current identification and authentication policy is reviewed and updated following ;
IA-01c.02[01]	the current identification and authentication procedures are reviewed and updated
IA-01c.02[02]	the current identification and authentication procedures are reviewed and updated following events>.
POTENTIAL ASSE	SSMENT METHODS AND OBJECTS:
IA-01-Examine	[SELECT FROM: Identification and authentication policy and procedures; system security plan; privacy plan; risk management strategy documentation; list of events requiring identification and authentication procedures to be reviewed and updated (e.g., audit findings); other relevan documents or records].
IA-01-Interview	[SELECT FROM: Organizational personnel with identification and authentication responsibilities; organizational personnel with information security and privacy responsibilities].

IA-02	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS)	
	ASSESSMENT OBJEC Determine if:	rive:
	IA-02[01]	organizational users are uniquely identified and authenticated;
	IA-02[02]	the unique identification of authenticated organizational users is associated with processes acting on behalf of those users.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-02-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing user identification and authentication; system security plan, system design documentation; system configuration settings and associated documentation; system audit records; list of system accounts; other relevant documents or records].

IA-02	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS)	
	IA-02-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; organizational personnel with account management responsibilities; system developers].
	IA-02-Test	[SELECT FROM: Organizational processes for uniquely identifying and authenticating users; automated mechanisms supporting and/or implementing identification and authentication capabilities].

IA-02(01)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) MULTI-FACTOR AUTHENTICATION TO PRIVILEGED ACCOUNTS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	IA-02(01)	multi-factor authentication is implemented for access to privileged accounts.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-02(01)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing user identification and authentication; system security plan; system design documentation; system configuration settings and associated documentation; system audit records; list of system accounts; other relevant documents or records].
	IA-02(01)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-02(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing multi-factor authentication capability].

	IA-02(02)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) MULTI-FACTOR AUTHENTICATION TO NON-PRIVILEGED ACCOUNTS	
		ASSESSMENT OBJECTIVE: Determine if:	
		IA-02(02)	multi-factor authentication for access to non-privileged accounts is implemented.
		POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
		IA-02(02)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of system accounts; other relevant documents or records].

IA-02(02)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) MULTI-FACTOR AUTHENTICATION TO NON-PRIVILEGED ACCOUNTS	
	IA-02(02)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-02(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing multi-factor authentication capability].

IA-02(03)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) LOCAL ACCESS TO PRIVILEGED ACCOUNTS
	[WITHDRAWN: Incorporated into IA-02(01).]

IA-02(04)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) LOCAL ACCESS T NON-PRIVILEGED ACCOUNTS	
	[WITHDRAWN: Incorporated into IA-02(02).]	

IA-02(05)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) INDIVIDUAL AUTHENTICATION WITH GROUP AUTHENTICATION		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	IA-02(05)	users are required to be individually authenticated before granting access to the shared accounts or resources when shared accounts or authenticators are employed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-02(05)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of system accounts; other relevant documents or records].	
	IA-02(05)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-02(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing authentication capability for group accounts].	

IA-02(06)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) ACCESS TO ACCOUNTS —SEPARATE DEVICE		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	IA-02(06)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {local; network; remote};	
	IA-02(06)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {privileged accounts; non-privileged accounts};	
	IA-02(06)_ODP[03]	the strength of mechanism requirements to be enforced by a device separate from the system gaining access to accounts is defined;	
	IA-02(06)(a)	multi-factor authentication is implemented for <ia-02(06)_odp[01] SELECTED PARAMETER VALUE(S)> access to <ia-02(06)_odp[02] selected<br="">PARAMETER VALUE(S)> such that one of the factors is provided by a device separate from the system gaining access;</ia-02(06)_odp[02]></ia-02(06)_odp[01] 	
	IA-02(06)(b)	multi-factor authentication is implemented for <ia-02(06)_odp[01] SELECTED PARAMETER VALUE(S)> access to <ia-02(06)_odp[02] selected<br="">PARAMETER VALUE(S)> such that the device meets <ia-02(06)_odp[03] strength of mechanism requirements>.</ia-02(06)_odp[03] </ia-02(06)_odp[02]></ia-02(06)_odp[01] 	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-02(06)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of system accounts; other relevant documents or records].	
	IA-02(06)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-02(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing multi-factor authentication capability].	

IA-02(07)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) NETWORK ACC	
	TO NON-PRIVILEGED ACCOUNTS — SEPARATE DEVICE	

[WITHDRAWN: Incorporated into IA-02(06).]

IA-02(08)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) ACCESS TO ACCOUNTS — REPLAY RESISTANT	
	ASSESSMENT OBJECT	TIVE:
	IA-02(08)_ODP	one or more of the following PARAMETER VALUES is/are selected: {privileged accounts; non-privileged accounts};
	IA-02(08)	replay-resistant authentication mechanisms for access to <ia-02(08)_odp< b=""> SELECTED PARAMETER VALUE(S)> are implemented.</ia-02(08)_odp<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IA-02(08)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of privileged system accounts; other relevant documents or records].
	IA-02(08)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-02(08)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities; automated mechanisms supporting and/or implementing replay-resistant authentication mechanisms].

IA-02(09)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) NETWORK ACCESS TO NON-PRIVILEGED ACCOUNTS — REPLAY RESISTANT
	[WITHDRAWN: Incorporated into IA-02(08).]

IA-02(10)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) SINGLE SIGN-ON	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-02(10)_ODP	system accounts and services for which a single sign-on capability must be provided are defined;
	IA-02(10)	a single sign-on capability is provided for < <i>IA-02(10)_ODP system accounts</i> and services>.

IA-02(10)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) SINGLE SIGN-ON	
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	IA-02(10)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing single sign-on capability for system accounts and services; procedures addressing identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of system accounts and services requiring single sign-on capability; other relevant documents or records].
	IA-02(10)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-02(10)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities; automated mechanisms supporting and/or implementing single sign-on capability for system accounts and services].

IA-02(11)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) REMOTE ACCESS SEPARATE DEVICE	
	[WITHDRAWN: Incorporated into IA-02(06).]	

2(12)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) ACCEPTANCE OF PIV CREDENTIALS ASSESSMENT OBJECTIVE: Determine if:	
	IA-02(12)	Personal Identity Verification-compliant credentials are accepted and electronically verified.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-02(12)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; PIV verification records; evidence of PIV credentials; PIV credential authorizations; other relevant documents or records].
	IA-02(12)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-02(12)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing acceptance and verification of PIV credentials].

IA-02(13)	IDENTIFICATION AND AUTHENTICATION (ORGANIZATIONAL USERS) OUT-OF-BAND AUTHENTICATION		
	ASSESSMENT OBJECT Determine if:	ΓIVE:	
	IA-02(13)_ODP[01]	out-of-band authentication mechanisms to be implemented are defined;	
	IA-02(13)_ODP[02]	conditions under which out-of-band authentication is to be implemented are defined;	
	IA-02(13)	mechanisms are implemented under .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-02(13)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; system-generated list of out-of-band authentication paths; other relevant documents or records].	
	IA-02(13)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-02(13)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing out-of-band authentication capability].	

IA-03	DEVICE IDENTIFICAT	DEVICE IDENTIFICATION AND AUTHENTICATION	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	IA-03_ODP[01]	devices and/or types of devices to be uniquely identified and authenticated before establishing a connection are defined;	
	IA-03_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {local; remote; network};	
	IA-03	<pre></pre> <pre></pre> // <pre>devices and/or types of devices are uniquely identified and authenticated before establishing a </pre> // <pre>// <pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-03-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing device identification and authentication; system design documentation; list of devices requiring unique identification and authentication; device connection reports; system configuration settings and associated documentation; other relevant documents or records].	

IA-03	DEVICE IDENTIFICATION AND AUTHENTICATION	
	IA-03-Interview	[SELECT FROM: Organizational personnel with operational responsibilities for device identification and authentication; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-03-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing device identification and authentication capabilities].

IA-03(01)	DEVICE IDENTIFICATION AND AUTHENTICATION CRYPTOGRAPHIC BIDIRECTIONAL AUTHENTICATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	IA-03(01)_ODP[01]	devices and/or types of devices requiring use of cryptographically based, bidirectional authentication to authenticate before establishing one or more connections are defined;
	IA-03(01)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {local; remote; network};
	IA-03(01)	<pre></pre> /// Comparison // Comparison
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IA-03(01)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing device identification and authentication; system design documentation; list of devices requiring unique identification and authentication; device connection reports; system configuration settings and associated documentation; other relevant documents or records].
	IA-03(01)-Interview	[SELECT FROM: Organizational personnel with operational responsibilities for device identification and authentication; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-03(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing device authentication capability; cryptographically based bidirectional authentication mechanisms].

IA-03(02) DEVICE IDENTIFICATION AND AUTHENTICATION | CRYPTOGRAPHIC BIDIRECTIONAL NETWORK AUTHENTICATION

[WITHDRAWN: Incorporated into IA-03(01).]

IA-03(03)	DEVICE IDENTIFICATION AND AUTHENTICATION DYNAMIC ADDRESS ALLOCATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-03(03)_ODP	lease information and lease duration to be employed to standardize dynamic address allocation for devices are defined;	
	IA-03(03)(a)	dynamic address allocation lease information and lease duration assigned to devices where addresses are allocated dynamically are standardized in accordance with	
	IA-03(03)(b)	lease information is audited when assigned to a device.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-03(03)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing device identification and authentication; system design documentation; system configuration settings and associated documentation; evidence of lease information and lease duration assigned to devices; device connection reports; system audit records; other relevant documents or records].	
	IA-03(03)-Interview	[SELECT FROM: Organizational personnel with operational responsibilities for device identification and authentication; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-03(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing device identification and authentication capabilities; automated mechanisms supporting and/or implementing dynamic address allocation; automated mechanisms supporting and/or implanting auditing of lease information].	

IA-03(04)	DEVICE IDENTIFICATION AND AUTHENTICATION DEVICE ATTESTATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-03(04)_ODP	configuration management process to be employed to handle device identification and authentication based on attestation is defined;	
	IA-03(04)	device identification and authentication are handled based on attestation by < <i>IA-03(04)_ODP configuration management process></i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-03(04)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing device identification and authentication; procedures addressing device configuration management; system design documentation; system configuration settings and associated documentation; configuration management records; change control records; system audit records; other relevant documents or records].	
	IA-03(04)-Interview	[SELECT FROM: Organizational personnel with operational responsibilities for device identification and authentication; organizational personnel with information security responsibilities; system/network administrators].	

IA-03(04)	DEVICE IDENTIFICATION AND AUTHENTICATION DEVICE ATTESTATION	
	IA-03(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing device identification and authentication capabilities; automated mechanisms supporting and/or implementing configuration management; cryptographic mechanisms supporting device attestation].

IA-04	IDENTIFIER MANAGE	IDENTIFIER MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-04_ODP[01]	personnel or roles from whom authorization must be received to assign an identifier are defined;	
	IA-04_ODP[02]	a time period for preventing reuse of identifiers is defined;	
	IA-04a.	system identifiers are managed by receiving authorization from < <i>IA-04_ODP[01] personnel or roles></i> to assign to an individual, group, role, or device identifier;	
	IA-04b.	system identifiers are managed by selecting an identifier that identifies an individual, group, role, service, or device;	
	IA-04c.	system identifiers are managed by assigning the identifier to the intended individual, group, role, service, or device;	
	IA-04d.	system identifiers are managed by preventing reuse of identifiers for < <i>IA-04_ODP[02] time period></i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-04-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identifier management; procedures addressing account management; system security plan; system design documentation; system configuration settings and associated documentation; list of system accounts; list of identifiers generated from physical access control devices; other relevant documents or records].	
	IA-04-Interview	[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-04-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identifier management].	

IA-04(01)	IDENTIFIER MANAGEMENT PROHIBIT ACCOUNT IDENTIFIERS AS PUBLIC IDENTIFIERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-04(01)	the use of system account identifiers that are the same as public identifiers is prohibited for individual accounts.

IA-04(01)	IDENTIFIER MANAGEMENT PROHIBIT ACCOUNT IDENTIFIERS AS PUBLIC IDENTIFIERS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-04(01)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing identifier management; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	IA-04(01)-Interview	[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	IA-04(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identifier management].

IA-04(02) IDENTIFIER MANAGEMENT SUPERVISOR AUTHORIZATION	
	[WITHDRAWN: Incorporated into IA-12(01).]

	IA-04(03) IDENTIFIER MANAGEMENT MULTIPLE FORMS OF CERTIFICATION	
[WITHDRAWN: Incorporated into IA-12(02).]		[WITHDRAWN: Incorporated into IA-12(02).]

IA-04(04)	IDENTIFIER MANAGEMENT IDENTIFY USER STATUS		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-04(04)_ODP	characteristics used to identify individual status is defined;	
	IA-04(04)	individual identifiers are managed by uniquely identifying each individual as <ia-04(04)_odp characteristics="" identify="" individual="" status="" to="" used="">.</ia-04(04)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-04(04)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing identifier management; procedures addressing account management; list of characteristics identifying individual status; other relevant documents or records].	
	IA-04(04)-Interview	[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	IA-04(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identifier management].	

IA-04(05)	IDENTIFIER MANAGE	MENT DYNAMIC MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-04(05)_ODP	a dynamic identifier policy for managing individual identifiers is defined;	
	IA-04(05)	individual identifiers are dynamically managed in accordance with <i><ia-04(05)_odp dynamic="" identifier="" policy=""></ia-04(05)_odp></i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-04(05)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing identifier management; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	IA-04(05)-Interview	[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-04(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing dynamic identifier management].	

IA-04(06)	IDENTIFIER MANAGE	EMENT CROSS-ORGANIZATION MANAGEMENT
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-04(06)_ODP	external organizations with whom to coordinate the cross-organization management of identifiers are defined;
	IA-04(06)	cross-organization management of identifiers is coordinated with <i><ia-04(06)_odp external="" organizations=""></ia-04(06)_odp></i> .
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	IA-04(06)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identifier management; procedures addressing account management; system security plan; other relevant documents or records].
	IA-04(06)-Interview	[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities].
	IA-04(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identifier management].

IA-04(07)	IDENTIFIER MANAGEMENT IN-PERSON REGISTRATION	
	[WITHDRAWN: Incorporated into IA-12(04).]	

IA-04(08)	IDENTIFIER MANAGEMENT PAIRWISE PSEUDONYMOUS IDENTIFIERS			
	ASSESSMENT OBJECTIVE: Determine if:			
	IA-04(08)	pairwise pseudonymous identifiers are generated.		
	POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-04(08)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing identifier management; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].		
	IA-04(08)-Interview	[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities].		
	IA-04(08)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identifier management].		

TIVE: protected central storage used to maintain the attributes for each uniquely identified individual, device, or service is defined; the attributes for each uniquely identified individual, device, or service are maintained in <ia-04(09)_odp central="" protected="" storage="">. ENT METHODS AND OBJECTS:</ia-04(09)_odp>
<i>identified individual, device, or service is defined;</i> the attributes for each uniquely identified individual, device, or service are maintained in <i><ia-04(09)_odp central="" protected="" storage=""></ia-04(09)_odp></i> .
maintained in <ia-04(09)_odp central="" protected="" storage="">.</ia-04(09)_odp>
ENT METHODS AND OBJECTS:
[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing identifier management; procedures addressing account management; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities].
[SELECT FROM: Automated mechanisms supporting and/or implementing identifier management].
-

IA-05	AUTHENTICATOR MANAGEMENT		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	IA-05_ODP[01]	a time period for changing or refreshing authenticators by authenticator type is defined;	
	IA-05_ODP[02]	events that trigger the change or refreshment of authenticators are defined;	
	IA-05a.	system authenticators are managed through the verification of the identity of the individual, group, role, service, or device receiving the authenticator as part of the initial authenticator distribution;	
	IA-05b.	system authenticators are managed through the establishment of initial authenticator content for any authenticators issued by the organization;	
	IA-05c.	system authenticators are managed to ensure that authenticators have sufficient strength of mechanism for their intended use;	
	IA-05d.	system authenticators are managed through the establishment and implementation of administrative procedures for initial authenticator distribution; lost, compromised, or damaged authenticators; and the revocation of authenticators;	
	IA-05e.	system authenticators are managed through the change of default authenticators prior to first use;	
	IA-05f.	system authenticators are managed through the change or refreshment of authenticators or when occur;	
	IA-05g.	system authenticators are managed through the protection of authenticator content from unauthorized disclosure and modification;	
	IA-05h.[01]	system authenticators are managed through the requirement for individuals to take specific controls to protect authenticators;	
	IA-05h.[02]	system authenticators are managed through the requirement for devices to implement specific controls to protect authenticators;	
	IA-05i.	system authenticators are managed through the change of authenticators for group or role accounts when membership to those accounts changes.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-05-Examine	[SELECT FROM: Identification and authentication policy; system security plan; addressing authenticator management; system design documentation; system configuration settings and associated documentation; list of system authenticator types; change control records associated with managing system authenticators; system audit records; other relevant documents or records].	
	IA-05-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	

IA-05	AUTHENTICATOR MANAGEMENT	
	IA-05-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing authenticator management capability].

IA-05(01)	AUTHENTICATOR MANAGEMENT PASSWORD-BASED AUTHENTICATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-05(01)_ODP[01]	the frequency at which to update the list of commonly used, expected, or compromised passwords is defined;	
	IA-05(01)_ODP[02]	authenticator composition and complexity rules are defined;	
	IA-05(01)(a)	for password-based authentication, a list of commonly used, expected, or compromised passwords is maintained and updated <ia-05(01)_odp[01]< b=""> <i>frequency></i> and when organizational passwords are suspected to have been compromised directly or indirectly;</ia-05(01)_odp[01]<>	
	IA-05(01)(b)	for password-based authentication when passwords are created or updated by users, the passwords are verified not to be found on the list of commonly used, expected, or compromised passwords in IA-05(01)(a);	
	IA-05(01)(c)	for password-based authentication, passwords are only transmitted over cryptographically protected channels;	
	IA-05(01)(d)	for password-based authentication, passwords are stored using an approved salted key derivation function, preferably using a keyed hash;	
	IA-05(01)(e)	for password-based authentication, immediate selection of a new password is required upon account recovery;	
	IA-05(01)(f)	for password-based authentication, user selection of long passwords and passphrases is allowed, including spaces and all printable characters;	
	IA-05(01)(g)	for password-based authentication, automated tools are employed to assist the user in selecting strong password authenticators;	
	IA-05(01)(h)	for password-based authentication, <ia-05(01)_odp[02] and="" complexity="" composition="" rules=""> are enforced.</ia-05(01)_odp[02]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-05(01)-Examine	[SELECT FROM: Identification and authentication policy; password policy; procedures addressing authenticator management; system security plan; system design documentation; system configuration settings and associated documentation; password configurations and associated documentation; other relevant documents or records].	
	IA-05(01)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-05(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing password-based authenticator management capability].	

(02) AUTHENTICATOR MA	AUTHENTICATOR MANAGEMENT PUBLIC KEY-BASED AUTHENTICATION	
ASSESSMENT OBJECT Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
IA-05(02)(a)(01)	authorized access to the corresponding private key is enforced for public key-based authentication;	
IA-05(02)(a)(02)	the authenticated identity is mapped to the account of the individual or group for public key-based authentication;	
IA-05(02)(b)(01)	when public key infrastructure (PKI) is used, certificates are validated by constructing and verifying a certification path to an accepted trust anchor, including checking certificate status information;	
IA-05(02)(b)(02)	when public key infrastructure (PKI) is used, a local cache of revocation data is implemented to support path discovery and validation.	
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
IA-05(02)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing authenticator management; system security plan; system design documentation; system configuration settings and associated documentation; PKI certification validation records; PKI certification revocation lists; other relevant documents or records].	
IA-05(02)-Interview	[SELECT FROM: Organizational personnel with PKI-based, authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
IA-05(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing PKI-based, authenticator management capability].	

IA-05(03)	AUTHENTICATOR MANAGEMENT IN-PERSON OR TRUSTED EXTERNAL PARTY REGISTRATION	
	[WITHDRAWN: Incorporated into IA-12(04).]	

IA-05(04)	AUTHENTICATOR MANAGEMENT AUTOMATED SUPPORT FOR PASSWORD STRENGTH DETERMINATION	
	[WITHDRAWN: Incorporated into IA-05(01).]	

A-05(05)	AUTHENTICATOR MANAGEMENT CHANGE AUTHENTICATORS PRIOR TO DELIVERY		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-05(05)	developers and installers of system components are required to provide unique authenticators or change default authenticators prior to delivery and installation.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-05(05)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; system and services acquisition policy; procedures addressing authenticator management; procedures addressing the integration of security requirements into the acquisition process; acquisition documentation; acquisition contracts for system procurements or services; other relevant documents or records].	
	IA-05(05)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security, acquisition, and contracting responsibilities; system developers].	
	IA-05(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing authenticator management capability].	

IA-05(06)	AUTHENTICATOR MANAGEMENT PROTECTION OF AUTHENTICATORS			
	ASSESSMENT OBJECT Determine if:	TIVE:		
	IA-05(06)	authenticators are protected commensurate with the security category of the information to which use of the authenticator permits access.		
	POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-05(06)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing authenticator management; security categorization documentation for the system; security assessments of authenticator protections; risk assessment results; system security plan; other relevant documents or records].		
	IA-05(06)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel implementing and/or maintaining authenticator protections; organizational personnel with information security responsibilities; system/network administrators].		
	IA-05(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing authenticator management capability; automated mechanisms protecting authenticators].		

IA-05(07)	AUTHENTICATOR MANAGEMENT NO EMBEDDED UNENCRYPTED STATIC AUTHENTICATORS ASSESSMENT OBJECTIVE: Determine if:		
	IA-05(07)	unencrypted static authenticators are not embedded in applications or other forms of static storage.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-05(07)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing authenticator management; system design documentation; system configuration settings and associated documentation; logical access scripts; application code reviews for detecting unencrypted static authenticators; other relevant documents or records].	
	IA-05(07)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-05(07)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing authenticator management capability; automated mechanisms implementing authentication in applications].	

IA-05(08)	AUTHENTICATOR MANAGEMENT MULTIPLE SYSTEM ACCOUNTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-05(08)_ODP	security controls implemented to manage the risk of compromise due to individuals having accounts on multiple systems are defined;
	IA-05(08)	<ia-05(08)_odp controls="" security=""> are implemented to manage the risk of compromise due to individuals having accounts on multiple systems.</ia-05(08)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-05(08)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing authenticator management; system security plan; list of individuals having accounts on multiple systems; list of security safeguards intended to manage risk of compromise due to individuals having accounts on multiple systems; other relevant documents or records].
	IA-05(08)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	IA-05(08)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing safeguards for authenticator management].

IA-05(09)	AUTHENTICATOR MANAGEMENT FEDERATED CREDENTIAL MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-05(09)_ODP	external organizations to be used for federating credentials are defined;
	IA-05(09)	<ia-05(09)_odp external="" organizations=""> are used to federate credentials.</ia-05(09)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-05(09)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing authenticator management; procedures addressing account management; system security plan; security agreements; other relevant documents or records].
	IA-05(09)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	IA-05(09)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing safeguards for authenticator management].

AUTHENTICATOR MANAGEMENT DYNAMIC CREDENTIAL BINDING		
ASSESSMENT OBJECTIVE: Determine if:		
IA-05(10)_ODP	rules for dynamically binding identities and authenticators are defined;	
IA-05(10)	identities and authenticators are dynamically bound using <ia-05(10)_odp< b=""> binding rules>.</ia-05(10)_odp<>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
IA-05(10)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identifier management; system security plan; system design documentation; automated mechanisms providing dynamic binding of identifiers and authenticators; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
IA-05(10)-Interview	[SELECT FROM: Organizational personnel with identifier management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
IA-05(10)-Test	[SELECT FROM: Automated mechanisms implementing identifier management capability; automated mechanisms implementing dynamic binding of identities and authenticators].	
	ASSESSMENT OBJECT Determine if: IA-05(10)_ODP IA-05(10) POTENTIAL ASSESSIV IA-05(10)-Examine	

IA-05(11)	1) AUTHENTICATOR MANAGEMENT HARDWARE TOKEN-BASED AUTHENTICATION	
	[WITHDRAWN: Incorporated into IA-02(01), IA-02(02).]	

IA-05(12)	AUTHENTICATOR MANAGEMENT BIOMETRIC AUTHENTICATION PERFORMANCE		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-05(12)_ODP	biometric quality requirements for biometric-based authentication are defined;	
	IA-05(12)	mechanisms that satisfy <ia-05(12)_odp biometric="" quality="" requirements=""></ia-05(12)_odp> are employed for biometric-based authentication.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-05(12)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing authenticator management; system security plan; system design documentation; automated mechanisms employing biometric-based authentication for the system; list of biometric quality requirements; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	IA-05(12)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-05(12)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing biometric-based authenticator management capability].	

AUTHENTICATOR MANAGEMENT EXPIRATION OF CACHED AUTHENTICATORS	
ASSESSMENT OBJECT	ΓΙVΕ:
IA-05(13)_ODP	the time period after which the use of cached authenticators is prohibited is defined;
IA-05(13)	the use of cached authenticators is prohibited after <ia-05(13)_odp b="" time<=""> period>.</ia-05(13)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
IA-05(13)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing authenticator management; system security plan; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
IA-05(13)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
IA-05(13)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing authenticator management capability].
	Determine if: IA-05(13)_ODP IA-05(13) POTENTIAL ASSESSIV IA-05(13)-Examine IA-05(13)-Interview

IA-05(14)	AUTHENTICATOR MANAGEMENT MANAGING CONTENT OF PKI TRUST STORES	
	ASSESSMENT OBJECT Determine if:	FIVE:
	IA-05(14)	an organization-wide methodology for managing the content of PKI trust stores is employed across all platforms, including networks, operating systems, browsers, and applications for PKI-based authentication.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IA-05(14)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing authenticator management; system security plan; organizational methodology for managing content of PKI trust stores across installed all platforms; system design documentation; system configuration settings and associated documentation; enterprise security architecture documentation; enterprise architecture documentation; other relevant documents or records].
	IA-05(14)-Interview	[SELECT FROM: Organizational personnel with authenticator management responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-05(14)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing PKI-based authenticator management capability; automated mechanisms supporting and/or implementing the PKI trust store capability].

AUTHENTICATOR MANAGEMENT GSA-APPROVED PRODUCTS AND SERVICES		
ASSESSMENT OBJECT	ΓΙVΕ:	
IA-05(15)	only General Services Administration-approved products and services are used for identity, credential, and access management.	
POTENTIAL ASSESSIV	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
IA-05(15)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identifier management; system security plan; system design documentation; automated mechanisms providing dynamic binding of identifiers and authenticators; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
IA-05(15)-Interview	[SELECT FROM: Organizational personnel with identification and authentication management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
IA-05(15)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing account management capability; automated mechanisms supporting and/or implementing identification and authentication management capabilities for the system].	
	ASSESSMENT OBJECT Determine if: IA-05(15) POTENTIAL ASSESSIV IA-05(15)-Examine	

IA-05(16)	AUTHENTICATOR MANAGEMENT IN-PERSON OR TRUSTED EXTERNAL PARTY AUTHENTICATOR ISSUANCE		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-05(16)_ODP[01]	types of and/or specific authenticators to be issued are defined;	
	IA-05(16)_ODP[02]	one of the following PARAMETER VALUES is selected: {in person; by a trusted external party};	
	IA-05(16)_ODP[03]	the registration authority that issues authenticators is defined;	
	IA-05(16)_ODP[04]	the personnel or roles who authorize the issuance of authenticators are defined;	
	IA-05(16)	the issuance of <ia-05(16)_odp[01] and="" of="" or="" specific<br="" types="">authenticators> is required to be conducted <ia-05(16)_odp[02] selected<br="">PARAMETER VALUE> before <ia-05(16)_odp[03] authority="" registration=""> with authorization by <ia-05(16)_odp[04] or="" personnel="" roles="">.</ia-05(16)_odp[04]></ia-05(16)_odp[03]></ia-05(16)_odp[02]></ia-05(16)_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-05(16)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identifier management; system security plan; system design documentation; automated mechanisms providing dynamic binding of identifiers and authenticators; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	IA-05(16)-Interview	[SELECT FROM: Organizational personnel with identification and authentication management responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	IA-05(16)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing account management capability; automated mechanisms supporting and/or implementing identification and authentication management capabilities for the system].	

IA-05(17)	AUTHENTICATOR MANAGEMENT PRESENTATION ATTACK DETECTION FOR BIOMETRIC AUTHENTICATORS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-05(17)	presentation attack detection mechanisms are employed for biometric- based authentication.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-05(17)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identifier management; system security plan; system design documentation; automated mechanisms providing dynamic binding of identifiers and authenticators; system configuration settings and associated documentation; system audit records; other relevant documents or records].

IA-05(17)	AUTHENTICATOR MANAGEMENT PRESENTATION ATTACK DETECTION FOR BIOMETRIC AUTHENTICATORS	
	IA-05(17)-Interview	[SELECT FROM: Organizational personnel with identification and authentication management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	IA-05(17)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing account management capability; automated mechanisms supporting and/or implementing identification and authentication management capabilities for the system].

AUTHENTICATOR MANAGEMENT PASSWORD MANAGERS	
ASSESSMENT OBJECT Determine if:	TIVE:
IA-05(18)_ODP[01]	password managers employed for generating and managing passwords are defined;
IA-05(18)_ODP[02]	controls for protecting passwords are defined;
IA-05(18)(a)	<pre></pre> //A-05(18)_ODP[01] password managers> are employed to generate and manage passwords;
IA-05(18)(b)	the passwords are protected using .
POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
IA-05(18)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identifier management; system security plan; system design documentation; automated mechanisms providing dynamic binding of identifiers and authenticators; system configuration settings and associated documentation; system audit records; other relevant documents or records].
IA-05(18)-Interview	[SELECT FROM: Organizational personnel with identification and authentication management responsibilities; organizational personnel with information security responsibilities; system/network administrators].
IA-05(18)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing account management capability; automated mechanisms supporting and/or implementing identification and authentication management capabilities for the system].
	ASSESSMENT OBJECT Determine if: IA-05(18)_ODP[01] IA-05(18)_ODP[02] IA-05(18)(a) IA-05(18)(b) POTENTIAL ASSESSIM IA-05(18)-Examine

IA-06	AUTHENTICATION FEEDBACK	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-06	the feedback of authentication information is obscured during the authentication process to protect the information from possible exploitation and use by unauthorized individuals.

IA-06	AUTHENTICATION FEEDBACK	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-06-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing authenticator feedback; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	IA-06-Interview	[SELECT FROM: Organizational personnel with information security responsibilities; system/network administrators; system developers].
	IA-06-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the obscuring of feedback of authentication information during authentication].

IA-07	CRYPTOGRAPHIC MODULE AUTHENTICATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-07	mechanisms for authentication to a cryptographic module are implemented that meet the requirements of applicable laws, Executive Orders, directives, policies, regulations, standards, and guidelines for such authentication.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IA-07-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing cryptographic module authentication; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	IA-07-Interview	[SELECT FROM: Organizational personnel with responsibility for cryptographic module authentication; organizational personnel with information security responsibilities; system/network administrators; system developers].	
	IA-07-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing cryptographic module authentication].	

IA-08	IDENTIFICATION AND AUTHENTICATION (NON-ORGANIZATIONAL USERS)	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-08	non-organizational users or processes acting on behalf of non-organizational users are uniquely identified and authenticated.

IA-08	IDENTIFICATION AND	DAUTHENTICATION (NON-ORGANIZATIONAL USERS)
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-08-Examine	[SELECT FROM: Identification and authentication policy; system security plan; privacy plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of system accounts; other relevant documents or records].
	IA-08-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; organizational personnel with account management responsibilities].
	IA-08-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

•	NAND AUTHENTICATION (NON-ORGANIZATIONAL USERS) ACCEPTANCE TIALS FROM OTHER AGENCIES	
ASSESSMENT O Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
IA-08(01)[01]	Personal Identity Verification-compliant credentials from other federal agencies are accepted;	
IA-08(01)[02]	Personal Identity Verification-compliant credentials from other federal agencies are electronically verified.	
POTENTIAL ASS	ESSMENT METHODS AND OBJECTS:	
IA-08(01)-Examin	e [SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; PIV verification records; evidence of PIV credentials; PIV credential authorizations; other relevant documents or records].	
IA-08(01)-Intervie	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with account management responsibilities].	
IA-08(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities; automated mechanisms that accept and verify PIV credentials].	

A-08(02)	IDENTIFICATION AN OF EXTERNAL AUTH	D AUTHENTICATION (NON-ORGANIZATIONAL USERS) ACCEPTANCE ENTICATORS
	ASSESSMENT OBJEC Determine if:	TIVE:
	IA-08(02)(a)	only external authenticators that are NIST-compliant are accepted;
	IA-08(02)(b)[01]	a list of accepted external authenticators is documented;
	IA-08(02)(b)[02]	a list of accepted external authenticators is maintained.
	POTENTIAL ASSESS	AENT METHODS AND OBJECTS:
	IA-08(02)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; list of third-party credentialing products, components, or services procured and implemented by organization; third-party credential verification records; evidence of third- party credentials; third-party credential authorizations; other relevant documents or records].
	IA-08(02)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with account management responsibilities].
	IA-08(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities; automated mechanisms that accept external credentials].

IA-08(03)	IDENTIFICATION AND AUTHENTICATION (NON-ORGANIZATIONAL USERS) USE OF FICAM-APPROVED PRODUCTS
	[WITHDRAWN: Incorporated into IA-08(02).]

L	A-08(04)	IDENTIFICATION AND AUTHENTICATION (NON-ORGANIZATIONAL USERS) USE OF DEFINED PROFILES	
		ASSESSMENT OBJECTIVE: Determine if:	
		IA-08(04)_ODP	identity management profiles are defined;
		IA-08(04)	there is conformance with for identity management.

IA-08(04)	IDENTIFICATION AN DEFINED PROFILES	D AUTHENTICATION (NON-ORGANIZATIONAL USERS) USE OF
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		MENT METHODS AND OBJECTS:
	IA-08(04)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	IA-08(04)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with account management responsibilities].
	IA-08(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities; automated mechanisms supporting and/or implementing conformance with profiles].

IA-08(05)	IDENTIFICATION AND AUTHENTICATION (NON-ORGANIZATIONAL USERS) ACCEPTANCE OF PIV-I CREDENTIALS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-08(05)_ODP	a policy for using federated or PKI credentials is defined;
	IA-08(05)[01]	federated or PKI credentials that meet <ia-08(05)_odp policy=""></ia-08(05)_odp> are accepted;
	IA-08(05)[02]	federated or PKI credentials that meet <ia-08(05)_odp policy=""></ia-08(05)_odp> are verified.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IA-08(05)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; PIV-I verification records; evidence of PIV-I credentials; PIV-I credential authorizations; other relevant documents or records].
	IA-08(05)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with account management responsibilities].
	IA-08(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities; automated mechanisms that accept and verify PIV-I credentials].

IA-08(06)	IDENTIFICATION AND AUTHENTICATION (NON-ORGANIZATIONAL USERS) DISASSOCIABILITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-08(06)_ODP	disassociability measures are defined;
	IA-08(06)	<ia-08(06)_odp measures=""> to disassociate user attributes or identifier assertion relationships among individuals, credential service providers, and relying parties are implemented.</ia-08(06)_odp>
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	IA-08(06)-Examine	[SELECT FROM: Identification and authentication policy; system security plan; privacy plan; procedures addressing user identification and authentication; system design documentation; system configuration settings and associated documentation; system audit records; other relevant documents or records].
	IA-08(06)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers; organizational personnel with account management responsibilities].
	IA-08(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

IA-09	SERVICE IDENTIFICAT	TION AND AUTHENTICATION	
	ASSESSMENT OBJECT Determine if:	TIVE:	
	IA-09_ODP	system services and applications to be uniquely identified and authenticated are defined;	
	IA-09	are uniquely identified and authenticated before establishing communications with devices, users, or other services or applications.	
	POTENTIAL ASSESSN	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-09-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing service identification and authentication; system security plan; system design documentation; security safeguards used to identify and authenticate system services; system configuration settings and associated documentation; system audit records; other relevant documents or records].	
	IA-09-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].	

IA-09	SERVICE IDENTIFICATION AND AUTHENTICATION	
	IA-09-Test	[SELECT FROM: Security safeguards implementing service identification and authentication capabilities].

ERVICE IDENTIFICATION AND AUTHENTICATION INFORMATION EXCHANGE
VITHDRAWN: Incorporated into IA-09.]

IA-09(02) SERVICE IDENTIFICATION AND AUTHENTICATION | TRANSMISSION OF DECISIONS

[WITHDRAWN: Incorporated into IA-09.]

IA-10	ADAPTIVE AUTHER	NTICATION
	ASSESSMENT OBJE Determine if:	ECTIVE:
	IA-10_ODP[01]	supplemental authentication techniques or mechanisms to be employed when accessing the system under specific circumstances or situations are defined;
	IA-10_ODP[02]	circumstances or situations that require individuals accessing the system to employ supplemental authentication techniques or mechanisms are defined;
	IA-10	individuals accessing the system are required to employ supplemental authentication techniques or mechanisms> under specific circumstances or situations>.
	POTENTIAL ASSESS	SMENT METHODS AND OBJECTS:
	IA-10-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing adaptive/supplemental identification and authentication techniques or mechanisms; system security plan; system design documentation; system configuration settings and associated documentation; supplemental identification and authentication techniques or mechanisms; system audit records; other relevant documents or records].
	IA-10-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].
	IA-10-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].
	IA-10-Test	

IA-11	RE-AUTHENTICATION	J
	ASSESSMENT OBJECT Determine if:	TIVE:
	IA-11_ODP	circumstances or situations requiring re-authentication are defined;
	IA-11	users are required to re-authenticate when <ia-11_odp circumstances="" or="" re-authentication="" requiring="" situations="">.</ia-11_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IA-11-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing user and device re-authentication; system security plan; system design documentation; system configuration settings and associated documentation; list of circumstances or situations requiring re- authentication; system audit records; other relevant documents or records].
	IA-11-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].
	IA-11-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

IA-12	IA-12 IDENTITY PROOFING	
	ASSESSMENT OBJEC Determine if:	TIVE:
	IA-12a.	users who require accounts for logical access to systems based on appropriate identity assurance level requirements as specified in applicable standards and guidelines are identity proofed;
	IA-12b.	user identities are resolved to a unique individual;
	IA-12c.[01]	identity evidence is collected;
	IA-12c.[02]	identity evidence is validated;
	IA-12c.[03]	identity evidence is verified.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	IA-12-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identity proofing; system security plan; privacy plan; other relevant documents or records].
	IA-12-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security and privacy responsibilities; legal counsel; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].

IA-12	IDENTITY PROOFING	
	IA-12-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

IA-12(01)	IDENTITY PROOFING SUPERVISOR AUTHORIZATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	IA-12(01)	the registration process to receive an account for logical access includes supervisor or sponsor authorization.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IA-12(01)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identity proofing; system security plan; other relevant documents or records].
	IA-12(01)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].
	IA-12(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

ASSESSMENT OBJECT Determine if:	IVE:
IA-12(02)	evidence of individual identification is presented to the registration authority.
POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
IA-12(02)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identity proofing; system security plan; other relevant documents or records].
IA-12(02)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].
IA-12(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].
	IA-12(02) POTENTIAL ASSESSM IA-12(02)-Examine IA-12(02)-Interview

IA-12(03)	IDENTITY PROOFING IDENTITY EVIDENCE VALIDATION AND VERIFICATION	
ASSESSMENT OBJECTIVE: Determine if:		TIVE:
	IA-12(03)_ODP	methods of validation and verification of identity evidence are defined;
	IA-12(03)	the presented identity evidence is validated and verified through <pre></pre> <pre></pre> <pre>// </pre> <pre>/</pre>
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	IA-12(03)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identity proofing; system security plan; other relevant documents or records].
	IA-12(03)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].
	IA-12(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

IA-12(04)	IDENTITY PROOFING IN-PERSON VALIDATION AND VERIFICATION	
	ASSESSMENT OBJECT Determine if:	FIVE:
	IA-12(04)	the validation and verification of identity evidence is conducted in person before a designated registration authority.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IA-12(04)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identity proofing; system security plan; other relevant documents or records].
	IA-12(04)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].
	IA-12(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

IA-12(05)	IDENTITY PROOFING	IDENTITY PROOFING ADDRESS CONFIRMATION	
	ASSESSMENT OBJECTIVE: Determine if:		
	IA-12(05)_ODP	one of the following PARAMETER VALUES is selected: {registration code; notice of proofing};	
	IA-12(05)	a <ia-12(05)_odp parameter="" selected="" value=""></ia-12(05)_odp> is delivered through an out-of-band channel to verify the user's address (physical or digital) of record.	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	IA-12(05)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identity proofing; system security plan; other relevant documents or records].	
	IA-12(05)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].	
	IA-12(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].	

12(06)	IDENTITY PROOFING ACCEPT EXTERNALLY-PROOFED IDENTITIES	
	ASSESSMENT OBJECTIVE: Determine if:	
	IA-12(06)_ODP	an identity assurance level for accepting externally proofed identities is defined;
	IA-12(06)	externally proofed identities are accepted <ia-12(06)_odp assurance="" identity="" level="">.</ia-12(06)_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IA-12(06)-Examine	[SELECT FROM: Identification and authentication policy; procedures addressing identity proofing; system security plan; other relevant documents or records].
	IA-12(06)-Interview	[SELECT FROM: Organizational personnel with system operations responsibilities; organizational personnel with information security responsibilities; system/network administrators; system developers; organizational personnel with identification and authentication responsibilities].
	IA-12(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing identification and authentication capabilities].

4.8 INCIDENT RESPONSE

IR-01	POLICY AND PROCED	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	IR-01_ODP[01]	personnel or roles to whom the incident response policy is to be disseminated is/are defined;
	IR-01_ODP[02]	personnel or roles to whom the incident response procedures are to be disseminated is/are defined;
	IR-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	IR-01_ODP[04]	an official to manage the incident response policy and procedures is defined;
	IR-01_ODP[05]	the frequency at which the current incident response policy is reviewed and updated is defined;
	IR-01_ODP[06]	events that would require the current incident response policy to be reviewed and updated are defined;
	IR-01_ODP[07]	the frequency at which the current incident response procedures are reviewed and updated is defined;
	IR-01_ODP[08]	events that would require the incident response procedures to be reviewed and updated are defined;
	IR-01a.[01]	an incident response policy is developed and documented;
	IR-01a.[02]	the incident response policy is disseminated to <ir-01_odp[01] or="" personnel="" roles="">;</ir-01_odp[01]>
	IR-01a.[03]	incident response procedures to facilitate the implementation of the incident response policy and associated incident response controls are developed and documented;
	IR-01a.[04]	the incident response procedures are disseminated to <ir-01_odp[02] personnel or roles>;</ir-01_odp[02]
	IR-01a.01(a)[01]	the <ir-01_odp[03] parameter="" selected="" value(s)=""></ir-01_odp[03]> incident response policy addresses purpose;
	IR-01a.01(a)[02]	the <ir-01_odp[03] parameter="" selected="" value(s)=""> incident response policy addresses scope;</ir-01_odp[03]>
	IR-01a.01(a)[03]	the <ir-01_odp[03] parameter="" selected="" value(s)=""> incident response policy addresses roles;</ir-01_odp[03]>
	IR-01a.01(a)[04]	the <ir-01_odp[03] parameter="" selected="" value(s)=""></ir-01_odp[03]> incident response policy addresses responsibilities;
	IR-01a.01(a)[05]	the <ir-01_odp[03] parameter="" selected="" value(s)=""> incident response policy addresses management commitment;</ir-01_odp[03]>

POLICY AND P	ROCEDURES
IR-01a.01(a)[06]	the < IR-01_ODP[03] SELECTED PARAMETER VALUE(S)> incident response policy addresses coordination among organizational entities;
IR-01a.01(a)[07]	the < IR-01_ODP[03] SELECTED PARAMETER VALUE(S)> incident response policy addresses compliance;
IR-01a.01(b)	the <ir-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ir-01_odp[03]<> incident response policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;
IR-01b.	the <ir-01_odp[04]< b=""> official> is designated to manage the development, documentation, and dissemination of the incident response policy and procedures;</ir-01_odp[04]<>
IR-01c.01[01]	the current incident response policy is reviewed and updated <pre></pre>
IR-01c.01[02]	the current incident response policy is reviewed and updated following
IR-01c.02[01]	the current incident response procedures are reviewed and updated <pre></pre> <pre></pre> <pre>/// </pre> <pre>// </pre> <pre></pre>
IR-01c.02[02]	the current incident response procedures are reviewed and updated following <i><ir-01_odp[08] events=""></ir-01_odp[08]></i> .
POTENTIAL AS	SESSMENT METHODS AND OBJECTS:
IR-01-Examine	[SELECT FROM: Incident response policy and procedures; system security plan; privacy plan; other relevant documents or records].
IR-01-Interview	[SELECT FROM: Organizational personnel with incident response responsibilities; organizational personnel with information security and privacy responsibilities].

IR-02	INCIDENT RESPONSE TRAINING	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-02_ODP[01]	a time period within which incident response training is to be provided to system users assuming an incident response role or responsibility is defined;
	IR-02_ODP[02]	frequency at which to provide incident response training to users is defined;
	IR-02_ODP[03]	frequency at which to review and update incident response training content is defined;
	IR-02_ODP[04]	events that initiate a review of the incident response training content are defined;

INCIDENT RESP	INCIDENT RESPONSE TRAINING	
IR-02a.01	incident response training is provided to system users consistent with assigned roles and responsibilities within < <i>IR-02_ODP[01] time period</i> > of assuming an incident response role or responsibility or acquiring system access;	
IR-02a.02	incident response training is provided to system users consistent with assigned roles and responsibilities when required by system changes;	
IR-02a.03	incident response training is provided to system users consistent with assigned roles and responsibilities < <i>IR-02_ODP[02] frequency</i> > thereafter;	
IR-02b.[01]	incident response training content is reviewed and updated <ir-02_odp[03]< b=""> frequency>;</ir-02_odp[03]<>	
IR-02b.[02]	incident response training content is reviewed and updated following <i><ir-02_odp[04] events=""></ir-02_odp[04]></i> .	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
IR-02-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response training; incident response training curriculum; incident response training materials; privacy plan; incident response plan; incident response training records; system security plan; privacy plan; other relevant documents or records].	
IR-02-Interview	[SELECT FROM: Organizational personnel with incident response training and operational responsibilities; organizational personnel with information security and privacy responsibilities].	

IR-02(01)	INCIDENT RESPONSE TRAINING SIMULATED EVENTS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	IR-02(01)	simulated events are incorporated into incident response training to facilitate the required response by personnel in crisis situations.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-02(01)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response training; incident response training curriculum; incident response training materials; incident response plan; system security plan; privacy plan; other relevant documents or records].
	IR-02(01)-Interview	[SELECT FROM: Organizational personnel with incident response training and operational responsibilities; organizational personnel with information security and privacy responsibilities].
	IR-02(01)-Test	[SELECT FROM: Automated mechanisms that support and/or implement simulated events for incident response training].

IR-02(02)	INCIDENT RESPONSE TRAINING AUTOMATED TRAINING ENVIRONMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-02(02)_ODP	automated mechanisms used in an incident response training environment are defined;
	IR-02(02)	an incident response training environment is provided using <ir-02(02)_odp< b=""> automated mechanisms>.</ir-02(02)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-02(02)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response training; incident response training curriculum; incident response training materials; automated mechanisms supporting incident response training; incident response plan; system security plan; privacy plan; other relevant documents or records].
	IR-02(02)-Interview	[SELECT FROM: Organizational personnel with incident response training and operational responsibilities; organizational personnel with information security and privacy responsibilities].
	IR-02(02)-Test	[SELECT FROM: Automated mechanisms that provide a thorough and realistic incident response training environment].

IR-02(03)	INCIDENT RESPONSE TRAINING BREACH	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-02(03)[01]	incident response training on how to identify and respond to a breach is provided;
	IR-02(03)[02]	incident response training on the organization's process for reporting a breach is provided.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-02(03)-Examine	[SELECT FROM: Incident response policy; contingency planning policy; procedures addressing incident response testing; procedures addressing contingency plan testing; incident response testing material; incident response test results; incident response test plan; incident response plan; contingency plan; system security plan; privacy plan; other relevant documents or records].
	IR-02(03)-Interview	[SELECT FROM: Organizational personnel with incident response training responsibilities; organizational personnel with information security and privacy responsibilities].

IR-03	INCIDENT RESPONSE TESTING	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	IR-03_ODP[01]	frequency at which to test the effectiveness of the incident response capability for the system is defined;
	IR-03_ODP[02]	tests used to test the effectiveness of the incident response capability for the system are defined;
	IR-03	the effectiveness of the incident response capability for the system is tested < <i>IR-03_ODP[01] frequency></i> using < <i>IR-03_ODP[02] tests></i> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-03-Examine	[SELECT FROM: Incident response policy; contingency planning policy; procedures addressing incident response testing; procedures addressing contingency plan testing; incident response testing material; incident response test results; incident response test plan; incident response plan; contingency plan; system security plan; privacy plan; other relevant documents or records].
	IR-03-Interview	[SELECT FROM: Organizational personnel with incident response testing responsibilities; organizational personnel with information security and privacy responsibilities].

IR-03(01)	INCIDENT RESPONSE TESTING AUTOMATED TESTING	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-03(01)_ODP	automated mechanisms used to test the incident response capability are defined;
	IR-03(01)	the incident response capability is tested using <ir-03(01)_odp< b=""> automated mechanisms>.</ir-03(01)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-03(01)-Examine	[SELECT FROM: Incident response policy; contingency planning policy; procedures addressing incident response testing; procedures addressing contingency plan testing; incident response testing documentation; incident response test results; incident response test plan; incident response plan; contingency plan; system security plan; automated mechanisms supporting incident response tests; other relevant documents or records].
	IR-03(01)-Interview	[SELECT FROM: Organizational personnel with incident response testing responsibilities; organizational personnel with information security responsibilities].
	IR-03(01)-Test	[SELECT FROM: Automated mechanisms that more thoroughly and effectively test the incident response capability].

IR-03(02)	INCIDENT RESPONSE TESTING COORDINATION WITH RELATED PLANS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	IR-03(02)	incident response testing is coordinated with organizational elements responsible for related plans.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-03(02)-Examine	[SELECT FROM: Incident response policy; contingency planning policy; procedures addressing incident response testing; incident response testing documentation; incident response plan; business continuity plans; contingency plans; disaster recovery plans; continuity of operations plans; crisis communications plans; critical infrastructure plans; occupant emergency plans; system security plan; privacy plan; other relevant documents or records].
	IR-03(02)-Interview	[SELECT FROM: Organizational personnel with incident response testing responsibilities; organizational personnel with responsibilities for testing organizational plans related to incident response testing; organizational personnel with information security and privacy responsibilities].

IR-03(03)	INCIDENT RESPONSE TESTING	CONTINUOUS IMPROVEMENT

ASSESSMENT OBJECTIVE: Determine if:	
IR-03(03)(a)[01]	qualitative data from testing are used to determine the effectiveness of incident response processes;
IR-03(03)(a)[02]	quantitative data from testing are used to determine the effectiveness of incident response processes;
IR-03(03)(b)[01]	qualitative and quantitative data from testing are used to continuously improve incident response processes;
IR-03(03)(b)[02]	quantitative data from testing are used to continuously improve incident response processes;
IR-03(03)(c)[01]	qualitative data from testing are used to provide incident response measures and metrics that are accurate;
IR-03(03)(c)[02]	quantitative data from testing are used to provide incident response measures and metrics that are accurate;
IR-03(03)(c)[03]	qualitative data from testing are used to provide incident response measures and metrics that are consistent;
 IR-03(03)(c)[04]	quantitative data from testing are used to provide incident response measures and metrics that are consistent;
 IR-03(03)(c)[05]	qualitative data from testing are used to provide incident response measures and metrics in a reproducible format;
IR-03(03)(c)[06]	quantitative data from testing are used to provide incident response measures and metrics in a reproducible format.

IR-03(03)	INCIDENT RESPONSE TESTING CONTINUOUS IMPROVEMENT	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-03(03)-Examine	[SELECT FROM: Incident response policy; contingency planning policy; procedures addressing incident response testing; incident response testing documentation; incident response plan; business continuity plans; contingency plans; disaster recovery plans; continuity of operations plans; crisis communications plans; critical infrastructure plans; occupant emergency plans; system security plan; privacy plan; other relevant documents or records].
	IR-03(03)-Interview	[SELECT FROM: Organizational personnel with incident response testing responsibilities; organizational personnel with responsibilities for testing organizational plans related to incident response testing; organizational personnel with information security and privacy responsibilities].

IR-04	INCIDENT HANDLING	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	IR-04(a)[01]	an incident handling capability for incidents is implemented that is consistent with the incident response plan;
	IR-04(a)[02]	an incident handling capability for incidents includes preparation;
	IR-04(a)[03]	an incident handling capability for incidents includes detection and analysis;
	IR-04(a)[04]	an incident handling capability for incidents includes containment;
	IR-04(a)[05]	an incident handling capability for incidents includes eradication;
	IR-04(a)[06]	an incident handling capability for incidents includes recovery;
	IR-04(b)	incident handling activities are coordinated with contingency planning activities;
	IR-04(c)[01]	lessons learned from ongoing incident handling activities are incorporated into incident response procedures, training, and testing;
	IR-04(c)[02]	the changes resulting from the incorporated lessons learned are implemented accordingly;
	IR-04(d)[01]	the rigor of incident handling activities is comparable and predictable across the organization;
	IR-04(d)[02]	the intensity of incident handling activities is comparable and predictable across the organization;
	IR-04(d)[03]	the scope of incident handling activities is comparable and predictable across the organization;
	IR-04(d)[04]	the results of incident handling activities are comparable and predictable across the organization.

R-04	INCIDENT HANDLING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04-Examine	[SELECT FROM: Incident response policy; contingency planning policy; procedures addressing incident handling; incident response plan; contingency plan; system security plan; privacy plan; other relevant documents or records].
	IR-04-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with contingency planning responsibilities; organizational personnel with information security and privacy responsibilities].
	IR-04-Test	[SELECT FROM: Incident handling capability for the organization].

IR-04(01)	INCIDENT HANDLING	INCIDENT HANDLING AUTOMATED INCIDENT HANDLING PROCESSES	
	ASSESSMENT OBJECTIVE: Determine if:		
	IR-04(01)_ODP	automated mechanisms used to support the incident handling process are defined;	
	IR-04(01)	the incident handling process is supported using <i><ir-04(01)_odp< i=""> automated mechanisms>.</ir-04(01)_odp<></i>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IR-04(01)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; automated mechanisms supporting incident handling; system design documentation; system configuration settings and associated documentation; system audit records; incident response plan; system security plan; other relevant documents or records].	
	IR-04(01)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security responsibilities].	
	IR-04(01)-Test	[SELECT FROM: Automated mechanisms that support and/or implement the incident handling process].	

IR-04(02)	INCIDENT HANDLING DYNAMIC RECONFIGURATION	
	ASSESSMENT OBJECTIVE: Determine if: IR-04(02)_ODP[01] types of dynamic reconfiguration for system components are defined;	
	IR-04(02)_ODP[02]	system components that require dynamic reconfiguration are defined;
	IR-04(02)	<ir-04(02)_odp[01] dynamic="" of="" reconfiguration="" types=""> for <ir-04(02)_odp[02] components="" system=""> are included as part of the incident response capability.</ir-04(02)_odp[02]></ir-04(02)_odp[01]>

IR-04(02)	INCIDENT HANDLING DYNAMIC RECONFIGURATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(02)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; automated mechanisms supporting incident handling; list of system components to be dynamically reconfigured as part of incident response capability; system design documentation; system configuration settings and associated documentation; system audit records; incident response plan; system security plan; other relevant documents or records].
	IR-04(02)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security responsibilities].
	IR-04(02)-Test	[SELECT FROM: Automated mechanisms that support and/or implement dynamic reconfiguration of components as part of incident response].

l(03)		G CONTINUITY OF OPERATIONS
	ASSESSMENT OBJEC Determine if:	TIVE:
	IR-04(03)_ODP[01]	classes of incidents requiring an organization-defined action (defined in IR-04(03)_ODP[02]) to be taken are defined;
	IR-04(03)_ODP[02]	actions to be taken in response to organization-defined classes of incidents are defined;
	IR-04(03)[01]	<pre><ir-04(03)_odp[01] classes="" incidents="" of=""> are identified;</ir-04(03)_odp[01]></pre>
	IR-04(03)[02]	<ir-04(03)_odp[02] actions=""> are taken in response to those incidents to ensure the continuation of organizational mission and business functions.</ir-04(03)_odp[02]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IR-04(03)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; incident response plan; privacy plan; list of classes of incidents; list of appropriate incident response actions; system security plan; other relevant documents or records].
	IR-04(03)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security responsibilities].
	IR-04(03)-Test	[SELECT FROM: Automated mechanisms that support and/or implement continuity of operations].
	-	

IR-04(04)	INCIDENT HANDLING INFORMATION CORRELATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	IR-04(04)	incident information and individual incident responses are correlated to achieve an organization-wide perspective on incident awareness and response.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IR-04(04)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; incident response plan; privacy plan; automated mechanisms supporting incident and event correlation; system design documentation; system configuration settings and associated documentation; system security plan; privacy plan; incident management correlation logs; event management correlation logs; security information and event management logs; incident management correlation reports; event management correlation reports; security information and event management correlation reports; other relevant documents or records].
	IR-04(04)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with whom incident information and individual incident responses are to be correlated].
	IR-04(04)-Test	[SELECT FROM: Organizational processes for correlating incident information and individual incident responses; automated mechanisms that support and or implement the correlation of incident response information with individual incident responses].

IR-04(05)	INCIDENT HANDLING AUTOMATIC DISABLING OF SYSTEM	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(05)_ODP	security violations that automatically disable a system are defined;
	IR-04(05)	a configurable capability is implemented to automatically disable the system if < <i>IR-04(05)_ODP security violations></i> are detected.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(05)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; automated mechanisms supporting incident handling; system design documentation; system configuration settings and associated documentation; system security plan; incident response plan; privacy plan; other relevant documents or records].
	IR-04(05)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security responsibilities; system developers].

IR-04(05)	INCIDENT HANDLING AUTOMATIC DISABLING OF SYSTEM	
	IR-04(05)-Test	[SELECT FROM: Incident handling capability for the organization; automated mechanisms supporting and/or implementing automatic disabling of the system].

IR-04(06)	INCIDENT HANDLING INSIDER THREATS ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(06)	an incident handling capability is implemented for incidents involving insider threats.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(06)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; automated mechanisms supporting incident handling; system design documentation; system configuration settings and associated documentation; incident response plan; system security plan; audit records; other relevant documents or records].
	IR-04(06)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security responsibilities].
	IR-04(06)-Test	[SELECT FROM: Incident handling capability for the organization].

IR-04(07)	INCIDENT HANDLING INSIDER THREATS — INTRA-ORGANIZATION COORDINATION	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	IR-04(07)_ODP	entities that require coordination for an incident handling capability for insider threats are defined;
	IR-04(07)[01]	an incident handling capability is coordinated for insider threats;
	IR-04(07)[02]	the coordinated incident handling capability includes .
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	IR-04(07)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; incident response plan; insider threat program plan; insider threat CONOPS; system security plan; privacy plan; other relevant documents or records].
	IR-04(07)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel/elements with whom the incident handling capability is to be coordinated].

IR-04(07)	INCIDENT HANDLING	6 INSIDER THREATS — INTRA-ORGANIZATION COORDINATION
	IR-04(07)-Test	[SELECT FROM: Organizational processes for coordinating incident handling].

IR-04(08)		INCIDENT HANDLING CORRELATION WITH EXTERNAL ORGANIZATIONS	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	IR-04(08)_ODP[01]	external organizations with whom organizational incident information is to be coordinated and shared are defined;	
	IR-04(08)_ODP[02]	incident information to be correlated and shared with organization-defined external organizations are defined;	
	IR-04(08)	there is coordination with <i><ir-04(08)_odp[01] external="" organizations=""></ir-04(08)_odp[01]></i> to correlate and share <i><ir-04(08)_odp[02] incident="" information=""></ir-04(08)_odp[02]></i> to achieve a cross-organization perspective on incident awareness and more effective incident responses.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IR-04(08)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; list of external organizations; records of incident handling coordination with external organizations; incident response plan; system security plan; privacy plan; other relevant documents or records].	
	IR-04(08)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security and privacy responsibilities; personnel from external organizations with whom incident response information is to be coordinated, shared, and correlated].	
	IR-04(08)-Test	[SELECT FROM: Organizational processes for coordinating incident handling information with external organizations].	

IR-04(09)	INCIDENT HANDLING DYNAMIC RESPONSE CAPABILITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(09)_ODP	dynamic response capabilities to be employed to respond to incidents are defined;
	IR-04(09)	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(09)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; automated mechanisms supporting dynamic response capabilities; system design documentation; system configuration settings and associated documentation; incident response plan; system security plan; audit records; other relevant documents or records].

IR-04(09)	INCIDENT HANDLING DYNAMIC RESPONSE CAPABILITY	
	IR-04(09)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security responsibilities].
	IR-04(09)-Test	[SELECT FROM: Organizational processes for dynamic response capability; automated mechanisms supporting and/or implementing the dynamic response capability for the organization].

IR-04(10)	INCIDENT HANDLING SUPPLY CHAIN COORDINATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(10)	incident handling activities involving supply chain events are coordinated with other organizations involved in the supply chain.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(10)-Examine	[SELECT FROM: Incident response policy; procedures addressing supply chain coordination and supply chain risk information sharing with the Federal Acquisition Security Council; acquisition contracts; service-level agreements; incident response plan; supply chain risk management plan; system security plan; incident response plans of other organization involved in supply chain activities; other relevant documents or records].
	IR-04(10)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with mission and business responsibilities; organizational personnel with legal responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities; organizational personnel with acquisition responsibilities].

IR-04(11)	INCIDENT HANDLING INTEGRATED INCIDENT RESPONSE TEAM	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(11)_ODP	the time period within which an integrated incident response team can be deployed is defined;
	IR-04(11)[01]	an integrated incident response team is established and maintained;
	IR-04(11)[02]	the integrated incident response team can be deployed to any location identified by the organization in <ir-04(11)_odp b="" period<="" time="">>.</ir-04(11)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		IENT METHODS AND OBJECTS:
	IR-04(11)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; procedures addressing incident response planning; incident response plan; system security plan; privacy plan; other relevant documents or records].

IR-04(11)	INCIDENT HANDLING INTEGRATED INCIDENT RESPONSE TEAM	
	IR-04(11)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security and privacy responsibilities; members of the integrated incident response team].

IR-04(12)	INCIDENT HANDLING MALICIOUS CODE AND FORENSIC ANALYSIS	
	ASSESSMENT OBJECT Determine if:	TIVE:
	IR-04(12)[01]	malicious code remaining in the system is analyzed after the incident;
	IR-04(12)[02]	other residual artifacts remaining in the system (if any) are analyzed after the incident.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	IR-04(12)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident handling; procedures addressing code and forensic analysis; procedures addressing incident response; incident response plan; system design documentation; malicious code protection mechanisms, tools, and techniques; results from malicious code analyses; system security plan; system audit records; other relevant documents or records].
	IR-04(12)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel with responsibility for malicious code protection; organizational personnel responsible for incident response/management].
	IR-04(12)-Test	[SELECT FROM: Organizational process for incident response; organizational processes for conducting forensic analysis; tools and techniques for analysis of malicious code characteristics and behavior].

IR-04(13)	INCIDENT HANDLING BEHAVIOR ANALYSIS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(13)_ODP	environments or resources which may contain or may be related to anomalous or suspected adversarial behavior are defined;
	IR-04(13)	anomalous or suspected adversarial behavior in or related to
	IR-04(13)- Examine[SELECT	FROM: Incident response policy; procedures addressing system monitoring tools and techniques; incident response plan; system monitoring logs or records; system monitoring tools and techniques documentation; system configuration settings and associated documentation; security plan; system component inventory; network diagram; system protocols documentation; list of acceptable thresholds for false positives and false negatives; system security plan; other relevant documents or records].

IR-04(13)	INCIDENT HANDLING BEHAVIOR ANALYSIS	
	IR-04(13)- Interview[SELECT	FROM: Organizational personnel with information security responsibilities; system/network administrators].
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(13)-Test	[SELECT FROM: Organizational processes for detecting anomalous behavior].

IR-04(14)	INCIDENT HANDLING SECURITY OPERATIONS CENTER	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(14)[01]	a security operations center is established;
	IR-04(14)[02]	a security operations center is maintained.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(14)-Examine	[SELECT FROM: Incident response policy; contingency planning policy; procedures addressing incident handling; procedures addressing the security operations center operations; automated mechanisms supporting dynamic response capabilities; incident response plan; contingency plan; system security plan; other relevant documents or records].
	IR-04(14)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with contingency planning responsibilities; security operations center personnel; organizational personnel with information security responsibilities].
	IR-04(14)-Test	[SELECT FROM: Automated mechanisms that support and/or implement the security operations center capability; automated mechanisms that support and/or implement the incident handling process].

IR-04(15)	INCIDENT HANDLING PUBLIC RELATIONS AND REPUTATION REPAIR	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-04(15)(a)	public relations associated with an incident are managed;
	IR-04(15)(b)	measures are employed to repair the reputation of the organization.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-04(15)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response; procedures addressing incident handling; incident response plan; system security plan; other relevant documents or records].

IR-04(15)	INCIDENT HANDLING PUBLIC RELATIONS AND REPUTATION REPAIR	
	IR-04(15)-Interview	[SELECT FROM: Organizational personnel with incident handling responsibilities; organizational personnel with information security responsibilities; organizational personnel with communications or public relations responsibilities].

IR-05	INCIDENT MONITORING		
	ASSESSMENT OBJECTIVE: Determine if:		
	IR-05[01]	incidents are tracked;	
	IR-05[02]	incidents are documented.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IR-05-Examine	[SELECT FROM: Incident response policy; procedures addressing incident monitoring; incident response records and documentation; incident response plan; system security plan; privacy plan; other relevant documents or records].	
	IR-05-Interview	[SELECT FROM: Organizational personnel with incident monitoring responsibilities; organizational personnel with information security and privacy responsibilities].	
	IR-05-Test	[SELECT FROM: Incident monitoring capability for the organization; automated mechanisms supporting and/or implementing tracking and documenting of system security incidents].	

IR-05(01)	INCIDENT MONITORING AUTOMATED TRACKING, DATA COLLECTION, AND ANALYSIS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-05(01)_ODP[01]	automated mechanisms used to track incidents are defined;
	IR-05(01)_ODP[02]	automated mechanisms used to collect incident information are defined;
	IR-05(01)_ODP[03]	automated mechanisms used to analyze incident information are defined;
	IR-05(01)[01]	incidents are tracked using <ir-05(01)_odp[01] automated="" mechanisms="">;</ir-05(01)_odp[01]>
	IR-05(01)[02]	incident information is collected using <ir-05(01)_odp[02] automated="" mechanisms="">;</ir-05(01)_odp[02]>
	IR-05(01)[03]	incident information is analyzed using <ir-05(01)_odp[03] automated="" mechanisms="">.</ir-05(01)_odp[03]>

IR-05(01)	INCIDENT MONITORING AUTOMATED TRACKING, DATA COLLECTION, AND ANALYSIS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-05(01)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident monitoring; incident response records and documentation; system security plan; incident response plan; other relevant documents or records].
	IR-05(01)-Interview	[SELECT FROM: Organizational personnel with incident monitoring responsibilities; organizational personnel with information security responsibilities].
	IR-05(01)-Test	[SELECT FROM: Incident monitoring capability for the organization; automated mechanisms supporting and/or implementing tracking and documenting of system security incidents].

INCI	INCIDENT REPORTING ASSESSMENT OBJECTIVE: Determine if:		
IR-06	5_ODP[01]	time period for personnel to report suspected incidents to the organizational incident response capability is defined;	
IR-06	5_ODP[02]	authorities to whom incident information is to be reported are defined;	
IR-06	5(a)	personnel is/are required to report suspected incidents to the organizational incident response capability within < <i>IR-06_ODP[01] time period</i> >;	
IR-06	5(b)	incident information is reported to <ir-06_odp[02] authorities="">.</ir-06_odp[02]>	
РОТ	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
IR-06	5-Examine	[SELECT FROM: Incident response policy; procedures addressing incident reporting; incident reporting records and documentation; incident response plan; system security plan; privacy plan; other relevant documents or records].	
IR-06	5-Interview	[SELECT FROM: Organizational personnel with incident reporting responsibilities; organizational personnel with information security and privacy responsibilities; personnel who have/should have reported incidents; personnel (authorities) to whom incident information is to be reported; system users].	
IR-06	5-Test	[SELECT FROM: Organizational processes for incident reporting; automated mechanisms supporting and/or implementing incident reporting].	

IR-06(01)	INCIDENT REPORTING AUTOMATED REPORTING	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-06(01)_ODP	automated mechanisms used for reporting incidents are defined;

IR-06(01)	INCIDENT REPORTING AUTOMATED REPORTING	
	IR-06(01)	incidents are reported using .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-06(01)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident reporting; automated mechanisms supporting incident reporting; system design documentation; system configuration settings and associated documentation; incident response plan; system security plan; other relevant documents or records].
	IR-06(01)-Interview	[SELECT FROM: Organizational personnel with incident reporting responsibilities; organizational personnel with information security responsibilities].
	IR-06(01)-Test	[SELECT FROM: Organizational processes for incident reporting; automated mechanisms supporting and/or implementing reporting of security incidents].

IR-06(02)	INCIDENT REPORTING VULNERABILITIES RELATED TO INCIDENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-06(02)_ODP	personnel or roles to whom system vulnerabilities associated with reported incidents are reported to is/are defined;
	IR-06(02)	system vulnerabilities associated with reported incidents are reported to < <i>IR-06(02)_ODP personnel or roles></i> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-06(02)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident reporting; incident response plan; system security plan; privacy plan; security incident reports and associated system vulnerabilities; other relevant documents or records].
	IR-06(02)-Interview	[SELECT FROM: Organizational personnel with incident reporting responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; personnel to whom vulnerabilities associated with security incidents are to be reported].
	IR-06(02)-Test	[SELECT FROM: Organizational processes for incident reporting; automated mechanisms supporting and/or implementing the reporting of vulnerabilities associated with security incidents].

IR-06(03)	INCIDENT REPORTING SUPPLY CHAIN COORDINATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-06(03)	incident information is provided to the provider of the product or service and other organizations involved in the supply chain or supply chain governance for systems or system components related to the incident.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	IR-06(03)-Examine	[SELECT FROM: Incident response policy; procedures addressing supply chain coordination and supply chain risk information sharing with the Federal Acquisition Security Council; acquisition policy; acquisition contracts; service-level agreements; incident response plan; supply chain risk management plan; system security plan; plans of other organizations involved in supply chain activities; other relevant documents or records].
	IR-06(03)-Interview	[SELECT FROM: Organizational personnel with incident reporting responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities; organization personnel with acquisition responsibilities].
	IR-06(03)-Test	[SELECT FROM: Organizational processes for incident reporting; organizational processes for supply chain risk information sharing; automated mechanisms supporting and/or implementing reporting of incident information involved in the supply chain].

IR-07	INCIDENT RESPONSE ASSISTANCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	IR-07[01]	an incident response support resource, integral to the organizational incident response capability, is provided;
	IR-07[02]	the incident response support resource offers advice and assistance to users of the system for the response and reporting of incidents.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-07-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response assistance; incident response plan; system security plan; privacy plan; other relevant documents or records].
	IR-07-Interview	[SELECT FROM: Organizational personnel with incident response assistance and support responsibilities; organizational personnel with access to incident response support and assistance capability; organizational personnel with information security and privacy responsibilities].
	IR-07-Test	[SELECT FROM: Organizational processes for incident response assistance; automated mechanisms supporting and/or implementing incident response assistance].

INCIDENT RESPONSE ASSISTANCE AUTOMATION SUPPORT FOR AVAILABILITY OF INFORMATION AND SUPPORT		
ASSESSMENT OBJECTIVE: Determine if:		
IR-07(01)_ODP	automated mechanisms used to increase the availability of incident response information and support are defined;	
IR-07(01)	the availability of incident response information and support is increased using <ir-07(01)_odp< b=""> automated mechanisms>.</ir-07(01)_odp<>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
IR-07(01)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response assistance; automated mechanisms supporting incident response support and assistance; system design documentation; system configuration settings and associated documentation; incident response plan; system security plan; other relevant documents or records].	
IR-07(01)-Interview	[SELECT FROM: Organizational personnel with incident response support and assistance responsibilities; organizational personnel with access to incident response support and assistance capability; organizational personnel with information security responsibilities].	
IR-07(01)-Test	[SELECT FROM: Organizational processes for incident response assistance; automated mechanisms supporting and/or implementing an increase in the availability of incident response information and support].	
	Determine if: IR-07(01)_ODP IR-07(01) POTENTIAL ASSESSIV IR-07(01)-Examine IR-07(01)-Interview	

IR-07(02)	INCIDENT RESPONSE ASSISTANCE COORDINATION WITH EXTERNAL PROVIDERS		
	ASSESSMENT OBJECTIVE: Determine if:		
	IR-07(02)(a)	a direct, cooperative relationship is established between its incident response capability and external providers of the system protection capability;	
	IR-07(02)(b)	organizational incident response team members are identified to the external providers.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IR-07(02)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response assistance; incident response plan; system security plan; privacy plan; other relevant documents or records].	
	IR-07(02)-Interview	[SELECT FROM: Organizational personnel with incident response support and assistance responsibilities; external providers of system protection capability; organizational personnel with information security and privacy responsibilities].	

IR-08	INCIDENT RESPONSE PLAN	
	ASSESSMENT OBJEC Determine if:	TIVE:
	IR-08_ODP[01]	personnel or roles that review and approve the incident response plan is/ are identified;
	IR-08_ODP[02]	the frequency at which to review and approve the incident response plan is defined;
	IR-08_ODP[03]	entities, personnel, or roles with designated responsibility for incident response are defined;
	IR-08_ODP[04]	incident response personnel (identified by name and/or by role) to whom copies of the incident response plan are to be distributed is/are defined;
	IR-08_ODP[05]	organizational elements to which copies of the incident response plan are to be distributed are defined;
	IR-08_ODP[06]	incident response personnel (identified by name and/or by role) to whom changes to the incident response plan are communicated are defined;
	IR-08_ODP[07]	organizational elements to which changes to the incident response plan are communicated are defined;
	IR-08a.01	an incident response plan is developed that provides the organization with a roadmap for implementing its incident response capability;
	IR-08a.02	an incident response plan is developed that describes the structure and organization of the incident response capability;
	IR-08a.03	an incident response plan is developed that provides a high-level approach for how the incident response capability fits into the overall organization;
	IR-08a.04	an incident response plan is developed that meets the unique requirements of the organization with regard to mission, size, structure, and functions;
	IR-08a.05	an incident response plan is developed that defines reportable incidents;
	IR-08a.06	an incident response plan is developed that provides metrics for measuring the incident response capability within the organization;
	IR-08a.07	an incident response plan is developed that defines the resources and management support needed to effectively maintain and mature an incident response capability;
	IR-08a.08	an incident response plan is developed that addresses the sharing of incident information;
	IR-08a.09	an incident response plan is developed that is reviewed and approved by <pre><ir-08_odp[01] or="" personnel="" roles=""> <ir-08_odp[02] frequency="">;</ir-08_odp[02]></ir-08_odp[01]></pre>
	IR-08a.10	an incident response plan is developed that explicitly designates responsibility for incident response to < <i>IR-08_ODP[03] entities, personnel, or roles</i> >.
	IR-08b.[01]	copies of the incident response plan are distributed to <ir-08_odp[04] incident response personnel (identified by name and/or by role)>;</ir-08_odp[04]

INCIDENT RESPONSE PLAN		
IR-08b.[02]	copies of the incident response plan are distributed to < IR-08_ODP[05] organizational elements>;	
IR-08c.	the incident response plan is updated to address system and organizationa changes or problems encountered during plan implementation, execution, or testing;	
IR-08d.[01]	incident response plan changes are communicated to <ir-08_odp[06] incident response personnel (identified by name and/or by role)>;</ir-08_odp[06] 	
IR-08d.[02]	incident response plan changes are communicated to <i>organizational elements</i>	
IR-08e.[01]	the incident response plan is protected from unauthorized disclosure;	
IR-08e.[02]	the incident response plan is protected from unauthorized modification.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
IR-08-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response planning; incident response plan; system security plan; privacy plan; records of incident response plan reviews and approvals; other relevant documents or records].	
IR-08-Interview	[SELECT FROM: Organizational personnel with incident response planning responsibilities; organizational personnel with information security and privacy responsibilities].	
IR-08-Test	[SELECT FROM: Organizational incident response plan and related organizational processes].	

IR-08(01)	INCIDENT RESPONSE PLAN BREACHES		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	IR-08(01)(a)	the incident response plan for breaches involving personally identifiable information includes a process to determine if notice to individuals or other organizations, including oversight organizations, is needed;	
	IR-08(01)(b)	the incident response plan for breaches involving personally identifiable information includes an assessment process to determine the extent of the harm, embarrassment, inconvenience, or unfairness to affected individuals and any mechanisms to mitigate such harms;	
	IR-08(01)(c)	the incident response plan for breaches involving personally identifiable information includes the identification of applicable privacy requirements.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IR-08(01)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response planning; incident response plan; system security plan; privacy plan; records of incident response plan reviews and approvals; other relevant documents or records].	

IR-08(01)	INCIDENT RESPONSE PLAN BREACHES	
	IR-08(01)-Interview	[SELECT FROM: Organizational personnel with incident response planning responsibilities; organizational personnel with information security and privacy responsibilities].
	IR-08(01)-Test	[SELECT FROM: Organizational incident response plan and related organizational processes].

IR-09	INFORMATION SPILLAGE RESPONSE		
	ASSESSMENT OBJECTIVE: Determine if:		
	IR-09_ODP[01]	personnel or roles assigned the responsibility for responding to information spills is/are defined;	
	IR-09_ODP[02]	personnel or roles to be alerted of the information spill using a method of communication not associated with the spill is/are defined;	
	IR-09_ODP[03]	actions to be performed are defined;	
	IR-09(a)	<pre><ir-09_odp[01] or="" personnel="" roles=""> is/are assigned the responsibility to respond to information spills;</ir-09_odp[01]></pre>	
	IR-09(b)	the specific information involved in the system contamination is identified in response to information spills;	
	IR-09(c)	<pre><ir-09_odp[02] or="" personnel="" roles=""> is/are alerted of the information spill using a method of communication not associated with the spill;</ir-09_odp[02]></pre>	
	IR-09(d)	the contaminated system or system component is isolated in response to information spills;	
	IR-09(e)	the information is eradicated from the contaminated system or component in response to information spills;	
	IR-09(f)	other systems or system components that may have been subsequently contaminated are identified in response to information spills;	
	IR-09(g)	<pre><ir-09_odp[03] actions=""> are performed in response to information spills.</ir-09_odp[03]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IR-09-Examine	[SELECT FROM: Incident response policy; procedures addressing information spillage; incident response plan; system security plan; records of information spillage alerts/notifications; list of personnel who should receive alerts of information spillage; list of actions to be performed regarding information spillage; other relevant documents or records].	
	IR-09-Interview	[SELECT FROM: Organizational personnel with incident response responsibilities; organizational personnel with information security responsibilities].	
	IR-09-Test	[SELECT FROM: Organizational processes for information spillage response; automated mechanisms supporting and/or implementing information spillage response actions and related communications].	
	Ī		

IR-09(01) INFORMATION SPILLAGE RESPONSE | RESPONSIBLE PERSONNEL

[WITHDRAWN: Incorporated into IR-09.]

IR-09(02)	INFORMATION SPILLAGE RESPONSE TRAINING	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	IR-09(02)_ODP	frequency at which to provide information spillage response training is defined;
	IR-09(02)	information spillage response training is provided <i><ir-09(02)_odp< i=""> <i>frequency></i>.</ir-09(02)_odp<></i>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-09(02)-Examine	[SELECT FROM: Incident response policy; procedures addressing information spillage response training; information spillage response training curriculum; information spillage response training materials; incident response plan; system security plan; information spillage response training records; other relevant documents or records].
	IR-09(02)-Interview	[SELECT FROM: Organizational personnel with incident response training responsibilities; organizational personnel with information security responsibilities].

IR-09(03)	INFORMATION SPILLAGE RESPONSE POST-SPILL OPERATIONS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	IR-09(03)_ODP	procedures to be implemented to ensure that organizational personnel impacted by information spills can continue to carry out assigned tasks while contaminated systems are undergoing corrective actions are defined;
	IR-09(03)	<ir-09(03)_odp procedures=""> are implemented to ensure that organizational personnel impacted by information spills can continue to carry out assigned tasks while contaminated systems are undergoing corrective actions.</ir-09(03)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	IR-09(03)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response; procedures addressing information spillage; incident response plan; system security plan; other relevant documents or records].
	IR-09(03)-Interview	[SELECT FROM: Organizational personnel with incident response responsibilities; organizational personnel with information security responsibilities].
	IR-09(03)-Test	[SELECT FROM: Organizational processes for post-spill operations].

IR-09(04)	INFORMATION SPILL	AGE RESPONSE EXPOSURE TO UNAUTHORIZED PERSONNEL	
	ASSESSMENT OBJECTIVE: Determine if:		
	IR-09(04)_ODP	controls employed for personnel exposed to information not within assigned access authorizations are defined;	
	IR-09(04)	<pre><ir-09(04)_odp controls=""> are employed for personnel exposed to information not within assigned access authorizations.</ir-09(04)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	IR-09(04)-Examine	[SELECT FROM: Incident response policy; procedures addressing incident response; procedures addressing information spillage; incident response plan; system security plan; security safeguards regarding information spillage/exposure to unauthorized personnel; other relevant documents or records].	
	IR-09(04)-Interview	[SELECT FROM: Organizational personnel with incident response responsibilities; organizational personnel with information security responsibilities].	
	IR-09(04)-Test	[SELECT FROM: Organizational processes for dealing with information exposed to unauthorized personnel; automated mechanisms supporting and/or implementing safeguards for personnel exposed to information not within assigned access authorizations].	

	IR-10	INTEGRATED INFORMATION SECURITY ANALYSIS TEAM	
		[WITHDRAWN: Moved to IR-04(11).]	
- 1			

4.9 MAINTENANCE

MA-01	POLICY AND PROCE	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	MA-01_ODP[01]	personnel or roles to whom the maintenance policy is to be disseminated is/are defined;
	MA-01_ODP[02]	personnel or roles to whom the maintenance procedures are to be disseminated is/are defined;
	MA-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	MA-01_ODP[04]	an official to manage the maintenance policy and procedures is defined;
	MA-01_ODP[05]	the frequency with which the current maintenance policy is reviewed and updated is defined;
	MA-01_ODP[06]	events that would require the current maintenance policy to be reviewed and updated are defined;
	MA-01_ODP[07]	the frequency with which the current maintenance procedures are reviewed and updated is defined;
	MA-01_ODP[08]	events that would require the maintenance procedures to be reviewed and updated are defined;
	MA-01a.[01]	a maintenance policy is developed and documented;
	MA-01a.[02]	the maintenance policy is disseminated to < MA-01_ODP[01] personnel or roles >;
	MA-01a.[03]	maintenance procedures to facilitate the implementation of the maintenance policy and associated maintenance controls are developed and documented;
	MA-01a.[04]	the maintenance procedures are disseminated to < MA-01_ODP[02] personnel or roles>;
	MA-01a.01(a)[01]	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S) > maintenance policy addresses purpose;
	MA-01a.01(a)[02]	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S) > maintenance policy addresses scope;
	MA-01a.01(a)[03]	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S) > maintenance policy addresses roles;
	MA-01a.01(a)[04]	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S)> maintenance policy addresses responsibilities;
	MA-01a.01(a)[05]	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S)> maintenance policy addresses management commitment;
	MA-01a.01(a)[06]	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S)> maintenance policy addresses coordination among organizational entities;

VA-01	POLICY AND PROCE	EDURES
	MA-01a.01(a)[07]	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S) > maintenance policy addresses compliance;
	MA-01a.01(b)	the < MA-01_ODP[03] SELECTED PARAMETER VALUE(S)> maintenance policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;
	MA-01b.	the <ma-01_odp[04] official=""></ma-01_odp[04]> is designated to manage the development, documentation, and dissemination of the maintenance policy and procedures;
	MA-01c.01[01]	the current maintenance policy is reviewed and updated <ma-01_odp[05]< b=""> <i>frequency</i>>;</ma-01_odp[05]<>
	MA-01c.01[02]	the current maintenance policy is reviewed and updated following
	MA-01c.02[01]	the current maintenance procedures are reviewed and updated
	MA-01c.02[02]	the current maintenance procedures are reviewed and updated following <i><ma-01_odp[08] events=""></ma-01_odp[08]></i> .
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	MA-01-Examine	[SELECT FROM: Maintenance policy and procedures; system security plan; privacy plan; organizational risk management strategy; other relevant documents or records].
	MA-01-Interview	[SELECT FROM: Organizational personnel with maintenance responsibilities; organizational personnel with information security and privacy responsibilities].

MA-02	CONTROLLED MAINTENANCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-02_ODP[01]	personnel or roles required to explicitly approve the removal of the system or system components from organizational facilities for off-site maintenance or repairs is/are defined;
	MA-02_ODP[02]	information to be removed from associated media prior to removal from organizational facilities for off-site maintenance, repair, or replacement is defined;
	MA-02_ODP[03]	information to be included in organizational maintenance records is defined;
	MA-02a.[01]	maintenance, repair, and replacement of system components are scheduled in accordance with manufacturer or vendor specifications and/or organizational requirements;

MA-02	CONTROLLED MAINT	ENANCE	
	MA-02a.[02]	maintenance, repair, and replacement of system components are documented in accordance with manufacturer or vendor specifications and/ or organizational requirements;	
	MA-02a.[03]	records of maintenance, repair, and replacement of system components are reviewed in accordance with manufacturer or vendor specifications and/or organizational requirements;	
	MA-02b.[01]	all maintenance activities, whether performed on site or remotely and whether the system or system components are serviced on site or removed to another location, are approved;	
	MA-02b.[02]	all maintenance activities, whether performed on site or remotely and whether the system or system components are serviced on site or removed to another location, are monitored;	
	MA-02c.	MA-02_ODP[01] personnel or roles> is/are required to explicitly approve the removal of the system or system components from organizational facilities for off-site maintenance, repair, or replacement;	
	MA-02d.	equipment is sanitized to remove MA-02_ODP[02] information> from associated media prior to removal from organizational facilities for off-site maintenance, repair, or replacement;	
	MA-02e.	all potentially impacted controls are checked to verify that the controls are still functioning properly following maintenance, repair, or replacement actions;	
	MA-02f.	MA-02_ODP[03] information> is included in organizational maintenance records.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-02-Examine	[SELECT FROM: Maintenance policy; procedures addressing controlled system maintenance; maintenance records; manufacturer/vendor maintenance specifications; equipment sanitization records; media sanitization records; system security plan; other relevant documents or records].	
	MA-02-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; organizational personnel responsible for media sanitization; system/network administrators].	
	MA-02-Test	[SELECT FROM: Organizational processes for scheduling, performing, documenting, reviewing, approving, and monitoring maintenance and repairs for the system; organizational processes for sanitizing system components; automated mechanisms supporting and/or implementing controlled maintenance; automated mechanisms implementing sanitization of system components].	

MA-02(01) CONTROLLED MAINTENANCE | RECORD CONTENT

[WITHDRAWN: Incorporated into MA-02.]

MA-02(02)	CONTROLLED MAINTENANCE AUTOMATED MAINTENANCE ACTIVITIES	
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-02(02)_ODP[01]	automated mechanisms used to schedule maintenance, repair, and replacement actions for the system are defined;
	MA-02(02)_ODP[02]	automated mechanisms used to conduct maintenance, repair, and replacement actions for the system are defined;
	MA-02(02)_ODP[03]	automated mechanisms used to document maintenance, repair, and replacement actions for the system are defined;
	MA-02(02)(a)[01]	<pre><ma-02(02)_odp[01] automated="" mechanisms=""> are used to schedule maintenance, repair, and replacement actions for the system;</ma-02(02)_odp[01]></pre>
	MA-02(02)(a)[02]	<pre><ma-02(02)_odp[02] automated="" mechanisms=""> are used to conduct maintenance, repair, and replacement actions for the system;</ma-02(02)_odp[02]></pre>
	MA-02(02)(a)[03]	<pre><ma-02(02)_odp[03] automated="" mechanisms=""> are used to document maintenance, repair, and replacement actions for the system;</ma-02(02)_odp[03]></pre>
	MA-02(02)(b)[01]	up-to date, accurate, and complete records of all maintenance actions requested, scheduled, in process, and completed are produced.
	MA-02(02)(b)[02]	up-to date, accurate, and complete records of all repair actions requested, scheduled, in process, and completed are produced.
	MA-02(02)(b)[03]	up-to date, accurate, and complete records of all replacement actions requested, scheduled, in process, and completed are produced.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	MA-02(02)-Examine	[SELECT FROM: Maintenance policy; procedures addressing controlled system maintenance; automated mechanisms supporting system maintenance activities; system configuration settings and associated documentation; maintenance records; system security plan; other relevant documents or records].
	MA-02(02)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MA-02(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing controlled maintenance; automated mechanisms supporting and/or implementing production of records of maintenance and repair actions].

	MA-03	MAINTENANCE TOOLS	
ASSESSMENT OBJECTIVE: Determine if:			TIVE:
		MA-03_ODP	frequency at which to review previously approved system maintenance tools is defined;
		MA-03(a)[01] the use of system maintenance tools is approved;	

MA-03	MAINTENANCE TOOLS		
	MA-03(a)[02]	the use of system maintenance tools is controlled;	
	MA-03(a)[03]	the use of system maintenance tools is monitored;	
	MA-03(b)	previously approved system maintenance tools are reviewed <ma-03_odp< b=""> <i>frequency</i>>.</ma-03_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-03-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance tools; system maintenance tools and associated documentation; maintenance records; system security plan; other relevant documents or records].	
	MA-03-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities].	
	MA-03-Test	[SELECT FROM: Organizational processes for approving, controlling, and monitoring maintenance tools; automated mechanisms supporting and/or implementing approval, control, and/or monitoring of maintenance tools].	

MA-03(01)	MAINTENANCE TOOLS INSPECT TOOLS		
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-03(01)	maintenance tools used by maintenance personnel are inspected for improper or unauthorized modifications.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-03(01)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance tools; system maintenance tools and associated documentation; maintenance tool inspection records; maintenance records; system security plan; other relevant documents or records].	
	MA-03(01)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities].	
	MA-03(01)-Test	[SELECT FROM: Organizational processes for inspecting maintenance tools; automated mechanisms supporting and/or implementing inspection of maintenance tools].	

MA-03(02)	MAINTENANCE TOOLS INSPECT MEDIA	
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-03(02)	media containing diagnostic and test programs are checked for malicious code before the media are used in the system.

MA-03(02)	MAINTENANCE TOOLS INSPECT MEDIA	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MA-03(02)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance tools; system maintenance tools and associated documentation; maintenance records; system security plan; other relevant documents or records].
	MA-03(02)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities].
	MA-03(02)-Test	[SELECT FROM: Organizational process for inspecting media for malicious code; automated mechanisms supporting and/or implementing inspection of media used for maintenance].

MA-03(03)	MAINTENANCE TOOLS PREVENT UNAUTHORIZED REMOVAL		
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-03(03)_ODP	personnel or roles who can authorize removal of equipment from the facility is/are defined;	
	MA-03(03)(a)	the removal of maintenance equipment containing organizational information is prevented by verifying that there is no organizational information contained on the equipment; or	
	MA-03(03)(b)	the removal of maintenance equipment containing organizational information is prevented by sanitizing or destroying the equipment; or	
	MA-03(03)(c)	the removal of maintenance equipment containing organizational information is prevented by retaining the equipment within the facility; or	
	MA-03(03)(d)	the removal of maintenance equipment containing organizational information is prevented by obtaining an exemption from MA-03(03)_ODP personnel or roles> explicitly authorizing removal of the equipment from the facility.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-03(03)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance tools; system maintenance tools and associated documentation; maintenance records; equipment sanitization records; media sanitization records; exemptions for equipment removal; system security plan; other relevant documents or records].	
	MA-03(03)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; organizational personnel responsible for media sanitization].	
	MA-03(03)-Test	[SELECT FROM: Organizational process for preventing unauthorized removal of information; automated mechanisms supporting media sanitization or destruction of equipment; automated mechanisms supporting verification of media sanitization].	
	T		

MA-03(04)	MAINTENANCE TOOLS RESTRICTED TOOL USE	
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-03(04)	the use of maintenance tools is restricted to authorized personnel only.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	MA-03(04)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance tools; system maintenance tools and associated documentation; list of personnel authorized to use maintenance tools; maintenance tool usage records; maintenance records; system security plan; other relevant documents or records].
	MA-03(04)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities].
	MA-03(04)-Test	[SELECT FROM: Organizational processes for restricting the use of maintenance tools; automated mechanisms supporting and/or implementing restricted use of maintenance tools].

MAINTENANCE TOOLS EXECUTION WITH PRIVILEGE	
ASSESSMENT OBJECTIVE: Determine if:	
MA-03(05)	the use of maintenance tools that execute with increased privilege is monitored.
POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
MA-03(05)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance tools; system maintenance tools and associated documentation; list of personnel authorized to use maintenance tools; maintenance tool usage records; maintenance records; system security plan; other relevant documents or records].
MA-03(05)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities].
MA-03(05)-Test	[SELECT FROM: Organizational processes for restricting the use of maintenance tools; organizational process for monitoring maintenance tools and maintenance tool usage; automated mechanisms monitoring the use of maintenance tools].
	ASSESSMENT OBJECT Determine if: MA-03(05) POTENTIAL ASSESSM MA-03(05)-Examine MA-03(05)-Interview

MA-03(06)	MAINTENANCE TOOLS SOFTWARE UPDATES AND PATCHES		
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-03(06)	maintenance tools are inspected to ensure that the latest software updates and patches are installed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-03(06)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance tools; system maintenance tools and associated documentation; list of personnel authorized to use maintenance tools; maintenance tool usage records; maintenance records; system security plan; other relevant documents or records].	
	MA-03(06)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities].	
	MA-03(06)-Test	[SELECT FROM: Organizational processes for inspecting maintenance tools; organizational processes for maintenance tools updates; automated mechanisms supporting and/or implementing inspection of maintenance tools; automated mechanisms supporting and/or implementing maintenance tool updates.].	

MA-04	NONLOCAL MAINTENANCE ASSESSMENT OBJECTIVE: Determine if:	
	MA-04a.[01]	nonlocal maintenance and diagnostic activities are approved;
	MA-04a.[02]	nonlocal maintenance and diagnostic activities are monitored;
	MA-04b.[01]	the use of nonlocal maintenance and diagnostic tools are allowed only as consistent with organizational policy;
	MA-04b.[02]	the use of nonlocal maintenance and diagnostic tools are documented in the security plan for the system;
	MA-04c.	strong authentication is employed in the establishment of nonlocal maintenance and diagnostic sessions;
	MA-04d.	records for nonlocal maintenance and diagnostic activities are maintained;
	MA-04e.[01]	session connections are terminated when nonlocal maintenance is completed;
	MA-04e.[02]	network connections are terminated when nonlocal maintenance is completed.

MA-04	NONLOCAL MAINTENANCE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MA-04-Examine	[SELECT FROM: Maintenance policy; procedures addressing nonlocal system maintenance; remote access policy; remote access procedures; system design documentation; system configuration settings and associated documentation; maintenance records; records of remote access; diagnostic records; system security plan; other relevant documents or records].
	MA-04-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MA-04-Test	[SELECT FROM: Organizational processes for managing nonlocal maintenance; automated mechanisms implementing, supporting, and/ or managing nonlocal maintenance; automated mechanisms for strong authentication of nonlocal maintenance diagnostic sessions; automated mechanisms for terminating nonlocal maintenance sessions and network connections].

MA-04(01)	NONLOCAL MAINTENANCE LOGGING AND REVIEW		
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-04(01)_ODP[01]	audit events to be logged for nonlocal maintenance are defined;	
	MA-04(01)_ODP[02]	audit events to be logged for diagnostic sessions are defined;	
	MA-04(01)(a)[01]	<pre><ma-04(01)_odp[01] audit="" events=""> are logged for nonlocal maintenance sessions;</ma-04(01)_odp[01]></pre>	
	MA-04(01)(a)[02]	<pre><ma-04(01)_odp[02] audit="" events=""> are logged for nonlocal diagnostic sessions;</ma-04(01)_odp[02]></pre>	
	MA-04(01)(b)[01]	the audit records of the maintenance sessions are reviewed to detect anomalous behavior;	
	MA-04(01)(b)[02]	the audit records of the diagnostic sessions are reviewed to detect anomalous behavior.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-04(01)-Examine	[SELECT FROM: Maintenance policy; procedures addressing nonlocal system maintenance; list of audit events; system configuration settings and associated documentation; maintenance records; diagnostic records; audit records; reviews of maintenance and diagnostic session records; system security plan; other relevant documents or records].	
	MA-04(01)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; organizational personnel with audit and review responsibilities; system/network administrators].	

MA-04(01)	NONLOCAL MAINTENANCE LOGGING AND REVIEW	
	MA-04(01)-Test	[SELECT FROM: Organizational processes for audit and review of nonlocal maintenance; automated mechanisms supporting and/or implementing audit and review of nonlocal maintenance].

	MA-04(02)	NONLOCAL MAINTENANCE DOCUMENT NONLOCAL MAINTENANCE
[WITHDRAWN: Incorporated into MA-01, MA-04.]		[WITHDRAWN: Incorporated into MA-01, MA-04.]

MA-04(03)	NONLOCAL MAINTEN	NANCE COMPARABLE SECURITY AND SANITIZATION	
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-04(03)(a)[01]	nonlocal maintenance services are required to be performed from a system that implements a security capability comparable to the capability implemented on the system being serviced;	
	MA-04(03)(a)[02]	nonlocal diagnostic services are required to be performed from a system that implements a security capability comparable to the capability implemented on the system being serviced; or	
	MA-04(03)(b)[01]	the component to be serviced is removed from the system prior to nonlocal maintenance or diagnostic services;	
	MA-04(03)(b)[02]	the component to be serviced is sanitized (for organizational information);	
	MA-04(03)(b)[03]	the component is inspected and sanitized (for potentially malicious software) after the service is performed and before reconnecting the component to the system.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-04(03)-Examine	[SELECT FROM: Maintenance policy; procedures addressing nonlocal system maintenance; service provider contracts and/or service-level agreements; maintenance records; inspection records; audit records; equipment sanitization records; media sanitization records; system security plan; other relevant documents or records].	
	MA-04(03)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; system maintenance provider; organizational personnel with information security responsibilities; organizational personnel responsible for media sanitization; system/network administrators].	
	MA-04(03)-Test	[SELECT FROM: Organizational processes for comparable security and sanitization for nonlocal maintenance; organizational processes for the removal, sanitization, and inspection of components serviced via nonlocal maintenance; automated mechanisms supporting and/or implementing component sanitization and inspection].	

4(04)	NONLOCAL MAINTENANCE AUTHENTICATION AND SEPARATION OF MAINTENANCE SESSIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-04(04)_ODP	authenticators that are replay resistant are defined;	
	MA-04(04)(a)	nonlocal maintenance sessions are protected by employing <pre><mail:< pre=""><pre><ma-04(04)_odp are="" authenticators="" replay="" resistant="" that="">;</ma-04(04)_odp></pre></mail:<></pre>	
	MA-04(04)(b)(01)	nonlocal maintenance sessions are protected by separating maintenance sessions from other network sessions with the system by physically separated communication paths; or	
	MA-04(04)(b)(02)	nonlocal maintenance sessions are protected by logically separated communication paths.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-04(04)-Examine	[SELECT FROM: Maintenance policy; procedures addressing nonlocal system maintenance; system design documentation; system configuration settings and associated documentation; maintenance records; audit records; system security plan; other relevant documents or records].	
	MA-04(04)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; network engineers; organizational personnel with information security responsibilities; system/network administrators].	
	MA-04(04)-Test	[SELECT FROM: Organizational processes for protecting nonlocal maintenance sessions; automated mechanisms implementing replay- resistant authenticators; automated mechanisms implementing logically separated/encrypted communication paths].	

MA-04(05)	NONLOCAL MAINTENANCE APPROVALS AND NOTIFICATIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-04(05)_ODP[01]	personnel or roles required to approve each nonlocal maintenance session is/are defined;
	MA-04(05)_ODP[02]	personnel and roles to be notified of the date and time of planned nonlocal maintenance is/are defined;
	MA-04(05)(a)	the approval of each nonlocal maintenance session is required by < MA-04(05)_ODP[01] personnel or roles> ;
	MA-04(05)(b)	< MA-04(05)_ODP[02] personnel and roles> is/are notified of the date and time of planned nonlocal maintenance.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MA-04(05)-Examine	[SELECT FROM: Maintenance policy; procedures addressing nonlocal system maintenance; notifications supporting nonlocal maintenance sessions; maintenance records; audit records; system security plan; other relevant documents or records].

MA-04(05)	NONLOCAL MAINTENANCE APPROVALS AND NOTIFICATIONS	
	MA-04(05)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with notification responsibilities; organizational personnel with approval responsibilities; organizational personnel with information security responsibilities].
	MA-04(05)-Test	[SELECT FROM: Organizational processes for approving and notifying personnel regarding nonlocal maintenance; automated mechanisms supporting notification and approval of nonlocal maintenance].

MA-04(06)	NONLOCAL MAINTENANCE CRYPTOGRAPHIC PROTECTION		
	ASSESSMENT OBJECT	ΤΙΥΕ:	
	MA-04(06)_ODP	cryptographic mechanisms to be implemented to protect the integrity and confidentiality of nonlocal maintenance and diagnostic communications are defined;	
	MA-04(06)[01]	<pre><ma-04(06)_odp cryptographic="" mechanisms=""> are implemented to protect the integrity of nonlocal maintenance and diagnostic communications;</ma-04(06)_odp></pre>	
	MA-04(06)[02]	<pre><ma-04(06)_odp cryptographic="" mechanisms=""> are implemented to protect the confidentiality of nonlocal maintenance and diagnostic communications.</ma-04(06)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-04(06)-Examine	[SELECT FROM: Maintenance policy; procedures addressing nonlocal system maintenance; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms protecting nonlocal maintenance activities; maintenance records; diagnostic records; audit records; system security plan; other relevant documents or records].	
	MA-04(06)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; network engineers; organizational personnel with information security responsibilities; system/network administrators].	
	MA-04(06)-Test	[SELECT FROM: Cryptographic mechanisms protecting nonlocal maintenance and diagnostic communications].	

MA-04(07)	NONLOCAL MAINTENANCE DISCONNECT VERIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-04(07)[01]	session connection termination is verified after the completion of nonlocal maintenance and diagnostic sessions;
	MA-04(07)[02]	network connection termination is verified after the completion of nonlocal maintenance and diagnostic sessions.

MA-04(07)	NONLOCAL MAINTEI	NANCE DISCONNECT VERIFICATION
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MA-04(07)-Examine	[SELECT FROM: Maintenance policy; procedures addressing nonlocal system maintenance; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms protecting nonlocal maintenance activities; maintenance records; diagnostic records; audit records; system security plan; other relevant documents or records].
	MA-04(07)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; network engineers; organizational personnel with information security responsibilities; system/network administrators].
	MA-04(07)-Test	[SELECT FROM: Automated mechanisms implementing remote disconnect verifications of terminated nonlocal maintenance and diagnostic sessions].

MAINTENANCE PERSONNEL		
MENT OBJECT	IVE:	
)[01]	a process for maintenance personnel authorization is established;	
)[02]	a list of authorized maintenance organizations or personnel is maintained;	
)	non-escorted personnel performing maintenance on the system possess the required access authorizations;	
)	organizational personnel with required access authorizations and technical competence is/are designated to supervise the maintenance activities of personnel who do not possess the required access authorizations.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
xamine	[SELECT FROM: Maintenance policy; procedures addressing maintenance personnel; service provider contracts; service-level agreements; list of authorized personnel; maintenance records; access control records; system security plan; other relevant documents or records].	
nterview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities].	
est	[SELECT FROM: Organizational processes for authorizing and managing maintenance personnel; automated mechanisms supporting and/or implementing authorization of maintenance personnel].	
	MENT OBJECT le if:)[01])[02]) IAL ASSESSM xamine	

MA-05(01)	MAINTENANCE PERS	ONNEL INDIVIDUALS WITHOUT APPROPRIATE ACCESS
	ASSESSMENT OBJECT Determine if:	TVE:
	MA-05(01)_ODP	alternate controls to be developed and implemented in the event that a system component cannot be sanitized, removed, or disconnected from the system are defined;
	MA-05(01)(a)(01)	procedures for the use of maintenance personnel who lack appropriate security clearances or are not U.S. citizens are implemented and include approved organizational personnel who are fully cleared, have appropriate access authorizations, and are technically qualified escorting and supervising maintenance personnel without the needed access authorization during the performance of maintenance and diagnostic activities;
	MA-05(01)(a)(02)	procedures for the use of maintenance personnel who lack appropriate security clearances or are not U.S. citizens are implemented and include all volatile information storage components within the system being sanitized and all non-volatile storage media being removed or physically disconnected from the system and secured prior to initiating maintenance or diagnostic activities;
	MA-05(01)(b)	< MA-05(01)_ODP alternate controls> are developed and implemented in the event that a system cannot be sanitized, removed, or disconnected from the system.
	POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
	MA-05(01)-Examine	[SELECT FROM: Maintenance policy; procedures addressing maintenance personnel; system media protection policy; physical and environmental protection policy; list of maintenance personnel requiring escort/ supervision; maintenance records; access control records; system security plan; other relevant documents or records].
	MA-05(01)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with personnel security responsibilities; organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities; organizational personnel responsible for media sanitization; system/network administrators].
	MA-05(01)-Test	[SELECT FROM: Organizational processes for managing maintenance personnel without appropriate access; automated mechanisms supporting and/or implementing alternative security safeguards; automated mechanisms supporting and/or implementing information storage component sanitization].

MA-05(02)	MAINTENANCE PERS	MAINTENANCE PERSONNEL SECURITY CLEARANCES FOR CLASSIFIED SYSTEMS	
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-05(02)[01]	personnel performing maintenance and diagnostic activities on a system processing, storing, or transmitting classified information possess security clearances for at least the highest classification level and for compartments of information on the system;	
	MA-05(02)[02]	personnel performing maintenance and diagnostic activities on a system processing, storing, or transmitting classified information possess formal access approvals for at least the highest classification level and for compartments of information on the system.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-05(02)-Examine	[SELECT FROM: Maintenance policy; procedures addressing maintenance personnel; personnel records; maintenance records; access control records; access credentials; access authorizations; system security plan; other relevant documents or records].	
	MA-05(02)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with personnel security responsibilities; organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].	
	MA-05(02)-Test	[SELECT FROM: Organizational processes for managing security clearances for maintenance personnel].	

MAINTENANCE PERSONNEL CITIZENSHIP REQUIREMENTS FOR CLASSIFIED SYSTEMS		
ASSESSMENT OBJECTIVE: Determine if:		
MA-05(03)	personnel performing maintenance and diagnostic activities on a system processing, storing, or transmitting classified information are U.S. citizens.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
MA-05(03)-Examine	[SELECT FROM: Maintenance policy; procedures addressing maintenance personnel; personnel records; maintenance records; access control records; access credentials; access authorizations; system security plan; other relevant documents or records].	
MA-05(03)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].	
	ASSESSMENT OBJECT Determine if: MA-05(03) POTENTIAL ASSESSM MA-05(03)-Examine	

MA-05(04)	MAINTENANCE PERS	ONNEL FOREIGN NATIONALS	
	ASSESSMENT OBJECTIVE: Determine if:		
	MA-05(04)(a)	foreign nationals with appropriate security clearances are used to conduct maintenance and diagnostic activities on classified systems only when the systems are jointly owned and operated by the United States and foreign allied governments or owned and operated solely by foreign allied governments;	
	MA-05(04)(b)[01]	approvals regarding the use of foreign nationals to conduct maintenance and diagnostic activities on classified systems are fully documented within memoranda of agreements;	
	MA-05(04)(b)[02]	consents regarding the use of foreign nationals to conduct maintenance and diagnostic activities on classified systems are fully documented within memoranda of agreements;	
	MA-05(04)(b)[03]	detailed operational conditions regarding the use of foreign nationals to conduct maintenance and diagnostic activities on classified systems are fully documented within memoranda of agreements.	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	MA-05(04)-Examine	[SELECT FROM: Maintenance policy; procedures addressing maintenance personnel; system media protection policy; access control policy and procedures; physical and environmental protection policy and procedures; memorandum of agreement; maintenance records; access control records; access credentials; access authorizations; system security plan; other relevant documents or records].	
	MA-05(04)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities, organizational personnel with personnel security responsibilities; organizational personnel managing memoranda of agreements; organizational personnel with information security responsibilities].	
	MA-05(04)-Test	[SELECT FROM: Organizational processes for managing foreign national maintenance personnel].	

MA-05(05)	MAINTENANCE PERSONNEL NON-SYSTEM MAINTENANCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-05(05)	non-escorted personnel performing maintenance activities not directly associated with the system but in the physical proximity of the system have required access authorizations.

MA-05(05)	MAINTENANCE PERSONNEL NON-SYSTEM MAINTENANCE		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-05(05)-Examine	[SELECT FROM: Maintenance policy; procedures addressing maintenance personnel; system media protection policy; access control policy and procedures; physical and environmental protection policy and procedures; maintenance records; access control records; access authorizations; system security plan; other relevant documents or records].	
	MA-05(05)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with personnel security responsibilities; organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].	

\-06	TIMELY MAINTENANCE		
	ASSESSMENT OBJEC	CTIVE:	
	MA-06_ODP[01]	system components for which maintenance support and/or spare parts are obtained are defined;	
	MA-06_ODP[02]	time period within which maintenance support and/or spare parts are to be obtained after a failure are defined;	
	MA-06	maintenance support and/or spare parts are obtained for <ma-06_odp[01]< b=""> system components> within <ma-06_odp[02]< b=""> time period> of failure.</ma-06_odp[02]<></ma-06_odp[01]<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MA-06-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance; service provider contracts; service-level agreements; inventory and availability of spare parts; system security plan; other relevant documents or records].	
	MA-06-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with acquisition responsibilities; organizational personnel with information security responsibilities; system/ network administrators].	
	MA-06-Test	[SELECT FROM: Organizational processes for ensuring timely maintenance].	

	MA-06(01)	TIMELY MAINTENANCE PREVENTIVE MAINTENANCE	
		ASSESSMENT OBJECTIVE: Determine if:	
	MA-06(01)_ODP[01]	system components on which preventive maintenance is to be performed are defined;	

MA-06(01)	TIMELY MAINTENAN	CE PREVENTIVE MAINTENANCE
	MA-06(01)_ODP[02]	time intervals within which preventive maintenance is to be performed on system components are defined;
	MA-06(01)	preventive maintenance is performed on < MA-06(01)_ODP[01] system components> at < MA-06(01)_ODP[02] time intervals >.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	MA-06(01)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance; service provider contracts; service-level agreements; maintenance records; list of system components requiring preventive maintenance; system security plan; other relevant documents or records].
	MA-06(01)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MA-06(01)-Test	[SELECT FROM: Organizational processes for preventive maintenance; automated mechanisms supporting and/or implementing preventive maintenance].

MA-06(02)	TIMELY MAINTENAN	TIMELY MAINTENANCE PREDICTIVE MAINTENANCE	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	MA-06(02)_ODP[01]	system components on which predictive maintenance is to be performed are defined;	
	MA-06(02)_ODP[02]	time intervals within which predictive maintenance is to be performed are defined;	
	MA-06(02)	predictive maintenance is performed on <i><ma-06(02)_odp[01] i="" system<=""> <i>components></i> at <i><ma-06(02)_odp[02] intervals="" time=""></ma-06(02)_odp[02]></i>.</ma-06(02)_odp[01]></i>	
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:	
	MA-06(02)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance; service provider contracts; service-level agreements; maintenance records; list of system components requiring predictive maintenance; system security plan; other relevant documents or records].	
	MA-06(02)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	MA-06(02)-Test	[SELECT FROM: Organizational processes for predictive maintenance; automated mechanisms supporting and/or implementing predictive maintenance].	

MA-06(03)	TIMELY MAINTENANCE AUTOMATED SUPPORT FOR PREDICTIVE MAINTENANCE	
	ASSESSMENT OBJECT Determine if:	ΓIVE:
	MA-06(03)_ODP	automated mechanisms used to transfer predictive maintenance data to a maintenance management system are defined;
	MA-06(03)	predictive maintenance data is transferred to a maintenance management system using <ma-06(03)_odp< b=""> automated mechanisms>.</ma-06(03)_odp<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	MA-06(03)-Examine	[SELECT FROM: Maintenance policy; procedures addressing system maintenance; service provider contracts; service-level agreements; maintenance records; list of system components requiring predictive maintenance; system security plan; other relevant documents or records].
	MA-06(03)-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MA-06(03)-Test	[SELECT FROM: Automated mechanisms implementing the transfer of predictive maintenance data to a computerized maintenance management system; operations of the computer maintenance management system].

MA-07	FIELD MAINTENANC	E
	ASSESSMENT OBJECTIVE: Determine if:	
	MA-07_ODP[01]	systems or system components on which field maintenance is restricted or prohibited to trusted maintenance facilities are defined;
	MA-07_ODP[02]	trusted maintenance facilities that are not restricted or prohibited from conducting field maintenance are defined;
	MA-07	field maintenance on <ma-07_odp[01]< b=""> systems or system components> are restricted or prohibited to <ma-07_odp[02]< b=""> trusted maintenance facilities>.</ma-07_odp[02]<></ma-07_odp[01]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	MA-07-Examine	[SELECT FROM: Maintenance policy; procedures addressing field maintenance; system design documentation; system configuration settings and associated documentation; maintenance records; diagnostic records; system security plan; other relevant documents or records.].
	MA-07-Interview	[SELECT FROM: Organizational personnel with system maintenance responsibilities; organizational personnel with information security responsibilities; system/network administrators].

MA-07	FIELD MAINTENANCE	
	MA-07-Test	[SELECT FROM: Organizational processes for managing field maintenance; automated mechanisms implementing, supporting, and/or managing field maintenance; automated mechanisms for strong authentication of field maintenance diagnostic sessions; automated mechanisms for terminating field maintenance sessions and network connections].

4.10 MEDIA PROTECTION

MP-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	MP-01_ODP[01]	personnel or roles to whom the media protection policy is to be disseminated is/are defined;
	MP-01_ODP[02]	personnel or roles to whom the media protection procedures are to be disseminated is/are defined;
	MP-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	MP-01_ODP[04]	an official to manage the media protection policy and procedures is defined;
	MP-01_ODP[05]	the frequency with which the current media protection policy is reviewed and updated is defined;
	MP-01_ODP[06]	events that would require the current media protection policy to be reviewed and updated are defined;
	MP-01_ODP[07]	the frequency with which the current media protection procedures are reviewed and updated is defined;
	MP-01_ODP[08]	events that would require media protection procedures to be reviewed and updated are defined;
	MP-01a.[01]	a media protection policy is developed and documented;
	MP-01a.[02]	the media protection policy is disseminated to < MP-01_ODP[01] personnel or roles>;
	MP-01a.[03]	media protection procedures to facilitate the implementation of the media protection policy and associated media protection controls are developed and documented;
	MP-01a.[04]	the media protection procedures are disseminated to < MP-01_ODP[02] personnel or roles>;
	MP-01a.01(a)[01]	the < MP-01_ODP[03] SELECTED PARAMETER VALUE(S)> media protection policy addresses purpose;
	MP-01a.01(a)[02]	the < MP-01_ODP[03] SELECTED PARAMETER VALUE(S)> media protection policy addresses scope;
	MP-01a.01(a)[03]	the < MP-01_ODP[03] SELECTED PARAMETER VALUE(S)> media protection policy addresses roles;
	MP-01a.01(a)[04]	the < MP-01_ODP[03] SELECTED PARAMETER VALUE(S) > media protection policy addresses responsibilities;
	MP-01a.01(a)[05]	the < MP-01_ODP[03] SELECTED PARAMETER VALUE(S)> media protection policy addresses management commitment;

POLI	POLICY AND PROCEDURES	
MP-0	1a.01(a)[06]	the < MP-01_ODP[03] SELECTED PARAMETER VALUE(S)> media protection policy addresses coordination among organizational entities;
MP-0	1a.01(a)[07]	the < MP-01_ODP[03] SELECTED PARAMETER VALUE(S) > media protection policy compliance;
MP-0	1a.01(b)	the media protection policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;
MP-0	1b.	the <mp-01_odp[04]< b=""> official> is designated to manage the development, documentation, and dissemination of the media protection policy and procedures.</mp-01_odp[04]<>
MP-0	1c.01[01]	the current media protection policy is reviewed and updated < MP-01_ODP[05] frequency >;
MP-0	1c.01[02]	the current media protection policy is reviewed and updated following <pre><mp-01_odp[06] events="">;</mp-01_odp[06]></pre>
MP-0	1c.02[01]	the current media protection procedures are reviewed and updated
MP-0	1c.02[02]	the current media protection procedures are reviewed and updated following <<i>MP-01_ODP[08] events></i> .
РОТЕ	ENTIAL ASSESSM	IENT METHODS AND OBJECTS:
MP-0	1-Examine	[SELECT FROM: Media protection policy and procedures; organizational ris management strategy; system security plan; privacy plan; other relevant documents or records].
MP-0	1-Interview	[SELECT FROM: Organizational personnel with media protection responsibilities; organizational personnel with information security and privacy responsibilities].

MP-02	MEDIA ACCESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	MP-02_ODP[01]	types of digital media to which access is restricted are defined;
	MP-02_ODP[02]	personnel or roles authorized to access digital media is/are defined;
	MP-02_ODP[03]	types of non-digital media to which access is restricted are defined;
	MP-02_ODP[04]	personnel or roles authorized to access non-digital media is/are defined;
	MP-02[01]	access to < MP-02_ODP[01] types of digital media> is restricted to < MP-02_ODP[02] personnel or roles> ;
	MP-02[02]	access to < MP-02_ODP[03] types of non-digital media> is restricted to < MP-02_ODP[04] personnel or roles> .

MP-02	MEDIA ACCESS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MP-02-Examine	[SELECT FROM: System media protection policy; procedures addressing media access restrictions; access control policy and procedures; physical and environmental protection policy and procedures; media storage facilities; access control records; system security plan; other relevant documents or records].
	MP-02-Interview	[SELECT FROM: Organizational personnel with system media protection responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MP-02-Test	[SELECT FROM: Organizational processes for restricting information media; automated mechanisms supporting and/or implementing media access restrictions].

	MP-02(01)	MEDIA ACCESS AUTOMATED RESTRICTED ACCESS	
		[WITHDRAWN: Incorporated into MP-04(02).]	

MP-02(02)	MEDIA ACCESS CRYPTOGRAPHIC PROTECTION
	[WITHDRAWN: Incorporated into SC-28(01).]

MP-03	MEDIA MARKING	
	ASSESSMENT OBJECTIVE: Determine if:	
	MP-03_ODP[01]	types of system media exempt from marking when remaining in controlled areas are defined;
	MP-03_ODP[02]	controlled areas where media is exempt from marking are defined;
	MP-03a.	system media is marked to indicate distribution limitations, handling caveats, and applicable security markings (if any) of the information;
	MP-03b.	<pre><mp-03_odp[01] exempted="" from="" marking="" media="" of="" types=""> remain within <mp-03_odp[02] areas="" controlled="">.</mp-03_odp[02]></mp-03_odp[01]></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MP-03-Examine	[SELECT FROM: System media protection policy; procedures addressing media marking; physical and environmental protection policy and procedures; list of system media marking security attributes; designated controlled areas; system security plan; other relevant documents or records].

MP-03	MEDIA MARKING	
	MP-03-Interview	[SELECT FROM: Organizational personnel with system media protection and marking responsibilities; organizational personnel with information security responsibilities].
	MP-03-Test	[SELECT FROM: Organizational processes for marking information media; automated mechanisms supporting and/or implementing media marking].

MP-04	MEDIA STORAGE		
	ASSESSMENT OBJECT	TIVE:	
	MP-04_ODP[01]	types of digital media to be physically controlled are defined;	
	MP-04_ODP[02]	types of non-digital media to be physically controlled are defined;	
	MP-04_ODP[03]	types of digital media to be securely stored are defined;	
	MP-04_ODP[04]	types of non-digital media to be securely stored are defined;	
	MP-04_ODP[05]	controlled areas within which to securely store digital media are defined;	
	MP-04_ODP[06]	controlled areas within which to securely store non-digital media are defined;	
	MP-04[01]	<pre><mp-04_odp[01] digital="" media="" of="" types=""> are physically controlled;</mp-04_odp[01]></pre>	
	MP-04[02]	<pre><mp-04_odp[02] media="" non-digital="" of="" types=""> are physically controlled;</mp-04_odp[02]></pre>	
	MP-04[03]	<pre><mp-04_odp[03] digital="" media="" of="" types=""> are securely stored within <mp-04_odp[05] areas="" controlled="">;</mp-04_odp[05]></mp-04_odp[03]></pre>	
	MP-04[04]	<pre><mp-04_odp[04] media="" non-digital="" of="" types=""> are securely stored within <mp-04_odp[06] areas="" controlled="">.</mp-04_odp[06]></mp-04_odp[04]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-04-Examine	[SELECT FROM: System media protection policy; procedures addressing media storage; physical and environmental protection policy and procedures; access control policy and procedures; system media; designated controlled areas; system security plan; other relevant documents or records].	
	MP-04-Interview	[SELECT FROM: Organizational personnel with system media protection and storage responsibilities; organizational personnel with information security responsibilities].	
	MP-04-Test	[SELECT FROM: Organizational processes for storing information media; automated mechanisms supporting and/or implementing secure media storage/media protection].	

MP-04(01) MEDIA STORAGE | CRYPTOGRAPHIC PROTECTION

[WITHDRAWN: Incorporated into SC-28(01).]

04(02)	MEDIA STORAGE AUTOMATED RESTRICTED ACCESS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	MP-04(02)_ODP[01]	automated mechanisms to restrict access to media storage areas are defined;
	MP-04(02)_ODP[02]	automated mechanisms to log access attempts and access granted to media storage areas are defined;
	MP-04(02)[01]	access to media storage areas is restricted using < MP-04(02)_ODP[01] automated mechanisms>;
	MP-04(02)[02]	access attempts to media storage areas are logged using <pre></pre> <pre></pre> <pre></pre> <pre></pre> <pre>automated mechanisms>;</pre>
	MP-04(02)[03]	access granted to media storage areas is logged using <mp-04(02)_odp[02< b=""> automated mechanisms>.</mp-04(02)_odp[02<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	MP-04(02)-Examine	[SELECT FROM: System media protection policy; procedures addressing media storage; access control policy and procedures; physical and environmental protection policy and procedures; system design documentation; system configuration settings and associated documentation; media storage facilities; access control devices; access control records; audit records; system security plan; other relevant documents or records].
	MP-04(02)-Interview	[SELECT FROM: Organizational personnel with system media protection and storage responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MP-04(02)-Test	[SELECT FROM: Automated mechanisms restricting access to media storage areas; automated mechanisms auditing access attempts and access granted to media storage areas].

MP-05	MEDIA TRANSPORT	
	ASSESSMENT OBJECTIVE: Determine if:	
	MP-05_ODP[01]	types of system media to protect and control during transport outside of controlled areas are defined;
	MP-05_ODP[02]	controls used to protect system media outside of controlled areas are defined;

MP-05	MEDIA TRANSPORT	
	MP-05_ODP[03]	controls used to control system media outside of controlled areas are defined;
	MP-05a.[01]	<pre><mp-05_odp[01] media="" of="" system="" types=""> are protected during transport outside of controlled areas using <mp-05_odp[02] controls="">;</mp-05_odp[02]></mp-05_odp[01]></pre>
	MP-05a.[02]	<pre><mp-05_odp[01] media="" of="" system="" types=""> are controlled during transport outside of controlled areas using <mp-05_odp[03] controls="">;</mp-05_odp[03]></mp-05_odp[01]></pre>
	MP-05b.	accountability for system media is maintained during transport outside of controlled areas;
	MP-05c.	activities associated with the transport of system media are documented;
	MP-05d.[01]	personnel authorized to conduct media transport activities is/are identified;
	MP-05d.[02]	activities associated with the transport of system media are restricted to identified authorized personnel.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	MP-05-Examine	[SELECT FROM: System media protection policy; procedures addressing media storage; physical and environmental protection policy and procedures; access control policy and procedures; authorized personnel list; system media; designated controlled areas; system security plan; other relevant documents or records].
	MP-05-Interview	[SELECT FROM: Organizational personnel with system media protection and storage responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MP-05-Test	[SELECT FROM: Organizational processes for storing information media; automated mechanisms supporting and/or implementing media storage/ media protection].

MP-05(01) MEDIA TRANSPORT | PROTECTION OUTSIDE OF CONTROLLED AREAS

[WITHDRAWN: Incorporated into MP-05.]

MP-05(02) MEDIA TRANSPORT | DOCUMENTATION OF ACTIVITIES

	WITH DRAWAN: Incorporated into MR 05.1
	[WITHDRAWN: Incorporated into MP-05.]

MP-05(03)	MEDIA TRANSPORT CUSTODIANS		
	ASSESSMENT OBJECTIVE: Determine if:		
	MP-05(03)[01]	a custodian to transport system media outside of controlled areas is identified;	
	MP-05(03)[02]	the identified custodian is employed during the transport of system media outside of controlled areas.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-05(03)-Examine	[SELECT FROM: System media protection policy; procedures addressing media transport; physical and environmental protection policy and procedures; system media transport records; audit records; system security plan; other relevant documents or records].	
	MP-05(03)-Interview	[SELECT FROM: Organizational personnel with system media transport responsibilities; organizational personnel with information security responsibilities].	
	MP-05(03)-Test	[SELECT FROM: Organizational processes for identifying and employing a custodian to transport media outside of controlled areas].	

MP-05(04) MEDIA TRANSPORT | CRYPTOGRAPHIC PROTECTION

[WITHDRAWN: Incorporated into SC-28(01).]

MP-06	MEDIA SANITIZATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	MP-06_ODP[01]	system media to be sanitized prior to disposal is defined;
	MP-06_ODP[02]	system media to be sanitized prior to release from organizational control is defined;
	MP-06_ODP[03]	system media to be sanitized prior to release for reuse is defined;
	MP-06_ODP[04]	sanitization techniques and procedures to be used for sanitization prior to disposal are defined;
	MP-06_ODP[05]	sanitization techniques and procedures to be used for sanitization prior to release from organizational control are defined;
	MP-06_ODP[06]	sanitization techniques and procedures to be used for sanitization prior to release for reuse are defined;
	MP-06a.[01]	<pre><mp-06_odp[01] media="" system=""> is sanitized using <mp-06_odp[04] and="" procedures="" sanitization="" techniques=""> prior to disposal;</mp-06_odp[04]></mp-06_odp[01]></pre>

MP-06	MEDIA SANITIZATION		
	MP-06a.[02]	<mp-06_odp[02] media="" system=""> is sanitized using <mp-06_odp[05] sanitization techniques and procedures> prior to release from organizational control;</mp-06_odp[05] </mp-06_odp[02]>	
	MP-06a.[03]	<pre><mp-06_odp[03] media="" system=""> is sanitized using <mp-06_odp[06] and="" procedures="" sanitization="" techniques=""> prior to release for reuse;</mp-06_odp[06]></mp-06_odp[03]></pre>	
	MP-06b.	sanitization mechanisms with strength and integrity commensurate with the security category or classification of the information are employed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-06-Examine	[SELECT FROM: System media protection policy; procedures addressing media sanitization and disposal; applicable federal standards and policies addressing media sanitization policy; media sanitization records; system audit records; system design documentation; records retention and disposition policy; records retention and disposition procedures; system configuration settings and associated documentation; system security plan; privacy plan; other relevant documents or records].	
	MP-06-Interview	[SELECT FROM: Organizational personnel with media sanitization responsibilities; organizational personnel with records retention and disposition responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	MP-06-Test	[SELECT FROM: Organizational processes for media sanitization; automated mechanisms supporting and/or implementing media sanitization].	

MP-06(01)	MEDIA SANITIZATION REVIEW, APPROVE, TRACK, DOCUMENT, AND VERIFY		
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	MP-06(01)[01]	media sanitization and disposal actions are reviewed;	
	MP-06(01)[02]	media sanitization and disposal actions are approved;	
	MP-06(01)[03]	media sanitization and disposal actions are tracked;	
	MP-06(01)[04]	media sanitization and disposal actions are documented;	
	MP-06(01)[05]	media sanitization and disposal actions are verified.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-06(01)-Examine	[SELECT FROM: System media protection policy; procedures addressing media sanitization and disposal; records retention and disposition policy; records retention and disposition procedures; media sanitization and disposal records; review records for media sanitization and disposal actions; approvals for media sanitization and disposal actions; tracking records; verification records; system audit records; system security plan; privacy plan; other relevant documents or records].	

MP-06(01)	MEDIA SANITIZATION REVIEW, APPROVE, TRACK, DOCUMENT, AND VERIFY	
	MP-06(01)-Interview	[SELECT FROM: Organizational personnel with system media sanitization and disposal responsibilities; organizational personnel with records retention and disposition responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators].
	MP-06(01)-Test	[SELECT FROM: Organizational processes for media sanitization; automated mechanisms supporting and/or implementing media sanitization; automated mechanisms supporting and/or implementing verification of media sanitization].

MP-06(02)	MEDIA SANITIZATION EQUIPMENT TESTING		
	ASSESSMENT OBJECTIVE: Determine if:		
	MP-06(02)_ODP[01]	frequency with which to test sanitization equipment is defined;	
	MP-06(02)_ODP[02]	frequency with which to test sanitization procedures is defined;	
	MP-06(02)[01]	sanitization equipment is tested <<i>MP-06(02)_ODP[01] frequency</i>> to ensure that the intended sanitization is being achieved;	
	MP-06(02)[02]	sanitization procedures are tested <<i>MP-06(02)_ODP[02] frequency></i> to ensure that the intended sanitization is being achieved.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-06(02)-Examine	[SELECT FROM: System media protection policy; procedures addressing media sanitization and disposal; procedures addressing testing of media sanitization equipment; results of media sanitization equipment and procedures testing; system audit records; records retention and disposition policy; records retention and disposition procedures; system security plan; privacy plan; other relevant documents or records].	
	MP-06(02)-Interview	[SELECT FROM: Organizational personnel with system media sanitization responsibilities; organizational personnel with records retention and disposition responsibilities; organizational personnel with information security and privacy responsibilities].	
	MP-06(02)-Test	[SELECT FROM: Organizational processes for media sanitization; automated mechanisms supporting and/or implementing media sanitization; automated mechanisms supporting and/or implementing media sanitization procedures; sanitization equipment].	

м	P-06(03)	MEDIA SANITIZATION NONDESTRUCTIVE TECHNIQUES	
		ASSESSMENT OBJECTIVE: Determine if:	
		MP-06(03)_ODP	circumstances requiring sanitization of portable storage devices are defined;

6(03)	MEDIA SANITIZATION NONDESTRUCTIVE TECHNIQUES		
	MP-06(03)	non-destructive sanitization techniques are applied to portable storage devices prior to connecting such devices to the system under < MP-06(03)_ODP circumstances requiring sanitization of portable storage devices >.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-06(03)-Examine	[SELECT FROM: System media protection policy; procedures addressing media sanitization and disposal; information on portable storage devices for the system; list of circumstances requiring sanitization of portable storage devices; media sanitization records; audit records; system security plan; other relevant documents or records].	
	MP-06(03)-Interview	[SELECT FROM: Organizational personnel with system media sanitization responsibilities; organizational personnel with information security responsibilities].	
	MP-06(03)-Test	[SELECT FROM: Organizational processes for media sanitization of portable storage devices; automated mechanisms supporting and/or implementing media sanitization].	

MP-06(04) MEDIA SANITIZATION | CONTROLLED UNCLASSIFIED INFORMATION

[WITHDRAWN: Incorporated into MP-06.]

MP-06(05)	5) MEDIA SANITIZATION CLASSIFIED INFORMATION	
	[WITHDRAWN: Incorporated into MP-06.]	

MP-06(06)	MEDIA SANITIZATION MEDIA DESTRUCTION	
	[WITHDRAWN: Incorporated into MP-06.]	

MP-06(07)	MEDIA SANITIZATION DUAL AUTHORIZATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	MP-06(07)_ODP	system media to be sanitized using dual authorization is defined;
	MP-06(07)	dual authorization for sanitization of <i><MP-06(07)_ODP system media></i> is enforced.

MP-06(07)	MEDIA SANITIZATION DUAL AUTHORIZATION		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-06(07)-Examine	[SELECT FROM: System media protection policy; procedures addressing media sanitization and disposal; dual authorization policy and procedures; list of system media requiring dual authorization for sanitization; authorization records; media sanitization records; audit records; system security plan; other relevant documents or records].	
	MP-06(07)-Interview	[SELECT FROM: Organizational personnel with system media sanitization responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	MP-06(07)-Test	[SELECT FROM: Organizational processes requiring dual authorization for media sanitization; automated mechanisms supporting and/or implementing media sanitization; automated mechanisms supporting and/or implementing dual authorization].	

MP-06(08)	MEDIA SANITIZATION REMOTE PURGING OR WIPING OF INFORMATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	MP-06(08)_ODP[01]	systems or system components to purge or wipe information either remotely or under specific conditions are defined;	
	MP-06(08)_ODP[02]	one of the following PARAMETER VALUES is selected: {remotely; under <mp-06(08)_odp[03] conditions="">};</mp-06(08)_odp[03]>	
	MP-06(08)_ODP[03]	conditions under which information is to be purged or wiped are defined (if selected);	
	MP-06(08)	the capability to purge or wipe information from <i><mp-06(08)_odp[01]< i=""> <i>systems or system components> <mp-06(08)_odp[02] i="" selected<=""> <i>PARAMETER VALUE></i> is provided.</mp-06(08)_odp[02]></i></mp-06(08)_odp[01]<></i>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-06(08)-Examine	[SELECT FROM: System media protection policy; procedures addressing media sanitization and disposal; system design documentation; system configuration settings and associated documentation; authorization records; media sanitization records; audit records; system security plan; other relevant documents or records].	
	MP-06(08)-Interview	[SELECT FROM: Organizational personnel with system media sanitization responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	MP-06(08)-Test	[SELECT FROM: Organizational processes for purging/wiping media; automated mechanisms supporting and/or implementing purge/wipe capabilities].	

MP-07	MEDIA USE		
	ASSESSMENT OBJECTIVE: Determine if:		
	MP-07_ODP[01]	types of system media to be restricted or prohibited from use on systems or system components are defined;	
	MP-07_ODP[02]	one of the following PARAMETER VALUES is selected: {restrict; prohibit};	
	MP-07_ODP[03]	systems or system components on which the use of specific types of system media to be restricted or prohibited are defined;	
	MP-07_ODP[04]	controls to restrict or prohibit the use of specific types of system media on systems or system components are defined;	
	MP-07a.	the use of < MP-07_ODP[01] types of system media> is < MP-07_ODP[02] SELECTED PARAMETER VALUE> on < MP-07_ODP[03] systems or system components> using < MP-07_ODP[04] controls >;	
	MP-07b.	the use of portable storage devices in organizational systems is prohibited when such devices have no identifiable owner.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	MP-07-Examine	[SELECT FROM: System media protection policy; system use policy; procedures addressing media usage restrictions; rules of behavior; system design documentation; system configuration settings and associated documentation; audit records; system security plan; other relevant documents or records].	
	MP-07-Interview	[SELECT FROM: Organizational personnel with system media use responsibilities; organizational personnel with information security responsibilities; system/network administrators].	
	MP-07-Test	[SELECT FROM: Organizational processes for media use; automated mechanisms restricting or prohibiting use of system media on systems or system components].	

MP-07(01)	MEDIA USE PROHIBIT USE WITHOUT OWNER
	[WITHDRAWN: Incorporated into MP-07.]

MP-07(02	MEDIA USE PROH	MEDIA USE PROHIBIT USE OF SANITIZATION-RESISTANT MEDIA	
	ASSESSMENT OBJEC	TIVE:	
	MP-07(02)[01]	sanitization-resistant media is identified;	
	MP-07(02)[02]	the use of sanitization-resistant media in organizational systems is prohibited.	

MP-07(02)	MEDIA USE PROHIE	BIT USE OF SANITIZATION-RESISTANT MEDIA
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MP-07(02)-Examine	[SELECT FROM: System media protection policy; system use policy; procedures addressing media usage restrictions; rules of behavior; system configuration settings and associated documentation; system security plan; other relevant documents or records].
	MP-07(02)-Interview	[SELECT FROM: Organizational personnel with system media use responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MP-07(02)-Test	[SELECT FROM: Organizational processes for media use; automated mechanisms prohibiting use of media on systems or system components].

MP-08	MEDIA DOWNGRAD	ING
	ASSESSMENT OBJECTIVE: Determine if:	
	MP-08_ODP[01]	a system media downgrading process is defined;
	MP-08_ODP[02]	system media requiring downgrading is defined;
	MP-08a.[01]	a < MP-08_ODP[01] system media downgrading process> is established;
	MP-08a.[02]	the < MP-08_ODP[01] system media downgrading process> includes employing downgrading mechanisms with strength and integrity commensurate with the security category or classification of the information;
	MP-08b.[01]	there is verification that the system media downgrading process is commensurate with the security category and/or classification level of the information to be removed;
	MP-08b.[02]	there is verification that the system media downgrading process is commensurate with the access authorizations of the potential recipients of the downgraded information;
	MP-08c.	<pre><mp-08_odp[02] downgrading="" media="" requiring="" system=""> is identified;</mp-08_odp[02]></pre>
	MP-08d.	the identified system media is downgraded using the <mp-08_odp[01]< b=""> system media downgrading process>.</mp-08_odp[01]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	MP-08-Examine	[SELECT FROM: System media protection policy; procedures addressing media downgrading; system categorization documentation; list of media requiring downgrading; records of media downgrading; audit records; system security plan; other relevant documents or records].
	MP-08-Interview	[SELECT FROM: Organizational personnel with system media downgrading responsibilities; organizational personnel with information security responsibilities; system/network administrators].

MP-08	MEDIA DOWNGRADING	
	MP-08-Test	[SELECT FROM: Organizational processes for media downgrading; automated mechanisms supporting and/or implementing media downgrading].

MP-08(01)	MEDIA DOWNGRADING DOCUMENTATION OF PROCESS	
	ASSESSMENT OBJECT	FIVE:
	MP-08(01)	system media downgrading actions are documented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MP-08(01)-Examine	[SELECT FROM: System media protection policy; procedures addressing media downgrading; system categorization documentation; list of media requiring downgrading; records of media downgrading; audit records; system security plan; other relevant documents or records].
	MP-08(01)-Interview	[SELECT FROM: Organizational personnel with system media downgrading responsibilities; organizational personnel with information security responsibilities; system/network administrators].
	MP-08(01)-Test	[SELECT FROM: Organizational processes for media downgrading; automated mechanisms supporting and/or implementing media downgrading].

MP-08(02)	MEDIA DOWNGRAD	ING EQUIPMENT TESTING
	ASSESSMENT OBJECT	ΓΙVΕ:
	MP-08(02)_ODP[01]	the frequency with which to test downgrading equipment is defined;
	MP-08(02)_ODP[02]	the frequency with which to test downgrading procedures is defined;
	MP-08(02)[01]	downgrading equipment is tested <<i>MP-08(02)_ODP[01] frequency</i>> to ensure that downgrading actions are being achieved;
	MP-08(02)[02]	downgrading procedures are tested <<i>MP-08(02)_ODP[02] frequency></i> to ensure that downgrading actions are being achieved.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	MP-08(02)-Examine	[SELECT FROM: System media protection policy; procedures addressing media downgrading; procedures addressing testing of media downgrading equipment; results of downgrading equipment and procedures testing; records of media downgrading; audit records; system security plan; other relevant documents or records].
	MP-08(02)-Interview	[SELECT FROM: Organizational personnel with system media downgrading responsibilities; organizational personnel with information security responsibilities].

MP-08(02) MEI	MEDIA DOWNGRADING EQUIPMENT TESTING	
MP-	• •	[SELECT FROM: Organizational processes for media downgrading; automated mechanisms supporting and/or implementing media downgrading].

MEDIA DOWNGRADING CONTROLLED UNCLASSIFIED INFORMATION		
ASSESSMENT OBJECTIVE: Determine if:		
MP-08(03)[01]	system media containing controlled unclassified information is identified;	
MP-08(03)[02]	system media containing controlled unclassified information is downgraded prior to public release.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
MP-08(03)-Examine	[SELECT FROM: System media protection policy; access authorization policy; procedures addressing downgrading of media containing CUI; applicable federal and organizational standards and policies regarding protection of CUI; media downgrading records; system security plan; other relevant documents or records].	
MP-08(03)-Interview	[SELECT FROM: Organizational personnel with system media downgrading responsibilities; organizational personnel with information security responsibilities].	
MP-08(03)-Test	[SELECT FROM: Organizational processes for media downgrading; automated mechanisms supporting and/or implementing media downgrading].	
	ASSESSMENT OBJEC Determine if: MP-08(03)[01] MP-08(03)[02] POTENTIAL ASSESSIV MP-08(03)-Examine MP-08(03)-Interview	

MP-08(04)	MEDIA DOWNGRADING CLASSIFIED INFORMATION	
	ASSESSMENT OBJECT	ΓΙVΕ:
	MP-08(04)[01]	system media containing classified information is identified;
	MP-08(04)[02]	system media containing classified information is downgraded prior to release to individuals without required access authorizations.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	MP-08(04)-Examine	[SELECT FROM: System media protection policy; access authorization policy; procedures addressing downgrading of media containing classified information; procedures addressing handling of classified information; NSA standards and policies regarding protection of classified information; media downgrading records; system security plan; other relevant documents or records].
	MP-08(04)-Interview	[SELECT FROM: Organizational personnel with system media downgrading responsibilities; organizational personnel with information security responsibilities].

MP-08(04)	MEDIA DOWNGRADING CLASSIFIED INFORMATION	
	MP-08(04)-Test	[SELECT FROM: Organizational processes for media downgrading; automated mechanisms supporting and/or implementing media downgrading].

4.11 PHYSICAL AND ENVIRONMENTAL PROTECTION

PE-01	POLICY AND PROCEE	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	PE-01_ODP[01]	personnel or roles to whom the physical and environmental protection policy is to be disseminated is/are defined;
	PE-01_ODP[02]	personnel or roles to whom the physical and environmental protection procedures are to be disseminated is/are defined;
	PE-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	PE-01_ODP[04]	an official to manage the physical and environmental protection policy and procedures is defined;
	PE-01_ODP[05]	the frequency at which the current physical and environmental protection policy is reviewed and updated is defined;
	PE-01_ODP[06]	events that would require the current physical and environmental protection policy to be reviewed and updated are defined;
	PE-01_ODP[07]	the frequency at which the current physical and environmental protection procedures are reviewed and updated is defined;
	PE-01_ODP[08]	events that would require the physical and environmental protection procedures to be reviewed and updated are defined;
	PE-01a.[01]	a physical and environmental protection policy is developed and documented;
	PE-01a.[02]	the physical and environmental protection policy is disseminated to <pre><pe-01_odp[01] or="" personnel="" roles="">;</pe-01_odp[01]></pre>
	PE-01a.[03]	physical and environmental protection procedures to facilitate the implementation of the physical and environmental protection policy and associated physical and environmental protection controls are developed and documented;
	PE-01a.[04]	the physical and environmental protection procedures are disseminated to <pre>PE-01_ODP[02] personnel or roles>;</pre>
	PE-01a.01(a)[01]	the < PE-01_ODP[03] SELECTED PARAMETER VALUE(S)> physical and environmental protection policy addresses purpose;
	PE-01a.01(a)[02]	the < PE-01_ODP[03] SELECTED PARAMETER VALUE(S) > physical and environmental protection policy addresses scope;
	PE-01a.01(a)[03]	the < PE-01_ODP[03] SELECTED PARAMETER VALUE(S) > physical and environmental protection policy addresses roles;
	PE-01a.01(a)[04]	the < PE-01_ODP[03] SELECTED PARAMETER VALUE(S) > physical and environmental protection policy addresses responsibilities;
	PE-01a.01(a)[05]	the <pe-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> physical and environmental protection policy addresses management commitment;</pe-01_odp[03]<>

PE-01	POLICY AND PROCEDURES	
	PE-01a.01(a)[06]	the <pe-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> physical and environmental protection policy addresses coordination among organizational entities;</pe-01_odp[03]<>
	PE-01a.01(a)[07]	the <i>PE-01_ODP[03]</i> SELECTED PARAMETER VALUE(S) physical and environmental protection policy addresses compliance;
	PE-01a.01(b)	the <i>PE-01_ODP[03]</i> SELECTED PARAMETER VALUE(S) physical and environmental protection policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;
	PE-01b.	the <i>PE-01_ODP[04] official></i> is designated to manage the development, documentation, and dissemination of the physical and environmental protection policy and procedures;
	PE-01c.01[01]	the current physical and environmental protection policy is reviewed and updated <pe-01_odp[05]< b=""> frequency>;</pe-01_odp[05]<>
	PE-01c.01[02]	the current physical and environmental protection policy is reviewed and updated following <pe-01_odp[06] events=""></pe-01_odp[06]> ;
	PE-01c.02[01]	the current physical and environmental protection procedures are reviewed and updated <pre>PE-01_ODP[07] frequency>;</pre>
	PE-01c.02[02]	the current physical and environmental protection procedures are reviewed and updated following <i>PE-01_ODP[08]</i> events>.
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	PE-01-Examine	[SELECT FROM: Physical and environmental protection policy and procedures; system security plan; privacy plan; organizational risk management strategy; other relevant documents or records].
	PE-01-Interview	[SELECT FROM: Organizational personnel with physical and environmental protection responsibilities; organizational personnel with information security and privacy responsibilities].

PE-02	PHYSICAL ACCESS AUTHORIZATIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-02_ODP	frequency at which to review the access list detailing authorized facility access by individuals is defined;
	PE-02a.[01]	a list of individuals with authorized access to the facility where the system resides has been developed;
	PE-02a.[02]	the list of individuals with authorized access to the facility where the system resides has been approved;
	PE-02a.[03]	the list of individuals with authorized access to the facility where the system resides has been maintained;
	PE-02b.	authorization credentials are issued for facility access;

'E-02 PI	PHYSICAL ACCESS AUTHORIZATIONS		
PI	E-02c.	the access list detailing authorized facility access by individuals is reviewed <pre><pe-02_odp frequency="">;</pe-02_odp></pre>	
PI	E-02d.	individuals are removed from the facility access list when access is no longer required.	
P	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PI	E-02-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access authorizations; authorized personnel access list; authorization credentials; physical access list reviews; physical access termination records and associated documentation; system security plan; other relevant documents or records].	
PI	E-02-Interview	[SELECT FROM: Organizational personnel with physical access authorization responsibilities; organizational personnel with physical access to system facility; organizational personnel with information security responsibilities].	
PI	E-02-Test	[SELECT FROM: Organizational processes for physical access authorizations; automated mechanisms supporting and/or implementing physical access authorizations].	

PE-02(01)	PHYSICAL ACCESS AUTHORIZATIONS ACCESS BY POSITION OR ROLE		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	PE-02(01)	physical access to the facility where the system resides is authorized based on position or role.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-02(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access authorizations; physical access control logs or records; list of positions/roles and corresponding physical access authorizations; system entry and exit points; system security plan; other relevant documents or records].	
	PE-02(01)-Interview	[SELECT FROM: Organizational personnel with physical access authorization responsibilities; organizational personnel with physical access to system facility; organizational personnel with information security responsibilities].	
	PE-02(01)-Test	[SELECT FROM: Organizational processes for physical access authorizations; automated mechanisms supporting and/or implementing physical access authorizations].	
	Ī		

PE-02(02)	PHYSICAL ACCESS AUTHORIZATIONS TWO FORMS OF IDENTIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-02(02)_ODP	a list of acceptable forms of identification for visitor access to the facility where the system resides is defined;
	PE-02(02)	two forms of identification are required from <i>PE-02(02)_ODP list of</i> <i>acceptable forms of identification></i> for visitor access to the facility where the system resides.
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	PE-02(02)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access authorizations; list of acceptable forms of identification for visitor access to the facility where the system resides; access authorization forms; access credentials; physical access control logs or records; system security plan; other relevant documents or records].
	PE-02(02)-Interview	[SELECT FROM: Organizational personnel with physical access authorization responsibilities; organizational personnel with physical access to the system facility; organizational personnel with information security responsibilities].
	PE-02(02)-Test	[SELECT FROM: Organizational processes for physical access authorizations; automated mechanisms supporting and/or implementing physical access authorizations].

PE-02(03)	PHYSICAL ACCESS AUTHORIZATIONS RESTRICT UNESCORTED ACCESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-02(03)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {security clearances for all information contained within the system; formal access authorizations for all information contained within the system; need for access to all information contained within the system; <pe-02(03)_odp[02] access="" authorizations="" physical="">};</pe-02(03)_odp[02]>
	PE-02(03)_ODP[02]	physical access authorizations for unescorted access to the facility where the system resides are defined (if selected);
	PE-02(03)	unescorted access to the facility where the system resides is restricted to personnel with <pe-02(03)_odp[01] b="" parameter="" selected="" value(s)<="">>.</pe-02(03)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-02(03)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access authorizations; authorized personnel access list; security clearances; access authorizations; access credentials; physical access control logs or records; system security plan; other relevant documents or records].
	PE-02(03)-Interview	[SELECT FROM: Organizational personnel with physical access authorization responsibilities; organizational personnel with physical access to the system facility; organizational personnel with information security responsibilities].

PE-02(03)	PHYSICAL ACCESS AUTHORIZATIONS RESTRICT UNESCORTED ACCESS	
	PE-02(03)-Test	[SELECT FROM: Organizational processes for physical access authorizations; automated mechanisms supporting and/or implementing physical access authorizations].

PE-03	PHYSICAL ACCESS CONTROL	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-03_ODP[01]	entry and exit points to the facility in which the system resides are defined;
	PE-03_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: { <pe-03_odp[03] devices="" or="" systems="">; guards};</pe-03_odp[03]>
	PE-03_ODP[03]	physical access control systems or devices used to control ingress and egress to the facility are defined (if selected);
	PE-03_ODP[04]	entry or exit points for which physical access logs are maintained are defined;
	PE-03_ODP[05]	physical access controls to control access to areas within the facility designated as publicly accessible are defined;
	PE-03_ODP[06]	circumstances requiring visitor escorts and control of visitor activity are defined;
	PE-03_ODP[07]	physical access devices to be inventoried are defined;
	PE-03_ODP[08]	frequency at which to inventory physical access devices is defined;
	PE-03_ODP[09]	frequency at which to change combinations is defined;
	PE-03_ODP[10]	frequency at which to change keys is defined;
	PE-03a.01	physical access authorizations are enforced at <pe-03_odp[01] and<="" b="" entry=""> <i>exit points></i> by verifying individual access authorizations before granting access to the facility;</pe-03_odp[01]>
	PE-03a.02	physical access authorizations are enforced at <pe-03_odp[01] b="" entry<=""> and exit points> by controlling ingress and egress to the facility using <pe-03_odp[02] parameter="" selected="" value(s)=""></pe-03_odp[02]>;</pe-03_odp[01]>
	PE-03b.	physical access audit logs are maintained for < PE-03_ODP[04] entry or exit points>;
	PE-03c.	access to areas within the facility designated as publicly accessible are maintained by implementing <pre>PE-03_ODP[05] physical access controls>;</pre>
	PE-03d.[01]	visitors are escorted;
	PE-03d.[02]	visitor activity is controlled < PE-03_ODP[06] circumstances> ;
	PE-03e.[01]	keys are secured;

PE-03	PHYSICAL ACCESS CONTROL		
	PE-03e.[03]	other physical access devices are secured;	
	PE-03f.	<pe-03_odp[07] access="" devices="" physical=""> are inventoried <pe-03_odp[08] frequency>;</pe-03_odp[08] </pe-03_odp[07]>	
	PE-03g.[01]	combinations are changed <pe-03_odp[09]< b=""> frequency> , when combinations are compromised, or when individuals possessing the combinations are transferred or terminated;</pe-03_odp[09]<>	
	PE-03g.[02]	keys are changed <pe-03_odp[10]< b=""> frequency> , when keys are lost, or when individuals possessing the keys are transferred or terminated.</pe-03_odp[10]<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-03-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; physical access control logs or records; inventory records of physical access control devices; system entry and exit points; records of key and lock combination changes; storage locations for physical access control devices; physical access control devices; list of security safeguards controlling access to designated publicly accessible areas within facility; system security plan; other relevant documents or records].	
	PE-03-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].	
	PE-03-Test	[SELECT FROM: Organizational processes for physical access control; automated mechanisms supporting and/or implementing physical access control; physical access control devices].	

PE-03(01)	PHYSICAL ACCESS CONTROL SYSTEM ACCESS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-03(01)_ODP	physical spaces containing one or more components of the system are defined;	
	PE-03(01)[01]	physical access authorizations to the system are enforced;	
	PE-03(01)02]	physical access controls are enforced for the facility at <i>PE-03(01)_ODP</i> <i>physical spaces</i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-03(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; physical access control logs or records; physical access control devices; access authorizations; access credentials; system entry and exit points; list of areas within the facility containing concentrations of system components or system components requiring additional physical protection; system security plan; other relevant documents or records].	

PE-03(01)	PHYSICAL ACCESS CONTROL SYSTEM ACCESS	
	PE-03(01)-Interview	[SELECT FROM: Organizational personnel with physical access authorization responsibilities; organizational personnel with information security responsibilities].
	PE-03(01)-Test	[SELECT FROM: Organizational processes for physical access control to the information system/components; automated mechanisms supporting and/ or implementing physical access control for facility areas containing system components].

PHYSICAL ACCESS CONTROL FACILITY AND SYSTEMS		
ASSESSMENT OBJECTIVE: Determine if:		
PE-03(02)_ODP	the frequency at which to perform security checks at the physical perimeter of the facility or system for exfiltration of information or removal of system components is defined;	
PE-03(02)	security checks are performed <i>PE-03(02)_ODP frequency></i> at the physical perimeter of the facility or system for exfiltration of information or removal of system components.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PE-03(02)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; physical access control logs or records; records of security checks; security audit reports; security inspection reports; facility layout documentation; system entry and exit points; system security plan; other relevant documents or records].	
PE-03(02)-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].	
PE-03(02)-Test	[SELECT FROM: Organizational processes for physical access control to the facility and/or system; automated mechanisms supporting and/or implementing physical access control for the facility or system; automated mechanisms supporting and/or implementing security checks for unauthorized exfiltration of information].	
	ASSESSMENT OBJECT Determine if: PE-03(02)_ODP PE-03(02) POTENTIAL ASSESSIV PE-03(02)-Examine	

PE-03(03)	PHYSICAL ACCESS C	PHYSICAL ACCESS CONTROL CONTINUOUS GUARDS	
ASSESSMENT OBJECTIVE: Determine if:		CTIVE:	
	PE-03(03)_ODP	physical access points to the facility where the system resides are defined;	
	PE-03(03)	guards are employed to control <i>PE-03(03)_ODP physical access points></i> to the facility where the system resides 24 hours per day, 7 days per week.	

PE-03(03)	PHYSICAL ACCESS CONTROL CONTINUOUS GUARDS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-03(03)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; physical access control logs or records; physical access control devices; facility surveillance records; facility layout documentation; system entry and exit points; system security plan; other relevant documents or records].
	PE-03(03)-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].
	PE-03(03)-Test	[SELECT FROM: Organizational processes for physical access control to the facility where the system resides; automated mechanisms supporting and/ or implementing physical access control for the facility where the system resides].

PE-03(04)	PHYSICAL ACCESS CONTROL LOCKABLE CASINGS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-03(04)_ODP	system components to be protected from unauthorized physical access are defined;
	PE-03(04)	lockable physical casings are used to protect <i>PE-03(04)_ODP system</i> components> from unauthorized access.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-03(04)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; list of system components requiring protection through lockable physical casings; lockable physical casings; system security plan; other relevant documents or records].
	PE-03(04)-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].
	PE-03(04)-Test	[SELECT FROM: Lockable physical casings].

P	E-03(05)	PHYSICAL ACCESS CONTROL TAMPER PROTECTION	
		ASSESSMENT OBJECTIVE: Determine if:	
		PE-03(05)_ODP[01]	anti-tamper technologies to be employed are defined;
		PE-03(05)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {detect; prevent};

PE-03(05)	PHYSICAL ACCESS CONTROL TAMPER PROTECTION	
	PE-03(05)_ODP[03]	hardware components to be protected from physical tampering or alteration are defined;
	PE-03(05)	<pe-03(05)_odp[01] anti-tamper="" technologies=""> are employed to <pe-03(05)_odp[02] parameter="" selected="" value(s)=""> physical tampering or alteration of <pe-03(05)_odp[03] components="" hardware=""> within the system.</pe-03(05)_odp[03]></pe-03(05)_odp[02]></pe-03(05)_odp[01]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PE-03(05)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; list of security safeguards to detect/ prevent physical tampering or alteration of system hardware components; system security plan; other relevant documents or records].
	PE-03(05)-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].
	PE-03(05)-Test	[SELECT FROM: Organizational processes to detect/prevent physical tampering or alteration of system hardware components; automated mechanisms/security safeguards supporting and/or implementing detection/prevention of physical tampering/alternation of system hardware components].

PE-03(06)	PHYSICAL ACCESS CONTROL FACILITY PENETRATION TESTING	
	[WITHDRAWN: Incorporated into CA-08.]	

PHYSICAL ACCESS CONTROL PHYSICAL BARRIERS	
ASSESSMENT OBJECTIVE: Determine if:	
PE-03(07)	physical barriers are used to limit access.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
PE-03(07)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; list of physical barriers to limit access to the system; system security plan; other relevant documents or records].
PE-03(07)-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].
	ASSESSMENT OBJEC Determine if: PE-03(07) POTENTIAL ASSESSM PE-03(07)-Examine

PE-03(08)	PHYSICAL ACCESS CONTROL ACCESS CONTROL VESTIBULES		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-03(08)_ODP	locations within the facility where access control vestibules are to be employed are defined;	
	PE-03(08)	access control vestibules are employed at <pe-03(08)_odp locations="">.</pe-03(08)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-03(08)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access control; list of access control vestibules and locations; system security plan; other relevant documents or records].	
	PE-03(08)-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].	
	PE-03(08)-Test	[SELECT FROM: Organizational processes for vestibules to prevent unauthorized access.].	

PE-04	ACCESS CONTROL FOR TRANSMISSION	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-04_ODP[01]	system distribution and transmission lines requiring physical access controls are defined;
	PE-04_ODP[02]	security controls to be implemented to control physical access to system distribution and transmission lines within the organizational facility are defined;
	PE-04	physical access to <pe-04_odp[01] and="" b="" distribution="" system="" transmission<=""> <i>lines></i> within organizational facilities is controlled using <pe-04_odp[02]< b=""> <i>security controls></i>.</pe-04_odp[02]<></pe-04_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-04-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing access control for transmission mediums; system design documentation; facility communications and wiring diagrams; list of physical security safeguards applied to system distribution and transmission lines; system security plan; other relevant documents or records].
	PE-04-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].
	PE-04-Test	[SELECT FROM: Organizational processes for access control to distribution and transmission lines; automated mechanisms/security safeguards supporting and/or implementing access control to distribution and transmission lines].

PE-05	ACCESS CONTROL FOR OUTPUT DEVICES	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-05_ODP	output devices that require physical access control to output are defined;
	PE-05	physical access to output from <i>PE-05_ODP output devices</i> is controlled to prevent unauthorized individuals from obtaining the output.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-05-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing access control for display medium; facility layout of system components; actual displays from system components; list of output devices and associated outputs requiring physical access controls; physical access control logs or records for areas containing output devices and related outputs; system security plan; other relevant documents or records].
	PE-05-Interview	[SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security responsibilities].
	PE-05-Test	[SELECT FROM: Organizational processes for access control to output devices; automated mechanisms supporting and/or implementing access control to output devices].

PE-05(01) ACCESS CONTROL FOR OUTPUT DEVICES | ACCESS TO OUTPUT BY AUTHORIZED INDIVIDUALS [WITHDRAWN: Incorporated into PE-05.]

PE-05(02) ACCESS CONTROL FOR OUTPUT DEVICES | LINK TO INDIVIDUAL IDENTITY **ASSESSMENT OBJECTIVE:** Determine if: PE-05(02) individual identity is linked to the receipt of output from output devices. POTENTIAL ASSESSMENT METHODS AND OBJECTS: [SELECT FROM: Physical and environmental protection policy; procedures PE-05(02)-Examine addressing physical access control; system design documentation; system configuration settings and associated documentation; list of output devices and associated outputs requiring physical access controls; physical access control logs or records for areas containing output devices and related outputs; system audit records; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records]. PE-05(02)-Interview [SELECT FROM: Organizational personnel with physical access control responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; system developers].

PE-05(02)	ACCESS CONTROL FOR OUTPUT DEVICES LINK TO INDIVIDUAL IDENTITY	
	PE-05(02)-Test	[SELECT FROM: Organizational processes for access control to output devices; automated mechanisms supporting and/or implementing access control to output devices].

PE-05(03)	ACCESS CONTROL FOR OUTPUT DEVICES MARKING OUTPUT DEVICES	
	[WITHDRAWN: Incorporated into PE-22.]	

PE-06	MONITORING PHYSICAL ACCESS		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	PE-06_ODP[01]	the frequency at which to review physical access logs is defined;	
	PE-06_ODP[02]	events or potential indication of events requiring physical access logs to be reviewed are defined;	
	PE-06a.	physical access to the facility where the system resides is monitored to detect and respond to physical security incidents;	
	PE-06b.[01]	physical access logs are reviewed <pe-06_odp[01] frequency="">;</pe-06_odp[01]>	
	PE-06b.[02]	physical access logs are reviewed upon occurrence of <pe-06_odp[02]< b=""> events>;</pe-06_odp[02]<>	
	PE-06c.[01]	results of reviews are coordinated with organizational incident response capabilities;	
	PE-06c.[02]	results of investigations are coordinated with organizational incident response capabilities.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-06-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access monitoring; physical access logs or records; physical access monitoring records; physical access log reviews; system security plan; other relevant documents or records].	
	PE-06-Interview	[SELECT FROM: Organizational personnel with physical access monitoring responsibilities; organizational personnel with incident response responsibilities; organizational personnel with information security responsibilities].	
	PE-06-Test	[SELECT FROM: Organizational processes for monitoring physical access; automated mechanisms supporting and/or implementing physical access monitoring; automated mechanisms supporting and/or implementing the review of physical access logs].	

PE-06(01)	MONITORING PHYSICAL ACCESS INTRUSION ALARMS AND SURVEILLANCE EQUIPMENT	
	ASSESSMENT OBJECT Determine if:	TIVE:
	PE-06(01)[01]	physical access to the facility where the system resides is monitored using physical intrusion alarms;
	PE-06(01)[02]	physical access to the facility where the system resides is monitored using physical surveillance equipment.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-06(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access monitoring; physical access logs or records; physical access monitoring records; physical access log reviews; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	PE-06(01)-Interview	[SELECT FROM: Organizational personnel with physical access monitoring responsibilities; organizational personnel with incident response responsibilities; organizational personnel with information security and privacy responsibilities].
	PE-06(01)-Test	[SELECT FROM: Organizational processes for monitoring physical intrusion alarms and surveillance equipment; automated mechanisms supporting and/or implementing physical access monitoring; automated mechanisms supporting and/or implementing physical intrusion alarms and surveillance equipment].

PE-06(02)	MONITORING PHYSICAL ACCESS AUTOMATED INTRUSION RECOGNITION AND RESPONSES	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-06(02)_ODP[01]	classes or types of intrusions to be recognized by automated mechanisms are defined;
	PE-06(02)_ODP[02]	response actions to be initiated by automated mechanisms when organization-defined classes or types of intrusions are recognized are defined;
	PE-06(02)_ODP[03]	automated mechanisms used to recognize classes or types of intrusions and initiate response actions (defined in PE-06(02)_ODP) are defined;
	PE-06(02)[01]	<pre><pe-06(02)_odp[01] classes="" intrusions="" of="" or="" types=""> are recognized;</pe-06(02)_odp[01]></pre>
	PE-06(02)[02]	<pre><pe-06(02)_odp[02] actions="" response=""> are initiated using <pe-06(02)_odp[03] automated="" mechanisms="">.</pe-06(02)_odp[03]></pe-06(02)_odp[02]></pre>

PE-06(02)	MONITORING PHYSICAL ACCESS AUTOMATED INTRUSION RECOGNITION AND RESPONSES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-06(02)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access monitoring; system design documentation; system configuration settings and associated documentation; system audit records; list of response actions to be initiated when specific classes/types of intrusions are recognized; system security plan; privacy plan; other relevant documents or records].
	PE-06(02)-Interview	[SELECT FROM: Organizational personnel with physical access monitoring responsibilities; organizational personnel with information security and privacy responsibilities].
	PE-06(02)-Test	[SELECT FROM: Organizational processes for monitoring physical access; automated mechanisms supporting and/or implementing physical access monitoring; automated mechanisms supporting and/or implementing recognition of classes/types of intrusions and initiation of a response].

PE-06(03)	MONITORING PHYSICAL ACCESS VIDEO SURVEILLANCE	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PE-06(03)_ODP[01]	operational areas where video surveillance is to be employed are defined;
	PE-06(03)_ODP[02]	frequency at which to review video recordings is defined;
	PE-06(03)_ODP[03]	time period for which to retain video recordings is defined;
	PE-06(03)(a)	video surveillance of <pe-06(03)_odp[01] areas="" operational=""></pe-06(03)_odp[01]> is employed;
	PE-06(03)(b)	video recording are reviewed <pe-06(03)_odp[02] frequency=""></pe-06(03)_odp[02]> ;
	PE-06(03)(c)	video recordings are retained for <pe-06(03)_odp[03] period="" time=""></pe-06(03)_odp[03]> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PE-06(03)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access monitoring; video surveillance equipment used to monitor operational areas; video recordings of operational areas where video surveillance is employed; video surveillance equipment logs or records; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	PE-06(03)-Interview	[SELECT FROM: Organizational personnel with physical access monitoring responsibilities; organizational personnel with information security and privacy responsibilities].
	PE-06(03)-Test	[SELECT FROM: Organizational processes for monitoring physical access; automated mechanisms supporting and/or implementing physical access monitoring; automated mechanisms supporting and/or implementing video surveillance].
		surveillance].

PE-06(04)	MONITORING PHYSICAL ACCESS MONITORING PHYSICAL ACCESS TO SYSTEMS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PE-06(04)_ODP	physical spaces containing one or more components of the system are defined;
	PE-06(04)	physical access to the system is monitored in addition to the physical access monitoring of the facility at <i>PE-06(04)_ODP physical spaces></i> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-06(04)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing physical access monitoring; physical access control logs or records; physical access control devices; access authorizations; access credentials; list of areas within the facility containing concentrations of system components or system components requiring additional physical access monitoring; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	PE-06(04)-Interview	[SELECT FROM: Organizational personnel with physical access monitoring responsibilities; organizational personnel with information security and privacy responsibilities].
	PE-06(04)-Test	[SELECT FROM: Organizational processes for monitoring physical access to the system; automated mechanisms supporting and/or implementing physical access monitoring for facility areas containing system components].

PE-07	VISITOR CONTROL	
[WITHDRAWN: Incorporated into PE-02, PE-03.]		

PE-08	VISITOR ACCESS RECORDS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-08_ODP[01]	time period for which to maintain visitor access records for the facility where the system resides is defined;
	PE-08_ODP[02]	the frequency at which to review visitor access records is defined;
	PE-08_ODP[03]	personnel to whom visitor access records anomalies are reported to is/are defined;
	PE-08a.	visitor access records for the facility where the system resides are maintained for < PE-08_ODP[01] time period> ;
	PE-08b.	visitor access records are reviewed < PE-08_ODP[02] frequency >;
	PE-08c.	visitor access records anomalies are reported to <i>PE-08_ODP[03]</i>

VISITOR ACCESS RECORDS	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
PE-08-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing visitor access records; visitor access control logs or records; visitor access record or log reviews; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
PE-08-Interview	[SELECT FROM: Organizational personnel with visitor access record responsibilities; organizational personnel with information security and privacy responsibilities].
PE-08-Test	[SELECT FROM: Organizational processes for maintaining and reviewing visitor access records; automated mechanisms supporting and/or implementing maintenance and review of visitor access records].
	POTENTIAL ASSES PE-08-Examine PE-08-Interview

PE-08(01)	VISITOR ACCESS RECORDS AUTOMATED RECORDS MAINTENANCE AND REVIEW	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PE-08(01)_ODP[01]	automated mechanisms used to maintain visitor access records are defined;
	PE-08(01)_ODP[02]	automated mechanisms used to review visitor access records are defined;
	PE-08(01)[01]	visitor access records are maintained using <pe-08(01)_odp[01]< b=""> automated mechanisms>;</pe-08(01)_odp[01]<>
	PE-08(01)[02]	visitor access records are reviewed using <pe-08(01)_odp[02]< b=""> automated mechanisms>.</pe-08(01)_odp[02]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-08(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing visitor access records; automated mechanisms supporting management of visitor access records; visitor access control logs or records; system security plan; privacy plan; other relevant documents or records].
	PE-08(01)-Interview	[SELECT FROM: Organizational personnel with visitor access record responsibilities; organizational personnel with information security and privacy responsibilities].
	PE-08(01)-Test	[SELECT FROM: Organizational processes for maintaining and reviewing visitor access records; automated mechanisms supporting and/or implementing maintenance and review of visitor access records].

PE-08(02)	VISITOR ACCESS RECORDS PHYSICAL ACCESS RECORDS
	[WITHDRAWN: Incorporated into PE-02.]

PE-08(03)	VISITOR ACCESS REC	ORDS LIMIT PERSONALLY IDENTIFIABLE INFORMATION ELEMENTS	
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-08(03)_ODP	elements identified in the privacy risk assessment to limit personally identifiable information contained in visitor access logs are defined;	
	PE-08(03)	personally identifiable information contained in visitor access records is limited to <pe-08(03)_odp elements=""></pe-08(03)_odp> identified in the privacy risk assessment.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-08(03)-Examine	[SELECT FROM: Physical and environmental protection policy; personally identifiable information processing policy; privacy risk assessment documentation; privacy impact assessment; visitor access records; personally identifiable information inventory; system security plan; privacy plan; other relevant documents or records].	
	PE-08(03)-Interview	[SELECT FROM: Organizational personnel with visitor access records responsibilities; organizational personnel with information security and privacy responsibilities].	
	PE-08(03)-Test	[SELECT FROM: Organizational processes for maintaining and reviewing visitor access records].	

PE-09	POWER EQUIPMENT AND CABLING		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-09[01]	power equipment for the system is protected from damage and destruction;	
	PE-09[02]	power cabling for the system is protected from damage and destruction.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-09-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing power equipment/cabling protection; facilities housing power equipment/cabling; system security plan; other relevant documents or records].	
	PE-09-Interview	[SELECT FROM: Organizational personnel with the responsibility to protect power equipment/cabling; organizational personnel with information security responsibilities].	
	PE-09-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing protection of power equipment/cabling].	

PE-09(01)	POWER EQUIPMENT AND CABLING REDUNDANT CABLING	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-09(01)_ODP	distance by which redundant power cabling paths are to be physically separated is defined;
	PE-09(01)	redundant power cabling paths that are physically separated by <pre><pe-09(01)_odp distance=""> are employed.</pe-09(01)_odp></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	PE-09(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing power equipment/cabling protection; facilities housing power equipment/cabling; system security plan; other relevant documents or records].
	PE-09(01)-Interview	[SELECT FROM: Organizational personnel with the responsibility to protect power equipment/cabling; organizational personnel with information security responsibilities].
	PE-09(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing protection of power equipment/cabling].
	1	

PE-09(02)	POWER EQUIPMENT AND CABLING AUTOMATIC VOLTAGE CONTROLS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-09(02)_ODP	the critical system components that require automatic voltage controls are defined;	
	PE-09(02)	automatic voltage controls for <pe-09(02)_odp components="" critical="" system=""></pe-09(02)_odp> are employed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-09(02)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing voltage control; security plan; list of critical system components requiring automatic voltage controls; automatic voltage control mechanisms and associated configurations; system security plan; other relevant documents or records].	
	PE-09(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for environmental protection of system components; organizational personnel with information security responsibilities].	
	PE-09(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing automatic voltage controls].	

PE-10	EMERGENCY SHUTOFF		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-10_ODP[01]	system or individual system components that require the capability to shut off power in emergency situations is/are defined;	
	PE-10_ODP[02]	location of emergency shutoff switches or devices by system or system component are defined;	
	PE-10(a)	the capability to shut off power to <pe-10_odp[01] b="" individual<="" or="" system=""> system components> in emergency situations is provided;</pe-10_odp[01]>	
	PE-10(b)	emergency shutoff switches or devices are placed in <i>PE-10_ODP[02]</i> <i>location></i> to facilitate access for authorized personnel;	
	PE-10(c)	the emergency power shutoff capability is protected from unauthorized activation.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-10-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing power source emergency shutoff; emergency shutoff controls or switches; locations housing emergency shutoff switches and devices; security safeguards protecting the emergency power shutoff capability from unauthorized activation; system security plan; other relevant documents or records].	
	PE-10-Interview	[SELECT FROM: Organizational personnel with the responsibility for the emergency power shutoff capability (both implementing and using the capability); organizational personnel with information security responsibilities].	
	PE-10-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing emergency power shutoff].	

PE-10(01) EMERGENCY SHUTOFF | ACCIDENTAL AND UNAUTHORIZED ACTIVATION

[WITHDRAWN: Incorporated into PE-10.]

PE-11	EMERGENCY POWER	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-11_ODP	one of the following PARAMETER VALUES is selected: {an orderly shutdown of the system; transition of the system to long-term alternate power};
	PE-11	an uninterruptible power supply is provided to facilitate <i>PE-11_ODP</i> SELECTED PARAMETER VALUE > in the event of a primary power source loss.

PE-11	EMERGENCY POWER	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-11-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing emergency power; uninterruptible power supply; uninterruptible power supply documentation; uninterruptible power supply test records; system security plan; other relevant documents or records].
	PE-11-Interview	[SELECT FROM: Organizational personnel with the responsibility for emergency power and/or planning; organizational personnel with information security responsibilities].
	PE-11-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing uninterruptible power supply; the uninterruptable power supply].

PE-11(01)	EMERGENCY POWER ALTERNATE POWER SUPPLY — MINIMAL OPERATIONAL CAPABILITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-11(01)_ODP	one of the following PARAMETER VALUES is selected: {manually; automatically};
	PE-11(01)[01]	an alternate power supply provided for the system is activated <pe-11(01)_odp parameter="" selected="" value="">;</pe-11(01)_odp>
	PE-11(01)[02]	the alternate power supply provided for the system can maintain minimally required operational capability in the event of an extended loss of the primary power source.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-11(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing emergency power; alternate power supply; alternate power supply documentation; alternate power supply test records; system security plan; other relevant documents or records].
	PE-11(01)-Interview	[SELECT FROM: Organizational personnel with the responsibility for emergency power and/or planning; organizational personnel with information security responsibilities].
	PE-11(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing alternate power supply; the alternate power supply].

PE-11(02)	EMERGENCY POWER ALTERNATE POWER SUPPLY — SELF-CONTAINED	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-11(02)_ODP[01]	one of the following PARAMETER VALUES is selected: {manually; automatically};

PE-11(02)	EMERGENCY POWER ALTERNATE POWER SUPPLY — SELF-CONTAINED	
	PE-11(02)_ODP[02]	one of the following PARAMETER VALUES is selected: {minimally required operational capability; full operational capability};
	PE-11(02)	an alternate power supply provided for the system is activated <pe-11(02)_odp[01] parameter="" selected="" value="">;</pe-11(02)_odp[01]>
	PE-11(02)(a)	the alternate power supply provided for the system is self-contained;
	PE-11(02)(b)	the alternate power supply provided for the system is not reliant on external power generation;
	PE-11(02)(c)	the alternate power supply provided for the system is capable of maintaining <i>PE-11(02)_ODP[02] SELECTED PARAMETER VALUE></i> in the event of an extended loss of the primary power source.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	PE-11(02)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing emergency power; alternate power supply; alternate power supply documentation; alternate power supply test records; system security plan; other relevant documents or records].
	PE-11(02)-Interview	[SELECT FROM: Organizational personnel with the responsibility for emergency power and/or planning; organizational personnel with information security responsibilities].
	PE-11(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing alternate power supply; the alternate power supply].

PE-12	EMERGENCY LIGHTING		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-12[01]	automatic emergency lighting that activates in the event of a power outage or disruption is employed for the system;	
	PE-12[02]	automatic emergency lighting that activates in the event of a power outage or disruption is maintained for the system;	
	PE-12[03]	automatic emergency lighting for the system covers emergency exits within the facility;	
	PE-12[04]	automatic emergency lighting for the system covers evacuation routes within the facility.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-12-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing emergency lighting; emergency lighting documentation; emergency lighting test records; emergency exits and evacuation routes; system security plan; other relevant documents or records].	

PE-12	EMERGENCY LIGHTING	
	PE-12-Interview	[SELECT FROM: Organizational personnel with the responsibility for emergency lighting and/or planning; organizational personnel with information security responsibilities].
	PE-12-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the emergency lighting capability].

PE-12(01)	EMERGENCY LIGHTING ESSENTIAL MISSION AND BUSINESS FUNCTIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-12(01)	emergency lighting is provided for all areas within the facility supporting essential mission and business functions.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-12(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing emergency lighting; emergency lighting documentation; emergency lighting test records; emergency exits and evacuation routes; areas/locations within facility supporting essential missions and business functions; system security plan; other relevant documents or records].	
	PE-12(01)-Interview	[SELECT FROM: Organizational personnel with the responsibility for emergency lighting and/or planning; organizational personnel with information security responsibilities].	
	PE-12(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the emergency lighting capability].	

PE-13	FIRE PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-13[01]	fire detection systems are employed by an independent energy source;
	PE-13[02]	fire detection systems are maintained by an independent energy source;
	PE-13[03]	fire suppression systems are employed by an independent energy source;
	PE-13[04]	fire suppression systems are maintained by an independent energy source.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	PE-13-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing fire protection; fire suppression and detection devices/systems; fire suppression and detection devices/systems documentation; test records of fire suppression and detection devices/systems; system security plan; other relevant documents or records].

PE-13	FIRE PROTECTION	
	PE-13-Interview	[SELECT FROM: Organizational personnel with responsibilities for fire detection and suppression devices/systems; organizational personnel with information security responsibilities].
	PE-13-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing fire suppression/detection devices/systems].

PE-13(01)	FIRE PROTECTION DETECTION SYSTEMS — AUTOMATIC ACTIVATION AND NOTIFICATION		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	PE-13(01)_ODP[01]	personnel or roles to be notified in the event of a fire is/are defined;	
	PE-13(01)_ODP[02]	emergency responders to be notified in the event of a fire are defined;	
	PE-13(01)[01]	fire detection systems that activate automatically are employed in the event of a fire;	
	PE-13(01)[02]	fire detection systems that notify <i>PE-13(01)_ODP[01]</i> personnel or roles> automatically are employed in the event of a fire;	
	PE-13(01)[03]	fire detection systems that notify <i>PE-13(01)_ODP[02] emergency</i> <i>responders></i> automatically are employed in the event of a fire.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-13(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing fire protection; facility housing the information system; alarm service-level agreements; test records of fire suppression and detection devices/systems; fire suppression and detection devices/systems documentation; alerts/notifications of fire events; system security plan; other relevant documents or records].	
	PE-13(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for fire detection and suppression devices/systems; organizational personnel with responsibilities for notifying appropriate personnel, roles, and emergency responders of fires; organizational personnel with information security responsibilities].	
	PE-13(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing fire detection devices/systems; activation of fire detection devices/systems (simulated); automated notifications].	

PE-13(02) FIRE PROTECTION | SUPPRESSION SYSTEMS - AUTOMATIC ACTIVATION AND NOTIFICATION ASSESSMENT OBJECTIVE: Determine if: Petronne if: PE-13(02)_ODP[01] personnel or roles to be notified in the event of a fire is/are defined;

PE-13(02)	FIRE PROTECTION SUPPRESSION SYSTEMS — AUTOMATIC ACTIVATION AND NOTIFICATION		
	PE-13(02)_ODP[02]	emergency responders to be notified in the event of a fire are defined;	
	PE-13(02)(a)[01]	fire suppression systems that activate automatically are employed;	
	PE-13(02)(a)[02]	fire suppression systems that notify <pe-13(02)_odp[01] b="" or<="" personnel=""> <i>roles></i> automatically are employed;</pe-13(02)_odp[01]>	
	PE-13(02)(a)[03]	fire suppression systems that notify < PE-13(02)_ODP[02] emergency responders> automatically are employed;	
	PE-13(02)(b)	an automatic fire suppression capability is employed when the facility is not staffed on a continuous basis.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-13(02)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing fire protection; fire suppression and detection devices/systems documentation; facility housing the system; alarm service-level agreements; test records of fire suppression and detection devices/systems; system security plan; other relevant documents or records].	
	PE-13(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for fire detection and suppression devices/systems; organizational personnel with responsibilities for providing automatic notifications of any activation of fire suppression devices/systems to appropriate personnel, roles, and emergency responders; organizational personnel with information security responsibilities].	
	PE-13(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing fire suppression devices/systems; activation of fire suppression devices/ systems (simulated); automated notifications].	

PE-13(03) FIRE PROTECTION | AUTOMATIC FIRE SUPPRESSION

[WITHDRAWN: Incorporated into PE-13(02).]

PE-13(04)	FIRE PROTECTION INSPECTIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-13(04)_ODP[01]	the frequency for conducting fire protection inspections on the facility is defined;
	PE-13(04)_ODP[02]	a time period for resolving deficiencies identified by fire protection inspections is defined;
	PE-13(04)[01]	the facility undergoes fire protection inspections <i>PE-13(04)_ODP[01]</i> <i>frequency></i> by authorized and qualified inspectors;

PE-13(04)	FIRE PROTECTION INSPECTIONS		
	PE-13(04)[02]	the identified deficiencies from fire protection inspections are resolved within <i>PE-13(04)_ODP[02] time period></i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-13(04)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing fire protection; facility housing the system; inspection plans; inspection results; inspect reports; test records of fire suppression and detection devices/systems; system security plan; other relevant documents or records].	
	PE-13(04)-Interview	[SELECT FROM: Organizational personnel with responsibilities for planning, approving, and executing fire inspections; organizational personnel with information security responsibilities].	

PE-14	ENVIRONMENTAL CONTROLS		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	PE-14_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {temperature; humidity; pressure; radiation; <pe-14_odp[02] environmental control>};</pe-14_odp[02] 	
	PE-14_ODP[02]	environmental control levels to be maintained in the facility where the system resides are defined (if selected);	
	PE-14_ODP[03]	acceptable levels for environmental controls are defined;	
	PE-14_ODP[04]	frequency at which to monitor environmental control levels is defined;	
	PE-14a.	PE-14_ODP[01] SELECTED PARAMETER VALUE(S)> levels are maintained at PE-14_ODP[03] acceptable levels> within the facility where the system resides;	
	PE-14b.	environmental control levels are monitored <pe-14_odp[04] frequency="">.</pe-14_odp[04]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-14-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing temperature and humidity control; temperature and humidity controls; facility housing the system; temperature and humidity controls documentation; temperature and humidity records; system security plan; other relevant documents or records].	
	PE-14-Interview	[SELECT FROM: Organizational personnel with responsibilities for system environmental controls; organizational personnel with information security responsibilities].	
	PE-14-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the maintenance and monitoring of temperature and humidity levels].	

PE-14(01)	ENVIRONMENTAL CONTROLS AUTOMATIC CONTROLS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-14(01)_ODP	automatic environmental controls to prevent fluctuations that are potentially harmful to the system are defined;
	PE-14(01)	<pe-14(01)_odp automatic="" controls="" environmental=""> are employed in the facility to prevent fluctuations that are potentially harmful to the system.</pe-14(01)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-14(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing temperature and humidity controls; facility housing the system; automated mechanisms for temperature and humidity; temperature and humidity controls; temperature and humidity documentation; system security plan; other relevant documents or records].
	PE-14(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for system environmental controls; organizational personnel with information security responsibilities].
	PE-14(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing temperature and humidity levels].

ENVIRONMENTAL CONTROLS MONITORING WITH ALARMS AND NOTIFICATIONS	
ASSESSMENT OBJECT Determine if:	TIVE:
PE-14(02)_ODP	personnel or roles to be notified by environmental control monitoring when environmental changes are potentially harmful to personnel or equipment is/are defined;
PE-14(02)[01]	environmental control monitoring is employed;
PE-14(02)[02]	the environmental control monitoring capability provides an alarm or notification to <i>PE-14(02)_ODP personnel or roles></i> when changes are potentially harmful to personnel or equipment.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
PE-14(02)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing temperature and humidity monitoring; facility housing the system; logs or records of temperature and humidity monitoring; records of changes to temperature and humidity levels that generate alarms or notifications; system security plan; other relevant documents or records].
PE-14(02)-Interview	[SELECT FROM: Organizational personnel with responsibilities for system environmental controls; organizational personnel with information security responsibilities].
PE-14(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing temperature and humidity monitoring].
	ASSESSMENT OBJECT Determine if: PE-14(02)_ODP PE-14(02)[01] PE-14(02)[02] POTENTIAL ASSESSM PE-14(02)-Examine PE-14(02)-Interview

PE-15	WATER DAMAGE PROTECTION		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	PE-15[01]	the system is protected from damage resulting from water leakage by providing master shutoff or isolation valves;	
	PE-15[02]	the master shutoff or isolation valves are accessible;	
	PE-15[03]	the master shutoff or isolation valves are working properly;	
	PE-15[04]	the master shutoff or isolation valves are known to key personnel.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-15-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing water damage protection; facility housing the system; master shutoff valves; list of key personnel with knowledge of location and activation procedures for master shutoff valves for the plumbing system; master shutoff valve documentation; system security plan; other relevant documents or records].	
	PE-15-Interview	[SELECT FROM: Organizational personnel with responsibilities for system environmental controls; organizational personnel with information security responsibilities].	
	PE-15-Test	[SELECT FROM: Master water-shutoff valves; organizational process for activating master water shutoff].	

PE-15(01)	WATER DAMAGE PROTECTION AUTOMATION SUPPORT	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	PE-15(01)_ODP[01]	personnel or roles to be alerted when the presence of water is detected near the system is/are defined;
	PE-15(01)_ODP[02]	automated mechanisms used to detect the presence of water near the system are defined;
	PE-15(01)[01]	the presence of water near the system can be detected automatically;
	PE-15(01)[02]	<pe-15(01)_odp[01] or="" personnel="" roles=""> is/are alerted using <pe-15(01)_odp[02] automated="" mechanisms="">.</pe-15(01)_odp[02]></pe-15(01)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-15(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing water damage protection; facility housing the system; automated mechanisms for water shutoff valves; automated mechanisms for detecting the presence of water in the vicinity of the system; alerts/notifications of water detection in system facility; system security plan; other relevant documents or records].

PE-15(01)	WATER DAMAGE PROTECTION AUTOMATION SUPPORT	
	PE-15(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for system environmental controls; organizational personnel with information security responsibilities].
	PE-15(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing water detection capabilities and alerts for the system].

Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
PE-16_ODP[01]	types of system components to be authorized and controlled when entering the facility are defined;	
PE-16_ODP[02]	types of system components to be authorized and controlled when exiting the facility are defined;	
PE-16a.[01]	<pre><pe-16_odp[01] components="" of="" system="" types=""> are authorized when entering the facility;</pe-16_odp[01]></pre>	
PE-16a.[02]	<pre><pe-16_odp[01] components="" of="" system="" types=""> are controlled when entering the facility;</pe-16_odp[01]></pre>	
PE-16a.[03]	<pre><pe-16_odp[02] components="" of="" system="" types=""> are authorized when exiting the facility;</pe-16_odp[02]></pre>	
PE-16a.[04]	<pre><pe-16_odp[02] components="" of="" system="" types=""> are controlled when exiting the facility;</pe-16_odp[02]></pre>	
PE-16b.	records of the system components are maintained.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PE-16-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing the delivery and removal of system components from the facility; facility housing the system; records of items entering and exiting the facility; system security plan; other relevant documents or records].	
PE-16-Interview	[SELECT FROM: Organizational personnel with responsibilities for controlling system components entering and exiting the facility; organizational personnel with information security responsibilities].	
PE-16-Test	[SELECT FROM: Organizational process for authorizing, monitoring, and controlling system-related items entering and exiting the facility; automated mechanisms supporting and/or implementing, authorizing, monitoring, and controlling system-related items entering and exiting the facility].	

PE-17	ALTERNATE WORK SITE	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-17_ODP[01]	alternate work sites allowed for use by employees are defined;
	PE-17_ODP[02]	controls to be employed at alternate work sites are defined;
	PE-17a.	<pe-17_odp[01] alternate="" sites="" work=""> are determined and documented;</pe-17_odp[01]>
	PE-17b.	PE-17_ODP[02] controls> are employed at alternate work sites;
	PE-17c.	the effectiveness of controls at alternate work sites is assessed;
	PE-17d.	a means for employees to communicate with information security and privacy personnel in case of incidents is provided.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PE-17-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing alternate work sites for organizational personnel; list of security controls required for alternate work sites; assessments of security controls at alternate work sites; system security plan; privacy plan; other relevant documents or records].
	PE-17-Interview	[SELECT FROM: Organizational personnel approving the use of alternate work sites; organizational personnel using alternate work sites; organizational personnel assessing controls at alternate work sites; organizational personnel with information security and privacy responsibilities].
	PE-17-Test	[SELECT FROM: Organizational processes for security and privacy at alternate work sites; automated mechanisms supporting alternate work sites; security and privacy controls employed at alternate work sites; means of communication between personnel at alternate work sites and security and privacy personnel].

PE-18	LOCATION OF SYSTEM COMPONENTS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	PE-18_ODP	physical and environmental hazards that could result in potential damage to system components within the facility are defined;
	PE-18	system components are positioned within the facility to minimize potential damage from <i>PE-18_ODP physical and environmental hazards></i> and to minimize the opportunity for unauthorized access.

PE-18	LOCATION OF SYSTEM COMPONENTS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-18-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing the positioning of system components; documentation providing the location and position of system components within the facility; locations housing system components within the facility; list of physical and environmental hazards with the potential to damage system components within the facility; system security plan; other relevant documents or records].
	PE-18-Interview	[SELECT FROM: Organizational personnel with responsibilities for positioning system components; organizational personnel with information security responsibilities].
	PE-18-Test	[SELECT FROM: Organizational processes for positioning system components].

PE-18(01)	LOCATION OF SYSTEM COMPONENTS FACILITY SITE
	[WITHDRAWN: Moved to PE-23.]

INFORMATION LEAKAGE	
ASSESSMENT OBJECTIVE: Determine if:	
PE-19	the system is protected from information leakage due to electromagnetic signal emanations.
POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
PE-19-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing information leakage due to electromagnetic signal emanations; mechanisms protecting the system against electronic signal emanations; facility housing the system; records from electromagnetic signal emanation tests; system security plan; other relevant documents or records].
PE-19-Interview	[SELECT FROM: Organizational personnel with responsibilities for system environmental controls; organizational personnel with information security responsibilities].
PE-19-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing protection from information leakage due to electromagnetic signal emanations].
	ASSESSMENT OBJECT Determine if: PE-19 POTENTIAL ASSESSIV PE-19-Examine PE-19-Interview

PE-19(01)	INFORMATION LEAKAGE NATIONAL EMISSIONS POLICIES AND PROCEDURES		
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	PE-19(01)[01]	system components are protected in accordance with national emissions security policies and procedures based on the security category or classification of the information;	
	PE-19(01)[02]	associated data communications are protected in accordance with national emissions security policies and procedures based on the security category or classification of the information;	
	PE-19(01)[03]	networks are protected in accordance with national emissions security policies and procedures based on the security category or classification of the information.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-19(01)-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing information leakage that comply with national emissions and TEMPEST policies and procedures; system component design documentation; system configuration settings and associated documentation system security plan; other relevant documents or records].	
	PE-19(01)-Interview	[SELECT FROM: Organizational personnel with responsibilities for system environmental controls; organizational personnel with information security responsibilities].	
	PE-19(01)-Test	[SELECT FROM: Information system components for compliance with national emissions and TEMPEST policies and procedures].	

PE-20	ASSET MONITORING AND TRACKING	
	ASSESSMENT OBJECTIVE: Determine if:	
	PE-20_ODP[01]	asset location technologies to be employed to track and monitor the location and movement of assets is defined;
	PE-20_ODP[02]	assets whose location and movement are to be tracked and monitored are defined;
	PE-20_ODP[03]	controlled areas within which asset location and movement are to be tracked and monitored are defined;
	PE-20	<pe-20_odp[01] asset="" location="" technologies=""> are employed to track and monitor the location and movement of <pe-20_odp[02] assets=""> within <pe-20_odp[03] areas="" controlled="">.</pe-20_odp[03]></pe-20_odp[02]></pe-20_odp[01]>

PE-20	ASSET MONITORING AND TRACKING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PE-20-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing asset monitoring and tracking; documentation showing the use of asset location technologies; system configuration documentation; list of organizational assets requiring tracking and monitoring; asset monitoring and tracking records; system security plan; privacy plan; other relevant documents or records].
	PE-20-Interview	[SELECT FROM: Organizational personnel with asset monitoring and tracking responsibilities; legal counsel; organizational personnel with information security and privacy responsibilities].
	PE-20-Test	[SELECT FROM: Organizational processes for tracking and monitoring assets; automated mechanisms supporting and/or implementing the tracking and monitoring of assets].

PE-21	ELECTROMAGNETIC	ELECTROMAGNETIC PULSE PROTECTION	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	PE-21_ODP[01]	protective measures to be employed against electromagnetic pulse damage are defined;	
	PE-21_ODP[02]	system and system components requiring protection against electromagnetic pulse damage are defined;	
	PE-21	PE-21_ODP[01] protective measures> are employed against electromagnetic pulse damage for PE-21_ODP[02] system and system components>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-21-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing protective measures to mitigate EMP risk to systems and components; documentation detailing protective measures to mitigate EMP risk; list of locations where protective measures to mitigate EMP risk are implemented; system security plan; other relevant documents or records].	
	PE-21-Interview	[SELECT FROM: Organizational personnel with responsibilities for physical and environmental protection; system developers/integrators; organizational personnel with information security responsibilities].	
	PE-21-Test	[SELECT FROM: Mechanisms for mitigating EMP risk].	

PE-22	COMPONENT MARKING		
	ASSESSMENT OBJECTIVE: Determine if:		
	PE-22_ODP	system hardware components to be marked indicating the impact level or classification level of the information permitted to be processed, stored, or transmitted by the hardware component are defined;	
	PE-22	PE-22_ODP system hardware components > are marked indicating the impact level or classification level of the information permitted to be processed, stored, or transmitted by the hardware component.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PE-22-Examine	[SELECT FROM: Physical and environmental protection policy; procedures addressing component marking; list of component marking security attributes; component inventory; information types and their impact/ classification level; system security plan; other relevant documents or records].	
	PE-22-Interview	[SELECT FROM: Organizational personnel with component marking responsibilities; organizational personnel with component inventory responsibilities; organizational personnel with information categorization/ classification responsibilities; organizational personnel with information security responsibilities].	
	PE-22-Test	[SELECT FROM: Organizational processes for component marking; automated mechanisms supporting and/or implementing component marking].	

PE-23 FACILITY	FACILITY LOCATION	
	ASSESSMENT OBJECTIVE: Determine if:	
PE-23a.		the location or site of the facility where the system resides is planned considering physical and environmental hazards;
PE-23b.		for existing facilities, physical and environmental hazards are considered in the organizational risk management strategy.
POTENT	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
PE-23-Ex	amine	[SELECT FROM: Physical and environmental protection policy; physical site planning documents; organizational assessment of risk; contingency plan; risk mitigation strategy documentation; system security plan; other relevant documents or records].
PE-23-Int	terview	[SELECT FROM: Organizational personnel with site selection responsibilities for the facility housing the system; organizational personnel with risk mitigation responsibilities; organizational personnel with information security responsibilities].
РЕ-23-Те	st	[SELECT FROM: Organizational processes for site planning].

4.12 PLANNING

PL-01	POLICY AND PROCEE	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	PL-01_ODP[01]	personnel or roles to whom the planning policy is to be disseminated is/are defined;
	PL-01_ODP[02]	personnel or roles to whom the planning procedures are to be disseminated is/are defined;
	PL-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	PL-01_ODP[04]	an official to manage the planning policy and procedures is defined;
	PL-01_ODP[05]	the frequency with which the current planning policy is reviewed and updated is defined;
	PL-01_ODP[06]	events that would require the current planning policy to be reviewed and updated are defined;
	PL-01_ODP[07]	the frequency with which the current planning procedures are reviewed and updated is defined;
	PL-01_ODP[08]	events that would require procedures to be reviewed and updated are defined;
	PL-01a.[01]	a planning policy is developed and documented.
	PL-01a.[02]	the planning policy is disseminated to < PL-01_ODP[01] personnel or roles >;
	PL-01a.[03]	planning procedures to facilitate the implementation of the planning policy and associated planning controls are developed and documented;
	PL-01a.[04]	the planning procedures are disseminated to < PL-01_ODP[02] personnel or roles> ;
	PL-01a.01(a)[01]	the < PL-01_ODP[03] SELECTED PARAMETER VALUE(S) > planning policy addresses purpose;
	PL-01a.01(a)[02]	the < PL-01_ODP[03] SELECTED PARAMETER VALUE(S) > planning policy addresses scope;
	PL-01a.01(a)[03]	the < PL-01_ODP[03] SELECTED PARAMETER VALUE(S) > planning policy addresses roles;
	PL-01a.01(a)[04]	the < PL-01_ODP[03] SELECTED PARAMETER VALUE(S) > planning policy addresses responsibilities;
	PL-01a.01(a)[05]	the < PL-01_ODP[03] SELECTED PARAMETER VALUE(S) > planning policy addresses management commitment;
	PL-01a.01(a)[06]	the <pl-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> planning policy addresses coordination among organizational entities;</pl-01_odp[03]<>

POLICY AND PROC	POLICY AND PROCEDURES	
PL-01a.01(a)[07]	the < PL-01_ODP[03] SELECTED PARAMETER VALUE(S) > planning policy addresses compliance;	
PL-01a.01(b)	the < PL-01_ODP[03] SELECTED PARAMETER VALUE(S)> planning policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
PL-01b.	the <pl-01_odp[04] official=""></pl-01_odp[04]> is designated to manage the development, documentation, and dissemination of the planning policy and procedures;	
PL-01c.01[01]	the current planning policy is reviewed and updated <pl-01_odp[05]< b=""> frequency>;</pl-01_odp[05]<>	
PL-01c.01[02]	the current planning policy is reviewed and updated following <pre><pl-01_odp[06] events="">;</pl-01_odp[06]></pre>	
PL-01c.02[01]	the current planning procedures are reviewed and updated <pl-01_odp[07< b="">] frequency>;</pl-01_odp[07<>	
PL-01c.02[02]	the current planning procedures are reviewed and updated following <i><pl-01_odp[08] events=""></pl-01_odp[08]></i> .	
POTENTIAL ASSES	SMENT METHODS AND OBJECTS:	
PL-01-Examine	[SELECT FROM: Planning policy and procedures; system security plan; privacy plan; other relevant documents or records].	
PL-01-Interview	[SELECT FROM: Organizational personnel with planning responsibilities; organizational personnel with information security and privacy responsibilities].	

PL-02	SYSTEM SECURITY AND PRIVACY PLANS	
	ASSESSMENT OBJECT Determine if:	TIVE:
	PL-02_ODP[01]	individuals or groups with whom security and privacy-related activities affecting the system that require planning and coordination is/are assigned;
	PL-02_ODP[02]	personnel or roles for distributed copies of the system security and privacy plans is/are assigned;
	PL-02_ODP[03]	frequency to review system security and privacy plans is defined;
	PL-02a.01[01]	a security plan for the system is developed that is consistent with the organization's enterprise architecture;
	PL-02a.01[02]	a privacy plan for the system is developed that is consistent with the organization's enterprise architecture;
	PL-02a.02[01]	a security plan for the system is developed that explicitly defines the constituent system components;

PL-02	SYSTEM SECURITY A	ND PRIVACY PLANS
	PL-02a.02[02]	a privacy plan for the system is developed that explicitly defines the constituent system components;
	PL-02a.03[01]	a security plan for the system is developed that describes the operational context of the system in terms of mission and business processes;
	PL-02a.03[02]	a privacy plan for the system is developed that describes the operational context of the system in terms of mission and business processes;
	PL-02a.04[01]	a security plan for the system is developed that identifies the individuals that fulfill system roles and responsibilities;
	PL-02a.04[02]	a privacy plan for the system is developed that identifies the individuals that fulfill system roles and responsibilities;
	PL-02a.05[01]	a security plan for the system is developed that identifies the information types processed, stored, and transmitted by the system;
	PL-02a.05[02]	a privacy plan for the system is developed that identifies the information types processed, stored, and transmitted by the system;
	PL-02a.06[01]	a security plan for the system is developed that provides the security categorization of the system, including supporting rationale;
	PL-02a.06[02]	a privacy plan for the system is developed that provides the security categorization of the system, including supporting rationale;
	PL-02a.07[01]	a security plan for the system is developed that describes any specific threats to the system that are of concern to the organization;
	PL-02a.07[02]	a privacy plan for the system is developed that describes any specific threats to the system that are of concern to the organization;
	PL-02a.08[01]	a security plan for the system is developed that provides the results of a privacy risk assessment for systems processing personally identifiable information;
	PL-02a.08[02]	a privacy plan for the system is developed that provides the results of a privacy risk assessment for systems processing personally identifiable information;
	PL-02a.09[01]	a security plan for the system is developed that describes the operational environment for the system and any dependencies on or connections to other systems or system components;
	PL-02a.09[02]	a privacy plan for the system is developed that describes the operational environment for the system and any dependencies on or connections to other systems or system components;
	PL-02a.10[01]	a security plan for the system is developed that provides an overview of the security requirements for the system;
	PL-02a.10[02]	a privacy plan for the system is developed that provides an overview of the privacy requirements for the system;
	PL-02a.11[01]	a security plan for the system is developed that identifies any relevant control baselines or overlays, if applicable;

PL-02	SYSTEM SECURITY AI	ND PRIVACY PLANS
	PL-02a.11[02]	a privacy plan for the system is developed that identifies any relevant control baselines or overlays, if applicable;
	PL-02a.12[01]	a security plan for the system is developed that describes the controls in place or planned for meeting the security requirements, including rationale for any tailoring decisions;
	PL-02a.12[02]	a privacy plan for the system is developed that describes the controls in place or planned for meeting the privacy requirements, including rationale for any tailoring decisions;
	PL-02a.13[01]	a security plan for the system is developed that includes risk determinations for security architecture and design decisions;
	PL-02a.13[02]	a privacy plan for the system is developed that includes risk determinations for privacy architecture and design decisions;
	PL-02a.14[01]	a security plan for the system is developed that includes security-related activities affecting the system that require planning and coordination with < <i>PL-02_ODP[01] individuals or groups></i> ;
	PL-02a.14[02]	a privacy plan for the system is developed that includes privacy-related activities affecting the system that require planning and coordination with < PL-02_ODP[01] individuals or groups> ;
	PL-02a.15[01]	a security plan for the system is developed that is reviewed and approved by the authorizing official or designated representative prior to plan implementation;
	PL-02a.15[02]	a privacy plan for the system is developed that is reviewed and approved by the authorizing official or designated representative prior to plan implementation.
	PL-02b.[01]	copies of the plans were distributed to < PL-02_ODP[02] personnel or roles>;
	PL-02b.[02]	subsequent changes to the plans are communicated to < PL-02_ODP[02] personnel or roles>;
	PL-02c.	plans are reviewed <pl-02_odp[03] frequency="">;</pl-02_odp[03]>
	PL-02d.[01]	plans are updated to address changes to the system and environment of operations;
	PL-02d.[02]	plans are updated to address problems identified during the plan implementation;
	PL-02d.[03]	plans are updated to address problems identified during control assessments;
	PL-02e.	plans are protected from unauthorized disclosure and modification.

SYSTEM SECURITY AND PRIVACY PLANS	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
PL-02-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing system security and privacy plan development and implementation; procedures addressing security and privacy plan reviews and updates; enterprise architecture documentation; system security plan; privacy plan; records of system security and privacy plan reviews and updates; security and privacy architecture and design documentation; risk assessments; risk assessment results; control assessment documentation; other relevant documents or records].
PL-02-Interview	[SELECT FROM: Organizational personnel with system security and privacy planning and plan implementation responsibilities; system developers; organizational personnel with information security and privacy responsibilities].
PL-02-Test	[SELECT FROM: Organizational processes for system security and privacy plan development, review, update, and approval; automated mechanisms supporting the system security and privacy plan].
	PL-02-Examine PL-02-Interview

PL-02(01)	SYSTEM SECURITY AND PRIVACY PLANS CONCEPT OF OPERATIONS	
	[WITHDRAWN: Incorporated into PL-07.]	

PL-02(02)	SYSTEM SECURITY AND PRIVACY PLANS FUNCTIONAL ARCHITECTURE	
	[WITHDRAWN: Incorporated into PL-08.]	

PL-02(03)	SYSTEM SECURITY AND PRIVACY PLANS PLAN AND COORDINATE WITH OTHER ORGANIZATIONAL ENTITIES	
	[WITHDRAWN: Incorporated into PL-02.]	

PL-03	SYSTEM SECURITY PLAN UPDATE	
	[WITHDRAWN: Incorporated into PL-02.]	

PL-04	RULES OF BEHAVIOR	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PL-04_ODP[01]	frequency for reviewing and updating the rules of behavior is defined;
	PL-04_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: { <pl-04_odp[03] frequency="">; when the rules are revised or updated};</pl-04_odp[03]>
	PL-04_ODP[03]	frequency for individuals to read and re-acknowledge the rules of behavior is defined (if selected);
	PL-04a.[01]	rules that describe responsibilities and expected behavior for information and system usage, security, and privacy are established for individuals requiring access to the system;
	PL-04a.[02]	rules that describe responsibilities and expected behavior for information and system usage, security, and privacy are provided to individuals requiring access to the system;
	PL-04b.	before authorizing access to information and the system, a documented acknowledgement from such individuals indicating that they have read, understand, and agree to abide by the rules of behavior is received;
	PL-04c.	rules of behavior are reviewed and updated <pl-04_odp[01] frequency="">;</pl-04_odp[01]>
	PL-04d.	individuals who have acknowledged a previous version of the rules of behavior are required to read and reacknowledge <pl-04_odp[02]< b=""> SELECTED PARAMETER VALUE(S)>.</pl-04_odp[02]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PL-04-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing rules of behavior for system users; rules of behavior; signed acknowledgements; records for rules of behavior reviews and updates; other relevant documents or records].
	PL-04-Interview	[SELECT FROM: Organizational personnel with responsibility for establishing, reviewing, and updating rules of behavior; organizational personnel with responsibility for literacy training and awareness and role-based training; organizational personnel who are authorized users of the system and have signed and resigned rules of behavior; organizational personnel with information security and privacy responsibilities].
	PL-04-Test	[SELECT FROM: Organizational processes for establishing, reviewing, disseminating, and updating rules of behavior; automated mechanisms supporting and/or implementing the establishment, review, dissemination, and update of rules of behavior].

PL-04(01)	RULES OF BEHAVIOR SOCIAL MEDIA AND EXTERNAL SITE/APPLICATION USAGE RESTRICTIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PL-04(01)(a)	the rules of behavior include restrictions on the use of social media, social networking sites, and external sites/applications;	
	PL-04(01)(b)	the rules of behavior include restrictions on posting organizational information on public websites;	
	PL-04(01)(c)	the rules of behavior include restrictions on the use of organization- provided identifiers (e.g., email addresses) and authentication secrets (e.g., passwords) for creating accounts on external sites/applications.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PL-04(01)-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing rules of behavior for system users; rules of behavior; training policy; other relevant documents or records].	
	PL-04(01)-Interview	[SELECT FROM: Organizational personnel with responsibility for establishing, reviewing, and updating rules of behavior; organizational personnel with responsibility for literacy training and awareness and role-based training; organizational personnel who are authorized users of the system and have signed rules of behavior; organizational personnel with information security and privacy responsibilities].	
	PL-04(01)-Test	[SELECT FROM: Organizational processes for establishing rules of behavior; automated mechanisms supporting and/or implementing the establishment of rules of behavior].	

PL-05	PRIVACY IMPACT ASSESSMENT
	[WITHDRAWN: Incorporated into RA-08.]

PL-06	SECURITY-RELATED ACTIVITY PLANNING	
	[WITHDRAWN: Incorporated into PL-02.]	

PL-07	CONCEPT OF OPERATIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PL-07_ODP	frequency for review and update of the Concept of Operations (CONOPS) is defined;

PL-07	CONCEPT OF OPERATIONS	
	PL-07a.	a CONOPS for the system describing how the organization intends to operate the system from the perspective of information security and privacy is developed;
	PL-07b.	a CONOPS is reviewed and updated <pl-07_odp frequency=""></pl-07_odp> .
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	PL-07-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing security and privacy CONOPS development; procedures addressing security and privacy CONOPS reviews and updates; security and privacy CONOPS for the system; system security plan; privacy plan; records of security and privacy CONOPS reviews and updates; other relevant documents or records].
	PL-07-Interview	[SELECT FROM: Organizational personnel with security and privacy planning and plan implementation responsibilities; organizational personnel with information security and privacy responsibilities].
	PL-07-Test	[SELECT FROM: Organizational processes for developing, reviewing, and updating the security CONOPS; automated mechanisms supporting and/ or implementing the development, review, and update of the security CONOPS].

PL-08	SECURITY AND PRIVACY ARCHITECTURES	
	ASSESSMENT OBJECTIVE: Determine if:	
	PL-08_ODP	frequency for review and update to reflect changes in the enterprise architecture;
	PL-08a.01	a security architecture for the system describes the requirements and approach to be taken for protecting the confidentiality, integrity, and availability of organizational information;
	PL-08a.02	a privacy architecture describes the requirements and approach to be taken for processing personally identifiable information to minimize privacy risk to individuals;
	PL-08a.03[01]	a security architecture for the system describes how the architecture is integrated into and supports the enterprise architecture;
	PL-08a.03[02]	a privacy architecture for the system describes how the architecture is integrated into and supports the enterprise architecture;
	PL-08a.04[01]	a security architecture for the system describes any assumptions about and dependencies on external systems and services;
	PL-08a.04[02]	a privacy architecture for the system describes any assumptions about and dependencies on external systems and services;
	PL-08b.	changes in the enterprise architecture are reviewed and updated <pre><pre><pre></pre></pre></pre>
	PL-08c.[01]	planned architecture changes in the security plan are reflected;

PL-08	SECURITY AND PRIVACY ARCHITECTURES	
	PL-08c.[02]	planned architecture changes in the privacy plan are reflected;
	PL-08c.[03]	planned architecture changes in the Concept of Operations (CONOPS) are reflected;
	PL-08c.[04]	planned architecture changes in criticality analysis are reflected;
	PL-08c.[05]	planned architecture changes in organizational procedures are reflected;
	PL-08c.[06]	planned architecture changes in procurements and acquisitions are reflected.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PL-08-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing information security and privacy architecture development; procedures addressing information security and privacy architecture reviews and updates; enterprise architecture documentation; information security and privacy architecture documentation; system security plan; privacy plan; security and privacy CONOPS for the system; records of information security and privacy architecture reviews and updates; other relevant documents or records].
	PL-08-Interview	[SELECT FROM: Organizational personnel with security and privacy planning and plan implementation responsibilities; organizational personnel with information security and privacy architecture development responsibilities; organizational personnel with information security and privacy responsibilities].
	PL-08-Test	[SELECT FROM: Organizational processes for developing, reviewing, and updating the information security and privacy architecture; automated mechanisms supporting and/or implementing the development, review, and update of the information security and privacy architecture].

PL-08(01) SECURITY AND PRIVACY ARCHITECTURES | DEFENSE IN DEPTH

	ASSESSMENT OBJECTIVE: Determine if:	
	PL-08(01)_ODP[01]	controls to be allocated are defined;
	PL-08(01)_ODP[02]	locations and architectural layers are defined;
	PL-08(01)(a)[01]	the security architecture for the system is designed using a defense- in-depth approach that allocates <pl-08(01)_odp[01]< b=""> controls> to <pl-08(01)_odp[02]< b=""> locations and architectural layers>;</pl-08(01)_odp[02]<></pl-08(01)_odp[01]<>
	PL-08(01)(a)[02]	the privacy architecture for the system is designed using a defense- in-depth approach that allocates <pl-08(01)_odp[01] controls=""></pl-08(01)_odp[01]> to <pl-08(01)_odp[02] and="" architectural="" layers="" locations=""></pl-08(01)_odp[02]> ;
	PL-08(01)(b)[01]	the security architecture for the system is designed using a defense-in-depth approach that ensures the allocated controls operate in a coordinated and mutually reinforcing manner;

PL-08(01)	SECURITY AND PRIVACY ARCHITECTURES DEFENSE IN DEPTH	
	PL-08(01)(b)[02]	the privacy architecture for the system is designed using a defense-in-depth approach that ensures the allocated controls operate in a coordinated and mutually reinforcing manner.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PL-08-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing information security and privacy architecture development; enterprise architecture documentation; information security and privacy architecture documentation; system security plan; privacy plan; security and privacy CONOPS for the system; other relevant documents or records].
	PL-08-Interview	[SELECT FROM: Organizational personnel with security and privacy planning and plan implementation responsibilities; organizational personnel with information security and privacy architecture development responsibilities; organizational personnel with information security and privacy responsibilities].
	PL-08-Test	[SELECT FROM: Organizational processes for designing the information security and privacy architecture; automated mechanisms supporting and/or implementing the design of the information security and privacy architecture].

PL-08(02)	SECURITY AND PRIVACY ARCHITECTURES SUPPLIER DIVERSITY	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PL-08(02)_ODP[01]	controls to be allocated are defined;
	PL-08(02)_ODP[02]	locations and architectural layers are defined;
	PL-08(02)	<pl-08(02)_odp[01] controls=""> that are allocated to <pl-08(02)_odp[02]< p=""> locations and architectural layers> are required to be obtained from different suppliers.</pl-08(02)_odp[02]<></pl-08(02)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PL-08(02)-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing information security and privacy architecture development; enterprise architecture documentation; information security and privacy architecture documentation; system security plan; privacy plan; security and privacy CONOPS for the system; IT acquisitions policy; other relevant documents or records].
	PL-08(02)-Interview	[SELECT FROM: Organizational personnel with security and privacy planning and plan implementation responsibilities; organizational personnel with information security and privacy architecture development responsibilities; organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities].
	PL-08(02)-Test	[SELECT FROM: Organizational processes for obtaining information security and privacy safeguards from different suppliers].

PL-09	CENTRAL MANAGEMENT	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	PL-09_ODP	security and privacy controls and related processes to be centrally managed are defined;
	PL-09	<pl-09_odp and="" controls="" processes="" related=""> are centrally managed.</pl-09_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PL-09-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing security and privacy plan development and implementation; system security plan; privacy plan; other relevant documents or records].
	PL-09-Interview	[SELECT FROM: Organizational personnel with security and privacy planning and plan implementation responsibilities; organizational personnel with responsibilities for planning/implementing central management of controls and related processes; organizational personnel with information security and privacy responsibilities].
	PL-09-Test	[SELECT FROM: Organizational processes for the central management of controls and related processes; automated mechanisms supporting and/or implementing central management of controls and related processes].

PL-10	BASELINE SELECTION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PL-10	a control baseline for the system is selected.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	PL-10-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing system security and privacy plan development and implementation; procedures addressing system security and privacy plan reviews and updates; system design documentation; system architecture and configuration documentation; system categorization decision; information types stored, transmitted, and processed by the system; system element/ component information; stakeholder needs analysis; list of security and privacy requirements allocated to the system, system elements, and environment of operation; list of contractual requirements allocated to external providers of the system or system element; business impact analysis or criticality analysis; risk assessments; risk management strategy; organizational security and privacy policy; federal or organization-approved or mandated baselines or overlays; system security plan; privacy plan; other relevant documents or records].
	PL-10-Interview	[SELECT FROM: Organizational personnel with security and privacy planning and plan implementation responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with responsibility for organizational risk management activities].
	T	

PL-11	BASELINE TAILORING	
	ASSESSMENT OBJECTIVE: Determine if:	
	PL-11	the selected control baseline is tailored by applying specified tailoring actions.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PL-11-Examine	[SELECT FROM: Security and privacy planning policy; procedures addressing system security and privacy plan development and implementation; system design documentation; system categorization decision; information types stored, transmitted, and processed by the system; system element/ component information; stakeholder needs analysis; list of security and privacy requirements allocated to the system, system elements, and environment of operation; list of contractual requirements allocated to external providers of the system or system element; business impact analysis or criticality analysis; risk assessments; risk management strategy; organizational security and privacy policy; federal or organization-approved or mandated baselines or overlays; baseline tailoring rationale; system security plan; privacy plan; records of system security and privacy plan reviews and updates; other relevant documents or records].
	PL-11-Interview	[SELECT FROM: Organizational personnel with security and privacy planning and plan implementation responsibilities; organizational personnel with information security and privacy responsibilities].

4.13 PROGRAM MANAGEMENT

PM-01	INFORMATION SECURITY PROGRAM PLAN	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PM-01_ODP[01]	the frequency at which to review and update the organization-wide information security program plan is defined;
	PM-01_ODP[02]	events that trigger the review and update of the organization-wide information security program plan are defined;
	PM-01a.[01]	an organization-wide information security program plan is developed;
	PM-01a.[02]	the information security program plan is disseminated;
	PM-01a.01[01]	the information security program plan provides an overview of the requirements for the security program;
	PM-01a.01[02]	the information security program plan provides a description of the security program management controls in place or planned for meeting those requirements;
	PM-01a.01[03]	the information security program plan provides a description of the common controls in place or planned for meeting those requirements;
	PM-01a.02[01]	the information security program plan includes the identification and assignment of roles;
	PM-01a.02[02]	the information security program plan includes the identification and assignment of responsibilities;
	PM-01a.02[03]	the information security program plan addresses management commitment;
	PM-01a.02[04]	the information security program plan addresses coordination among organizational entities;
	PM-01a.02[05]	the information security program plan addresses compliance;
	PM-01a.03	the information security program plan reflects the coordination among the organizational entities responsible for information security;
	PM-01a.04	the information security program plan is approved by a senior official with responsibility and accountability for the risk being incurred to organizational operations (including mission, functions, image, and reputation), organizational assets, individuals, other organizations, and the Nation;
	PM-01b.[01]	the information security program plan is reviewed and updated PM-01_ODP[01] frequency>;
	PM-01b.[02]	the information security program plan is reviewed and updated following <i><pm-01_odp[02] events=""></pm-01_odp[02]></i> .

PM-01	INFORMATION SECURITY PROGRAM PLAN	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-01-Examine	[SELECT FROM: Information security program plan; procedures addressing program plan development and implementation; procedures addressing program plan reviews and updates; procedures addressing coordination of the program plan with relevant entities; procedures for program plan approvals; records of program plan reviews and updates; other relevant documents or records].
	PM-01-Interview	[SELECT FROM: Organizational personnel with information security program planning and plan implementation responsibilities; organizational personnel with information security responsibilities].
	PM-01-Test	[SELECT FROM: Organizational processes for information security program plan development, review, update, and approval; automated mechanisms supporting and/or implementing the information security program plan].

PM-02	INFORMATION SECU	INFORMATION SECURITY PROGRAM LEADERSHIP ROLE	
	ASSESSMENT OBJECTIVE: Determine if:		
	PM-02[01]	a senior agency information security officer is appointed;	
	PM-02[02]	the senior agency information security officer is provided with the mission and resources to coordinate an organization-wide information security program;	
	PM-02[03]	the senior agency information security officer is provided with the mission and resources to develop an organization-wide information security program;	
	PM-02[04]	the senior agency information security officer is provided with the mission and resources to implement an organization-wide information security program;	
	PM-02[05]	the senior agency information security officer is provided with the mission and resources to maintain an organization-wide information security program.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-02-Examine	[SELECT FROM: Information security program plan; procedures addressing program plan development and implementation; procedures addressing program plan reviews and updates; procedures addressing coordination of the program plan with relevant entities; other relevant documents or records].	
	PM-02-Interview	[SELECT FROM: Organizational personnel with information security program planning and plan implementation responsibilities; senior information security officer; organizational personnel with information security responsibilities].	

PM-03	INFORMATION SECU	INFORMATION SECURITY AND PRIVACY RESOURCES	
	ASSESSMENT OBJEC	ASSESSMENT OBJECTIVE: Determine if:	
	PM-03a.[01]	the resources needed to implement the information security program are included in capital planning and investment requests, and all exceptions are documented;	
	PM-03a.[02]	the resources needed to implement the privacy program are included in capital planning and investment requests, and all exceptions are documented;	
	PM-03b.[01]	the documentation required for addressing the information security program in capital planning and investment requests is prepared in accordance with applicable laws, Executive Orders, directives, policies, regulations, standards;	
	PM-03b.[02]	the documentation required for addressing the privacy program in capital planning and investment requests is prepared in accordance with applicable laws, Executive Orders, directives, policies, regulations, standards;	
	PM-03c.[01]	information security resources are made available for expenditure as planned;	
	PM-03c.[02]	privacy resources are made available for expenditure as planned.	
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:	
	PM-03-Examine	[SELECT FROM: Information security program plan; Exhibit 300; Exhibit 53; business cases for capital planning and investment; procedures for capital planning and investment; documentation of exceptions to capital planning requirements; other relevant documents or records].	
	PM-03-Interview	[SELECT FROM: Organizational personnel with information security program planning responsibilities; organizational personnel responsible for capital planning and investment; organizational personnel with information security responsibilities].	
	PM-03-Test	[SELECT FROM: Organizational processes for capital planning and investment; organizational processes for business case, Exhibit 300, and Exhibit 53 development; automated mechanisms supporting the capital planning and investment process].	

PM-04	PLAN OF ACTION AND MILESTONES PROCESS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PM-04a.01[01]	a process to ensure that plans of action and milestones for the information security program and associated organizational systems are developed;
	PM-04a.01[02]	a process to ensure that plans of action and milestones for the information security program and associated organizational systems are maintained;

PM-04	PLAN OF ACTION A	ND MILESTONES PROCESS
	PM-04a.01[03]	a process to ensure that plans of action and milestones for the privacy program and associated organizational systems are developed;
	PM-04a.01[04]	a process to ensure that plans of action and milestones for the privacy program and associated organizational systems are maintained;
	PM-04a.01[05]	a process to ensure that plans of action and milestones for the supply chain risk management program and associated organizational systems are developed;
	PM-04a.01[06]	a process to ensure that plans of action and milestones for the supply chain risk management program and associated organizational systems are maintained;
	PM-04a.02[01]	a process to ensure that plans of action and milestones for the information security program and associated organizational systems document remedial information security risk management actions to adequately respond to risks to organizational operations and assets, individuals, other organizations, and the Nation;
	PM-04a.02[02]	a process to ensure that plans of action and milestones for the privacy program and associated organizational systems document remedial privacy risk management actions to adequately respond to risks to organizational operations and assets, individuals, other organizations, and the Nation;
	PM-04a.02[03]	a process to ensure that plans of action and milestones for the supply chain risk management program and associated organizational systems document remedial supply chain risk management actions to adequately respond to risks to organizational operations and assets, individuals, other organizations, and the Nation;
	PM-04a.03[01]	a process to ensure that plans of action and milestones for the information security risk management programs and associated organizational systems are reported in accordance with established reporting requirements;
	PM-04a.03[02]	a process to ensure that plans of action and milestones for the privacy risk management programs and associated organizational systems are reported in accordance with established reporting requirements;
	PM-04a.03[03]	a process to ensure that plans of action and milestones for the supply chain risk management programs and associated organizational systems are reported in accordance with established reporting requirements;
	PM-04b.[01]	plans of action and milestones are reviewed for consistency with the organizational risk management strategy;
	PM-04b.[02]	plans of action and milestones are reviewed for consistency with organization-wide priorities for risk response actions.

PM-04	PLAN OF ACTION AND MILESTONES PROCESS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-04-Examine	[SELECT FROM: Information security program plan; plans of action and milestones; procedures addressing plans of action and milestones development and maintenance; procedures addressing plans of action and milestones reporting; procedures for reviewing plans of action and milestones for consistency with risk management strategy and risk response priorities; results of risk assessments associated with plans of action and milestones; OMB FISMA reporting requirements; other relevant documents or records].
	PM-04-Interview	[SELECT FROM: Organizational personnel with responsibilities for developing, maintaining, reviewing, and reporting plans of action and milestones; organizational personnel with information security responsibilities].
	PM-04-Test	[SELECT FROM: Organizational processes for plan of action and milestones development, review, maintenance, and reporting; automated mechanisms supporting plans of action and milestones].

PM-05	SYSTEM INVENTORY	
	ASSESSMENT OBJECT Determine if:	TIVE:
	PM-05_ODP	the frequency at which to update the inventory of organizational systems is defined;
	PM-05[01]	an inventory of organizational systems is developed;
	PM-05[02]	the inventory of organizational systems is updated <i>PM-05_ODP frequency</i> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-05-Examine	[SELECT FROM: Information security program plan; system inventory; procedures addressing system inventory development and maintenance; OMB FISMA reporting guidance; other relevant documents or records].
	PM-05-Interview	[SELECT FROM: Organizational personnel with information security program planning and plan implementation responsibilities; organizational personnel responsible for developing and maintaining the system inventory; organizational personnel with information security responsibilities].
	PM-05-Test	[SELECT FROM: Organizational processes for system inventory development and maintenance; automated mechanisms supporting the system inventory].

PM-05(01)	SYSTEM INVENTORY INVENTORY OF PERSONALLY IDENTIFIABLE INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-05(01)_ODP	the frequency at which to update the inventory of systems, applications, and projects that process personally identifiable information is defined;
	PM-05(01)[01]	an inventory of all systems, applications, and projects that process personally identifiable information is established;
	PM-05(01)[02]	an inventory of all systems, applications, and projects that process personally identifiable information is maintained;
	PM-05(01)[03]	an inventory of all systems, applications, and projects that process personally identifiable information is updated < PM-05(01)_ODP frequency> .
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	PM-05(01)-Examine	[SELECT FROM: Procedures addressing system inventory development, maintenance, and updates; OMB FISMA reporting guidance; privacy program plan; information security program plan; personally identifiable information processing policy; system inventory; personally identifiable information inventory; data mapping documentation; other relevant documents or records].
	PM-05(01)-Interview	[SELECT FROM: Organizational personnel with privacy program planning and plan implementation responsibilities; organizational personnel responsible for developing and maintaining the system inventory; organizational personnel with information security and privacy responsibilities].
	PM-05(01)-Test	[SELECT FROM: Organizational processes for system inventory development, maintenance, and updates; automated mechanisms supporting the system inventory].

PM-06	MEASURES OF PERFORMANCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-06[01]	information security measures of performance are developed;
	PM-06[02]	information security measures of performance are monitored;
	PM-06[03]	the results of information security measures of performance are reported;
	PM-06[04]	privacy measures of performance are developed;
	PM-06[05]	privacy measures of performance are monitored;
	PM-06[06]	the results of privacy measures of performance are reported.

PM-06	MEASURES OF PERFORMANCE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-06-Examine	[SELECT FROM: Information security program plan; privacy program plan; information security measures of performance; privacy measures of performance; procedures addressing the development, monitoring, and reporting of information security and privacy measures of performance; risk management strategy; other relevant documents or records].
	PM-06-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for developing, monitoring, and reporting information security and privacy measures of performance; organizational personnel with information security and privacy responsibilities].
	PM-06-Test	[SELECT FROM: Organizational processes for developing, monitoring, and reporting information security and privacy measures of performance; automated mechanisms supporting the development, monitoring, and reporting of information security and privacy measures of performance].

PM-07	ENTERPRISE ARCHI	TECTURE	
	ASSESSMENT OBJE Determine if:	CTIVE:	
	PM-07[01]	an enterprise architecture is developed with consideration for information security;	
	PM-07[02]	an enterprise architecture is maintained with consideration for information security;	
	PM-07[03]	an enterprise architecture is developed with consideration for privacy;	
	PM-07[04]	an enterprise architecture is maintained with consideration for privacy;	
	PM-07[05]	an enterprise architecture is developed with consideration for the resulting risk to organizational operations and assets, individuals, other organizations, and the Nation;	
	РМ-07[06]	an enterprise architecture is maintained with consideration for the resulting risk to organizational operations and assets, individuals, other organizations, and the Nation.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-07-Examine	[SELECT FROM: Information security program plan; privacy program plan; enterprise architecture documentation; procedures addressing enterprise architecture development; results of risk assessments of enterprise architecture; other relevant documents or records].	

PM-07	ENTERPRISE ARCHITECTURE	
	PM-07-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for developing enterprise architecture; organizational personnel responsible for risk assessments of enterprise architecture; organizational personnel with information security and privacy responsibilities].
	PM-07-Test	[SELECT FROM: Organizational processes for enterprise architecture development; automated mechanisms supporting the enterprise architecture and its development].

PM-07(01)	ENTERPRISE ARCHITECTURE OFFLOADING	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	PM-07(01)_ODP	non-essential functions or services to be offloaded are defined;
	PM-07(01)	< PM-07(01)_ODP non-essential functions or services> are offloaded to other systems, system components, or an external provider.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PM-07(01)-Examine	[SELECT FROM: Information security program plan; privacy program plan; enterprise architecture documentation; procedures addressing enterprise architecture development; procedures for identifying and offloading functions or services; results of risk assessments of enterprise architecture; other relevant documents or records].
	PM-07(01)-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for developing enterprise architecture; organizational personnel responsible for risk assessments of enterprise architecture; organizational personnel with information security and privacy responsibilities].
	PM-07(01)-Test	[SELECT FROM: Organizational processes for enterprise architecture development; automated mechanisms supporting the enterprise architecture and its development; mechanisms for offloading functions and services].

PM-08	CRITICAL INFRASTRUCTURE PLAN	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-08[01]	information security issues are addressed in the development of a critical infrastructure and key resources protection plan;
	PM-08[02]	information security issues are addressed in the documentation of a critical infrastructure and key resources protection plan;

CRITIC	CRITICAL INFRASTRUCTURE PLAN	
PM-08[03]	information security issues are addressed in the update of a critical infrastructure and key resources protection plan;
PM-08[04]	privacy issues are addressed in the development of a critical infrastructure and key resources protection plan;
PM-08[05]	privacy issues are addressed in the documentation of a critical infrastructure and key resources protection plan;
PM-08[06]	privacy issues are addressed in the update of a critical infrastructure and key resources protection plan.
POTEN	TIAL ASSESSM	IENT METHODS AND OBJECTS:
PM-08-	Examine	[SELECT FROM: Information security program plan; privacy program plan; critical infrastructure and key resources protection plan; procedures addressing the development, documentation, and updating of the critical infrastructure and key resources protection plan; HSPD 7; National Infrastructure Protection Plan; other relevant documents or records].
PM-08-	Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for developing, documenting, and updating the critical infrastructure and key resources protection plan; organizational personnel with information security and privacy responsibilities].
PM-08-	Test	[SELECT FROM: Organizational processes for developing, documenting, and updating the critical infrastructure and key resources protection plan; automated mechanisms supporting the development, documentation, and updating of the critical infrastructure and key resources protection plan].

PM-09	RISK MANAGEMENT STRATEGY	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-09_ODP	the frequency at which to review and update the risk management strategy is defined;
	PM-09a.01	a comprehensive strategy is developed to manage security risk to organizational operations and assets, individuals, other organizations, and the Nation associated with the operation and use of organizational systems;
	PM-09a.02	a comprehensive strategy is developed to manage privacy risk to individuals resulting from the authorized processing of personally identifiable information;
	PM-09b.	the risk management strategy is implemented consistently across the organization;
	РМ-09с.	the risk management strategy is reviewed and updated <i>PM-09_ODP</i> <i>frequency></i> or as required to address organizational changes.

PM-09	RISK MANAGEMENT STRATEGY POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-09-Examine	[SELECT FROM: Information security program plan; privacy program plan; risk management strategy; supply chain risk management strategy; procedures addressing the development, implementation, review, and update of the risk management strategy; risk assessment results relevant to the risk management strategy; other relevant documents or records].
	PM-09-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for the development, implementation, review, and update of the risk management strategy; organizational personnel with information security and privacy responsibilities].
	PM-09-Test	[SELECT FROM: Organizational processes for the development, implementation, review, and update of the risk management strategy; automated mechanisms supporting the development, implementation, review, and update of the risk management strategy].

PM-10	AUTHORIZATION PROCESS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PM-10a.[01]	the security state of organizational systems and the environments in which those systems operate are managed through authorization processes;	
	PM-10a.[02]	the privacy state of organizational systems and the environments in which those systems operate are managed through authorization processes;	
	PM-10b.	individuals are designated to fulfill specific roles and responsibilities within the organizational risk management process;	
	PM-10c.	the authorization processes are integrated into an organization-wide risk management program.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-10-Examine	[SELECT FROM: Information security program plan; privacy program plan; procedures addressing management (i.e., documentation, tracking, and reporting) of the authorization process; assessment, authorization, and monitoring policy; assessment, authorization, and monitoring procedures; system authorization documentation; lists or other documentation about authorization process roles and responsibilities; risk assessment results relevant to the authorization process and the organization-wide risk management program; organizational risk management strategy; other relevant documents or records].	
	PM-10-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for management of the authorization process; organizational personnel with information security and privacy responsibilities].	

PM-10	AUTHORIZATION PROCESS	
	PM-10-Test	[SELECT FROM: Organizational processes for authorization; automated mechanisms supporting the authorization process].

PM-11	MISSION AND BUSINESS PROCESS DEFINITION	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-11_ODP	the frequency at which to review and revise the mission and business processes is defined;
	PM-11a.[01]	organizational mission and business processes are defined with consideration for information security;
	PM-11a.[02]	organizational mission and business processes are defined with consideration for privacy;
	PM-11a.[03]	organizational mission and business processes are defined with consideration for the resulting risk to organizational operations, organizational assets, individuals, other organizations, and the Nation;
	PM-11b.[01]	information protection needs arising from the defined mission and business processes are determined;
	PM-11b.[02]	personally identifiable information processing needs arising from the defined mission and business processes are determined;
	PM-11c.	the mission and business processes are reviewed and revised <pm-11_odp< b=""> <i>frequency</i>>.</pm-11_odp<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PM-11-Examine	[SELECT FROM: Information security program plan; privacy program plan; risk management strategy; procedures for determining mission and business protection needs; information security and privacy risk assessment results relevant to the determination of mission and business protection needs; personally identifiable information processing policy; personally identifiable information inventory; other relevant documents or records].
	PM-11-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for enterprise risk management; organizational personnel responsible for determining information protection needs for mission and business processes; organizational personnel with information security and privacy responsibilities].
	PM-11-Test	[SELECT FROM: Organizational processes for defining mission and business processes and their information protection needs].

PM-12	INSIDER THREAT PROGRAM		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	PM-12	an insider threat program that includes a cross-discipline insider threat incident handling team is implemented.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-12-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for the insider threat program; members of the cross-discipline insider threat incident handling team; legal counsel; organizational personnel with information security and privacy responsibilities].	
	PM-12-Test	[SELECT FROM: Organizational processes for implementing the insider threat program and the cross-discipline insider threat incident handling team; automated mechanisms supporting and/or implementing the insider threat program and the cross-discipline insider threat incident handling team].	

PM-13	SECURITY AND PRIVACY WORKFORCE	
	ASSESSMENT OBJECT Determine if:	ΓIVE:
	PM-13[01]	a security workforce development and improvement program is established;
	PM-13[02]	a privacy workforce development and improvement program is established.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PM-13-Examine	[SELECT FROM: Information security program plan; privacy program plan; information security and privacy workforce development and improvement program documentation; procedures for the information security and privacy workforce development and improvement program; information security and privacy role-based training program documentation; other relevant documents or records].
	PM-13-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for the information security and privacy workforce development and improvement program; organizational personnel with information security and privacy responsibilities].
	PM-13-Test	[SELECT FROM: Organizational processes for implementing the information security and privacy workforce development and improvement program; automated mechanisms supporting and/or implementing the information security and privacy workforce development and improvement program].

PM-14	TESTING, TRAINING, AND MONITORING	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-14a.01[01]	a process is implemented for ensuring that organizational plans for conducting security testing, training, and monitoring activities associated with organizational systems are developed;
	PM-14a.01[02]	a process is implemented for ensuring that organizational plans for conducting security testing, training, and monitoring activities associated with organizational systems are maintained;
	PM-14a.01[03]	a process is implemented for ensuring that organizational plans for conducting privacy testing, training, and monitoring activities associated with organizational systems are developed;
	PM-14a.01[04]	a process is implemented for ensuring that organizational plans for conducting privacy testing, training, and monitoring activities associated with organizational systems are maintained;
	PM-14a.02[01]	a process is implemented for ensuring that organizational plans for conducting security testing, training, and monitoring activities associated with organizational systems continue to be executed;
	PM-14a.02[02]	a process is implemented for ensuring that organizational plans for conducting privacy testing, training, and monitoring activities associated with organizational systems continue to be executed;
	PM-14b.[01]	testing, training, and monitoring plans are reviewed for consistency with the organizational risk management strategy;
	PM-14b.[02]	training plans are reviewed for consistency with the organizational risk management strategy;
	PM-14b.[03]	monitoring plans are reviewed for consistency with the organizational risk management strategy;
	PM-14b.[04]	testing plans are reviewed for consistency with organization-wide priorities for risk response actions;
	PM-14b.[05]	training plans are reviewed for consistency with organization-wide priorities for risk response actions;
	PM-14b.[06]	monitoring plans are reviewed for consistency with organization-wide priorities for risk response actions.

PM-14	TESTING, TRAINING, AND MONITORING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-14-Examine	[SELECT FROM: Information security program plan; privacy program plan; plans for conducting security and privacy testing, training, and monitoring activities; organizational procedures addressing the development and maintenance of plans for conducting security and privacy testing, training, and monitoring activities; risk management strategy; procedures for the review of plans for conducting security and privacy testing, training, and monitoring activities for consistency with risk management strategy and risk response priorities; results of risk assessments associated with conducting security and privacy testing, training, and monitoring activities; documentation of the timely execution of plans for conducting security and privacy testing, training, and monitoring activities; other relevant documents or records].
	PM-14-Interview	[SELECT FROM: Organizational personnel with responsibilities for developing and maintaining plans for conducting security and privacy testing, training, and monitoring activities; organizational personnel with information security and privacy responsibilities].
	PM-14-Test	[SELECT FROM: Organizational processes for the development and maintenance of plans for conducting security and privacy testing, training, and monitoring activities; automated mechanisms supporting the development and maintenance of plans for conducting security and privacy testing, training, and monitoring activities].

PM-15	SECURITY AND PRIVACY GROUPS AND ASSOCIATIONS ASSESSMENT OBJECTIVE: Determine if:	
	PM-15a.[01]	contact is established and institutionalized with selected groups and associations within the security community to facilitate ongoing security education and training for organizational personnel;
	PM-15a.[02]	contact is established and institutionalized with selected groups and associations within the privacy community to facilitate ongoing privacy education and training for organizational personnel;
	PM-15b.[01]	contact is established and institutionalized with selected groups and associations within the security community to maintain currency with recommended security practices, techniques, and technologies;
	PM-15b.[02]	contact is established and institutionalized with selected groups and associations within the privacy community to maintain currency with recommended privacy practices, techniques, and technologies;
	PM-15c.[01]	contact is established and institutionalized with selected groups and associations within the security community to share current security information, including threats, vulnerabilities, and incidents;

PM-15	SECURITY AND PRIVACY GROUPS AND ASSOCIATIONS		
	PM-15c.[02]	contact is established and institutionalized with selected groups and associations within the privacy community to share current privacy information, including threats, vulnerabilities, and incidents.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-15-Examine	[SELECT FROM: Information security program plan; privacy program plan; risk management strategy; procedures for establishing and institutionalizing contacts with security and privacy groups and associations; lists or other records of contacts with and/or membership in security and privacy groups and associations; other relevant documents or records].	
	PM-15-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for establishing and institutionalizing contact with security and privacy groups and associations; organizational personnel with information security and privacy responsibilities; personnel from selected groups and associations with which the organization has established and institutionalized contact].	
	PM-15-Test	[SELECT FROM: Organizational processes for establishing and institutionalizing contact with security and privacy groups and associations; automated mechanisms supporting contact with security and privacy groups and associations].	

PM-16	THREAT AWARENESS PROGRAM	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-16	a threat awareness program that includes a cross-organization information- sharing capability for threat intelligence is implemented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-16-Examine	[SELECT FROM: Information security program plan; privacy program plan; threat awareness program policy; threat awareness program procedures; risk assessment results relevant to threat awareness; documentation about the cross-organization information-sharing capability; other relevant documents or records].
	PM-16-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for the threat awareness program; organizational personnel responsible for the cross-organization information- sharing capability; organizational personnel with information security and privacy responsibilities; external personnel with whom threat awareness information is shared by the organization].

PM-16 THREAT AV	THREAT AWARENESS PROGRAM	
PM-16-Test	[SELECT FROM: Organizational processes for implementing the threat awareness program; organizational processes for implementing the cross- organization information-sharing capability; automated mechanisms supporting and/or implementing the threat awareness program; automated mechanisms supporting and/or implementing the cross-organization information-sharing capability].	

PM-16(01)	THREAT AWARENESS PROGRAM AUTOMATED MEANS FOR SHARING THREAT INTELLIGENCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-16(01)	automated mechanisms are employed to maximize the effectiveness of sharing threat intelligence information.
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	PM-16(01)-Examine	[SELECT FROM: Information security program plan; privacy program plan; threat awareness program policy; threat awareness program procedures; risk assessment results related to threat awareness; documentation about the cross-organization information-sharing capability; other relevant documents or records].
	PM-16(01)-Interview	[SELECT FROM: Organizational personnel with information security and privacy program planning and plan implementation responsibilities; organizational personnel responsible for the threat awareness program; organizational personnel responsible for the cross-organization information- sharing capability; organizational personnel with information security and privacy responsibilities; external personnel with whom threat awareness information is shared by the organization].
	PM-16(01)-Test	[SELECT FROM: Organizational processes for implementing the threat awareness program; organizational processes for implementing the cross- organization information-sharing capability; automated mechanisms supporting and/or implementing the threat awareness program; automated mechanisms supporting and/or implementing the cross-organization information-sharing capability].

PM-17	PROTECTING CONTROLLED UNCLASSIFIED INFORMATION ON EXTERNAL SYSTEMS	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-17_ODP	the frequency at which to review and update the policy and procedures is defined;

PM-17	PROTECTING CONTROLLED UNCLASSIFIED INFORMATION ON EXTERNAL SYSTEMS		
	PM-17a.[01]	policy is established to ensure that requirements for the protection of controlled unclassified information that is processed, stored, or transmitted on external systems are implemented in accordance with applicable laws, Executive Orders, directives, policies, regulations, and standards;	
	PM-17a.[02]	procedures are established to ensure that requirements for the protection of controlled unclassified information that is processed, stored, or transmitted on external systems are implemented in accordance with applicable laws, Executive Orders, directives, policies, regulations, and standards;	
	PM-17b.	policy and procedures are reviewed and updated <pm-17_odp frequency=""></pm-17_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-17-Examine	[SELECT FROM: Controlled unclassified information policy; controlled unclassified information procedures; other relevant documents or records.].	
	PM-17-Interview	[SELECT FROM: Organizational personnel with controlled unclassified information responsibilities; organizational personnel with information security responsibilities.].	

PM-18	PRIVACY PROGRAM PLAN	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-18_ODP	the frequency of updates to the privacy program plan is defined;
	PM-18a.[01]	an organization-wide privacy program plan that provides an overview of the agency's privacy program is developed;
	PM-18a.01[01]	the privacy program plan includes a description of the structure of the privacy program;
	PM-18a.01[02]	the privacy program plan includes a description of the resources dedicated to the privacy program;
	PM-18a.02[01]	the privacy program plan provides an overview of the requirements for the privacy program;
	PM-18a.02[02]	the privacy program plan provides a description of the privacy program management controls in place or planned for meeting the requirements of the privacy program;
	PM-18a.02[03]	the privacy program plan provides a description of common controls in place or planned for meeting the requirements of the privacy program;
	PM-18a.03[01]	the privacy program plan includes the role of the senior agency official for privacy;
	PM-18a.03[02]	the privacy program plan includes the identification and assignment of the roles of other privacy officials and staff and their responsibilities;
	PM-18a.04[01]	the privacy program plan describes management commitment;

PRIVACY PROGRAM	PRIVACY PROGRAM PLAN	
PM-18a.04[02]	the privacy program plan describes compliance;	
PM-18a.04[03]	the privacy program plan describes the strategic goals and objectives of the privacy program;	
PM-18a.05	the privacy program plan reflects coordination among organizational entities responsible for the different aspects of privacy;	
PM-18a.06	the privacy program plan is approved by a senior official with responsibility and accountability for the privacy risk being incurred by organizational operations (including, mission, functions, image, and reputation), organizational assets, individuals, other organizations, and the Nation;	
PM-18a.[02]	the privacy program plan is disseminated;	
PM-18b.[01]	the privacy program plan is updated <pm-18_odp frequency=""></pm-18_odp> ;	
PM-18b.[02]	the privacy program plan is updated to address changes in federal privacy laws and policies;	
PM-18b.[03]	the privacy program plan is updated to address organizational changes;	
PM-18b.[04]	the privacy program plan is updated to address problems identified during plan implementation or privacy control assessments.	
POTENTIAL ASSESS	MENT METHODS AND OBJECTS:	
PM-18-Examine	[SELECT FROM: Privacy program plan; procedures addressing program plan development and implementation; procedures addressing program plan reviews, updates, and approvals; procedures addressing coordination of the program plan with relevant entities; records of program plan reviews, updates, and approvals; other relevant documents or records].	
PM-18-Interview	[SELECT FROM: Organizational personnel with privacy program planning and plan implementation responsibilities; organizational personnel with privacy responsibilities].	

PM-19	PRIVACY PROGRAM LEADERSHIP ROLE	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-19[01]	a senior agency official for privacy with authority, mission, accountability, and resources is appointed;
	PM-19[02]	the senior agency official for privacy coordinates applicable privacy requirements;
	PM-19[03]	the senior agency official for privacy develops applicable privacy requirements;
	PM-19[04]	the senior agency official for privacy implements applicable privacy requirements;

PM-19	PRIVACY PROGRAM LEADERSHIP ROLE	
	РМ-19[05]	the senior agency official for privacy manages privacy risks through the organization-wide privacy program.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-19-Examine	[SELECT FROM: Privacy program documents, including policies, procedures, plans, and reports; public privacy notices, including Federal Register notices; privacy impact assessments; privacy risk assessments; Privacy Act statements; system of records notices; computer matching agreements and notices; contracts, information sharing agreements, and memoranda of understanding; governing requirements, including laws, Executive Orders, regulations, standards, and guidance; other relevant documents or records].
	PM-19-Interview	[SELECT FROM: Organizational personnel with privacy program planning and plan implementation responsibilities; organizational personnel with privacy responsibilities; senior agency official for privacy; privacy officials].

PM-20	DISSEMINATION OF PRIVACY PROGRAM INFORMATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	PM-20[01]	a central resource webpage is maintained on the organization's principal public website;	
	PM-20[02]	the webpage serves as a central source of information about the organization's privacy program;	
	PM-20a.[01]	the webpage ensures that the public has access to information about organizational privacy activities;	
	PM-20a.[02]	the webpage ensures that the public can communicate with its senior agency official for privacy;	
	PM-20b.[01]	the webpage ensures that organizational privacy practices are publicly available;	
	PM-20b.[02]	the webpage ensures that organizational privacy reports are publicly available;	
	РМ-20с.	the webpage employs publicly facing email addresses and/or phone numbers to enable the public to provide feedback and/or direct questions to privacy offices regarding privacy practices.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-20-Examine	[SELECT FROM: Public website; publicly posted privacy program documents, including policies, procedures, plans, and reports; position description of the senior agency official for privacy; public privacy notices, including Federal Register notices; privacy impact assessments; privacy risk assessments; Privacy Act statements and system of records notices; computer matching agreements and notices; other relevant documents or records].	

PM-20	DISSEMINATION OF PRIVACY PROGRAM INFORMATION	
	PM-20-Interview	[SELECT FROM: Organizational personnel with privacy program information dissemination responsibilities; organizational personnel with privacy responsibilities].
	PM-20-Test	[SELECT FROM: Location, access, availability, and functionality of privacy resource webpage].

PM-20(01) DISSEMINATION OF PRIVACY PROGRAM INFORMATION | PRIVACY POLICIES ON WEBSITES, APPLICATIONS, AND DIGITAL SERVICES

ASSESSMENT OBJECTIVE: Determine if:		
PM-20(01)[01]	privacy policies are developed and posted on all external-facing websites;	
PM-20(01)[02]	privacy policies are developed and posted on all mobile applications;	
PM-20(01)[03]	privacy policies are developed and posted on all other digital services;	
PM-20(01)(a)[01]	the privacy policies are written in plain language;	
PM-20(01)(a)[02]	the privacy policies are organized in a way that is easy to understand and navigate;	
PM-20(01)(b)[01]	the privacy policies provide the information needed by the public to make an informed decision about whether to interact with the organization;	
PM-20(01)(b)[02]	the privacy policies provide the information needed by the public to make an informed decision about how to interact with the organization;	
PM-20(01)(c)[01]	the privacy policies are updated whenever the organization makes a substantive change to the practices it describes;	
PM-20(01)(c)[02]	the privacy policies include a time/date stamp to inform the public of the date of the most recent changes.	
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
PM-20(01)-Examine	[SELECT FROM: Privacy program plan; privacy policies on the agency website, mobile applications, and/or other digital services].	
PM-20(01)-Interview	[SELECT FROM: Organizational personnel with privacy program information dissemination responsibilities; organizational personnel with privacy responsibilities].	
PM-20(01)-Test	[SELECT FROM: Organizational procedures and practices for authorizing, conducting, managing, and reviewing personally identifiable information processing; organizational procedures and practices for disseminating privacy program information; automated mechanisms supporting the dissemination of privacy program information].	

ACCO	ACCOUNTING OF DISCLOSURES	
	SSMENT OBJECT	ΓΙVΕ:
PM-2	1a.	an accurate accounting of disclosures of personally identifiable information is developed and maintained;
PM-2	1a.01[01]	the accounting includes the date of each disclosure;
PM-2	1a.01[02]	the accounting includes the nature of each disclosure;
PM-2	1a.01[03]	the accounting includes the purpose of each disclosure;
PM-2	1a.02[01]	the accounting includes the name of the individual or organization to whom the disclosure was made;
PM-2	1a.02[02]	the accounting includes the address or other contact information of the individual or organization to whom the disclosure was made;
PM-2	1b.	the accounting of disclosures is retained for the length of time that the personally identifiable information is maintained or five years after the disclosure is made, whichever is longer;
PM-2	1c.	the accounting of disclosures is made available to the individual to whom the personally identifiable information relates upon request.
РОТЕ	NTIAL ASSESSM	IENT METHODS AND OBJECTS:
PM-2	1-Examine	[SELECT FROM: Privacy program plan; disclosure policies and procedures; records of disclosures; audit logs; Privacy Act policies and procedures; system of records notice; Privacy Act exemption rules.].
PM-2	1-Interview	[SELECT FROM: Organizational personnel with privacy program responsibilities; organizational personnel with privacy responsibilities.].
PM-2	1-Test	[SELECT FROM: Organizational processes for disclosures; automated mechanisms supporting the accounting of disclosures, including commercial services that provide notifications and alerts.].

PM-22	PERSONALLY IDENTIFIABLE INFORMATION QUALITY MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-22[01]	organization-wide policies for personally identifiable information quality management are developed and documented;
	PM-22[02]	organization-wide procedures for personally identifiable information quality management are developed and documented;
	PM-22a.[01]	the policies address reviewing the accuracy of personally identifiable information across the information life cycle;
	PM-22a.[02]	the policies address reviewing the relevance of personally identifiable information across the information life cycle;

PM-22a.[03] PM-22a.[04] PM-22a.[05]	the policies address reviewing the timeliness of personally identifiableinformation across the information life cycle;the policies address reviewing the completeness of personally identifiableinformation across the information life cycle;		
PM-22a.[05]			
	the procedures address reviewing the accuracy of personally identifiable information across the information life cycle;		
PM-22a.[06]	the procedures address reviewing the relevance of personally identifiable information across the information life cycle;		
PM-22a.[07]	the procedures address reviewing the timeliness of personally identifiable information across the information life cycle;		
PM-22a.[08]	the procedures address reviewing the completeness of personally identifiable information across the information life cycle;		
PM-22b.[01]	the policies address correcting or deleting inaccurate or outdated personally identifiable information;		
PM-22b.[02]	the procedures address correcting or deleting inaccurate or outdated personally identifiable information;		
PM-22c.[01]	the policies address disseminating notice of corrected or deleted personally identifiable information to individuals or other appropriate entities;		
PM-22c.[02]	the procedures address disseminating notice of corrected or deleted personally identifiable information to individuals or other appropriate entities;		
PM-22d.[01]	the policies address appeals of adverse decisions on correction or deletion requests;		
PM-22d.[02]	the procedures address appeals of adverse decisions on correction or deletion requests.		
POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PM-22-Examine	[SELECT FROM: Privacy program plan; policies and procedures addressing personally identifiable information quality management, information life cycle documentation, and sample notices of correction or deletion; records of monitoring PII quality management practices; documentation of reviews and updates of policies and procedures].		
PM-22-Interview	[SELECT FROM: Organizational personnel with privacy program information dissemination responsibilities; organizational personnel with privacy responsibilities].		
PM-22-Test	[SELECT FROM: [Organizational processes for data quality and personally identifiable information quality management procedures; automated mechanisms supporting and/or implementing quality management requirements].		

PM-23	DATA GOVERNANCE BODY	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PM-23_ODP[01]	the roles of a data governance body are defined;
	PM-23_ODP[02]	the responsibilities of a data governance body are defined;
	PM-23	a data governance body consisting of < PM-23_ODP[01] roles> with < PM-23_ODP[02] responsibilities> is established.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-23-Examine	[SELECT FROM: Privacy program plan; documentation relating to a data governance body, including documents establishing such a body, its charter of operations, and any plans and reports; records of board meetings and decisions; records of requests to review data; policies, procedures, and standards that facilitate data governance].
	PM-23-Interview	[SELECT FROM: Officials serving on the data governance dody (e.g., chief information officer, senior agency information security officer, and senior agency official for privacy)].

PM-24	DATA INTEGRITY B	DATA INTEGRITY BOARD	
	ASSESSMENT OBJE Determine if:	CTIVE:	
	PM-24	a data integrity board is established;	
	PM-24a.	the data integrity board reviews proposals to conduct or participate in a matching program;	
	PM-24b.	the data integrity board conducts an annual review of all matching programs in which the agency has participated.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-24-Examine	[SELECT FROM: Privacy program plan; privacy program documents relating to a data integrity board, including documents establishing the board, its charter of operations, and any plans and reports; computer matching agreements and notices; information sharing agreements; memoranda of understanding; records documenting annual reviews; governing requirements, including laws, Executive Orders, regulations, standards, and guidance].	
	PM-24-Interview	[SELECT FROM: members of the data integrity board (e.g., the chief information officer, senior information security officer, senior agency official for privacy, and agency Inspector General)].	

PM-25	MINIMIZATION OF PERSONALLY IDENTIFIABLE INFORMATION USED IN TESTING, TRAINING, AND RESEARCH	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-25_ODP[01]	the frequency for reviewing policies that address the use of personally identifiable information for internal testing, training, and research is defined;
	PM-25_ODP[02]	the frequency for updating policies that address the use of personally identifiable information for internal testing, training, and research is defined;
	PM-25_ODP[03]	the frequency for reviewing procedures that address the use of personally identifiable information for internal testing, training, and research is defined;
	PM-25_ODP[04]	the frequency for updating procedures that address the use of personally identifiable information for internal testing, training, and research is defined;
	PM-25a.[01]	policies that address the use of personally identifiable information for internal testing are developed and documented;
	PM-25a.[02]	policies that address the use of personally identifiable information for internal training are developed and documented;
	PM-25a.[03]	policies that address the use of personally identifiable information for internal research are developed and documented;
	PM-25a.[04]	procedures that address the use of personally identifiable information for internal testing are developed and documented;
	PM-25a.[05]	procedures that address the use of personally identifiable information for internal training are implemented;
	PM-25a.[06]	procedures that address the use of personally identifiable information for internal research are implemented;
	PM-25a.[07]	policies and procedures that address the use of personally identifiable information for internal testing, training, and research are implemented;
	PM-25b.[01]	the amount of personally identifiable information used for internal testing purposes is limited or minimized;
	PM-25b.[02]	the amount of personally identifiable information used for internal training purposes is limited or minimized;
	PM-25b.[03]	the amount of personally identifiable information used for internal research purposes is limited or minimized;
	PM-25c.[01]	the required use of personally identifiable information for internal testing is authorized;
	PM-25c.[02]	the required use of personally identifiable information for internal training is authorized;
	PM-25c.[03]	the required use of personally identifiable information for internal research is authorized;

PM-25	MINIMIZATION OF PERSONALLY IDENTIFIABLE INFORMATION USED IN TESTING, TRAINING, AND RESEARCH		
	PM-25d.[01]	policies are reviewed < PM-25_ODP[01] frequency> ;	
	PM-25d.[02]	policies are updated < PM-25_ODP[02] frequency> ;	
	PM-25d.[03]	procedures are reviewed < PM-25_ODP[03] frequency >;	
	PM-25d.[04]	procedures are updated < PM-25_ODP[04] frequency> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-25-Examine	[SELECT FROM: Privacy program plan; policies and procedures for the minimization of personally identifiable information used in testing, training, and research; documentation supporting policy implementation (e.g., templates for testing, training, and research; privacy threshold analysis; privacy risk assessment); data sets used for testing, training, and research].	
	PM-25-Interview	[SELECT FROM: Organizational personnel with privacy program responsibilities; organizational personnel with privacy responsibilities; system developers; personnel with IRB responsibilities].	
	PM-25-Test	[SELECT FROM: Organizational processes for data quality and personally identifiable information management; automated mechanisms supporting data quality management and personally identifiable information management to minimize the use of personally identifiable information].	

PM-26	COMPLAINT MANA	GEMENT
	ASSESSMENT OBJE	CTIVE:
	PM-26_ODP[01]	the time period in which complaints (including concerns or questions) from individuals are to be reviewed is defined;
	PM-26_ODP[02]	the time period in which complaints (including concerns or questions) from individuals are to be addressed is defined;
	PM-26_ODP[03]	the time period for acknowledging the receipt of complaints is defined;
	PM-26_ODP[04]	the time period for responding to complaints is defined;
	PM-26	a process for receiving complaints, concerns, or questions from individuals about the organizational security and privacy practices is implemented;
	PM-26a.[01]	the complaint management process includes mechanisms that are easy to use by the public;
	PM-26a.[02]	the complaint management process includes mechanisms that are readily accessible by the public;
	PM-26b.	the complaint management process includes all information necessary for successfully filing complaints;
	PM-26c.[01]	the complaint management process includes tracking mechanisms to ensure that all complaints are reviewed within <pm-26_odp[01]< b=""> time period>;</pm-26_odp[01]<>

PM-26	COMPLAINT MANAGEMENT		
	PM-26c.[02]	the complaint management process includes tracking mechanisms to ensure that all complaints are addressed within <pm-26_odp[02] period="" time=""></pm-26_odp[02]> ;	
	PM-26d.	the complaint management process includes acknowledging the receipt of complaints, concerns, or questions from individuals within <pm-26_odp[03]< b=""> <i>time period</i>>;</pm-26_odp[03]<>	
	PM-26e.	the complaint management process includes responding to complaints, concerns, or questions from individuals within <pm-26_odp[04] b="" time<=""> period>.</pm-26_odp[04]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-26-Examine	[SELECT FROM: Privacy program plan; procedures addressing complaint management; complaint documentation; procedures addressing the reviews of complaints; other relevant documents or records].	
	PM-26-Interview	[SELECT FROM: Organizational personnel with privacy program responsibilities; organizational personnel with privacy responsibilities].	
	PM-26-Test	[SELECT FROM: Organizational processes for complaint management; automated mechanisms supporting complaint management; tools used by the public to submit complaints, concerns, and questions (e.g., telephone, hotline, email, or web-based forms].	

PM-27	PRIVACY REPORTING	
	ASSESSMENT OBJEC	CTIVE:
	PM-27_ODP[01]	privacy reports are defined;
	PM-27_ODP[02]	privacy oversight bodies are defined;
	PM-27_ODP[03]	officials responsible for monitoring privacy program compliance are defined;
	PM-27_ODP[04]	the frequency for reviewing and updating privacy reports is defined;
	PM-27a.	<pm-27_odp[01] privacy="" reports=""> are developed;</pm-27_odp[01]>
	PM-27a.01	the privacy reports are disseminated to <i>PM-27_ODP[02]</i> oversight bodies> to demonstrate accountability with statutory, regulatory, and policy privacy mandates;
	PM-27a.02[01]	the privacy reports are disseminated to < PM-27_ODP[03] officials> ;
	PM-27a.02[02]	the privacy reports are disseminated to other personnel responsible for monitoring privacy program compliance;
	PM-27b.	the privacy reports are reviewed and updated < PM-27_ODP[04] frequency>.

PM-27	PRIVACY REPORTING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PM-27-Examine	[SELECT FROM: Privacy program plan; internal and external privacy reports; privacy program plan; annual senior agency official for privacy reports to OMB; reports to Congress required by law, regulation, or policy, including internal policies; records documenting the dissemination of reports to oversight bodies and officials responsible for monitoring privacy program compliance; records of review and updates of privacy reports.].
	PM-27-Interview	[SELECT FROM: Organizational personnel with privacy program responsibilities; organizational personnel with privacy responsibilities; legal counsel.].

PM-28	RISK FRAMING		
	ASSESSMENT OBJECTIVE: Determine if:		
	PM-28_ODP[01]	the personnel to receive the results of risk framing activities is/are defined;	
	PM-28_ODP[02]	the frequency for reviewing and updating risk framing considerations is defined;	
	PM-28a.01[01]	assumptions affecting risk assessments are identified and documented;	
	PM-28a.01[02]	assumptions affecting risk responses are identified and documented;	
	PM-28a.01[03]	assumptions affecting risk monitoring are identified and documented;	
	PM-28a.02[01]	constraints affecting risk assessments are identified and documented;	
	PM-28a.02[02]	constraints affecting risk responses are identified and documented;	
	PM-28a.02[03]	constraints affecting risk monitoring are identified and documented;	
	PM-28a.03[01]	priorities considered by the organization for managing risk are identified and documented;	
	PM-28a.03[02]	trade-offs considered by the organization for managing risk are identified and documented;	
	PM-28a.04	organizational risk tolerance is identified and documented;	
	PM-28b.	the results of risk framing activities are distributed to <pm-28_odp[01]< b=""> personnel>;</pm-28_odp[01]<>	
	PM-28c.	risk framing considerations are reviewed and updated < PM-28_ODP[02] frequency>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-28-Examine	[SELECT FROM: Information security program plan; privacy program plan; supply chain risk management strategy; documentation of risk framing activities; policies and procedures for risk framing activities; risk management strategy].	

PM-28	RISK FRAMING	
	PM-28-Interview	[SELECT FROM: Organizational personnel (including mission, business, and system owners or stewards; authorizing officials; senior agency information security officer; senior agency official for privacy; and senior accountable official for risk management)].
	PM-28-Test	[SELECT FROM: Organizational procedures and practices for authorizing, conducting, managing, and reviewing personally identifiable information processing; organizational processes for risk framing; automated mechanisms supporting the development, review, update, and approval of risk framing].

PM-29	RISK MANAGEMENT PROGRAM LEADERSHIP ROLES		
	ASSESSMENT OBJEC	TIVE:	
	PM-29a.[01]	a Senior Accountable Official for Risk Management is appointed;	
	PM-29a.[02]	a Senior Accountable Official for Risk Management aligns information security and privacy management processes with strategic, operational, and budgetary planning processes;	
	PM-29b.[01]	a Risk Executive (function) is established;	
	PM-29b.[02]	a Risk Executive (function) views and analyzes risk from an organization-wide perspective;	
	PM-29b.[03]	a Risk Executive (function) ensures that the management of risk is consistent across the organization.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-29-Examine	[SELECT FROM: Information security program plan; privacy program plan; risk management strategy; supply chain risk management strategy; documentation of appointment, roles, and responsibilities of a Senior Accountable Official for Risk Management; documentation of actions taken by the Official; documentation of the establishment, policies, and procedures of a Risk Executive (function)].	
	PM-29-Interview	[SELECT FROM: Senior Accountable Official for Risk Management; chief information officer; senior agency information security officer; senior agency official for privacy; organizational personnel with information security and privacy program responsibilities].	
		·	

PM-30	SUPPLY CHAIN RISK MANAGEMENT STRATEGY	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-30_ODP	the frequency for reviewing and updating the supply chain risk management strategy is defined;

1-30 SUPPLY CHAIN R	SK MANAGEMENT STRATEGY
PM-30a.[01]	an organization-wide strategy for managing supply chain risks is developed;
PM-30a.[02]	the supply chain risk management strategy addresses risks associated with the development of systems;
PM-30a.[03]	the supply chain risk management strategy addresses risks associated with the development of system components;
	the supply chain risk management strategy addresses risks associated with the development of system services;
PM-30a.[04]	the supply chain risk management strategy addresses risks associated with the acquisition of systems;
PM-30a.[05]	the supply chain risk management strategy addresses risks associated with the acquisition of system components;
PM-30a.[06]	the supply chain risk management strategy addresses risks associated with the acquisition of system services;
PM-30a.[07]	the supply chain risk management strategy addresses risks associated with the maintenance of systems;
PM-30a.[08]	the supply chain risk management strategy addresses risks associated with the maintenance of system components;
PM-30a.[09]	the supply chain risk management strategy addresses risks associated with the maintenance of system services;
PM-30a.[10]	the supply chain risk management strategy addresses risks associated with the disposal of systems;
PM-30a.[11]	the supply chain risk management strategy addresses risks associated with the disposal of system components;
PM-30a.[12]	the supply chain risk management strategy addresses risks associated with the disposal of system services;
PM-30b.	the supply chain risk management strategy is implemented consistently across the organization;
PM-30c.	the supply chain risk management strategy is reviewed and updated PM-30_ODP frequency> or as required to address organizational changes.
POTENTIAL ASSE	SSMENT METHODS AND OBJECTS:
PM-30-Examine	[SELECT FROM: Supply chain risk management strategy; organizational risk management strategy; enterprise risk management documents; other relevant documents or records].
PM-30-Interview	[SELECT FROM: Organizational personnel with supply chain risk management responsibilities; organizational personnel with information security responsibilities; organizational personnel with acquisition responsibilities; organizational personnel with enterprise risk management responsibilities].

PM-30(01)	SUPPLY CHAIN RISK MANAGEMENT STRATEGY SUPPLIERS OF CRITICAL OR MISSION- ESSENTIAL ITEMS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PM-30(01)[01]	suppliers of critical or mission-essential technologies, products, and services are identified;	
	PM-30(01)[02]	suppliers of critical or mission-essential technologies, products, and services are prioritized;	
	PM-30(01)[03]	suppliers of critical or mission-essential technologies, products, and services are assessed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-30(01)-Examine	[SELECT FROM: Supply chain risk management strategy; organization- wide risk management strategy; enterprise risk management documents; inventory records or suppliers; assessment and prioritization documentation; critical or mission-essential technologies, products, and service documents or records; other relevant documents or records].	
	PM-30(01)-Interview	[SELECT FROM: Organizational personnel with supply chain risk management responsibilities; organizational personnel with information security responsibilities; organizational personnel with acquisition responsibilities; organizational personnel with enterprise risk management responsibilities].	
	PM-30(01)-Test	[SELECT FROM: Organizational processes for identifying, prioritizing, and assessing critical or mission-essential technologies, products, and services; organizational processes for maintaining an inventory of suppliers; organizational process for associating suppliers with critical or mission- essential technologies, products, and services].	

PM-31	CONTINUOUS MONITORING STRATEGY	
	ASSESSMENT OBJECTIVE: Determine if:	
	PM-31_ODP[01]	the metrics for organization-wide continuous monitoring are defined;
	PM-31_ODP[02]	the frequency for monitoring is defined;
	PM-31_ODP[03]	the frequency for assessing control effectiveness is defined;
	PM-31_ODP[04]	the personnel or roles for reporting the security status of organizational systems to is/are defined;
	PM-31_ODP[05]	the personnel or roles for reporting the privacy status of organizational systems to is/are defined;
	PM-31_ODP[06]	the frequency at which to report the security status of organizational systems is defined;
	PM-31_ODP[07]	the frequency at which to report the privacy status of organizational systems is defined;

PM-31		TORING STRATEGY	
	PM-31	an organization-wide continuous monitoring strategy is developed;	
	PM-31a.	continuous monitoring programs are implemented that include establishing PM-31_ODP[01] metrics> to be monitored;	
	PM-31b.[01]	continuous monitoring programs are implemented that establish PM-31_ODP[02] frequency> for monitoring;	
	PM-31b.[02]	continuous monitoring programs are implemented that establish < PM-31_ODP[03] frequency> for assessment of control effectiveness;	
	PM-31c.	continuous monitoring programs are implemented that include monitoring < PM-31_ODP[01] metrics> on an ongoing basis in accordance with the continuous monitoring strategy;	
	PM-31d.[01]	continuous monitoring programs are implemented that include correlating information generated by control assessments and monitoring;	
	PM-31d.[02]	continuous monitoring programs are implemented that include analyzing information generated by control assessments and monitoring;	
	PM-31e.[01]	continuous monitoring programs are implemented that include response actions to address the analysis of control assessment information;	
	PM-31e.[02]	continuous monitoring programs are implemented that include response actions to address the analysis of monitoring information;	
	PM-31f.[01]	continuous monitoring programs are implemented that include reporting the security status of organizational systems to <pm-31_odp[04] b="" personnel<=""> or roles> <pm-31_odp[06] frequency=""></pm-31_odp[06]>;</pm-31_odp[04]>	
	PM-31f.[02]	continuous monitoring programs are implemented that include reporting the privacy status of organizational systems to <i>PM-31_ODP[05] personnel</i> or roles> <i>PM-31_ODP[07] frequency></i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-31-Examine	[SELECT FROM: Information security program plan; privacy program plan; supply chain risk management plan; continuous monitoring strategy; risk management strategy; information security continuous monitoring program documentation, reporting, metrics, and artifacts; information security continuous monitoring program assessment documentation, reporting, metrics, and artifacts; assessment and authorization policy; procedures addressing the continuous monitoring of controls; privacy program continuous monitoring documentation, reporting, metrics, and artifacts; continuous monitoring program records, security, and privacy impact analyses; status reports; risk response documentation; other relevant documents or records.].	
	PM-31-Interview	[SELECT FROM: Senior Accountable Official for Risk Management; chief information officer; senior agency information security officer; senior agency official for privacy; organizational personnel with information security, privacy, and supply chain risk management program responsibilities].	
	PM-31-Test	[SELECT FROM: Organizational procedures and mechanisms used for information security, privacy, and supply chain continuous monitoring].	

PM-32	PURPOSING		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	PM-32_ODP	the systems or system components supporting mission-essential services or functions are defined;	
	PM-32	PM-32_ODP systems or system components> supporting mission-essential services or functions are analyzed to ensure that the information resources are being used in a manner that is consistent with their intended purpose.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PM-32-Examine	[SELECT FROM: Information security program plan; privacy program plan; list of essential services and functions; organizational analysis of information resources; risk management strategy; other relevant documents or records.].	
	PM-32-Interview	[SELECT FROM: Organizational personnel with information security, privacy, and supply chain risk management program responsibilities].	

4.14 PERSONNEL SECURITY

PS-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJECT Determine if:	TIVE:
	PS-01_ODP[01]	personnel or roles to whom the personnel security policy is to be disseminated is/are defined;
	PS-01_ODP[02]	personnel or roles to whom the personnel security procedures are to be disseminated is/are defined;
	PS-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	PS-01_ODP[04]	an official to manage the personnel security policy and procedures is defined;
	PS-01_ODP[05]	the frequency at which the current personnel security policy is reviewed and updated is defined;
	PS-01_ODP[06]	events that would require the current personnel security policy to be reviewed and updated are defined;
	PS-01_ODP[07]	the frequency at which the current personnel security procedures are reviewed and updated is defined;
	PS-01_ODP[08]	events that would require the personnel security procedures to be reviewed and updated are defined;
	PS-01a.[01]	a personnel security policy is developed and documented;
	PS-01a.[02]	the personnel security policy is disseminated to <ps-01_odp[01] b="" personnel<=""> or roles>;</ps-01_odp[01]>
	PS-01a.[03]	personnel security procedures to facilitate the implementation of the personnel security policy and associated personnel security controls are developed and documented;
	PS-01a.[04]	the personnel security procedures are disseminated to <ps-01_odp[02]< b=""> personnel or roles>;</ps-01_odp[02]<>
	PS-01a.01(a)[01]	the <ps-01_odp[03] parameter="" selected="" value(s)=""></ps-01_odp[03]> personnel security policy addresses purpose;
	PS-01a.01(a)[02]	the <ps-01_odp[03] b="" parameter="" selected="" value(s)<="">> personnel security policy addresses scope;</ps-01_odp[03]>
	PS-01a.01(a)[03]	the < PS-01_ODP[03] SELECTED PARAMETER VALUE(S) > personnel security policy addresses roles;
	PS-01a.01(a)[04]	the < PS-01_ODP[03] SELECTED PARAMETER VALUE(S) > personnel security policy addresses responsibilities;
	PS-01a.01(a)[05]	the <ps-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> personnel security policy addresses management commitment;</ps-01_odp[03]<>

POLICY AND I	POLICY AND PROCEDURES	
PS-01a.01(a)[0	6] the <ps-01_odp[03] parameter="" selected="" value(s)=""> personnel security policy addresses coordination among organizational entities;</ps-01_odp[03]>	
PS-01a.01(a)[0	7] the < PS-01_ODP[03] SELECTED PARAMETER VALUE(S) > personnel security policy addresses compliance;	
PS-01a.01(b)	the <ps-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ps-01_odp[03]<> personnel security policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
PS-01b.	the < <i>PS-01_ODP[04] official></i> is designated to manage the development, documentation, and dissemination of the personnel security policy and procedures;	
PS-01c.01[01]	the current personnel security policy is reviewed and updated <pre><pre><pre></pre></pre><pre><pre><pre></pre></pre></pre><pre><pre><pre><pre><pre><pre><pre><</pre></pre></pre></pre></pre></pre></pre></pre>	
PS-01c.01[02]	the current personnel security policy is reviewed and updated following < <i>PS-01_ODP[06] events</i> >;	
PS-01c.02[01]	the current personnel security procedures are reviewed and updated <pre><pre></pre></pre> <pre>// Complete Complete</pre>	
PS-01c.02[02]	the current personnel security procedures are reviewed and updated following <ps-01_odp[08] events=""></ps-01_odp[08]> .	
POTENTIAL A	SSESSMENT METHODS AND OBJECTS:	
PS-01-Examine	[SELECT FROM: Personnel security policy; personnel security procedures; system security plan; privacy plan; risk management strategy documentation; audit findings; other relevant documents or records].	
PS-01-Interviev	 [SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities]. 	

PS-02	POSITION RISK DESIGNATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	PS-02_ODP	the frequency at which to review and update position risk designations is defined;
	PS-02a.	a risk designation is assigned to all organizational positions;
	PS-02b.	screening criteria are established for individuals filling organizational positions;
	PS-02c.	position risk designations are reviewed and updated <ps-02_odp< b=""> frequency>.</ps-02_odp<>

PS-02	POSITION RISK DESIGNATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PS-02-Examine	[SELECT FROM: Personnel security policy; procedures addressing position categorization; appropriate codes of federal regulations; list of risk designations for organizational positions; records of position risk designation reviews and updates; system security plan; other relevant documents or records].
	PS-02-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].
	PS-02-Test	[SELECT FROM: Organizational processes for assigning, reviewing, and updating position risk designations; organizational processes for establishing screening criteria].

PERSONNEL SCREENING	
ASSESSMENT OBJECTIVE: Determine if:	
PS-03_ODP[01]	conditions requiring rescreening of individuals are defined;
PS-03_ODP[02]	the frequency of rescreening individuals where it is so indicated is defined;
PS-03a.	individuals are screened prior to authorizing access to the system;
PS-03b.[01]	individuals are rescreened in accordance with <ps-03_odp[01]< b=""> conditions requiring rescreening>;</ps-03_odp[01]<>
PS-03b.[02]	where rescreening is so indicated, individuals are rescreened .
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
PS-03-Examine	[SELECT FROM: Personnel security policy; procedures addressing personnel screening; records of screened personnel; system security plan; other relevant documents or records].
PS-03-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].
PS-03-Test	[SELECT FROM: Organizational processes for personnel screening].
	Determine if: PS-03_ODP[01] PS-03_ODP[02] PS-03a. PS-03b.[01] PS-03b.[02] POTENTIAL ASSESSM PS-03-Examine PS-03-Interview

PS-03(01)	PERSONNEL SCREENING CLASSIFIED INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	PS-03(01)[01]	individuals accessing a system processing, storing, or transmitting classified information are cleared;

PS-03(01)	PERSONNEL SCREENING CLASSIFIED INFORMATION	
	PS-03(01)[02]	individuals accessing a system processing, storing, or transmitting classified information are indoctrinated to the highest classification level of the information to which they have access on the system.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PS-03(01)-Examine	[SELECT FROM: Personnel security policy; procedures addressing personnel screening; records of screened personnel; system security plan; other relevant documents or records].
	PS-03(01)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].
	PS-03(01)-Test	[SELECT FROM: Organizational processes for clearing and indoctrinating personnel for access to classified information].

PS-03(02)	PERSONNEL SCREENING FORMAL INDOCTRINATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	PS-03(02)	individuals accessing a system processing, storing, or transmitting types of classified information that require formal indoctrination are formally indoctrinated for all of the relevant types of information to which they have access on the system.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PS-03(02)-Examine	[SELECT FROM: Personnel security policy; procedures addressing personnel screening; indoctrination documents; records of screened personnel; system security plan; other relevant documents or records].	
	PS-03(02)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].	
	PS-03(02)-Test	[SELECT FROM: Organizational processes for formal indoctrination for all relevant types of information to which personnel have access].	

PS-03(03)	PERSONNEL SCREENING INFORMATION REQUIRING SPECIAL PROTECTIVE MEASURES	
	ASSESSMENT OBJECTIVE: Determine if:	
	PS-03(03)_ODP	additional personnel screening criteria to be satisfied for individuals accessing a system processing, storing, or transmitting information requiring special protection are defined;

PS-03(03)	PERSONNEL SCREENING INFORMATION REQUIRING SPECIAL PROTECTIVE MEASURES		
	PS-03(03)(a)	individuals accessing a system processing, storing, or transmitting information requiring special protection have valid access authorizations that are demonstrated by assigned official government duties;	
	PS-03(03)(b)	individuals accessing a system processing, storing, or transmitting information requiring special protection satisfy <ps-03(03)_odp additional<="" b=""> <i>personnel screening criteria</i>>.</ps-03(03)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PS-03(03)-Examine	[SELECT FROM: Personnel security policy; access control policy, procedures addressing personnel screening; records of screened personnel; screening criteria; records of access authorizations; system security plan; other relevant documents or records].	
	PS-03(03)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].	
	PS-03(03)-Test	[SELECT FROM: Organizational processes for ensuring valid access authorizations for information requiring special protection; organizational process for additional personnel screening for information requiring special protection].	

PS-03(04)	PERSONNEL SCREENING CITIZENSHIP REQUIREMENTS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	PS-03(04)_ODP[01]	information types that are processed, stored, or transmitted by a system are defined;
	PS-03(04)_ODP[02]	citizenship requirements to be met by individuals to access a system processing, storing, or transmitting information are defined;
	PS-03(04)	individuals accessing a system processing, storing, or transmitting <ps-03(04)_odp[01] information="" types=""> meet <ps-03(04)_odp[02] citizenship requirements>.</ps-03(04)_odp[02] </ps-03(04)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PS-03(04)-Examine	[SELECT FROM: Personnel security policy; access control policy, procedures addressing personnel screening; records of screened personnel; screening criteria; records of access authorizations; system security plan; other relevant documents or records].
	PS-03(04)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].
	PS-03(04)-Test	[SELECT FROM: Organizational processes for ensuring valid access authorizations for information requiring citizenship; organizational process for additional personnel screening for information requiring citizenship].

PS-04	PERSONNEL TERMINATION		
	ASSESSMENT OBJEC Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
	PS-04_ODP[01]	a time period within which to disable system access is defined;	
	PS-04_ODP[02]	information security topics to be discussed when conducting exit interviews are defined;	
	PS-04a.	upon termination of individual employment, system access is disabled within <pre><ps-04_odp[01] period="" time="">;</ps-04_odp[01]></pre>	
	PS-04b.	upon termination of individual employment, any authenticators and credentials are terminated or revoked;	
	PS-04c.	upon termination of individual employment, exit interviews that include a discussion of <ps-04_odp[02] information="" security="" topics=""></ps-04_odp[02]> are conducted;	
	PS-04d.	upon termination of individual employment, all security-related organizational system-related property is retrieved;	
	PS-04e.	upon termination of individual employment, access to organizational information and systems formerly controlled by the terminated individual are retained.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PS-04-Examine	[SELECT FROM: Personnel security policy; procedures addressing personnel termination; records of personnel termination actions; list of system accounts; records of terminated or revoked authenticators/credentials; records of exit interviews; system security plan; other relevant documents or records].	
	PS-04-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities].	
	PS-04-Test	[SELECT FROM: Organizational processes for personnel termination; automated mechanisms supporting and/or implementing personnel termination notifications; automated mechanisms for disabling system access/revoking authenticators].	

	PS-04(01)	PERSONNEL TERMINATION POST-EMPLOYMENT REQUIREMENTS	
		ASSESSMENT OBJECTIVE: Determine if:	
		PS-04(01)(a)	terminated individuals are notified of applicable, legally binding post- employment requirements for the protection of organizational information;
		PS-04(01)(b)	terminated individuals are required to sign an acknowledgement of post- employment requirements as part of the organizational termination process.

PS-04(01)	PERSONNEL TERMINATION POST-EMPLOYMENT REQUIREMENTS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PS-04(01)-Examine	[SELECT FROM: Personnel security policy; procedures addressing personnel termination; signed post-employment acknowledgement forms; list of applicable, legally binding post-employment requirements; system security plan; other relevant documents or records].
	PS-04(01)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].
	PS-04(01)-Test	[SELECT FROM: Organizational processes for post-employment requirements].

PS-04(02)	PERSONNEL TERMINATION AUTOMATED ACTIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PS-04(02)_ODP[01]	automated mechanisms to notify personnel or roles of individual termination actions and/or to disable access to system resources are defined;	
	PS-04(02)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {notify <ps-04(02)_odp[03] or="" personnel="" roles="">of individual termination actions; disable access to system resources};</ps-04(02)_odp[03]>	
	PS-04(02)_ODP[03]	personnel or roles to be notified upon termination of an individual is/are defined (if selected);	
	PS-04(02)	<pre><ps-04(02)_odp[01] automated="" mechanisms=""> are used to <ps-04(02)_odp[02] parameter="" selected="" value(s)="">.</ps-04(02)_odp[02]></ps-04(02)_odp[01]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PS-04(02)-Examine	[SELECT FROM: Personnel security policy; procedures addressing personnel termination; system design documentation; system configuration settings and associated documentation; records of personnel termination actions; automated notifications of employee terminations; system security plan; other relevant documents or records].	
	PS-04(02)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security responsibilities].	
	PS-04(02)-Test	[SELECT FROM: Organizational processes for personnel termination; automated mechanisms supporting and/or implementing personnel termination notifications].	
	1		

PS-05	PERSONNEL TRANSF	ER
	ASSESSMENT OBJEC Determine if:	TIVE:
	PS-05_ODP[01]	transfer or reassignment actions to be initiated following transfer or reassignment are defined;
	PS-05_ODP[02]	the time period within which transfer or reassignment actions must occur following transfer or reassignment is defined;
	PS-05_ODP[03]	personnel or roles to be notified when individuals are reassigned or transferred to other positions within the organization is/are defined;
	PS-05_ODP[04]	time period within which to notify organization-defined personnel or roles when individuals are reassigned or transferred to other positions within the organization is defined;
	PS-05a.	the ongoing operational need for current logical and physical access authorizations to systems and facilities are reviewed and confirmed when individuals are reassigned or transferred to other positions within the organization;
	PS-05b.	<pre><ps-05_odp[01] actions="" or="" reassignment="" transfer=""> are initiated within <ps-05_odp[02] action="" following="" formal="" period="" the="" time="" transfer="">;</ps-05_odp[02]></ps-05_odp[01]></pre>
	PS-05c.	access authorization is modified as needed to correspond with any changes in operational need due to reassignment or transfer;
	PS-05d.	<pre><ps-05_odp[03] or="" personnel="" roles=""> are notified within <ps-05_odp[04] period="" time="">.</ps-05_odp[04]></ps-05_odp[03]></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	PS-05-Examine	[SELECT FROM: Personnel security policy; procedures addressing personnel transfer; records of personnel transfer actions; list of system and facility access authorizations; system security plan; other relevant documents or records].
	PS-05-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with account management responsibilities; system/network administrators; organizational personnel with information security responsibilities].
	PS-05-Test	[SELECT FROM: Organizational processes for personnel transfer; automated mechanisms supporting and/or implementing personnel transfer notifications; automated mechanisms for disabling system access/revoking authenticators].

PS-06 ACCESS AGREEMENTS ASSESSMENT OBJECTIVE: Determine if: PS-06_ODP[01] the frequency at which to review and update access agreements is defined;

PS-06	ACCESS AGREEMENTS	
	PS-06_ODP[02]	the frequency at which to re-sign access agreements to maintain access to organizational information is defined;
	PS-06a.	access agreements are developed and documented for organizational systems;
	PS-06b.	the access agreements are reviewed and updated < PS-06_ODP[01] frequency>;
	PS-06c.01	individuals requiring access to organizational information and systems sign appropriate access agreements prior to being granted access;
	PS-06c.02	individuals requiring access to organizational information and systems re- sign access agreements to maintain access to organizational systems when access agreements have been updated or <ps-06_odp[02] frequency=""></ps-06_odp[02]> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PS-06-Examine	[SELECT FROM: Personnel security policy; personnel security procedures; procedures addressing access agreements for organizational information and systems; access control policy; access control procedures; access agreements (including non-disclosure agreements, acceptable use agreements, rules of behavior, and conflict-of-interest agreements); documentation of access agreement reviews, updates, and re-signing; system security plan; privacy plan; other relevant documents or records].
	PS-06-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel who have signed/resigned access agreements; organizational personnel with information security and privacy responsibilities].
	PS-06-Test	[SELECT FROM: Organizational processes for reviewing, updating, and re-signing access agreements; automated mechanisms supporting the reviewing, updating, and re-signing of access agreements].

PS-06(01) ACCESS AGREEMENTS | INFORMATION REQUIRING SPECIAL PROTECTION

[WITHDRAWN: Incorporated into PS-03.]

PS-06(02) ACCESS AGREEMENTS | CLASSIFIED INFORMATION REQUIRING SPECIAL PROTECTION

ASSESSMENT OBJE Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
PS-06(02)(a)	access to classified information requiring special protection is granted only to individuals who have a valid access authorization that is demonstrated by assigned official government duties;	
PS-06(02)(b)	access to classified information requiring special protection is granted only to individuals who satisfy associated personnel security criteria;	

PS-06(02)	ACCESS AGREEMENTS CLASSIFIED INFORMATION REQUIRING SPECIAL PROTECTION	
	PS-06(02)(c)	access to classified information requiring special protection is granted only to individuals who have read, understood, and signed a non-disclosure agreement.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PS-06(02)-Examine	[SELECT FROM: Personnel security policy; procedures addressing access agreements for organizational information and systems; access agreements; access authorizations; personnel security criteria; signed non-disclosure agreements; system security plan; other relevant documents or records].
	PS-06(02)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel who have signed non-disclosure agreements; organizational personnel with information security responsibilities].
	PS-06(02)-Test	[SELECT FROM: Organizational processes for access to classified information requiring special protection].

PS-06(03)	ACCESS AGREEMENTS POST-EMPLOYMENT REQUIREMENTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PS-06(03)(a)	individuals are notified of applicable, legally binding post-employment requirements for the protection of organizational information;	
	PS-06(03)(b)	individuals are required to sign an acknowledgement of applicable, legally binding post-employment requirements as part of being granted initial access to covered information.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PS-06(03)-Examine	[SELECT FROM: Personnel security policy; procedures addressing access agreements for organizational information and systems; signed post- employment acknowledgement forms; access agreements; list of applicable, legally binding post-employment requirements; system security plan; other relevant documents or records].	
	PS-06(03)-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel who have signed access agreements that include post-employment requirements; organizational personnel with information security responsibilities].	
	PS-06(03)-Test	[SELECT FROM: Organizational processes for post-employment requirements; automated mechanisms supporting notifications and individual acknowledgements of post-employment requirements].	

PS-07	5-07 EXTERNAL PERSONNEL SECURITY	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PS-07_ODP[01]	personnel or roles to be notified of any personnel transfers or terminations of external personnel who possess organizational credentials and/or badges or who have system privileges is/are defined;
	PS-07_ODP[02]	time period within which third-party providers are required to notify organization-defined personnel or roles of any personnel transfers or terminations of external personnel who possess organizational credentials and/or badges or who have system privileges is defined;
	PS-07(a)	personnel security requirements are established, including security roles and responsibilities for external providers;
	PS-07(b)	external providers are required to comply with personnel security policies and procedures established by the organization;
	PS-07(c)	personnel security requirements are documented;
	PS-07(d)	external providers are required to notify <ps-07_odp[01]< b=""> personnel or roles> of any personnel transfers or terminations of external personnel who possess organizational credentials and/or badges or who have system privileges within <ps-07_odp[02]< b=""> time period>;</ps-07_odp[02]<></ps-07_odp[01]<>
	PS-07(e)	provider compliance with personnel security requirements is monitored.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PS-07-Examine	[SELECT FROM: Personnel security policy; procedures addressing external personnel security; list of personnel security requirements; acquisition documents; service-level agreements; compliance monitoring process; system security plan; other relevant documents or records].
	PS-07-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; external providers; system/network administrators; organizational personnel with account management responsibilities; organizational personnel with information security responsibilities].
	PS-07-Test	[SELECT FROM: Organizational processes for managing and monitoring external personnel security; automated mechanisms supporting and/or implementing the monitoring of provider compliance].

PS-08	PERSONNEL SANCTIONS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PS-08_ODP[01]	personnel or roles to be notified when a formal employee sanctions process is initiated is/are defined;
	PS-08_ODP[02]	the time period within which organization-defined personnel or roles must be notified when a formal employee sanctions process is initiated is defined;

PERSONNEL SANCTIONS		
PS-08a.	a formal sanctions process is employed for individuals failing to comply with established information security and privacy policies and procedures;	
PS-08b.	PS-08_ODP[01] personnel or roles> is/are notified within PS-08_ODP[02] time period> when a formal employee sanctions process is initiated, identifying the individual sanctioned and the reason for the sanction.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PS-08-Examine	[SELECT FROM: Personnel security policy; personnel security procedures; procedures addressing personnel sanctions; access agreements (including non-disclosure agreements, acceptable use agreements, rules of behavior, and conflict-of-interest agreements); list of personnel or roles to be notified of formal employee sanctions; records or notifications of formal employee sanctions; system security plan; privacy plan; personally identifiable information processing policy; other relevant documents or records].	
PS-08-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; legal counsel; organizational personnel with information security and privacy responsibilities].	
PS-08-Test	[SELECT FROM: Organizational processes for managing formal employee sanctions; automated mechanisms supporting and/or implementing formal employee sanctions notifications].	
	PS-08a. PS-08b. POTENTIAL ASSESSM PS-08-Examine PS-08-Interview	

PS-09	POSITION DESCRIPTIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	PS-09[01]	security roles and responsibilities are incorporated into organizational position descriptions;	
	PS-09[02]	privacy roles and responsibilities are incorporated into organizational position descriptions.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PS-09-Examine	[SELECT FROM: Personnel security policy; personnel security procedures; procedures addressing position descriptions; security and privacy position descriptions; system security plan; privacy plan; privacy program plan; other relevant documents or records].	
	PS-09-Interview	[SELECT FROM: Organizational personnel with personnel security responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with human capital management responsibilities].	
	PS-09-Test	[SELECT FROM: Organizational processes for managing position descriptions].	

4.15 PERSONALLY IDENTIFIABLE INFORMATION PROCESSING AND TRANSPARENCY

PT-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PT-01_ODP[01]	personnel or roles to whom the personally identifiable information processing and transparency policy is to be disseminated is/are defined;
	PT-01_ODP[02]	personnel or roles to whom the personally identifiable information processing and transparency procedures are to be disseminated is/are defined;
	PT-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	PT-01_ODP[04]	an official to manage the personally identifiable information processing and transparency policy and procedures is defined;
	PT-01_ODP[05]	the frequency at which the current personally identifiable information processing and transparency policy is reviewed and updated is defined;
	PT-01_ODP[06]	events that would require the current personally identifiable information processing and transparency policy to be reviewed and updated are defined;
	PT-01_ODP[07]	the frequency at which the current personally identifiable information processing and transparency procedures are reviewed and updated is defined;
	PT-01_ODP[08]	events that would require the personally identifiable information processing and transparency procedures to be reviewed and updated are defined;
	PT-01a.[01]	a personally identifiable information processing and transparency policy is developed and documented;
	PT-01a.[02]	the personally identifiable information processing and transparency policy is disseminated to <pt-01_odp[01] or="" personnel="" roles=""></pt-01_odp[01]> ;
	PT-01a.[03]	personally identifiable information processing and transparency procedures to facilitate the implementation of the personally identifiable information processing and transparency policy and associated personally identifiable information processing and transparency controls are developed and documented;
	PT-01a.[04]	the personally identifiable information processing and transparency procedures are disseminated to <pt-01_odp[02] or="" personnel="" roles=""></pt-01_odp[02]> ;
	PT-01a.01(a)[01]	the <pt-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy addresses purpose;</pt-01_odp[03]<>
	PT-01a.01(a)[02]	the < PT-01_ODP[03] SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy addresses scope;

PT-01	POLICY AND PROCEDURES	
	PT-01a.01(a)[03]	the < PT-01_ODP[03] SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy addresses roles;
	PT-01a.01(a)[04]	the <pt-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy addresses responsibilities;</pt-01_odp[03]<>
	PT-01a.01(a)[05]	the <pt-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy addresses management commitment;</pt-01_odp[03]<>
	PT-01a.01(a)[06]	the <pt-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy addresses coordination among organizational entities;</pt-01_odp[03]<>
	PT-01a.01(a)[07]	the <pt-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy addresses compliance;</pt-01_odp[03]<>
	PT-01a.01(b)	the <pt-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> personally identifiable information processing and transparency policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;</pt-01_odp[03]<>
	PT-01b.	the <pt-01_odp[04] official=""></pt-01_odp[04]> is designated to manage the development, documentation, and dissemination of the personally identifiable information processing and transparency policy and procedures;
	PT-01c.01[01]	the current personally identifiable information processing and transparency policy is reviewed and updated <pt-01_odp[05] frequency=""></pt-01_odp[05]> ;
	PT-01c.01[02]	the current personally identifiable information processing and transparency policy is reviewed and updated following <pt-01_odp[06] events=""></pt-01_odp[06]> ;
	PT-01c.02[01]	the current personally identifiable information processing and transparency procedures are reviewed and updated <pt-01_odp[07]< b=""> frequency>;</pt-01_odp[07]<>
	PT-01c.02[02]	the current personally identifiable information processing and transparency procedures are reviewed and updated following <i>PT-01_ODP[08] events></i> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PT-01-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy plan; privacy program plan; other relevant documents or records].
	PT-01-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].

PT-02	AUTHORITY TO PROCESS PERSONALLY IDENTIFIABLE INFORMATION		
	ASSESSMENT OBJEC	CTIVE:	
	PT-02_ODP[01]	the authority to permit the processing (defined in PT-02_ODP[02]) of personally identifiable information is defined;	
	PT-02_ODP[02]	the type of processing of personally identifiable information is defined;	
	PT-02_ODP[03]	the type of processing of personally identifiable information to be restricted is defined;	
	PT-02a.	the <pt-02_odp[01]< b=""> authority> that permits the <pt-02_odp[02]< b=""> processing> of personally identifiable information is determined and documented;</pt-02_odp[02]<></pt-02_odp[01]<>	
	PT-02b.	the <i>PT-02_ODP[03] processing</i> of personally identifiable information is restricted to only that which is authorized.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PT-02-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy plan; other relevant documents or records].	
	PT-02-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
	PT-02-Test	[SELECT FROM: Organizational processes for authorizing the processing of personally identifiable information; automated mechanisms supporting and/or implementing the restriction of personally identifiable information processing].	

PT-02(01)	AUTHORITY TO PROCESS PERSONALLY IDENTIFIABLE INFORMATION DATA TAGGING	
	ASSESSMENT OBJECTIVE: Determine if:	
	PT-02(01)_ODP[01]	the authorized processing of personally identifiable information is defined;
	PT-02(01)_ODP[02]	elements of personally identifiable information to be tagged are defined;
	РТ-02(01)	data tags containing <pt-02(01)_odp[01]< b=""> authorized processing> are attached to <pt-02(01)_odp[02]< b=""> elements of personally identifiable information>.</pt-02(01)_odp[02]<></pt-02(01)_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-02(01)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures including procedures addressing data tagging; data tag definitions; documented requirements for use and monitoring of data tagging; data extracts with corresponding data tags; privacy plan; other relevant documents or records].

PT-02(01)	AUTHORITY TO PROCESS PERSONALLY IDENTIFIABLE INFORMATION DATA TAGGING	
	PT-02(01)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-02(01)-Test	[SELECT FROM: Organizational processes for authorizing the processing of personally identifiable information; organizational processes for data tagging; automated mechanisms for applying and monitoring data tagging; automated mechanisms supporting and/or implementing the restriction of personally identifiable information processing].

PT-02(02)	AUTHORITY TO PROCESS PERSONALLY IDENTIFIABLE INFORMATION AUTOMATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PT-02(02)_ODP	automated mechanisms used to manage enforcement of the authorized processing of personally identifiable information are defined;
	РТ-02(02)	enforcement of the authorized processing of personally identifiable information is managed using <pt-02(02)_odp< b=""> automated mechanisms>.</pt-02(02)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-02(02)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy plan; other relevant documents or records].
	PT-02(02)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-02(02)-Test	[SELECT FROM: Organizational processes for authorizing the processing of personally identifiable information; automated mechanisms supporting and/or implementing the management of authorized personally identifiable information processing].

PT-03	PERSONALLY IDENTIFIABLE INFORMATION PROCESSING PURPOSES	
	ASSESSMENT OBJECTIVE: Determine if:	
	PT-03_ODP[01]	the purpose(s) for processing personally identifiable information is/are defined;
	PT-03_ODP[02]	the processing of personally identifiable information to be restricted is defined;
	PT-03_ODP[03]	mechanisms to be implemented for ensuring any changes in the processing of personally identifiable information are made in accordance with requirements are defined;

PERSONALLY IDENTIFIABLE INFORMATION PROCESSING PURPOSES		
PT-03_ODP[04]	requirements for changing the processing of personally identifiable information are defined;	
РТ-03а.	the <pt-03_odp[01]< b=""> purpose(s)> for processing personally identifiable information is/are identified and documented;</pt-03_odp[01]<>	
PT-03b.[01]	the purpose(s) is/are described in the public privacy notices of the organization;	
PT-03b.[02]	the purpose(s) is/are described in the policies of the organization;	
РТ-03с.	the <pt-03_odp[02]< b=""> processing> of personally identifiable information are restricted to only that which is compatible with the identified purpose(s);</pt-03_odp[02]<>	
PT-03d.[01]	changes in the processing of personally identifiable information are monitored;	
PT-03d.[02]	<pt-03_odp[03] mechanisms=""> are implemented to ensure that any changes are made in accordance with <pt-03_odp[04] requirements="">.</pt-03_odp[04]></pt-03_odp[03]>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PT-03-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; configuration management plan; organizational privacy notices; organizational policies; Privacy Act statements; computer matching notices; applicable Federal Register notices; documented requirements for enforcing and monitoring the processing of personally identifiable information; privacy plan; other relevant documents or records].	
PT-03-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
PT-03-Test	[SELECT FROM: Organizational processes for authorizing the processing of personally identifiable information; automated mechanisms supporting and/or implementing the management of authorized personally identifiable information processing; organizational processes for monitoring changes in processing personally identifiable information].	

PT-03(01)	PERSONALLY IDENTIFIABLE INFORMATION PROCESSING PURPOSES DATA TAGGING	
	ASSESSMENT OBJECTIVE: Determine if:	
	PT-03(01)_ODP[01]	processing purposes to be contained in data tags are defined;
	PT-03(01)_ODP[02]	elements of personally identifiable information to be tagged are defined;
	PT-03(01)	data tags containing <pt-03(01)_odp[01] processing="" purposes=""></pt-03(01)_odp[01]> are attached to <pt-03(01)_odp[02] b="" elements="" identifiable<="" of="" personally=""> <i>information</i>>.</pt-03(01)_odp[02]>

PT-03(01)	PERSONALLY IDENTIFIABLE INFORMATION PROCESSING PURPOSES DATA TAGGING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-03(01)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; documented description of how data tags are used to identify personally identifiable information data elements and their authorized uses; data tag schema; data extracts with corresponding data tags; privacy plan; other relevant documents or records].
	PT-03(01)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with data tagging responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-03(01)-Test	[SELECT FROM: Organizational processes for authorizing the processing of personally identifiable information; automated mechanisms supporting and/ or implementing data tagging].

PT-03(02)	PERSONALLY IDENTIFIABLE INFORMATION PROCESSING PURPOSES AUTOMATION	
	ASSESSMENT OBJEC Determine if:	FIVE:
	PT-03(02)_ODP	automated mechanisms for tracking the processing purposes of personally identifiable information are defined;
	РТ-03(02)	the processing purposes of personally identifiable information are tracked using <pt-03(02)_odp< b=""> automated mechanisms>.</pt-03(02)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-03(02)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; data extracts with corresponding data tags; privacy plan; other relevant documents or records].
	PT-03(02)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-03(02)-Test	[SELECT FROM: Organizational processes for managing the enforcement of authorized processing of personally identifiable information; automated tracking mechanisms].
	PT-03(02)-Test	[SELECT FROM: Organizational processes for managing the enforcemen authorized processing of personally identifiable information; automated

PT-04	CONSENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	PT-04_ODP	the tools or mechanisms to be implemented for individuals to consent to the processing of their personally identifiable information are defined;

РТ-04	CONSENT		
	РТ-04	the <pt-04_odp mechanisms="" or="" tools=""></pt-04_odp> are implemented for individuals to consent to the processing of their personally identifiable information prior to its collection that facilitate individuals' informed decision-making.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PT-04-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; consent policies and procedures; consent tools and mechanisms; consent presentation or display (user interface); privacy plan; other relevant documents or records].	
	PT-04-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
	PT-04-Test	[SELECT FROM: Organizational processes for the collection of personally identifiable information; consent tools or mechanisms for users to authorize the processing of their personally identifiable information; automated mechanisms implementing consent].	

PT-04(01)	CONSENT TAILORED CONSENT ASSESSMENT OBJECTIVE: Determine if:	
	PT-04(01)_ODP	tailoring mechanisms for processing selected elements of personally identifiable information permissions are defined;
	PT-04(01)	PT-04(01)_ODP mechanisms> are provided to allow individuals to tailor processing permissions to selected elements of personally identifiable information.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-04(01)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; consent policies and procedures; consent tools and mechanisms; consent presentation or display (user interface); privacy plan; other relevant documents or records].
	PT-04(01)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with user interface or user experience responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-04(01)-Test	[SELECT FROM: Organizational processes for consenting to the processing of personally identifiable information; consent tools or mechanisms; automated mechanisms implementing consent].

PT-04(02)	CONSENT JUST-IN-TIME CONSENT	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PT-04(02)_ODP[01]	consent mechanisms to be presented to individuals are defined;
	PT-04(02)_ODP[02]	the frequency at which to present consent mechanisms to individuals is defined;
	PT-04(02)_ODP[03]	personally identifiable information processing to be presented in conjunction with organization-defined consent mechanisms is defined;
	РТ-04(02)	PT-04(02)_ODP[01] consent mechanisms> are presented to individuals <pt-04(02)_odp[02] frequency=""> and in conjunction with <pt-04(02)_odp[03] identifiable="" information="" personally="" processing="">.</pt-04(02)_odp[03]></pt-04(02)_odp[02]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-04(02)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; consent policies and procedures; privacy plan; other relevant documents or records].
	PT-04(02)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with user interface or user experience responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-04(02)-Test	[SELECT FROM: Organizational processes for the collection of personally identifiable information; mechanisms for obtaining just-in-time consent from users for the processing of their personally identifiable information; automated mechanisms implementing just-in-time consent].

PT-04(03)	CONSENT REVOCATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	PT-04(03)_ODP	the tools or mechanisms to be implemented for revoking consent to the processing of personally identifiable information are defined;	
	РТ-04(03)	the <pt-04(03)_odp mechanisms="" or="" tools=""></pt-04(03)_odp> are implemented for individuals to revoke consent to the processing of their personally identifiable information.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PT-04(03)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; consent revocation policies and procedures; consent revocation user interface or user experience; privacy plan; other relevant documents or records].	

PT-04(03)	CONSENT REVOCATION	
	PT-04(03)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with user interface or user experience responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-04(03)-Test	[SELECT FROM: Organizational processes for consenting to the processing of personally identifiable information; tools or mechanisms for implementing consent revocation].

PT-05	PRIVACY NOTICE	
	ASSESSMENT OBJECTIVE: Determine if:	
	PT-05_ODP[01]	the frequency at which a notice is provided to individuals after initial interaction with an organization is defined;
	PT-05_ODP[02]	information to be included with the notice about the processing of personally identifiable information is defined;
	PT-05a.[01]	a notice to individuals about the processing of personally identifiable information is provided such that the notice is available to individuals upon first interacting with an organization;
	PT-05a.[02]	a notice to individuals about the processing of personally identifiable information is provided such that the notice is subsequently available to individuals <i>PT-05_ODP[01] frequency></i> ;
	PT-05b.	a notice to individuals about the processing of personally identifiable information is provided that is clear, easy-to-understand, and expresses information about personally identifiable information processing in plain language;
	РТ-05с.	a notice to individuals about the processing of personally identifiable information that identifies the authority that authorizes the processing of personally identifiable information is provided;
	PT-05d.	a notice to individuals about the processing of personally identifiable information that identifies the purpose for which personally identifiable information is to be processed is provided;
	PT-05e.	a notice to individuals about the processing of personally identifiable information which includes < <i>PT-05_ODP[02]</i> information> is provided.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-05-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act statements; privacy plan; other relevant documents or records].

PT-05	PRIVACY NOTICE	
	PT-05-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with user interface or user experience responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-05-Test	[SELECT FROM: Organizational processes and implementation support or mechanisms for providing notice to individuals regarding the processing of their personally identifiable information].

PT-05(01)	PRIVACY NOTICE JUST-IN-TIME NOTICE	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PT-05(01)_ODP	the frequency at which to present a notice of personally identifiable information processing is defined;
	PT-05(01)	a notice of personally identifiable information processing is presented to individuals at a time and location where the individual provides personally identifiable information, in conjunction with a data action, or <i><pt-05(01)_odp frequency=""></pt-05(01)_odp></i> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-05(01)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; privacy plan; other relevant documents or records].
	PT-05(01)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with user interface or user experience responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-05(01)-Test	[SELECT FROM: Organizational processes and implementation support or mechanisms for providing notice to individuals regarding the processing of their personally identifiable information].

PT-05(02)	PRIVACY NOTICE PRIVACY ACT STATEMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	РТ-05(02)	Privacy Act statements are included on forms that collect information that will be maintained in a Privacy Act system of records, or Privacy Act statements are provided on separate forms that can be retained by individuals.

PT-05(02)	PRIVACY NOTICE PRIVACY ACT STATEMENTS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	PT-05(02)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; forms that include Privacy Act statements; privacy plan; other relevant documents or records].
	PT-05(02)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-05(02)-Test	[SELECT FROM: Organizational processes for including Privacy Act statements on forms that collect information or on separate forms that can be retained by individuals].

ASSESSMENT OBJECT		
Determine if:	IVE:	
PT-06a.[01]	system of records notices are drafted in accordance with OMB guidance for systems that process information that will be maintained in a Privacy Act system of records;	
PT-06a.[02]	new and significantly modified system of records notices are submitted to the OMB and appropriate congressional committees for advance review for systems that process information that will be maintained in a Privacy Act system of records;	
PT-06b.	system of records notices are published in the Federal Register for systems that process information that will be maintained in a Privacy Act system of records;	
РТ-06с.	system of records notices are kept accurate, up-to-date, and scoped in accordance with policy for systems that process information that will be maintained in a Privacy Act system of records.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PT-06-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; Federal Register notices; privacy plan; other relevant documents or records].	
PT-06-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
PT-06-Test	[SELECT FROM: Organizational processes for Privacy Act system of records maintenance].	
	PT-06b. PT-06c. POTENTIAL ASSESSM PT-06-Examine PT-06-Interview	

PT-06(01)	SYSTEM OF RECORDS NOTICE ROUTINE USES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	PT-06(01)_ODP	the frequency at which to review all routine uses published in the system of records notice is defined;
	PT-06(01)	all routine uses published in the system of records notice are reviewed <i>PT-06(01)_ODP frequency></i> to ensure continued accuracy, and to ensure that routine uses continue to be compatible with the purpose for which the information was collected.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	PT-06(01)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; privacy plan; other relevant documents or records].
	PT-06(01)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].
	PT-06(01)-Test	[SELECT FROM: Organizational processes for reviewing system of records notices].

PT-06(02)	SYSTEM OF RECORDS NOTICE EXEMPTION RULES		
	ASSESSMENT OBJECTIVE: Determine if:		
	PT-06(02)_ODP	the frequency at which to review all Privacy Act exemptions claimed for the system of records is defined;	
	PT-06(02)[01]	all Privacy Act exemptions claimed for the system of records are reviewed <i>PT-06(02)_ODP frequency></i> to ensure that they remain appropriate and necessary in accordance with law;	
	PT-06(02)[02]	all Privacy Act exemptions claimed for the system of records are reviewed <i>PT-06(02)_ODP frequency></i> to ensure that they have been promulgated as regulations;	
	PT-06(02)[03]	all Privacy Act exemptions claimed for the system of records are reviewed <i>PT-06(02)_ODP frequency></i> to ensure that they are accurately described in the system of records notice.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PT-06(02)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; Privacy Act exemptions; privacy plan; other relevant documents or records].	
	PT-06(02)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	

PT_06/02)-Test [SELECT_EROM: Organizational processes for Privacy Act system of records	PT-06(02)	SYSTEM OF RECORDS	S NOTICE EXEMPTION RULES
maintenance].		PT-06(02)-Test	[SELECT FROM: Organizational processes for Privacy Act system of records maintenance].

PT-07	SPECIFIC CATEGORIES OF PERSONALLY IDENTIFIABLE INFORMATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	PT-07_ODP	processing conditions to be applied for specific categories of personally identifiable information are defined;	
	PT-07	PT-07_ODP processing conditions> are applied for specific categories of personally identifiable information.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PT-07-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; computer matching agreements and notices; contracts; privacy information sharing agreements; memoranda of understanding; governing requirements; privacy plan; other relevant documents or records].	
	PT-07-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
	PT-07-Test	[SELECT FROM: Organizational processes for supporting and/or implementing personally identifiable information processing].	

PT-07(01)	SPECIFIC CATEGORIES OF PERSONALLY IDENTIFIABLE INFORMATION SOCIAL SECURITY NUMBERS	
	ASSESSMENT OBJECT	TIVE:
	PT-07(01)(a)[01]	when a system processes Social Security numbers, the unnecessary collection, maintenance, and use of Social Security numbers are eliminated;
	PT-07(01)(a)[02]	when a system processes Social Security numbers, alternatives to the use of Social Security Numbers as a personal identifier are explored;
	PT-07(01)(b)	when a system processes Social Security numbers, individual rights, benefits, or privileges provided by law are not denied because of an individual's refusal to disclose their Social Security number;
	PT-07(01)(c)[01]	when a system processes Social Security numbers, any individual who is asked to disclose their Social Security number is informed whether that disclosure is mandatory or voluntary, by what statutory or other authority such number is solicited, and what uses will be made of it;

SPECIFIC CATEGORIES OF PERSONALLY IDENTIFIABLE INFORMATION SOCIAL SECURITY NUMBERS		
PT-07(01)(c)[02]	when a system processes Social Security numbers, any individual who is asked to disclose their Social Security number is informed by what statutory or other authority the number is solicited;	
PT-07(01)(c)[03]	when a system processes Social Security numbers, any individual who is asked to disclose their Social Security number is informed what uses will be made of it.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
PT-07(01)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; privacy plan; other relevant documents or records].	
PT-07(01)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
PT-07(01)-Test	[SELECT FROM: Organizational processes for identifying, reviewing, and taking action to control the unnecessary use of Social Security numbers; implementation of an alternative to Social Security numbers as identifiers].	
	NUMBERS PT-07(01)(c)[02] PT-07(01)(c)[03] POTENTIAL ASSESSIV PT-07(01)-Examine PT-07(01)-Interview	

PT-07(02)	SPECIFIC CATEGORIES OF PERSONALLY IDENTIFIABLE INFORMATION FIRST AMENDMENT INFORMATION		
	ASSESSMENT OBJECT	ΤΙVΕ:	
	РТ-07(02)	the processing of information describing how any individual exercises rights guaranteed by the First Amendment is prohibited unless expressly authorized by statute or by the individual or unless pertinent to and within the scope of an authorized law enforcement activity.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PT-07(02)-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; privacy plan; other relevant documents or records].	
	PT-07(02)-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
	PT-07(02)-Test	[SELECT FROM: Organizational processes for supporting and/or implementing personally identifiable information processing].	

PT-08	COMPUTER MATCHING REQUIREMENTS		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	РТ-08а.	approval to conduct the matching program is obtained from the Data Integrity Board when a system or organization processes information for the purpose of conducting a matching program;	
	РТ-08Ь.[01]	a computer matching agreement is developed when a system or organization processes information for the purpose of conducting a matching program;	
	РТ-08Ь.[02]	a computer matching agreement is entered into when a system or organization processes information for the purpose of conducting a matching program;	
	РТ-08с.	a matching notice is published in the Federal Register when a system or organization processes information for the purpose of conducting a matching program;	
	PT-08d.	the information produced by the matching program is independently verified before taking adverse action against an individual, if required, when a system or organization processes information for the purpose of conducting a matching program;	
	PT-08e.[01]	individuals are provided with notice when a system or organization processes information for the purpose of conducting a matching program;	
	PT-08e.[02]	individuals are provided with an opportunity to contest the findings before adverse action is taken against them when a system or organization processes information for the purpose of conducting a matching program.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	PT-08-Examine	[SELECT FROM: Personally identifiable information processing and transparency policy and procedures; privacy notice; Privacy Act system of records; Federal Register notices; Data Integrity Board determinations; contracts; information sharing agreements; memoranda of understanding; governing requirements; privacy plan; other relevant documents or records].	
	PT-08-Interview	[SELECT FROM: Organizational personnel with personally identifiable information processing and transparency responsibilities; organizational personnel with information security and privacy responsibilities].	
	PT-08-Test	[SELECT FROM: Organizational processes for supporting and/or implementing personally identifiable information processing; matching program].	

4.16 RISK ASSESSMENT

RA-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	RA-01_ODP[01]	personnel or roles to whom the risk assessment policy is to be disseminated is/are defined;
	RA-01_ODP[02]	personnel or roles to whom the risk assessment procedures are to be disseminated is/are defined;
	RA-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	RA-01_ODP[04]	an official to manage the risk assessment policy and procedures is defined;
	RA-01_ODP[05]	the frequency at which the current risk assessment policy is reviewed and updated is defined;
	RA-01_ODP[06]	events that would require the current risk assessment policy to be reviewed and updated are defined;
	RA-01_ODP[07]	the frequency at which the current risk assessment procedures are reviewed and updated is defined;
	RA-01_ODP[08]	events that would require risk assessment procedures to be reviewed and updated are defined;
	RA-01a.[01]	a risk assessment policy is developed and documented;
	RA-01a.[02]	the risk assessment policy is disseminated to <ra-01_odp[01] b="" or<="" personnel=""> <i>roles</i>>;</ra-01_odp[01]>
	RA-01a.[03]	risk assessment procedures to facilitate the implementation of the risk assessment policy and associated risk assessment controls are developed and documented;
	RA-01a.[04]	the risk assessment procedures are disseminated to <ra-01_odp[02]< b=""> personnel or roles>;</ra-01_odp[02]<>
	RA-01a.01(a)[01]	the <ra-01_odp[03] parameter="" selected="" value(s)=""></ra-01_odp[03]> risk assessment policy addresses purpose;
	RA-01a.01(a)[02]	the < RA-01_ODP[03] SELECTED PARAMETER VALUE(S)> risk assessment policy addresses scope;
	RA-01a.01(a)[03]	the < RA-01_ODP[03] SELECTED PARAMETER VALUE(S) > risk assessment policy addresses roles;
	RA-01a.01(a)[04]	the <ra-01_odp[03] parameter="" selected="" value(s)=""></ra-01_odp[03]> risk assessment policy addresses responsibilities;
	RA-01a.01(a)[05]	the < RA-01_ODP[03] SELECTED PARAMETER VALUE(S) > risk assessment policy addresses management commitment;
	RA-01a.01(a)[06]	the <ra-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ra-01_odp[03]<> risk assessment policy addresses coordination among organizational entities;

POLI	POLICY AND PROCEDURES		
RA-0	1a.01(a)[07]	the < RA-01_ODP[03] SELECTED PARAMETER VALUE(S) > risk assessment policy addresses compliance;	
RA-0	1a.01(b)	the <ra-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></ra-01_odp[03]<> risk assessment policy is consistent with applicable laws, executive orders, directives, regulations, policies, standards, and guidelines;	
RA-0	1b.	the <ra-01_odp[04]< b=""> official> is designated to manage the development, documentation, and dissemination of the risk assessment policy and procedures;</ra-01_odp[04]<>	
RA-0	1c.01[01]	the current risk assessment policy is reviewed and updated <ra-01_odp[05< b=""> frequency>;</ra-01_odp[05<>	
RA-03	1c.01[02]	the current risk assessment policy is reviewed and updated following < RA-01_ODP[06] events >;	
RA-0	1c.02[01]	the current risk assessment procedures are reviewed and updated	
RA-0	1c.02[02]	the current risk assessment procedures are reviewed and updated following < RA-01_ODP[08] events> .	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		ENT METHODS AND OBJECTS:	
RA-0	1-Examine	[SELECT FROM: Risk assessment policy and procedures; system security plar privacy plan; other relevant documents or records].	
RA-0	1-Interview	[SELECT FROM: Organizational personnel with risk assessment responsibilities; organizational personnel with security and privacy responsibilities].	

RA-02	SECURITY CATEGORIZATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-02a.	the system and the information it processes, stores, and transmits are categorized;
	RA-02b.	the security categorization results, including supporting rationale, are documented in the security plan for the system;
	RA-02c.	the authorizing official or authorizing official designated representative reviews and approves the security categorization decision.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-02-Examine	[SELECT FROM: Risk assessment policy; security planning policy and procedures; procedures addressing security categorization of organizational information and systems; security categorization documentation; system security plan; privacy plan; other relevant documents or records].

RA-02	SECURITY CATEGORIZATION	
	RA-02-Interview	[SELECT FROM: Organizational personnel with security categorization and risk assessment responsibilities; organizational personnel with security and privacy responsibilities].
	RA-02-Test	[SELECT FROM: Organizational processes for security categorization].
		,

SECURITY CATEGORIZATION IMPACT-LEVEL PRIORITIZATION	
ASSESSMENT OBJECTIVE: Determine if:	
RA-02(01)	an impact-level prioritization of organizational systems is conducted to obtain additional granularity on system impact levels.
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
RA-02(01)-Examine	[SELECT FROM: Risk assessment policy; security and privacy planning policy and procedures; procedures addressing security categorization of organizational information and systems; security categorization documentation; system security plan; privacy plan; other relevant documents or records].
RA-02(01)-Interview	[SELECT FROM: Organizational personnel with security categorization and risk assessment responsibilities; organizational personnel with security and privacy responsibilities].
RA-02(01)-Test	[SELECT FROM: Organizational processes for security categorization].
	ASSESSMENT OBJECT Determine if: RA-02(01) POTENTIAL ASSESSIV RA-02(01)-Examine

RA-03	RISK ASSESSMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-03_ODP[01]	one of the following PARAMETER VALUES is selected: {security and privacy plans; risk assessment report; <ra-03_odp[02] document="">};</ra-03_odp[02]>
	RA-03_ODP[02]	a document in which risk assessment results are to be documented (if not documented in the security and privacy plans or risk assessment report) is defined (if selected);
	RA-03_ODP[03]	the frequency to review risk assessment results is defined;
	RA-03_ODP[04]	personnel or roles to whom risk assessment results are to be disseminated is/are defined;
	RA-03_ODP[05]	the frequency to update the risk assessment is defined;
	RA-03a.01	a risk assessment is conducted to identify threats to and vulnerabilities in the system;

RA-03	RISK ASSESSMENT	
	RA-03a.02	a risk assessment is conducted to determine the likelihood and magnitude of harm from unauthorized access, use, disclosure, disruption, modification, or destruction of the system; the information it processes, stores, or transmits; and any related information;
	RA-03a.03	a risk assessment is conducted to determine the likelihood and impact of adverse effects on individuals arising from the processing of personally identifiable information;
	RA-03b.	risk assessment results and risk management decisions from the organization and mission or business process perspectives are integrated with system-level risk assessments;
	RA-03c.	risk assessment results are documented in < RA-03_ODP[01] SELECTED PARAMETER VALUE>;
	RA-03d.	risk assessment results are reviewed <ra-03_odp[03] frequency="">;</ra-03_odp[03]>
	RA-03e.	risk assessment results are disseminated to < RA-03_ODP[04] personnel or roles>;
	RA-03f.	the risk assessment is updated <ra-03_odp[05] frequency=""></ra-03_odp[05]> or when there are significant changes to the system, its environment of operation, or other conditions that may impact the security or privacy state of the system.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-03-Examine	[SELECT FROM: Risk assessment policy; risk assessment procedures; security and privacy planning policy and procedures; procedures addressing organizational assessments of risk; risk assessment; risk assessment results; risk assessment reviews; risk assessment updates; system security plan; privacy plan; other relevant documents or records].
	RA-03-Interview	[SELECT FROM: Organizational personnel with risk assessment responsibilities; organizational personnel with security and privacy responsibilities].
	RA-03-Test	[SELECT FROM: Organizational processes for risk assessment; automated mechanisms supporting and/or for conducting, documenting, reviewing, disseminating, and updating the risk assessment].

RA-03(01)	RISK ASSESSMENT SUPPLY CHAIN RISK ASSESSMENT	
	ASSESSMENT OBJEC Determine if:	TIVE:
	RA-03(01)_ODP[01]	systems to assess supply chain risks are defined;
	RA-03(01)_ODP[02]	system components to assess supply chain risks are defined;
	RA-03(01)_ODP[03]	system services to assess supply chain risks are defined;
	RA-03(01)_ODP[04]	the frequency to update the supply chain risk assessment is defined;

RA-03(01)	RISK ASSESSMENT SUPPLY CHAIN RISK ASSESSMENT	
	RA-03(01)(a)[01]	<pre>supply chain risks associated with <ra-03(01)_odp[01] systems=""> are assessed;</ra-03(01)_odp[01]></pre>
	RA-03(01)(a)[02]	<pre>supply chain risks associated with <ra-03(01)_odp[02] components="" system=""> are assessed;</ra-03(01)_odp[02]></pre>
	RA-03(01)(a)[03]	<pre>supply chain risks associated with <ra-03(01)_odp[03] services="" system=""> are assessed;</ra-03(01)_odp[03]></pre>
	RA-03(01)(b)	the supply chain risk assessment is updated <ra-03(01)_odp[04]< b=""> frequency> , when there are significant changes to the relevant supply chain, or when changes to the system, environments of operation, or other conditions may necessitate a change in the supply chain.</ra-03(01)_odp[04]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-03(01)-Examine	[SELECT FROM: Supply chain risk management policy; inventory of critical systems, system components, and system services; risk assessment policy; security planning policy and procedures; procedures addressing organizational assessments of supply chain risk; risk assessment; risk assessment results; risk assessment reviews; risk assessment updates; acquisition policy; system security plan; supply chain risk management plan; other relevant documents or records].
	RA-03(01)-Interview	[SELECT FROM: Organizational personnel with risk assessment responsibilities; organizational personnel with security responsibilities; organizational personnel with supply chain risk management responsibilities].
	RA-03(01)-Test	[SELECT FROM: Organizational processes for risk assessment; automated mechanisms supporting and/or for conducting, documenting, reviewing, disseminating, and updating the supply chain risk assessment].

ASSESSMENT OBJECTIVE: Determine if:	
all-source intelligence is used to assist in the analysis of risk.	
IENT METHODS AND OBJECTS:	
[SELECT FROM: Risk assessment policy; security planning policy and procedures; procedures addressing organizational assessments of risk; risk assessment; risk assessment results; risk assessment reviews; risk assessment updates; risk intelligence reports; system security plan; other relevant documents or records].	
[SELECT FROM: Organizational personnel with risk assessment responsibilities; organizational personnel with security responsibilities].	
[SELECT FROM: Organizational processes for risk assessment; automated mechanisms supporting and/or for conducting, documenting, reviewing, disseminating, and updating the risk assessment].	

RA-03(03)	RISK ASSESSMENT DYNAMIC THREAT AWARENESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-03(03)_ODP	means to determine the current cyber threat environment on an ongoing basis;
	RA-03(03)	the current cyber threat environment is determined on an ongoing basis using < RA-03(03)_ODP means> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-03(03)-Examine	[SELECT FROM: Risk assessment policy; security planning policy and procedures; procedures addressing organizational assessments of risk; risk assessment; risk assessment results; risk assessment reviews; risk assessment updates; risk reports; system security plan; other relevant documents or records].
	RA-03(03)-Interview	[SELECT FROM: Organizational personnel with risk assessment responsibilities; organizational personnel with security responsibilities].
	RA-03(03)-Test	[SELECT FROM: Organizational processes for risk assessment; automated mechanisms supporting and/or for conducting, documenting, reviewing, disseminating, and updating the risk assessment].

RA-03(04)	RISK ASSESSMENT PREDICTIVE CYBER ANALYTICS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	RA-03(04)_ODP[01]	advanced automation capabilities to predict and identify risks are defined;
	RA-03(04)_ODP[02]	systems or system components where advanced automation and analytics capabilities are to be employed are defined;
	RA-03(04)_ODP[03]	advanced analytics capabilities to predict and identify risks are defined;
	RA-03(04)[01]	<pre><ra-03(04)_odp[01] advanced="" automation="" capabilities=""> are employed to predict and identify risks to <ra-03(04)_odp[02] components="" or="" system="" systems="">;</ra-03(04)_odp[02]></ra-03(04)_odp[01]></pre>
	RA-03(04)[02]	<ra-03(04)_odp[03] advanced="" analytics="" capabilities=""> are employed to predict and identify risks to <ra-03(04)_odp[02] or="" system<br="" systems="">components>.</ra-03(04)_odp[02]></ra-03(04)_odp[03]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-03(04)-Examine	[SELECT FROM: Risk assessment policy; security planning policy and procedures; procedures addressing organizational assessments of risk; risk assessment; risk assessment results; risk assessment reviews; risk assessment updates; risk reports; system security plan; other relevant documents or records].
	RA-03(04)-Interview	[SELECT FROM: Organizational personnel with risk assessment responsibilities; organizational personnel with security responsibilities].

RA-03(04)	RISK ASSESSMENT PREDICTIVE CYBER ANALYTICS	
	RA-03(04)-Test	[SELECT FROM: Organizational processes for risk assessment; automated mechanisms supporting and/or for conducting, documenting, reviewing, disseminating, and updating the risk assessment].

RA-04	RISK ASSESSMENT UPDATE	
	[WITHDRAWN: Incorporated into RA-03.]	

RA-05	VULNERABILITY MONITORING AND SCANNING		
	ASSESSMENT OBJEC	ASSESSMENT OBJECTIVE: Determine if:	
	RA-05_ODP[01]	frequency for monitoring systems and hosted applications for vulnerabilities is defined;	
	RA-05_ODP[02]	frequency for scanning systems and hosted applications for vulnerabilities is defined;	
	RA-05_ODP[03]	response times to remediate legitimate vulnerabilities in accordance with an organizational assessment of risk are defined;	
	RA-05_ODP[04]	personnel or roles with whom information obtained from the vulnerability scanning process and control assessments is to be shared;	
	RA-05a.[01]	systems and hosted applications are monitored for vulnerabilities <a>RA-05_ODP[01] frequency and/or randomly in accordance with organization-defined process> and when new vulnerabilities potentially affecting the system are identified and reported;	
	RA-05a.[02]	systems and hosted applications are scanned for vulnerabilities <a><ra-05_odp[02] accordance="" and="" frequency="" in="" or="" organization-defined="" process="" randomly="" with=""> and when new vulnerabilities potentially affecting the system are identified and reported;</ra-05_odp[02]>	
	RA-05b.	vulnerability monitoring tools and techniques are employed to facilitate interoperability among tools;	
	RA-05b.01	vulnerability monitoring tools and techniques are employed to automate parts of the vulnerability management process by using standards for enumerating platforms, software flaws, and improper configurations;	
	RA-05b.02	vulnerability monitoring tools and techniques are employed to facilitate interoperability among tools and to automate parts of the vulnerability management process by using standards for formatting checklists and test procedures;	
	RA-05b.03	vulnerability monitoring tools and techniques are employed to facilitate interoperability among tools and to automate parts of the vulnerability management process by using standards for measuring vulnerability impact;	

RA-05	VULNERABILITY MONITORING AND SCANNING			
	RA-05c.	vulnerability scan reports and results from vulnerability monitoring are analyzed;		
	RA-05d.	legitimate vulnerabilities are remediated < RA-05_ODP[03] response times> in accordance with an organizational assessment of risk;		
	RA-05e.	information obtained from the vulnerability monitoring process and control assessments is shared with <ra-05_odp[04] or="" personnel="" roles=""></ra-05_odp[04]> to help eliminate similar vulnerabilities in other systems;		
	RA-05f.	vulnerability monitoring tools that include the capability to readily update the vulnerabilities to be scanned are employed.		
	POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-05-Examine	[SELECT FROM: Risk assessment policy; procedures addressing vulnerability scanning; risk assessment; assessment report; vulnerability scanning tools and associated configuration documentation; vulnerability scanning results; patch and vulnerability management records; system security plan; other relevant documents or records].		
	RA-05-Interview	[SELECT FROM: Organizational personnel with risk assessment, control assessment, and vulnerability scanning responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel with vulnerability remediation responsibilities; organizational personnel with security responsibilities; system/network administrators].		
	RA-05-Test	[SELECT FROM: Organizational processes for vulnerability scanning, analysis, remediation, and information sharing; automated mechanisms supporting and/or implementing vulnerability scanning, analysis, remediation, and information sharing].		

RA-05(01)	VULNERABILITY MONITORING AND SCANNING UPDATE TOOL CAPABILITY	
	[WITHDRAWN: Incorporated into RA-05.]	

RA-05(02)	VULNERABILITY MONITORING AND SCANNING UPDATE VULNERABILITIES TO BE SCANNED	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-05(02)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: { <ra-05(02)_odp[02] frequency="">; prior to a new scan; when new vulnerabilities are identified and reported};</ra-05(02)_odp[02]>
	RA-05(02)_ODP[02]	the frequency for updating the system vulnerabilities scanned is defined (if selected);
	RA-05(02)	the system vulnerabilities to be scanned are updated <ra-05(02)_odp[01]< b=""> SELECTED PARAMETER VALUE(S)>.</ra-05(02)_odp[01]<>

RA-05(02)	VULNERABILITY MONITORING AND SCANNING UPDATE VULNERABILITIES TO BE SCANNED	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-05(02)-Examine	[SELECT FROM: Procedures addressing vulnerability scanning; assessment report; vulnerability scanning tools and associated configuration documentation; vulnerability scanning results; patch and vulnerability management records; system security plan; other relevant documents or records].
	RA-05(02)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel with security responsibilities; system/network administrators].
	RA-05(02)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; automated mechanisms/tools supporting and/or implementing vulnerability scanning].

RA-05(03)	VULNERABILITY MONITORING AND SCANNING BREADTH AND DEPTH OF COVERAGE	
	ASSESSMENT OBJEC Determine if:	FIVE:
	RA-05(03)	the breadth and depth of vulnerability scanning coverage are defined.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	RA-05(03)-Examine	[SELECT FROM: Procedures addressing vulnerability scanning; assessment report; vulnerability scanning tools and associated configuration documentation; vulnerability scanning results; patch and vulnerability management records; system security plan; other relevant documents or records].
	RA-05(03)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel with security responsibilities].
	RA-05(03)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; automated mechanisms/tools supporting and/or implementing vulnerability scanning].

RA-05(0)4)	VULNERABILITY MONITORING AND SCANNING DISCOVERABLE INFORMATION	
		ASSESSMENT OBJECTIVE: Determine if:	
		RA-05(04)_ODP	corrective actions to be taken if information about the system is discoverable are defined;
		RA-05(04)[01]	information about the system is discoverable;

RA-05(04)	VULNERABILITY MONITORING AND SCANNING DISCOVERABLE INFORMATION	
	RA-05(04)[02]	< RA-05(04)_ODP corrective actions > are taken when information about the system is confirmed as discoverable.
	POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
	RA-05(04)-Examine	[SELECT FROM: Procedures addressing vulnerability scanning; assessment report; penetration test results; vulnerability scanning results; risk assessment report; records of corrective actions taken; incident response records; audit records; system security plan; other relevant documents or records].
	RA-05(04)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning and/or penetration testing responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel responsible for risk response; organizational personnel responsible for incident management and response; organizational personnel with security responsibilities].
	RA-05(04)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; organizational processes for risk response; organizational processes for incident management and response; automated mechanisms/tools supporting and/or implementing vulnerability scanning; automated mechanisms supporting and/or implementing risk response; automated mechanisms supporting and/or implementing incident management and response].

RA-05(05)	VULNERABILITY MOI	NITORING AND SCANNING PRIVILEGED ACCESS	
	ASSESSMENT OBJECT	ΓΙVΕ:	
	RA-05(05)_ODP[01]	system components to which privileged access is authorized for selected vulnerability scanning activities are defined;	
	RA-05(05)_ODP[02]	vulnerability scanning activities selected for privileged access authorization to system components are defined;	
	RA-05(05)	privileged access authorization is implemented to < RA-05(05)_ODP[01] system components> for < RA-05(05)_ODP[02] vulnerability scanning activities>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-05(05)-Examine	[SELECT FROM: Risk assessment policy; procedures addressing vulnerability scanning; system design documentation; system configuration settings and associated documentation; list of system components for vulnerability scanning; personnel access authorization list; authorization credentials; access authorization records; system security plan; other relevant documents or records].	

RA-05(05)	VULNERABILITY MO	NITORING AND SCANNING PRIVILEGED ACCESS
	RA-05(05)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning responsibilities; system/network administrators; organizational personnel responsible for access control to the system; organizational personnel responsible for configuration management of the system; system developers; organizational personnel with security responsibilities].
	RA-05(05)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; organizational processes for access control; automated mechanisms supporting and/or implementing access control; automated mechanisms/ tools supporting and/or implementing vulnerability scanning].

RA-05(06)	VULNERABILITY MONITORING AND SCANNING AUTOMATED TREND ANALYSES		
	ASSESSMENT OBJECTIVE: Determine if:		
	RA-05(06)_ODP	automated mechanisms to compare the results of multiple vulnerability scans are defined;	
	RA-05(06)	the results of multiple vulnerability scans are compared using <i><ra-05(06)_odp automated="" mechanisms=""></ra-05(06)_odp></i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-05(06)-Examine	[SELECT FROM: Risk assessment policy; procedures addressing vulnerability scanning; system design documentation; vulnerability scanning tools and techniques documentation; vulnerability scanning results; system security plan; other relevant documents or records].	
	RA-05(06)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel with security responsibilities].	
	RA-05(06)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; automated mechanisms/tools supporting and/or implementing vulnerability scanning; automated mechanisms supporting and/or implementing trend analysis of vulnerability scan results].	

RA-05(07) VULNERABILITY MONITORING AND SCANNING | AUTOMATED DETECTION AND NOTIFICATION OF UNAUTHORIZED COMPONENTS

[WITHDRAWN: Incorporated into CM-08.]

RA-05(08)	VULNERABILITY MONITORING AND SCANNING REVIEW HISTORIC AUDIT LOGS	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-05(08)_ODP[01]	a system whose historic audit logs are to be reviewed is defined;
	RA-05(08)_ODP[02]	a time period for a potential previous exploit of a system is defined;
	RA-05(08)	historic audit logs are reviewed to determine if a vulnerability identified in a <ra-05(08)_odp[01] system=""></ra-05(08)_odp[01]> has been previously exploited within <ra-05(08)_odp[02] period="" time=""></ra-05(08)_odp[02]> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-05(08)-Examine	[SELECT FROM: Risk assessment policy; procedures addressing vulnerability scanning; audit logs; records of audit log reviews; vulnerability scanning results; patch and vulnerability management records; system security plan; other relevant documents or records].
	RA-05(08)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel with audit record review responsibilities; system/network administrators; organizational personnel with security responsibilities].
	RA-05(08)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; organizational process for audit record review and response; automated mechanisms/tools supporting and/or implementing vulnerability scanning; automated mechanisms supporting and/or implementing audit record review].

RA-05(09)	VULNERABILITY MONITORING AND SCANNING PENETRATION TESTING AND ANALYSES
	[WITHDRAWN: Incorporated into CA-08.]

RA-05(10)	VULNERABILITY MONITORING AND SCANNING CORRELATE SCANNING INFORMATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	RA-05(10)	the output from vulnerability scanning tools is correlated to determine the presence of multi-vulnerability and multi-hop attack vectors.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-05(10)-Examine	[SELECT FROM: Risk assessment policy; procedures addressing vulnerability scanning; risk assessment; vulnerability scanning tools and techniques documentation; vulnerability scanning results; vulnerability management records; audit records; event/vulnerability correlation logs; system security plan; other relevant documents or records].	

RA-05(10)	VULNERABILITY MONITORING AND SCANNING CORRELATE SCANNING INFORMATION	
	RA-05(10)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel with security responsibilities].
	RA-05(10)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; automated mechanisms/tools supporting and/or implementing vulnerability scanning; automated mechanisms implementing correlation of vulnerability scan results].

RA-05(11)	VULNERABILITY MONITORING AND SCANNING PUBLIC DISCLOSURE PROGRAM		
	ASSESSMENT OBJECTIVE: Determine if:		
	RA-05(11)	a public reporting channel is established for receiving reports of vulnerabilities in organizational systems and system components.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-05(11)-Examine	[SELECT FROM: Risk assessment policy; procedures addressing vulnerability scanning; risk assessment; vulnerability scanning tools and techniques documentation; vulnerability scanning results; vulnerability management records; audit records; public reporting channel; system security plan; other relevant documents or records].	
	RA-05(11)-Interview	[SELECT FROM: Organizational personnel with vulnerability scanning responsibilities; organizational personnel with vulnerability scan analysis responsibilities; organizational personnel with security responsibilities].	
	RA-05(11)-Test	[SELECT FROM: Organizational processes for vulnerability scanning; automated mechanisms/tools supporting and/or implementing vulnerability scanning; automated mechanisms implementing public reporting of vulnerabilities].	

RA-06	TECHNICAL SURVEILLANCE COUNTERMEASURES SURVEY	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-06_ODP[01]	locations to employ technical surveillance countermeasure surveys are defined;
	RA-06_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: { <ra-06_odp[03] frequency="">; when<ra-06_odp[04] events="" indicators="" or="">};</ra-06_odp[04]></ra-06_odp[03]>
	RA-06_ODP[03]	the frequency at which to employ technical surveillance countermeasure surveys is defined (if selected);
	RA-06_ODP[04]	events or indicators which, if they occur, trigger a technical surveillance countermeasures survey are defined (if selected);

RA-06	TECHNICAL SURVEILLANCE COUNTERMEASURES SURVEY		
	RA-06	a technical surveillance countermeasures survey is employed at <ra-06_odp[01] locations=""> <ra-06_odp[02] parameter<br="" selected="">VALUE(S)>.</ra-06_odp[02]></ra-06_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-06-Examine	[SELECT FROM: Risk assessment policy; procedures addressing technical surveillance countermeasures surveys; audit records/event logs; system security plan; other relevant documents or records].	
	RA-06-Interview	[SELECT FROM: Organizational personnel with technical surveillance countermeasures surveys responsibilities; system/network administrators; organizational personnel with security responsibilities].	
	RA-06-Test	[SELECT FROM: Organizational processes for technical surveillance countermeasures surveys; automated mechanisms/tools supporting and/or implementing technical surveillance countermeasures surveys].	

RA-07	RISK RESPONSE		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	RA-07[01]	findings from security assessments are responded to in accordance with organizational risk tolerance;	
	RA-07[02]	findings from privacy assessments are responded to in accordance with organizational risk tolerance;	
	RA-07[03]	findings from monitoring are responded to in accordance with organizational risk tolerance;	
	RA-07[04]	findings from audits are responded to in accordance with organizational risk tolerance.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-07-Examine	[SELECT FROM: Risk assessment policy; assessment reports; audit records/ event logs; system security plan; privacy plan; other relevant documents or records].	
	RA-07-Interview	[SELECT FROM: Organizational personnel with assessment and auditing responsibilities; system/network administrators; organizational personnel with security and privacy responsibilities].	
	RA-07-Test	[SELECT FROM: Organizational processes for assessments and audits; automated mechanisms/tools supporting and/or implementing assessments and auditing].	

RA-08	PRIVACY IMPACT ASSESSMENTS			
	ASSESSMENT OBJEC	CTIVE:		
	RA-08a.	privacy impact assessments are conducted for systems, programs, or other activities before developing or procuring information technology that processes personally identifiable information;		
	RA-08b.[01]	privacy impact assessments are conducted for systems, programs, or other activities before initiating a collection of personally identifiable information that will be processed using information technology;		
	RA-08b.[02]	privacy impact assessments are conducted for systems, programs, or other activities before initiating a collection of personally identifiable information that includes personally identifiable information permitting the physical or virtual (online) contacting of a specific individual, if identical questions have been posed to, or identical reporting requirements imposed on, ten or more individuals, other than agencies, instrumentalities, or employees of the federal government.		
	POTENTIAL ASSESSI	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	RA-08-Examine	[SELECT FROM: Risk assessment policy; security and privacy risk assessment reports; acquisitions documents; system security plan; privacy plan; other relevant documents or records].		
	RA-08-Interview	[SELECT FROM: Organizational personnel with assessment and auditing responsibilities; system/network administrators; system developers; program managers; legal counsel; organizational personnel with security and privacy responsibilities].		
	RA-08-Test	[SELECT FROM: Organizational processes for assessments and audits; automated mechanisms/tools supporting and/or implementing assessments and auditing].		

RA-09	CRITICALITY ANALYSIS	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-09_ODP[01]	systems, system components, or system services to be analyzed for criticality are defined;
	RA-09_ODP[02]	decision points in the system development life cycle when a criticality analysis is to be performed are defined;
	RA-09	critical system components and functions are identified by performing a criticality analysis for < RA-09_ODP[01] systems, system components, or system services> at < RA-09_ODP[02] decision points in the system development life cycle>.

RA-09	CRITICALITY ANALYSIS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-09-Examine	[SELECT FROM: Risk assessment policy; assessment reports; criticality analysis/finalized criticality for each component/subcomponent; audit records/event logs; analysis reports; system security plan; other relevant documents or records].
	RA-09-Interview	[SELECT FROM: Organizational personnel with assessment and auditing responsibilities; organizational personnel with criticality analysis responsibilities; system/network administrators; organizational personnel with security responsibilities].
	RA-09-Test	[SELECT FROM: Organizational processes for assessments and audits; automated mechanisms/tools supporting and/or implementing assessments and auditing].

RA-10	THREAT HUNTING	
	ASSESSMENT OBJECTIVE: Determine if:	
	RA-10_ODP	the frequency at which to employ the threat hunting capability is defined;
	RA-10a.01	a cyber threat capability is established and maintained to search for indicators of compromise in organizational systems;
	RA-10a.02	a cyber threat capability is established and maintained to detect, track, and disrupt threats that evade existing controls;
	RA-10b.	the threat hunting capability is employed <ra-10_odp frequency=""></ra-10_odp> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	RA-10-Examine	[SELECT FROM: Risk assessment policy; assessment reports; audit records/ event logs; threat hunting capability; system security plan; other relevant documents or records].
	RA-10-Interview	[SELECT FROM: Organizational personnel with threat hunting responsibilities; system/network administrators; organizational personnel with security responsibilities].
	RA-10-Test	[SELECT FROM: Organizational processes for assessments and audits; automated mechanisms/tools supporting and/or implementing threat hunting capabilities].

4.17 SYSTEM AND SERVICES ACQUISITION

SA-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SA-01_ODP[01]	personnel or roles to whom the system and services acquisition policy is to be disseminated is/are defined;
	SA-01_ODP[02]	personnel or roles to whom the system and services acquisition procedures are to be disseminated is/are defined;
	SA-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	SA-01_ODP[04]	an official to manage the system and services acquisition policy and procedures is defined;
	SA-01_ODP[05]	the frequency at which the current system and services acquisition policy is reviewed and updated is defined;
	SA-01_ODP[06]	events that would require the current system and services acquisition policy to be reviewed and updated are defined;
	SA-01_ODP[07]	the frequency at which the current system and services acquisition procedures are reviewed and updated is defined;
	SA-01_ODP[08]	events that would require the system and services acquisition procedures to be reviewed and updated are defined;
	SA-01a.[01]	a system and services acquisition policy is developed and documented;
	SA-01a.[02]	the system and services acquisition policy is disseminated to <pre><sa-01_odp[01] or="" personnel="" roles="">;</sa-01_odp[01]></pre>
	SA-01a.[03]	system and services acquisition procedures to facilitate the implementation of the system and services acquisition policy and associated system and services acquisition controls are developed and documented;
	SA-01a.[04]	the system and services acquisition procedures are disseminated to <pre><sa-01_odp[02] or="" personnel="" roles="">;</sa-01_odp[02]></pre>
	SA-01a.01(a)[01]	the <sa-01_odp[03] b="" parameter="" selected="" value(s)<="">> system and services acquisition policy addresses purpose;</sa-01_odp[03]>
	SA-01a.01(a)[02]	the < SA-01_ODP[03] SELECTED PARAMETER VALUE(S) > system and services acquisition policy addresses scope;
	SA-01a.01(a)[03]	the < SA-01_ODP[03] SELECTED PARAMETER VALUE(S) > system and services acquisition policy addresses roles;
	SA-01a.01(a)[04]	the < SA-01_ODP[03] SELECTED PARAMETER VALUE(S) > system and services acquisition policy addresses responsibilities;
	SA-01a.01(a)[05]	the <sa-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> system and services acquisition policy addresses management commitment;</sa-01_odp[03]<>

POLICY AND PROCE	POLICY AND PROCEDURES	
SA-01a.01(a)[06]	the < <i>SA-01_ODP[03]</i> SELECTED PARAMETER VALUE(S) > system and services acquisition policy addresses coordination among organizational entities;	
SA-01a.01(a)[07]	the < <i>SA-01_ODP[03]</i> SELECTED PARAMETER VALUE(S) > system and services acquisition policy addresses compliance;	
SA-01a.01(b)	the <sa-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></sa-01_odp[03]<> system and services acquisition policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
SA-01b.	the < <i>SA-01_ODP[04] official></i> is designated to manage the development, documentation, and dissemination of the system and services acquisition policy and procedures;	
SA-01c.01[01]	the system and services acquisition policy is reviewed and updated <pre></pre> <pre< td=""></pre<>	
SA-01c.01[02]	the current system and services acquisition policy is reviewed and updated following <sa-01_odp[06] events=""></sa-01_odp[06]> ;	
SA-01c.02[01]	the current system and services acquisition procedures are reviewed and updated < SA-01_ODP[07] frequency> ;	
SA-01c.02[02]	the current system and services acquisition procedures are reviewed and updated following < <i>SA-01_ODP[08] events</i> > .	
POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SA-01-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; supply chain risk management policy; supply chain risk management procedures; supply chain risk management plan; system security plan; privacy plan; other relevant documents or records].	
SA-01-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities].	

SA-02	ALLOCATION OF RESOURCES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-02a.[01]	the high-level information security requirements for the system or system service are determined in mission and business process planning;
	SA-02a.[02]	the high-level privacy requirements for the system or system service are determined in mission and business process planning;
	SA-02b.[01]	the resources required to protect the system or system service are determined and documented as part of the organizational capital planning and investment control process;

SA-02	ALLOCATION OF RESOURCES	
	SA-02b.[02]	the resources required to protect the system or system service are allocated as part of the organizational capital planning and investment control process;
	SA-02c.[01]	a discrete line item for information security is established in organizational programming and budgeting documentation;
	SA-02c.[02]	a discrete line item for privacy is established in organizational programming and budgeting documentation.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-02-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; system and services acquisition strategy and plans; procedures addressing the allocation of resources to information security and privacy requirements; procedures addressing capital planning and investment control; organizational programming and budgeting documentation; system security plan; privacy plan; supply chain risk management policy; other relevant documents or records].
	SA-02-Interview	[SELECT FROM: Organizational personnel with capital planning, investment control, organizational programming, and budgeting responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities].
	SA-02-Test	[SELECT FROM: Organizational processes for determining information security and privacy requirements; organizational processes for capital planning, programming, and budgeting; automated mechanisms supporting and/or implementing organizational capital planning, programming, and budgeting].

SA-03	SYSTEM DEVELO	SYSTEM DEVELOPMENT LIFE CYCLE	
	ASSESSMENT OF Determine if:	BJECTIVE:	
	SA-03_ODP	system development life cycle is defined;	
	SA-03a.[01]	the system is acquired, developed, and managed using <sa-03_odp< b=""> system-development life cycle> that incorporates information security considerations;</sa-03_odp<>	
	SA-03a.[02]	the system is acquired, developed, and managed using <sa-03_odp b="" system-<=""> development life cycle> that incorporates privacy considerations;</sa-03_odp>	
	SA-03b.[01]	information security roles and responsibilities are defined and documented throughout the system development life cycle;	
	SA-03b.[02]	privacy roles and responsibilities are defined and documented throughout the system development life cycle;	
	SA-03c.[01]	individuals with information security roles and responsibilities are identified;	
	SA-03c.[02]	individuals with privacy roles and responsibilities are identified;	

SYSTEM DEVELOPN	SYSTEM DEVELOPMENT LIFE CYCLE	
SA-03d.[01]	organizational information security risk management processes are integrated into system development life cycle activities;	
SA-03d.[02]	organizational privacy risk management processes are integrated into system development life cycle activities.	
POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SA-03-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of information security and privacy and supply chain risk management into the system development life cycle process; system development life cycle documentation; organizational risk management strategy; information security and privacy risk management strategy documentation; system security plan; privacy plan; privacy program plan; enterprise architecture documentation; role-based security and privacy training program documentation; data mapping documentation; other relevant documents or records].	
SA-03-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; organizational personnel with system life cycle development responsibilities; organizational personnel with supply chain risk management responsibilities].	
SA-03-Test	[SELECT FROM: Organizational processes for defining and documenting the system development life cycle; organizational processes for identifying system development life cycle roles and responsibilities; organizational processes for integrating information security and privacy and supply chain risk management into the system development life cycle; automated mechanisms supporting and/or implementing the system development life cycle].	

SA-03(01)	SYSTEM DEVELOPMENT LIFE CYCLE MANAGE PREPRODUCTION ENVIRONMENT	
	ASSESSMENT OBJEC Determine if:	ΤΙVΕ:
	SA-03(01)	system pre-production environments are protected commensurate with risk throughout the system development life cycle for the system, system component, or system service.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-03(01)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the integration of security and supply chain risk management into the system development life cycle process; system development life cycle documentation; procedures addressing program protection planning; criticality analysis results; security and supply chain risk management strategy/program documentation; system security plan; supply chain risk management plan; other relevant documents or records].

SA-03(01)	SYSTEM DEVELOPMENT LIFE CYCLE MANAGE PREPRODUCTION ENVIRONMENT	
	SA-03(01)-Interview	[SELECT FROM: Organizational personnel with security and system life cycle development responsibilities; organizational personnel with information security responsibilities].
	SA-03(01)-Test	[SELECT FROM: Organizational processes for defining and documenting the system development life cycle; organizational processes for identifying system development life cycle roles and responsibilities; organizational process for integrating security risk management into the system development life cycle; automated mechanisms supporting and/or implementing the system development life cycle].

for the		
ted for the		
d for the		
at, or system as any live		
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
nd gration rocess; essment nent ng policy; ntifiable ally other		
rity and cycle		
pre- n pre-		

SA-03(03)	SYSTEM DEVELOPMENT LIFE CYCLE TECHNOLOGY REFRESH	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-03(03)[01]	a technology refresh schedule is planned for the system throughout the system development life cycle;
	SA-03(03)[02]	a technology refresh schedule is implemented for the system throughout the system development life cycle.
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SA-03(03)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing technology refresh planning and implementation; system development life cycle documentation; technology refresh schedule; security risk assessment documentation; privacy impact assessment; privacy risk assessment documentation; system security plan; privacy plan; other relevant documents or records].
	SA-03(03)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; organizational personnel with system life cycle development responsibilities].
	SA-03(03)-Test	[SELECT FROM: Organizational processes for defining and documenting the system development life cycle; organizational processes for identifying system development life cycle roles and responsibilities; organizational processes for integrating security and privacy risk management into the system development life cycle; automated mechanisms supporting and/or implementing the system development life cycle].

SA-04	ACQUISITION PROCESS	
	ASSESSMENT OBJ Determine if:	ECTIVE:
	SA-04_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {standardized contract language; <sa-04_odp[02] contract="" language="">};</sa-04_odp[02]>
	SA-04_ODP[02]	contract language is defined (if selected);
	SA-04a.[01]	security functional requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S) in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>
	SA-04a.[02]	privacy functional requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>
	SA-04b.	strength of mechanism requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01] b="" parameter<="" selected=""> VALUE(S) in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]>

SA-04	ACQUISITION PROCESS		
	SA-04c.[01]	security assurance requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S) in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04c.[02]	privacy assurance requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S) in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04d.[01]	controls needed to satisfy the security requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04d.[02]	controls needed to satisfy the privacy requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04e.[01]	security documentation requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S) in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04e.[02]	privacy documentation requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S) in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04f.[01]	requirements for protecting security documentation, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04f.[02]	requirements for protecting privacy documentation, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04g.	the description of the system development environment and environment in which the system is intended to operate, requirements, and criteria are included explicitly or by reference using <sa-04_odp[01] b="" selected<=""> PARAMETER VALUE(S)> in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]>	
	SA-04h.[01]	the allocation of responsibility or identification of parties responsible for information security requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> in the acquisition contract for the system, system component, or system service;</sa-04_odp[01]<>	
	SA-04h.[02]	the allocation of responsibility or identification of parties responsible for privacy requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01]< b=""> SELECTED PARAMETER VALUE(S)>;</sa-04_odp[01]<>	

ACQUISITION	I PROCESS
SA-04h.[03]	the allocation of responsibility or identification of parties responsible for supply chain risk management requirements, descriptions, and criteria are included explicitly or by reference using <sa-04_odp[01] b="" selected<=""> PARAMETER VALUE(S);</sa-04_odp[01]>
SA-04i.	acceptance criteria requirements and descriptions are included explicitly or by reference using <sa-04_odp[01] b="" parameter="" selected="" value(s)<="">> in the acquisition contract for the system, system component, or system service.</sa-04_odp[01]>
POTENTIAL A	SSESSMENT METHODS AND OBJECTS:
SA-04-Examin	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of information security and privacy and supply chain risk management into the acquisition process; configuration management plan; acquisition contracts for the system, system component, or system service; system design documentation; system security plan; supply chain risk management plan; privacy plan; other relevant documents or records].
SA-04-Intervie	W [SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with information security and privacy responsibilities; system/network administrators; organizational personnel with supply chain risk management responsibilities].
SA-04-Test	[SELECT FROM: Organizational processes for determining system security and privacy functional, strength, and assurance requirements; organizational processes for developing acquisition contracts; automated mechanisms supporting and/or implementing acquisitions and the inclusion of security and privacy requirements in contracts].

SA-04(01)	ACQUISITION PROCESS FUNCTIONAL PROPERTIES OF CONTROLS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-04(01)	the developer of the system, system component, or system service is required to provide a description of the functional properties of the controls to be implemented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-04(01)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of security and privacy requirements, descriptions, and criteria into the acquisition process; solicitation documents; acquisition documentation; acquisition contracts for the system, system component, or system services; system security plan; privacy plan; other relevant documents or records].
	SA-04(01)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with information security and privacy responsibilities; system developers].

SA-04(01)	ACQUISITION PROCESS FUNCTIONAL PROPERTIES OF CONTROLS	
	SA-04(01)-Test	[SELECT FROM: Organizational processes for determining system security functional requirements; organizational processes for developing acquisition contracts; automated mechanisms supporting and/or implementing acquisitions and the inclusion of security and privacy requirements in contracts].

SA-04(02)	ACQUISITION PROCESS DESIGN AND IMPLEMENTATION INFORMATION FOR CONTROLS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SA-04(02)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {security-relevant external system interfaces; high-level design; low-level design; source code or hardware schematics; <sa-04(02)_odp[02] design<br="">and implementation information>};</sa-04(02)_odp[02]>
	SA-04(02)_ODP[02]	design and implementation information is defined (if selected);
	SA-04(02)_ODP[03]	level of detail is defined;
	SA-04(02)	the developer of the system, system component, or system service is required to provide design and implementation information for the controls that includes using <sa-04(02)_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> at <sa-04(02)_odp[03]< b=""> level of detail>.</sa-04(02)_odp[03]<></sa-04(02)_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-04(02)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of security requirements, descriptions, and criteria into the acquisition process; solicitation documents; acquisition documentation; acquisition contracts for the system, system components, or system services; design and implementation information for controls employed in the system, system component, or system service; system security plan; other relevant documents or records].
	SA-04(02)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility to determine system security requirements; system developers or service provider; organizational personnel with information security responsibilities].
	SA-04(02)-Test	[SELECT FROM: Organizational processes for determining the level of detail for system design and controls; organizational processes for developing acquisition contracts; automated mechanisms supporting and/or implementing development of system design details].

SA-04(03)	ACQUISITION PROCE	SS DEVELOPMENT METHODS, TECHNIQUES, AND PRACTICES
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-04(03)_ODP[01]	systems engineering methods are defined;
	SA-04(03)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: { <sa-04(03)_odp[03] engineering="" methods="" security="" system="">; <sa-04(03)_odp[04] engineering="" methods="" privacy="">};</sa-04(03)_odp[04]></sa-04(03)_odp[03]>
	SA-04(03)_ODP[03]	system security engineering methods (if selected);
	SA-04(03)_ODP[04]	privacy engineering methods (if selected);
	SA-04(03)_ODP[05]	one or more of the following PARAMETER VALUES is/are selected: { <sa-04(03)_odp[06] development="" methods="" software="">; <sa-04(03)_odp[07] and<br="" assessment,="" evaluation,="" testing,="" verification,="">validation methods>; <sa-04(03)_odp[08] control="" processes="" quality="">};</sa-04(03)_odp[08]></sa-04(03)_odp[07]></sa-04(03)_odp[06]>
	SA-04(03)_ODP[06]	software development methods are defined (if selected);
	SA-04(03)_ODP[07]	testing, evaluation, assessment, verification, and validation methods are defined (if selected);
	SA-04(03)_ODP[08]	quality control processes are defined (if selected);
	SA-04(03)(a)	the developer of the system, system component, or system service is required to demonstrate the use of a system development life cycle process that includes <sa-04(03)_odp[01] engineering="" methods="" systems=""></sa-04(03)_odp[01]> ;
	SA-04(03)(b)	the developer of the system, system component, or system service is required to demonstrate the use of a system development life cycle process that includes <sa-04(03)_odp[02]< b=""> SELECTED PARAMETER VALUE(S)>;</sa-04(03)_odp[02]<>
	SA-04(03)(c)	the developer of the system, system component, or system service is required to demonstrate the use of a system development life cycle process that includes <sa-04(03)_odp[05]< b=""> SELECTED PARAMETER VALUE(S)>.</sa-04(03)_odp[05]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-04(03)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of security and privacy requirements, descriptions, and criteria into the acquisition process; solicitation documents; acquisition documentation; acquisition contracts for the system, system component, or system service; list of systems security and privacy engineering methods to be included in the developer's system development life cycle process; list of software development methods to be included in the developer's system development life cycle process; list of testing, evaluation, or validation techniques to be included in the developer's system development life cycle process; list of quality control processes to be included in the developer's system development life cycle process; system security plan; privacy plan; other relevant documents or records].
	SA-04(03)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with system life cycle responsibilities; system developers or service provider].

SA-04(03)	ACQUISITION PROCE	SS DEVELOPMENT METHODS, TECHNIQUES, AND PRACTICES
	SA-04(03)-Test	[SELECT FROM: Organizational processes for development methods, techniques, and processes].

SA-04(04)	ACQUISITION PROCESS ASSIGNMENT OF COMPONENTS TO SYSTEMS
	[WITHDRAWN: Incorporated into CM-08(09).]

SA-04(05)	ACQUISITION PROCESS SYSTEM, COMPONENT, AND SERVICE CONFIGURATIONS	
	ASSESSMENT OBJEC Determine if:	ΤΙVΕ:
	SA-04(05)_ODP	security configurations for the system, component, or service are defined;
	SA-04(05)(a)	the developer of the system, system component, or system service is required to deliver the system, component, or service with <sa-04(05)_odp< b=""> <i>security configurations</i>> implemented;</sa-04(05)_odp<>
	SA-04(05)(b)	the configurations are used as the default for any subsequent system, component, or service reinstallation or upgrade.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-04(05)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the integration of security requirements, descriptions, and criteria into the acquisition process; solicitation documents; acquisition documentation; acquisition contracts for the system, system component, or system service; security configurations to be implemented by the developer of the system, system component, or system service; service level agreements; system security plan; other relevant documents or records].
	SA-04(05)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility to determine system security requirements; system developers or service provider; organizational personnel with information security responsibilities].
	SA-04(05)-Test	[SELECT FROM: Automated mechanisms used to verify that the configuration of the system, component, or service is delivered as specified].

SA-04(06)	ACQUISITION PROCESS USE OF INFORMATION ASSURANCE PRODUCTS	
	ASSESSMENT OBJECT Determine if:	rive:
	SA-04(06)(a)	only government off-the-shelf or commercial off-the-shelf information assurance and information assurance-enabled information technology products that compose an NSA-approved solution to protect classified information when the networks used to transmit the information are at a lower classification level than the information being transmitted are employed;
	SA-04(06)(b)	these products have been evaluated and/or validated by NSA or in accordance with NSA-approved procedures.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-04(06)-Examine	[SELECT FROM: Supply chain risk management plan; system and services acquisition policy; procedures addressing the integration of security requirements, descriptions, and criteria into the acquisition process; solicitation documents; acquisition documentation; acquisition contracts for the system, system component, or system service; security configurations to be implemented by the developer of the system, system component, or system service; service; service level agreements; NSA-approved list; system security plan; other relevant documents or records].
	SA-04(06)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility to determine system security requirements; organizational personnel responsible for ensuring information assurance products are NSA-approved and are evaluated and/or validated products in accordance with NSA- approved procedures; organizational personnel with information security responsibilities].
	SA-04(06)-Test	[SELECT FROM: Organizational processes for selecting and employing evaluated and/or validated information assurance products and services that compose an NSA-approved solution to protect classified information].

SA-04(07)	ACQUISITION PROCESS NIAP-APPROVED PROTECTION PROFILES	
	ASSESSMENT OBJ Determine if:	ECTIVE:
	SA-04(07)(a)	the use of commercially provided information assurance and information assurance-enabled information technology products is limited to those products that have been successfully evaluated against a National Information Assurance partnership (NIAP)-approved Protection Profile for a specific technology type, if such a profile exists;
	SA-04(07)(b)	if no NIAP-approved Protection Profile exists for a specific technology type but a commercially provided information technology product relies on cryptographic functionality to enforce its security policy, that cryptographic module is required to be FIPS-validated or NSA-approved.

SA-04(07)	ACQUISITION PROCESS NIAP-APPROVED PROTECTION PROFILES	
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SA-04(07)-Examine	[SELECT FROM: Supply chain risk management plan; system and services acquisition policy; procedures addressing the integration of security requirements, descriptions, and criteria into the acquisition process; solicitation documents; acquisition documentation; acquisition contracts for the system, system component, or system service; NAIP-approved protection profiles; FIPS-validation information for cryptographic functionality; system security plan; other relevant documents or records].
	SA-04(07)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility for determining system security requirements; organizational personnel responsible for ensuring that information assurance products have been evaluated against a NIAP-approved protection profile or for ensuring products relying on cryptographic functionality are FIPS-validated; organizational personnel with information security responsibilities].
	SA-04(07)-Test	[SELECT FROM: Organizational processes for selecting and employing products/services evaluated against a NIAP-approved protection profile or FIPS-validated products].

SA-04(08)	ACQUISITION PROCESS CONTINUOUS MONITORING PLAN FOR CONTROLS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-04(08)	the developer of the system, system component, or system service is required to produce a plan for the continuous monitoring of control effectiveness that is consistent with the continuous monitoring program of the organization.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-04(08)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing developer continuous monitoring plans; procedures addressing the integration of security requirements, descriptions, and criteria into the acquisition process; developer continuous monitoring plans; security assessment plans; acquisition contracts for the system, system component, or system service; acquisition documentation; solicitation documentation; service level agreements; system security plan; other relevant documents or records].
	SA-04(08)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility for determining system security requirements; system developers; organizational personnel with information security responsibilities].
	SA-04(08)-Test	[SELECT FROM: Vendor processes for continuous monitoring; automated mechanisms supporting and/or implementing developer continuous monitoring].

SA-04(09)	ACQUISITION PROCESS FUNCTIONS, PORTS, PROTOCOLS, AND SERVICES IN USE		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-04(09)[01]	the developer of the system, system component, or system service is required to identify the functions intended for organizational use;	
	SA-04(09)[02]	the developer of the system, system component, or system service is required to identify the ports intended for organizational use;	
	SA-04(09)[03]	the developer of the system, system component, or system service is required to identify the protocols intended for organizational use;	
	SA-04(09)[04]	the developer of the system, system component, or system service is required to identify the services intended for organizational use.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-04(09)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the integration of security requirements, descriptions, and criteria into the acquisition process; system design documentation; system documentation, including functions, ports, protocols, and services intended for organizational use; acquisition contracts for systems or services; acquisition documentation; solicitation documentation; service level agreements; organizational security requirements, descriptions, and criteria for developers of systems, system components, and system services; system security plan; other relevant documents or records].	
	SA-04(09)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility for determining system security requirements; system/network administrators; organizational personnel operating, using, and/or maintaining the system; system developers; organizational personnel with information security responsibilities].	

SA-04(10)	ACQUISITION PROCESS USE OF APPROVED PIV PRODUCTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-04(10)	only information technology products on the FIPS 201-approved products list for the Personal Identity Verification (PIV) capability implemented within organizational systems are employed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-04(10)-Examine	[SELECT FROM: Supply chain risk management plan; system and services acquisition policy; procedures addressing the integration of security requirements, descriptions, and criteria into the acquisition process; solicitation documentation; acquisition documentation; acquisition contracts for the system, system component, or system service; service level agreements; FIPS 201 approved products list; system security plan; other relevant documents or records].	

SA-04(10)	ACQUISITION PROCESS USE OF APPROVED PIV PRODUCTS	
	SA-04(10)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility for determining system security requirements; organizational personnel with the responsibility for ensuring that only FIPS 201- approved products are implemented; organizational personnel with information security responsibilities].
	SA-04(10)-Test	[SELECT FROM: Organizational processes for selecting and employing FIPS 201-approved products].

SA-04(11)	ACQUISITION PROCESS SYSTEM OF RECORDS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-04(11)_ODP	<i>Privacy Act requirements for the operation of a system of records are defined;</i>	
	SA-04(11)	<sa-04(11)_odp act="" privacy="" requirements=""> are defined in the acquisition contract for the operation of a system of records on behalf of an organization to accomplish an organizational mission or function.</sa-04(11)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-04(11)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of Privacy Act requirements into systems of records operated by external organizations; solicitation documentation; acquisition documentation; acquisition contracts for the system, system component, or system service; service level agreements; system security plan; privacy plan; personally identifiable information processing policy; privacy program plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SA-04(11)-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities].	
	SA-04(11)-Test	[SELECT FROM: Contract management processes to verify Privacy Act requirements are defined for the operation of a system of records; vendor processes for demonstrating incorporation of Privacy Act requirements in its operation of a system of records].	

SA-04(12)	ACQUISITION PROCESS DATA OWNERSHIP	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-04(12)_ODP	time frame to remove data from a contractor system and return it to the organization is defined;

-04(12)	ACQUISITION PROCESS DATA OWNERSHIP	
	SA-04(12)(a)	organizational data ownership requirements are included in the acquisition contract;
	SA-04(12)(b)	all data to be removed from the contractor's system and returned to the organization is required within <sa-04(12)_odp frame="" time=""></sa-04(12)_odp> .
	POTENTIAL ASSESS	AENT METHODS AND OBJECTS:
	SA-04(12)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of information security and privacy requirements, descriptions, and criteria into the acquisition process; procedures addressing the disposition of personally identifiable information; solicitation documentation; acquisition documentation; acquisition contracts for the system or system service; personally identifiable information processing policy; service level agreements; information sharing agreements; memoranda of understanding; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SA-04(12)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility for data management and processing requirements; organizational personnel with information security and privacy responsibilities].
	SA-04(12)-Test	[SELECT FROM: Contract management processes to verify that data is removed as required; vendor processes for removing data in required timeframe; automated mechanisms verifying the removal and return of data].

SA-05	SYSTEM DOCUMENTATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SA-05_ODP[01]	actions to take when system, system component, or system service documentation is either unavailable or nonexistent are defined;
	SA-05_ODP[02]	personnel or roles to distribute system documentation to is/are defined;
	SA-05a.01[01]	administrator documentation for the system, system component, or system service that describes the secure configuration of the system, component, or service is obtained or developed;
	SA-05a.01[02]	administrator documentation for the system, system component, or system service that describes the secure installation of the system, component, or service is obtained or developed;
	SA-05a.01[03]	administrator documentation for the system, system component, or system service that describes the secure operation of the system, component, or service is obtained or developed;

SA-05	SYSTEM DOCUMENTATION	
	SA-05a.02[01]	administrator documentation for the system, system component, or system service that describes the effective use of security functions and mechanisms is obtained or developed;
	SA-05a.02[02]	administrator documentation for the system, system component, or system service that describes the effective maintenance of security functions and mechanisms is obtained or developed;
	SA-05a.02[03]	administrator documentation for the system, system component, or system service that describes the effective use of privacy functions and mechanisms is obtained or developed;
	SA-05a.02[04]	administrator documentation for the system, system component, or system service that describes the effective maintenance of privacy functions and mechanisms is obtained or developed;
	SA-05b.01[01]	user documentation for the system, system component, or system service that describes user-accessible security functions and mechanisms is obtained or developed;
	SA-05b.01[02]	user documentation for the system, system component, or system service that describes how to effectively use those (user-accessible security) functions and mechanisms is obtained or developed;
	SA-05b.01[03]	user documentation for the system, system component, or system service that describes user-accessible privacy functions and mechanisms is obtained or developed;
	SA-05b.01[04]	user documentation for the system, system component, or system service that describes how to effectively use those (user-accessible privacy) functions and mechanisms is obtained or developed;
	SA-05b.02[01]	user documentation for the system, system component, or system service that describes methods for user interaction, which enable individuals to use the system, component, or service in a more secure manner is obtained or developed;
	SA-05b.02[02]	user documentation for the system, system component, or system service that describes methods for user interaction, which enable individuals to use the system, component, or service to protect individual privacy is obtained or developed;
	SA-05b.03[01]	user documentation for the system, system component, or system service that describes user responsibilities for maintaining the security of the system, component, or service is obtained or developed;
	SA-05b.03[02]	user documentation for the system, system component, or system service that describes user responsibilities for maintaining the privacy of individuals is obtained or developed;
	SA-05c.[01]	attempts to obtain system, system component, or system service documentation when such documentation is either unavailable or nonexistent is documented;
	SA-05c.[02]	after attempts to obtain system, system component, or system service documentation when such documentation is either unavailable or nonexistent, <sa-05_odp[01] actions=""></sa-05_odp[01]> are taken in response;

SYSTEM DOCUMENTATION	
SA-05d.	documentation is distributed to < SA-05_ODP[02] personnel or roles> .
SA-05.a.03[01]	administrator documentation for the system, system component, or system service that describes known vulnerabilities regarding the configuration of administrative or privileged functions is obtained or developed;
SA-05.a.03[02]	administrator documentation for the system, system component, or system service that describes known vulnerabilities regarding the use of administrative or privileged functions is obtained or developed;
POTENTIAL ASSES	SMENT METHODS AND OBJECTS:
SA-05-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing system documentation; system documentation, including administrator and user guides; system design documentation; records documenting attempts to obtain unavailable or nonexistent system documentation; list of actions to be taken in response to documented attempts to obtain system, system component, or system service documentation; risk management strategy documentation; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
SA-05-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with information security and privacy responsibilities; system administrators; organizational personnel responsible for operating, using, and/or maintaining the system; system developers].
SA-05-Test	[SELECT FROM: Organizational processes for obtaining, protecting, and distributing system administrator and user documentation].

SA-05(01)	SYSTEM DOCUMENTATION FUNCTIONAL PROPERTIES OF SECURITY CONTROLS		
	[WITHDRAWN: Incorporated into SA-04(01).]		

SA-05(02) SYSTEM DOCUMENTATION SECURITY-RELEVANT EXTERNAL SYSTEM INT		SYSTEM DOCUMENTATION SECURITY-RELEVANT EXTERNAL SYSTEM INTERFACES
		[WITHDRAWN: Incorporated into SA-04(02).]

SA-05(03)	SYSTEM DOCUMENTATION HIGH-LEVEL DESIGN	
	[WITHDRAWN: Incorporated into SA-04(02).]	

SA-05(04)	SYSTEM DOCUMENTATION LOW-LEVEL DESIGN	
	[WITHDRAWN: Incorporated into SA-04(02).]	

SA-05(05)	SYSTEM DOCUMENTATION SOURCE CODE	
	[WITHDRAWN: Incorporated into SA-04(02).]	

SA-06	SOFTWARE USAGE RESTRICTIONS	
[WITHDRAWN: Incorporated into CM-10, SI-07.]		

SA-07	USER-INSTALLED SOFTWARE	
	[WITHDRAWN: Incorporated into CM-11, SI-07.]	

SA-08	SECURITY AND PR	IVACY ENGINEERING PRINCIPLES
	ASSESSMENT OBJ Determine if:	ECTIVE:
	SA-08_ODP[01]	systems security engineering principles are defined;
	SA-08_ODP[02]	privacy engineering principles are defined;
	SA-08[01]	<pre><sa-08_odp[01] engineering="" principles="" security="" systems=""> are applied in the specification of the system and system components;</sa-08_odp[01]></pre>
	SA-08[02]	<pre><sa-08_odp[01] engineering="" principles="" security="" systems=""> are applied in the design of the system and system components;</sa-08_odp[01]></pre>
	SA-08[03]	<pre><sa-08_odp[01] engineering="" principles="" security="" systems=""> are applied in the development of the system and system components;</sa-08_odp[01]></pre>
	SA-08[04]	<pre><sa-08_odp[01] engineering="" principles="" security="" systems=""> are applied in the implementation of the system and system components;</sa-08_odp[01]></pre>
	SA-08[05]	<pre><sa-08_odp[01] engineering="" principles="" security="" systems=""> are applied in the modification of the system and system components;</sa-08_odp[01]></pre>
	SA-08[06]	<sa-08_odp[02] engineering="" principles="" privacy=""> are applied in the specification of the system and system components;</sa-08_odp[02]>
	SA-08[07]	<pre><sa-08_odp[02] engineering="" principles="" privacy=""> are applied in the design of the system and system components;</sa-08_odp[02]></pre>
	SA-08[08]	<pre><sa-08_odp[02] engineering="" principles="" privacy=""> are applied in the development of the system and system components;</sa-08_odp[02]></pre>

SA-08	SECURITY AND PRIVACY ENGINEERING PRINCIPLES	
	SA-08[09]	<pre><sa-08_odp[02] engineering="" principles="" privacy=""> are applied in the implementation of the system and system components;</sa-08_odp[02]></pre>
	SA-08[10]	SA-08_ODP[02] privacy engineering principles> are applied in the modification of the system and system components.
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SA-08-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; assessment and authorization procedures; procedures addressing security and privacy engineering principles used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SA-08-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers].
	SA-08-Test	[SELECT FROM: Organizational processes for applying security and privacy engineering principles in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of security and privacy engineering principles in system specification, design, development, implementation, and modification].

SA-08(01)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES CLEAR ABSTRACTIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(01)	the security design principle of clear abstractions is implemented.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(01)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of clear abstractions used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].	
	SA-08(01)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].	

SA-0	08(01)-Test	[SELECT FROM: Organizational processes for applying the security design principle of clear abstractions to system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of clear abstractions to system specification, design, development, implementation, and modification].

SA-08(02)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES LEAST COMMON MECHANISM ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(02)_ODP	systems or system components that implement the security design principle of least common mechanism are defined;
	SA-08(02)	<pre><sa-08(02)_odp components="" or="" system="" systems=""> implement the security design principle of least common mechanism.</sa-08(02)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(02)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of least common mechanism used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(02)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(02)-Test	[SELECT FROM: Organizational processes for applying the security design principle of least common mechanism in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of least common mechanism in system specification, design, development, implementation, and modification].

	SA-08(03)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES MODULARITY AND LAYERING	
		ASSESSMENT OBJECT Determine if:	ΓIVE:
		SA-08(03)_ODP[01]	systems or system components that implement the security design principle of modularity are defined;
		SA-08(03)_ODP[02]	systems or system components that implement the security design principle of layering are defined;

SA-08(03)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES MODULARITY AND LAYERING	
	SA-08(03)[01]	<pre><sa-08(03)_odp[01] components="" or="" system="" systems=""> implement the security design principle of modularity;</sa-08(03)_odp[01]></pre>
	SA-08(03)[02]	<sa-08(03)_odp[02] components="" or="" system="" systems=""> implement the security design principle of layering.</sa-08(03)_odp[02]>
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SA-08(03)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principles of modularity and layering used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(03)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(03)-Test	[SELECT FROM: Organizational processes for applying the security design principles of modularity and layering in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principles of modularity and layering in system specification, design, development, implementation, and modification; automated mechanisms supporting and/or implementing an isolation boundary].

SA-08(04)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES PARTIALLY ORDERED DEPENDENCIES		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(04)_ODP	systems or system components that implement the security design principle of least partially ordered dependencies are defined;	
	SA-08(04)	<pre><sa-08(04)_odp components="" or="" system="" systems=""> implement the security design principle of partially ordered dependencies.</sa-08(04)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(04)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of partially ordered dependencies used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].	

SA-08(04)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES PARTIALLY ORDERED DEPENDENCIES	
	SA-08(04)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(04)-Test	[SELECT FROM: Organizational processes for applying the security design principle of partially ordered dependencies in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of partially ordered dependencies in system specification, design, development, implementation, and modification].

SA-08(05)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES EFFICIENTLY MEDIATED ACCESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(05)_ODP	systems or system components that implement the security design principle of efficiently mediated access are defined;
	SA-08(05)	<pre><sa-08(05)_odp components="" or="" system="" systems=""> implement the security design principle of efficiently mediated access.</sa-08(05)_odp></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-08(05)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of efficiently mediated access used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(05)-Interview	[SELECT FROM: Organizational personnel with acquisition/contracting responsibilities; organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(05)-Test	[SELECT FROM: Organizational processes for applying the security design principle of efficiently mediated access in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of efficiently mediated access in system specification, design, development, implementation, and modification].

SA-08(06)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES MINIMIZED SHARING	
	ASSESSMENT OBJECT Determine if:	TIVE:
	SA-08(06)_ODP	systems or system components that implement the security design principle of minimized sharing are defined;
	SA-08(06)	<pre><sa-08(06)_odp components="" or="" system="" systems=""> implement the security design principle of minimized sharing.</sa-08(06)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(06)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of minimized sharing used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(06)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(06)-Test	[SELECT FROM: Organizational processes for applying the security design principle of minimized sharing in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of minimized sharing in system specification, design, development, implementation, and modification].

SA-08(07)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES REDUCED COMPLEXITY		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(07)_ODP	systems or system components that implement the security design principle of reduced complexity are defined;	
	SA-08(07)	<pre><sa-08(07)_odp components="" or="" system="" systems=""> implement the security design principle of reduced complexity.</sa-08(07)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(07)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of reduced complexity used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].	

SA-08(07)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES REDUCED COMPLEXITY	
	SA-08(07)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(07)-Test	[SELECT FROM: Organizational processes for applying the security design principle of reduced complexity in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of reduced complexity in system specification, design, development, implementation, and modification].

SA-08(08)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE EVOLVABILITY		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(08)_ODP	systems or system components that implement the security design principle of secure evolvability are defined;	
	SA-08(08)	< SA-08(08)_ODP systems or system components> implement the security design principle of secure evolvability.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(08)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of secure evolvability used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].	
	SA-08(08)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].	
	SA-08(08)-Test	[SELECT FROM: Organizational processes for applying the security design principle of secure evolvability in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of secure evolvability in system specification, design, development, implementation, and modification].	

SA-08(09)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES TRUSTED COMPONENTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(09)_ODP	systems or system components that implement the security design principle of trusted components are defined;	
	SA-08(09)	<pre><sa-08(09)_odp components="" or="" system="" systems=""> implement the security design principle of trusted components.</sa-08(09)_odp></pre>	
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:	
	SA-08(09)-Examine	[SELECT FROM: Supply chain risk management plan; system and services acquisition policy; procedures addressing the security design principle of trusted components used in the specification, design, development, implementation, and modification of the system; system design documentation; security, supply chain risk management, and privacy requirements and specifications for the system; system security and privacy architecture; procedures for determining component assurance; system security plan; other relevant documents or records].	
	SA-08(09)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].	
	SA-08(09)-Test	[SELECT FROM: Organizational processes for applying the security design principle of trusted components in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of trusted components in system specification, design, development, implementation, and modification].	

SA-08(10)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES HIERARCHICAL TRUST		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(10)_ODP	systems or system components that implement the security design principle of hierarchical trust are defined;	
	SA-08(10)	<pre><sa-08(10)_odp components="" or="" system="" systems=""> implement the security design principle of hierarchical trust.</sa-08(10)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(10)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of hierarchical trust used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].	

SA-08(10)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES HIERARCHICAL TRUST	
	SA-08(10)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(10)-Test	[SELECT FROM: Organizational processes for applying the security design principle of hierarchical trust in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of hierarchical trust in system specification, design, development, implementation, and modification].

SA-08(11)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES INVERSE MODIFICATION THRESHOLD ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(11)_ODP	systems or system components that implement the security design principle of inverse modification threshold are defined;
	SA-08(11)	<pre><sa-08(11)_odp components="" or="" system="" systems=""> implement the security design principle of inverse modification threshold.</sa-08(11)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(11)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of inverse modification threshold used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(11)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(11)-Test	[SELECT FROM: Organizational processes for applying the security design principle of inverse modification threshold in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of inverse modification threshold in system specification, design, development, implementation, and modification].

princip <sa-08< th=""><th>s or system components that implement the security design le of hierarchical protection are defined;</th></sa-08<>	s or system components that implement the security design le of hierarchical protection are defined;	
princip <sa-08< th=""><th>le of hierarchical protection are defined;</th></sa-08<>	le of hierarchical protection are defined;	
1.1.0.0	(12)_ODP systems or system components> implement the security principle of hierarchical protection.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
address the spe of the s require	T FROM: System and services acquisition policy; procedures sing the security design principle of hierarchical protection used in ecification, design, development, implementation, and modification system; system design documentation; security and privacy ements and specifications for the system; system security and privacy cture; system security plan; other relevant documents or records].	
determ person and mo	T FROM: Organizational personnel with the responsibility for ining system security and privacy requirements; organizational nel with system specification, design, development, implementation, odification responsibilities; system developers; organizational nel with information security responsibilities].	
princip develop suppor protect	T FROM: Organizational processes for applying the security design le of hierarchical protection in system specification, design, pment, implementation, and modification; automated mechanisms ting the application of the security design principle of hierarchical cion in system specification, design, development, implementation, odification].	
	t [SELECT princip develop suppor protect	

SA-08(13)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES MINIMIZED SECURITY ELEMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(13)_ODP	systems or system components that implement the security design principle of minimized security elements are defined;
	SA-08(13)	<pre><sa-08(13)_odp components="" or="" system="" systems=""> implement the security design principle of minimized security elements.</sa-08(13)_odp></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-08(13)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of minimized security elements used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].

SA-08(13)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES MINIMIZED SECURITY ELEMENTS	
	SA-08(13)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(13)-Test	[SELECT FROM: Organizational processes for applying the security design principle of minimized security elements in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of minimized security elements in system specification, design, development, implementation, and modification].

SA-08(14)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES LEAST PRIVILEGE		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(14)_ODP	systems or system components that implement the security design principle of least privilege are defined;	
	SA-08(14)	<pre><sa-08(14)_odp components="" or="" system="" systems=""> implement the security design principle of least privilege.</sa-08(14)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(14)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of least privilege used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].	
	SA-08(14)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].	
	SA-08(14)-Test	[SELECT FROM: Organizational processes for applying the security design principle of least privilege in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of least privilege in system specification, design, development, implementation, and modification].	

SA-08(15)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES PREDICATE PERMISSION		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-08(15)_ODP	systems or system components that implement the security design principle of predicate permission are defined;	
	SA-08(15)	<pre><sa-08(15)_odp components="" or="" system="" systems=""> implement the security design principle of predicate permission.</sa-08(15)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(15)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of predicate permission used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].	
	SA-08(15)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].	
	SA-08(15)-Test	[SELECT FROM: Organizational processes for applying the security design principle of predicate permission in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of predicate permission in system specification, design, development, implementation, and modification].	

SA-08(16)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SELF-RELIANT TRUSTWORTHINESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(16)_ODP	systems or system components that implement the security design principle of self-reliant trustworthiness are defined;
	SA-08(16)	<sa-08(16)_odp components="" or="" system="" systems=""> implement the security design principle of self-reliant trustworthiness.</sa-08(16)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-08(16)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of self-reliant trustworthiness used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].

SA-08(16)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SELF-RELIANT TRUSTWORTHINESS	
	SA-08(16)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(16)-Test	[SELECT FROM: Organizational processes for applying the security design principle of self-reliant trustworthiness in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of self-reliant trustworthiness in system specification, design, development, implementation, and modification].

SA-08(17)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE DISTRIBUTED COMPOSITION	
	ASSESSMENT OBJECT Determine if:	FIVE:
	SA-08(17)_ODP	systems or system components that implement the security design principle of secure distributed composition are defined;
	SA-08(17)	<pre><sa-08(17)_odp components="" or="" system="" systems=""> implement the security design principle of secure distributed composition.</sa-08(17)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(17)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of secure distributed composition used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(17)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(17)-Test	[SELECT FROM: Organizational processes for applying the security design principle of secure distributed composition in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of secure distributed composition in system specification, design, development, implementation, and modification].

SA-08(18)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES TRUSTED COMMUNICATIONS CHANNELS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(18)_ODP	systems or system components that implement the security design principle of trusted communications channels are defined;
	SA-08(18)	<pre><sa-08(18)_odp components="" or="" system="" systems=""> implement the security design principle of trusted communications channels.</sa-08(18)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(18)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of trusted communications channels used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(18)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(18)-Test	[SELECT FROM: Organizational processes for applying the security design principle of trusted communications channels in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of trusted communications channels in system specification, design, development, implementation, and modification].

SA-08(19)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES CONTINUOUS PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(19)_ODP	systems or system components that implement the security design principle of continuous protection are defined;
	SA-08(19)	<sa-08(19)_odp components="" or="" system="" systems=""> implement the security design principle of continuous protection.</sa-08(19)_odp>

SA-08(19)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES CONTINUOUS PROTECTION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-08(19)-Examine	[SELECT FROM: System and services acquisition policy; access control policy; system and communications protection policy; procedures addressing boundary protection; procedures addressing the security design principle of continuous protection used in the specification, design, development, implementation, and modification of the system; system configuration settings and associated documentation; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(19)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; organizational personnel with access enforcement responsibilities; system/network administrators; system developers; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].
	SA-08(19)-Test	[SELECT FROM: Organizational processes for applying the security design principle of continuous protection in system specification, design, development, implementation, and modification; automated mechanisms implementing access enforcement functions; automated mechanisms supporting the application of the security design principle of continuous protection in system specification, design, development, implementation, and modification; automated mechanisms supporting and/or implementing secure failure].

SA-08(20)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE METADATA MANAGEMENT	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-08(20)_ODP	systems or system components that implement the security design principle of secure metadata management are defined;
	SA-08(20)	<sa-08(20)_odp components="" or="" system="" systems=""> implement the security design principle of secure metadata management.</sa-08(20)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-08(20)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of metadata management used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].

SA-08(20)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE METADATA MANAGEMENT	
	SA-08(20)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(20)-Test	[SELECT FROM: Organizational processes for applying the security design principle of metadata management in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of metadata management in system specification, design, development, implementation, and modification].

SA-08(21)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SELF-ANALYSIS	
	ASSESSMENT OBJECT Determine if:	FIVE:
	SA-08(21)_ODP	systems or system components that implement the security design principle of self-analysis are defined;
	SA-08(21)	<pre><sa-08(21)_odp components="" or="" system="" systems=""> implement the security design principle of self-analysis.</sa-08(21)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(21)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of self-analysis used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(21)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(21)-Test	[SELECT FROM: Organizational processes for applying the security design principle of self-analysis in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of self-analysis in system specification, design, development, implementation, and modification].

SA-08(22)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES ACCOUNTABILITY AND TRACEABILITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(22)_ODP[01]	systems or system components that implement the security design principle of accountability are defined;
	SA-08(22)_ODP[02]	systems or system components that implement the security design principle of traceability are defined;
	SA-08(22)[01]	<pre><sa-08(22)_odp[01] components="" or="" system="" systems=""> implement the security design principle of accountability;</sa-08(22)_odp[01]></pre>
	SA-08(22)[02]	< SA-08(22)_ODP[02] systems or system components> implement the security design principle of traceability.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-08(22)-Examine	[SELECT FROM: System and services acquisition policy; audit and accountability policy; access control policy; procedures addressing least privilege; procedures addressing auditable events; identification and authentication policy; procedures addressing user identification and authentication; procedures addressing the security design principle of accountability and traceability used in the specification, design, development, implementation, and modification of the system; system design documentation; system audit records; system auditable events; system configuration settings and associated documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(22)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with audit and accountability responsibilities; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(22)-Test	[SELECT FROM: Organizational processes for applying the security design principle of accountability and traceability in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of accountability and traceability in system specification, design, development, implementation, and modification; automated mechanisms implementing information system auditing; automated mechanisms implementing least privilege functions].

SA-08(23)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE DEFAULTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(23)_ODP	systems or system components that implement the security design principle of secure defaults are defined;
	SA-08(23)	<pre><sa-08(23)_odp components="" or="" system="" systems=""> implement the security design principle of secure defaults.</sa-08(23)_odp></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-08(23)-Examine	[SELECT FROM: System and services acquisition policy; configuration management policy; procedures addressing the security design principle of secure defaults used in the specification, design, development, implementation, and modification of the system; system design documentation; procedures addressing the baseline configuration of the system; configuration management plan; system architecture and configuration documentation; system configuration settings and associated documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; procedures addressing system documentation; system documentation; system security plan; other relevant documents or records].
	SA-08(23)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(23)-Test	[SELECT FROM: Organizational processes for applying the security design principle of secure defaults in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of secure defaults in system specification, design, development, implementation, and modification; organizational processes for managing baseline configurations; automated mechanisms supporting configuration control of the baseline configuration].

SA-08(24)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE FAILURE AND RECOVERY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(24)_ODP[01]	systems or system components that implement the security design principle of secure failure are defined;
	SA-08(24)_ODP[02]	systems or system components that implement the security design principle of secure recovery are defined;
	SA-08(24)[01]	< SA-08(24)_ODP[01] systems or system components> implement the security design principle of secure failure;
	SA-08(24)[02]	< SA-08(24)_ODP[02] systems or system components> implement the security design principle of secure recovery.

SA-08(24)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE FAILURE AND RECOVERY	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-08(24)-Examine	[SELECT FROM: System and services acquisition policy; system and communications protection policy; contingency planning policy; procedures addressing information system recovery and reconstitution; procedures addressing the security design principle of secure failure and recovery used in the specification, design, development, implementation, and modification of the system; contingency plan; procedures addressing system backup; contingency plan test documentation; contingency plan test results; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(24)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; organizational personnel with contingency plan testing responsibilities; organizational personnel with system recovery and reconstitution responsibilities; system developers; organizational personnel with information security responsibilities; organizational personnel with information system backup responsibilities].
	SA-08(24)-Test	[SELECT FROM: Organizational processes for applying the security design principle of secure failure and recovery in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of secure failure and recovery in system specification, design, development, implementation, and modification; automated mechanisms supporting and/or implementing secure failure; organizational processes for contingency plan testing; automated mechanisms supporting contingency plan testing; automated mechanisms supporting recovery and reconstitution of the system; organizational processes for conducting system backups; automated mechanisms supporting and/or implementing system backups].

SA-08(25)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES ECONOMIC SECURITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(25)_ODP	systems or system components that implement the security design principle of economic security are defined;
	SA-08(25)	< SA-08(25)_ODP systems or system components> implement the security design principle of economic security.

SA-08(25)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES ECONOMIC SECURITY		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(25)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of economic security used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; cost-benefit analysis; system security plan; other relevant documents or records].	
	SA-08(25)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].	
	SA-08(25)-Test	[SELECT FROM: Organizational processes for applying the security design principle of economic security in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of economic security in system specification, design, development, implementation, and modification].	

SA-08(26)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES PERFORMANCE SECURITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(26)_ODP	systems or system components that implement the security design principle of performance security are defined;
	SA-08(26)	<pre><sa-08(26)_odp components="" or="" system="" systems=""> implement the security design principle of performance security.</sa-08(26)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(26)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of performance security used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; trade-off analysis between performance and security; system security plan; other relevant documents or records].
	SA-08(26)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].

SA-08(26)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES PERFORMANCE SECURITY	
	SA-08(26)-Test	[SELECT FROM: Organizational processes for applying the security design principle of performance security in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of performance security in system specification, design, development, implementation, and modification].

SA-08(27)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES HUMAN FACTORED SECURITY		
	ASSESSMENT OBJECT Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(27)_ODP	systems or system components that implement the security design principle of human factored security are defined;	
	SA-08(27)	<sa-08(27)_odp components="" or="" system="" systems=""> implement the security design principle of human factored security.</sa-08(27)_odp>	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	SA-08(27)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of human factored security used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; usability analysis; system security plan; other relevant documents or records].	
	SA-08(27)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with human factored security responsibilities; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].	
	SA-08(27)-Test	[SELECT FROM: Organizational processes for applying the security design principle of human factored security in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of human factored security in system specification, design, development, implementation, and modification; automated mechanisms that enforce security policies].	

	SA-08(28)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES ACCEPTABLE SECURITY	
		ASSESSMENT OBJECTIVE: Determine if:	
		SA-08(28)_ODP	systems or system components that implement the security design principle of acceptable security are defined;

SA-08(28)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES ACCEPTABLE SECURITY		
	SA-08(28)	<pre><sa-08(28)_odp components="" or="" system="" systems=""> implement the security design principle of acceptable security.</sa-08(28)_odp></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(28)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the security design principle of acceptable security used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; personally identifiable information processing policy; privacy notifications provided to users; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SA-08(28)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers].	
	SA-08(28)-Test	[SELECT FROM: Organizational processes for applying the security design principle of acceptable security in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of acceptable security in system specification, design, development, implementation, and modification; automated mechanisms that enforce security policies].	

SA-08(29)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES REPEATABLE AND DOCUMENTED PROCEDURES	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-08(29)_ODP	systems or system components that implement the security design principle of repeatable and documented procedures are defined;
	SA-08(29)	<pre><sa-08(29)_odp components="" or="" system="" systems=""> implement the security design principle of repeatable and documented procedures.</sa-08(29)_odp></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-08(29)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of repeatable and documented procedures used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].

SA-08(29)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES REPEATABLE AND DOCUMENTED PROCEDURES	
	SA-08(29)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(29)-Test	[SELECT FROM: Organizational processes for applying the security design principle of repeatable and documented procedures in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of repeatable and documented procedures in system specification, design, development, implementation, and modification; automated mechanisms that enforce security policies].

SA-08(30)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES PROCEDURAL RIGOR	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(30)_ODP	systems or system components that implement the security design principle of procedural rigor are defined;
	SA-08(30)	<pre><sa-08(30)_odp components="" or="" system="" systems=""> implement the security design principle of procedural rigor.</sa-08(30)_odp></pre>
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SA-08(30)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of procedural rigor used in the specification, design, development, implementation, and modification of the system; system design documentation; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(30)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(30)-Test	[SELECT FROM: Organizational processes for applying the security design principle of procedural rigor in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of procedural rigor in system specification, design, development, implementation, and modification; automated mechanisms that enforce security policies].

SA-08(31)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SECURE SYSTEM MODIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(31)_ODP	systems or system components that implement the security design principle of secure system modification are defined;
	SA-08(31)	<pre><sa-08(31)_odp components="" or="" system="" systems=""> implement the security design principle of secure system modification.</sa-08(31)_odp></pre>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(31)-Examine	[SELECT FROM: System and services acquisition policy; configuration management policy and procedures; procedures addressing the security design principle of secure system modification used in the specification, design, development, implementation, and modification of the system; system design documentation; system configuration settings and associated documentation; change control records; security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; other relevant documents or records].
	SA-08(31)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].
	SA-08(31)-Test	[SELECT FROM: Organizational processes for applying the security design principle of secure system modification in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of secure system modification in system specification, design, development, implementation, and modification; automated mechanisms that enforce security policies; organizational processes for managing change configuration; automated mechanisms supporting configuration control].

SA-08(32)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SUFFICIENT DOCUMENTATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-08(32)_ODP	systems or system components that implement the security design principle of sufficient documentation are defined;
	SA-08(32)	<sa-08(32)_odp components="" or="" system="" systems=""> implement the security design principle of sufficient documentation.</sa-08(32)_odp>

SA-08(32)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES SUFFICIENT DOCUMENTATION		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-08(32)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the security design principle of sufficient documentation used in the specification, design, development, implementation, and modification of the system; system design documentation; system configuration settings and associated documentation; change control records; security and privacy requirements and specifications for the system; system security and privacy documentation; system security and privacy architecture; system security plan; other relevant documents or records].	
	SA-08(32)-Interview	[SELECT FROM: Organizational personnel with the responsibility for determining system security and privacy requirements; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers; organizational personnel with information security responsibilities].	
	SA-08(32)-Test	[SELECT FROM: Organizational processes for applying the security design principle of sufficient documentation in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of sufficient documentation in system specification, design, development, implementation, and modification; automated mechanisms that enforce security policies; organizational processes for managing change configuration; automated mechanisms supporting configuration control].	

SA-08(33)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES MINIMIZATION	
	ASSESSMENT OBJECT	rive:
	SA-08(33)_ODP	processes that implement the privacy principle of minimization are defined;
	SA-08(33)	the privacy principle of minimization is implemented using <sa-08(33)_odp< b=""> processes>.</sa-08(33)_odp<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-08(33)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; personally identifiable information processing policy; procedures addressing the minimization of personally identifiable information in system design; system design documentation; system configuration settings and associated documentation; change control records; information security and privacy requirements and specifications for the system; system security and privacy architecture; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SA-08(33)-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; organizational personnel with system specification, design, development, implementation, and modification responsibilities; system developers].

SA-08(33)	SECURITY AND PRIVACY ENGINEERING PRINCIPLES MINIMIZATION	
	SA-08(33)-Test	[SELECT FROM: Organizational processes for applying the privacy design principle of minimization in system specification, design, development, implementation, and modification; automated mechanisms supporting the application of the security design principle of sufficient documentation in system specification, design, development, implementation, and modification; automated mechanisms that enforce security and privacy policy; organizational processes for managing change configuration; automated mechanisms supporting configuration control].

SA-09	EXTERNAL SYSTEM S	ERVICES
	ASSESSMENT OBJECT Determine if:	ΓIVE:
	SA-09_ODP[01]	controls to be employed by external system service providers are defined;
	SA-09_ODP[02]	processes, methods, and techniques employed to monitor control compliance by external service providers are defined;
	SA-09a.[01]	providers of external system services comply with organizational security requirements;
	SA-09a.[02]	providers of external system services comply with organizational privacy requirements;
	SA-09a.[03]	providers of external system services employ <sa-09_odp[01] controls="">;</sa-09_odp[01]>
	SA-09b.[01]	organizational oversight with regard to external system services are defined and documented;
	SA-09b.[02]	user roles and responsibilities with regard to external system services are defined and documented;
	SA-09c.	<sa-09_odp[02] and="" methods,="" processes,="" techniques=""> are employed to monitor control compliance by external service providers on an ongoing basis.</sa-09_odp[02]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-09-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing methods and techniques for monitoring control compliance by external service providers of system services; acquisition documentation; contracts; service level agreements; interagency agreements; licensing agreements; list of organizational security and privacy requirements for external provider services; control assessment results or reports from external providers of system services; system security plan; privacy plan; supply chain risk management plan; other relevant documents or records].
	SA-09-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; external providers of system services; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities].

One site time lange of the site site of the site of the set
Organizational processes for monitoring security and compliance by external service providers on an ongoing ed mechanisms for monitoring security and privacy control external service providers on an ongoing basis].
/

SA-09(01)	EXTERNAL SYSTEM S	ERVICES RISK ASSESSMENTS AND ORGANIZATIONAL APPROVALS
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-09(01)_ODP	personnel or roles that approve the acquisition or outsourcing of dedicated information security services is/are defined;
	SA-09(01)(a)	an organizational assessment of risk is conducted prior to the acquisition or outsourcing of information security services;
	SA-09(01)(b)	<pre><sa-09(01)_odp or="" personnel="" roles=""> approve the acquisition or outsourcing of dedicated information security services.</sa-09(01)_odp></pre>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-09(01)-Examine	[SELECT FROM: System and services acquisition policy; supply chain risk management policy and procedures; procedures addressing external system services; acquisition documentation; acquisition contracts for the system, system component, or system service; risk assessment reports; approval records for the acquisition or outsourcing of dedicated security services; system security plan; supply chain risk management plan; other relevant documents or records].
	SA-09(01)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with system security responsibilities; external providers of system services; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].
	SA-09(01)-Test	[SELECT FROM: Organizational processes for conducting a risk assessment prior to acquiring or outsourcing dedicated security services; organizational processes for approving the outsourcing of dedicated security services; automated mechanisms supporting and/or implementing risk assessment; automated mechanisms supporting and/or implementing approval processes].

SA-09(02)	EXTERNAL SYSTEM SERVICES IDENTIFICATION OF FUNCTIONS, PORTS, PROTOCOLS, AND SERVICES	
	ASSESSMENT OBJEC Determine if:	ΓIVE:
	SA-09(02)_ODP	external system services that require the identification of functions, ports, protocols, and other services are defined;

SA-09(02)	EXTERNAL SYSTEM SERVICES IDENTIFICATION OF FUNCTIONS, PORTS, PROTOCOLS, AND SERVICES	
	SA-09(02)	providers of <sa-09(02)_odp external="" services="" system=""></sa-09(02)_odp> are required to identify the functions, ports, protocols, and other services required for the use of such services.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-09(02)-Examine	[SELECT FROM: System and services acquisition policy; supply chain risk management policy and procedures; procedures addressing external system services; acquisition contracts for the system, system component, or system service; acquisition documentation; solicitation documentation; service level agreements; organizational security requirements and security specifications for external service providers; list of required functions, ports, protocols, and other services; system security plan; other relevant documents or records].
	SA-09(02)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system/network administrators; external providers of system services].

SA-09(03)	EXTERNAL SYSTEM SERVICES ESTABLISH AND MAINTAIN TRUST RELATIONSHIP WITH PROVIDERS	
	ASSESSMENT OBJEC Determine if:	CTIVE:
	SA-09(03)_ODP[01]	security requirements, properties, factors, or conditions defining acceptable trust relationships on which a trust relationship is maintained are defined;
	SA-09(03)_ODP[02]	privacy requirements, properties, factors, or conditions defining acceptable trust relationships on which a trust relationship is maintained are defined;
	SA-09(03)[01]	trust relationships with external service provides based on < <i>SA-09(03)_ODP[01] security requirements, properties, factors, or conditions></i> are established and documented;
	SA-09(03)[02]	trust relationships with external service provides based on < <i>SA-09(03)_ODP[01] security requirements, properties, factors, or conditions></i> are maintained;
	SA-09(03)[03]	trust relationships with external service provides based on <pre><sa-09(03)_odp[02] conditions="" factors,="" or="" privacy="" properties,="" requirements,=""> are established and documented;</sa-09(03)_odp[02]></pre>
	SA-09(03)[04]	trust relationships with external service provides based on <sa-09(03)_odp[02] factors,="" or<br="" privacy="" properties,="" requirements,="">conditions> are maintained.</sa-09(03)_odp[02]>

SA-09(03)	EXTERNAL SYSTEM SERVICES ESTABLISH AND MAINTAIN TRUST RELATIONSHIP WITH PROVIDERS	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-09(03)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; acquisition contracts for the system, system component, or system service; acquisition documentation; solicitation documentation; service level agreements; list of organizational security and privacy requirements, properties, factors, or conditions for external provider services; documentation of trust relationships with external service providers; system security plan; privacy plan; supply chain risk management plan; other relevant documents or records].
	SA-09(03)-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; external providers of system services; organizational personnel with supply chain risk management responsibilities].

SA-09(04)	EXTERNAL SYSTEM S	ERVICES CONSISTENT INTERESTS OF CONSUMERS AND PROVIDERS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	SA-09(04)_ODP[01]	external service providers are defined;	
	SA-09(04)_ODP[02]	actions to be taken to verify that the interests of external service providers are consistent with and reflect organizational interests are defined;	
	SA-09(04)	<sa-09(04)_odp[02] actions=""> are taken to verify that the interests of <sa-09(04)_odp[01] external="" providers="" service=""> are consistent with and reflect organizational interests.</sa-09(04)_odp[01]></sa-09(04)_odp[02]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-09(04)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing external system services; acquisition contracts for the system, system component, or system service; solicitation documentation; acquisition documentation; service level agreements; organizational security requirements/safeguards for external service providers; personnel security policies for external service providers; assessments performed on external service providers; system security plan; supply chain risk management plan; other relevant documents or records].	
	SA-09(04)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; external providers of system services; organizational personnel with supply chain risk management responsibilities].	
	SA-09(04)-Test	[SELECT FROM: Organizational processes for defining and employing safeguards to ensure consistent interests with external service providers; automated mechanisms supporting and/or implementing safeguards to ensure consistent interests with external service providers].	

SA-09(05)	EXTERNAL SYSTEM S	SERVICES PROCESSING, STORAGE, AND SERVICE LOCATION
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-09(05)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {information processing; information or data; system services};
	SA-09(05)_ODP[02]	locations where <sa-09(05)_odp[01] parameter="" selected="" value(s)=""> is/ are to be restricted are defined;</sa-09(05)_odp[01]>
	SA-09(05)_ODP[03]	requirements or conditions for restricting the location of <pre><sa-09(05)_odp[01] parameter="" selected="" value(s)=""> are defined;</sa-09(05)_odp[01]></pre>
	SA-09(05)	based on < SA-09(05)_ODP[03] requirements >, < SA-09(05)_ODP[01] SELECTED PARAMETER VALUE(S)> is/are restricted to < SA-09(05)_ODP[02] locations>.
	POTENTIAL ASSESSI	IENT METHODS AND OBJECTS:
	SA-09(05)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing external system services; acquisition contracts for the system, system component, or system service; solicitation documentation; acquisition documentation; service level agreements; restricted locations for information processing; information/data and/or system services; information processing, information/data, and/or system services to be maintained in restricted locations; organizational security requirements or conditions for external providers; system security plan; supply chain risk management plan; other relevant documents or records].
	SA-09(05)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; external providers of system services; organizational personnel with supply chain risk management responsibilities].
	SA-09(05)-Test	[SELECT FROM: Organizational processes for defining the requirements to restrict locations of information processing, information/data, or information services; organizational processes for ensuring the location is restricted in accordance with requirements or conditions].

SA-09(06)	EXTERNAL SYSTEM SERVICES ORGANIZATION-CONTROLLED CRYPTOGRAPHIC KEYS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-09(06)	exclusive control of cryptographic keys is maintained for encrypted material stored or transmitted through an external system.

SA-09(06)	EXTERNAL SYSTEM SERVICES ORGANIZATION-CONTROLLED CRYPTOGRAPHIC KEYS		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-09(06)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing external system services; acquisition contracts for the system, system component, or system service; solicitation documentation; acquisition documentation; service level agreements; procedures addressing organization-controlled cryptographic key management; organizational security requirements or conditions for external providers; system security plan; supply chain risk management plan; other relevant documents or records].	
	SA-09(06)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organization personnel with cryptographic key management responsibilities; external providers of system services; organizational personnel with supply chain risk management responsibilities].	
	SA-09(06)-Test	[SELECT FROM: Organizational processes for cryptographic key management; automated mechanisms for supporting and implementing the management of organization-controlled cryptographic keys].	

SA-09(07)	EXTERNAL SYSTEM SERVICES ORGANIZATION-CONTROLLED INTEGRITY CHECKING		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-09(07)	the capability is provided to check the integrity of information while it resides in the external system.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-09(07)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing external system services; acquisition contracts for the system, system component, or system service; solicitation documentation; acquisition documentation; service level agreements; procedures addressing organization-controlled integrity checking; information/data and/or system services; organizational security requirements or conditions for external providers; system security plan; supply chain risk management plan; other relevant documents or records].	
	SA-09(07)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organization personnel with integrity checking responsibilities; external providers of system services; organizational personnel with supply chain risk management responsibilities].	
	SA-09(07)-Test	[SELECT FROM: Organizational processes for integrity checking; automated mechanisms for supporting and implementing integrity checking of information in external systems].	

SA-09(08)	EXTERNAL SYSTEM SERVICES PROCESSING AND STORAGE LOCATION — U.S. JURISDICTION		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-09(08)	the geographic location of information processing and data storage is restricted to facilities located within the legal jurisdictional boundary of the United States.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-09(08)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing external system services; acquisition contracts for the system, system component, or system service; solicitation documentation; acquisition documentation; service level agreements; procedures addressing determining jurisdiction restrictions for processing and storage location; information/data and/or system services; organizational security requirements or conditions for external providers; system security plan; supply chain risk management plan; other relevant documents or records].	
	SA-09(08)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organization personnel with supply chain risk management responsibilities; external providers of system services].	
	SA-09(08)-Test	[SELECT FROM: Organizational processes restricting external system service providers to process and store information within the legal jurisdictional boundary of the United States].	

SA-10	DEVELOPER CONFIGURATION MANAGEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-10_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {design; development; implementation; operation; disposal};
	SA-10_ODP[02]	configuration items under configuration management are defined;
	SA-10_ODP[03]	personnel to whom security flaws and flaw resolutions within the system, component, or service are reported is/are defined;
	SA-10a.	the developer of the system, system component, or system service is required to perform configuration management during system, component, or service <sa-10_odp[01]< b=""> SELECTED PARAMETER VALUE(S)>;</sa-10_odp[01]<>
	SA-10b.[01]	the developer of the system, system component, or system service is required to document the integrity of changes to <sa-10_odp[02]< b=""> configuration items>;</sa-10_odp[02]<>
	SA-10b.[02]	the developer of the system, system component, or system service is required to manage the integrity of changes to <sa-10_odp[02]< b=""> configuration items>;</sa-10_odp[02]<>

DEVELOPER CONFIGU	JRATION MANAGEMENT
SA-10b.[03]	the developer of the system, system component, or system service is required to control the integrity of changes to <sa-10_odp[02]< b=""> <i>configuration items></i>;</sa-10_odp[02]<>
SA-10c.	the developer of the system, system component, or system service is required to implement only organization-approved changes to the system, component, or service;
SA-10d.[01]	the developer of the system, system component, or system service is required to document approved changes to the system, component, or service;
SA-10d.[02]	the developer of the system, system component, or system service is required to document the potential security impacts of approved changes;
SA-10d.[03]	the developer of the system, system component, or system service is required to document the potential privacy impacts of approved changes;
SA-10e.[01]	the developer of the system, system component, or system service is required to track security flaws within the system, component, or service;
SA-10e.[02]	the developer of the system, system component, or system service is required to track security flaw resolutions within the system, component, or service;
SA-10e.[03]	the developer of the system, system component, or system service is required to report findings to <sa-10_odp[03] personnel=""></sa-10_odp[03]> .
POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
SA-10-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer configuration management; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; security flaw and flaw resolution tracking records; system change authorization records; change control records; configuration management records; system security plan; other relevant documents or records].
SA-10-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with configuration management responsibilities; system developers].
SA-10-Test	[SELECT FROM: Organizational processes for monitoring developer configuration management; automated mechanisms supporting and/or implementing the monitoring of developer configuration management].

SA-10(01)	DEVELOPER CONFIGURATION MANAGEMENT SOFTWARE AND FIRMWARE INTEGRITY VERIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-10(01)	the developer of the system, system component, or system service is required to enable integrity verification of software and firmware components.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-10(01)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer configuration management; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; software and firmware integrity verification records; system change authorization records; change control records; configuration management records; system security plan; supply chain risk management plan; other relevant documents or records].
	SA-10(01)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with configuration management responsibilities; system developers; organizational personnel with supply chain risk management responsibilities].
	SA-10(01)-Test	[SELECT FROM: Organizational processes for monitoring developer configuration management; automated mechanisms supporting and/or implementing the monitoring of developer configuration management].

SA-10(02)	DEVELOPER CONFIGURATION MANAGEMENT ALTERNATIVE CONFIGURATION MANAGEMENT PROCESSES	
ASSESSMENT OBJECTIVE: Determine if:		FIVE:
	SA-10(02)	an alternate configuration management process has been provided using organizational personnel in the absence of a dedicated developer configuration management team.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-10(02)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; configuration management policy; configuration management plan; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; security impact analyses; privacy impact analyses; privacy impact assessment; privacy risk assessment documentation; system security plan; privacy plan; other relevant documents or records].

SA-10(02)	DEVELOPER CONFIGURATION MANAGEMENT ALTERNATIVE CONFIGURATION MANAGEMENT PROCESSES	
	SA-10(02)-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with configuration management responsibilities; system developers].
	SA-10(02)-Test	[SELECT FROM: Organizational processes for monitoring developer configuration management; automated mechanisms supporting and/or implementing the monitoring of developer configuration management].

SA-10(03)	DEVELOPER CONFIG	DEVELOPER CONFIGURATION MANAGEMENT HARDWARE INTEGRITY VERIFICATION	
	ASSESSMENT OBJECT Determine if:	ſIVE:	
	SA-10(03)	the developer of the system, system component, or system service is required to enable integrity verification of hardware components.	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	SA-10(03)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer configuration management; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; hardware integrity verification records; system security plan; supply chain risk management plan; other relevant documents or records].	
	SA-10(03)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with configuration management responsibilities; system developers; organizational personnel with supply chain risk management responsibilities].	
	SA-10(03)-Test	[SELECT FROM: Organizational processes for monitoring developer configuration management; automated mechanisms supporting and/or implementing the monitoring of developer configuration management].	

SA-10(04)	DEVELOPER CONFIGURATION MANAGEMENT TRUSTED GENERATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-10(04)[01]	the developer of the system, system component, or system service is required to employ tools for comparing newly generated versions of security-relevant hardware descriptions with previous versions;
	SA-10(04)[02]	the developer of the system, system component, or system service is required to employ tools for comparing newly generated versions of source code with previous versions;

SA-10(04)	DEVELOPER CONFIGURATION MANAGEMENT TRUSTED GENERATION		
	SA-10(04)[03]	the developer of the system, system component, or system service is required to employ tools for comparing newly generated versions of object code with previous versions.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-10(04)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer configuration management; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; change control records; configuration management records; configuration control audit records; system security plan; other relevant documents or records].	
	SA-10(04)-Test	[SELECT FROM: Organizational processes for monitoring developer configuration management; automated mechanisms supporting and/or implementing the monitoring of developer configuration management].	

SA-10(05)	DEVELOPER CONFIGURATION MANAGEMENT MAPPING INTEGRITY FOR VERSION CONTROL	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-10(05)	the developer of the system, system component, or system service is required to maintain the integrity of the mapping between the master build data describing the current version of security-relevant hardware, software, and firmware and the on-site master copy of the data for the current version.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-10(05)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer configuration management; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; change control records; configuration management records; version control change/update records; integrity verification records between master copies of security-relevant hardware, software, and firmware (including designs and source code); system security plan; other relevant documents or records].
	SA-10(05)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with configuration management responsibilities; system developers].
	SA-10(05)-Test	[SELECT FROM: Organizational processes for monitoring developer configuration management; automated mechanisms supporting and/or implementing the monitoring of developer configuration management].

SA-10(06)	DEVELOPER CONFIGURATION MANAGEMENT TRUSTED DISTRIBUTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-10(06)	the developer of the system, system component, or system service is required to execute procedures for ensuring that security-relevant hardware, software, and firmware updates distributed to the organization are exactly as specified by the master copies.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-10(06)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer configuration management; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; change control records; configuration management records; system security plan; other relevant documents or records].
	SA-10(06)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with configuration management responsibilities; system developers].
	SA-10(06)-Test	[SELECT FROM: Organizational processes for monitoring developer configuration management; automated mechanisms supporting and/or implementing the monitoring of developer configuration management].

SA-10(07)	DEVELOPER CONFIGURATION MANAGEMENT SECURITY AND PRIVACY REPRESENTATIVES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-10(07)_ODP[01]	security representatives to be included in the configuration change management and control process are defined;
	SA-10(07)_ODP[02]	privacy representatives to be included in the configuration change management and control process are defined;
	SA-10(07)_ODP[03]	configuration change management and control processes in which security representatives are required to be included are defined;
	SA-10(07)_ODP[04]	configuration change management and control processes in which privacy representatives are required to be included are defined;
	SA-10(07)[01]	<pre><sa-10(07)_odp[01] representatives="" security=""> are required to be included in the <sa-10(07)_odp[03] and="" change="" configuration="" control<br="" management="">processes>;</sa-10(07)_odp[03]></sa-10(07)_odp[01]></pre>
	SA-10(07)[02]	<pre><sa-10(07)_odp[02] privacy="" representatives=""> are required to be included in the <sa-10(07)_odp[04] and="" change="" configuration="" control<br="" management="">processes>.</sa-10(07)_odp[04]></sa-10(07)_odp[02]></pre>

SA-10(07)	DEVELOPER CONFIGURATION MANAGEMENT SECURITY AND PRIVACY REPRESENTATIVES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-10(07)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; configuration management policy; configuration management plan; solicitation documentation requiring representatives for security and privacy; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer configuration management plan; change control records; configuration management records; system security plan; other relevant documents or records].
	SA-10(07)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with configuration management responsibilities; system developers].

SA-11	DEVELOPER TESTING	DEVELOPER TESTING AND EVALUATION	
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-11_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {unit; integration; system; regression};	
	SA-11_ODP[02]	frequency at which to conduct <sa-11_odp[01] parameter<br="" selected="">VALUE(S)> testing/evaluation is defined;</sa-11_odp[01]>	
	SA-11_ODP[03]	depth and coverage of <sa-11_odp[01] parameter="" selected="" value(s)=""> testing/evaluation is defined;</sa-11_odp[01]>	
	SA-11a.[01]	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to develop a plan for ongoing security assessments;	
	SA-11a.[02]	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to implement a plan for ongoing security assessments;	
	SA-11a.[03]	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to develop a plan for privacy assessments;	
	SA-11a.[04]	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to implement a plan for ongoing privacy assessments;	
	SA-11b.	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to perform <i><sa-11_odp[01]< i=""> <i>SELECTED PARAMETER VALUE(S)></i> testing/ evaluation <i><sa-11_odp[02]< i=""> <i>frequency to conduct></i> at <i><sa-11_odp[03]< i=""> <i>depth and coverage></i>;</sa-11_odp[03]<></i></sa-11_odp[02]<></i></sa-11_odp[01]<></i>	

SA-11	DEVELOPER TESTING AND EVALUATION	
	SA-11c.[01]	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to produce evidence of the execution of the assessment plan;
	SA-11c.[02]	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to produce the results of the testing and evaluation;
	SA-11d.	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to implement a verifiable flaw remediation process;
	SA-11e.	the developer of the system, system component, or system service is required at all post-design stages of the system development life cycle to correct flaws identified during testing and evaluation.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-11-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing system developer security and privacy testing; procedures addressing flaw remediation; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; security and privacy architecture; system design documentation; system developer security and privacy assessment plans; results of developer security and privacy and privacy flaw and remediation tracking records; system service; security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SA-11-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with developer security and privacy testing responsibilities; system developers].
	SA-11-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer security and privacy testing and evaluation].

SA-11(01)	DEVELOPER TESTING AND EVALUATION STATIC CODE ANALYSIS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-11(01)[01]	the developer of the system, system component, or system service is required to employ static code analysis tools to identify common flaws;
	SA-11(01)[02]	the developer of the system, system component, or system service is required to employ static code analysis tools to document the results of the analysis.

SA-11(01)	DEVELOPER TESTING AND EVALUATION STATIC CODE ANALYSIS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-11(01)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing system developer security testing; procedures addressing flaw remediation; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; security and privacy architecture; system design documentation; system developer security and privacy assessment plans; results of system developer security and privacy assessments; security flaw and remediation tracking records; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SA-11(01)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with developer security and privacy testing responsibilities; organizational personnel with configuration management responsibilities; system developers].
	SA-11(01)-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer security testing and evaluation; static code analysis tools].

SA-11(02)	DEVELOPER TESTING AND EVALUATION THREAT MODELING AND VULNERABILITY ANALYSES	
	ASSESSMENT OBJEC	TIVE:
	SA-11(02)_ODP[01]	information concerning impact, environment of operations, known or assumed threats, and acceptable risk levels to be used as contextual information for threat modeling and vulnerability analyses is defined;
	SA-11(02)_ODP[02]	the tools and methods to be employed for threat modeling and vulnerability analyses are defined;
	SA-11(02)_ODP[03]	the breadth and depth of threat modeling to be conducted is defined;
	SA-11(02)_ODP[04]	the breadth and depth of vulnerability analyses to be conducted is defined;
	SA-11(02)_ODP[05]	acceptance criteria to be met by produced evidence for threat modeling are defined;
	SA-11(02)_ODP[06]	acceptance criteria to be met by produced evidence for vulnerability analyses are defined;
	SA-11(02)(a)[01]	the developer of the system, system component, or system service is required to perform threat modeling during development of the system, component, or service that uses <sa-11(02)_odp[01]< b=""> information>;</sa-11(02)_odp[01]<>

SA-11(02)	DEVELOPER TESTING ANALYSES	AND EVALUATION THREAT MODELING AND VULNERABILITY
	SA-11(02)(a)[02]	the developer of the system, system component, or system service is required to perform vulnerability analyses during development of the system, component, or service that uses <sa-11(02)_odp[01] information=""></sa-11(02)_odp[01]> ;
	SA-11(02)(a)[03]	the developer of the system, system component, or system service is required to perform threat modeling during the subsequent testing and evaluation of the system, component, or service that uses <sa-11(02)_odp[01] information=""></sa-11(02)_odp[01]> ;
	SA-11(02)(a)[04]	the developer of the system, system component, or system service is required to perform vulnerability analyses during the subsequent testing and evaluation of the system, component, or service that uses < SA-11(02)_ODP[01] information> ;
	SA-11(02)(b)[01]	the developer of the system, system component, or system service is required to perform threat modeling during development of the system, component, or service that employs <sa-11(02)_odp[02]< b=""> tools and methods>;</sa-11(02)_odp[02]<>
	SA-11(02)(b)[02]	the developer of the system, system component, or system service is required to perform threat modeling during the subsequent testing and evaluation of the system, component, or service that employs <sa-11(02)_odp[02] and="" methods="" tools=""></sa-11(02)_odp[02]> ;
	SA-11(02)(b)[03]	the developer of the system, system component, or system service is required to perform vulnerability analyses during development of the system, component, or service that employs <sa-11(02)_odp[02] and<="" b="" tools=""> methods>;</sa-11(02)_odp[02]>
	SA-11(02)(b)[04]	the developer of the system, system component, or system service is required to perform vulnerability analyses during the subsequent testing and evaluation of the system, component, or service that employs <sa-11(02)_odp[02] and="" methods="" tools=""></sa-11(02)_odp[02]> ;
	SA-11(02)(c)[01]	the developer of the system, system component, or system service is required to perform threat modeling at <sa-11(02)_odp[03]< b=""> breadth and depth> during development of the system, component, or service;</sa-11(02)_odp[03]<>
	SA-11(02)(c)[02]	the developer of the system, system component, or system service is required to perform vulnerability analyses during the subsequent testing and evaluation of the system, component, or service that conducts modeling and analyses at <sa-11(02)_odp[04] and="" breadth="" depth=""></sa-11(02)_odp[04]> ;
	SA-11(02)(d)[01]	the developer of the system, system component, or system service is required to perform threat modeling during development of the system, component, or service that produces evidence that meets <sa-11(02)_odp[05] acceptance="" criteria="">;</sa-11(02)_odp[05]>
	SA-11(02)(d)[02]	the developer of the system, system component, or system service is required to perform threat modeling during the subsequent testing and evaluation of the system, component, or service that produces evidence that meets <sa-11(02)_odp[05]< b=""> acceptance criteria>;</sa-11(02)_odp[05]<>

• •	DEVELOPER TESTING AND EVALUATION THREAT MODELING AND VULNERABILITY ANALYSES	
SA-1	1(02)(d)[03]	the developer of the system, system component, or system service is required to perform vulnerability analyses during development of the system, component, or service that produces evidence that meets < SA-11(02)_ODP[06] acceptance criteria>;
SA-1	1(02)(d)[04]	the developer of the system, system component, or system service is required to perform vulnerability analyses during the subsequent testing and evaluation of the system, component, or service that produces evidence that meets <sa-11(02)_odp[06]< b=""> acceptance criteria>.</sa-11(02)_odp[06]<>
РОТ	ENTIAL ASSESSM	ENT METHODS AND OBJECTS:
SA-1	1(02)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer security testing; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer security test plans; records of developer security testing results for the system, system component, or system service; vulnerability scanning results; system risk assessment reports; threat and vulnerability analysis reports; system security plan; supply chain risk management plan; other relevant documents or records].
SA-1	1(02)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with developer security testing responsibilities; system developers; organizational personnel with supply chain risk management responsibilities].
SA-1	1(02)-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer security testing and evaluation].

SA-11(03) DEVELOPER TESTING AND EVALUATION | INDEPENDENT VERIFICATION OF ASSESSMENT PLANS AND EVIDENCE

	ASSESSMENT OBJECTIVE: Determine if:	
	SA-11(03)_ODP	independence criteria to be satisfied by an independent agent are defined;
	SA-11(03)(a)[01]	an independent agent is required to satisfy <sa-11(03)_odp< b=""> independence criteria> to verify the correct implementation of the developer security assessment plan and the evidence produced during testing and evaluation;</sa-11(03)_odp<>
	SA-11(03)(a)[02]	an independent agent is required to satisfy <sa-11(03)_odp b="" independence<=""> criteria> to verify the correct implementation of the developer privacy assessment plan and the evidence produced during testing and evaluation;</sa-11(03)_odp>
	SA-11(03)(b)	the independent agent is provided with sufficient information to complete the verification process or granted the authority to obtain such information.

SA-11(03)	DEVELOPER TESTING AND EVALUATION INDEPENDENT VERIFICATION OF ASSESSMENT PLANS AND EVIDENCE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-11(03)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing system developer security testing; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; independent verification and validation reports; security and privacy assessment plans; results of security and privacy assessments for the system, system component, or system, system component, or system, system component, or system, system component, or system service; system security plan; privacy plan; privacy program plan; other relevant documents or records].
	SA-11(03)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with developer security testing responsibilities; system developers; independent verification agent].
	SA-11(03)-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer security testing and evaluation].

SA-11(04)	DEVELOPER TESTING AND EVALUATION MANUAL CODE REVIEWS	
ASSESSMENT OBJECTIVE: Determine if:		TIVE:
	SA-11(04)_ODP[01]	specific code requiring manual code review is defined;
	SA-11(04)_ODP[02]	processes, procedures, and/or techniques used for manual code reviews are defined;
	SA-11(04)	the developer of the system, system component, or system service is required to perform a manual code review of <sa-11(04)_odp[01]< b=""> <i>specific code</i>> using <sa-11(04)_odp[02]< b=""> <i>processes, procedures, and/or</i> <i>techniques></i>.</sa-11(04)_odp[02]<></sa-11(04)_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-11(04)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer security testing; processes, procedures, and/or techniques for performing manual code reviews; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer security testing and evaluation plans; system developer security testing and evaluation results; list of code requiring manual reviews; records of manual code reviews; system security plan; other relevant documents or records].
	SA-11(04)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with developer security testing responsibilities; system developers; independent verification agent].

CHAPTER FOUR

SA-11(04)	DEVELOPER TESTING AND EVALUATION MANUAL CODE REVIEWS	
	SA-11(04)-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer testing and evaluation].

SA-11(05)	DEVELOPER TESTING AND EVALUATION PENETRATION TESTING	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-11(05)_ODP[01]	the breadth of penetration testing is defined;
	SA-11(05)_ODP[02]	the depth of penetration testing is defined;
	SA-11(05)_ODP[03]	constraints of penetration testing are defined;
	SA-11(05)(a)[01]	the developer of the system, system component, or system service is required to perform penetration testing at the following level of rigor: < <i>SA-11(05)_ODP[01] breadth></i> ;
	SA-11(05)(a)[02]	the developer of the system, system component, or system service is required to perform penetration testing at the following level of rigor: < <i>SA-11(05)_ODP[02] depth></i> ;
	SA-11(05)(b)	the developer of the system, system component, or system service is required to perform penetration testing under <i>SA-11(05)_ODP[03]</i> <i>constraints></i> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-11(05)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing system developer security testing; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer penetration testing and evaluation plans; system developer penetration testing and evaluation results; system security plan; privacy plan; personally identifiable information processing policy; other relevant documents or records].
	SA-11(05)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with developer security testing responsibilities; system developers; independent verification agent].
	SA-11(05)-Test	[SELECT FROM: Organizational processes for monitoring developer security and privacy assessments; automated mechanisms supporting and/or implementing the monitoring of developer security and privacy assessments].

(06) DEVELOPER TESTI	DEVELOPER TESTING AND EVALUATION ATTACK SURFACE REVIEWS	
ASSESSMENT OBJI Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
SA-11(06)	the developer of the system, system component, or system service is required to perform attack surface reviews.	
POTENTIAL ASSES	SMENT METHODS AND OBJECTS:	
SA-11(06)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer security testing; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer security testing and evaluation plans; system developer security testing and evaluation results; records of attack surface reviews; system security plan; other relevant documents or records].	
SA-11(06)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with developer security testing responsibilities; organizational personnel with configuration management responsibilities; system developers].	
SA-11(06)-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer security testing and evaluation].	

SA-11(07)	DEVELOPER TESTING AND EVALUATION VERIFY SCOPE OF TESTING AND EVALUATION	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-11(07)_ODP[01]	the breadth of testing and evaluation of required controls is defined;
	SA-11(07)_ODP[02]	the depth of testing and evaluation of required controls is defined;
	SA-11(07)[01]	the developer of the system, system component, or system service is required to verify that the scope of testing and evaluation provides complete coverage of the required controls at <sa-11(07)_odp[01]< b=""> breadth>;</sa-11(07)_odp[01]<>
	SA-11(07)[02]	the developer of the system, system component, or system service is required to verify that the scope of testing and evaluation provides complete coverage of the required controls at <sa-11(07)_odp[02] depth=""></sa-11(07)_odp[02]> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-11(07)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer security testing; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer security testing and evaluation plans; system developer security testing and evaluation results; system security plan; other relevant documents or records].

SA-11(07)	DEVELOPER TESTING AND EVALUATION VERIFY SCOPE OF TESTING AND EVALUATION	
	SA-11(07)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with developer security testing responsibilities; system developers; independent verification agent].
	SA-11(07)-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer security testing and evaluation].

SA-11(08)	DEVELOPER TESTING	AND EVALUATION DYNAMIC CODE ANALYSIS
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-11(08)[01]	the developer of the system, system component, or system service is required to employ dynamic code analysis tools to identify common flaws;
	SA-11(08)[02]	the developer of the system, system component, or system service is required to document the results of the analysis.
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SA-11(08)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer security testing; procedures addressing flaw remediation; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer security test and evaluation plans; security test and evaluation results; security flaw and remediation tracking reports; system security plan; other relevant documents or records].
	SA-11(08)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with developer security testing responsibilities; organizational personnel with configuration management responsibilities; system developers].
	SA-11(08)-Test	[SELECT FROM: Organizational processes for monitoring developer security testing and evaluation; automated mechanisms supporting and/or implementing the monitoring of developer security testing and evaluation].
	Ì	

SA-11(09)	DEVELOPER TESTING	AND EVALUATION INTERACTIVE APPLICATION SECURITY TESTING
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-11(09)[01]	the developer of the system, system component, or system service is required to employ interactive application security testing tools to identify flaws;
	SA-11(09)[02]	the developer of the system, system component, or system service is required to document the results of flaw identification.

SA-11(09)	DEVELOPER TESTING	AND EVALUATION INTERACTIVE APPLICATION SECURITY TESTING
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-11(09)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing system developer security testing; procedures addressing interactive application security testing; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer security test and evaluation plans; security test and evaluation results; security flaw and remediation tracking reports; system security plan; other relevant documents or records].
	SA-11(09)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with developer security testing responsibilities; organizational personnel with configuration management responsibilities; system developers].
	SA-11(09)-Test	[SELECT FROM: Organizational processes for interactive application security testing; automated mechanisms supporting and/or implementing the interactive application security testing].

SA-12	SUPPLY CHAIN PROTECTION
	[WITHDRAWN: Incorporated into SR Family.]

SA-12(01)	SUPPLY CHAIN PROTECTION ACQUISITION STRATEGIES / TOOLS / METHODS
	[WITHDRAWN: Moved to SR-05.]

SA-12(02)	SUPPLY CHAIN PROTECTION SUPPLIER REVIEWS
	[WITHDRAWN: Moved to SR-06.]

SA-12(03)	SUPPLY CHAIN PROTECTION TRUSTED SHIPPING AND WAREHOUSING
	[WITHDRAWN: Incorporated into SR-03.]

SA-12(04) SUPPLY CHAIN PROTECTION | DIVERSITY OF SUPPLIERS

[WITHDRAWN: Moved to SR-03(01).]

SA-12(05)	SUPPLY CHAIN PROTECTION LIMITATION OF HARM
	[WITHDRAWN: Moved to SR-03(02).]

SA-12(06)	SUPPLY CHAIN PROTECTION MINIMIZING PROCUREMENT TIME
	[WITHDRAWN: Incorporated into SR-05(01).]

SA-12(07)	SUPPLY CHAIN PROTECTION ASSESSMENTS PRIOR TO SELECTION / ACCEPTANCE / UPDATE
	[WITHDRAWN: Moved to SR-05(02).]

SA-12(08)	SUPPLY CHAIN PROTECTION USE OF ALL-SOURCE INTELLIGENCE
	[WITHDRAWN: Incorporated into RA-03(02).]

SA-12(09)	SUPPLY CHAIN PROTECTION OPERATIONS SECURITY	
	[WITHDRAWN: Moved to SR-07.]	

SA-12(10)	0) SUPPLY CHAIN PROTECTION VALIDATE AS GENUINE AND NOT ALTERED	
[WITHDRAWN: Moved to SR-04(03).]		

SA-12(11)	SUPPLY CHAIN PROTECTION PENETRATION TESTING / ANALYSIS OF ELEMENTS, PROCESSES, AND ACTORS
	[WITHDRAWN: Moved to SR-06(01).]

SA-12(12)	SUPPLY CHAIN PROTECTION INTER-ORGANIZATIONAL AGREEMENTS
	[WITHDRAWN: Moved to SR-08.]

SA-12(13) SUPPLY CHAIN PROTECTION CRITICAL INFORMATION SYSTEM COMPONEN		SUPPLY CHAIN PROTECTION CRITICAL INFORMATION SYSTEM COMPONENTS
		[WITHDRAWN: Incorporated into MA-06, RA-09.]

SA-12(14)	SUPPLY CHAIN PROTECTION IDENTITY AND TRACEABILITY	
	[WITHDRAWN: Incorporated into SR-04(01), SR-04(02).]	

SA-12(15) SUPPLY CHAIN PROTECTION PROCESSES TO ADDRESS WEAKNESSES OR DE	
	[WITHDRAWN: Incorporated into SR-03.]

SA-13	TRUSTWORTHINESS	
	[WITHDRAWN: Incorporated into SA-08.]	

SA-14	CRITICALITY ANALYSIS	
	[WITHDRAWN: Incorporated into RA-09.]	

SA-14(01)	CRITICALITY ANALYSIS CRITICAL COMPONENTS WITH NO VIABLE ALTERNATIVE SOURCING
	[WITHDRAWN: Incorporated into SA-20.]

SA-15	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-15_ODP[01]	frequency at which to review the development process, standards, tools, tool options, and tool configurations is defined;
	SA-15_ODP[02]	security requirements to be satisfied by the process, standards, tools, tool options, and tool configurations are defined;
	SA-15_ODP[03]	privacy requirements to be satisfied by the process, standards, tools, tool options, and tool configurations are defined;
	SA-15a.01[01]	the developer of the system, system component, or system service is required to follow a documented development process that explicitly addresses security requirements;

SA-15	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS	
	SA-15a.01[02]	the developer of the system, system component, or system service is required to follow a documented development process that explicitly addresses privacy requirements;
	SA-15a.02[01]	the developer of the system, system component, or system service is required to follow a documented development process that identifies the standards used in the development process;
	SA-15a.02[02]	the developer of the system, system component, or system service is required to follow a documented development process that identifies the tools used in the development process;
	SA-15a.03[01]	the developer of the system, system component, or system service is required to follow a documented development process that documents the specific tool used in the development process;
	SA-15a.03[02]	the developer of the system, system component, or system service is required to follow a documented development process that documents the specific tool configurations used in the development process;
	SA-15a.04	the developer of the system, system component, or system service is required to follow a documented development process that documents, manages, and ensures the integrity of changes to the process and/or tools used in development;
	SA-15b.[01]	the developer of the system, system component, or system service is required to follow a documented development process in which the development process, standards, tools, tool options, and tool configurations are reviewed <sa-15_odp[01]< b=""> frequency> to determine that the process, standards, tools, tool options, and tool configurations selected and employed satisfy <sa-15_odp[02]< b=""> security requirements>;</sa-15_odp[02]<></sa-15_odp[01]<>
	SA-15b.[02]	the developer of the system, system component, or system service is required to follow a documented development process in which the development process, standards, tools, tool options, and tool configurations are reviewed <sa-15_odp[01]< b=""> frequency> to determine that the process, standards, tools, tool options, and tool configurations selected and employed satisfy <sa-15_odp[03]< b=""> privacy requirements>.</sa-15_odp[03]<></sa-15_odp[01]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-15-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing development process, standards, and tools; procedures addressing the integration of security and privacy requirements during the development process; solicitation documentation; acquisition documentation; critical component inventory documentation; service level agreements; acquisition contracts for the system, system component, or system service; system developer documentation listing tool options/configuration guides; configuration management policy; configuration management records; documentation of development process reviews using maturity models; change control records; configuration control records; documented reviews of the development process, standards, tools, and tool options/configurations; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].

SA-15	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS	
	SA-15-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; system developer].

SA-15(01)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS QUALITY METRICS	
	ASSESSMENT OBJECT Determine if:	rive:
	SA-15(01)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: { <sa-15(01)_odp[02] frequency="">; <sa-15(01)_odp[03] program="" review="">; upon delivery};</sa-15(01)_odp[03]></sa-15(01)_odp[02]>
	SA-15(01)_ODP[02]	frequency at which to provide evidence of meeting the quality metrics is defined (if selected);
	SA-15(01)_ODP[03]	program review milestones are defined (if selected);
	SA-15(01)(a)	the developer of the system, system component, or system service is required to define quality metrics at the beginning of the development process;
	SA-15(01)(b)	the developer of the system, system component, or system service is required to provide evidence of meeting the quality metrics < SA-15(01)_ODP[01] SELECTED PARAMETER VALUE(S) >.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-15(01)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing development process, standards, and tools; procedures addressing the integration of security requirements into the acquisition process; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; list of quality metrics; documentation evidence of meeting quality metrics; system security plan; other relevant documents or records].
	SA-15(01)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer].

SA-15(02)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS SECURITY AND PRIVACY TRACKING TOOLS	
ASSESSMENT OBJECTIVE: Determine if:		TIVE:
	SA-15(02)[01]	the developer of the system, system component, or system service is required to select and employ security tracking tools for use during the development process;

15(02)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS SECURITY AND PRIVACY TRACKING TOOLS	
	SA-15(02)[02]	the developer of the system, system component, or system service is required to select and employ privacy tracking tools for use during the development process.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SA-15(02)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing development process, standards, and tools; procedures addressing the integration of security and privacy requirements into the acquisition process; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; documentation of the selection of security and privacy tracking tools; evidence of employing security and privacy tracking tools; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SA-15(02)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with privacy responsibilities].

SA-15(03)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS CRITICALITY ANALYSIS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SA-15(03)_ODP[01]	decision points in the system development life cycle are defined;
	SA-15(03)_ODP[02]	the breadth of criticality analysis is defined;
	SA-15(03)_ODP[03]	the depth of criticality analysis is defined;
	SA-15(03)(a)	the developer of the system, system component, or system service is required to perform a criticality analysis at <sa-15(03)_odp[01] b="" decision<=""> points> in the system development life cycle;</sa-15(03)_odp[01]>
	SA-15(03)(b)[01]	the developer of the system, system component, or system service is required to perform a criticality analysis at the following rigor level: < <i>SA-15(03)_ODP[02] breadth></i> ;
	SA-15(03)(b)[02]	the developer of the system, system component, or system service is required to perform a criticality analysis at the following rigor level: <sa-15(03)_odp[03] depth="">.</sa-15(03)_odp[03]>

SA-15(03)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS CRITICALITY ANALYSIS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-15(03)-Examine	[SELECT FROM: Supply chain risk management plan; system and services acquisition policy; procedures addressing development process, standards, and tools; procedures addressing criticality analysis requirements for the system, system component, or system service; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; criticality analysis documentation; business impact analysis documentation; software development life cycle documentation; system security plan; other relevant documents or records].
	SA-15(03)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel responsible for performing criticality analysis; system developer; organizational personnel with supply chain risk management responsibilities].
	SA-15(03)-Test	[SELECT FROM: Organizational processes for performing criticality analysis; automated mechanisms supporting and/or implementing criticality analysis].

SA-15(04)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS THREAT MODELING AND VULNERABILITY ANALYSIS	
	[WITHDRAWN: Incorporated into SA-11(02).]	

SA-15(05)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS ATTACK SURFACE REDUCTION		
	ASSESSMENT OBJECT Determine if:	ſIVE:	
	SA-15(05)_ODP	thresholds to which attack surfaces are to be reduced are defined;	
	SA-15(05)	the developer of the system, system component, or system service is required to reduce attack surfaces to <sa-15(05)_odp thresholds=""></sa-15(05)_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-15(05)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing development process, standards, and tools; procedures addressing attack surface reduction; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system or system service; system design documentation; network diagram; system configuration settings and associated documentation establishing/ enforcing organization-defined thresholds for reducing attack surfaces; list of restricted ports, protocols, functions, and services; system security plan; other relevant documents or records].	

SA-15(05)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS ATTACK SURFACE REDUCTION	
	SA-15(05)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel responsible for attack surface reduction thresholds; system developer].
	SA-15(05)-Test	[SELECT FROM: Organizational processes for defining attack surface reduction thresholds].

SA-15(06)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS CONTINUOUS IMPROVEMENT		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-15(06)	the developer of the system, system component, or system service is required to implement an explicit process to continuously improve the development process.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-15(06)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing development process, standards, and tools; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; quality goals and metrics for improving the system development process; security assessments; quality control reviews of system development process; plans of action and milestones for improving the system development process; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SA-15(06)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; system developer].	

	SA-15(07)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS AUTOMATED VULNERABILITY ANALYSIS	
		ASSESSMENT OBJECTIVE: Determine if:	
		SA-15(07)_ODP[01]	frequency at which to conduct vulnerability analysis is defined;
		SA-15(07)_ODP[02]	tools used to perform automated vulnerability analysis are defined;
		SA-15(07)_ODP[03]	personnel or roles to whom the outputs of tools and results of the analysis are to be delivered is/are defined;
		SA-15(07)(a)	the developer of the system, system component, or system service is required to perform automated vulnerability analysis <sa-15(07)_odp[01]< b=""> frequency> using <sa-15(07)_odp[02]< b=""> tools>;</sa-15(07)_odp[02]<></sa-15(07)_odp[01]<>

SA-15(07)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS AUTOMATED VULNERABILITY ANALYSIS		
	SA-15(07)(b)	the developer of the system, system component, or system service is required to determine the exploitation potential for discovered vulnerabilities <sa-15(07)_odp[01] frequency=""></sa-15(07)_odp[01]> ;	
	SA-15(07)(c)	the developer of the system, system component, or system service is required to determine potential risk mitigations <sa-15(07)_odp[01]< b=""> <i>frequency></i> for delivered vulnerabilities;</sa-15(07)_odp[01]<>	
	SA-15(07)(d)	the developer of the system, system component, or system service is required to deliver the outputs of the tools and results of the analysis <sa-15(07)_odp[01]< b=""> frequency> to <sa-15(07)_odp[03]< b=""> personnel or roles>.</sa-15(07)_odp[03]<></sa-15(07)_odp[01]<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-15(07)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing development process, standards, and tools; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; vulnerability analysis tools and associated documentation; risk assessment reports; vulnerability analysis results; vulnerability mitigation reports; risk mitigation strategy documentation; system security plan; other relevant documents or records].	
	SA-15(07)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel performing automated vulnerability analysis on the system].	
	SA-15(07)-Test	[SELECT FROM: Organizational processes for vulnerability analysis of systems, system components, or system services under development; automated mechanisms supporting and/or implementing vulnerability analysis of systems, system components, or system services under development].	

SA-15(08)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS REUSE OF THREAT AND VULNERABILITY INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-15(08)[01]	the developer of the system, system component, or system service is required to use threat modeling from similar systems, components, or services to inform the current development process;
	SA-15(08)[02]	the developer of the system, system component, or system service is required to use vulnerability analyses from similar systems, components, or services to inform the current development process.

SA-15(08)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS REUSE OF THREAT AND VULNERABILITY INFORMATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-15(08)-Examine	[SELECT FROM: System and services acquisition policy; supply chain risk management plan; procedures addressing development process, standards, and tools; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; threat modeling and vulnerability analyses from similar systems, system components, or system services; system security plan; other relevant documents or records].
	SA-15(08)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with supply chain risk management responsibilities].

SA-15(09)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS USE OF LIVE DATA	
[WITHDRAWN: Incorporated into SA-03(02).]		
	[WITHDRAWN: Incorporated into SA-03(02).]	

SA-15(10)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS INCIDENT RESPONSE PLAN ASSESSMENT OBJECTIVE: Determine if:	
	SA-15(10)[01]	the developer of the system, system component, or system service is required to provide an incident response plan;
	SA-15(10)[02]	the developer of the system, system component, or system service is required to implement an incident response plan;
	SA-15(10)[03]	the developer of the system, system component, or system service is required to test an incident response plan.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-15(10)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing incident response, standards, and tools; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system components or services; acquisition documentation; solicitation documentation; service level agreements; developer incident response plan; system security plan; privacy plan; supply chain risk management plan; other relevant documents or records].
	SA-15(10)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with supply chain risk management responsibilities].

SA-15(11)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS ARCHIVE SYSTEM OR COMPONENT		
	ASSESSMENT OBJECTIVE: Determine if:		
	SA-15(11)	the developer of the system or system component is required to archive the system or component to be released or delivered together with the corresponding evidence supporting the final security and privacy review.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-15(11)-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing development process, standards, and tools; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system or system component; evidence of archived system or component; system security plan; privacy plan; other relevant documents or records].	
	SA-15(11)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with privacy responsibilities].	

SA-15(12)	DEVELOPMENT PROCESS, STANDARDS, AND TOOLS MINIMIZE PERSONALLY IDENTIFIABLE INFORMATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-15(12)	the developer of the system or system component is required to minimize the use of personally identifiable information in development and test environments.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-15(12)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing the development process; procedures addressing the minimization of personally identifiable information in testing, training, and research; personally identifiable information processing policy; procedures addressing the authority to test with personally identifiable information; standards and tools; solicitation documentation; service level agreements; acquisition contracts for the system or services; system security plan; privacy plan; other relevant documents or records].
	SA-15(12)-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; system developer].
	SA-15(12)-Test	[SELECT FROM: Organizational processes for the minimization of personally identifiable information in development and test environments; automated mechanisms to facilitate minimization of personally identifiable information in development and test environments].

SA-16	DEVELOPER-PROVIDED TRAINING		
	ASSESSMENT OBJE	CTIVE:	
	SA-16_ODP	training on the correct use and operation of the implemented security and privacy functions, controls, and/or mechanisms provided by the developer of the system, system component, or system service is defined;	
	SA-16	the developer of the system, system component, or system service is required to provide < <i>SA-16_ODP training</i> > on the correct use and operation of the implemented security and privacy functions, controls, and/or mechanisms.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-16-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; procedures addressing developer-provided training; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; organizational security and privacy training policy; developer-provided training materials; training records; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SA-16-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; system developer; external or internal (in-house) developers with training responsibilities for the system, system component, or information system service].	

SA-17	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(a)[01]	the developer of the system, system component, or system service is required to produce a design specification and security architecture that are consistent with the organization's security architecture, which is an integral part the organization's enterprise architecture;
	SA-17(a)[02]	the developer of the system, system component, or system service is required to produce a design specification and privacy architecture that are consistent with the organization's privacy architecture, which is an integral part the organization's enterprise architecture;
	SA-17(b)[01]	the developer of the system, system component, or system service is required to produce a design specification and security architecture that accurately and completely describe the required security functionality and the allocation of controls among physical and logical components;
	SA-17(b)[02]	the developer of the system, system component, or system service is required to produce a design specification and privacy architecture that accurately and completely describe the required privacy functionality and the allocation of controls among physical and logical components;

A-17 DEVELOPER SECU	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN		
SA-17(c)[01]	the developer of the system, system component, or system service is required to produce a design specification and security architecture that express how individual security functions, mechanisms, and services work together to provide required security capabilities and a unified approach to protection;		
SA-17(c)[02]	the developer of the system, system component, or system service is required to produce a design specification and privacy architecture that express how individual privacy functions, mechanisms, and services work together to provide required privacy capabilities and a unified approach to protection.		
POTENTIAL ASSES	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SA-17-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; enterprise architecture policy; enterprise architecture documentation; procedures addressing developer security and privacy architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system design documentation; information system configuration settings and associated documentation; system security plan; privacy plan; other relevant documents or records].		
SA-17-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; system developer].		

SA-17(01)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN FORMAL POLICY MODEL ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(01)_ODP[01]	organizational security policy to be enforced is defined;
	SA-17(01)_ODP[02]	organizational privacy policy to be enforced is defined;
	SA-17(01)(a)[01]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce a formal policy model describing the <sa-17(01)_odp[01]< b=""> organizational security policy> to be enforced;</sa-17(01)_odp[01]<>
	SA-17(01)(a)[02]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce a formal policy model describing the <sa-17(01)_odp[02] organizational="" policy="" privacy=""></sa-17(01)_odp[02]> to be enforced;
	SA-17(01)(b)[01]	the developer of the system, system component, or system service is required to prove that the formal policy model is internally consistent and sufficient to enforce the defined elements of the organizational security policy when implemented;

SA-17(01)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN FORMAL POLICY MODEL	
	SA-17(01)(b)[02]	the developer of the system, system component, or system service is required to prove that the formal policy model is internally consistent and sufficient to enforce the defined elements of the organizational privacy policy when implemented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-17(01)-Examine	[SELECT FROM: System and services acquisition policy; system and services acquisition procedures; enterprise architecture policy; enterprise architecture documentation; procedures addressing developer security and privacy architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system design documentation; system configuration settings and associated documentation; system security plan; privacy plan; other relevant documents or records].
	SA-17(01)-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; system developer].

SA-17(02)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN SECURITY-RELEVANT COMPONENTS ASSESSMENT OBJECTIVE: Determine if:		
	SA-17(02)(a)[01]	the developer of the system, system component, or system service is required to define security-relevant hardware;	
	SA-17(02)(a)[02]	the developer of the system, system component, or system service is required to define security-relevant software;	
	SA-17(02)(a)[03]	the developer of the system, system component, or system service is required to define security-relevant firmware;	
	SA-17(02)(b)	the developer of the system, system component, or system service is required to provide a rationale that the definition for security-relevant hardware, software, and firmware is complete.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-17(02)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; procedures addressing developer security architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; list of security- relevant hardware, software, and firmware components; documented rationale of completeness regarding definitions provided for security- relevant hardware, software, and firmware; system security plan; other relevant documents or records].	

SA-17(02)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN SECURITY-RELEVANT COMPONENTS	
	SA-17(02)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developers; organizational personnel with information security architecture and design responsibilities].

SA-17(03)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN FORMAL CORRESPONDENCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(03)(a)[01]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce a formal top- level specification that specifies the interfaces to security-relevant hardware, software, and firmware in terms of exceptions;
	SA-17(03)(a)[02]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce a formal top- level specification that specifies the interfaces to security-relevant hardware, software, and firmware in terms of error messages;
	SA-17(03)(a)[03]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce a formal top- level specification that specifies the interfaces to security-relevant hardware, software, and firmware in terms of effects;
	SA-17(03)(b)	the developer of the system, system component, or system service is required to show proof that the formal top-level specification is consistent with the formal policy model to the extent feasible with additional informal demonstration as necessary;
	SA-17(03)(c)	the developer of the system, system component, or system service is required to show via informal demonstration that the formal top-level specification completely covers the interfaces to security-relevant hardware, software, and firmware;
	SA-17(03)(d)	the developer of the system, system component, or system service is required to show that the formal top-level specification is an accurate description of the implemented security-relevant hardware, software, and firmware;
	SA-17(03)(e)	the developer of the system, system component, or system service is required to describe the security-relevant hardware, software, and firmware mechanisms that are not addressed in the formal top-level specification but are strictly internal to the security-relevant hardware, software, and firmware.

SA-17(03)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN FORMAL CORRESPONDENCE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-17(03)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; formal policy model; procedures addressing developer security architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; formal top-level specification documentation; system security architecture and design documentation; system design documentation; system configuration settings and associated documentation; documentation describing security-relevant hardware, software, and firmware mechanisms not addressed in the formal top-level specification documentation; system security plan; other relevant documents or records].
	SA-17(03)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with information security architecture and design responsibilities].

SA-17(04)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN INFORMAL CORRESPONDENCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(04)_ODP	one of the following PARAMETER VALUES is selected: {informal demonstration, convincing argument with formal methods as feasible};
	SA-17(04)(a)[01]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce an informal, descriptive top-level specification that specifies the interfaces to security- relevant hardware, software, and firmware in terms of exceptions;
	SA-17(04)(a)[02]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce an informal, descriptive top-level specification that specifies the interfaces to security-relevant hardware, software, and firmware in terms of error messages;
	SA-17(04)(a)[03]	as an integral part of the development process, the developer of the system, system component, or system service is required to produce an informal, descriptive top-level specification that specifies the interfaces to security-relevant hardware, software, and firmware in terms of effects;
	SA-17(04)(b)	the developer of the system, system component, or system service is required to show via <sa-17(04)_odp parameter="" selected="" value=""></sa-17(04)_odp> that the descriptive top-level specification is consistent with the formal policy model;
	SA-17(04)(c)	the developer of the system, system component, or system service is required to show via informal demonstration that the descriptive top-level specification completely covers the interfaces to security-relevant hardware, software, and firmware;

SA-17(04)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN INFORMAL CORRESPONDENCE		
	SA-17(04)(d)	the developer of the system, system component, or system service is required to show that the descriptive top-level specification is an accurate description of the interfaces to security-relevant hardware, software, and firmware;	
	SA-17(04)(e)	the developer of the system, system component, or system service is required to describe the security-relevant hardware, software, and firmware mechanisms that are not addressed in the descriptive top-level specification but are strictly internal to the security-relevant hardware, software, and firmware.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-17(04)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; formal policy model; procedures addressing developer security architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; informal, descriptive top-level specification documentation; system security architecture and design documentation; system design documentation; system configuration settings and associated documentation; documentation describing security-relevant hardware, software, and firmware mechanisms not addressed in the informal, descriptive top-level specification documentation; system security plan; other relevant documents or records].	
	SA-17(04)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with information security architecture and design responsibilities].	

SA-17(05)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN CONCEPTUALLY SIMPLE DESIGN	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(05)(a)	the developer of the system, system component, or system service is required to design and structure the security-relevant hardware, software, and firmware to use a complete, conceptually simple protection mechanism with precisely defined semantics;
	SA-17(05)(b)	the developer of the system, system component, or system service is required to internally structure the security-relevant hardware, software, and firmware with specific regard for this mechanism.

SA-17(05)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN CONCEPTUALLY SIMPLE DESIGN		
	POTENTIAL ASSESSIV	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-17(05)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; procedures addressing developer security architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system design documentation; system security architecture documentation; system configuration settings and associated documentation; developer documentation describing the design and structure of security-relevant hardware, software, and firmware components; system security plan; other relevant documents or records].	
	SA-17(05)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with information security architecture and design responsibilities].	

ASSESSMENT OBJECTIVE: Determine if:		
SA-17(06)	the developer of the system, system component, or system service is required to structure security-relevant hardware, software, and firmware to facilitate testing.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SA-17(06)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; procedures addressing developer security architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system design documentation; system security architecture documentation; privacy architecture documentation; system configuration settings and associated documentation; developer documentation describing the design and structure of security-relevant hardware, software, and firmware components to facilitate testing; system security plan; privacy plan; other relevant documents or records].	
SA-17(06)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security and privacy responsibilities; system developer; organizational personnel with information security and privacy architecture and design responsibilities].	
	SA-17(06) POTENTIAL ASSESSM SA-17(06)-Examine	

SA-17(07)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN STRUCTURE FOR LEAST PRIVILEGE ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(07)	the developer of the system, system component, or system service is required to structure security-relevant hardware, software, and firmware to facilitate controlling access with least privilege.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-17(07)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; procedures addressing developer security architecture and design specifications for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system design documentation; system security architecture documentation; system configuration settings and associated documentation; developer documentation describing the design and structure of security-relevant hardware, software, and firmware components to facilitate controlling access with least privilege; system security plan; other relevant documents or records].
	SA-17(07)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with information security architecture and design responsibilities].

SA-17(08)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN ORCHESTRATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(08)_ODP[01]	critical systems or system components are defined;
	SA-17(08)_ODP[02]	capabilities to be implemented by systems or components are defined;
	SA-17(08)	<pre><sa-17(08)_odp[01] critical="" systems=""> are designed with coordinated behavior to implement <sa-17(08)_odp[02] capabilities="">.</sa-17(08)_odp[02]></sa-17(08)_odp[01]></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-17(08)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; procedures addressing developer security and privacy architecture and design; enterprise architecture; security architecture; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system design documentation; system configuration settings and associated documentation; developer documentation describing design orchestration; system security plan; privacy plan; other relevant documents or records].

SA-17(08)-Interview [SELECT FROM: Organizational personnel with sys responsibilities; organizational personnel with inf privacy responsibilities; system developer; organi	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN ORCHESTRATION	
information security architecture responsibilities]	ormation security and ational personnel with	

SA-17(09)	DEVELOPER SECURITY AND PRIVACY ARCHITECTURE AND DESIGN DESIGN DIVERSITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SA-17(09)_ODP	critical systems or system components to be designed differently are defined;
	SA-17(09)	different designs are used for <sa-17(09)_odp critical="" systems=""></sa-17(09)_odp> to satisfy a common set of requirements or to provide equivalent functionality.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SA-17(09)-Examine	[SELECT FROM: System and services acquisition policy; enterprise architecture policy; procedures addressing developer security architecture and design diversity for the system; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system design documentation; system security architecture documentation; system configuration settings and associated documentation; developer documentation describing design diversity; system security plan; other relevant documents or records].
	SA-17(09)-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; system developer; organizational personnel with information security architecture responsibilities].
		information security architecture responsibilities].

SA-18	TAMPER RESISTANCE AND DETECTION	
	[WITHDRAWN: Moved to SR-09.]	

SA-18(01)	TAMPER RESISTANCE AND DETECTION MULTIPLE PHASES OF SYSTEM DEVELOPMENT LIFE CYCLE
	[WITHDRAWN: Moved to SR-09(01).]

SA-18(02)	TAMPER RESISTANCE AND DETECTION INSPECTION OF SYSTEMS OR COMPONENTS	
	[WITHDRAWN: Moved to SR-10.]	

SA-19	COMPONENT AUTHENTICITY	
	[WITHDRAWN: Moved to SR-11.]	

SA-19(01)	COMPONENT AUTHENTICITY ANTI-COUNTERFEIT TRAINING	
[WITHDRAWN: Moved to SR-11(01).]		

SA-19(02)	COMPONENT AUTHENTICITY CONFIGURATION CONTROL FOR COMPONENT SERVICE AND REPAIR
	[WITHDRAWN: Moved to SR-11(02).]

SA-19(03)	COMPONENT AUTHENTICITY COMPONENT DISPOSAL	
[WITHDRAWN: Moved to SR-12.]		

SA-19(04)	COMPONENT AUTHENTICITY ANTI-COUNTERFEIT SCANNING	
	[WITHDRAWN: Moved to SR-11(03).]	

	SA-20	CUSTOMIZED DEVELOPMENT OF CRITICAL COMPONENTS	
		ASSESSMENT OBJECTIVE: Determine if:	
	SA-20_ODP	critical system components to be reimplemented or custom-developed are defined;	
	SA-20	<sa-20_odp critical="" system=""> are reimplemented or custom-developed.</sa-20_odp>	

SA-20	CUSTOMIZED DEVELOPMENT OF CRITICAL COMPONENTS	
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SA-20-Examine	[SELECT FROM: Supply chain risk management plan; system and services acquisition policy; procedures addressing the customized development of critical system components; system design documentation; system configuration settings and associated documentation; system development life cycle documentation addressing the custom development of critical system components; configuration management records; system audit records; system security plan; other relevant documents or records].
	SA-20-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with responsibility for the reimplementation or customized development of critical system components].
	SA-20-Test	[SELECT FROM: Organizational processes for the reimplementation or customized development of critical system components; automated mechanisms supporting and/or implementing reimplementation or customized development of critical system components].

SA-21	DEVELOPER SCREENING		
	ASSESSMENT OBJE	CTIVE:	
	SA-21_ODP[01]	the system, systems component, or system service that the developer has access to is/are defined;	
	SA-21_ODP[02]	official government duties assigned to the developer are defined;	
	SA-21_ODP[03]	additional personnel screening criteria for the developer are defined;	
	SA-21(a)	the developer of <sa-21_odp[01] b="" component,="" or="" system,="" system<="" systems=""> service> is required to have appropriate access authorizations as determined by assigned <sa-21_odp[02] duties="" government="" official=""></sa-21_odp[02]>;</sa-21_odp[01]>	
	SA-21(b)	the developer of <sa-21_odp[01] component,="" or="" system,="" system<br="" systems="">service> is required to satisfy <sa-21_odp[03] additional="" personnel<br="">screening criteria>.</sa-21_odp[03]></sa-21_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SA-21-Examine	[SELECT FROM: System and services acquisition policy; personnel security policy and procedures; procedures addressing personnel screening; system design documentation; acquisition documentation; service level agreements; acquisition contracts for developer services; system configuration settings and associated documentation; list of appropriate access authorizations required by the developers of the system; personnel screening criteria and associated documentation; system security plan; supply chain risk management plan; other relevant documents or records].	

SA-21	DEVELOPER SCREENING	
	SA-21-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel responsible for developer screening].
	SA-21-Test	[SELECT FROM: Organizational processes for developer screening; automated mechanisms supporting developer screening].

SA-21(01) DEVELOPER SCREENING | VALIDATION OF SCREENING

[WITHDRAWN: Incorporated into SA-21.]

UNSUPPORTED SYSTEM COMPONENTS	
ASSESSMENT OBJ Determine if:	ECTIVE:
SA-22_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {in- house support; <sa-22_odp[02] external="" from="" providers="" support="">};</sa-22_odp[02]>
SA-22_ODP[02]	support from external providers is defined (if selected);
SA-22(a)	system components are replaced when support for the components is no longer available from the developer, vendor, or manufacturer;
SA-22(b)	<pre><sa-22_odp[01] parameter="" selected="" value(s)=""> provide options for alternative sources for continued support for unsupported components.</sa-22_odp[01]></pre>
POTENTIAL ASSES	SMENT METHODS AND OBJECTS:
SA-22-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing the replacement or continued use of unsupported system components; documented evidence of replacing unsupported system components; documented approvals (including justification) for the continued use of unsupported system components; system security plan; supply chain risk management plan; other relevant documents or records].
SA-22-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with the responsibility for the system development life cycle; organizational personnel responsible for component replacement].
SA-22-Test	[SELECT FROM: Organizational processes for replacing unsupported system components; automated mechanisms supporting and/or implementing the replacement of unsupported system components].
	ASSESSMENT OBJ Determine if: SA-22_ODP[01] SA-22_ODP[02] SA-22(a) SA-22(b) POTENTIAL ASSES SA-22-Examine SA-22-Examine

SA-22(01)	UNSUPPORTED SYSTEM COMPONENTS ALTERNATIVE SOURCES FOR CONTINUED SUPPORT	
	[WITHDRAWN: Incorporated into SA-22.]	

SA-23	SPECIALIZATION	
	ASSESSMENT OBJEC	CTIVE:
	SA-23_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {design modification; augmentation; reconfiguration};
	SA-23_ODP[02]	systems or system components supporting mission-essential services or functions are defined;
	SA-23	<sa-23_odp[01] parameter="" selected="" value(s)=""> is employed on <sa-23_odp[02] components="" or="" system="" systems=""> supporting essential services or functions to increase the trustworthiness in those systems or components.</sa-23_odp[02]></sa-23_odp[01]>
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	SA-23-Examine	[SELECT FROM: System and services acquisition policy; procedures addressing design modification, augmentation, or reconfiguration of systems or system components; documented evidence of design modification, augmentation, or reconfiguration; system security plan; supply chain risk management plan; other relevant documents or records].
	SA-23-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with the responsibility for security architecture; organizational personnel responsible for configuration management].
	SA-23-Test	[SELECT FROM: Organizational processes for the modification of design, augmentation, or reconfiguration of systems or system components; automated mechanisms supporting and/or implementing design modification, augmentation, or reconfiguration of systems or system components].

4.18 SYSTEM AND COMMUNICATIONS PROTECTION

SC-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-01_ODP[01]	personnel or roles to whom the system and communications protection policy is to be disseminated is/are defined;
	SC-01_ODP[02]	personnel or roles to whom the system and communications protection procedures are to be disseminated is/are defined;
	SC-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business-process-level; system-level};
	SC-01_ODP[04]	an official to manage the system and communications protection policy and procedures is defined;
	SC-01_ODP[05]	the frequency at which the current system and communications protection policy is reviewed and updated is defined;
	SC-01_ODP[06]	events that would require the current system and communications protection policy to be reviewed and updated are defined;
	SC-01_ODP[07]	the frequency at which the current system and communications protection procedures are reviewed and updated is defined;
	SC-01_ODP[08]	events that would require the system and communications protection procedures to be reviewed and updated are defined;
	SC-01a.[01]	a system and communications protection policy is developed and documented;
	SC-01a.[02]	the system and communications protection policy is disseminated to <pre><sc-01_odp[01] or="" personnel="" roles="">;</sc-01_odp[01]></pre>
	SC-01a.[03]	system and communications protection procedures to facilitate the implementation of the system and communications protection policy and associated system and communications protection controls are developed and documented;
	SC-01a.[04]	the system and communications protection procedures are disseminated to < SC-01_ODP[02] personnel or roles> ;
	SC-01a.01(a)[01]	the <sc-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> system and communications protection policy addresses purpose;</sc-01_odp[03]<>
	SC-01a.01(a)[02]	the < SC-01_ODP[03] SELECTED PARAMETER VALUE(S)> system and communications protection policy addresses scope;
	SC-01a.01(a)[03]	the <sc-01_odp[03] b="" parameter="" selected="" value(s)<="">> system and communications protection policy addresses roles;</sc-01_odp[03]>
	SC-01a.01(a)[04]	the <sc-01_odp[03] b="" parameter="" selected="" value(s)<="">> system and communications protection policy addresses responsibilities;</sc-01_odp[03]>
	SC-01a.01(a)[05]	the <sc-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> system and communications protection policy addresses management commitment;</sc-01_odp[03]<>

POLICY AND PROCEE	POLICY AND PROCEDURES	
SC-01a.01(a)[06]	the <sc-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> system and communications protection policy addresses coordination among organizational entities;</sc-01_odp[03]<>	
SC-01a.01(a)[07]	the < SC-01_ODP[03] SELECTED PARAMETER VALUE(S)> system and communications protection policy addresses compliance;	
SC-01a.01(b)	the <sc-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)></sc-01_odp[03]<> system and communications protection policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
SC-01b.	the <sc-01_odp[04]< b=""> official> is designated to manage the development, documentation, and dissemination of the system and communications protection policy and procedures;</sc-01_odp[04]<>	
SC-01c.01[01]	the current system and communications protection policy is reviewed and updated < SC-01_ODP[05] frequency >;	
SC-01c.01[02]	the current system and communications protection policy is reviewed and updated following <sc-01_odp[06]< b=""> events>;</sc-01_odp[06]<>	
SC-01c.02[01]	the current system and communications protection procedures are reviewed and updated <sc-01_odp[07] frequency=""></sc-01_odp[07]> ;	
SC-01c.02[02]	the current system and communications protection procedures are reviewed and updated following <sc-01_odp[08]< b=""> events>.</sc-01_odp[08]<>	
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
SC-01-Examine	[SELECT FROM: System and communications protection policy; system and communications protection procedures; system security plan; privacy plan; risk management strategy documentation; audit findings; other relevant documents or records].	
SC-01-Interview	[SELECT FROM: Organizational personnel with system and communications protection responsibilities; organizational personnel with information security and privacy responsibilities].	

SC-02	SEPARATION OF SYSTEM AND USER FUNCTIONALITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-02	user functionality, including user interface services, are separated from system management functionality.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-02-Examine	[SELECT FROM: System and communications protection policy; procedures addressing application partitioning; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-02-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].

SC-02	SEPARATION OF SYSTEM AND USER FUNCTIONALITY	
		[SELECT FROM: Separation of user functionality from system management functionality].

SC-02(01)	SEPARATION OF SYSTEM AND USER FUNCTIONALITY INTERFACES FOR NON-PRIVILEGED USERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-02(01)	the presentation of system management functionality is prevented at interfaces to non-privileged users.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-02(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing application partitioning; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-02(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; non-privileged users of the system; system developer].
	SC-02(01)-Test	[SELECT FROM: Separation of user functionality from system management functionality].

SC-02(02)	SEPARATION OF SYSTEM AND USER FUNCTIONALITY DISASSOCIABILITY	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SC-02(02)	state information is stored separately from applications and software.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-02(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing application and software partitioning; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].
	SC-02(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developer].
	SC-02(02)-Test	[SELECT FROM: Separation of application state information from software].
	SC-02(02)-Interview	procedures addressing application and software partitioning; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan other relevant documents or records]. [SELECT FROM: System/network administrators; organizational personne with information security and privacy responsibilities; system developer

SECURITY FUNCTION	SECURITY FUNCTION ISOLATION	
ASSESSMENT OBJECT Determine if:	TIVE:	
SC-03	security functions are isolated from non-security functions.	
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
SC-03-Examine	[SELECT FROM: System and communications protection policy; procedures addressing security function isolation; list of security functions to be isolated from non-security functions; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
SC-03-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
SC-03-Test	[SELECT FROM: Separation of security functions from non-security functions within the system].	

SC-03(01)	SECURITY FUNCTION ISOLATION HARDWARE SEPARATION		
	ASSESSMENT OBJEC Determine if:	FIVE:	
	SC-03(01)	hardware separation mechanisms are employed to implement security function isolation.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-03(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing security function isolation; system design documentation; hardware separation mechanisms; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-03(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
	SC-03(01)-Test	[SELECT FROM: Separation of security functions from non-security functions within the system].	
		within the system].	

SECURITY FUNCTION ISOLATION ACCESS AND FLOW CONTROL FUNCTIONS	
ASSESSMENT OBJECTIVE: Determine if:	
SC-03(02)[01]	security functions enforcing access control are isolated from non-security functions; security functions enforcing access control are isolated from other security functions;
1	ASSESSMENT OBJECT Determine if:

SC-03(02)	SECURITY FUNCTION ISOLATION ACCESS AND FLOW CONTROL FUNCTIONS	
	SC-03(02)[03]	security functions enforcing information flow control are isolated from non- security functions; security functions enforcing information flow control are isolated from other security functions.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SC-03(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing security function isolation; list of critical security functions; system design documentation; system configuration settings and associated documentation; system audit records system security plan; other relevant documents or records].
	SC-03(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-03(02)-Test	[SELECT FROM: Isolation of security functions enforcing access and information flow control].

SC-03(03)	SECURITY FUNCTION ISOLATION MINIMIZE NONSECURITY FUNCTIONALITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-03(03)	the number of non-security functions included within the isolation boundary containing security functions is minimized.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-03(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing security function isolation; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-03(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	SC-03(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing an isolation boundary].
		isolation boundary].

SC-03(04)	SECURITY FUNCTION ISOLATION MODULE COUPLING AND COHESIVENESS	
ASSESSMENT OBJECTIVE: Determine if:		ΤΙVE:
	SC-03(04)[01]	security functions are implemented as largely independent modules that maximize internal cohesiveness within modules;
	SC-03(04)[02]	security functions are implemented as largely independent modules that minimize coupling between modules.

SC-03(04)	SECURITY FUNCTION ISOLATION MODULE COUPLING AND COHESIVENESS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-03(04)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing security function isolation; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-03(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	SC-03(04)-Test	[SELECT FROM: Organizational processes for maximizing internal cohesiveness within modules and minimizing coupling between modules; automated mechanisms supporting and/or implementing security functions as independent modules].

SC-03(05)	SECURITY FUNCTION ISOLATION LAYERED STRUCTURES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-03(05)	security functions are implemented as a layered structure, minimizing interactions between layers of the design and avoiding any dependence by lower layers on the functionality or correctness of higher layers.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-03(05)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing security function isolation; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-03(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	SC-03(05)-Test	[SELECT FROM: Organizational processes for implementing security functions as a layered structure that minimizes interactions between layers and avoids dependence by lower layers on functionality/correctness of higher layers; automated mechanisms supporting and/or implementing security functions as a layered structure].

SC-04	INFORMATION IN SHARED SYSTEM RESOURCES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-04[01]	unauthorized information transfer via shared system resources is prevented;
	SC-04[02]	unintended information transfer via shared system resources is prevented.

SC-04	INFORMATION IN SHARED SYSTEM RESOURCES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-04-Examine	[SELECT FROM: System and communications protection policy; procedures addressing information protection in shared system resources; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-04-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-04-Test	[SELECT FROM: Automated mechanisms preventing unauthorized and unintended transfer of information via shared system resources].

SC-04(01	INFORMATION IN SHARED SYSTEM RESOURCES SECURITY LEVELS	
	[WITHDRAWN: Incorporated into SC-04.]	

SC-04(02)	INFORMATION IN SHARED SYSTEM RESOURCES MULTILEVEL OR PERIODS PROCESSING	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-04(02)_ODP	procedures to prevent unauthorized information transfer via shared resources are defined;
	SC-04(02)	unauthorized information transfer via shared resources is prevented in accordance with <sc-04(02)_odp procedures=""></sc-04(02)_odp> when system processing explicitly switches between different information classification levels or security categories.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-04(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing information protection in shared system resources; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-04(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-04(02)-Test	[SELECT FROM: Automated mechanisms preventing unauthorized transfer of information via shared system resources].

SC-05	DENIAL-OF-SERVICE PROTECTION		
	ASSESSMENT OBJE Determine if:	CTIVE:	
	SC-05_ODP[01]	types of denial-of-service events to be protected against or limited are defined;	
	SC-05_ODP[02]	one of the following PARAMETER VALUES is selected: {protect against; limit};	
	SC-05_ODP[03]	controls by type of denial-of-service event are defined;	
	SC-05a.	the effects of <sc-05_odp[01] denial-of-service="" events="" of="" types=""></sc-05_odp[01]> are <sc-05_odp[02] parameter="" selected="" value=""></sc-05_odp[02]> ;	
	SC-05b.	< SC-05_ODP[03] controls by type of denial-of-service event> are employed to achieve the denial-of-service protection objective.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-05-Examine	[SELECT FROM: System and communications protection policy; procedures addressing denial-of-service protection; system design documentation; list of denial-of-service attacks requiring employment of security safeguards to protect against or limit effects of such attacks; list of security safeguards protecting against or limiting the effects of denial-of-service attacks; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-05-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with incident response responsibilities; system developer].	
	SC-05-Test	[SELECT FROM: Automated mechanisms protecting against or limiting the effects of denial-of-service attacks].	

SC-05(01)	DENIAL-OF-SERVICE PROTECTION RESTRICT ABILITY TO ATTACK OTHER SYSTEMS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-05(01)_ODP	denial-of-service attacks to be restricted are defined;	
	SC-05(01)	the ability of individuals to launch <sc-05(01)_odp b="" denial-of-service<=""> attacks> against other systems is restricted.</sc-05(01)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-05(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing denial-of-service protection; system design documentation; list of denial-of-service attacks launched by individuals against systems; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-05(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with incident response responsibilities; system developer].	

SC-05(01)	DENIAL-OF-SERVICE PROTECTION RESTRICT ABILITY TO ATTACK OTHER SYSTEMS	
	SC-05(01)-Test	[SELECT FROM: Automated mechanisms restricting the ability to launch denial-of-service attacks against other systems].

SC-05(02)	DENIAL-OF-SERVICE PROTECTION CAPACITY, BANDWIDTH, AND REDUNDANCY		
	ASSESSMENT OBJEC Determine if:	rive:	
	SC-05(02)	capacity, bandwidth, or other redundancies to limit the effects of information flooding denial-of-service attacks are managed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-05(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing denial-of-service protection; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-05(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with incident response responsibilities; system developer].	
	SC-05(02)-Test	[SELECT FROM: Automated mechanisms implementing management of system bandwidth, capacity, and redundancy to limit the effects of information flooding denial-of-service attacks].	

SC-05(03)	DENIAL-OF-SERVICE PROTECTION DETECTION AND MONITORING	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-05(03)_ODP[01]	monitoring tools for detecting indicators of denial-of-service attacks are defined;
	SC-05(03)_ODP[02]	system resources to be monitored to determine if sufficient resources exist to prevent effective denial-of-service attacks are defined;
	SC-05(03)(a)	<pre><sc-05(03)_odp[01] monitoring="" tools=""> are employed to detect indicators of denial-of-service attacks against or launched from the system;</sc-05(03)_odp[01]></pre>
	SC-05(03)(b)	<sc-05(03)_odp[02] resources="" system=""> are monitored to determine if sufficient resources exist to prevent effective denial-of-service attacks.</sc-05(03)_odp[02]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-05(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing denial-of-service protection; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].

SC-05(03)	DENIAL-OF-SERVICE PROTECTION DETECTION AND MONITORING	
	SC-05(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with detection and monitoring responsibilities].
	SC-05(03)-Test	[SELECT FROM: Automated mechanisms/tools implementing system monitoring for denial-of-service attacks].

SC-06	RESOURCE AVAILABILITY	
	ASSESSMENT OBJ Determine if:	ECTIVE:
	SC-06_ODP[01]	resources to be allocated to protect the availability of resources are defined;
	SC-06_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {priority; quota; <sc-06_odp[03] controls="">};</sc-06_odp[03]>
	SC-06_ODP[03]	controls to protect the availability of resources are defined (if selected);
	SC-06	the availability of resources is protected by allocating <sc-06_odp[01]< b=""> resources> by <sc-06_odp[02]< b=""> SELECTED PARAMETER VALUE(S)>.</sc-06_odp[02]<></sc-06_odp[01]<>
	POTENTIAL ASSES	SMENT METHODS AND OBJECTS:
	SC-06-Examine	[SELECT FROM: System and communications protection policy; procedures addressing prioritization of system resources; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-06-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-06-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing resource allocation capability; safeguards employed to protect availability of resources].

SC-07	BOUNDARY PROTECTION	
ASSESSMENT OBJECTIVE: Determine if:		ΓΙVΕ:
	SC-07_ODP	one of the following PARAMETER VALUES is selected: {physically; logically};
	SC-07a.[01]	communications at external managed interfaces to the system are monitored;
	SC-07a.[02]	communications at external managed interfaces to the system are controlled;
	SC-07a.[03]	communications at key internal managed interfaces within the system are monitored;

SC-07	BOUNDARY PROTECTION		
	SC-07a.[04]	communications at key internal managed interfaces within the system are controlled;	
	SC-07b.	subnetworks for publicly accessible system components are <sc-07_odp< b=""> SELECTED PARAMETER VALUE> separated from internal organizational networks;</sc-07_odp<>	
	SC-07c.	external networks or systems are only connected through managed interfaces consisting of boundary protection devices arranged in accordance with an organizational security and privacy architecture.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; list of key internal boundaries of the system; system design documentation; boundary protection hardware and software; system configuration settings and associated documentation; enterprise security architecture documentation; system audit records; system security plan; other relevant documents or records].	
	SC-07-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].	
	SC-07-Test	[SELECT FROM: Automated mechanisms implementing boundary protection capabilities].	

SC-07(01) BOUNDARY PROTECTION | PHYSICALLY SEPARATED SUBNETWORKS

[WITHDRAWN: Incorporated into SC-07.]

SC-07(02)	BOUNDARY PROTECTION PUBLIC ACCESS	
	[WITHDRAWN: Incorporated into SC-07.]	

SC-07(03)	BOUNDARY PROTECTION ACCESS POINTS	
ASSESSMENT OBJECTIVE: Determine if:		ΤΙVΕ:
	SC-07(03)	the number of external network connections to the system is limited.

SC-07(03)	BOUNDARY PROTECTION ACCESS POINTS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; boundary protection hardware and software; system architecture and configuration documentation; system configuration settings and associated documentation; communications and network traffic monitoring logs; system audit records; system security plan; other relevant documents or records].
	SC-07(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].
	SC-07(03)-Test	[SELECT FROM: Automated mechanisms implementing boundary protection capabilities; automated mechanisms limiting the number of external network connections to the system].

SC-07(04)	BOUNDARY PROTECTION EXTERNAL TELECOMMUNICATIONS SERVICES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(04)_ODP	the frequency at which to review exceptions to traffic flow policy is defined;
	SC-07(04)(a)	a managed interface is implemented for each external telecommunication service;
	SC-07(04)(b)	a traffic flow policy is established for each managed interface;
	SC-07(04)(c)[01]	the confidentiality of the information being transmitted across each interface is protected;
	SC-07(04)(c)[02]	the integrity of the information being transmitted across each interface is protected;
	SC-07(04)(d)	each exception to the traffic flow policy is documented with a supporting mission or business need and duration of that need;
	SC-07(04)(e)[01]	exceptions to the traffic flow policy are reviewed <sc-07(04)_odp< b=""> frequency>;</sc-07(04)_odp<>
	SC-07(04)(e)[02]	exceptions to the traffic flow policy that are no longer supported by an explicit mission or business need are removed;
	SC-07(04)(f)	unauthorized exchanges of control plan traffic with external networks are prevented;
	SC-07(04)(g)	information is published to enable remote networks to detect unauthorized control plane traffic from internal networks;
	SC-07(04)(h)	unauthorized control plan traffic is filtered from external networks.

SC-07(04)	BOUNDARY PROTECTION EXTERNAL TELECOMMUNICATIONS SERVICES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(04)-Examine	[SELECT FROM: System and communications protection policy; traffic flow policy; information flow control policy; procedures addressing boundary protection; system security architecture; system design documentation; boundary protection hardware and software; system architecture and configuration documentation; system configuration settings and associated documentation; records of traffic flow policy exceptions; system audit records; system security plan; other relevant documents or records].
	SC-07(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].
	SC-07(04)-Test	[SELECT FROM: Organizational processes for documenting and reviewing exceptions to the traffic flow policy; organizational processes for removing exceptions to the traffic flow policy; automated mechanisms implementing boundary protection capabilities; managed interfaces implementing traffic flow policy].

SC-07(05)	BOUNDARY PROTECTION DENY BY DEFAULT — ALLOW BY EXCEPTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(05)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {at managed interfaces; for <sc-07(05)_odp[02] systems="">};</sc-07(05)_odp[02]>
	SC-07(05)_ODP[02]	systems for which network communications traffic is denied by default and network communications traffic is allowed by exception are defined (if selected).
	SC-07(05)[01]	network communications traffic is denied by default <sc-07(05)_odp[01]< b=""> SELECTED PARAMETER VALUE(S)>;</sc-07(05)_odp[01]<>
	SC-07(05)[02]	network communications traffic is allowed by exception < <i>SC-07(05)_ODP[01] SELECTED PARAMETER VALUE(S)</i> >.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(05)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(05)-Test	[SELECT FROM: Automated mechanisms implementing traffic management at managed interfaces].
	l	

SC-07(06) BOUNDARY PROTECTION | RESPONSE TO RECOGNIZED FAILURES

[WITHDRAWN: Incorporated into SC-07(18).]

SC-07(07)	BOUNDARY PROTECTION SPLIT TUNNELING FOR REMOTE DEVICES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(07)_ODP	safeguards to securely provision split tunneling are defined;
	SC-07(07)	split tunneling is prevented for remote devices connecting to organizational systems unless the split tunnel is securely provisioned using <sc-07(07)_odp< b=""> safeguards>.</sc-07(07)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(07)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(07)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(07)-Test	[SELECT FROM: Automated mechanisms implementing boundary protection capabilities; automated mechanisms supporting/restricting non-remote connections].

SC-07(08)	BOUNDARY PROTECTION ROUTE TRAFFIC TO AUTHENTICATED PROXY SERVERS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-07(08)_ODP[01]	internal communications traffic to be routed to external networks is defined;	
	SC-07(08)_ODP[02]	external networks to which internal communications traffic is to be routed are defined;	
	SC-07(08)	<sc-07(08)_odp[01] communications="" internal="" traffic=""> is routed to <sc-07(08)_odp[02] external="" networks=""> through authenticated proxy servers at managed interfaces.</sc-07(08)_odp[02]></sc-07(08)_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07(08)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	

SC-07(08)	BOUNDARY PROTECTION ROUTE TRAFFIC TO AUTHENTICATED PROXY SERVERS	
	SC-07(08)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(08)-Test	[SELECT FROM: Automated mechanisms implementing traffic management through authenticated proxy servers at managed interfaces].

SC-07(09)	BOUNDARY PROTECTION RESTRICT THREATENING OUTGOING COMMUNICATIONS TRAFFIC ASSESSMENT OBJECTIVE: Determine if:		
	SC-07(09)(a)[01]	outgoing communications traffic posing a threat to external systems is detected;	
	SC-07(09)(a)[02]	outgoing communications traffic posing a threat to external systems is denied;	
	SC-07(09)(b)	the identity of internal users associated with denied communications is audited.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07(09)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-07(09)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].	
	SC-07(09)-Test	[SELECT FROM: Automated mechanisms implementing boundary protection capabilities; automated mechanisms implementing detection and denial of threatening outgoing communications traffic; automated mechanisms implementing auditing of outgoing communications traffic].	

SC-07(10)	BOUNDARY PROTEC	BOUNDARY PROTECTION PREVENT EXFILTRATION	
	ASSESSMENT OBJEC	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(10)_ODP	the frequency for conducting exfiltration tests is defined;	
	SC-07(10)(a)	the exfiltration of information is prevented;	
	SC-07(10)(b)	exfiltration tests are conducted < SC-07(10)_ODP frequency >.	

SC-07(10)	BOUNDARY PROTECTION PREVENT EXFILTRATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(10)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(10)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].
	SC-07(10)-Test	[SELECT FROM: Automated mechanisms implementing boundary protection capabilities; preventing unauthorized exfiltration of information across managed interfaces].

BOUNDARY PROTECTION RESTRICT INCOMING COMMUNICATIONS TRAFFIC	
ASSESSMENT OBJECTIVE: Determine if:	
SC-07(11)_ODP[01]	authorized sources of incoming communications to be routed are defined;
SC-07(11)_ODP[02]	authorized destinations to which incoming communications from authorized sources may be routed are defined;
SC-07(11)	only incoming communications from <sc-07(11)_odp[01]< b=""> authorized sources> are allowed to be routed to <sc-07(11)_odp[02]< b=""> authorized destinations>.</sc-07(11)_odp[02]<></sc-07(11)_odp[01]<>
POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
SC-07(11)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
SC-07(11)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
SC-07(11)-Test	[SELECT FROM: Automated mechanisms implementing boundary protection capabilities with respect to source/destination address pairs].
	ASSESSMENT OBJECT Determine if: SC-07(11)_ODP[01] SC-07(11)_ODP[02] SC-07(11) POTENTIAL ASSESSIV SC-07(11)-Examine

SC-07(12)	BOUNDARY PROTECTION HOST-BASED PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(12)_ODP[01]	host-based boundary protection mechanisms to be implemented are defined;

C-07(12)	BOUNDARY PROTECTION HOST-BASED PROTECTION	
	SC-07(12)_ODP[02]	system components where host-based boundary protection mechanisms are to be implemented are defined;
	SC-07(12)	<pre><sc-07(12)_odp[01] boundary="" host-based="" mechanisms="" protection=""> are implemented <sc-07(12)_odp[02] components="" system="">.</sc-07(12)_odp[02]></sc-07(12)_odp[01]></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(12)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; boundary protection hardware and software; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(12)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities; system users].
	SC-07(12)-Test	[SELECT FROM: Automated mechanisms implementing host-based boundary protection capabilities].

SC-07(13)	BOUNDARY PROTECTION ISOLATION OF SECURITY TOOLS, MECHANISMS, AND SUPPORT COMPONENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(13)_ODP	information security tools, mechanisms, and support components to be isolated from other internal system components are defined;
	SC-07(13)	<sc-07(13)_odp and="" information="" mechanisms,="" security="" support<br="" tools,="">components> are isolated from other internal system components by implementing physically separate subnetworks with managed interfaces to other components of the system.</sc-07(13)_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-07(13)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; list of security tools and support components to be isolated from other internal system components; system audit records; system security plan; other relevant documents or records].
	SC-07(13)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].
	SC-07(13)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing isolation of information security tools, mechanisms, and support components].

SC-07(14)	BOUNDARY PROTECTION PROTECT AGAINST UNAUTHORIZED PHYSICAL CONNECTIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-07(14)_ODP	managed interfaces used to protect against unauthorized physical connections are defined;	
	SC-07(14)	< SC-07(14)_ODP managed interfaces> are protected against unauthorized physical connections.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07(14)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; facility communications and wiring diagram system security plan; other relevant documents or records].	
	SC-07(14)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].	
	SC-07(14)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing protection against unauthorized physical connections].	

SC-07(15)	BOUNDARY PROTECTION NETWORKED PRIVILEGED ACCESSES		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-07(15)[01]	networked, privileged accesses are routed through a dedicated, managed interface for purposes of access control;	
	SC-07(15)[02]	networked, privileged accesses are routed through a dedicated, managed interface for purposes of auditing.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07(15)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; audit logs; system security plan; other relevant documents or records].	
	SC-07(15)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].	
	SC-07(15)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the routing of networked, privileged access through dedicated, managed interfaces].	

(16)	BOUNDARY PROTECTION PREVENT DISCOVERY OF SYSTEM COMPONENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(16)	the discovery of specific system components that represent a managed interface is prevented.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(16)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(16)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(16)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the prevention of discovery of system components at managed interfaces].

SC-07(17)	BOUNDARY PROTECTION AUTOMATED ENFORCEMENT OF PROTOCOL FORMATS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(17)	adherence to protocol formats is enforced.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(17)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(17)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(17)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing enforcement of adherence to protocol formats].

SC-07(18)	BOUNDARY PROTECTION FAIL SECURE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(18)	systems are prevented from entering unsecure states in the event of an operational failure of a boundary protection device.

SC-07(18)	BOUNDARY PROTECTION FAIL SECURE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(18)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(18)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(18)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing secure failure].

SC-07(19)	BOUNDARY PROTECTION BLOCK COMMUNICATION FROM NON-ORGANIZATIONALLY CONFIGURED HOSTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-07(19)_ODP	communication clients that are independently configured by end users and external service providers are defined;	
	SC-07(19)[01]	inbound communications traffic is blocked between <sc-07(19)_odp< b=""> communication clients> that are independently configured by end users and external service providers;</sc-07(19)_odp<>	
	SC-07(19)[02]	outbound communications traffic is blocked between <sc-07(19)_odp< b=""> <i>communication clients</i>> that are independently configured by end users and external service providers.</sc-07(19)_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07(19)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; list of communication clients independently configured by end users and external service providers; system audit records; system security plan; other relevant documents or records].	
	SC-07(19)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].	
	SC-07(19)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the blocking of inbound and outbound communications traffic between communication clients independently configured by end users and external service providers].	
	Ì		

SC-07(20)	BOUNDARY PROTECTION DYNAMIC ISOLATION AND SEGREGATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(20)_ODP	system components to be dynamically isolated from other system components are defined;
	SC-07(20)	the capability to dynamically isolate <sc-07(20)_odp components="" system=""></sc-07(20)_odp> from other system components is provided.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(20)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; list of system components to be dynamically isolated/segregated from other components of the system; system audit records; system security plan; other relevant documents or records].
	SC-07(20)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(20)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the capability to dynamically isolate/segregate system components].

SC-07(21)	BOUNDARY PROTECTION ISOLATION OF SYSTEM COMPONENTS	
	ASSESSMENT OBJECT	ſIVE:
	SC-07(21)_ODP[01]	system components to be isolated by boundary protection mechanisms are defined;
	SC-07(21)_ODP[02]	missions and/or business functions to be supported by system components isolated by boundary protection mechanisms are defined;
	SC-07(21)	boundary protection mechanisms are employed to isolate <sc-07(21)_odp[01] components="" system=""> supporting <sc-07(21)_odp[02] missions and/or business functions>.</sc-07(21)_odp[02] </sc-07(21)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(21)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; enterprise architecture documentation; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(21)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with boundary protection responsibilities].

SC-07(21)	BOUNDARY PROTECTION ISOLATION OF SYSTEM COMPONENTS	
	SC-07(21)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the capability to separate system components supporting organizational missions and/or business functions].

SC-07(22)	BOUNDARY PROTECTION SEPARATE SUBNETS FOR CONNECTING TO DIFFERENT SECURITY DOMAINS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(22)	separate network addresses are implemented to connect to systems in different security domains.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(22)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(22)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(22)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing separate network addresses/different subnets].

SC-07(23)	BOUNDARY PROTECTION DISABLE SENDER FEEDBACK ON PROTOCOL VALIDATION FAILURE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(23)	feedback to senders is disabled on protocol format validation failure.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(23)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(23)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(23)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the disabling of feedback to senders on protocol format validation failure].

SC-07(24)	BOUNDARY PROTECTION PERSONALLY IDENTIFIABLE INFORMATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-07(24)_ODP	processing rules for systems that process personally identifiable information are defined;	
	SC-07(24)(a)	<sc-07(24)_odp processing="" rules=""> are applied to data elements of personally identifiable information on systems that process personally identifiable information;</sc-07(24)_odp>	
	SC-07(24)(b)[01]	permitted processing is monitored at the external interfaces to the systems that process personally identifiable information;	
	SC-07(24)(b)[02]	permitted processing is monitored at key internal boundaries within the systems that process personally identifiable information;	
	SC-07(24)(c)	each processing exception is documented for systems that process personally identifiable information;	
	SC-07(24)(d)[01]	exceptions for systems that process personally identifiable information are reviewed;	
	SC-07(24)(d)[02]	exceptions for systems that process personally identifiable information that are no longer supported are removed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07(24)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; personally identifiable information processing policies; list of key internal boundaries of the system; system design documentation; system configuration settings and associated documentation; enterprise security and privacy architecture documentation; system audit records; system security plan; privacy plan; personally identifiable information inventory documentation; data mapping documentation; other relevant documents or records].	
	SC-07(24)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developer; organizational personnel with boundary protection responsibilities].	
	SC-07(24)-Test	[SELECT FROM: Automated mechanisms implementing boundary protection capabilities].	

SC-07(25)	BOUNDARY PROTECTION UNCLASSIFIED NATIONAL SECURITY SYSTEM CONNECTIONS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-07(25)_ODP[01]	the unclassified national security system prohibited from directly connecting to an external network is defined;
	SC-07(25)_ODP[02]	the boundary protection device required for a direct connection to an external network is defined;

SC-07(25)	BOUNDARY PROTECTION UNCLASSIFIED NATIONAL SECURITY SYSTEM CONNECTIONS	
	SC-07(25)	the direct connection of <sc-07(25)_odp[01] b="" national="" security<="" unclassified=""> system> to an external network without the use of <sc-07(25)_odp[02]< b=""> boundary protection device> is prohibited.</sc-07(25)_odp[02]<></sc-07(25)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(25)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(25)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(25)-Test	[SELECT FROM: Automated mechanisms prohibiting the direct connection of unclassified national security systems to an external network].

SC-07(26)	BOUNDARY PROTECT	BOUNDARY PROTECTION CLASSIFIED NATIONAL SECURITY SYSTEM CONNECTIONS	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	SC-07(26)_ODP	the boundary protection device required for a direct connection to an external network is defined;	
	SC-07(26)	the direct connection of classified national security system to an external network without the use of a <sc-07(26)_odp boundary="" device="" protection=""></sc-07(26)_odp> is prohibited.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-07(26)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-07(26)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].	
	SC-07(26)-Test	[SELECT FROM: Automated mechanisms prohibiting the direct connection of classified national security systems to an external network].	

SC-07(27)	BOUNDARY PROTECTION UNCLASSIFIED NON-NATIONAL SECURITY SYSTEM CONNECTIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-07(27)_ODP[01]	the unclassified, non-national security system prohibited from directly connecting to an external network is defined;
	SC-07(27)_ODP[02]	the boundary protection device required for a direct connection of unclassified, non-national security system to an external network is defined;
	SC-07(27)	the direct connection of <sc-07(27)_odp[01] b="" non-<="" unclassified,=""> national security system> to an external network without the use of a <sc-07(27)_odp[02] boundary="" device="" protection=""></sc-07(27)_odp[02]> is prohibited.</sc-07(27)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(27)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(27)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(27)-Test	[SELECT FROM: Automated mechanisms prohibiting the direct connection of unclassified, non-national security systems to an external network].
		anotossinea, non national security systems to an external networkj.

SC-07(28)	BOUNDARY PROTECTION CONNECTIONS TO PUBLIC NETWORKS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	SC-07(28)_ODP	the system that is prohibited from directly connecting to a public network is defined;
	SC-07(28)	the direct connection of the <<i>SC-07(28)_ODP system></i> to a public network is prohibited.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(28)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-07(28)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].

SC-07(28)	BOUNDARY PROTECTION CONNECTIONS TO PUBLIC NETWORKS	
	SC-07(28)-Test	[SELECT FROM: Automated mechanisms prohibiting the direct connection of systems to an external network].

07(29)	BOUNDARY PROTECTION SEPARATE SUBNETS TO ISOLATE FUNCTIONS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	SC-07(29)_ODP[01]	one of the following PARAMETER VALUES is selected: {physically; logically};
	SC-07(29)_ODP[02]	critical system components and functions to be isolated are defined;
	SC-07(29)	subnetworks are separated <sc-07(29)_odp[01]< b=""> SELECTED PARAMETER VALUE> to isolate <sc-07(29)_odp[02]< b=""> critical system components and functions>.</sc-07(29)_odp[02]<></sc-07(29)_odp[01]<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-07(29)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing boundary protection; system design documentation; system hardware and software; system architecture; system configuration settings and associated documentation; criticality analysis; system audit records; system security plan; other relevant documents or records].
	SC-07(29)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with boundary protection responsibilities].
	SC-07(29)-Test	[SELECT FROM: Automated mechanisms separating critical system components and functions].

SC-08	TRANSMISSION CONFIDENTIALITY AND INTEGRITY	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SC-08_ODP	one or more of the following PARAMETER VALUES is/are selected: {confidentiality; integrity};
	SC-08	the <sc-08_odp b="" parameter="" selected="" value(s)<="">> of transmitted information is/are protected.</sc-08_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-08-Examine	[SELECT FROM: System and communications protection policy; procedures addressing transmission confidentiality and integrity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-08-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].

SC-08	TRANSMISSION CONFIDENTIALITY AND INTEGRITY	
	SC-08-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing transmission confidentiality and/or integrity].

SC-08(01)	TRANSMISSION CONFIDENTIALITY AND INTEGRITY CRYPTOGRAPHIC PROTECTION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-08(01)_ODP	one or more of the following PARAMETER VALUES is/are selected: {prevent unauthorized disclosure of information; detect changes to information};
	SC-08(01)	cryptographic mechanisms are implemented to < SC-08(01)_ODP SELECTED PARAMETER VALUE(S) > during transmission.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-08(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing transmission confidentiality and integrity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-08(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-08(01)-Test	[SELECT FROM: Cryptographic mechanisms supporting and/or implementing transmission confidentiality and/or integrity; automated mechanisms supporting and/or implementing alternative physical safeguards; organizational processes for defining and implementing alternative physical safeguards].

SC-08(02)	TRANSMISSION CONFIDENTIALITY AND INTEGRITY PRE- AND POST-TRANSMISSION HANDLING	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-08(02)_ODP	one or more of the following PARAMETER VALUES is/are selected: {confidentiality; integrity};
	SC-08(02)[01]	information < SC-08(02)_ODP SELECTED PARAMETER VALUE(S) > is/are maintained during preparation for transmission;
	SC-08(02)[02]	information < SC-08(02)_ODP SELECTED PARAMETER VALUE(S) > is/are maintained during reception.

SC-08(02)	TRANSMISSION CONFIDENTIALITY AND INTEGRITY PRE- AND POST-TRANSMISSION HANDLING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-08(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing transmission confidentiality and integrity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-08(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-08(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing transmission confidentiality and/or integrity].

SC-08(03)	TRANSMISSION CONFIDENTIALITY AND INTEGRITY CRYPTOGRAPHIC PROTECTION FOR MESSAGE EXTERNALS	
ASSESSMENT OBJECTIVE: Determine if:		FIVE:
	SC-08(03)_ODP	alternative physical controls to protect message externals are defined;
	SC-08(03)	cryptographic mechanisms are implemented to protect message externals unless otherwise protected by <sc-08(03)_odp alternative="" b="" physical<=""> controls>.</sc-08(03)_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-08(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing transmission confidentiality and integrity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-08(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-08(03)-Test	[SELECT FROM: Cryptographic mechanisms supporting and/or implementing transmission confidentiality and/or integrity for message externals; automated mechanisms supporting and/or implementing alternative physical safeguards; organizational processes for defining and implementing alternative physical safeguards].

SC-08(04)	TRANSMISSION CONFIDENTIALITY AND INTEGRITY CONCEAL OR RANDOMIZE COMMUNICATIONS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-08(04)_ODP	alternative physical controls to protect against unauthorized disclosure of communication patterns are defined;
	SC-08(04)	cryptographic mechanisms are implemented to conceal or randomize communication patterns unless otherwise protected by <sc-08(04)_odp< b=""> alternative physical controls>.</sc-08(04)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-08(04)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing transmission confidentiality and integrity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-08(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-08(04)-Test	[SELECT FROM: Cryptographic mechanisms supporting and/or implementing concealment or randomization of communication patterns; automated mechanisms supporting and/or implementing alternative physical safeguards; organizational processes for defining and implementing alternative physical safeguards].

SC-08(05)	TRANSMISSION CONFIDENTIALITY AND INTEGRITY PROTECTED DISTRIBUTION SYSTEM	
	ASSESSMENT OBJECT	TIVE:
	SC-08(05)_ODP[01]	the protected distribution system is defined;
	SC-08(05)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {prevent unauthorized disclosure of information; detect changes to information};
	SC-08(05)	the <sc-08(05)_odp[01] distribution="" protected="" system=""></sc-08(05)_odp[01]> is implemented to <sc-08(05)_odp[02] parameter="" selected="" value(s)=""></sc-08(05)_odp[02]> during transmission.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-08(05)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing transmission confidentiality and integrity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-08(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].

SC-08(05)-Test [SELECT FROM: Cryptographic mechanisms supporting and/or implementic concealment or randomization of communication patterns; automated mechanisms supporting and/or implementing protected distribution systems].	SC-08(05)	TRANSMISSION CONFIDENTIALITY AND INTEGRITY PROTECTED DISTRIBUTION SYSTEM	
		SC-08(05)-Test	mechanisms supporting and/or implementing protected distribution

SC-09	TRANSMISSION CONFIDENTIALITY	
[WITHDRAWN: Incorporated into SC-08.]		

SC-10	NETWORK DISCONNECT		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-10_ODP	a time period of inactivity after which the system terminates a network connection associated with a communication session is defined;	
	SC-10	the network connection associated with a communication session is terminated at the end of the session or after <i>SC-10_ODP time period></i> of inactivity.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-10-Examine	[SELECT FROM: System and communications protection policy; procedures addressing network disconnect; system design documentation; security plan; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-10-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
	SC-10-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing network disconnect capability].	

SC-11	TRUSTED PATH	
	ASSESSMENT OBJECT	FIVE:
	SC-11_ODP[01]	one of the following PARAMETER VALUES is selected: {physically; logically};
	SC-11_ODP[02]	security functions of the system are defined;
	SC-11a.	a < SC-11_ODP[01] SELECTED PARAMETER VALUE> isolated trusted communication path is provided for communications between the user and the trusted components of the system;

TRUSTED PATH		
SC-11b.	users are permitted to invoke the trusted communication path for communications between the user and the <sc-11_odp[02]< b=""> security functions> of the system, including authentication and re-authentication, at a minimum.</sc-11_odp[02]<>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SC-11-Examine	[SELECT FROM: System and communications protection policy; procedures addressing trusted communication paths; security plan; system design documentation; system configuration settings and associated documentation; assessment results from independent, testing organizations; system audit records; system security plan; other relevant documents or records].	
SC-11-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
SC-11-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing trusted communication paths].	
	SC-11b. POTENTIAL ASSESSIV SC-11-Examine SC-11-Interview	

SC-11(01)	TRUSTED PATH IRREFUTABLE COMMUNICATIONS PATH		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-11(01)_ODP	security functions of the system are defined;	
	SC-11(01)(a)	a trusted communication path that is irrefutably distinguishable from other communication paths is provided;	
	SC-11(01)(b)	the trusted communication path for communications between the < SC-11(01)_ODP security functions> of the system and the user is initiated.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-11(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing trusted communication paths; security plan; system design documentation; system configuration settings and associated documentation; assessment results from independent, testing organizations; system audit records; system security plan; other relevant documents or records].	
	SC-11(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
	SC-11(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing trusted communication paths].	

SC-12	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT	
	ASSESSMENT OBJ Determine if:	ECTIVE:
	SC-12_ODP	requirements for key generation, distribution, storage, access, and destruction are defined;
	SC-12[01]	cryptographic keys are established when cryptography is employed within the system in accordance with <sc-12_odp b="" for="" key<="" requirements=""> generation, distribution, storage, access, and destruction>;</sc-12_odp>
	SC-12[02]	cryptographic keys are managed when cryptography is employed within the system in accordance with <sc-12_odp< b=""> requirements for key generation, distribution, storage, access, and destruction>.</sc-12_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-12-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cryptographic key establishment and management; system design documentation; cryptographic mechanisms; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-12-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for cryptographic key establishment and/or management].
	SC-12-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing cryptographic key establishment and management].

SC-12(01)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT AVAILABILITY		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-12(01)	information availability is maintained in the event of the loss of cryptographic keys by users.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-12(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cryptographic key establishment, management, and recovery; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-12(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for cryptographic key establishment or management].	
	SC-12(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing cryptographic key establishment and management].	

2(02)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT SYMMETRIC KEYS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-12(02)_ODP	one of the following PARAMETER VALUES is selected: {NIST FIPS-validated; NSA-approved};
	SC-12(02)[01]	symmetric cryptographic keys are produced using <sc-12(02)_odp< b=""> SELECTED PARAMETER VALUE> key management technology and processes;</sc-12(02)_odp<>
	SC-12(02)[02]	symmetric cryptographic keys are controlled using <sc-12(02)_odp< b=""> SELECTED PARAMETER VALUE> key management technology and processes;</sc-12(02)_odp<>
	SC-12(02)[03]	symmetric cryptographic keys are distributed using <sc-12(02)_odp< b=""> SELECTED PARAMETER VALUE> key management technology and processes.</sc-12(02)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-12(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cryptographic key establishment and management; system design documentation; system configuration settings and associated documentation; system audit records; list of FIPS-validated cryptographic products; list of NSA-approved cryptographic products; system security plan; other relevant documents or records].
	SC-12(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for cryptographic key establishment or management].
	SC-12(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing symmetric cryptographic key establishment and management].

SC-12(03)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT ASYMMETRIC KEYS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-12(03)_ODP	one of the following PARAMETER VALUES is selected: {NSA-approved key management technology and processes; prepositioned keying material; DoD-approved or DoD-issued Medium Assurance PKI certificates; DoD- approved or DoD-issued Medium Hardware Assurance PKI certificates and hardware security tokens that protect the user's private key; certificates issued in accordance with organization-defined requirements};
	SC-12(03)[01]	asymmetric cryptographic keys are produced using <sc-12(03)_odp< b=""> SELECTED PARAMETER VALUE>;</sc-12(03)_odp<>
	SC-12(03)[02]	asymmetric cryptographic keys are controlled using <sc-12(03)_odp< b=""> SELECTED PARAMETER VALUE>;</sc-12(03)_odp<>
	SC-12(03)[03]	asymmetric cryptographic keys are distributed using <sc-12(03)_odp< b=""> SELECTED PARAMETER VALUE>.</sc-12(03)_odp<>

SC-12(03)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT ASYMMETRIC KEYS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-12(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cryptographic key establishment and management; system design documentation; system configuration settings and associated documentation; system audit records; list of NSA-approved cryptographic products; list of approved PKI Class 3 and Class 4 certificates; system security plan; other relevant documents or records].
	SC-12(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for cryptographic key establishment or management; organizational personnel with responsibilities for PKI certificates].
	SC-12(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing asymmetric cryptographic key establishment and management].

SC-12(04)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT PKI CERTIFICATES
	[WITHDRAWN: Incorporated into SC-12(03).]

SC-12(05)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT PKI CERTIFICATES / HARDWARE TOKENS
	[WITHDRAWN: Incorporated into SC-12(03).]

SC-12(06)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT PHYSICAL CONTROL OF KEYS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-12(06)	physical control of cryptographic keys is maintained when stored information is encrypted by external service providers.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-12(06)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cryptographic key establishment, management, and recovery; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-12(06)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for cryptographic key establishment or management].	

SC-12(06)	CRYPTOGRAPHIC KEY ESTABLISHMENT AND MANAGEMENT PHYSICAL CONTROL OF KEYS	
	SC-12(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing cryptographic key establishment and management].

-13 CRYPTOGRAPH	C PROTECTION		
ASSESSMENT O Determine if:	ASSESSMENT OBJECTIVE: Determine if:		
SC-13_ODP[01]	cryptographic uses are defined;		
SC-13_ODP[02]	types of cryptography for each specified cryptographic use are defined;		
SC-13a.	<sc-13_odp[01] cryptographic="" uses=""> are identified;</sc-13_odp[01]>		
SC-13b.	< SC-13_ODP[02] types of cryptography> for each specified cryptographic use (defined in SC-13_ODP[01]) are implemented.		
POTENTIAL ASS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SC-13-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cryptographic protection; system design documentation; system configuration settings and associated documentation; cryptographic module validation certificates; list of FIPS-validated cryptographic modules; system audit records; system security plan; other relevant documents or records].		
SC-13-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for cryptographic protection].		
SC-13-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing cryptographic protection].		

[WITHDRAWN: Incorporated into SC-13.]

SC-13(02)	CRYPTOGRAPHIC PROTECTION	NSA-APPROVED CRYPTOGRAPHY
-----------	---------------------------------	---------------------------

[WITHDRAWN: Incorporated into SC-13.]

SC-13(03)	CRYPTOGRAPHIC PROTECTION INDIVIDUALS WITHOUT FORMAL ACCESS APPROVALS	
	[WITHDRAWN: Incorporated into SC-13.]	

	SC-13(04)	CRYPTOGRAPHIC PROTECTION DIGITAL SIGNATURES	
[WITHDRAWN: Incorporated into SC-13.]		[WITHDRAWN: Incorporated into SC-13.]	

SC-14	4	PUBLIC ACCESS PROTECTIONS	
		[WITHDRAWN: Incorporated into AC-02, AC-03, AC-05, AC-06, SI-03, SI-04, SI-05, SI-07, SI-10.]	

SC-15	COLLABORATIVE COMPUTING DEVICES AND APPLICATIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-15_ODP	exceptions where remote activation is to be allowed are defined;	
	SC-15a.	remote activation of collaborative computing devices and applications is prohibited except <sc-15_odp activation="" b="" be<="" exceptions="" is="" remote="" to="" where=""> allowed>;</sc-15_odp>	
	SC-15b.	an explicit indication of use is provided to users physically present at the devices.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-15-Examine	[SELECT FROM: System and communications protection policy; procedures addressing collaborative computing; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-15-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for managing collaborative computing devices].	
	SC-15-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the management of remote activation of collaborative computing devices; automated mechanisms providing an indication of use of collaborative computing devices].	

SC-15(01)	COLLABORATIVE COMPUTING DEVICES AND APPLICATIONS PHYSICAL OR LOGICAL DISCONNECT	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-15(01)_ODP	one or more of the following PARAMETER VALUES is/are selected: {physical; logical};

SC-15(01)	COLLABORATIVE COMPUTING DEVICES AND APPLICATIONS PHYSICAL OR LOGICAL DISCONNECT	
	SC-15(01)	the <sc-15(01)_odp b="" parameter="" selected="" value(s)<="">> disconnect of collaborative computing devices is/are provided in a manner that supports ease of use.</sc-15(01)_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-15(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing collaborative computing; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-15(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for managing collaborative computing devices].
	SC-15(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the physical disconnect of collaborative computing devices].

SC-15(02) COLLABORATIVE COMPUTING DEVICES AND APPLICATIONS | BLOCKING INBOUND AND OUTBOUND COMMUNICATIONS TRAFFIC

[WITHDRAWN: Incorporated into SC-07.]

SC-15(03)	COLLABORATIVE COL IN SECURE WORK AF	MPUTING DEVICES AND APPLICATIONS DISABLING AND REMOVAL REAS	
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-15(03)_ODP[01]	systems or system components from which collaborative computing devises are to be disabled or removed are defined;	
	SC-15(03)_ODP[02]	secure work areas where collaborative computing devices are to be disabled or removed from systems or system components are defined;	
	SC-15(03)	collaborative computing devices and applications are disabled or removed from <sc-15(03)_odp[01] components="" or="" system="" systems=""></sc-15(03)_odp[01]> in <sc-15(03)_odp[02] areas="" secure="" work=""></sc-15(03)_odp[02]> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-15(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing collaborative computing; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; list of secure work areas; systems or system components in secured work areas where collaborative computing devices are to be disabled or removed; system security plan; other relevant documents or records].	

SC-15(03)	COLLABORATIVE COMPUTING DEVICES AND APPLICATIONS DISABLING AND REMOVAL IN SECURE WORK AREAS	
	SC-15(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for managing collaborative computing devices].
	SC-15(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the capability to disable collaborative computing devices].

SC-15(04)	4) COLLABORATIVE COMPUTING DEVICES AND APPLICATIONS EXPLICITLY INDICATE CURRENT PARTICIPANTS ASSESSMENT OBJECTIVE: Determine if:	
	SC-15(04)_ODP	online meetings and teleconferences for which an explicit indication of current participants is to be provided are defined;
	SC-15(04)	an explicit indication of current participants in <sc-15(04)_odp b="" online<=""> <i>meetings and teleconferences></i> is provided.</sc-15(04)_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-15(04)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing collaborative computing; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; list of types of meetings and teleconferences requiring explicit indication of current participants; system security plan; other relevant documents or records].
	SC-15(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for managing collaborative computing devices].
	SC-15(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the capability to indicate participants on collaborative computing devices].

SC-16	TRANSMISSION OF SECURITY AND PRIVACY ATTRIBUTES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-16_ODP[01]	security attributes to be associated with information exchanged are defined;
	SC-16_ODP[02]	privacy attributes to be associated with information exchanged are defined;
	SC-16[01]	<pre><sc-16_odp[01] attributes="" security=""> are associated with information exchanged between systems;</sc-16_odp[01]></pre>

SC-16	TRANSMISSION OF S	ECURITY AND PRIVACY ATTRIBUTES	
	SC-16[02]	<sc-16_odp[01] attributes="" security=""> are associated with information exchanged between system components;</sc-16_odp[01]>	
	SC-16[03]	<sc-16_odp[02] attributes="" privacy=""> are associated with information exchanged between systems;</sc-16_odp[02]>	
	SC-16[04]	< SC-16_ODP[02] privacy attributes> are associated with information exchanged between system components.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-16-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the transmission of security and privacy attributes; access control policy and procedures; information flow control policy; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	
	SC-16-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities].	
	SC-16-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the transmission of security and privacy attributes between systems].	

TRANSMISSION OF SECURITY AND PRIVACY ATTRIBUTES INTEGRITY VERIFICATION		
ASSESSMENT OBJECTIVE: Determine if:		
SC-16(01)[01]	the integrity of transmitted security attributes is verified;	
SC-16(01)[02]	the integrity of transmitted privacy attributes is verified.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SC-16(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the transmission of security and privacy attributes; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	
SC-16(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities].	
SC-16(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing verification of the integrity of transmitted security and privacy attributes].	
	ASSESSMENT OBJECT Determine if: SC-16(01)[01] SC-16(01)[02] POTENTIAL ASSESSIV SC-16(01)-Examine	

-16(02)	TRANSMISSION OF SECURITY AND PRIVACY ATTRIBUTES ANTI-SPOOFING MECHANISMS ASSESSMENT OBJECTIVE: Determine if:		
	SC-16(02)	anti-spoofing mechanisms are implemented to prevent adversaries from falsifying the security attributes indicating the successful application of the security process.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-16(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the transmission of security and privacy attributes; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-16(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
	SC-16(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing anti-spoofing mechanisms].	

TRANSMISSION OF S	TRANSMISSION OF SECURITY AND PRIVACY ATTRIBUTES CRYPTOGRAPHIC BINDING	
ASSESSMENT OBJEC Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
SC-16(03)_ODP	mechanisms or techniques to bind security and privacy attributes to transmitted information are defined;	
SC-16(03)	<sc-16(03)_odp mechanisms="" or="" techniques=""> are implemented to bind security and privacy attributes to transmitted information.</sc-16(03)_odp>	
POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SC-16(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the transmission of security and privacy attributes; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
SC-16(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
SC-16(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing anti-spoofing mechanisms].	
	ASSESSMENT OBJEC Determine if: SC-16(03)_ODP SC-16(03) POTENTIAL ASSESSM SC-16(03)-Examine	

SC-17	PUBLIC KEY INFRASTRUCTURE CERTIFICATES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-17_ODP	a certificate policy for issuing public key certificates is defined;

C-17	PUBLIC KEY INFRASTRUCTURE CERTIFICATES		
	SC-17a.	public key certificates are issued under <sc-17_odp certificate="" policy=""></sc-17_odp> , or public key certificates are obtained from an approved service provider;	
	SC-17b.	only approved trust anchors are included in trust stores or certificate stores managed by the organization.	
	POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-17-Examine	[SELECT FROM: System and communications protection policy; procedures addressing public key infrastructure certificates; public key certificate policy or policies; public key issuing process; system security plan; other relevant documents or records].	
	SC-17-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for issuing public key certificates; service providers].	
	SC-17-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the management of public key infrastructure certificates].	

SC-18	MOBILE CODE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-18a.[01]	acceptable mobile code is defined;
	SC-18a.[02]	unacceptable mobile code is defined;
	SC-18a.[03]	acceptable mobile code and mobile code technologies are defined;
	SC-18a.[04]	unacceptable mobile code and mobile code technologies are defined;
	SC-18b.[01]	the use of mobile code is authorized within the system;
	SC-18b.[02]	the use of mobile code is monitored within the system;
	SC-18b.[03]	the use of mobile code is controlled within the system.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SC-18-Examine	[SELECT FROM: System and communications protection policy; procedures addressing mobile code; mobile code implementation policy and procedures; list of acceptable mobile code and mobile code technologies; list of unacceptable mobile code and mobile technologies; authorization records; system monitoring records; system audit records; system security plan; other relevant documents or records].
	SC-18-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for managing mobile code].

SC-18	MOBILE CODE	
	SC-18-Test	[SELECT FROM: Organizational process for authorizing, monitoring, and controlling mobile code; automated mechanisms supporting and/or implementing the management of mobile code; automated mechanisms supporting and/or implementing the monitoring of mobile code].

SC-18(01)	MOBILE CODE IDEM	MOBILE CODE IDENTIFY UNACCEPTABLE CODE AND TAKE CORRECTIVE ACTIONS	
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-18(01)_ODP[01]	unacceptable mobile code is defined;	
	SC-18(01)_ODP[02]	corrective actions to be taken when unacceptable mobile code is identified are defined;	
	SC-18(01)[01]	<sc-18(01)_odp[01] code="" mobile="" unacceptable=""> is identified;</sc-18(01)_odp[01]>	
	SC-18(01)[02]	< SC-18(01)_ODP[02] corrective actions> are taken if unacceptable mobile code is identified.	
	POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-18(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing mobile code; mobile code usage restrictions; mobile code implementation policy and procedures; system design documentation; system configuration settings and associated documentation; list of unacceptable mobile code; list of corrective actions to be taken when unacceptable mobile code is identified; system monitoring records; system audit records; system security plan; other relevant documents or records].	
	SC-18(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for managing mobile code].	
	SC-18(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing mobile code detection, inspection, and corrective capabilities].	

SC-18(02)	MOBILE CODE ACQUISITION, DEVELOPMENT, AND USE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-18(02)_ODP	mobile code requirements for the acquisition, development, and use of mobile code to be deployed in the system are defined;
	SC-18(02)[01]	the acquisition of mobile code to be deployed in the system meets < SC-18(02)_ODP mobile code requirements >;
	SC-18(02)[02]	the development of mobile code to be deployed in the system meets < SC-18(02)_ODP mobile code requirements>;

SC-18(02)	MOBILE CODE ACQUISITION, DEVELOPMENT, AND USE	
	SC-18(02)[03]	the use of mobile code to be deployed in the system meets <sc-18(02)_odp< b=""> mobile code requirements>.</sc-18(02)_odp<>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-18(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing mobile code; mobile code requirements; mobile code usage restrictions; mobile code implementation policy and procedures; acquisition documentation; acquisition contracts for system, system component, or system service; system development life cycle documentation; system security plan; other relevant documents or records].
	SC-18(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for managing mobile code; organizational personnel with acquisition and contracting responsibilities].
	SC-18(02)-Test	[SELECT FROM: Organizational processes for the acquisition, development, and use of mobile code].

SC-18(03)	MOBILE CODE PREVENT DOWNLOADING AND EXECUTION		
	ASSESSMENT OBJECT Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
	SC-18(03)_ODP	unacceptable mobile code to be prevented from downloading and executing is defined;	
	SC-18(03)[01]	the download of <sc-18(03)_odp< b=""> unacceptable mobile code> is prevented;</sc-18(03)_odp<>	
	SC-18(03)[02]	the execution of <sc-18(03)_odp code="" mobile="" unacceptable=""></sc-18(03)_odp> is prevented.	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	SC-18(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing mobile code; mobile code usage restrictions; mobile code implementation policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-18(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for managing mobile code].	
	SC-18(03)-Test	[SELECT FROM: Automated mechanisms preventing download and execution of unacceptable mobile code].	

SC-18(04)	MOBILE CODE PREVENT AUTOMATIC EXECUTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-18(04)_ODP[01]	software applications in which the automatic execution of mobile code is to be prevented are defined;
	SC-18(04)_ODP[02]	actions to be enforced by the system prior to executing mobile code are defined;
	SC-18(04)[01]	the automatic execution of mobile code in <sc-18(04)_odp[01]< b=""> software applications></sc-18(04)_odp[01]<> is prevented;
	SC-18(04)[02]	<sc-18(04)_odp[02] actions=""> are enforced prior to executing mobile code.</sc-18(04)_odp[02]>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SC-18(04)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing mobile code; mobile code usage restrictions; mobile code implementation policy and procedures; system design documentation; system configuration settings and associated documentation; list of software applications in which the automatic execution of mobile code must be prohibited; list of actions required before execution of mobile code; system security plan; other relevant documents or records].
	SC-18(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for managing mobile code].
	SC-18(04)-Test	[SELECT FROM: Automated mechanisms preventing the automatic execution of unacceptable mobile code; automated mechanisms enforcing actions to be taken prior to the execution of the mobile code].

SC-18(05)	MOBILE CODE ALLOW EXECUTION ONLY IN CONFINED ENVIRONMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-18(05)	execution of permitted mobile code is allowed only in confined virtual machine environments.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-18(05)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing mobile code; mobile code usage allowances; mobile code usage restrictions; system design documentation; system configuration settings and associated documentation; list of confined virtual machine environments in which the execution of organizationally acceptable mobile code is allowed; system audit records; system security plan; other relevant documents or records].
	SC-18(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel with responsibilities for managing mobile code].

	MOBILE CODE ALLOW EXECUTION ONLY IN CONFINED ENVIRONMENTS	
SC-18([SELECT FROM: Automated mechanisms allowing the execution of permitted mobile code in confined virtual machine environments].

SC-19	VOICE OVER INTERNET PROTOCOL	
	[WITHDRAWN. Technology-specific; addressed as any other technology or protocol.]	

SC-20	SECURE NAME/ADD	RESS RESOLUTION SERVICE (AUTHORITATIVE SOURCE)	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SC-20a.[01]	additional data origin authentication is provided along with the authoritative name resolution data that the system returns in response to external name/ address resolution queries;	
	SC-20a.[02]	integrity verification artifacts are provided along with the authoritative name resolution data that the system returns in response to external name/ address resolution queries;	
	SC-20b.[01]	the means to indicate the security status of child zones (and if the child supports secure resolution services) is provided when operating as part of a distributed, hierarchical namespace;	
	SC-20b.[02]	the means to enable verification of a chain of trust among parent and child domains when operating as part of a distributed, hierarchical namespace is provided.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-20-Examine	[SELECT FROM: System and communications protection policy; procedures addressing secure name/address resolution services (authoritative source); system design documentation; system configuration settings and associated documentation; system security plan; other relevant documents or records].	
	SC-20-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for managing DNS].	
	SC-20-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing secure name/address resolution services].	

SC-20(01) SECURE NAME/ADDRESS RESOLUTION SERVICE (AUTHORITATIVE SOURCE) | CHILD SUBSPACES [WITHDRAWN: Incorporated into SC-20.]

SECURE NAME/ADDRESS RESOLUTION SERVICE (AUTHORITATIVE SOURCE) DATA ORIGIN AND INTEGRITY		
ess resolution		
me/address		
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
policy; procedures horitative source); ings and associated an; other relevant		
ational personnel personnel with		
or implementing dress resolution		
e m		

SC-21	SECURE NAME/ADDRESS RESOLUTION SERVICE (RECURSIVE OR CACHING RESOLVER)	
	ASSESSMENT OBJEC	CTIVE:
	SC-21[01]	data origin authentication is requested for the name/address resolution responses that the system receives from authoritative sources;
	SC-21[02]	data origin authentication is performed on the name/address resolution responses that the system receives from authoritative sources;
	SC-21[03]	data integrity verification is requested for the name/address resolution responses that the system receives from authoritative sources;
	SC-21[04]	data integrity verification is performed on the name/address resolution responses that the system receives from authoritative sources.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-21-Examine	[SELECT FROM: System and communications protection policy; procedures addressing secure name/address resolution services (recursive or caching resolver); system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-21-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for managing DNS].

SC-21	SECURE NAME/ADDRESS RESOLUTION SERVICE (RECURSIVE OR CACHING RESOLVER)		
	SC-21-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing data origin authentication and data integrity verification for name/address resolution services].	

SC-21(01) SECURE NAME/ADDRESS RESOLUTION SERVICE (RECURSIVE OR CACHING RESOLVER) | DATA ORIGIN AND INTEGRITY [WITHDRAWN: Incorporated into SC-21.]

SC-22	ARCHITECTURE AND	ARCHITECTURE AND PROVISIONING FOR NAME/ADDRESS RESOLUTION SERVICE	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SC-22[01]	the systems that collectively provide name/address resolution services for an organization are fault-tolerant;	
	SC-22[02]	the systems that collectively provide name/address resolution services for an organization implement internal role separation;	
	SC-22[03]	the systems that collectively provide name/address resolution services for an organization implement external role separation.	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	SC-22-Examine	[SELECT FROM: System and communications protection policy; procedures addressing architecture and provisioning for name/address resolution services; access control policy and procedures; system design documentation; assessment results from independent testing organizations; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-22-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for managing DNS].	
	SC-22-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing name/address resolution services for fault tolerance and role separation].	

SC-23	SESSION AUTHENTICITY	
	ASSESSMENT OBJECT Determine if:	ΓIVE:
	SC-23	the authenticity of communication sessions is protected.

SC-23	SESSION AUTHENTICITY	
POTENTIAL ASSESSMENT		IENT METHODS AND OBJECTS:
	SC-23-Examine	[SELECT FROM: System and communications protection policy; procedures addressing session authenticity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-23-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	SC-23-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing session authenticity].

SESSION AUTHENTICITY INVALIDATE SESSION IDENTIFIERS AT LOGOUT		
ASSESSMENT OBJEC Determine if:	TIVE:	
SC-23(01)	session identifiers are invalidated upon user logout or other session termination.	
POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SC-23(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing session authenticity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
SC-23(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
SC-23(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing session identifier invalidation upon session termination].	
	ASSESSMENT OBJEC Determine if: SC-23(01) POTENTIAL ASSESSM SC-23(01)-Examine SC-23(01)-Interview	

SC-23(02) SESSION AUTHENTICITY | USER-INITIATED LOGOUTS AND MESSAGE DISPLAYS

[WITHDRAWN: Incorporated into AC-12(01).]

SC-23(03)	SESSION AUTHENTICITY UNIQUE SYSTEM-GENERATED SESSION IDENTIFIERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-23(03)_ODP	randomness requirements for generating a unique session identifier for each session are defined;
	SC-23(03)[01]	a unique session identifier is generated for each session with < SC-23(03)_ODP randomness requirements>;

SC-23(03)	SESSION AUTHENTICITY UNIQUE SYSTEM-GENERATED SESSION IDENTIFIERS	
	SC-23(03)[02]	only system-generated session identifiers are recognized.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-23(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing session authenticity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-23(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].
	SC-23(03)-Test	[SELECT FROM: Automated mechanisms supporting, implementing, generating, and monitoring unique session identifiers; automated mechanisms supporting and/or implementing randomness requirements].

SC-23(04)	SESSION AUTHENTICITY UNIQUE SESSION IDENTIFIERS WITH RANDOMIZATION	
[WITHDRAWN: Incorporated into SC-23(03).]		

SC-23(05)	SESSION AUTHENTICITY ALLOWED CERTIFICATE AUTHORITIES		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-23(05)_ODP	certificate authorities to be allowed for verification of the establishment of protected sessions are defined;	
	SC-23(05)	only the use of <sc-23(05)_odp< b=""> certificated authorities></sc-23(05)_odp<> for verification of the establishment of protected sessions is allowed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-23(05)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing session authenticity; system design documentation; system configuration settings and associated documentation; list of certificate authorities allowed for verification of the establishment of protected sessions; system audit records; system security plan; other relevant documents or records].	
	SC-23(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
	SC-23(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the management of certificate authorities].	

ASSESSMENT OBJE Determine if: SC-24_ODP[01] SC-24_ODP[02] SC-24_ODP[03] SC-24	types of system failures for which the system components fail to a known state are defined; known system state to which system components fail in the event of a system failure is defined; system state information to be preserved in the event of a system failure is defined;	
SC-24_ODP[02]	state are defined; known system state to which system components fail in the event of a system failure is defined; system state information to be preserved in the event of a system failure is defined;	
SC-24_ODP[03]	system failure is defined; system state information to be preserved in the event of a system failure is defined;	
	defined;	
SC-24		
	<pre><sc-24_odp[01] components="" failures="" of="" on="" system="" types=""> fail to a <sc-24_odp[02] known="" state="" system=""> while preserving <sc-24_odp[03] information="" state="" system=""> in failure.</sc-24_odp[03]></sc-24_odp[02]></sc-24_odp[01]></pre>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SC-24-Examine	[SELECT FROM: System and communications protection policy; procedures addressing system failure to known state; system design documentation; system configuration settings and associated documentation; list of failures requiring system to fail in a known state; state information to be preserved in system failure; system audit records; system security plan; other relevant documents or records].	
SC-24-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
SC-24-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the fail in known state capability; automated mechanisms preserving system state information in the event of a system failure].	

SC-25	THIN NODES		
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	SC-25_ODP	system components to be employed with minimal functionality and information storage are defined;	
	SC-25[01]	minimal functionality for < SC-25_ODP system components> is employed;	
	SC-25[02]	minimal information storage on <sc-25_odp components="" system=""></sc-25_odp> is allocated.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-25-Examine	[SELECT FROM: System and communications protection policy; procedures addressing use of thin nodes; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-25-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	

SC-25	THIN NODES	
	SC-25-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing thin nodes].

DECOYS	DECOYS	
ASSESSMENT OBJEC Determine if:	ASSESSMENT OBJECTIVE: Determine if:	
SC-26[01]	components within organizational systems specifically designed to be the target of malicious attacks are included to detect such attacks;	
SC-26[02]	components within organizational systems specifically designed to be the target of malicious attacks are included to deflect such attacks;	
SC-26[03]	components within organizational systems specifically designed to be the target of malicious attacks are included to analyze such attacks.	
POTENTIAL ASSESS	MENT METHODS AND OBJECTS:	
SC-26-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the use of decoys; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
SC-26-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
SC-26-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing decoys].	

SC-26(01) DECOYS | DETECTION OF MALICIOUS CODE [WITHDRAWN: Incorporated into SC-35.]

SC-27	PLATFORM-INDEPENDENT APPLICATIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-27_ODP	platform-independent applications to be included within organizational systems are defined;
	SC-27	<sc-27_odp applications="" platform-independent=""> are included within organizational systems.</sc-27_odp>

PLATFORM-INDEPENDENT APPLICATIONS	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SC-27-Examine	[SELECT FROM: System and communications protection policy; procedures addressing platform-independent applications; system design documentation; system configuration settings and associated documentation; list of platform-independent applications; system audit records; system security plan; other relevant documents or records].
SC-27-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
SC-27-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing platform-independent applications].
	POTENTIAL ASSESSIV SC-27-Examine SC-27-Interview

PROTECTION OF IN	PROTECTION OF INFORMATION AT REST	
ASSESSMENT OBJE	CTIVE:	
SC-28_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {confidentiality; integrity};	
SC-28_ODP[02]	information at rest requiring protection is defined;	
SC-28	the <sc-28_odp[01] parameter="" selected="" value(s)=""> of <sc-28_odp[02] information at rest> is/are protected.</sc-28_odp[02] </sc-28_odp[01]>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SC-28-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the protection of information at rest; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms and associated configuration documentation; list of information at rest requiring confidentiality and integrity protections; system security plan; other relevant documents or records].	
SC-28-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].	
SC-28-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing confidentiality and integrity protections for information at rest].	
	ASSESSMENT OBJE Determine if: SC-28_ODP[01] SC-28 POTENTIAL ASSESS SC-28-Examine SC-28-Examine	

SC-28(01)	PROTECTION OF INFORMATION AT REST CRYPTOGRAPHIC PROTECTION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-28(01)_ODP[01]	information requiring cryptographic protection is defined;
	SC-28(01)_ODP[02]	system components or media requiring cryptographic protection is/are defined;

SC-28(01)	PROTECTION OF INFORMATION AT REST CRYPTOGRAPHIC PROTECTION	
	SC-28(01)[01]	cryptographic mechanisms are implemented to prevent unauthorized disclosure of <sc-28(01)_odp[01] information=""></sc-28(01)_odp[01]> at rest on <sc-28(01)_odp[02] components="" media="" or="" system=""></sc-28(01)_odp[02]> ;
	SC-28(01)[02]	cryptographic mechanisms are implemented to prevent unauthorized modification of <sc-28(01)_odp[01] information=""></sc-28(01)_odp[01]> at rest on <sc-28(01)_odp[02] components="" media="" or="" system=""></sc-28(01)_odp[02]> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-28(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the protection of information at rest; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms and associated configuration documentation; system audit records; system security plan; other relevant documents or records].
	SC-28(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer].
	SC-28(01)-Test	[SELECT FROM: Cryptographic mechanisms implementing confidentiality and integrity protections for information at rest].
	SC-28(01)-Test	

SC-28(02)	PROTECTION OF INFORMATION AT REST OFFLINE STORAGE		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SC-28(02)_ODP	information to be removed from online storage and stored offline in a secure location is defined;	
	SC-28(02)[01]	<sc-28(02)_odp information=""> is removed from online storage;</sc-28(02)_odp>	
	SC-28(02)[02]	<sc-28(02)_odp information=""> is stored offline in a secure location.</sc-28(02)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-28(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the protection of information at rest; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms and associated configuration documentation; offline storage locations for information at rest; system audit records; system security plan; other relevant documents or records].	
	SC-28(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
	SC-28(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the removal of information from online storage; automated mechanisms supporting and/or implementing storage of information offline].	

SC-28(03)	PROTECTION OF INFORMATION AT REST CRYPTOGRAPHIC KEYS		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	SC-28(03)_ODP[01]	one of the following PARAMETER VALUES is selected: { <sc-28(03)_odp[02] safeguards="">; hardware-protected key store};</sc-28(03)_odp[02]>	
	SC-28(03)_ODP[02]	safeguards for protecting the storage of cryptographic keys are defined (if selected);	
	SC-28(03)	protected storage for cryptographic keys is provided using <sc-28(03)_odp[01] parameter="" selected="" value="">.</sc-28(03)_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-28(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the protection of information at rest; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms and associated configuration documentation; system audit records; system security plan; other relevant documents or records].	
	SC-28(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities].	
	SC-28(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing hardware-based key store protection].	

SC-29	HETEROGENEITY		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-29_ODP	system components requiring a diverse set of information technologies to be employed in the implementation of the system are defined;	
	SC-29	a diverse set of information technologies is employed for <sc-29_odp< b=""> system components> in the implementation of the system.</sc-29_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-29-Examine	[SELECT FROM: System and communications protection policy; system design documentation; system configuration settings and associated documentation; list of technologies deployed in the system; acquisition documentation; acquisition contracts for system components or services; system security plan; other relevant documents or records].	
	SC-29-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with system acquisition, development, and implementation responsibilities].	
	SC-29-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing employment of a diverse set of information technologies].	

SC-29(01)	HETEROGENEITY VIRTUALIZATION TECHNIQUES ASSESSMENT OBJECTIVE: Determine if:	
	SC-29(01)_ODP	the frequency at which to change the diversity of operating systems and applications deployed using virtualization techniques is defined;
	SC-29(01)	virtualization techniques are employed to support the deployment of a diverse range of operating systems and applications that are changed <sc-29(01)_odp frequency=""></sc-29(01)_odp> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-29(01)-Examine	[SELECT FROM: System and communications protection policy; configuration management policy and procedures; system design documentation; system configuration settings and associated documentation; system architecture; list of operating systems and applications deployed using virtualization techniques; change control records; configuration management records; system audit records; system security plan; other relevant documents or records].
	SC-29(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with responsibilities for implementing approved virtualization techniques to the system].
	SC-29(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the employment of a diverse set of information technologies; automated mechanisms supporting and/or implementing virtualization techniques].

SC-30	CONCEALMENT AND MISDIRECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-30_ODP[01]	concealment and misdirection techniques to be employed to confuse and mislead adversaries potentially targeting systems are defined;
	SC-30_ODP[02]	systems for which concealment and misdirection techniques are to be employed are defined (if selected);
	SC-30_ODP[03]	time periods to employ concealment and misdirection techniques for systems are defined;
	SC-30	<sc-30_odp[01] and="" concealment="" misdirection="" techniques=""> are employed for <sc-30_odp[02] systems=""> for <sc-30_odp[03] periods="" time=""> to confuse and mislead adversaries.</sc-30_odp[03]></sc-30_odp[02]></sc-30_odp[01]>

SC-30	CONCEALMENT AND MISDIRECTION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-30-Examine	[SELECT FROM: System and communications protection policy; procedures addressing concealment and misdirection techniques for the system; system design documentation; system configuration settings and associated documentation; system architecture; list of concealment and misdirection techniques to be employed for organizational systems; system audit records; system security plan; other relevant documents or records].
	SC-30-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with the responsibility to implement concealment and misdirection techniques for systems].
	SC-30-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing concealment and misdirection techniques].

SC-30(01)	CONCEALMENT AND MISDIRECTION VIRTUALIZATION TECHNIQUES	
	[WITHDRAWN: Incorporated into SC-29(01).]	

CONCEALMENT AND MISDIRECTION RANDOMNESS	
ASSESSMENT OBJECTIVE: Determine if:	
SC-30(02)_ODP	techniques employed to introduce randomness into organizational operations and assets are defined;
SC-30(02)	< SC-30(02)_ODP techniques> are employed to introduce randomness into organizational operations and assets.
POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
SC-30(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing concealment and misdirection techniques for the system; system design documentation; system configuration settings and associated documentation; system architecture; list of techniques to be employed to introduce randomness into organizational operations and assets; system audit records; system security plan; other relevant documents or records].
SC-30(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with the responsibility to implement concealment and misdirection techniques for systems].
SC-30(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing randomness as a concealment and misdirection technique].
	ASSESSMENT OBJEC Determine if: SC-30(02)_ODP SC-30(02) POTENTIAL ASSESSM SC-30(02)-Examine

O(03) CONCEALMENT AND	CONCEALMENT AND MISDIRECTION CHANGE PROCESSING AND STORAGE LOCATIONS	
ASSESSMENT OBJECT Determine if:	TIVE:	
SC-30(03)_ODP[01]	processing and/or storage locations to be changed are defined;	
SC-30(03)_ODP[02]	one of the following PARAMETER VALUES is selected: { <sc-30(03)_odp[03] frequency="" time="">; random time intervals};</sc-30(03)_odp[03]>	
SC-30(03)_ODP[03]	time frequency at which to change the location of processing and/or storage is defined;	
SC-30(03)	the location of < SC-30(03)_ODP[01] processing and/or storage> is changed < SC-30(03)_ODP[02] SELECTED PARAMETER VALUE>.	
POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SC-30(03)-Examine	[SELECT FROM: System and communications protection policy; configuration management policy and procedures; procedures addressing concealment and misdirection techniques for the system; list of processing/storage locations to be changed at organizational time intervals; change control records; configuration management records; system audit records; system security plan; other relevant documents or records].	
SC-30(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with the responsibility to change processing and/or storage locations].	
SC-30(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing changing processing and/or storage locations].	

SC-30(04)	CONCEALMENT AND MISDIRECTION MISLEADING INFORMATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-30(04)_ODP	system components for which realistic but misleading information about their security state or posture is employed are defined;	
	SC-30(04)	realistic but misleading information about the security state or posture of <sc-30(04)_odp components="" system=""></sc-30(04)_odp> is employed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-30(04)-Examine	[SELECT FROM: System and communications protection policy; configuration management policy and procedures; procedures addressing concealment and misdirection techniques for the system; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-30(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with the responsibility to define and employ realistic but misleading information about the security posture of system components].	

SC-30(04)	CONCEALMENT AND MISDIRECTION MISLEADING INFORMATION	
	SC-30(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the employment of realistic but misleading information about the security posture of system components].

SC-30(05)	CONCEALMENT AND MISDIRECTION CONCEALMENT OF SYSTEM COMPONENTS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	SC-30(05)_ODP[01]	techniques to be employed to hide or conceal system components are defined;
	SC-30(05)_ODP[02]	system components to be hidden or concealed using techniques (as defined in SC-30(05)_ODP[01]) are defined;
	SC-30(05)	<pre><sc-30(05)_odp[01] techniques=""> are employed to hide or conceal <sc-30(05)_odp[02] components="" system="">.</sc-30(05)_odp[02]></sc-30(05)_odp[01]></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-30(05)-Examine	[SELECT FROM: System and communications protection policy; configuration management policy and procedures; procedures addressing concealment and misdirection techniques for the system; system design documentation; system configuration settings and associated documentation; list of techniques employed to hide or conceal system components; list of system components to be hidden or concealed; system security plan; other relevant documents or records].
	SC-30(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with the responsibility to conceal system components].
	SC-30(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing techniques for the concealment of system components].

SC-31	COVERT CHANNEL ANALYSIS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-31_ODP	one or more of the following PARAMETER VALUES is/are selected: {storage; timing};
	SC-31a.	a covert channel analysis is performed to identify those aspects of communications within the system that are potential avenues for covert < <i>SC-31_ODP SELECTED PARAMETER VALUE(S)</i> > channels;
	SC-31b.	the maximum bandwidth of those channels is estimated.

SC-31	COVERT CHANNEL ANALYSIS		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-31-Examine	[SELECT FROM: System and communications protection policy; procedures addressing covert channel analysis; system design documentation; system configuration settings and associated documentation; covert channel analysis documentation; system audit records; system security plan; other relevant documents or records].	
	SC-31-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with covert channel analysis responsibilities; system developers/integrators].	
	SC-31-Test	[SELECT FROM: Organizational process for conducting covert channel analysis; automated mechanisms supporting and/or implementing covert channel analysis; automated mechanisms supporting and/or implementing the capability to estimate the bandwidth of covert channels].	

SC-31(01)	COVERT CHANNEL ANALYSIS TEST COVERT CHANNELS FOR EXPLOITABILITY		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-31(01)	a subset of the identified covert channels is tested to determine the channels that are exploitable.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-31(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing covert channel analysis; system design documentation; system configuration settings and associated documentation; list of covert channels; covert channel analysis documentation; system audit records; system security plan; other relevant documents or records].	
	SC-31(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with covert channel analysis responsibilities].	
	SC-31(01)-Test	[SELECT FROM: Organizational process for testing covert channels; automated mechanisms supporting and/or implementing the testing of covert channel analysis].	

SC-31(02)	COVERT CHANNEL ANALYSIS MAXIMUM BANDWIDTH	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-31(02)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {storage; timing};
	SC-31(02)_ODP[02]	values for the maximum bandwidth for identified covert channels are defined;

SC-31(02)	COVERT CHANNEL ANALYSIS MAXIMUM BANDWIDTH			
	SC-31(02)	the maximum bandwidth for identified covert <sc-31(02)_odp[01]< b=""> SELECTED PARAMETER VALUE(S)> channels is reduced to <sc-31(02)_odp[02] values="">.</sc-31(02)_odp[02]></sc-31(02)_odp[01]<>		
	POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-31(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing covert channel analysis; acquisition contracts for systems or services; acquisition documentation; system design documentation; system configuration settings and associated documentation; covert channel analysis documentation; system audit records; system security plan; other relevant documents or records].		
	SC-31(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with covert channel analysis responsibilities; system developers/integrators].		
	SC-31(02)-Test	[SELECT FROM: Organizational process for conducting covert channel analysis; automated mechanisms supporting and/or implementing covert channel analysis; automated mechanisms supporting and/or implementing the capability to reduce the bandwidth of covert channels].		

ASSESSMENT OBJECT Determine if: SC-31(03)_ODP		
SC-31(03)_ODP		
	subset of identified covert channels whose bandwidth is to be measured in the operational environment of the system is defined;	
SC-31(03)	the bandwidth of <sc-31(03)_odp< b=""> subset of identified covert channels> is measured in the operational environment of the system.</sc-31(03)_odp<>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SC-31(03)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing covert channel analysis; system design documentation; system configuration settings and associated documentation; covert channel analysis documentation; system audit records; system security plan; other relevant documents or records].	
SC-31(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel with covert channel analysis responsibilities; system developers/integrators].	
SC-31(03)-Test	[SELECT FROM: Organizational process for conducting covert channel analysis; automated mechanisms supporting and/or implementing covert channel analysis; automated mechanisms supporting and/or implementing the capability to measure the bandwidth of covert channels].	
	POTENTIAL ASSESSM SC-31(03)-Examine SC-31(03)-Interview	

SC-32	SYSTEM PARTITIONING		
	ASSESSMENT OBJE	ECTIVE:	
	SC-32_ODP[01]	system components to reside in separate physical or logical domains or environments based on circumstances for the physical or logical separation of components are defined;	
	SC-32_ODP[02]	one of the following PARAMETER VALUES is selected: {physical; logical};	
	SC-32_ODP[03]	circumstances for the physical or logical separation of components are defined;	
	SC-32	the system is partitioned into < SC-32_ODP[01] system components> residing in separate < SC-32_ODP[02] SELECTED PARAMETER VALUE> domains or environments based on < SC-32_ODP[03] circumstances for the physical or logical separation of components>.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-32-Examine	[SELECT FROM: System and communications protection policy; procedures addressing system partitioning; system design documentation; system configuration settings and associated documentation; system architecture; list of system physical domains (or environments); system facility diagrams; system network diagrams; system security plan; other relevant documents or records].	
	SC-32-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	
	SC-32-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the physical separation of system components].	

SC-32(01)	SYSTEM PARTITIONING SEPARATE PHYSICAL DOMAINS FOR PRIVILEGED FUNCTIONS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-32(01)	privileged functions are partitioned into separate physical domains.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-32-Examine	[SELECT FROM: System and communications protection policy; procedures addressing system partitioning; system design documentation; system configuration settings and associated documentation; system architecture; list of system physical domains (or environments); system facility diagrams; system network diagrams; system security plan; other relevant documents or records].	
	SC-32-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	

SC-32(01)	SYSTEM PARTITIONING SEPARATE PHYSICAL DOMAINS FOR PRIVILEGED FUNCTIONS	
		SC-32-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the physical separation of system components].

SC-33	TRANSMISSION PREPARATION INTEGRITY	
[WITHDRAWN: Incorporated into SC-08.]		

SC-34 NON-MODIFIABLE E		XECUTABLE PROGRAMS	
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-34_ODP[01]	system components for which the operating environment and applications are to be loaded and executed from hardware-enforced, read-only media are defined;	
	SC-34_ODP[02]	applications to be loaded and executed from hardware-enforced, read-only media are defined;	
	SC-34a.	the operating environment for <sc-34_odp[01] components="" system=""></sc-34_odp[01]> is loaded and executed from hardware-enforced, read-only media;	
	SC-34b.	< SC-34_ODP[02] applications> for < SC-34_ODP[01] system components> are loaded and executed from hardware-enforced, read-only media.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-34-Examine	[SELECT FROM: System and communications protection policy; procedures addressing non-modifiable executable programs; system design documentation; system configuration settings and associated documentation; system architecture; list of operating system components to be loaded from hardware-enforced, read-only media; list of applications to be loaded from hardware-enforced, read-only media; media used to load and execute the system operating environment; media used to load and execute system applications; system audit records; system security plan; other relevant documents or records].	
	SC-34-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	
	SC-34-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing, loading, and executing the operating environment from hardware-enforced, read-only media; automated mechanisms supporting and/or implementing, loading, and executing applications from hardware-enforced, read-only media].	

SC-34(01)	NON-MODIFIABLE EXECUTABLE PROGRAMS NO WRITABLE STORAGE		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-34(01)_ODP	system components to be employed with no writeable storage are defined;	
	SC-34(01)	< SC-34(01)_ODP system components> are employed with no writeable storage that is persistent across component restart or power on/off.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-34(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing non-modifiable executable programs; system design documentation; system configuration settings and associated documentation; system architecture; list of system components to be employed without writeable storage capabilities; system audit records; system security plan; other relevant documents or records].	
	SC-34(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	
	SC-34(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the employment of components with no writeable storage; automated mechanisms supporting and/or implementing persistent non-writeable storage across component restart and power on/off].	

C-34(02)	NON-MODIFIABLE EXECUTABLE PROGRAMS INTEGRITY PROTECTION ON READ-ONLY MEDIA	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-34(02)[01]	the integrity of information is protected prior to storage on read-only media;
	SC-34(02)[02]	the media is controlled after such information has been recorded onto the media;
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-34(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing non-modifiable executable programs; system design documentation; system configuration settings and associated documentation; system architecture; system audit records; system security plan; other relevant documents or records].
	SC-34(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].
	SC-34(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the capability to protect information integrity on read-only media prior to storage and after information has been recorded onto the media].

SC-34(03) NON-MODIFIABLE EXECUTABLE PROGRAMS | HARDWARE-BASED PROTECTION [WITHDRAWN: Moved to SC-51.]

SC-35	EXTERNAL MALICIOUS CODE IDENTIFICATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-35	system components that proactively seek to identify network-based malicious code or malicious websites are included.	
	POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-35-Examine	[SELECT FROM: System and communications protection policy; procedures addressing external malicious code identification; system design documentation; system configuration settings and associated documentation; system components deployed to identify malicious websites and/or web-based malicious code; system audit records; system security plan; other relevant documents or records].	
	SC-35-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	
	SC-35-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing external malicious code identification].	

SC-36	DISTRIBUTED PROCESSING AND STORAGE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-36_ODP[01]	processing components to be distributed across multiple locations/ domains are defined;
	SC-36_ODP[02]	one of the following PARAMETER VALUES is selected: {physical locations; logical domains};
	SC-36_ODP[03]	storage components to be distributed across multiple locations/domains are defined;
	SC-36_ODP[04]	one of the following PARAMETER VALUES is selected: {physical locations; logical domains};
	SC-36[01]	<pre><sc-36_odp[01] components="" processing=""> are distributed across <sc-36_odp[02] parameter="" selected="" value="">;</sc-36_odp[02]></sc-36_odp[01]></pre>
	SC-36[02]	<sc-36_odp[03] components="" storage=""> are distributed across <sc-36_odp[04] parameter="" selected="" value="">.</sc-36_odp[04]></sc-36_odp[03]>

SC-36	DISTRIBUTED PROCESSING AND STORAGE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-36-Examine	[SELECT FROM: System and communications protection policy; contingency planning policy and procedures; contingency plan; system design documentation; system configuration settings and associated documentation; system architecture; list of system physical locations (or environments) with distributed processing and storage; system facility diagrams; processing site agreements; storage site agreements; system security plan; other relevant documents or records].
	SC-36-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel with contingency planning and plan implementation responsibilities; system developers/integrators].
	SC-36-Test	[SELECT FROM: Organizational processes for distributed processing and storage across multiple physical locations; automated mechanisms supporting and/or implementing the capability to distribute processing and storage across multiple physical locations].

SC-36(01)	DISTRIBUTED PROCE	SSING AND STORAGE POLLING TECHNIQUES	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	SC-36(01)_ODP[01]	distributed processing and storage components for which polling techniques are to be employed to identify potential faults, errors, or compromises are defined;	
	SC-36(01)_ODP[02]	actions to be taken in response to identified faults, errors, or compromise are defined;	
	SC-36(01)(a)	polling techniques are employed to identify potential faults, errors, or compromises to <sc-36(01)_odp[01]< b=""> distributed processing and storage components>;</sc-36(01)_odp[01]<>	
	SC-36(01)(b)	< SC-36(01)_ODP[02] actions> are taken in response to identified faults, errors, or compromise.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-36(01)-Examine	[SELECT FROM: System and communications protection policy; system design documentation; system configuration settings and associated documentation; system architecture; list of distributed processing and storage components subject to polling; system polling techniques and associated documentation or records; system audit records; system security plan; other relevant documents or records].	
	SC-36(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	

SC-36(01)-Test [SELECT FROM: Automated mechanisms supporting and/or implementing	SC-36(01)	DISTRIBUTED PROCE	SSING AND STORAGE POLLING TECHNIQUES
polling techniques].		SC-36(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing polling techniques].

DISTRIBUTED PROCESSING AND STORAGE SYNCHRONIZATION	
ASSESSMENT OBJECTIVE: Determine if:	
SC-36(02)_ODP	duplicate systems or system components to be synchronized are defined;
SC-36(02)	<sc-36(02)_odp components="" duplicate="" or="" system="" systems=""> are synchronized.</sc-36(02)_odp>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SC-36(02)-Examine	[SELECT FROM: System and communications protection policy; system design documentation; system configuration settings and associated documentation; system architecture; list of distributed processing and storage components subject to polling; system polling techniques and associated documentation or records; system audit records; system security plan; other relevant documents or records].
SC-36(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].
SC-36(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing duplicate system or system component synchronization].
	ASSESSMENT OBJECT Determine if: SC-36(02)_ODP SC-36(02) POTENTIAL ASSESSM SC-36(02)-Examine

SC-37	OUT-OF-BAND CHANNELS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-37_ODP[01]	out-of-band channels to be employed for the physical delivery or electronic transmission of information, system components, or devices to individuals or the system are defined;
	SC-37_ODP[02]	information, system components, or devices to employ out-of-band- channels for physical delivery or electronic transmission are defined;
	SC-37_ODP[03]	individuals or systems to which physical delivery or electronic transmission of information, system components, or devices is to be achieved via the employment of out-of-band channels are defined;
	SC-37	<pre><sc-37_odp[01] channels="" out-of-band=""> are employed for the physical delivery or electronic transmission of <sc-37_odp[02] information,="" system<br="">components, or devices> to <sc-37_odp[03] individuals="" or="" systems="">.</sc-37_odp[03]></sc-37_odp[02]></sc-37_odp[01]></pre>

SC-37	OUT-OF-BAND CHANNELS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-37-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the use of out-of-band channels; access control policy and procedures; identification and authentication policy and procedures; system design documentation; system architecture; system configuration settings and associated documentation; list of out-of-band channels; types of information, system components, or devices requiring the use of out-of-band channels for physical delivery or electronic transmission to authorized individuals or systems; physical delivery records; electronic transmission records; system audit records; system security plan; other relevant documents or records].
	SC-37-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel authorizing, installing, configuring, operating, and/or using out-of-band channels; system developers/integrators].
	SC-37-Test	[SELECT FROM: Organizational processes for the use of out-of-band channels; automated mechanisms supporting and/or implementing the use of out-of-band channels].

SC-37(01)	OUT-OF-BAND CHANNELS ENSURE DELIVERY AND TRANSMISSION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-37(01)_ODP[01]	controls to be employed to ensure that only designated individuals or systems receive specific information, system components, or devices are defined;
	SC-37(01)_ODP[02]	individuals or systems designated to receive specific information, system components, or devices are defined;
	SC-37(01)_ODP[03]	information, system components, or devices that only individuals or systems are designated to receive are defined;
	SC-37(01)	<sc-37(01)_odp[01] controls=""> are employed to ensure that only <sc-37(01)_odp[02] individuals="" or="" systems=""> receive <sc-37(01)_odp[03] information, system components, or devices>.</sc-37(01)_odp[03] </sc-37(01)_odp[02]></sc-37(01)_odp[01]>

SC-37(01)	OUT-OF-BAND CHANNELS ENSURE DELIVERY AND TRANSMISSION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-37(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing the use of out-of-band channels; access control policy and procedures; identification and authentication policy and procedures; system design documentation; system architecture; system configuration settings and associated documentation; list of security safeguards to be employed to ensure that designated individuals or systems receive organization-defined information, system components, or devices; list of security safeguards for delivering designated information, system components, or devices to designated individuals or systems; list of information, system components, or devices to be delivered to designated individuals or systems; system audit records; system security plan; other relevant documents or records].
	SC-37(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel authorizing, installing, configuring, operating, and/or using out-of-band channels; system developers/integrators].
	SC-37(01)-Test	[SELECT FROM: Organizational processes for the use of out-of-band channels; automated mechanisms supporting and/or implementing the use of out-of-band channels; automated mechanisms supporting/ implementing safeguards to ensure delivery of designated information, system components, or devices].

SC-38	OPERATIONS SECURITY	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-38_ODP	operations security controls to be employed to protect key organizational information throughout the system development life cycle are defined;
	SC-38	<sc-38_odp controls="" operations="" security=""> are employed to protect key organizational information throughout the system development life cycle.</sc-38_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-38-Examine	[SELECT FROM: System and communications protection policy; procedures addressing operations security; security plan; list of operations security safeguards; security control assessments; risk assessments; threat and vulnerability assessments; plans of action and milestones; system development life cycle documentation; system security plan; other relevant documents or records].
	SC-38-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].

SC-38	OPERATIONS SECURITY	
	SC-38-Test	[SELECT FROM: Organizational processes for protecting organizational information throughout the system development life cycle; automated mechanisms supporting and/or implementing safeguards to protect organizational information throughout the system development life cycle].

SC-39	PROCESS ISOLATION	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:
	SC-39	a separate execution domain is maintained for each executing system process.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-39-Examine	[SELECT FROM: System design documentation; system architecture; independent verification and validation documentation; testing and evaluation documentation; other relevant documents or records].
	SC-39-Interview	[SELECT FROM: System developers/integrators; system security architect].
	SC-39-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing separate execution domains for each executing process].
	SC-39-Test	

39(01)	PROCESS ISOLATION HARDWARE SEPARATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-39(01)	hardware separation is implemented to facilitate process isolation.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-39(01)-Examine	[SELECT FROM: System and communications protection policy; system design documentation; system configuration settings and associated documentation; system architecture; system documentation for hardware separation mechanisms; system documentation from vendors, manufacturers, or developers; independent verification and validation documentation; system security plan; other relevant documents or records].
	SC-39(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].
	SC-39(01)-Test	[SELECT FROM: System capability implementing underlying hardware separation mechanisms for process separation].

SC-39(02)	PROCESS ISOLATION SEPARATE EXECUTION DOMAIN PER THREAD		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-39(02)_ODP	multi-thread processing for which a separate execution domain is to be maintained for each thread is defined;	
	SC-39(02)	a separate execution domain is maintained for each thread in < SC-39(02)_ODP multi-threaded processing> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-39(02)-Examine	[SELECT FROM: System and communications protection policy; system design documentation; system configuration settings and associated documentation; system architecture; list of system execution domains for each thread in multi-threaded processing; system documentation for multi- threaded processing; system documentation from vendors, manufacturers, or developers; independent verification and validation documentation; system security plan; other relevant documents or records].	
	SC-39(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	
	SC-39(02)-Test	[SELECT FROM: System capability implementing a separate execution domain for each thread in multi-threaded processing].	

SC-40	WIRELESS LINK PROTECTION	
	ASSESSMENT OBJ Determine if:	ECTIVE:
	SC-40_ODP[01]	external wireless links to be protected from particular types of signal parameter attacks are defined;
	SC-40_ODP[02]	types of signal parameter attacks or references to sources for such attacks from which to protect external wireless links are defined;
	SC-40_ODP[03]	internal wireless links to be protected from particular types of signal parameter attacks are defined;
	SC-40_ODP[04]	types of signal parameter attacks or references to sources for such attacks from which to protect internal wireless links are defined;
	SC-40[01]	external < SC-40_ODP[01] wireless links> are protected from < SC-40_ODP[02] types of signal parameter attacks or references to sources for such attacks>.
	SC-40[02]	internal <sc-40_odp[03]< b=""> wireless links> are protected from <sc-40_odp[04]< b=""> types of signal parameter attacks or references to sources for such attacks>.</sc-40_odp[04]<></sc-40_odp[03]<>

SC-40	WIRELESS LINK PROTECTION		
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-40-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; procedures addressing wireless link protection; system design documentation; wireless network diagrams; system configuration settings and associated documentation; system architecture; list of internal and external wireless links; list of signal parameter attacks or references to sources for attacks; system audit records; system security plan; other relevant documents or records].	
	SC-40-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel authorizing, installing, configuring, and/or maintaining internal and external wireless links].	
	SC-40-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing protection of wireless links].	

SC-40(01)	WIRELESS LINK PROTECTION ELECTROMAGNETIC INTERFERENCE		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-40(01)_ODP	level of protection to be employed against the effects of intentional electromagnetic interference is defined;	
	SC-40(01)	cryptographic mechanisms that achieve <sc-40(01)_odp b="" level="" of<=""> protection> against the effects of intentional electromagnetic interference are implemented.</sc-40(01)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-40(01)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; procedures addressing wireless link protection; system design documentation; wireless network diagrams; system configuration settings and associated documentation; system architecture; system communications hardware and software; security categorization results; system audit records; system security plan; other relevant documents or records].	
	SC-40(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel authorizing, installing, configuring, and/or maintaining internal and external wireless links].	
	SC-40(01)-Test	[SELECT FROM: Cryptographic mechanisms enforcing protections against effects of intentional electromagnetic interference].	

SC-40(02)	WIRELESS LINK PROTECTION REDUCE DETECTION POTENTIAL ASSESSMENT OBJECTIVE: Determine if:	
	SC-40(02)_ODP	the level of reduction to be achieved to reduce the detection potential of wireless links is defined;
	SC-40(02)	cryptographic mechanisms to reduce the detection potential of wireless links to < SC-40(02)_ODP level of reduction> are implemented.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-40(02)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; procedures addressing wireless link protection; system design documentation; wireless network diagrams; system configuration settings and associated documentation; system architecture; system communications hardware and software; security categorization results; system audit records; system security plan; other relevant documents or records].
	SC-40(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel authorizing, installing, configuring, and/or maintaining internal and external wireless links].
	SC-40(02)-Test	[SELECT FROM: Cryptographic mechanisms enforcing protections to reduce the detection of wireless links].

SC-40(03)	WIRELESS LINK PROTECTION IMITATIVE OR MANIPULATIVE COMMUNICATIONS DECEPTION		
	ASSESSMENT OBJECT	ΓΙVΕ:	
	SC-40(03)	cryptographic mechanisms are implemented to identify and reject wireless transmissions that are deliberate attempts to achieve imitative or manipulative communications deception based on signal parameters.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-40(03)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; procedures addressing system design documentation; wireless network diagrams; system configuration settings and associated documentation; system architecture; system communications hardware and software; system audit records; system security plan; other relevant documents or records].	
	SC-40(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel authorizing, installing, configuring, and/or maintaining internal and external wireless links].	

SC-40(03)	WIRELESS LINK PROTECTION IMITATIVE OR MANIPULATIVE COMMUNICATIONS DECEPTION	
	SC-40(03)-Test	[SELECT FROM: Cryptographic mechanisms enforcing wireless link protections against imitative or manipulative communications deception].

SC-40(04)	WIRELESS LINK PROTECTION SIGNAL PARAMETER IDENTIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-40(04)_ODP	wireless transmitters for which cryptographic mechanisms are to be implemented are defined;
	SC-40(04)	cryptographic mechanisms are implemented to prevent the identification of <sc-40(04)_odp< b=""> wireless transmitters> by using the transmitter signal parameters.</sc-40(04)_odp<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-40(04)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; procedures addressing system design documentation; wireless network diagrams; system configuration settings and associated documentation; system architecture; system communications hardware and software; system audit records; system security plan; other relevant documents or records].
	SC-40(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel authorizing, installing, configuring, and/or maintaining internal and external wireless links].
	SC-40(04)-Test	[SELECT FROM: Cryptographic mechanisms preventing the identification of wireless transmitters].

SC-41	PORT AND I/O DEVICE ACCESS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-41_ODP[01]	connection ports or input/output devices to be disabled or removed are defined;
	SC-41_ODP[02]	one of the following PARAMETER VALUES is selected: {physically; logically};
	SC-41_ODP[03]	systems or system components with connection ports or input/output devices to be disabled or removed are defined;
	SC-41	<pre><sc-41_odp[01] connection="" devices="" input="" or="" output="" ports=""> are <sc-41_odp[02] parameter="" selected="" value=""> disabled or removed on <sc-41_odp[03] components="" or="" system="" systems="">.</sc-41_odp[03]></sc-41_odp[02]></sc-41_odp[01]></pre>

SC-41	PORT AND I/O DEVICE ACCESS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-41-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; procedures addressing port and input/ output device access; system design documentation; system configuration settings and associated documentation; system architecture; systems or system components; list of connection ports or input/output devices to be physically disabled or removed on systems or system components; system security plan; other relevant documents or records].
	SC-41-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].
	SC-41-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the disabling of connection ports or input/output devices].

SC-42	SENSOR CAPABILITY AND DATA		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-42_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {the use of devices possessing <sc-42_odp[02] environmental="" sensing<br="">capabilities>in<sc-42_odp[03] areas,="" facilities,="" or="" systems="">; the remote activation of environmental sensing capabilities on organizational systems or system components with the following exceptions:<sc-42_odp[04] exceptions where remote activation of sensors is allowed>};</sc-42_odp[04] </sc-42_odp[03]></sc-42_odp[02]>	
	SC-42_ODP[02]	environmental sensing capabilities in devices are defined (if selected);	
	SC-42_ODP[03]	facilities, areas, or systems where the use of devices possessing environmental sensing capabilities is prohibited are defined (if selected);	
	SC-42_ODP[04]	exceptions where remote activation of sensors is allowed are defined (if selected);	
	SC-42_ODP[05]	group of users to whom an explicit indication of sensor use is to be provided is defined;	
	SC-42a.	<sc-42_odp[01] parameter="" selected="" value(s)=""> is/are prohibited;</sc-42_odp[01]>	
	SC-42b.	an explicit indication of sensor use is provided to <sc-42_odp[05]< b=""> group of users>.</sc-42_odp[05]<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-42-Examine	[SELECT FROM: System and communications protection policy; procedures addressing sensor capabilities and data collection; access control policy and procedures; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	

SC-42	SENSOR CAPABILITY AND DATA	
	SC-42-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for sensor capabilities].
	SC-42-Test	[SELECT FROM: Automated mechanisms implementing access controls for the remote activation of system sensor capabilities; automated mechanisms implementing the capability to indicate sensor use].

SC-42(01)	SENSOR CAPABILITY AND DATA REPORTING TO AUTHORIZED INDIVIDUALS OR ROLES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-42(01)_ODP	sensors to be used to collect data or information are defined;
	SC-42(01)	the system is configured so that data or information collected by the < SC-42(01)_ODP sensors> is only reported to authorized individuals or roles.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-42(01)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; procedures addressing sensor capability and data collection; personally identifiable information processing policy; system design documentation; system configuration settings and associated documentation; system architecture; system audit records; system security plan; privacy plan; other relevant documents or records].
	SC-42(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for the sensor capabilities].
	SC-42(01)-Test	[SELECT FROM: Automated mechanisms restricting the reporting of sensor information to those authorized; sensor data collection and reporting capabilities for the system].

SC-42(02)	SENSOR CAPABILITY AND DATA AUTHORIZED USE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-42(02)_ODP[01]	measures to be employed so that data or information collected by sensors is only used for authorized purposes are defined;
	SC-42(02)_ODP[02]	sensors to be used to collect data or information are defined;
	SC-42(02)	< SC-42(02)_ODP[01] measures> are employed so that data or information collected by < SC-42(02)_ODP[02] sensors> is only used for authorized purposes.

SC-42(02)	SENSOR CAPABILITY AND DATA AUTHORIZED USE	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-42(02)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; personally identifiable information processing policy; sensor capability and data collection; system design documentation; system configuration settings and associated documentation; system architecture; list of measures to be employed to that the ensure data or information collected by sensors is only used for authorized purposes; system audit records; system security plan; privacy plan; other relevant documents or records].
	SC-42(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for sensor capabilities].
	SC-42(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing measures to ensure sensor information is only used for authorized purposes; sensor information collection capability for the system].

SC-42(03) SENSOR CAPABILITY AND DATA | PROHIBIT USE OF DEVICES

[WITHDRAWN: Incorporated into SC-42.]

SC-42(04)	SENSOR CAPABILITY AND DATA NOTICE OF COLLECTION	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	SC-42(04)_ODP[01]	measures to facilitate an individual's awareness that personally identifiable information is being collected are defined;
	SC-42(04)_ODP[02]	sensors that collect personally identifiable information are defined;
	SC-42(04)	<sc-42(04)_odp[01] measures=""> are employed to facilitate an individual's awareness that personally identifiable information is being collected by <sc-42(04)_odp[02] sensors=""></sc-42(04)_odp[02]></sc-42(04)_odp[01]>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-42(04)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; personally identifiable information processing policy; sensor capability and data collection policy and procedures; system design documentation; system configuration settings and associated documentation; privacy risk assessment documentation; privacy impact assessments; system architecture; list of measures to be employed to ensure that individuals are aware that personally identifiable information is being collected by sensors; examples of notifications provided to individuals that personally identifiable information is being collected by sensors; system audit records; system security plan; privacy plan; other relevant documents or records].

SC-42(04)	SENSOR CAPABILITY AND DATA NOTICE OF COLLECTION	
	SC-42(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for sensor capabilities].
	SC-42(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing measures to facilitate an individual's awareness that personally identifiable information is being collected by sensors; sensor information collection capabilities for the system].

SC-42(05)	SENSOR CAPABILITY AND DATA COLLECTION MINIMIZATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-42(05)_ODP	the sensors that are configured to minimize the collection of unneeded information about individuals are defined;
	SC-42(05)	the <sc-42(05)_odp< b=""> sensors> configured to minimize the collection of information about individuals that is not needed are employed.</sc-42(05)_odp<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SC-42(05)-Examine	[SELECT FROM: System and communications protection policy; access control policy and procedures; personally identifiable information processing policy; sensor capability and data collection policy and procedures; system design documentation; system configuration settings and associated documentation; privacy risk assessment documentation; privacy impact assessments; system architecture; list of information being collected by sensors; list of sensor configurations that minimize the collection of personally identifiable information (e.g., obscure human features); system audit records; system security plan; privacy plan; other relevant documents or records].
	SC-42(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for sensor capabilities].
	SC-42(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing measures to facilitate the review of information that is being collected by sensors; sensor information collection capabilities for the system].

SC-43	USAGE RESTRICTIONS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-43_ODP	the components for which usage restrictions and implementation guidance are to be established are defined;

SC-43	USAGE RESTRICTIONS		
	SC-43a.	usage restrictions and implementation guidelines are established for < <i>SC-43_ODP components></i> ;	
	SC-43b.[01]	the use of <sc-43_odp< b=""> components> is authorized within the system;</sc-43_odp<>	
	SC-43b.[02]	the use of <sc-43_odp< b=""> components> is monitored within the system;</sc-43_odp<>	
	SC-43b.[03]	the use of <<i>SC-43_ODP components></i> is controlled within the system.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-43-Examine	[SELECT FROM: System and communications protection policy; usage restrictions; procedures addressing usage restrictions; implementation policy and procedures; authorization records; system monitoring records; system audit records; system security plan; other relevant documents or records].	
	SC-43-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].	
	SC-43-Test	[SELECT FROM: Organizational processes for authorizing, monitoring, and controlling the use of components with usage restrictions; Automated mechanisms supporting and/or implementing, authorizing, monitoring, and controlling the use of components with usage restrictions].	

SC-44	DETONATION CHAMBERS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-44_ODP	the system, system component, or location where a detonation chamber capability is to be employed is defined;	
	SC-44	a detonation chamber capability is employed within the <sc-44_odp< b=""> system, system component, or location>.</sc-44_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-44-Examine	[SELECT FROM: System and communications protection policy; procedures addressing detonation chambers; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-44-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].	
	SC-44-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the detonation chamber capability].	
	SC-44-Test		

SC-45	SYSTEM TIME SYNCHRONIZATION		
ASSESSMENT OBJECTIVE: Determine if:		ΓΙVΕ:	
	SC-45	system clocks are synchronized within and between systems and system components.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-45-Examine	[SELECT FROM: System and communications protection policy; procedures addressing time synchronization; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-45-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].	
	SC-45-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing system time synchronization].	

SC-45(01)	SYSTEM TIME SYNCHRONIZATION SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-45(01)_ODP[01]	the frequency at which to compare the internal system clocks with the authoritative time source is defined;
	SC-45(01)_ODP[02]	the authoritative time source to which internal system clocks are to be compared is defined;
	SC-45(01)_ODP[03]	the time period to compare the internal system clocks with the authoritative time source is defined;
	SC-45(01)(a)	the internal system clocks are compared <sc-45(01)_odp[01] frequency=""></sc-45(01)_odp[01]> with <sc-45(01)_odp[02] authoritative="" source="" time=""></sc-45(01)_odp[02]> ;
	SC-45(01)(b)	the internal system clocks are synchronized with the authoritative time source when the time difference is greater than <sc-45(01)_odp[03] b="" time<=""> <i>period</i>>.</sc-45(01)_odp[03]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-45(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing time synchronization; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-45(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].

SC-45(01)	SYSTEM TIME SYNCHRONIZATION SYNCHRONIZATION WITH AUTHORITATIVE TIME SOURCE	
	SC-45(01)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing system time synchronization].

SYSTEM TIME SYNCHRONIZATION SECONDARY AUTHORITATIVE TIME SOURCE ASSESSMENT OBJECTIVE: Determine if:		
		SC-45(02)(a)
SC-45(02)(b)	the internal system clocks are synchronized to the secondary authoritative time source if the primary authoritative time source is unavailable.	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SC-45(02)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing time synchronization; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
SC-45(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].	
SC-45(02)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing system time synchronization with secondary authoritative time sources].	
	ASSESSMENT OBJEC Determine if: SC-45(02)(a) SC-45(02)(b) POTENTIAL ASSESSM SC-45(02)-Examine SC-45(02)-Interview	

SC-46	CROSS DOMAIN POLICY ENFORCEMENT	
	ASSESSMENT OBJECTIVE: Determine if:	
	SC-46_ODP	one of the following PARAMETER VALUES is selected: {physically; logically};
	SC-46	a policy enforcement mechanism is <sc-46_odp b="" parameter<="" selected=""> VALUE> implemented between the physical and/or network interfaces for the connecting security domains.</sc-46_odp>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-46-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cross-domain policy enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-46-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].

SC-46	CROSS DOMAIN POLICY ENFORCEMENT	
	SC-46-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing cross-domain policy enforcement].

-47	ALTERNATE COMMUNICATIONS PATHS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SC-47_ODP	alternate communication paths for system operations and operational command and control are defined;	
	SC-47	< SC-47_ODP alternate communication paths > are established for system operations and operational command and control.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-47-Examine	[SELECT FROM: System and communications protection policy; procedures addressing communication paths; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-47-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers].	
	SC-47-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing alternate communication paths for system operations].	

SC-48	SENSOR RELOCATION	V
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-48_ODP[01]	sensors and monitoring capabilities to be relocated are defined;
	SC-48_ODP[02]	locations to where sensors and monitoring capabilities are to be relocated are defined;
	SC-48_ODP[03]	conditions or circumstances for relocating sensors and monitoring capabilities are defined;
	SC-48	<sc-48_odp[01] and="" capabilities="" monitoring="" sensors=""> are relocated to <sc-48_odp[02] locations=""> under <sc-48_odp[03] conditions="" or<br="">circumstances>.</sc-48_odp[03]></sc-48_odp[02]></sc-48_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-48-Examine	[SELECT FROM: System and communications protection policy; procedures addressing sensor and monitoring capability relocation; list of sensors/ monitoring capabilities to be relocated; change control records; configuration management records; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].

SC-48	SENSOR RELOCATION	
	SC-48-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].
	SC-48-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing sensor relocation].

SC-48(01)	SENSOR RELOCATION	SENSOR RELOCATION DYNAMIC RELOCATION OF SENSORS OR MONITORING CAPABILITIES	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SC-48(01)_ODP[01]	sensors and monitoring capabilities to be dynamically relocated are defined;	
	SC-48(01)_ODP[02]	locations to where sensors and monitoring capabilities are to be dynamically relocated are defined;	
	SC-48(01)_ODP[03]	conditions or circumstances for dynamically relocating sensors and monitoring capabilities are defined;	
	SC-48(01)	<sc-48(01)_odp[01] and="" capabilities="" monitoring="" sensors=""> are dynamically relocated to <sc-48(01)_odp[02] locations=""> under <sc-48(01)_odp[03] circumstances="" conditions="" or="">.</sc-48(01)_odp[03]></sc-48(01)_odp[02]></sc-48(01)_odp[01]>	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	SC-48(01)-Examine	[SELECT FROM: System and communications protection policy; procedures addressing sensor and monitoring capability relocation; list of sensors/ monitoring capabilities to be relocated; change control records; configuration management records; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-48(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].	
	SC-48(01)-Test	[SELECT FROM: SELECT FROM: Automated mechanisms supporting and/or implementing sensor relocation].	

SC-49	HARDWARE-ENFORCED SEPARATION AND POLICY ENFORCEMENT	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-49_ODP	security domains requiring hardware-enforced separation and policy enforcement mechanisms are defined;

SC-49	HARDWARE-ENFORCED SEPARATION AND POLICY ENFORCEMENT	
	SC-49	hardware-enforced separation and policy enforcement mechanisms are implemented between <sc-49_odp domains="" security=""></sc-49_odp> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SC-49-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cross-domain policy enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SC-49-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].
	SC-49-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing hardware-enforced security domain separation and policy enforcement].

SC-50	SOFTWARE-ENFORCE	SOFTWARE-ENFORCED SEPARATION AND POLICY ENFORCEMENT	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SC-50_ODP	security domains requiring software-enforced separation and policy enforcement mechanisms are defined;	
	SC-50	software-enforced separation and policy enforcement mechanisms are implemented between <sc-50_odp< b=""> security domains>.</sc-50_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-50-Examine	[SELECT FROM: System and communications protection policy; procedures addressing cross-domain policy enforcement; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SC-50-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system].	
	SC-50-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing software-enforced separation and policy enforcement].	

SC-51	HARDWARE-BASED PROTECTION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SC-51_ODP[01]	system firmware components requiring hardware-based write-protect are defined;
	SC-51_ODP[02]	authorized individuals requiring procedures for disabling and re-enabling hardware write-protect are defined;

SC-51	HARDWARE-BASED PROTECTION		
	SC-51a.	hardware-based write-protect for <sc-51_odp[01] b="" firmware<="" system=""> components> is employed;</sc-51_odp[01]>	
	SC-51b.[01]	specific procedures are implemented for <sc-51_odp[02]< b=""> authorized individuals> to manually disable hardware write-protect for firmware modifications;</sc-51_odp[02]<>	
	SC-51b.[02]	specific procedures are implemented for <sc-51_odp[02]< b=""> authorized individuals> to re-enable the write-protect prior to returning to operational mode.</sc-51_odp[02]<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SC-51-Examine	[SELECT FROM: System and communications protection policy; procedures addressing firmware modifications; system design documentation; system configuration settings and associated documentation; system architecture; system audit records; system security plan; other relevant documents or records].	
	SC-51-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; system developers/integrators].	
	SC-51-Test	[SELECT FROM: Organizational processes for modifying system firmware; automated mechanisms supporting and/or implementing hardware-based write-protection for system firmware].	
	SC-51-Test	[SELECT FROM: Organizational processes for modifying system firmware; automated mechanisms supporting and/or implementing hardware-base	

4.19 SYSTEM AND INFORMATION INTEGRITY

SI-01	POLICY AND PROCEE	DURES
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-01_ODP[01]	personnel or roles to whom the system and information integrity policy is to be disseminated is/are defined;
	SI-01_ODP[02]	personnel or roles to whom the system and information integrity procedures are to be disseminated is/are defined;
	SI-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	SI-01_ODP[04]	an official to manage the system and information integrity policy and procedures is defined;
	SI-01_ODP[05]	the frequency at which the current system and information integrity policy is reviewed and updated is defined;
	SI-01_ODP[06]	events that would require the current system and information integrity policy to be reviewed and updated are defined;
	SI-01_ODP[07]	the frequency at which the current system and information integrity procedures are reviewed and updated is defined;
	SI-01_ODP[08]	events that would require the system and information integrity procedures to be reviewed and updated are defined;
	SI-01a.[01]	a system and information integrity policy is developed and documented;
	SI-01a.[02]	the system and information integrity policy is disseminated to < <i>SI-01_ODP[01] personnel or roles></i> ;
	SI-01a.[03]	system and information integrity procedures to facilitate the implementation of the system and information integrity policy and associated system and information integrity controls are developed and documented;
	SI-01a.[04]	the system and information integrity procedures are disseminated to < <i>SI-01_ODP[02] personnel or roles></i> ;
	SI-01a.01(a)[01]	the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)></i> system and information integrity policy addresses purpose;
	SI-01a.01(a)[02]	the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)></i> system and information integrity policy addresses scope;
	SI-01a.01(a)[03]	the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)></i> system and information integrity policy addresses roles;
	SI-01a.01(a)[04]	the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)></i> system and information integrity policy addresses responsibilities;
	SI-01a.01(a)[05]	the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)</i> system and information integrity policy addresses management commitment;

SI-01a.01(a)[06] the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)></i> system and information integrity policy addresses coordination among organization entities; SI-01a.01(a)[07] the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)></i> system and information integrity policy addresses compliance; SI-01a.01(a)[07] the < <i>SI-01_ODP[03] SELECTED PARAMETER VALUE(S)></i> system and information integrity policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines; SI-01b. the < <i>SI-01_ODP[04] official></i> is designated to manage the development documentation, and dissemination of the system and information integrity policy is reviewed and uppolicy and procedures; SI-01c.01[01] the current system and information integrity policy is reviewed and uppolicy and procedures; SI-01c.01[02] the current system and information integrity policy is reviewed and uppolicy following < <i>SI-01_ODP[06] events></i> ; SI-01c.02[01] the current system and information integrity policy is reviewed and uppolicy is reviewed and uppolicy is reviewed and uppolicy is reviewed and uppolicy following < <i>SI-01_ODP[06] events></i> ; SI-01c.02[01] the current system and information integrity policy is reviewed and uppolicy is reviewed and upp	POLICY AND PROCEDURES	
SI-01a.01(b) the <si-01_odp[03] parameter="" selected="" value(s)=""> system and information integrity policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines; SI-01b. the <si-01_odp[04] official=""> is designated to manage the development documentation, and dissemination of the system and information integrity policy is reviewed and upor <si-01_odp[05] frequency="">; SI-01c.01[01] the current system and information integrity policy is reviewed and upor <si-01_odp[05] frequency="">; SI-01c.01[02] the current system and information integrity policy is reviewed and upor following <si-01_odp[06] events="">; SI-01c.02[01] the current system and information integrity policy is reviewed and upor following <si-01_odp[07] frequency="">; SI-01c.02[01] the current system and information integrity procedures are reviewed a updated <si-01_odp[07] frequency="">; SI-01c.02[02] the current system and information integrity procedures are reviewed a updated following <si-01_odp[08] events="">. POTENTIAL ASSESSMENT METHODS AND OBJECTS: POTENTIAL ASSESSMENT METHODS AND OBJECTS:</si-01_odp[08]></si-01_odp[07]></si-01_odp[07]></si-01_odp[06]></si-01_odp[05]></si-01_odp[05]></si-01_odp[04]></si-01_odp[03]>	nal	SI-01a.01(a)[06]
SI-01b.the < <i>SI-01_ODP[04] official></i> is designated to manage the development documentation, and dissemination of the system and information integr policy and procedures;SI-01c.01[01]the current system and information integrity policy is reviewed and upor < <i>SI-01_ODP[05] frequency></i> ;SI-01c.01[02]the current system and information integrity policy is reviewed and upor following < <i>SI-01_ODP[06] events></i> ;SI-01c.02[01]the current system and information integrity policy is reviewed and upor following < <i>SI-01_ODP[06] events></i> ;SI-01c.02[01]the current system and information integrity policy is reviewed and upor following < <i>SI-01_ODP[07] frequency></i> ;SI-01c.02[02]the current system and information integrity procedures are reviewed a updated < <i>SI-01_ODP[07] frequency></i> ;SI-01c.02[02]the current system and information integrity procedures are reviewed a updated following < <i>SI-01_ODP[08] events></i> .POTENTIAL ASSESSMENT METHODS AND OBJECTS:		SI-01a.01(a)[07]
SI-01c.01[01] the current system and information integrity policy is reviewed and upor (SI-01_ODP[05] frequency>; SI-01c.01[02] the current system and information integrity policy is reviewed and upor following (SI-01_ODP[06] events>; SI-01c.02[01] the current system and information integrity policy is reviewed and upor following (SI-01_ODP[06] events>; SI-01c.02[01] the current system and information integrity procedures are reviewed and updated (SI-01_ODP[07] frequency>; SI-01c.02[02] the current system and information integrity procedures are reviewed and updated (SI-01_ODP[07] frequency>; SI-01c.02[02] the current system and information integrity procedures are reviewed and updated following (SI-01_ODP[08] events>). POTENTIAL ASSESSMENT METHODS AND OBJECTS: Description of the system and information integrity procedures are reviewed and updated following (SI-01_ODP[08] events).	'e	SI-01a.01(b)
<si-01_odp[05] frequency="">; SI-01c.01[02] the current system and information integrity policy is reviewed and upor following <si-01_odp[06] events="">; SI-01c.02[01] the current system and information integrity procedures are reviewed a updated <si-01_odp[07] frequency="">; SI-01c.02[02] the current system and information integrity procedures are reviewed a updated <si-01_odp[07] frequency="">; SI-01c.02[02] the current system and information integrity procedures are reviewed a updated following <si-01_odp[08] events="">. POTENTIAL ASSESSMENT METHODS AND OBJECTS:</si-01_odp[08]></si-01_odp[07]></si-01_odp[07]></si-01_odp[06]></si-01_odp[05]>		SI-01b.
following <si-01_odp[06] events="">; SI-01c.02[01] the current system and information integrity procedures are reviewed a updated <si-01_odp[07] frequency="">; SI-01c.02[02] the current system and information integrity procedures are reviewed a updated following <si-01_odp[08] events="">. POTENTIAL ASSESSMENT METHODS AND OBJECTS:</si-01_odp[08]></si-01_odp[07]></si-01_odp[06]>	dated	SI-01c.01[01]
updated <si-01_odp[07] frequency="">; SI-01c.02[02] the current system and information integrity procedures are reviewed a updated following <si-01_odp[08] events="">. POTENTIAL ASSESSMENT METHODS AND OBJECTS:</si-01_odp[08]></si-01_odp[07]>	dated	SI-01c.01[02]
updated following < <i>SI-01_ODP[08] events</i> >. POTENTIAL ASSESSMENT METHODS AND OBJECTS:	and	SI-01c.02[01]
	and	SI-01c.02[02]
		POTENTIAL ASSESSM
SI-01-Examine [SELECT FROM: System and information integrity policy; system and information integrity procedures; system security plan; privacy plan; other relevant documents or records].	ther	SI-01-Examine
SI-01-Interview [SELECT FROM: Organizational personnel with system and information integrity responsibilities; organizational personnel with information sec and privacy responsibilities].		SI-01-Interview

SI-02	FLAW REMEDIATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-02_ODP	time period within which to install security-relevant software updates after the release of the updates is defined;
	SI-02a.[01]	system flaws are identified;
	SI-02a.[02]	system flaws are reported;
	SI-02a.[03]	system flaws are corrected;
	SI-02b.[01]	software updates related to flaw remediation are tested for effectiveness before installation;

SI-02	FLAW REMEDIATION	
	SI-02b.[02]	software updates related to flaw remediation are tested for potential side effects before installation;
	SI-02b.[03]	firmware updates related to flaw remediation are tested for effectiveness before installation;
	SI-02b.[04]	firmware updates related to flaw remediation are tested for potential side effects before installation;
	SI-02c.[01]	security-relevant software updates are installed within < <i>SI-02_ODP time</i> <i>period</i> > of the release of the updates;
	SI-02c.[02]	security-relevant firmware updates are installed within <si-02_odp b="" time<=""> period> of the release of the updates;</si-02_odp>
	SI-02d.	flaw remediation is incorporated into the organizational configuration management process.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-02-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing flaw remediation; procedures addressing configuration management; list of flaws and vulnerabilities potentially affecting the system; list of recent security flaw remediation actions performed on the system (e.g., list of installed patches, service packs, hot fixes, and other software updates to correct system flaws); test results from the installation of software and firmware updates to correct system flaws; installation/change control records for security-relevant software and firmware updates; system security plan; privacy plan; other relevant documents or records].
	SI-02-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel responsible for installing, configuring, and/or maintaining the system; organizational personnel responsible for flaw remediation; organizational personnel with configuration management responsibilities].
	SI-02-Test	[SELECT FROM: Organizational processes for identifying, reporting, and correcting system flaws; organizational process for installing software and firmware updates; automated mechanisms supporting and/or implementing the reporting and correcting of system flaws; automated mechanisms supporting and/or implementing testing software and firmware updates].

SI-02(01)	FLAW REMEDIATION CENTRAL MANAGEMENT	
	[WITHDRAWN: Incorporated into PL-09.]	

SI-02(02)	FLAW REMEDIATION AUTOMATED FLAW REMEDIATION STATUS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-02(02)_ODP[01]	automated mechanisms to determine if applicable security-relevant software and firmware updates are installed on system components are defined;
	SI-02(02)_ODP[02]	the frequency at which to determine if applicable security-relevant software and firmware updates are installed on system components is defined;
	SI-02(02)	system components have applicable security-relevant software and firmware updates installed <i><si-02(02)_odp[02] frequency=""></si-02(02)_odp[02]></i> using <i><si-02(02)_odp[01] automated="" mechanisms=""></si-02(02)_odp[01]></i> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-02(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing flaw remediation; automated mechanisms supporting centralized management of flaw remediation; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SI-02(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for flaw remediation].
	SI-02(02)-Test	[SELECT FROM: Automated mechanisms used to determine the state of system components with regard to flaw remediation].

SI-02(03)	FLAW REMEDIATION TIME TO REMEDIATE FLAWS AND BENCHMARKS FOR CORRECTIVE ACTIONS		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	SI-02(03)_ODP	the benchmarks for taking corrective actions are defined;	
	SI-02(03)(a)	the time between flaw identification and flaw remediation is measured;	
	SI-02(03)(b)	< SI-02(03)_ODP benchmarks> for taking corrective actions have been established.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-02(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing flaw remediation; system design documentation; system configuration settings and associated documentation; list of benchmarks for taking corrective action on identified flaws; records that provide timestamps of flaw identification and subsequent flaw remediation activities; system security plan; other relevant documents or records].	

FLAW REMEDIATION ACTIONS	N TIME TO REMEDIATE FLAWS AND BENCHMARKS FOR CORRECTIVE
SI-02(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for flaw remediation].
SI-02(03)-Test	[SELECT FROM: Organizational processes for identifying, reporting, and correcting system flaws; automated mechanisms used to measure the time between flaw identification and flaw remediation].
	ACTIONS SI-02(03)-Interview

SI-02(04)	FLAW REMEDIATION	AUTOMATED PATCH MANAGEMENT TOOLS
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-02(04)_ODP	the system components requiring automated patch management tools to facilitate flaw remediation are defined;
	SI-02(04)	automated patch management tools are employed to facilitate flaw remediation to <<i>SI-02(04)_ODP components></i> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-02(04)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing flaw remediation; automated mechanisms supporting flaw remediation and automatic software/firmware updates; system design documentation; system configuration settings and associated documentation; list of system flaws; records of recent security-relevant software and firmware updates that are automatically installed to system components; system audit records; system security plan; other relevant documents or records].
	SI-02(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for flaw remediation].
	SI-02(04)-Test	[SELECT FROM: Automated patch management tools; automated mechanisms implementing automatic software/firmware updates; automated mechanisms facilitating flaw remediation to system components].

:	SI-02(05)	FLAW REMEDIATION AUTOMATIC SOFTWARE AND FIRMWARE UPDATES	
		ASSESSMENT OBJEC Determine if:	ΤΙVΕ:
		SI-02(05)_ODP[01]	security-relevant software and firmware updates to be automatically installed to system components are defined;

2(05) FLAW REMEDIATION	AUTOMATIC SOFTWARE AND FIRMWARE UPDATES
SI-02(05)_ODP[02]	system components requiring security-relevant software updates to be automatically installed are defined;
SI-02(05)	<si-02(05)_odp[01] and="" firmware="" security-relevant="" software="" updates=""> are installed automatically to <si-02(05)_odp[02] components="" system="">.</si-02(05)_odp[02]></si-02(05)_odp[01]>
POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
SI-02(05)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing flaw remediation; automated mechanisms supporting flaw remediation and automatic software/firmware updates; system design documentation; system configuration settings and associated documentation; records of recent security-relevant software and firmware updates automatically installed to system components; system audit records; system security plan; other relevant documents or records].
SI-02(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for flaw remediation].
SI-02(05)-Test	[SELECT FROM: Automated mechanisms implementing automatic software/ firmware updates].
	with information security responsibilities; organizational personnel in configuring, and/or maintaining the system; organizational personne responsible for flaw remediation]. [SELECT FROM: Automated mechanisms implementing automatic so

06)	FLAW REMEDIATION	I REMOVAL OF PREVIOUS VERSIONS OF SOFTWARE AND FIRMWARE
	ASSESSMENT OBJEC	TIVE:
	SI-02(06)_ODP	software and firmware components to be removed after updated versions have been installed are defined;
	SI-02(06)	previous versions of <si-02(06)_odp< b=""> software and firmware components> are removed after updated versions have been installed.</si-02(06)_odp<>
	POTENTIAL ASSESS	AENT METHODS AND OBJECTS:
	SI-02(06)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing flaw remediation; automated mechanisms supporting flaw remediation; system design documentation; system configuration settings and associated documentation; records of software and firmware component removals after updated versions are installed; system audit records; system security plan; other relevant documents or records].
	SI-02(06)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for flaw remediation].
	SI-02(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the removal of previous versions of software/firmware].

SI-03	MALICIOUS CODE	PROTECTION
	ASSESSMENT OBJE Determine if:	ECTIVE:
	SI-03_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {signature-based; non-signature-based};
	SI-03_ODP[02]	the frequency at which malicious code protection mechanisms perform scans is defined;
	SI-03_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {endpoint; network entry and exit points};
	SI-03_ODP[04]	one or more of the following PARAMETER VALUES is/are selected: {block malicious code; quarantine malicious code; take <si-03_odp[05] action="">};</si-03_odp[05]>
	SI-03_ODP[05]	action to be taken in response to malicious code detection are defined (if selected);
	SI-03_ODP[06]	personnel or roles to be alerted when malicious code is detected is/are defined;
	SI-03a.[01]	<pre><si-03_odp[01] parameter="" selected="" value(s)=""> malicious code protection mechanisms are implemented at system entry and exit points to detect malicious code;</si-03_odp[01]></pre>
	SI-03a.[02]	<si-03_odp[01] parameter="" selected="" value(s)=""> malicious code protection mechanisms are implemented at system entry and exit points to eradicate malicious code;</si-03_odp[01]>
	SI-03b.	malicious code protection mechanisms are updated automatically as new releases are available in accordance with organizational configuration management policy and procedures;
	SI-03c.01[01]	malicious code protection mechanisms are configured to perform periodic scans of the system <si-03_odp[02]< b=""> frequency>;</si-03_odp[02]<>
	SI-03c.01[02]	malicious code protection mechanisms are configured to perform real- time scans of files from external sources at <si-03_odp[03] b="" selected<=""> PARAMETER VALUE(S)> as the files are downloaded, opened, or executed in accordance with organizational policy;</si-03_odp[03]>
	SI-03c.02[01]	malicious code protection mechanisms are configured to <si-03_odp[04]< b=""> SELECTED PARAMETER VALUE(S)> in response to malicious code detection;</si-03_odp[04]<>
	SI-03c.02[02]	malicious code protection mechanisms are configured to send alerts to <si-03_odp[06] or="" personnel="" roles=""></si-03_odp[06]> in response to malicious code detection;
	SI-03d.	the receipt of false positives during malicious code detection and eradication and the resulting potential impact on the availability of the system are addressed.

SI-03	MALICIOUS CODE	PROTECTION
	POTENTIAL ASSES	SMENT METHODS AND OBJECTS:
	SI-03-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; configuration management policy and procedures; procedures addressing malicious code protection; malicious code protection mechanisms; records of malicious code protection updates; system design documentation; system configuration settings and associated documentation; scan results from malicious code protection mechanisms; record of actions initiated by malicious code protection mechanisms in response to malicious code detection; system audit records; system security plan; other relevant documents or records].
	SI-03-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for malicious code protection; organizational personnel with configuration management responsibilities].
	SI-03-Test	[SELECT FROM: Organizational processes for employing, updating, and configuring malicious code protection mechanisms; organizational processes for addressing false positives and resulting potential impacts; automated mechanisms supporting and/or implementing, employing, updating, and configuring malicious code protection mechanisms; automated mechanisms supporting and/or implementing malicious code scanning and subsequent actions].

SI-03(01)	MALICIOUS CODE PROTECTION CENTRAL MANAGEMENT	
	[WITHDRAWN: Incorporated into PL-09.]	

SI-03(02)	MALICIOUS CODE PROTECTION AUTOMATIC UPDATES	
	[WITHDRAWN: Incorporated into SI-03.]	

SI-03(03)	MALICIOUS CODE PROTECTION NON-PRIVILEGED USERS
	[WITHDRAWN: Incorporated into AC-06(10).]

SI-03(04)	MALICIOUS CODE PROTECTION UPDATES ONLY BY PRIVILEGED USERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-03(04)	malicious code protection mechanisms are updated only when directed by a privileged user.

SI-03(04)	MALICIOUS CODE PR	ROTECTION UPDATES ONLY BY PRIVILEGED USERS
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-03(04)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing malicious code protection; list of privileged users on system; system design documentation; malicious code protection mechanisms; records of malicious code protection updates; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SI-03(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for malicious code protection].
	SI-03(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing malicious code protection capabilities].

SI-03(05)	MALICIOUS CODE PROTECTION PORTABLE STORAGE DEVICES
	[WITHDRAWN: Incorporated into MP-07.]

SI-03(06)	MALICIOUS CODE PROTECTION TESTING AND VERIFICATION	
	ASSESSMENT OBJECT Determine if:	FIVE:
	SI-03(06)_ODP	the frequency at which to test malicious code protection mechanisms is defined;
	SI-03(06)(a)	malicious code protection mechanisms are tested <si-03(06)_odp< b=""> frequency> by introducing known benign code into the system;</si-03(06)_odp<>
	SI-03(06)(b)[01]	the detection of (benign test) code occurs;
	SI-03(06)(b)[02]	the associate incident reporting occurs.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-03(06)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing malicious code protection; system design documentation; system configuration settings and associated documentation; test cases; records providing evidence of test cases executed on malicious code protection mechanisms; system audit records; system security plan; other relevant documents or records].
	SI-03(06)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for malicious code protection].

SI-03(06)	MALICIOUS CODE PROTECTION TESTING AND VERIFICATION	
	SI-03(06)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the testing and verification of malicious code protection capabilities].

SI-03(07)	MALICIOUS CODE PROTECTION NONSIGNATURE-BASED DETECTION
	[WITHDRAWN: Incorporated into SI-03.]

SI-03(08)	MALICIOUS CODE PF	MALICIOUS CODE PROTECTION DETECT UNAUTHORIZED COMMANDS	
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-03(08)_ODP[01]	system hardware components for which unauthorized operating system commands are to be detected through the kernel application programming interface are defined;	
	SI-03(08)_ODP[02]	unauthorized operating system commands to be detected are defined;	
	SI-03(08)_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {issue a warning; audit the command execution; prevent the execution of the command};	
	SI-03(08)(a)	<pre><si-03(08)_odp[01] commands="" operating="" system="" unauthorized=""> are detected through the kernel application programming interface on <si-03(08)_odp[02] components="" hardware="" system="">;</si-03(08)_odp[02]></si-03(08)_odp[01]></pre>	
	SI-03(08)(b)	<si-03(08)_odp[03] parameter="" selected="" value(s)=""> is/are performed.</si-03(08)_odp[03]>	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:	
	SI-03(08)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing malicious code protection; system design documentation; malicious code protection mechanisms; warning messages sent upon the detection of unauthorized operating system command execution; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-03(08)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for malicious code protection].	
	SI-03(08)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing malicious code protection capabilities; automated mechanisms supporting and/or implementing the detection of unauthorized operating system commands through the kernel application programming interface].	

SI-03(09) MALICIOUS CODE PROTECTION | AUTHENTICATE REMOTE COMMANDS

[WITHDRAWN: Moved to AC-17(10).]

SI-03(10)	MALICIOUS CODE PROTECTION MALICIOUS CODE ANALYSIS	
ASSESSMENT OBJECTIVE: Determine if:		TIVE:
	SI-03(10)_ODP	tools and techniques to be employed to analyze the characteristics and behavior of malicious code are defined;
	SI-03(10)(a)	<pre><si-03(10)_odp and="" techniques="" tools=""> are employed to analyze the characteristics and behavior of malicious code;</si-03(10)_odp></pre>
	SI-03(10)(b)[01]	the results from malicious code analysis are incorporated into organizational incident response processes;
	SI-03(10)(b)[02]	the results from malicious code analysis are incorporated into organizational flaw remediation processes.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-03(10)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing malicious code protection; procedures addressing incident response; procedures addressing flaw remediation; system design documentation; malicious code protection mechanisms, tools, and techniques; system configuration settings and associated documentation; results from malicious code analyses; records of flaw remediation events resulting from malicious code analyses; system audit records; system security plan; other relevant documents or records].
	SI-03(10)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for malicious code protection; organizational personnel responsible for flaw remediation; organizational personnel responsible for incident response/management].
	SI-03(10)-Test	[SELECT FROM: Organizational process for incident response; organizational process for flaw remediation; automated mechanisms supporting and/or implementing malicious code protection capabilities; tools and techniques for the analysis of malicious code characteristics and behavior].

SI-04	SYSTEM MONITORING	
ASSESSMENT OBJECT		TIVE:
	SI-04_ODP[01]	monitoring objectives to detect attacks and indicators of potential attacks on the system are defined;

SI-04	SYSTEM MONITORIN	G
	SI-04_ODP[02]	techniques and methods used to identify unauthorized use of the system are defined;
	SI-04_ODP[03]	system monitoring information to be provided to personnel or roles is defined;
	SI-04_ODP[04]	personnel or roles to whom system monitoring information is to be provided is/are defined;
	SI-04_ODP[05]	one or more of the following PARAMETER VALUES is/are selected: {as needed; <si-04_odp[06] frequency="">};</si-04_odp[06]>
	SI-04_ODP[06]	a frequency for providing system monitoring to personnel or roles is defined (if selected);
	SI-04a.01	the system is monitored to detect attacks and indicators of potential attacks in accordance with <si-04_odp[01]< b=""> monitoring objectives>;</si-04_odp[01]<>
	SI-04a.02[01]	the system is monitored to detect unauthorized local connections;
	SI-04a.02[02]	the system is monitored to detect unauthorized network connections;
	SI-04a.02[03]	the system is monitored to detect unauthorized remote connections;
	SI-04b.	unauthorized use of the system is identified through < SI-04_ODP[02] techniques and methods>;
	SI-04c.01	internal monitoring capabilities are invoked or monitoring devices are deployed strategically within the system to collect organization-determined essential information;
	SI-04c.02	internal monitoring capabilities are invoked or monitoring devices are deployed at ad hoc locations within the system to track specific types of transactions of interest to the organization;
	SI-04d.[01]	detected events are analyzed;
	SI-04d.[02]	detected anomalies are analyzed;
	SI-04e.	the level of system monitoring activity is adjusted when there is a change in risk to organizational operations and assets, individuals, other organizations, or the Nation;
	SI-04f.	a legal opinion regarding system monitoring activities is obtained;
	SI-04g.	<si-04_odp[03] information="" monitoring="" system=""> is provided to <si-04_odp[04] or="" personnel="" roles=""> <si-04_odp[05] parameter<br="" selected="">VALUE(S)>.</si-04_odp[05]></si-04_odp[04]></si-04_odp[03]>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-04-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; continuous monitoring strategy; facility diagram/ layout; system design documentation; system monitoring tools and techniques documentation; locations within the system where monitoring devices are deployed; system configuration settings and associated documentation; system security plan; other relevant documents or records].

SI-04	SYSTEM MONITO	SYSTEM MONITORING	
	SI-04-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system].	
	SI-04-Test	[SELECT FROM: Organizational processes for system monitoring; automated mechanisms supporting and/or implementing system monitoring capabilities].	

SI-04(01)	SYSTEM MONITORING SYSTEM-WIDE INTRUSION DETECTION SYSTEM	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-04(01)[01]	individual intrusion detection tools are connected to a system-wide intrusion detection system;
	SI-04(01)[02]	individual intrusion detection tools are configured into a system-wide intrusion detection system.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-04(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SI-04(01)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(01)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection capabilities].

SI-04(02)	SYSTEM MONITORING AUTOMATED TOOLS AND MECHANISMS FOR REAL-TIME ANALYSIS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-04(02)	automated tools and mechanisms are employed to support a near real-time analysis of events.

SI-04(02)	SYSTEM MONITORING AUTOMATED TOOLS AND MECHANISMS FOR REAL-TIME ANALYSIS POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-04(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; privacy program plan; privacy impact assessment; privacy risk management documentation; other relevant documents or records].
	SI-04(02)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for incident response/management].
	SI-04(02)-Test	[SELECT FROM: Organizational processes for the near real-time analysis of events; organizational processes for system monitoring; automated mechanisms supporting and/or implementing system monitoring; automated mechanisms/tools supporting and/or implementing an analysis of events].

SI-04(03)	SYSTEM MONITORING AUTOMATED TOOL AND MECHANISM INTEGRATION		
	ASSESSMENT OBJECT	TIVE:	
	SI-04(03)[01]	automated tools and mechanisms are employed to integrate intrusion detection tools and mechanisms into access control mechanisms;	
	SI-04(03)[02]	automated tools and mechanisms are employed to integrate intrusion detection tools and mechanisms into flow control mechanisms.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-04(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; access control policy and procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-04(03)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].	

SI-04(03)	SYSTEM MONITORING AUTOMATED TOOL AND MECHANISM INTEGRATION	
	SI-04(03)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing the intrusion detection and system monitoring capability; automated mechanisms and tools supporting and/or implementing the access and flow control capabilities; automated mechanisms and tools supporting and/or implementing the integration of intrusion detection tools into the access and flow control mechanisms].

SI-04(04)	SYSTEM MONITORIN	IG INBOUND AND OUTBOUND COMMUNICATIONS TRAFFIC
	ASSESSMENT OBJECT Determine if:	TIVE:
	SI-04(04)_ODP[01]	the frequency at which to monitor inbound communications traffic for unusual or unauthorized activities or conditions is defined;
	SI-04(04)_ODP[02]	unusual or unauthorized activities or conditions that are to be monitored in inbound communications traffic are defined;
	SI-04(04)_ODP[03]	the frequency at which to monitor outbound communications traffic for unusual or unauthorized activities or conditions is defined;
	SI-04(04)_ODP[04]	unusual or unauthorized activities or conditions that are to be monitored in outbound communications traffic are defined;
	SI-04(04)(a)[01]	criteria for unusual or unauthorized activities or conditions for inbound communications traffic are defined;
	SI-04(04)(a)[02]	criteria for unusual or unauthorized activities or conditions for outbound communications traffic are defined;
	SI-04(04)(b)[01]	inbound communications traffic is monitored < <i>SI-04(04)_ODP[01]</i> <i>frequency</i> > for < <i>SI-04(04)_ODP[02]</i> unusual or unauthorized activities or conditions>;
	SI-04(04)(b)[02]	outbound communications traffic is monitored <i><si-04(04)_odp[03]< i=""> <i>frequency></i> for <i><si-04(04)_odp[04]< i=""> <i>unusual or unauthorized activities or</i> <i>conditions></i>.</si-04(04)_odp[04]<></i></si-04(04)_odp[03]<></i>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-04(04)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system protocols; system audit records; system security plan; other relevant documents or records].
	SI-04(04)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].

SI-04(04)	SYSTEM MONITORING INBOUND AND OUTBOUND COMMUNICATIONS TRAFFIC	
	SI-04(04)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the monitoring of inbound and outbound communications traffic].

SI-04(05)	SYSTEM MONITORING SYSTEM-GENERATED ALERTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-04(05)_ODP[01]	personnel or roles to be alerted when indications of compromise or potential compromise occur is/are defined;
	SI-04(05)_ODP[02]	compromise indicators are defined;
	SI-04(05)	<si-04(05)_odp[01] or="" personnel="" roles=""> are alerted when system-generated <si-04(05)_odp[02] compromise="" indicators=""> occur.</si-04(05)_odp[02]></si-04(05)_odp[01]>
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-04(05)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system monitoring tools and techniques documentation; system configuration settings and associated documentation; list of personnel selected to receive alerts; documentation of alerts generated based on compromise indicators; system audit records; system security plan; privacy plan; other relevant documents or records].
	SI-04(05)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developers; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel on the system alert notification list; organizational personnel responsible for the intrusion detection system].
	SI-04(05)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing alerts for compromise indicators].

SI-04(06)	6) SYSTEM MONITORING RESTRICT NON-PRIVILEGED USERS	
	[WITHDRAWN: Incorporated into AC-06(10).]	

SI-04(07)	SYSTEM MONITORING AUTOMATED RESPONSE TO SUSPICIOUS EVENTS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-04(07)_ODP[01]	incident response personnel (identified by name and/or by role) to be notified of detected suspicious events is/are defined;
	SI-04(07)_ODP[02]	least-disruptive actions to terminate suspicious events are defined;
	SI-04(07)(a)	< <i>SI-04(07)_ODP[01] incident response personnel></i> are notified of detected suspicious events;
	SI-04(07)(b)	< <i>SI-04(07)_ODP[02] least-disruptive actions></i> are taken upon the detection of suspicious events.
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	SI-04(07)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; alerts and notifications generated based on detected suspicious events; records of actions taken to terminate suspicious events; system audit records; system security plan; other relevant documents or records].
	SI-04(07)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developers; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(07)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing notifications to incident response personnel; automated mechanisms supporting and/or implementing actions to terminate suspicious events].

SI-04(08)	SYSTEM MONITORING PROTECTION OF MONITORING INFORMATION	
	[WITHDRAWN: Incorporated into SI-04.]	

SI-04(09)	SYSTEM MONITORING TESTING OF MONITORING TOOLS AND MECHANISMS ASSESSMENT OBJECTIVE: Determine if: Determine if:	
	SI-04(09)_ODP	a frequency at which to test intrusion-monitoring tools and mechanisms is defined;

SI-04(09)	SYSTEM MONITORING TESTING OF MONITORING TOOLS AND MECHANISMS	
	SI-04(09)	intrusion-monitoring tools and mechanisms are tested <si-04(09)_odp< b=""> frequency>.</si-04(09)_odp<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-04(09)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing the testing of system monitoring tools and techniques; documentation providing evidence of testing intrusion-monitoring tools; system security plan; other relevant documents or records].
	SI-04(09)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(09)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the testing of intrusion-monitoring tools].

SI-04(10)	SYSTEM MONITORIN	SYSTEM MONITORING VISIBILITY OF ENCRYPTED COMMUNICATIONS	
	ASSESSMENT OBJECT Determine if:	TIVE:	
	SI-04(10)_ODP[01]	encrypted communications traffic visible to system monitoring tools and mechanisms is defined;	
	SI-04(10)_ODP[02]	system monitoring tools and mechanisms to be provided access to encrypted communications traffic are defined;	
	SI-04(10)	<si-04(10)_odp[01] communications="" encrypted="" traffic=""> is visible to <si-04(10)_odp[02] and="" mechanisms="" monitoring="" system="" tools="">.</si-04(10)_odp[02]></si-04(10)_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-04(10)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system protocols; system security plan; other relevant documents or records].	
	SI-04(10)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].	

SI-04(10)	SYSTEM MONITORING VISIBILITY OF ENCRYPTED COMMUNICATIONS	
	SI-04(10)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the visibility of encrypted communications traffic to monitoring tools].

SI-04(11)	SYSTEM MONITORING ANALYZE COMMUNICATIONS TRAFFIC ANOMALIES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-04(11)_ODP	interior points within the system where communications traffic is to be analyzed are defined;
	SI-04(11)[01]	outbound communications traffic at the external interfaces to the system is analyzed to discover anomalies;
	SI-04(11)[02]	outbound communications traffic at <i>SI-04(11)_ODP interior points></i> is analyzed to discover anomalies.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-04(11)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; network diagram; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system monitoring logs or records; system audit records; system security plan; other relevant documents or records].
	SI-04(11)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(11)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the analysis of communications traffic].

SI-04(12)	SYSTEM MONITORI	SYSTEM MONITORING AUTOMATED ORGANIZATION-GENERATED ALERTS	
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-04(12)_ODP[01]	personnel or roles to be alerted when indications of inappropriate or unusual activity with security or privacy implications occur is/are defined;	
	SI-04(12)_ODP[02]	automated mechanisms used to alert personnel or roles are defined;	

4(12)	SYSTEM MONITORING AUTOMATED ORGANIZATION-GENERATED ALERTS	
	SI-04(12)_ODP[03]	activities that trigger alerts to personnel or are defined;
	SI-04(12)	<si-04(12)_odp[01] or="" personnel="" roles=""> is/are alerted using <si-04(12)_odp[02] automated="" mechanisms=""> when <si-04(12)_odp[03] activities that trigger alerts> indicate inappropriate or unusual activities with security or privacy implications.</si-04(12)_odp[03] </si-04(12)_odp[02]></si-04(12)_odp[01]>
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	SI-04(12)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; list of inappropriate or unusual activities with security and privacy implications that trigger alerts; suspicious activity reports; alerts provided to security and privacy personnel; system monitoring logs or records; system audit records; system security plan; privacy plan; other relevant documents or records].
	SI-04(12)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; system developers; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(12)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing automated alerts to security personnel].

SI-04(13)	SYSTEM MONITORING ANALYZE TRAFFIC AND EVENT PATTERNS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-04(13)(a)[01]	communications traffic for the system is analyzed;
	SI-04(13)(a)[02]	event patterns for the system are analyzed;
	SI-04(13)(b)[01]	profiles representing common traffic are developed;
	SI-04(13)(b)[02]	profiles representing event patterns are developed;
	SI-04(13)(c)[01]	traffic profiles are used in tuning system-monitoring devices;
	SI-04(13)(c)[02]	event profiles are used in tuning system-monitoring devices.

SI-04(13)	SYSTEM MONITORING ANALYZE TRAFFIC AND EVENT PATTERNS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-04(13)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; list of profiles representing common traffic patterns and/or events; system protocols documentation; list of acceptable thresholds for false positives and false negatives; system security plan; other relevant documents or records].
	SI-04(13)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(13)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the analysis of communications traffic and event patterns].

SI-04(14)	SYSTEM MONITORING WIRELESS INTRUSION DETECTION		
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	SI-04(14)[01]	a wireless intrusion detection system is employed to identify rogue wireless devices;	
	SI-04(14)[02]	a wireless intrusion detection system is employed to detect attack attempts on the system;	
	SI-04(14)[03]	a wireless intrusion detection system is employed to detect potential compromises or breaches to the system.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-04(14)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system protocols; system audit records; system security plan; other relevant documents or records].	
	SI-04(14)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].	

SI-04(14)	SYSTEM MONITORING WIRELESS INTRUSION DETECTION	
	SI-04(14)-Test	[SELECT FROM: Organizational processes for intrusion detection; automated mechanisms supporting and/or implementing a wireless intrusion detection capability].

SI-04(15)	SYSTEM MONITORING WIRELESS TO WIRELINE COMMUNICATIONS	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	SI-04(15)	an intrusion detection system is employed to monitor wireless communications traffic as the traffic passes from wireless to wireline networks.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-04(15)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system protocols documentation; system audit records; system security plan; other relevant documents or records].
	SI-04(15)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(15)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing a wireless intrusion detection capability].

SI-04(16)	SYSTEM MONITORING CORRELATE MONITORING INFORMATION		
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	SI-04(16)	information from monitoring tools and mechanisms employed throughout the system is correlated.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-04(16)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; event correlation logs or records; system audit records; system security plan; other relevant documents or records].	

SI-04(16)	SYSTEM MONITORING CORRELATE MONITORING INFORMATION	
	SI-04(16)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(16)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the correlation of information from monitoring tools].

SI-04(17)	SYSTEM MONITORING INTEGRATED SITUATIONAL AWARENESS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-04(17)[01]	information from monitoring physical activities is correlated to achieve integrated, organization-wide situational awareness	
	SI-04(17)[02]	information from monitoring cyber activities is correlated to achieve integrated, organization-wide situational awareness;	
	SI-04(17)[03]	information from monitoring supply chain activities is correlated to achieve integrated, organization-wide situational awareness.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-04(17)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; event correlation logs or records resulting from physical, cyber, and supply chain activities; system audit records; system security plan; supply chain risk management plan; other relevant documents or records].	
	SI-04(17)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].	
	SI-04(17)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the correlation of information from monitoring tools].	
	SI-04(17)-Test	monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing the correlation of informati	

SI-04(18)	SYSTEM MONITORING ANALYZE TRAFFIC AND COVERT EXFILTRATION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-04(18)_ODP	interior points within the system where communications traffic is to be analyzed are defined;
	SI-04(18)[01]	outbound communications traffic is analyzed at interfaces external to the system to detect covert exfiltration of information.
	SI-04(18)[02]	outbound communications traffic is analyzed at <i>SI-04(18)_ODP interior</i> <i>points></i> to detect covert exfiltration of information.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-04(18)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; network diagram; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system monitoring logs or records; system audit records; system security plan; other relevant documents or records].
	SI-04(18)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; organizational personnel responsible for the intrusion detection system].
	SI-04(18)-Test	[SELECT FROM: Organizational processes for intrusion detection and system monitoring; automated mechanisms supporting and/or implementing intrusion detection and system monitoring capabilities; automated mechanisms supporting and/or implementing an analysis of outbound communications traffic].

SI-04(19)	SYSTEM MONITORING RISK FOR INDIVIDUALS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-04(19)_ODP[01]	additional monitoring of individuals who have been identified as posing an increased level of risk is defined;
	SI-04(19)_ODP[02]	sources that identify individuals who pose an increased level of risk are defined;
	SI-04(19)	<si-04(19)_odp[01] additional="" monitoring=""> is implemented on individuals who have been identified by <si-04(19)_odp[02] sources=""> as posing an increased level of risk.</si-04(19)_odp[02]></si-04(19)_odp[01]>

SI-04(19)	SYSTEM MONITORING RISK FOR INDIVIDUALS	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-04(19)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].
	SI-04(19)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security and privacy responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system; legal counsel; human resource officials; organizational personnel with personnel security responsibilities].
	SI-04(19)-Test	[SELECT FROM: Organizational processes for system monitoring; automated mechanisms supporting and/or implementing a system monitoring capability].

SI-04(20)	SYSTEM MONITORING PRIVILEGED USERS	
	ASSESSMENT OBJECT Determine if:	rive:
	SI-04(20)_ODP	additional monitoring of privileged users is defined;
	SI-04(20)	<si-04(20)_odp additional="" monitoring=""> of privileged users is implemented.</si-04(20)_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-04(20)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system monitoring logs or records; system audit records; system security plan; other relevant documents or records].
	SI-04(20)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system].
	SI-04(20)-Test	[SELECT FROM: Organizational processes for system monitoring; automated mechanisms supporting and/or implementing a system monitoring capability].

SI-04(21)	SYSTEM MONITORING PROBATIONARY PERIODS	
	ASSESSMENT OBJEC	CTIVE:
	SI-04(21)_ODP[01]	additional monitoring to be implemented on individuals during probationary periods is defined;
	SI-04(21)_ODP[02]	the probationary period of individuals is defined;
	SI-04(21)	< SI-04(21)_ODP[01] additional monitoring> of individuals is implemented during <si-04(21)_odp[02] period="" probationary=""></si-04(21)_odp[02]> .
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	SI-04(21)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system monitoring logs or records; system audit records; system security plan; other relevant documents or records].
	SI-04(21)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system].
	SI-04(21)-Test	[SELECT FROM: Organizational processes for system monitoring; automated mechanisms supporting and/or implementing a system monitoring capability].

SI-04(22)	SYSTEM MONITORING UNAUTHORIZED NETWORK SERVICES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-04(22)_ODP[01]	authorization or approval processes for network services are defined;
	SI-04(22)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {audit; alert <si-04(22)_odp[03] or="" personnel="" roles="">};</si-04(22)_odp[03]>
	SI-04(22)_ODP[03]	personnel or roles to be alerted upon the detection of network services that have not been authorized or approved by authorization or approval processes is/are defined (if selected);
	SI-04(22)(a)	network services that have not been authorized or approved by <pre><si-04(22)_odp[01] approval="" authorization="" or="" processes=""> are detected;</si-04(22)_odp[01]></pre>
	SI-04(22)(b)	< SI-04(22)_ODP[02] SELECTED PARAMETER VALUE(S)> is/are initiated when network services that have not been authorized or approved by authorization or approval processes are detected.

SI-04(22)	SYSTEM MONITORING UNAUTHORIZED NETWORK SERVICES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-04(22)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; documented authorization/approval of network services; notifications or alerts of unauthorized network services; system monitoring logs or records; system audit records; system security plan; other relevant documents or records].
	SI-04(22)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring the system].
	SI-04(22)-Test	[SELECT FROM: Organizational processes for system monitoring; automated mechanisms supporting and/or implementing a system monitoring capability; automated mechanisms for auditing network services; automated mechanisms for providing alerts].

SI-04(23)	SYSTEM MONITORING HOST-BASED DEVICES	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-04(23)_ODP[01]	host-based monitoring mechanisms to be implemented on system components are defined;
	SI-04(23)_ODP[02]	system components where host-based monitoring is to be implemented are defined;
	SI-04(23)	<si-04(23)_odp[01] host-based="" mechanisms="" monitoring=""> are implemented on <si-04(23)_odp[02] components="" system="">.</si-04(23)_odp[02]></si-04(23)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-04(23)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring tools and techniques; system design documentation; host-based monitoring mechanisms; system monitoring tools and techniques documentation; system configuration settings and associated documentation; list of system components requiring host-based monitoring; system monitoring logs or records; system audit records; system security plan; other relevant documents or records].
	SI-04(23)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring system hosts].

SI-04(23)	SYSTEM MONITORING HOST-BASED DEVICES	
	SI-04(23)-Test	[SELECT FROM: Organizational processes for system monitoring; automated mechanisms supporting and/or implementing host-based monitoring capability].

SI-04(24)	SYSTEM MONITORING INDICATORS OF COMPROMISE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-04(24)_ODP[01]	sources that provide indicators of compromise are defined;
	SI-04(24)_ODP[02]	personnel or roles to whom indicators of compromise are to be distributed is/are defined;
	SI-04(24)[01]	indicators of compromise provided by < SI-04(24)_ODP[01] sources> are discovered;
	SI-04(24)[02]	indicators of compromise provided by < SI-04(24)_ODP[01] sources> are collected;
	SI-04(24)[03]	indicators of compromise provided by <si-04(24)_odp[01] sources=""></si-04(24)_odp[01]> are distributed to <si-04(24)_odp[02] or="" personnel="" roles=""></si-04(24)_odp[02]> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-04(24)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system monitoring logs or records; system audit records; system security plan; other relevant documents or records].
	SI-04(24)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring system hosts].
	SI-04(24)-Test	[SELECT FROM: Organizational processes for system monitoring; organizational processes for the discovery, collection, distribution, and use of indicators of compromise; automated mechanisms supporting and/ or implementing a system monitoring capability; automated mechanisms supporting and/or implementing the discovery, collection, distribution, and use of indicators of compromise].

SI-04(25)	SYSTEM MONITORING OPTIMIZE NETWORK TRAFFIC ANALYSIS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-04(25)[01]	visibility into network traffic at external system interfaces is provided to optimize the effectiveness of monitoring devices;

SI-04(25)	SYSTEM MONITORING OPTIMIZE NETWORK TRAFFIC ANALYSIS	
	SI-04(25)[02]	visibility into network traffic at internal system interfaces is provided to optimize the effectiveness of monitoring devices.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-04(25)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system monitoring; system design documentation; system monitoring tools and techniques documentation; system configuration settings and associated documentation; system monitoring logs or records; system architecture; system audit records; network traffic reports; system security plan; other relevant documents or records].
	SI-04(25)-Interview	[SELECT FROM: System/network administrators; organizational personnel with information security responsibilities; system developer; organizational personnel installing, configuring, and/or maintaining the system; organizational personnel responsible for monitoring system hosts].
	SI-04(25)-Test	[SELECT FROM: Organizational processes for system monitoring; organizational processes for the discovery, collection, distribution, and use of indicators of compromise; automated mechanisms supporting and/ or implementing a system monitoring capability; automated mechanisms supporting and/or implementing the discovery, collection, distribution, and use of indicators of compromise].

SI-05	SECURITY ALERTS, ADVISORIES, AND DIRECTIVES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-05_ODP[01]	external organizations from whom system security alerts, advisories, and directives are to be received on an ongoing basis are defined;
	SI-05_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: { <si-05_odp[03] or="" personnel="" roles="">; <si-05_odp[04] elements="">; <si-05_odp[05] external="" organizations="">};</si-05_odp[05]></si-05_odp[04]></si-05_odp[03]>
	SI-05_ODP[03]	personnel or roles to whom security alerts, advisories, and directives are to be disseminated is/are defined (if selected);
	SI-05_ODP[04]	elements within the organization to whom security alerts, advisories, and directives are to be disseminated are defined (if selected);
	SI-05_ODP[05]	external organizations to whom security alerts, advisories, and directives are to be disseminated are defined (if selected);
	SI-05a.	system security alerts, advisories, and directives are received from < SI-05_ODP[01] external organizations> on an ongoing basis;
	SI-05b.	internal security alerts, advisories, and directives are generated as deemed necessary;
	SI-05c.	security alerts, advisories, and directives are disseminated to < <i>SI-05_ODP[02] SELECTED PARAMETER VALUE(S)</i> >;

SI-05	SECURITY ALERTS, ADVISORIES, AND DIRECTIVES	
	SI-05d.	security directives are implemented in accordance with established time frames or if the issuing organization is notified of the degree of noncompliance.
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	SI-05-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing security alerts, advisories, and directives; records of security alerts and advisories; system security plan; other relevant documents or records].
	SI-05-Interview	[SELECT FROM: Organizational personnel with security alert and advisory responsibilities; organizational personnel implementing, operating, maintaining, and using the system; organizational personnel, organizational elements, and/or external organizations to whom alerts, advisories, and directives are to be disseminated; system/network administrators; organizational personnel with information security responsibilities].
	SI-05-Test	[SELECT FROM: Organizational processes for defining, receiving, generating, disseminating, and complying with security alerts, advisories, and directives; automated mechanisms supporting and/or implementing the definition, receipt, generation, and dissemination of security alerts, advisories, and directives; automated mechanisms supporting and/or implementing security directives].

SI-05(01)	SECURITY ALERTS, ADVISORIES, AND DIRECTIVES AUTOMATED ALERTS AND ADVISORIES		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-05(01)_ODP	automated mechanisms used to broadcast security alert and advisory information throughout the organization are defined;	
	SI-05(01)	< SI-05(01)_ODP automated mechanisms> are used to broadcast security alert and advisory information throughout the organization.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-05(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing security alerts, advisories, and directives; system design documentation; system configuration settings and associated documentation; automated mechanisms supporting the distribution of security alert and advisory information; records of security alerts and advisories; system audit records; system security plan; other relevant documents or records].	
	SI-05(01)-Interview	[SELECT FROM: Organizational personnel with security alert and advisory responsibilities; organizational personnel implementing, operating, maintaining, and using the system; organizational personnel, organizational elements, and/or external organizations to whom alerts and advisories are to be disseminated; system/network administrators; organizational personnel with information security responsibilities].	

SI-05(01)	SECURITY ALERTS, ADVISORIES, AND DIRECTIVES AUTOMATED ALERTS AND ADVISORIES	
	SI-05(01)-Test	[SELECT FROM: Organizational processes for defining, receiving, generating, and disseminating security alerts and advisories; automated mechanisms supporting and/or implementing the dissemination of security alerts and advisories].

SI-06	SECURITY AND PRIVACY FUNCTION VERIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-06_ODP[01]	security functions to be verified for correct operation are defined;
	SI-06_ODP[02]	privacy functions to be verified for correct operation are defined;
	SI-06_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: { <si-06_odp[04] states="" system="" transitional="">; upon command by user with appropriate privilege; <si-06_odp[05] frequency="">};</si-06_odp[05]></si-06_odp[04]>
	SI-06_ODP[04]	system transitional states requiring the verification of security and privacy functions are defined; (if selected)
	SI-06_ODP[05]	frequency at which to verify the correct operation of security and privacy functions is defined; (if selected)
	SI-06_ODP[06]	personnel or roles to be alerted of failed security and privacy verification tests is/are defined;
	SI-06_ODP[07]	one or more of the following PARAMETER VALUES is/are selected: {shut the system down; restart the system; <si-06_odp[08] action(s)="" alternative="">};</si-06_odp[08]>
	SI-06_ODP[08]	alternative action(s) to be performed when anomalies are discovered are defined (if selected);
	SI-06a.[01]	<pre><si-06_odp[01] functions="" security=""> are verified to be operating correctly;</si-06_odp[01]></pre>
	SI-06a.[02]	<pre><si-06_odp[02] functions="" privacy=""> are verified to be operating correctly;</si-06_odp[02]></pre>
	SI-06b.[01]	<pre><si-06_odp[01] functions="" security=""> are verified <si-06_odp[03] parameter="" selected="" value(s)="">;</si-06_odp[03]></si-06_odp[01]></pre>
	SI-06b.[02]	<si-06_odp[02] functions="" privacy=""> are verified <si-06_odp[03] selected<br="">PARAMETER VALUE(S)>;</si-06_odp[03]></si-06_odp[02]>
	SI-06c.[01]	<si-06_odp[06] or="" personnel="" roles=""> is/are alerted to failed security verification tests;</si-06_odp[06]>
	SI-06c.[02]	<si-06_odp[06] or="" personnel="" roles=""> is/are alerted to failed privacy verification tests;</si-06_odp[06]>
	SI-06d.	<si-06_odp[07] are="" initiated="" is="" parameter="" selected="" value(s)="" when<br="">anomalies are discovered.</si-06_odp[07]>

SI-06	SECURITY AND PRIVACY FUNCTION VERIFICATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-06-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing security and privacy function verification; system design documentation; system configuration settings and associated documentation; alerts/notifications of failed security verification tests; list of system transition states requiring security functionality verification; system audit records; system security plan; privacy plan; other relevant documents or records].
	SI-06-Interview	[SELECT FROM: Organizational personnel with security and privacy function verification responsibilities; organizational personnel implementing, operating, and maintaining the system; system/network administrators; organizational personnel with information security and privacy responsibilities; system developer].
	SI-06-Test	[SELECT FROM: Organizational processes for security and privacy function verification; automated mechanisms supporting and/or implementing the security and privacy function verification capability].

SI-06(01)	SECURITY AND PRIVACY FUNCTION VERIFICATION NOTIFICATION OF FAILED SECURIT TESTS	
	[WITHDRAWN: Incorporated into SI-06.]	

SI-06(02)	SECURITY AND PRIVACY FUNCTION VERIFICATION AUTOMATION SUPPORT FOR DISTRIBUTED TESTING		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-06(02)[01]	automated mechanisms are implemented to support the management of distributed security function testing;	
	SI-06(02)[02]	automated mechanisms are implemented to support the management of distributed privacy function testing.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-06(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing security and privacy function verification; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; privacy plan; other relevant documents or records].	
	SI-06(02)-Interview	[SELECT FROM: Organizational personnel with security and privacy function verification responsibilities; organizational personnel implementing, operating, and maintaining the system; system/network administrators; organizational personnel with information security and privacy responsibilities].	

SI-06(02)	SECURITY AND PRIVACY FUNCTION VERIFICATION AUTOMATION SUPPORT FOR DISTRIBUTED TESTING	
	SI-06(02)-Test	[SELECT FROM: Organizational processes for security and privacy function verification; automated mechanisms supporting and/or implementing the management of distributed security and privacy testing].

SI-06(03)	SECURITY AND PRIVACY FUNCTION VERIFICATION REPORT VERIFICATION RESULTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-06(03)_ODP	personnel or roles designated to receive the results of security and privacy function verification is/are defined;	
	SI-06(03)[01]	the results of security function verification are reported to <si-06(03)_odp< b=""> personnel or roles>;</si-06(03)_odp<>	
	SI-06(03)[02]	the results of privacy function verification are reported to <si-06(03)_odp< b=""> personnel or roles>.</si-06(03)_odp<>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-06(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing security and privacy function verification; system design documentation; system configuration settings and associated documentation; reports of security and privacy function verification results; system audit records; system security plan; privacy plan; other relevant documents or records].	
	SI-06(03)-Interview	[SELECT FROM: Organizational personnel with security and privacy function verification responsibilities; organizational personnel who are recipients of security and privacy function verification reports; organizational personnel with information security and privacy responsibilities].	
	SI-06(03)-Test	[SELECT FROM: Organizational processes for reporting security and privacy function verification results; automated mechanisms supporting and/or implementing the reporting of security and privacy function verification results].	

SI-07	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07_ODP[01]	software requiring integrity verification tools to be employed to detect unauthorized changes is defined;
	SI-07_ODP[02]	firmware requiring integrity verification tools to be employed to detect unauthorized changes is defined;
	SI-07_ODP[03]	information requiring integrity verification tools to be employed to detect unauthorized changes is defined;

SI-07	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY		
	SI-07_ODP[04]	actions to be taken when unauthorized changes to software are detected are defined;	
	SI-07_ODP[05]	actions to be taken when unauthorized changes to firmware are detected are defined;	
	SI-07_ODP[06]	actions to be taken when unauthorized changes to information are detected are defined;	
	SI-07a.[01]	integrity verification tools are employed to detect unauthorized changes to < <i>SI-07_ODP[01] software></i> ;	
	SI-07a.[02]	integrity verification tools are employed to detect unauthorized changes to < <i>SI-07_ODP[02] firmware></i> ;	
	SI-07a.[03]	integrity verification tools are employed to detect unauthorized changes to < <i>SI-07_ODP[03] information></i> ;	
	SI-07b.[01]	SI-07_ODP[04] actions> are taken when unauthorized changes to the software, firmware, and information are detected;	
	SI-07b.[02]	<si-07_odp[05] actions=""> are taken when unauthorized changes to the software, firmware, and information are detected;</si-07_odp[05]>	
	SI-07b.[03]	< SI-07_ODP[06] actions> are taken when unauthorized changes to the software, firmware, and information are detected.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-07-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; personally identifiable information processing policy; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; records generated or triggered by integrity verification tools regarding unauthorized software, firmware, and information changes; system audit records; system security plan; privacy plan; other relevant documents or records].	
	SI-07-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security and privacy responsibilities; system/network administrators].	
	SI-07-Test	[SELECT FROM: Software, firmware, and information integrity verification tools].	

SI-07(01)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY INTEGRITY CHECKS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(01)_ODP[01]	software on which an integrity check is to be performed is defined;

SI-07(01)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY INTEGRITY CHECKS	
	SI-07(01)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {at startup; <si-07(01)_odp[03] at="" or="" security-relevant<br="" states="" transitional="">events>; <si-07(01)_odp[04] frequency="">};</si-07(01)_odp[04]></si-07(01)_odp[03]>
	SI-07(01)_ODP[03]	transitional states or security-relevant events requiring integrity checks (on software) are defined (if selected);
	SI-07(01)_ODP[04]	frequency with which to perform an integrity check (on software) is defined (if selected);
	SI-07(01)_ODP[05]	firmware on which an integrity check is to be performed is defined;
	SI-07(01)_ODP[06]	one or more of the following PARAMETER VALUES is/are selected: {at startup; <si-07(01)_odp[07] at="" or="" security-relevant<br="" states="" transitional="">events>; <si-07(01)_odp[08] frequency="">};</si-07(01)_odp[08]></si-07(01)_odp[07]>
	SI-07(01)_ODP[07]	transitional states or security-relevant events requiring integrity checks (on firmware) are defined (if selected);
	SI-07(01)_ODP[08]	frequency with which to perform an integrity check (on firmware) is defined (if selected);
	SI-07(01)_ODP[09]	information on which an integrity check is to be performed is defined;
	SI-07(01)_ODP[10]	one or more of the following PARAMETER VALUES is/are selected: {at startup; <si-07(01)_odp[11] at="" or="" security-relevant<br="" states="" transitional="">events>; <si-07(01)_odp[12] frequency="">};</si-07(01)_odp[12]></si-07(01)_odp[11]>
	SI-07(01)_ODP[11]	transitional states or security-relevant events requiring integrity checks (of information) are defined (if selected);
	SI-07(01)_ODP[12]	frequency with which to perform an integrity check (of information) is defined (if selected);
	SI-07(01)[01]	an integrity check of < SI-07(01)_ODP[01] software> is performed < SI-07(01)_ODP[02] SELECTED PARAMETER VALUE(S) >;
	SI-07(01)[02]	an integrity check of < SI-07(01)_ODP[05] firmware> is performed < SI-07(01)_ODP[06] SELECTED PARAMETER VALUE(S) >;
	SI-07(01)[03]	an integrity check of <si-07(01)_odp[09] information=""></si-07(01)_odp[09]> is performed <si-07(01)_odp[10] parameter="" selected="" value(s)=""></si-07(01)_odp[10]> .
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-07(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity testing; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; records of integrity scans; system security plan; other relevant documents or records].
	SI-07(01)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-07(01)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools].

SI-07(02)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY AUTOMATED NOTIFICATIONS OF INTEGRITY VIOLATIONS ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(02)_ODP	personnel or roles to whom notification is to be provided upon discovering discrepancies during integrity verification is/are defined;
	SI-07(02)	automated tools that provide notification to <i>SI-07(02)_ODP personnel</i> <i>or roles></i> upon discovering discrepancies during integrity verification are employed.
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	SI-07(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; personally identifiable information processing policy; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; records of integrity scans; automated tools supporting alerts and notifications for integrity discrepancies; notifications provided upon discovering discrepancies during integrity verifications; system audit records; system security plan; privacy plan; other relevant documents or records].
	SI-07(02)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security and privacy responsibilities; system administrators; software developers].
	SI-07(02)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms providing integrity discrepancy notifications].

SI-07(03)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY CENTRALLY MANAGED INTEGRITY TOOLS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(03)	centrally managed integrity verification tools are employed.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		IENT METHODS AND OBJECTS:
	SI-07(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; records of integrity scans; system security plan; other relevant documents or records].
	SI-07(03)-Interview	[SELECT FROM: Organizational personnel responsible for the central management of integrity verification tools; organizational personnel with information security responsibilities].

SI-07(03)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY CENTRALLY MANAGED INTEGRITY TOOLS	
	SI-07(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the central management of integrity verification tools].

SI-07(04)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY TAMPER-EVIDENT PACKAGING	
	[WITHDRAWN: Incorporated into SR-09.]	

SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY AUTOMATED RESPONSE TO INTEGRITY VIOLATIONS	
ASSESSMENT OBJECTIVE: Determine if:	
SI-07(05)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {shut down the system; restart the system; implement <si-07(05)_odp[02] controls>};</si-07(05)_odp[02]
SI-07(05)_ODP[02]	controls to be implemented automatically when integrity violations are discovered are defined (if selected);
SI-07(05)	<pre><si-07(05)_odp[01] parameter="" selected="" value(s)=""> are automatically performed when integrity violations are discovered.</si-07(05)_odp[01]></pre>
POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
SI-07(05)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; records of integrity scans; records of integrity checks and responses to integrity violations; audit records; system security plan; other relevant documents or records].
SI-07(05)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].
SI-07(05)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms providing an automated response to integrity violations; automated mechanisms supporting and/or implementing security safeguards to be implemented when integrity violations are discovered].
	INTEGRITY VIOLATIO ASSESSMENT OBJECT Determine if: SI-07(05)_ODP[01] SI-07(05)_ODP[02] SI-07(05) POTENTIAL ASSESSIV SI-07(05)-Examine

07(06)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY CRYPTOGRAPHIC PROTECTION	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-07(06)[01]	cryptographic mechanisms are implemented to detect unauthorized changes to software;
	SI-07(06)[02]	cryptographic mechanisms are implemented to detect unauthorized changes to firmware;
	SI-07(06)[03]	cryptographic mechanisms are implemented to detect unauthorized changes to information.
	POTENTIAL ASSESS	AENT METHODS AND OBJECTS:
	SI-07(06)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms and associated documentation; records of detected unauthorized changes to software, firmware, and information; system audit records; system security plan; other relevant documents or records].
	SI-07(06)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-07(06)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; cryptographic mechanisms implementing software, firmware, and information integrity].

SI-07(07)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY INTEGRATION OF DETECTION AND RESPONSE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(07)_ODP	security-relevant changes to the system are defined;
	SI-07(07)	the detection of <si-07(07)_odp changes=""></si-07(07)_odp> are incorporated into the organizational incident response capability.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-07(07)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; procedures addressing incident response; system design documentation; system configuration settings and associated documentation; incident response records; audit records; system security plan; other relevant documents or records].
	SI-07(07)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; organizational personnel with incident response responsibilities].

SI-07(07)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY INTEGRATION OF DETECTION AND RESPONSE	
	SI-07(07)-Test	[SELECT FROM: Organizational processes for incorporating the detection of unauthorized security-relevant changes into the incident response capability; software, firmware, and information integrity verification tools; automated mechanisms supporting and/or implementing the incorporation of detection of unauthorized security-relevant changes into the incident response capability].

SI-07(08)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY AUDITING CAPABILITY FOR SIGNIFICANT EVENTS		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SI-07(08)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {generate an audit record; alert current user; alert <si-07(08)_odp[02] personnel or roles>; <si-07(08)_odp[03] actions="" other="">};</si-07(08)_odp[03]></si-07(08)_odp[02] 	
	SI-07(08)_ODP[02]	personnel or roles to be alerted upon the detection of a potential integrity violation is/are defined (if selected);	
	SI-07(08)_ODP[03]	other actions to be taken upon the detection of a potential integrity violation are defined (if selected);	
	SI-07(08)[01]	the capability to audit an event upon the detection of a potential integrity violation is provided;	
	SI-07(08)[02]	<pre><si-07(08)_odp[01] parameter="" selected="" value(s)=""> is/are initiated upon the detection of a potential integrity violation.</si-07(08)_odp[01]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-07(08)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; records of integrity scans; incident response records; list of security-relevant changes to the system; automated tools supporting alerts and notifications if unauthorized security changes are detected; system audit records; system security plan; other relevant documents or records].	
	SI-07(08)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].	
	SI-07(08)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms supporting and/or implementing the capability to audit potential integrity violations; automated mechanisms supporting and/or implementing alerts about potential integrity violations].	

SI-07(09)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY VERIFY BOOT PROCESS	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SI-07(09)_ODP	system components requiring integrity verification of the boot process are defined;
	SI-07(09)	the integrity of the boot process of <si-07(09)_odp components="" system=""></si-07(09)_odp> is verified.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-07(09)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; documentation; records of integrity verification scans; system audit records; system security plan; other relevant documents or records].
	SI-07(09)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system developer].
	SI-07(09)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms supporting and/or implementing integrity verification of the boot process].

SI-07(10)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY PROTECTION OF BOOT FIRMWARE		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SI-07(10)_ODP[01]	mechanisms to be implemented to protect the integrity of boot firmware in system components are defined;	
	SI-07(10)_ODP[02]	system components requiring mechanisms to protect the integrity of boot firmware are defined;	
	SI-07(10)	<pre><si-07(10)_odp[01] mechanisms=""> are implemented to protect the integrity of boot firmware in <si-07(10)_odp[02] components="" system="">.</si-07(10)_odp[02]></si-07(10)_odp[01]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-07(10)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; integrity verification tools and associated documentation; records of integrity verification scans; system audit records; system security plan; other relevant documents or records].	

SI-07(10)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY PROTECTION OF BOOT FIRMWARE	
	SI-07(10)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-07(10)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms supporting and/or implementing protection of the integrity of boot firmware; safeguards implementing protection of the integrity of boot firmware].

SI-07(11)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY CONFINED ENVIRONMENTS WITH LIMITED PRIVILEGES	
	[WITHDRAWN: Moved to CM-07(06).]	

SI-07(12)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY INTEGRITY VERIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(12)_ODP	user-installed software requiring integrity verification prior to execution is defined;
	SI-07(12)	the integrity of < <i>SI-07(12)_ODP user-installed software</i> > is verified prior to execution.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-07(12)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; integrity verification records; system audit records; system security plan; other relevant documents or records].
	SI-07(12)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities].
	SI-07(12)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms supporting and/or implementing verification of the integrity of user-installed software prior to execution].
		·

SI-07(13) SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY | CODE EXECUTION IN PROTECTED ENVIRONMENTS [WITHDRAWN: Moved to CM-07(07).]

SI-07(14)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY BINARY OR MACHINE EXECUTABLE CODE
	[WITHDRAWN: Moved to CM-07(08).]

SI-07(15)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY CODE AUTHENTICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(15)_ODP	software or firmware components to be authenticated by cryptographic mechanisms prior to installation are defined;
	SI-07(15)	cryptographic mechanisms are implemented to authenticate
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-07(15)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software, firmware, and information integrity; system design documentation; system configuration settings and associated documentation; cryptographic mechanisms and associated documentation; system audit records; system security plan; other relevant documents or records].
	SI-07(15)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-07(15)-Test	[SELECT FROM: Cryptographic mechanisms authenticating software and firmware prior to installation].

SI-07(16)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY TIME LIMIT ON PROCESS EXECUTION WITHOUT SUPERVISION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(16)_ODP	the maximum time period permitted for processes to execute without supervision is defined;
	SI-07(16)	processes are prohibited from executing without supervision for more than <i><si-07(16)_odp period="" time=""></si-07(16)_odp></i> .
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-07(16)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software and information integrity; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].

SI-07(16)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY TIME LIMIT ON PROCESS EXECUTION WITHOUT SUPERVISION	
	SI-07(16)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-07(16)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms supporting and/or implementing time limits on process execution without supervision].

SI-07(17)	SOFTWARE, FIRMWARE, AND INFORMATION INTEGRITY RUNTIME APPLICATION SELF- PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-07(17)_ODP	controls to be implemented for application self-protection at runtime are defined;
	SI-07(17)	< SI-07(17)_ODP controls> are implemented for application self-protection at runtime.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-07(17)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing software and information integrity; system design documentation; system configuration settings and associated documentation; list of known vulnerabilities addressed by runtime instrumentation; system security plan; other relevant documents or records].
	SI-07(17)-Interview	[SELECT FROM: Organizational personnel responsible for software, firmware, and/or information integrity; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-07(17)-Test	[SELECT FROM: Software, firmware, and information integrity verification tools; automated mechanisms supporting and/or implementing runtime application self-protection].

SI-08	SPAM PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-08a.[01]	spam protection mechanisms are employed at system entry points to detect unsolicited messages;
	SI-08a.[02]	spam protection mechanisms are employed at system exit points to detect unsolicited messages;
	SI-08a.[03]	spam protection mechanisms are employed at system entry points to act on unsolicited messages;

SI-08	SPAM PROTECTION		
	SI-08a.[04]	spam protection mechanisms are employed at system exit points to act on unsolicited messages;	
	SI-08b.	spam protection mechanisms are updated when new releases are available in accordance with organizational configuration management policies and procedures.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-08-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; configuration management policies and procedures (CM-01); procedures addressing spam protection; spam protection mechanisms; records of spam protection updates; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-08-Interview	[SELECT FROM: Organizational personnel responsible for spam protection; organizational personnel with information security responsibilities; system/ network administrators; system developer].	
	SI-08-Test	[SELECT FROM: Organizational processes for implementing spam protection; automated mechanisms supporting and/or implementing spam protection].	

SI-08(01)	SPAM PROTECTION CENTRAL MANAGEMENT	
	[WITHDRAWN: Incorporated into PL-09.]	

SI-08(02)	SPAM PROTECTION	AUTOMATIC UPDATES	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:	
	SI-08(02)_ODP	the frequency at which to automatically update spam protection mechanisms is defined;	
	SI-08(02)	spam protection mechanisms are automatically updated < <i>SI-08(02)_ODP frequency</i> >.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-08(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing spam protection; spam protection mechanisms; records of spam protection updates; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-08(02)-Interview	[SELECT FROM: Organizational personnel responsible for spam protection; organizational personnel with information security responsibilities; system/ network administrators; system developer].	

SI-08(02)	SPAM PROTECTION	AUTOMATIC UPDATES
	SI-08(02)-Test	[SELECT FROM: Organizational processes for spam protection; automated mechanisms supporting and/or implementing automatic updates to spam protection mechanisms].

SPAM PROTECTION	CONTINUOUS LEARNING CAPABILITY
ASSESSMENT OBJECT Determine if:	TIVE:
SI-08(03)	spam protection mechanisms with a learning capability are implemented to more effectively identify legitimate communications traffic.
POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
SI-08(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing spam protection; spam protection mechanisms; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
SI-08(03)-Interview	[SELECT FROM: Organizational personnel responsible for spam protection; organizational personnel with information security responsibilities; system/ network administrators; system developer].
SI-08(03)-Test	[SELECT FROM: Organizational processes for spam protection; automated mechanisms supporting and/or implementing spam protection mechanisms with a learning capability].
	ASSESSMENT OBJECT Determine if: SI-08(03) POTENTIAL ASSESSIV SI-08(03)-Examine SI-08(03)-Interview

SI-09	INFORMATION INPUT RESTRICTIONS
	[WITHDRAWN: Incorporated into AC-02, AC-03, AC-05, AC-06.]

SI-10 INFORMATION INPUT VALIDATION		TVALIDATION
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-10_ODP	information inputs to the system requiring validity checks are defined;
	SI-10	the validity of the <si-10_odp information="" inputs=""></si-10_odp> are checked.

SI-10	INFORMATION INPU	TVALIDATION
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-10-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; access control policy and procedures; separation of duties policy and procedures; procedures addressing information input validation; documentation for automated tools and applications to verify the validity of information; list of information inputs requiring validity checks; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SI-10-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-10-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing validity checks on information inputs].

SI-10(01)	INFORMATION INPUT VALIDATION MANUAL OVERRIDE CAPABILITY		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-10(01)_ODP	authorized individuals who can use the manual override capability are defined;	
	SI-10(01)(a)	a manual override capability for the validation of <si-10_odp b="" information<=""> <i>inputs</i>> is provided;</si-10_odp>	
	SI-10(01)(b)	the use of the manual override capability is restricted to only < <i>SI-10(01)_ODP authorized individuals></i> ;	
	SI-10(01)(c)	the use of the manual override capability is audited.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-10(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; access control policy and procedures; separation of duties policy and procedures; procedures addressing information input validation; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-10(01)-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators; system developer].	
	SI-10(01)-Test	[SELECT FROM: Organizational processes for the use of a manual override capability; automated mechanisms supporting and/or implementing a manual override capability for input validation; automated mechanisms supporting and/or implementing auditing of the use of a manual override capability].	

SI-10(02)	INFORMATION INPL	JT VALIDATION REVIEW AND RESOLVE ERRORS
	ASSESSMENT OBJEC	TIVE:
	SI-10(02)_ODP[01]	the time period within which input validation errors are to be reviewed is defined;
	SI-10(02)_ODP[02]	the time period within which input validation errors are to be resolved is defined;
	SI-10(02)[01]	input validation errors are reviewed within < <i>SI-10(02)_ODP[01] time period></i> ;
	SI-10(02)[02]	input validation errors are resolved within < <i>SI-10(02)_ODP[02] time period</i> >.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-10(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing information input validation; system design documentation; system configuration settings and associated documentation; review records of information input validation errors and resulting resolutions; information input validation error logs or records; system audit records; system security plan; other relevant documents or records].
	SI-10(02)-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators].
	SI-10(02)-Test	[SELECT FROM: Organizational processes for the review and resolution of input validation errors; automated mechanisms supporting and/or implementing the review and resolution of input validation errors].

SI-10(03)	INFORMATION INPUT VALIDATION PREDICTABLE BEHAVIOR ASSESSMENT OBJECTIVE: Determine if:		
	SI-10(03)[01]	the system behaves in a predictable manner when invalid inputs are received;	
	SI-10(03)[02]	the system behaves in a documented manner when invalid inputs are received.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-10(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing information input validation; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-10(03)-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators; system developer].	

SI 10(02) Test	SI-10(03)	INFORMATION INPU	T VALIDATION PREDICTABLE BEHAVIOR
predictable behavior when invalid inputs are received].		SI-10(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing predictable behavior when invalid inputs are received].

0(04)	INFORMATION INPUT VALIDATION TIMING INTERACTIONS		
	ASSESSMENT OBJEC	TIVE:	
	SI-10(04)	timing interactions among system components are accounted for in determining appropriate responses for invalid inputs.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-10(04)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing information input validation; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; othe relevant documents or records].	
	SI-10(04)-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators; system developer].	
	SI-10(04)-Test	[SELECT FROM: Organizational processes for determining appropriate responses to invalid inputs; automated mechanisms supporting and/or implementing responses to invalid inputs].	

SI-10(05)	INFORMATION INPU APPROVED FORMAT	T VALIDATION RESTRICT INPUTS TO TRUSTED SOURCES AND S	
	ASSESSMENT OBJEC Determine if:	ΓΙVΕ:	
	SI-10(05)_ODP[01]	trusted sources to which the use of information inputs is to be restricted are defined;	
	SI-10(05)_ODP[02]	formats to which the use of information inputs is to be restricted are defined;	
	SI-10(05)	the use of information inputs is restricted to <si-10(05)_odp[01] b="" trusted<=""> sources> and/or <si-10(05)_odp[02] formats=""></si-10(05)_odp[02]>.</si-10(05)_odp[01]>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-10(05)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing information input validation; system design documentation; system configuration settings and associated documentation; list of trusted sources for information inputs; list of acceptable formats for input restrictions; system audit records; system security plan; other relevant documents or records].	

SI-10(05)	INFORMATION INPUT VALIDATION RESTRICT INPUTS TO TRUSTED SOURCES AND APPROVED FORMATS	
	SI-10(05)-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-10(05)-Test	[SELECT FROM: Organizational processes for restricting information inputs; automated mechanisms supporting and/or implementing restriction of information inputs].

SI-10(06)	INFORMATION INPUT VALIDATION INJECTION PREVENTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-10(06)	untrusted data injections are prevented.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-10(06)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing information input validation; system design documentation; system configuration settings and associated documentation; list of trusted sources for information inputs; list of acceptable formats for input restrictions; system audit records; system security plan; other relevant documents or records].
	SI-10(06)-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-10(06)-Test	[SELECT FROM: Organizational processes for preventing untrusted data injections; automated mechanisms supporting and/or implementing injection prevention].

SI-11	ERROR HANDLING	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-11_ODP	personnel or roles to whom error messages are to be revealed is/are defined;
	SI-11a.	error messages that provide the information necessary for corrective actions are generated without revealing information that could be exploited;
	SI-11b.	error messages are revealed only to <si-11_odp or="" personnel="" roles=""></si-11_odp> .

SI-11	ERROR HANDLING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-11-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing system error handling; system design documentation; system configuration settings and associated documentation; documentation providing the structure and content of error messages; system audit records; system security plan; other relevant documents or records].
	SI-11-Interview	[SELECT FROM: Organizational personnel responsible for information input validation; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-11-Test	[SELECT FROM: Organizational processes for error handling; automated mechanisms supporting and/or implementing error handling; automated mechanisms supporting and/or implementing the management of error messages].

SI-12	INFORMATION MANAGEMENT AND RETENTION		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-12[01]	information within the system is managed in accordance with applicable laws, Executive Orders, directives, regulations, policies, standards, guidelines, and operational requirements;	
	SI-12[02]	information within the system is retained in accordance with applicable laws, Executive Orders, directives, regulations, policies, standards, guidelines, and operational requirements;	
	SI-12[03]	information output from the system is managed in accordance with applicable laws, Executive Orders, directives, regulations, policies, standards, guidelines, and operational requirements;	
	SI-12[04]	information output from the system is retained in accordance with applicable laws, Executive Orders, directives, regulations, policies, standards, guidelines, and operational requirements.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-12-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; records retention and disposition policy; records retention and disposition procedures; federal laws, Executive Orders, directives, policies, regulations, standards, and operational requirements applicable to information management and retention; media protection policy; media protection procedures; audit findings; system security plan; privacy plan; privacy program plan; personally identifiable information inventory; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	

SI-12	INFORMATION MANAGEMENT AND RETENTION	
	SI-12-Interview	[SELECT FROM: Organizational personnel with information and records management, retention, and disposition responsibilities; organizational personnel with information security and privacy responsibilities; network administrators].
	SI-12-Test	[SELECT FROM: Organizational processes for information management, retention, and disposition; automated mechanisms supporting and/or implementing information management, retention, and disposition].

SI-12(01)	INFORMATION MANAGEMENT AND RETENTION LIMIT PERSONALLY IDENTIFIABLE INFORMATION ELEMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-12(01)_ODP	elements of personally identifiable information being processed in the information life cycle are defined;
	SI-12(01)	personally identifiable information being processed in the information life cycle is limited to <si-12(01)_odp b="" elements="" identifiable<="" of="" personally=""> <i>information</i>>.</si-12(01)_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-12(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; personally identifiable information processing procedures; records retention and disposition policy; records retention and disposition procedures; federal laws, Executive Orders, directives, policies, regulations, standards, and operational requirements applicable to limiting personally identifiable information elements; personally identifiable information inventory; system audit records; audit findings; system security plan; privacy plan; privacy program plan; privacy impact assessment; privacy risk assessment documentation; data mapping documentation; other relevant documents or records].
	SI-12(01)-Interview	[SELECT FROM: Organizational personnel with information and records management, retention, and disposition responsibilities; organizational personnel with security and privacy responsibilities; network administrators].
	SI-12(01)-Test	[SELECT FROM: Organizational processes for information management and retention (including limiting personally identifiable information processing); automated mechanisms supporting and/or implementing limits to personally identifiable information processing].

SI-12(02)	INFORMATION MANAGEMENT AND RETENTION MINIMIZE PERSONALLY IDENTIFIABLE INFORMATION IN TESTING, TRAINING, AND RESEARCH	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-12(02)_ODP[01]	techniques used to minimize the use of personally identifiable information for research are defined;
	SI-12(02)_ODP[02]	techniques used to minimize the use of personally identifiable information for testing are defined;
	SI-12(02)_ODP[03]	techniques used to minimize the use of personally identifiable information for training are defined;
	SI-12(02)[01]	< SI-12(02)_ODP[01] techniques> are used to minimize the use of personally identifiable information for research;
	SI-12(02)[02]	< SI-12(02)_ODP[02] techniques> are used to minimize the use of personally identifiable information for testing;
	SI-12(02)[03]	< SI-12(02)_ODP[03] techniques> are used to minimize the use of personally identifiable information for training.
	POTENTIAL ASSESS	MENT METHODS AND OBJECTS:
	SI-12(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; personally identifiable information processing procedures; federal laws, Executive Orders, directives, policies, regulations, standards, and operational requirements applicable to minimizing the use of personally identifiable information in testing, training, and research; policy for the minimization of personally identifiable information used in testing, training, and research; procedures for the minimization of personally identifiable information used in testing, training, and research; documentation supporting minimization policy implementation (e.g., templates for testing, training, and research); data sets used for testing, training, and research; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-12(02)-Interview	[SELECT FROM: Organizational personnel with information and records management, retention, and disposition responsibilities; organizational personnel with information security and privacy responsibilities; network administrators; system developers; personnel with IRB responsibilities].
	SI-12(02)-Test	[SELECT FROM: Organizational processes for the minimization of personally identifiable information used in testing, training, and research; automated mechanisms supporting and/or implementing the minimization of personally identifiable information used in testing, training, and research].

SI-12(03)	INFORMATION MANAGEMENT AND RETENTION INFORMATION DISPOSAL		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-12(03)_ODP[01]	techniques used to dispose of information following the retention period are defined;	
	SI-12(03)_ODP[02]	techniques used to destroy information following the retention period are defined;	
	SI-12(03)_ODP[03]	techniques used to erase information following the retention period are defined;	
	SI-12(03)[01]	< SI-12(03)_ODP[01] techniques> are used to dispose of information following the retention period;	
	SI-12(03)[02]	< <i>SI-12(03)_ODP[02] techniques></i> are used to destroy information following the retention period;	
	SI-12(03)[03]	< <i>SI-12(03)_ODP[03] techniques></i> are used to erase information following the retention period.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-12(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; personally identifiable information processing procedures; records retention and disposition policy; records retention and disposition procedures; laws, Executive Orders, directives, policies, regulations, standards, and operational requirements applicable to information disposal; media protection policy; media protection procedures; system audit records; audit findings; information disposal records; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SI-12(03)-Interview	[SELECT FROM: Organizational personnel with information and records management, retention, and disposition responsibilities; organizational personnel with information security and privacy responsibilities; network administrators].	
	SI-12(03)-Test	[SELECT FROM: Organizational processes for information disposition; automated mechanisms supporting and/or implementing information disposition].	

SI-13	PREDICTABLE FAILURE PREVENTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-13_ODP[01]	system components for which mean time to failure (MTTF) should be determined are defined;
	SI-13_ODP[02]	mean time to failure (MTTF) substitution criteria to be used as a means to exchange active and standby components are defined;

PREDICTABLE	PREDICTABLE FAILURE PREVENTION	
SI-13a.	mean time to failure (MTTF) is determined for <si-13_odp[01] b="" system<=""> components> in specific environments of operation;</si-13_odp[01]>	
SI-13b.	substitute system components and a means to exchange active and standby components are provided in accordance with <i><si-13_odp[02] (mttf)="" criteria="" failure="" mean="" substitution="" time="" to=""></si-13_odp[02]></i> .	
POTENTIAL AS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SI-13-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing predictable failure prevention; system design documentation; system configuration settings and associated documentation; list of MTTF substitution criteria; system audit records; system security plan; other relevant documents or records].	
SI-13-Interview	[SELECT FROM: Organizational personnel responsible for MTTF determinations and activities; organizational personnel with information security responsibilities; system/network administrators; organizational personnel with contingency planning responsibilities].	
SI-13-Test	[SELECT FROM: Organizational processes for managing MTTF].	

SI-13(01)	PREDICTABLE FAILURE PREVENTION TRANSFERRING COMPONENT RESPONSIBILITIES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-13(01)_ODP	the fraction or percentage of mean time to failure within which to transfer the responsibilities of a system component to a substitute component is defined;
	SI-13(01)	system components are taken out of service by transferring component responsibilities to substitute components no later than <i>SI-13(01)_ODP</i> <i>fraction or percentage></i> of mean time to failure.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-13(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing predictable failure prevention; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SI-13(01)-Interview	[SELECT FROM: Organizational personnel responsible for MTTF activities; organizational personnel with information security responsibilities; system/ network administrators; organizational personnel with contingency planning responsibilities].
	SI-13(01)-Test	[SELECT FROM: Organizational processes for managing MTTF; automated mechanisms supporting and/or implementing the transfer of component responsibilities to substitute components].

SI-13(02)	PREDICTABLE FAILURE PREVENTION TIME LIMIT ON PROCESS EXECUTION WITHOUT SUPERVISION
	[WITHDRAWN: Incorporated into SI-07(16).]

ASSESSMENT OBJECT Determine if: I-13(03)_ODP	
I-13(03)_ODP	
	the percentage of the mean time to failure for transfers to be manually initiated is defined:
i-13(03)	transfers are initiated manually between active and standby system components when the use of the active component reaches <si-13(03)_odp< b=""> <i>percentage></i> of the mean time to failure.</si-13(03)_odp<>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
I-13(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing predictable failure prevention; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
I-13(03)-Interview	[SELECT FROM: Organizational personnel responsible for MTTF activities; organizational personnel with information security responsibilities; system/ network administrators; organizational personnel with contingency planning responsibilities].
I-13(03)-Test	[SELECT FROM: Organizational processes for managing MTTF and conducting the manual transfer between active and standby components].
	OTENTIAL ASSESSM I-13(03)-Examine I-13(03)-Interview

SI-13(04) PREDICTABLE FAILURE PREVENTION | STANDBY COMPONENT INSTALLATION AND NOTIFICATION

	ASSESSMENT OBJEC Determine if:	ΓIVE:
	SI-13(04)_ODP[01]	time period for standby components to be installed is defined;
	SI-13(04)_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {activate <si-13(04)_odp[03] alarm="">; automatically shut down the system; <si-13(04)_odp[04] action="">};</si-13(04)_odp[04]></si-13(04)_odp[03]>
	SI-13(04)_ODP[03]	alarm to be activated when system component failures are detected is defined (if selected);
	SI-13(04)_ODP[04]	action to be taken when system component failures are detected is defined (if selected);

SI-13(04)	PREDICTABLE FAILURE PREVENTION STANDBY COMPONENT INSTALLATION AND NOTIFICATION	
	SI-13(04)(a)	the standby components are successfully and transparently installed within <si-13(04)_odp[01] period="" time=""></si-13(04)_odp[01]> if system component failures are detected;
	SI-13(04)(b)	<si-13(04)_odp[02] parameter="" selected="" value(s)=""> are performed if system component failures are detected.</si-13(04)_odp[02]>
	POTENTIAL ASSESSM	ENT METHODS AND OBJECTS:
	SI-13(04)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing predictable failure prevention; system design documentation; system configuration settings and associated documentation; list of actions to be taken once system component failure is detected; system audit records; system security plan; other relevant documents or records].
	SI-13(04)-Interview	[SELECT FROM: Organizational personnel responsible for MTTF activities; organizational personnel with information security responsibilities; system/ network administrators; organizational personnel with contingency planning responsibilities].
	SI-13(04)-Test	[SELECT FROM: Organizational processes for managing MTTF; automated mechanisms supporting and/or implementing the transparent installation of standby components; automated mechanisms supporting and/or implementing alarms or system shutdown if component failures are detected].

SI-13(05)	PREDICTABLE FAILURE PREVENTION FAILOVER CAPABILITY	
	ASSESSMENT OBJECT	ΓΙVΕ:
	SI-13(05)_ODP[01]	one of the following PARAMETER VALUES is selected: {real-time; near real- time};
	SI-13(05)_ODP[02]	a failover capability for the system has been defined;
	SI-13(05)	<si-13(05)_odp[01] parameter="" selected="" value=""> <si-13(05)_odp[02] failover capability> is provided for the system.</si-13(05)_odp[02] </si-13(05)_odp[01]>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-13(05)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing predictable failure prevention; system design documentation; system configuration settings and associated documentation; documentation describing the failover capability provided for the system; system audit records; system security plan; other relevant documents or records].
	SI-13(05)-Interview	[SELECT FROM: Organizational personnel responsible for the failover capability; organizational personnel with information security responsibilities; system/network administrators; organizational personnel with contingency planning responsibilities].

SI-13(05)	PREDICTABLE FAILURE PREVENTION FAILOVER CAPABILITY	
	SI-13(05)-Test	[SELECT FROM: Organizational processes for managing the failover capability; automated mechanisms supporting and/or implementing the failover capability].

	NON-PERSISTENCE	
ASSESSMENT OBJECT Determine if:	IVE:	
SI-14_ODP[01]	non-persistent system components and services to be implemented are defined;	
SI-14_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {upon end of session of use; <si-14_odp[03] frequency="">};</si-14_odp[03]>	
SI-14_ODP[03]	the frequency at which to terminate non-persistent components and services that are initiated in a known state is defined (if selected);	
SI-14[01]	non-persistent <si-14_odp[01] and="" components="" services="" system=""></si-14_odp[01]> that are initiated in a known state;	
SI-14[02]	non-persistent <si-14_odp[01] and="" components="" services="" system=""></si-14_odp[01]> are terminated <si-14_odp[02] parameter="" selected="" value(s)=""></si-14_odp[02]> .	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SI-14-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing non-persistence for system components; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
SI-14-Interview	[SELECT FROM: Organizational personnel responsible for non-persistence; organizational personnel with information security responsibilities; system/ network administrators; system developer].	
SI-14-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the initiation and termination of non-persistent components].	
	Determine if: SI-14_ODP[01] SI-14_ODP[02] SI-14_ODP[03] SI-14[01] SI-14[02] POTENTIAL ASSESSM SI-14-Examine SI-14-Interview	

SI-14(01)	NON-PERSISTENCE REFRESH FROM TRUSTED SOURCES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-14(01)_ODP	trusted sources to obtain software and data for system component and service refreshes are defined;
	SI-14(01)	the software and data employed during system component and service refreshes are obtained from <si-14(01)_odp sources="" trusted=""></si-14(01)_odp> .

SI-14(01)	NON-PERSISTENCE REFRESH FROM TRUSTED SOURCES	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-14(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing non-persistence for system components; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].
	SI-14(01)-Interview	[SELECT FROM: Organizational personnel responsible for obtaining component and service refreshes from trusted sources; organizational personnel with information security responsibilities].
	SI-14(01)-Test	[SELECT FROM: Organizational processes for defining and obtaining component and service refreshes from trusted sources; automated mechanisms supporting and/or implementing component and service refreshes].

SI-14(02)	NON-PERSISTENCE NON-PERSISTENT INFORMATION		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SI-14(02)_ODP[01]	one of the following PARAMETER VALUES is selected: {refresh <si-14(02)_odp[02] information=""> <si-14(02)_odp[03] frequency="">; generate<si-14(02)_odp[04] information="">on demand};</si-14(02)_odp[04]></si-14(02)_odp[03]></si-14(02)_odp[02]>	
	SI-14(02)_ODP[02]	the information to be refreshed is defined (if selected);	
	SI-14(02)_ODP[03]	the frequency at which to refresh information is defined (if selected);	
	SI-14(02)_ODP[04]	the information to be generated is defined (if selected);	
	SI-14(02)(a)	<si-14(02)_odp[01] parameter="" selected="" value=""> is performed;</si-14(02)_odp[01]>	
	SI-14(02)(b)	information is deleted when no longer needed.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-14(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing non-persistence for system components; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-14(02)-Interview	[SELECT FROM: Organizational personnel responsible for ensuring that information is and remains non-persistent; organizational personnel with information security responsibilities].	
	SI-14(02)-Test	[SELECT FROM: Organizational processes for ensuring that information is and remains non-persistent; automated mechanisms supporting and/or implementing component and service refreshes].	

NON-PERSISTENCE NON-PERSISTENT CONNECTIVITY		
ASSESSMENT OBJEC Determine if:	TIVE:	
SI-14(03)_ODP	one of the following PARAMETER VALUES is selected: {completion of a request; a period of non-use};	
SI-14(03)[01]	connections to the system are established on demand;	
SI-14(03)[02]	connections to the system are terminated after <i><si-14(03)_odp i="" selected<=""> <i>PARAMETER VALUE</i>>.</si-14(03)_odp></i>	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SI-14(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing non-persistence for system components; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
SI-14(03)-Interview	[SELECT FROM: Organizational personnel responsible for limiting persistent connections; organizational personnel with information security responsibilities].	
SI-14(03)-Test	[SELECT FROM: Organizational processes for limiting persistent connections; automated mechanisms supporting and/or implementing non-persistent connectivity].	
	ASSESSMENT OBJEC Determine if: SI-14(03)_ODP SI-14(03)[01] SI-14(03)[02] POTENTIAL ASSESSM SI-14(03)-Examine	

SI-15	INFORMATION OUT	INFORMATION OUTPUT FILTERING	
	ASSESSMENT OBJE	CTIVE:	
	SI-15_ODP	software programs and/or applications whose information output requires validation are defined;	
	SI-15	information output from <i><si-15_odp and="" i="" or<="" programs="" software=""> <i>applications></i> is validated to ensure that the information is consistent with the expected content.</si-15_odp></i>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-15-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing information output filtering; system design documentation; system configuration settings and associated documentation; system audit records; system security plan; other relevant documents or records].	
	SI-15-Interview	[SELECT FROM: Organizational personnel responsible for validating information output; organizational personnel with information security responsibilities; system/network administrators; system developer].	
	SI-15-Test	[SELECT FROM: Organizational processes for validating information output; automated mechanisms supporting and/or implementing information output validation].	

SI-16	MEMORY PROTECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-16_ODP	controls to be implemented to protect the system memory from unauthorized code execution are defined;
	SI-16	< SI-16_ODP controls> are implemented to protect the system memory from unauthorized code execution.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-16-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; procedures addressing memory protection for the system; system design documentation; system configuration settings and associated documentation; list of security safeguards protecting system memory from unauthorized code execution; system audit records; system security plan; other relevant documents or records].
	SI-16-Interview	[SELECT FROM: Organizational personnel responsible for memory protection; organizational personnel with information security responsibilities; system/network administrators; system developer].
	SI-16-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing safeguards to protect the system memory from unauthorized code execution].

FAIL-SAF	FAIL-SAFE PROCEDURES	
ASSESSN Determine	IENT OBJEC e if:	ſIVE:
SI-17_OD	P[01]	fail-safe procedures associated with failure conditions are defined;
SI-17_OD	P[02]	a list of failure conditions requiring fail-safe procedures is defined;
SI-17		<si-17_odp[01] fail-safe="" procedures=""> are implemented when <si-17_odp[02] conditions="" failure="" list="" of=""> occur.</si-17_odp[02]></si-17_odp[01]>
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SI-17-Exa	mine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; documentation addressing fail-safe procedures for the system; system design documentation; system configuration settings and associated documentation; list of security safeguards protecting the system memory from unauthorized code execution; system audit records; system security plan; other relevant documents or records].
SI-17-Inte	rview	[SELECT FROM: Organizational personnel responsible for fail-safe procedures; organizational personnel with information security responsibilities; system/network administrators; system developer].
SI-17-Test	:	[SELECT FROM: Organizational fail-safe procedures; automated mechanism supporting and/or implementing fail-safe procedures].

SI-18	PERSONALLY IDEN	ITIFIABLE INFORMATION QUALITY OPERATIONS	
	ASSESSMENT OBJ Determine if:	ECTIVE:	
	SI-18_ODP[01]	the frequency at which to check the accuracy of personally identifiable information across the information life cycle is defined;	
	SI-18_ODP[02]	the frequency at which to check the relevance of personally identifiable information across the information life cycle is defined;	
	SI-18_ODP[03]	the frequency at which to check the timeliness of personally identifiable information across the information life cycle is defined;	
	SI-18_ODP[04]	the frequency at which to check the completeness of personally identifiable information across the information life cycle is defined;	
	SI-18a.[01]	the accuracy of personally identifiable information across the information life cycle is checked <si-18_odp[01] frequency=""></si-18_odp[01]> ;	
	SI-18a.[02]	the relevance of personally identifiable information across the information life cycle is checked <si-18_odp[02] frequency=""></si-18_odp[02]> ;	
	SI-18a.[03]	the timeliness of personally identifiable information across the information life cycle is checked <si-18_odp[03] frequency=""></si-18_odp[03]> ;	
	SI-18a.[04]	the completeness of personally identifiable information across the information life cycle is checked <<i>SI-18_ODP[04]</i> <i>frequency</i> >;	
	SI-18(b)	inaccurate or outdated personally identifiable information is corrected or deleted.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-18-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; documentation addressing personally identifiable information quality operations; quality reports; maintenance logs; system audit records; audit findings; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SI-18-Interview	[SELECT FROM: Organizational personnel responsible for performing personally identifiable information quality inspections; organizational personnel with information security responsibilities; organizational personnel with privacy responsibilities].	
	SI-18-Test	[SELECT FROM: Organizational processes for personally identifiable information quality inspection; automated mechanisms supporting and/or implementing personally identifiable information quality operations].	

SI-18(01)	PERSONALLY IDENTIFIABLE INFORMATION QUALITY OPERATIONS AUTOMATION SUPPORT		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-18(01)_ODP	automated mechanisms used to correct or delete personally identifiable information that is inaccurate, outdated, incorrectly determined regarding impact, or incorrectly de-identified are defined;	
	SI-18(01)	<si-18(01)_odp automated="" mechanisms=""> are used to correct or delete personally identifiable information that is inaccurate, outdated, incorrectly determined regarding impact, or incorrectly de-identified.</si-18(01)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-18(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; documentation addressing personally identifiable information quality operations; quality reports; maintenance logs; system audit records; audit findings; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SI-18(01)-Interview	[SELECT FROM: Organizational personnel responsible for performing personally identifiable information quality inspections; organizational personnel with information security and privacy responsibilities].	
	SI-18(01)-Test	[SELECT FROM: Organizational processes for personally identifiable information quality inspection; automated mechanisms supporting and/or implementing personally identifiable information quality operations].	

SI-18(02)	PERSONALLY IDENTIFIABLE INFORMATION QUALITY OPERATIONS DATA TAGS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-18(02)	data tags are employed to automate the correction or deletion of personally identifiable information across the information life cycle within organizational systems.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-18(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; procedures addressing data tagging; personally identifiable information inventory; system audit records; audit findings; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SI-18(02)-Interview	[SELECT FROM: Organizational personnel responsible for tagging data; organizational personnel with information security and privacy responsibilities].	

SI-18(02)	PERSONALLY IDENTIFIABLE INFORMATION QUALITY OPERATIONS DATA TAGS	
	SI-18(02)-Test	[SELECT FROM: Data tagging mechanisms; automated mechanisms supporting and/or implementing data tagging].

SI-18(03)	PERSONALLY IDENTIFIABLE INFORMATION QUALITY OPERATIONS COLLECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-18(03)	personally identifiable information is collected directly from the individual.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-18(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; system configuration documentation; system audit records; user interface where personally identifiable information is collected; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-18(03)-Interview	[SELECT FROM: Organizational personnel responsible for data collection; organizational personnel with information security and privacy responsibilities].
	SI-18(03)-Test	[SELECT FROM: Data collection mechanisms; automated mechanisms supporting and/or validating collection directly from the individual].

SI-18(04)	PERSONALLY IDENTIFIABLE INFORMATION QUALITY OPERATIONS INDIVIDUAL REQUESTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-18(04)	personally identifiable information is corrected or deleted upon request by individuals or their designated representatives.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-18(04)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; system configuration; individual requests; records of correction or deletion actions performed; system audit records; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SI-18(04)-Interview	[SELECT FROM: Organizational personnel responsible for responding to individual requests for personally identifiable information correction or deletion; organizational personnel with information security and privacy responsibilities].	

SI-18(04)	PERSONALLY IDENTIFIABLE INFORMATION QUALITY OPERATIONS INDIVIDUAL REQUESTS	
	SI-18(04)-Test	[SELECT FROM: Request mechanisms; automated mechanisms supporting and/or implementing individual requests for correction or deletion].

SI-18(05)	PERSONALLY IDENTIFIABLE INFORMATION QUALITY OPERATIONS NOTICE OF CORRECTION OR DELETION ASSESSMENT OBJECTIVE: Determine if:		
	SI-18(05)_ODP	recipients of personally identifiable information to be notified when the personally identifiable information has been corrected or deleted are defined;	
	SI-18(05)	< SI-18(05)_ODP recipients> and individuals are notified when the personally identifiable information has been corrected or deleted.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-18(05)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; system configuration; individual requests for corrections or deletions; notifications of correction or deletion action; system audit records; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SI-18(05)-Interview	[SELECT FROM: Organizational personnel responsible for sending correction or deletion notices; organizational personnel with information security and privacy responsibilities].	
	SI-18(05)-Test	[SELECT FROM: Organizational processes for notifications of correction or deletion; automated mechanisms supporting and/or implementing notifications of correction or deletion].	

SI-19	DE-IDENTIFICATION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-19_ODP[01]	elements of personally identifiable information to be removed from datasets are defined;
	SI-19_ODP[02]	the frequency at which to evaluate the effectiveness of de-identification is defined;
	SI-19a.	<si-19_odp[01] elements=""> are removed from datasets;</si-19_odp[01]>
	SI-19b.	the effectiveness of de-identification is evaluated <si-19_odp[02]< b=""> frequency>.</si-19_odp[02]<>

SI-19	DE-IDENTIFICATION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-19-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; system configuration; datasets with personally identifiable information removed; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-19-Interview	[SELECT FROM: Organizational personnel responsible for identifying unnecessary identifiers; organizational personnel responsible for removing personally identifiable information from datasets; organizational personnel with information security and privacy responsibilities].
	SI-19-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the removal of personally identifiable information elements].

DE-IDENTIFICATION COLLECTION	
ASSESSMENT OBJEC Determine if:	FIVE:
SI-19(01)	the dataset is de-identified upon collection by not collecting personally identifiable information.
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SI-19(01)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; procedures for minimizing the collection of personally identifiable information; system configuration; data collection mechanisms; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
SI-19(01)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with information security and privacy responsibilities].
SI-19(01)-Test	[SELECT FROM: Automated mechanisms preventing the collection of personally identifiable information].
	ASSESSMENT OBJECT Determine if: SI-19(01) POTENTIAL ASSESSIV SI-19(01)-Examine

SI-19(02)	DE-IDENTIFICATION ARCHIVING	
ASSESSMENT OBJECTIVE: Determine if:		CTIVE:
	SI-19(02)	the archiving of personally identifiable information elements is prohibited if those elements in a dataset will not be needed after the dataset is archived.

SI-19(02)	DE-IDENTIFICATION ARCHIVING	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-19(02)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; system configuration documentation; data archiving mechanisms; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-19(02)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with dataset archival responsibilities; organizational personnel with information security and privacy responsibilities].
	SI-19(02)-Test	[SELECT FROM: Automated mechanisms prohibiting the archival of personally identifiable information elements].

SI-19(03)	DE-IDENTIFICATION	DE-IDENTIFICATION RELEASE	
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-19(03)	personally identifiable information elements are removed from a dataset prior to its release if those elements in the dataset do not need to be part of the data release.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-19(03)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; procedures for minimizing the release of personally identifiable information; system configuration; data release mechanisms; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].	
	SI-19(03)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with information security and privacy responsibilities].	
	SI-19(03)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the removal of personally identifiable information elements from a dataset].	
	SI-19(03)-Test		

SI-19(04)	DE-IDENTIFICATION REMOVAL, MASKING, ENCRYPTION, HASHING, OR REPLACEMENT OF DIRECT IDENTIFIERS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-19(04)	direct identifiers in a dataset are removed, masked, encrypted, hashed, or replaced.

SI-19(04)	DE-IDENTIFICATION REMOVAL, MASKING, ENCRYPTION, HASHING, OR REPLACEMENT OF DIRECT IDENTIFIERS	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:		IENT METHODS AND OBJECTS:
	SI-19(04)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; system configuration; documentation of de-identified datasets; tools for the removal, masking, encryption, hashing or replacement of direct identifiers; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-19(04)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with information security and privacy responsibilities].
	SI-19(04)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the removal, masking, encryption, hashing or replacement of direct identifiers].

SI-19(05)	DE-IDENTIFICATION STATISTICAL DISCLOSURE CONTROL	
	ASSESSMENT OBJECT Determine if:	ΓΙVΕ:
	SI-19(05)[01]	numerical data is manipulated so that no individual or organization is identifiable in the results of the analysis;
	SI-19(05)[02]	contingency tables are manipulated so that no individual or organization is identifiable in the results of the analysis;
	SI-19(05)[03]	statistical findings are manipulated so that no individual or organization is identifiable in the results of the analysis.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SI-19(05)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; system configuration; de-identified datasets; statistical analysis report; tools for the control of statistical disclosure; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-19(05)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with information security and privacy responsibilities].
	SI-19(05)-Test	[SELECT FROM: Automated mechanisms supporting and/or implementing the control of statistical disclosure].

SI-19(06)	DE-IDENTIFICATION DIFFERENTIAL PRIVACY	
ASSESSMENT OBJECTIVE: Determine if:		ΓIVE:
	SI-19(06)	the disclosure of personally identifiable information is prevented by adding non-deterministic noise to the results of mathematical operations before the results are reported.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-19(06)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; system configuration; de- identified datasets; differential privacy tools; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-19(06)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with information security and privacy responsibilities].
	SI-19(06)-Test	[SELECT FROM: Online query systems; automated mechanisms supporting and/or implementing differential privacy].

SI-19(07)	DE-IDENTIFICATION VALIDATED ALGORITHMS AND SOFTWARE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-19(07)[01]	de-identification is performed using validated algorithms;
	SI-19(07)[02]	de-identification is performed using software that is validated to implement the algorithms.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-19(07)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; system configuration; de- identified datasets; algorithm and software validation tools; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-19(07)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with information security and privacy responsibilities].
	SI-19(07)-Test	[SELECT FROM: Validated algorithms and software].

08)	DE-IDENTIFICATION	MOTIVATED INTRUDER
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-19(08)	a motivated intruder test is performed on the de-identified dataset to determine if the identified data remains or if the de-identified data can be re-identified.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-19(08)-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; de-identification procedures; system configuration; motivated intruder test procedures; de-identified datasets; system security plan; privacy plan; privacy impact assessment; privacy risk assessment documentation; other relevant documents or records].
	SI-19(08)-Interview	[SELECT FROM: Organizational personnel responsible for de-identifying the dataset; organizational personnel with information security and privacy responsibilities].
	SI-19(08)-Test	[SELECT FROM: Motivated intruder test].

SI-20	TAINTING	
	ASSESSMENT OBJECT Determine if:	rive:
	SI-20_ODP	the systems or system components with data or capabilities to be embedded are defined;
	SI-20	data or capabilities are embedded in <i>SI-20_ODP systems or system components></i> to determine if organizational data has been exfiltrated or improperly removed from the organization.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SI-20-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; procedures addressing software and information integrity; system design documentation; system configuration settings and associated documentation; policy and procedures addressing the systems security engineering technique of deception; system security plan; privacy plan; other relevant documents or records].
	SI-20-Interview	[SELECT FROM: Organizational personnel responsible for detecting tainted data; organizational personnel with systems security engineering responsibilities; organizational personnel with information security and privacy responsibilities].
	SI-20-Test	[SELECT FROM: Automated mechanisms for post-breach detection; decoys, traps, lures, and methods for deceiving adversaries; detection and notification mechanisms].

INFORMATION	REFRESH
ASSESSMENT O Determine if:	BJECTIVE:
SI-21_ODP[01]	the information to be refreshed is defined;
SI-21_ODP[02]	the frequencies at which to refresh information are defined;
SI-21	the <si-21_odp[01]< b=""> information> is refreshed <si-21_odp[02]< b=""> frequencies> or is generated on demand and deleted when no longer needed.</si-21_odp[02]<></si-21_odp[01]<>
POTENTIAL ASS	ESSMENT METHODS AND OBJECTS:
SI-21-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; procedures addressing software and information integrity; system design documentation; system configuration settings and associated documentation; information refresh procedures; list of information to be refreshed; system security plan; privacy plan; other relevant documents or records].
SI-21-Interview	[SELECT FROM: Organizational personnel responsible for refreshing information; organizational personnel with information security and privacy responsibilities; organizational personnel with systems security engineering responsibilities; system developers].
SI-21-Test	[SELECT FROM: Mechanisms for information refresh; organizational processes for information refresh].

SI-22	INFORMATION DIVERSITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SI-22_ODP[01]	alternative information sources for essential functions and services are defined;
	SI-22_ODP[02]	essential functions and services that require alternative sources of information are defined;
	SI-22_ODP[03]	systems or system components that require an alternative information source for the execution of essential functions or services are defined;
	SI-22a.	<pre><si-22_odp[01] alternative="" information="" sources=""> for <si-22_odp[02] and="" essential="" functions="" services=""> are identified;</si-22_odp[02]></si-22_odp[01]></pre>
	SI-22b.	an alternative information source is used for the execution of essential functions or services on <si-22_odp[03] components="" or="" system="" systems=""></si-22_odp[03]> when the primary source of information is corrupted or unavailable.

SI-22	INFORMATION DIVERSITY	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SI-22-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; system design documentation; system configuration settings and associated documentation; list of information sources; system security plan; privacy plan; other relevant documents or records].
	SI-22-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; organizational personnel with systems security engineering responsibilities; system developers].
	SI-22-Test	[SELECT FROM: Automated methods and mechanisms to convert information from an analog to digital medium].

SI-23	INFORMATION FRAGMENTATION		
	ASSESSMENT OBJECTIVE: Determine if:		
	SI-23_ODP[01]	circumstances that require information fragmentation are defined;	
	SI-23_ODP[02]	the information to be fragmented is defined;	
	SI-23_ODP[03]	systems or system components across which the fragmented information is to be distributed are defined;	
	SI-23a.	under < SI-23_ODP[01] circumstances> , < SI-23_ODP[02] information> is fragmented;	
	SI-23b.	under < <i>SI-23_ODP[01] circumstances></i> , the fragmented information is distributed across < <i>SI-23_ODP[03] systems or system components></i> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SI-23-Examine	[SELECT FROM: System and information integrity policy; system and information integrity procedures; personally identifiable information processing policy; procedures addressing software and information integrity; system design documentation; system configuration settings and associated documentation; procedures to identify information for fragmentation and distribution across systems/system components; list of distributed and fragmented information; list of circumstances requiring information fragmentation; enterprise architecture; system security architecture; system security plan; privacy plan; other relevant documents or records].	
	SI-23-Interview	[SELECT FROM: Organizational personnel with information security and privacy responsibilities; organizational personnel with systems security engineering responsibilities; system developers; security architects].	
	SI-23-Test	[SELECT FROM: Organizational processes to identify information for fragmentation and distribution across systems/system components; automated mechanisms supporting and/or implementing information fragmentation and distribution across systems/system components].	

4.20 SUPPLY CHAIN RISK MANAGEMENT

SR-01	POLICY AND PROCEDURES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-01_ODP[01]	personnel or roles to whom supply chain risk management policy is to be disseminated to is/are defined;
	SR-01_ODP[02]	personnel or roles to whom supply chain risk management procedures are disseminated to is/are defined;
	SR-01_ODP[03]	one or more of the following PARAMETER VALUES is/are selected: {organization-level; mission/business process-level; system-level};
	SR-01_ODP[04]	an official to manage the development, documentation, and dissemination of the supply chain risk management policy and procedures is defined;
	SR-01_ODP[05]	the frequency at which the current supply chain risk management policy is reviewed and updated is defined;
	SR-01_ODP[06]	events that require the current supply chain risk management policy to be reviewed and updated are defined;
	SR-01_ODP[07]	the frequency at which the current supply chain risk management procedure is reviewed and updated is defined;
	SR-01_ODP[08]	events that require the supply chain risk management procedures to be reviewed and updated are defined;
	SR-01a.[01]	a supply chain risk management policy is developed and documented;
	SR-01a.[02]	the supply chain risk management policy is disseminated to < SR-01_ODP[01] personnel or roles>;
	SR-01a.[03]	supply chain risk management procedures to facilitate the implementation of the supply chain risk management policy and the associated supply chain risk management controls are developed and documented;
	SR-01a.[04]	the supply chain risk management procedures are disseminated to < <i>SR-01_ODP[02] personnel or roles></i> .
	SR-01a.01(a)[01]	the < SR-01_ODP[03] SELECTED PARAMETER VALUE(S) > supply chain risk management policy addresses purpose;
	SR-01a.01(a)[02]	the <sr-01_odp[03] b="" parameter="" selected="" value(s)<="">> supply chain risk management policy addresses scope;</sr-01_odp[03]>
	SR-01a.01(a)[03]	<pre><sr-01_odp[03] parameter="" selected="" value(s)=""> supply chain risk management policy addresses roles;</sr-01_odp[03]></pre>
	SR-01a.01(a)[04]	the <sr-01_odp[03] b="" parameter="" selected="" value(s)<="">> supply chain risk management policy addresses responsibilities;</sr-01_odp[03]>
	SR-01a.01(a)[05]	the <sr-01_odp[03] parameter="" selected="" value(s)=""></sr-01_odp[03]> supply chain risk management policy addresses management commitment;

POLICY AND PROCE	POLICY AND PROCEDURES	
SR-01a.01(a)[06]	the <sr-01_odp[03]< b=""> SELECTED PARAMETER VALUE(S)> supply chain risk management policy addresses coordination among organizational entities;</sr-01_odp[03]<>	
SR-01a.01(a)[07]	the <i>SR-01_ODP[03]</i> SELECTED PARAMETER VALUE(S) supply chain risk management policy addresses compliance.	
SR-01a.01(b)	the <i>SR-01_ODP[03]</i> SELECTED PARAMETER VALUE(S) supply chain risk management policy is consistent with applicable laws, Executive Orders, directives, regulations, policies, standards, and guidelines;	
SR-01b.	the <sr-01_odp[04] official=""></sr-01_odp[04]> is designated to manage the development, documentation, and dissemination of the supply chain risk management policy and procedures;	
SR-01c.01[01]	the current supply chain risk management policy is reviewed and updated <pre></pre>	
SR-01c.01[02]	the current supply chain risk management policy is reviewed and updated following <sr-01_odp[06] events=""></sr-01_odp[06]> ;	
SR-01c.02[01]	the current supply chain risk management procedures are reviewed and updated < SR-01_ODP[07] frequency> ;	
SR-01c.02[02]	the current supply chain risk management procedures are reviewed and updated following < <i>SR-01_ODP[08] events</i> > .	
POTENTIAL ASSESS	MENT METHODS AND OBJECTS:	
SR-01-Examine	[SELECT FROM: Supply chain risk management policy; supply chain risk management procedures; system security plan; privacy plan; other relevant documents or records].	
SR-01-Interview	[SELECT FROM: Organizational personnel with supply chain risk management responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with acquisition responsibilities; organizational personnel with enterprise risk management responsibilities].	

SR-02	SUPPLY CHAIN RISK MANAGEMENT PLAN	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-02_ODP[01]	systems, system components, or system services for which a supply chain risk management plan is developed are defined;
	SR-02_ODP[02]	the frequency at which to review and update the supply chain risk management plan is defined;
	SR-02a.[01]	a plan for managing supply chain risks is developed;
	SR-02a.[02]	the supply chain risk management plan addresses risks associated with the research and development of <sr-02_odp[01] b="" system<="" systems,=""> components, or system services>;</sr-02_odp[01]>

SR-02	SUPPLY CHAIN RISK MANAGEMENT PLAN	
	SR-02a.[03]	the supply chain risk management plan addresses risks associated with the design of <sr-02_odp[01] b="" components,="" or="" system="" system<="" systems,=""> services>;</sr-02_odp[01]>
	SR-02a.[04]	the supply chain risk management plan addresses risks associated with the manufacturing of <sr-02_odp[01]< b=""> systems, system components, or system services>;</sr-02_odp[01]<>
	SR-02a.[05]	the supply chain risk management plan addresses risks associated with the acquisition of <sr-02_odp[01] b="" components,="" or="" system="" system<="" systems,=""> services>;</sr-02_odp[01]>
	SR-02a.[06]	the supply chain risk management plan addresses risks associated with the delivery of <sr-02_odp[01] b="" components,="" or="" system="" system<="" systems,=""> services>;</sr-02_odp[01]>
	SR-02a.[07]	the supply chain risk management plan addresses risks associated with the integration of <sr-02_odp[01] b="" components,="" or="" system="" system<="" systems,=""> services>;</sr-02_odp[01]>
	SR-02a.[08]	the supply chain risk management plan addresses risks associated with the operation of <sr-02_odp[01] b="" components,="" or="" system="" system<="" systems,=""> services>;</sr-02_odp[01]>
		the supply chain risk management plan addresses risks associated with the maintenance of <sr-02_odp[01] b="" components,="" or="" system="" system<="" systems,=""> services>;</sr-02_odp[01]>
	SR-02a.[09]	the supply chain risk management plan addresses risks associated with the disposal of <sr-02_odp[01] b="" components,="" or="" system="" system<="" systems,=""> services>;</sr-02_odp[01]>
	SR-02b.	the supply chain risk management plan is reviewed and updated < SR-02_ODP[02] frequency> or as required to address threat, organizational, or environmental changes;
	SR-02c.[01]	the supply chain risk management plan is protected from unauthorized disclosure;
	SR-02c.[02]	the supply chain risk management plan is protected from unauthorized modification.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SR-02-Examine	[SELECT FROM: Supply chain risk management policy; supply chain risk management procedures; supply chain risk management plan; system and services acquisition policy; system and services acquisition procedures; procedures addressing supply chain protection; procedures for protecting the supply chain risk management plan from unauthorized disclosure and modification; system development life cycle procedures; procedures addressing the integration of information security and privacy requirements into the acquisition process; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; list of supply chain threats; list of safeguards to be taken against supply chain threats; system life cycle documentation; interorganizational agreements and procedures; system security plan; privacy plan; privacy pogram plan; other relevant documents or records].

SR-02	SUPPLY CHAIN RISK MANAGEMENT PLAN	
	SR-02-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-02-Test	[SELECT FROM: Organizational processes for defining and documenting the system development life cycle (SDLC); organizational processes for identifying SDLC roles and responsibilities; organizational processes for integrating supply chain risk management into the SDLC; automated mechanisms supporting and/or implementing the SDLC].

SR-02(01)	SUPPLY CHAIN RISK MANAGEMENT PLAN ESTABLISH SCRM TEAM	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-02(01)_ODP[01]	the personnel, roles, and responsibilities of the supply chain risk management team are defined;
	SR-02(01)_ODP[02]	supply chain risk management activities are defined;
	SR-02(01)	a supply chain risk management team consisting of <sr-02(01)_odp[01]< b=""> <i>personnel, roles and responsibilities></i> is established to lead and support <sr-02(01)_odp[02] activities="" chain="" management="" risk="" supply=""></sr-02(01)_odp[02]>.</sr-02(01)_odp[01]<>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SR-02(01)-Examine	[SELECT FROM: Supply chain risk management policy; supply chain risk management procedures; supply chain risk management team charter documentation; supply chain risk management strategy; supply chain risk management implementation plan; procedures addressing supply chain protection; system security plan; privacy plan; other relevant documents or records].
	SR-02(01)-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities; organizational personnel with enterprise risk management responsibilities; legal counsel; organizational personnel with business continuity responsibilities].

SR-03	SUPPLY CHAIN CONTROLS AND PROCESSES	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-03_ODP[01]	the system or system component requiring a process or processes to identify and address weaknesses or deficiencies is defined;

SUPPLY CHAIN CON	SUPPLY CHAIN CONTROLS AND PROCESSES		
SR-03_ODP[02]	supply chain personnel with whom to coordinate the process or processes to identify and address weaknesses or deficiencies in the supply chain elements and processes is/are defined;		
SR-03_ODP[03]	supply chain controls employed to protect against supply chain risks to the system, system component, or system service and to limit the harm or consequences from supply chain-related events are defined;		
SR-03_ODP[04]	one or more of the following PARAMETER VALUES is/are selected: {security and privacy plans; supply chain risk management plan; <sr-03_odp[05] document>};</sr-03_odp[05] 		
SR-03_ODP[05]	the document identifying the selected and implemented supply chain processes and controls is defined (if selected);		
SR-03a.[01]	a process or processes is/are established to identify and address weaknesses or deficiencies in the supply chain elements and processes of < <i>SR-03_ODP[01] system or system component></i> ;		
SR-03a.[02]	the process or processes to identify and address weaknesses or deficiencies in the supply chain elements and processes of <sr-03_odp[01]< b=""> system or system component> is/are coordinated with <sr-03_odp[02]< b=""> supply chain personnel>;</sr-03_odp[02]<></sr-03_odp[01]<>		
SR-03b.	< SR-03_ODP[03] supply chain controls> are employed to protect against supply chain risks to the system, system component, or system service and to limit the harm or consequences from supply chain-related events;		
SR-03c.	the selected and implemented supply chain processes and controls are documented in <i><sr-03_odp[04] i="" parameter="" selected="" value(s)<="">>.</sr-03_odp[04]></i>		
POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
SR-03-Examine	[SELECT FROM: Supply chain risk management policy; supply chain risk management procedures; supply chain risk management strategy; supply chain risk management plan; systems and critical system components inventory documentation; system and services acquisition policy; system and services acquisition procedures; procedures addressing the integration of information security and privacy requirements into the acquisition process; solicitation documentation; acquisition documentation (including purchase orders); service level agreements; acquisition contracts for systems or services; risk register documentation; system security plan; privacy plan; other relevant documents or records].		
SR-03-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities].		
SR-03-Test	[SELECT FROM: Organizational processes for identifying and addressing supply chain element and process deficiencies].		

SR-03(01)	SUPPLY CHAIN CONTROLS AND PROCESSES DIVERSE SUPPLY BASE	
	ASSESSMENT OBJEC Determine if:	TIVE:
	SR-03(01)_ODP[01]	system components with a diverse set of sources are defined;
	SR-03(01)_ODP[02]	services with a diverse set of sources are defined;
	SR-03(01)[01]	a diverse set of sources is employed for < SR-03(01)_ODP[01] system components>;
	SR-03(01)[02]	a diverse set of sources is employed for < SR-03(01)_ODP[02] services >.
	POTENTIAL ASSESSI	IENT METHODS AND OBJECTS:
	SR-03(01)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; system and services acquisition policy; planning policy; procedures addressing supply chain protection; physical inventory of critical systems and system components; inventory of critical suppliers, service providers, developers, and contracts; inventory records of critical system components; list of security safeguards ensuring an adequate supply of critical system components; system security plan; other relevant documents or records].
	SR-03(01)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain protection responsibilities].
	SR-03(01)-Test	[SELECT FROM: Organizational processes for defining and employing security safeguards to ensure an adequate supply of critical system components; processes to identify critical suppliers; automated mechanisms supporting and/or implementing the security safeguards that ensure an adequate supply of critical system components].

SR-03(02)	SUPPLY CHAIN CONTROLS AND PROCESSES LIMITATION OF HARM	
	ASSESSMENT OBJECTIVE: Determine if:	
SR-03(02)_ODP controls to limit harm from potential supply ch		controls to limit harm from potential supply chain adversaries are defined;
	SR-03(02)	< SR-03(02)_ODP controls> are employed to limit harm from potential adversaries identifying and targeting the organizational supply chain.

SR-03(02)	SUPPLY CHAIN CONTROLS AND PROCESSES LIMITATION OF HARM	
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SR-03(02)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; configuration management policy; procedures addressing supply chain protection; procedures addressing the integration of information security requirements into the acquisition process; procedures addressing the baseline configuration of the system; configuration management plan; system design documentation; system architecture and associated configuration documentation; solicitation documentation; acquisition documentation; acquisition contracts for the system, system component, or system service; threat assessments; vulnerability assessments; list of security safeguards to be taken to protect the organizational supply chain against potential supply chain threats; system security plan; other relevant documents or records].
	SR-03(02)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-03(02)-Test	[SELECT FROM: Organizational processes for defining and employing safeguards to limit harm from adversaries of the organizational supply chain; automated mechanisms supporting and/or implementing the definition and employment of safeguards to protect the organizational supply chain].
		employment of safeguards to protect the organizational supply chain].

03) SUPPLY CHAIN CONT	SUPPLY CHAIN CONTROLS AND PROCESSES SUB-TIER FLOW DOWN	
ASSESSMENT OBJECT Determine if:	TIVE:	
SR-03(03)	the controls included in the contracts of prime contractors are also included in the contracts of subcontractors.	
POTENTIAL ASSESSM	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SR-03(03)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; inter-organizational agreements and procedures; system security plan; other relevant documents or records].	
SR-03(03)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].	
SR-03(03)-Test	[SELECT FROM: Organizational processes for establishing inter-organizational agreements and procedures with supply chain entities].	

SR-04	PROVENANCE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-04_ODP	systems, system components, and associated data that require valid provenance are defined;
	SR-04[01]	valid provenance is documented for < SR-04_ODP systems, system components, and associated data>;
	SR-04[02]	valid provenance is monitored for < SR-04_ODP systems, system components, and associated data>;
	SR-04[03]	valid provenance is maintained for < SR-04_ODP systems, system components, and associated data>.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SR-04-Examine	[SELECT FROM: Supply chain risk management policy; supply chain risk management procedures; supply chain risk management plan; documentation of critical systems, critical system components, and associated data; documentation showing the history of ownership, custody, and location of and changes to critical systems or critical system components; system architecture; inter-organizational agreements and procedures; contracts; system security plan; privacy plan; personally identifiable information processing policy; other relevant documents or records].
	SR-04-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-04-Test	[SELECT FROM: Organizational processes for identifying the provenance of critical systems and critical system components; automated mechanisms used to document, monitor, or maintain provenance].

SR-04(01)	PROVENANCE IDENTITY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-04(01)_ODP	supply chain elements, processes, and personnel associated with systems and critical system components that require unique identification are defined;
	SR-04(01)[01]	unique identification of < SR-04(01)_ODP supply chain elements, processes, and personnel> is established;
	SR-04(01)[02]	unique identification of < <i>SR-04(01)_ODP supply chain elements, processes,</i> and personnel> is maintained.

SR-04(01)	PROVENANCE IDENTITY	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SR-04(01)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; procedures addressing the integration of information security requirements into the acquisition process; list of supply chain elements, processes, and actors (associated with the system, system component, or system service) requiring implementation of unique identification processes, procedures, tools, mechanisms, equipment, techniques, and/or configurations; system security plan; other relevant documents or records].
	SR-04(01)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain protection responsibilities; organizational personnel with responsibilities for establishing and retaining the unique identification of supply chain elements, processes, and actors].
	SR-04(01)-Test	[SELECT FROM: Organizational processes for defining, establishing, and retaining unique identification for supply chain elements, processes, and actors; automated mechanisms supporting and/or implementing the definition, establishment, and retention of unique identification for supply chain elements, processes, and actors].

SR-04(02)	PROVENANCE TRA	PROVENANCE TRACK AND TRACE	
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SR-04(02)_ODP	systems and critical system components that require unique identification for tracking through the supply chain are defined;	
	SR-04(02)[01]	the unique identification of < <i>SR-04(02)_ODP systems and critical system</i> <i>components</i> > is established for tracking through the supply chain;	
	SR-04(02)[02]	the unique identification of <sr-04(02)_odp< b=""> systems and critical system components> is maintained for tracking through the supply chain.</sr-04(02)_odp<>	
	POTENTIAL ASSESSM	DTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SR-04(02)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; system and services acquisition policy; procedures addressing supply chain protection; procedures addressing the integration of information security requirements into the acquisition process; supply chain risk management plan; list of supply chain elements, processes, and actors (associated with the system, system component, or system service) requiring implementation of unique identification processes, procedures, tools, mechanisms, equipment, techniques, and/or configurations; system security plan; other relevant documents or records].	

SR-04(02)	PROVENANCE TRACK AND TRACE	
	SR-04(02)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain protection responsibilities; organizational personnel with responsibilities for establishing and retaining the unique identification of supply chain elements, processes, and actors].
	SR-04(02)-Test	[SELECT FROM: Organizational processes for defining, establishing, and retaining unique identification for supply chain elements, processes, and actors; automated mechanisms supporting and/or implementing the definition, establishment, and retention of unique identification for supply chain elements, processes, and actors].

SR-04(03)	PROVENANCE VALIDATE AS GENUINE AND NOT ALTERED	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-04(03)_ODP[01]	controls to validate that the system or system component received is genuine are defined;
	SR-04(03)_ODP[02]	controls to validate that the system or system component received has not been altered are defined;
	SR-04(03)[01]	<sr-04(03)_odp[01] controls=""> are employed to validate that the system or system component received is genuine;</sr-04(03)_odp[01]>
	SR-04(03)[02]	< SR-04(03)_ODP[02] controls> are employed to validate that the system or system component received has not been altered.
	POTENTIAL ASSESSIV	IENT METHODS AND OBJECTS:
	SR-04(03)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; procedures addressing the security design principle of trusted components used in the specification, design, development, implementation, and modification of the system; system design documentation; procedures addressing the integration of information security requirements into the acquisition process; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; evidentiary documentation (including applicable configurations) indicating that the system or system component is genuine and has not been altered; system security plan; other relevant documents or records].
	SR-04(03)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].

SR-04(03)	PROVENANCE VALIDATE AS GENUINE AND NOT ALTERED	
	SR-04(03)-Test	[SELECT FROM: Organizational processes for defining and employing validation safeguards; automated mechanisms supporting and/or implementing the definition and employment of validation safeguards; automated mechanisms supporting the application of the security design principle of trusted components in system specification, design, development, implementation, and modification].

SR-04(04)	PROVENANCE SUPPLY CHAIN INTEGRITY — PEDIGREE	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-04(04)_ODP[01]	controls employed to ensure that the integrity of the system and system component are defined;
	SR-04(04)_ODP[02]	an analysis method to be conducted to validate the internal composition and provenance of critical or mission-essential technologies, products, and services to ensure the integrity of the system and system component is defined;
	SR-04(04)[01]	<pre><sr-04(04)_odp[01] controls=""> are employed to ensure the integrity of the system and system components;</sr-04(04)_odp[01]></pre>
	SR-04(04)[02]	< SR-04(04)_ODP[02] analysis method> is conducted to ensure the integrity of the system and system components.
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SR-04(04)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; bill of materials for critical systems or system components; acquisition documentation; software identification tags; manufacturer declarations of platform attributes (e.g., serial numbers, hardware component inventory) and measurements (e.g., firmware hashes) that are tightly bound to the hardware itself; system security plan; other relevant documents or records].
	SR-04(04)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-04(04)-Test	[SELECT FROM: Organizational processes for identifying pedigree information; organizational processes to determine and validate the integrity of the internal composition of critical systems and critical system components; automated mechanisms to determine and validate the integrity of the internal composition of critical systems and critical system components].

SR-05	ACQUISITION STRATEGIES, TOOLS, AND METHODS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-05_ODP	acquisition strategies, contract tools, and procurement methods to protect against, identify, and mitigate supply chain risks are defined;
	SR-05	<pre><sr-05_odp and="" methods="" strategies,="" tools,=""> are employed to protect against supply chain risks;</sr-05_odp></pre>
		<pre><sr-05_odp and="" methods="" strategies,="" tools,=""> are employed to identify supply chain risks;</sr-05_odp></pre>
		<sr-05_odp and="" methods="" strategies,="" tools,=""> are employed to mitigate supply chain risks.</sr-05_odp>
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SR-05-Examine	[SELECT FROM: Supply chain risk management policy; supply chain risk management procedures; supply chain risk management plan; system and services acquisition policy; system and services acquisition procedures; procedures addressing supply chain protection; procedures addressing the integration of information security and privacy requirements into the acquisition process; solicitation documentation; acquisition documentation (including purchase orders); service level agreements; acquisition contracts for systems, system components, or services; documentation of training, education, and awareness programs for personnel regarding supply chain risk; system security plan; privacy plan; other relevant documents or records].
	SR-05-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-05-Test	[SELECT FROM: Organizational processes for defining and employing tailored acquisition strategies, contract tools, and procurement methods; automated mechanisms supporting and/or implementing the definition and employment of tailored acquisition strategies, contract tools, and procurement methods].

SR-05(01)	ACQUISITION STRATEGIES, TOOLS, AND METHODS ADEQUATE SUPPLY	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-05(01)_ODP[01]	controls to ensure an adequate supply of critical system components are defined;
	SR-05(01)_ODP[02]	critical system components of which an adequate supply is required are defined;
	SR-05(01)	<pre><sr-05(01)_odp[01] controls=""> are employed to ensure an adequate supply of <sr-05(01)_odp[02] components="" critical="" system="">.</sr-05(01)_odp[02]></sr-05(01)_odp[01]></pre>

ACQUISITION STRATEGIES, TOOLS, AND METHODS ADEQUATE SUPPLY	
POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
SR-05(01)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management strategy; supply chain risk management plan; contingency planning documents; inventory of critical systems and system components; determination of adequate supply; system and services acquisition policy; procedures addressing supply chain protection; procedures addressing the integration of information security requirements into the acquisition process; procedures addressing the integration of acquisition strategies, contract tools, and procurement methods into the acquisition process; solicitation documentation; acquisition documentation; service level agreements; acquisition contracts for systems or services; purchase orders/requisitions for the system, system component, or system service from suppliers; system security plan; other relevant documents or records].
SR-05(01)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].
SR-05(01)-Test	[SELECT FROM: Organizational processes for defining and employing tailored acquisition strategies, contract tools, and procurement methods; automated mechanisms supporting and/or implementing the definition and employment of tailored acquisition strategies, contract tools, and procurement methods].
	POTENTIAL ASSESSIV SR-05(01)-Examine SR-05(01)-Interview

SR-05(02)	ACQUISITION STRATEGIES, TOOLS, AND METHODS ASSESSMENTS PRIOR TO SELECTION, ACCEPTANCE, MODIFICATION, OR UPDATE ASSESSMENT OBJECTIVE: Determine if:	
	SR-05(02)[01]	the system, system component, or system service is assessed prior to selection;
	SR-05(02)[02]	the system, system component, or system service is assessed prior to acceptance;
	SR-05(02)[03]	the system, system component, or system service is assessed prior to modification;
	SR-05(02)[04]	the system, system component, or system service is assessed prior to update.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SR-05(02)-Examine	[SELECT FROM: System security plan; system and services acquisition policy; procedures addressing supply chain protection; procedures addressing the integration of information security requirements into the acquisition process; security test and evaluation results; vulnerability assessment results; penetration testing results; organizational risk assessment results; system security plan; other relevant documents or records].

SR-05(02)	ACQUISITION STRATEGIES, TOOLS, AND METHODS ASSESSMENTS PRIOR TO SELECTION, ACCEPTANCE, MODIFICATION, OR UPDATE	
	SR-05(02)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain protection responsibilities].
	SR-05(02)-Test	[SELECT FROM: Organizational processes for conducting assessments prior to selection, acceptance, or update; automated mechanisms supporting and/or implementing the conducting of assessments prior to selection, acceptance, or update].

SR-06	SUPPLIER ASSESSMENTS AND REVIEWS		
	ASSESSMENT OBJEC Determine if:	TIVE:	
	SR-06_ODP	the frequency at which to assess and review the supply chain-related risks associated with suppliers or contractors and the systems, system components, or system services they provide is defined;	
	SR-06	the supply chain-related risks associated with suppliers or contractors and the systems, system components, or system services they provide are assessed and reviewed <sr-06_odp frequency=""></sr-06_odp> .	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SR-06-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management strategy; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; procedures addressing the integration of information security requirements into the acquisition process; records of supplier due diligence reviews; system security plan; other relevant documents or records].	
	SR-06-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain protection responsibilities].	
	SR-06-Test	[SELECT FROM: Organizational processes for conducting supplier reviews; automated mechanisms supporting and/or implementing supplier reviews].	

SR-06(01)	SUPPLIER ASSESSMENTS AND REVIEWS TESTING AND ANALYSIS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-06(01)_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {organizational analysis; independent third-party analysis; organizational testing; independent third-party testing};

SR-06(01)	SUPPLIER ASSESSMENTS AND REVIEWS TESTING AND ANALYSIS	
	SR-06(01)_ODP[02]	supply chain elements, processes, and actors to be analyzed and tested are defined;
	SR-06(01)	<sr-06(01)_odp[01] parameter="" selected="" value(s)=""> is/are employed on <sr-06(01)_odp[02] actors="" and="" chain="" elements,="" processes,="" supply=""> associated with the system, system component, or system service.</sr-06(01)_odp[02]></sr-06(01)_odp[01]>
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SR-06(01)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; evidence of organizational analysis, independent third-party analysis, organizational penetration testing, and/or independent third-party penetration testing; list of supply chain elements, processes, and actors (associated with the system, system component, or system service) subject to analysis and/or testing; system security plan; other relevant documents or records].
	SR-06(01)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities; organizational personnel with responsibilities for analyzing and/or testing supply chain elements, processes, and actors].
	SR-06(01)-Test	[SELECT FROM: Organizational processes for defining and employing methods of analysis/testing of supply chain elements, processes, and actors; automated mechanisms supporting and/or implementing the analysis/ testing of supply chain elements, processes, and actors].

SR-07	SUPPLY CHAIN OPERATIONS SECURITY		
	ASSESSMENT OBJECT	rive:	
	SR-07_ODP	Operations Security (OPSEC) controls to protect supply chain-related information for the system, system component, or system service are defined;	
	SR-07	< SR-07_ODP OPSEC controls > are employed to protect supply chain-related information for the system, system component, or system service.	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SR-07-Examine	[SELECT FROM: Supply chain risk management plan; supply chain risk management procedures; system and services acquisition policy; system and services acquisition procedures; procedures addressing supply chain protection; list of OPSEC controls to be employed; solicitation documentation; acquisition documentation; acquisition contracts for the system, system component, or system service; records of all-source intelligence analyses; system security plan; privacy plan; other relevant documents or records].	

SR-07	SUPPLY CHAIN OPERATIONS SECURITY	
	SR-07-Interview	[SELECT FROM: Organizational personnel with acquisition responsibilities; organizational personnel with information security and privacy responsibilities; organizational personnel with OPSEC responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-07-Test	[SELECT FROM: Organizational processes for defining and employing OPSEC safeguards; automated mechanisms supporting and/or implementing the definition and employment of OPSEC safeguards].

SR-08	NOTIFICATION AGREEMENTS	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-08_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {notification of supply chain compromises; <sr-08_odp[02] of<br="" results="">assessments or audits>};</sr-08_odp[02]>
	SR-08_ODP[02]	information for which agreements and procedures are to be established are defined (if selected);
	SR-08	agreements and procedures are established with entities involved in the supply chain for the system, system components, or system service for < <i>SR-08_ODP[01] SELECTED PARAMETER VALUE(S)</i> >.
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SR-08-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; inter-organizational agreements and procedures; system security plan; other relevant documents or records].
	SR-08-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-08-Test	[SELECT FROM: Organizational processes for establishing inter-organizational agreements and procedures with supply chain entities].
	·	

SR-09	TAMPER RESISTANCE AND DETECTION	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-09	a tamper protection program is implemented for the system, system component, or system service.

SR-09	TAMPER RESISTANCE AND DETECTION	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SR-09-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing supply chain protection; procedures addressing tamper resistance and detection; tamper protection program documentation; tamper protection tools and techniques documentation; tamper resistance and detection tools and techniques documentation; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; system security plan; other relevant documents or records].
	SR-09-Interview	[SELECT FROM: Organizational personnel with tamper protection program responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].
	SR-09-Test	[SELECT FROM: Organizational processes for the implementation of the tamper protection program; automated mechanisms supporting and/or implementing the tamper protection program].

SR-09(01)	TAMPER RESISTANCE	AND DETECTION MULTIPLE STAGES OF SYSTEM DEVELOPMENT
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-09(01)[01]	anti-tamper technologies are employed throughout the system development life cycle;
	SR-09(01)[02]	anti-tamper tools are employed throughout the system development life cycle;
	SR-09(01)[03]	anti-tamper techniques are employed throughout the system development life cycle.
	POTENTIAL ASSESSM	IENT METHODS AND OBJECTS:
	SR-09(01)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; procedures addressing tamper resistance and detection; tamper protection program documentation; tamper protection tools and techniques documentation; tamper resistance and detection tools (technologies) and techniques documentation; system development life cycle documentation; procedures addressing supply chain protection; system development life cycle procedures; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; inter-organizational agreements and procedures; system security plan; other relevant documents or records].

SR-09(01)	TAMPER RESISTANCE AND DETECTION MULTIPLE STAGES OF SYSTEM DEVELOPMENT LIFE CYCLE	
	SR-09(01)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities; organizational personnel with SDLC responsibilities].
	SR-09(01)-Test	[SELECT FROM: Organizational processes for employing anti-tamper technologies; automated mechanisms supporting and/or implementing anti-tamper technologies].

SR-10	INSPECTION OF SYSTEMS OR COMPONENTS		
	ASSESSMENT OBJECTIVE: Determine if:		
	SR-10_ODP[01]	systems or system components that require inspection are defined;	
	SR-10_ODP[02]	one or more of the following PARAMETER VALUES is/are selected: {at random; at <sr-10_odp[03] frequency="">; upon<sr-10_odp[04] indications<br="">of need for inspection>};</sr-10_odp[04]></sr-10_odp[03]>	
	SR-10_ODP[03]	frequency at which to inspect systems or system components is defined (if selected);	
	SR-10_ODP[04]	indications of the need for an inspection of systems or system components are defined (if selected);	
	SR-10	<pre><sr-10_odp[01] components="" or="" system="" systems=""> are inspected <sr-10_odp[02] parameter="" selected="" value(s)=""> to detect tampering.</sr-10_odp[02]></sr-10_odp[01]></pre>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SR-10-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; records of random inspections; inspection reports/results; assessment reports/ results; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; inter-organizational agreements and procedures; system security plan; other relevant documents or records].	
	SR-10-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].	
	SR-10-Test	[SELECT FROM: Organizational processes for establishing inter-organizational agreements and procedures with supply chain entities; organizational processes to inspect for tampering].	

SR-11	COMPONENT AUTHENTICITY			
	ASSESSMENT OBJE	ECTIVE:		
	SR-11_ODP[01]	one or more of the following PARAMETER VALUES is/are selected: {source of counterfeit component; <sr-11_odp[02] external="" reporting<br="">organizations>; <sr-11_odp[03] or="" personnel="" roles="">};</sr-11_odp[03]></sr-11_odp[02]>		
	SR-11_ODP[02]	external reporting organizations to whom counterfeit system components are to be reported is/are defined (if selected);		
	SR-11_ODP[03]	personnel or roles to whom counterfeit system components are to be reported is/are defined (if selected);		
	SR-11a.[01]	an anti-counterfeit policy is developed and implemented;		
	SR-11a.[02]	anti-counterfeit procedures are developed and implemented;		
	SR-11a.[03]	the anti-counterfeit procedures include the means to detect counterfeit components entering the system;		
	SR-11a.[04]	the anti-counterfeit procedures include the means to prevent counterfeit components from entering the system;		
	SR-11b.	counterfeit system components are reported to <sr-11_odp[01] b="" selected<=""> PARAMETER VALUE(S)>.</sr-11_odp[01]>		
	POTENTIAL ASSESS	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SR-11-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; anti- counterfeit plan; anti-counterfeit policy and procedures; media disposal policy; media protection policy; incident response policy; reports notifying developers, manufacturers, vendors, contractors, and/or external reporting organizations of counterfeit system components; acquisition documentation; service level agreements; acquisition contracts for the system, system component, or system service; inter-organizational agreements and procedures; records of reported counterfeit system components; system security plan; other relevant documents or records].		
	SR-11-Interview	[SELECT FROM: Organizational personnel with system and service acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities; organizational personnel with responsibilities for anti-counterfeit policies, procedures, and reporting].		
	SR-11-Test	[SELECT FROM: Organizational processes for counterfeit prevention, detection, and reporting; automated mechanisms supporting and/or implementing anti-counterfeit detection, prevention, and reporting].		

SR-11(01)	COMPONENT AUTHENTICITY ANTI-COUNTERFEIT TRAINING	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-11(01)_ODP	personnel or roles requiring training to detect counterfeit system components (including hardware, software, and firmware) is/are defined;
	SR-11(01)	<pre><sr-11(01)_odp or="" personnel="" roles=""> are trained to detect counterfeit system components (including hardware, software, and firmware).</sr-11(01)_odp></pre>
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SR-11(01)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; system and services acquisition policy; anti-counterfeit plan; anti-counterfeit policy and procedures; media disposal policy; media protection policy; incident response policy; training materials addressing counterfeit system components; training records on the detection and prevention of counterfeit components entering the system; system security plan; other relevant documents or records].
	SR-11(01)-Interview	[SELECT FROM: Organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities; organizational personnel with responsibilities for anti-counterfeit policies, procedures, and training].
	SR-11(01)-Test	[SELECT FROM: Organizational processes for anti-counterfeit training].

SR-11(02)	COMPONENT AUTHENTICITY CONFIGURATION CONTROL FOR COMPONENT SERVICE AND REPAIR		
	ASSESSMENT OBJEC Determine if:	ΓΙVE:	
	SR-11(02)_ODP	system components requiring configuration control are defined;	
	SR-11(02)[01]	configuration control over <sr-11(02)_odp components="" system=""></sr-11(02)_odp> awaiting service or repair is maintained;	
	SR-11(02)[02]	configuration control over serviced or repaired <sr-11(02)_odp b="" system<=""> components> awaiting return to service is maintained.</sr-11(02)_odp>	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:		
	SR-11(02)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; configuration control procedures; acquisition documentation; service level agreements; acquisition contracts for the system component; inter-organizational agreements and procedures; system security plan; other relevant documents or records].	
	SR-11(02)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities].	

SR-11(02)	COMPONENT AUTHENTICITY CONFIGURATION CONTROL FOR COMPONENT SERVICE AND REPAIR	
	SR-11(02)-Test	[SELECT FROM: Organizational processes for establishing inter-organizational agreements and procedures with supply chain entities; organizational configuration control processes].

SR-11(03)	COMPONENT AUTHENTICITY ANTI-COUNTERFEIT SCANNING	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-11(03)_ODP	the frequency at which to scan for counterfeit system components is defined;
	SR-11(03)	scanning for counterfeit system components is conducted <sr-11(03)_odp< b=""> <i>frequency</i>>.</sr-11(03)_odp<>
	POTENTIAL ASSESSN	IENT METHODS AND OBJECTS:
	SR-11(03)-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; anti-counterfeit policy and procedures; system design documentation; system configuration settings and associated documentation; scanning tools and associated documentation; scanning results; procedures addressing supply chain protection; acquisition documentation; inter-organizational agreements and procedures; system security plan; other relevant documents or records].
	SR-11(03)-Interview	[SELECT FROM: Organizational personnel with system and services acquisition responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain risk management responsibilities; organizational personnel with responsibilities for anti-counterfeit policies and procedures; organizational personnel with responsibility for anti-counterfeit scanning].
	SR-11(03)-Test	[SELECT FROM: Organizational processes for scanning for counterfeit system components; automated mechanisms supporting and/or implementing anti-counterfeit scanning].

SR-12	COMPONENT DISPOSAL	
	ASSESSMENT OBJECTIVE: Determine if:	
	SR-12_ODP[01]	data, documentation, tools, or system components to be disposed of are defined;
	SR-12_ODP[02]	techniques and methods for disposing of data, documentation, tools, or system components are defined;
	SR-12	<pre><sr-12_odp[01] components="" data,="" documentation,="" or="" system="" tools,=""> are disposed of using <sr-12_odp[02] and="" methods="" techniques="">.</sr-12_odp[02]></sr-12_odp[01]></pre>

SR-12	COMPONENT DISPOSAL	
	POTENTIAL ASSESSMENT METHODS AND OBJECTS:	
	SR-12-Examine	[SELECT FROM: Supply chain risk management policy and procedures; supply chain risk management plan; disposal procedures addressing supply chain protection; media disposal policy; media protection policy; disposal records for system components; documentation of the system components identified for disposal; documentation of the disposal techniques and methods employed for system components; system security plan; other relevant documents or records].
	SR-12-Interview	[SELECT FROM: Organizational personnel with system component disposal responsibilities; organizational personnel with information security responsibilities; organizational personnel with supply chain protection responsibilities].
	SR-12-Test	[SELECT FROM: Organizational techniques and methods for system component disposal; automated mechanisms supporting and/or implementing system component disposal].

REFERENCES

LAWS, POLICIES, DIRECTIVES, REGULATIONS, STANDARDS, AND GUIDELINES⁴⁶

	LAWS AND EXECUTIVE ORDERS
[EGOV]	E-Government Act [includes FISMA] (P.L. 107-347), December 2002. https://www.congress.gov/107/plaws/publ347/PLAW-107publ347.pdf
[FISMA]	Federal Information Security Modernization Act (P.L. 113-283), December 2014.
[FOIA96]	https://www.congress.gov/113/plaws/publ283/PLAW-113publ283.pdf Freedom of Information Act (FOIA), 5 U.S.C. § 552, As Amended By Public Law No. 104-231, 110 Stat. 3048, Electronic Freedom of Information Act Amendments of 1996. https://www.govinfo.gov/content/pkg/PLAW-104publ231/pdf/PLAW- 104publ231.pdf
[PRIVACT]	Privacy Act (P.L. 93-579), December 1974. https://www.govinfo.gov/content/pkg/STATUTE-88/pdf/STATUTE-88-Pg1896.pdf
	POLICIES, DIRECTIVES, AND INSTRUCTIONS
[OMB A-130]	Office of Management and Budget Memorandum Circular A-130, <i>Managing</i> <i>Information as a Strategic Resource</i> , July 2016. <u>https://www.whitehouse.gov/sites/whitehouse.gov/files/omb/circulars/A130/a13</u> <u>Orevised.pdf</u>
[CNSSI 1253]	Committee on National Security Systems Instruction No. 1253, Security Categorization and Control Selection for National Security Systems, March 2014. https://www.cnss.gov/CNSS/issuances/Instructions.cfm
[CNSSI 4009]	Committee on National Security Systems Instruction No. 4009, Committee on National Security Systems (CNSS) Glossary, April 2015. https://www.cnss.gov/CNSS/issuances/Instructions.cfm
	STANDARDS, GUIDELINES, AND REPORTS
[FIPS 140-3]	National Institute of Standards and Technology (2019) Security Requirements for Cryptographic Modules. (U.S. Department of Commerce, Washington, D.C.), Federal Information Processing Standards Publication (FIPS) 140-3. https://doi.org/10.6028/NIST.FIPS.140-3

⁴⁶ The references cited in this appendix are those external publications that directly support the FISMA and Privacy Projects at NIST. Additional NIST standards, guidelines, and interagency reports are also cited throughout this publication, including in the references section of the applicable controls in <u>Chapter Three</u>. Direct links to the NIST website are provided to obtain access to those publications.

[FIPS 199]	National Institute of Standards and Technology (2004) Standards for Security Categorization of Federal Information and Information Systems. (U.S. Department of Commerce, Washington, D.C.), Federal Information Processing Standards Publication (FIPS) 199. <u>https://doi.org/10.6028/NIST.FIPS.199</u>
[FIPS 200]	National Institute of Standards and Technology (2006) Minimum Security Requirements for Federal Information and Information Systems. (U.S. Department of Commerce, Washington, D.C.), Federal Information Processing Standards Publication (FIPS) 200. <u>https://doi.org/10.6028/NIST.FIPS.200</u>
[ISO 15408-1]	International Organization for Standardization/International Electrotechnical Commission 15408-1:2009, Information technology — Security techniques — Evaluation criteria for IT security — Part 1: Introduction and general model, April 2017. <u>https://www.commoncriteriaportal.org/files/ccfiles/CCPART1V3.1R5.pdf</u>
[SP 800-18]	Swanson MA, Hash J, Bowen P (2006) Guide for Developing Security Plans for Federal Information Systems. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-18, Rev. 1. <u>https://doi.org/10.6028/NIST.SP.800-18r1</u>
[SP 800-30]	Joint Task Force Transformation Initiative (2012) Guide for Conducting Risk Assessments. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-30, Rev. 1. <u>https://doi.org/10.6028/NIST.SP.800-30r1</u>
[SP 800-37]	Joint Task Force (2018) Risk Management Framework for Information Systems and Organizations: A System Life Cycle Approach for Security and Privacy. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-37, Rev. 2. <u>https://doi.org/10.6028/NIST.SP.800-37r2</u>
[SP 800-39]	Joint Task Force Transformation Initiative (2011) Managing Information Security Risk: Organization, Mission, and Information System View. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-39. <u>https://doi.org/10.6028/NIST.SP.800-39</u>
[SP 800-40]	Souppaya MP, Scarfone KA (2013) Guide to Enterprise Patch Management Technologies. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-40, Rev. 3. <u>https://doi.org/10.6028/NIST.SP.800-40r3</u>
[SP 800-47]	Dempsey KL, Pillitteri VY, Regenscheid A (2021) Managing the Security of Information Exchanges. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-47, Rev. 1. https://doi.org/10.6028/NIST.SP.800-47r1

[SP 800-53]	Joint Task Force Transformation Initiative (2020) Security and Privacy Controls for Information Systems and Organizations. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-53, Rev. 5, Includes updates as of December 20, 2020. <u>https://doi.org/10.6028/NIST.SP.800-53r5</u>
[SP 800-53B]	Joint Task Force (2020) Control Baselines and Tailoring Guidance for Federal Information Systems and Organizations. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-53B. <u>https://doi.org/10.6028/NIST.SP.800-53B</u>
[SP 800-60-1]	Stine KM, Kissel RL, Barker WC, Fahlsing J, Gulick J (2008) Guide for Mapping Types of Information and Information Systems to Security Categories. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-60, Vol. 1, Rev. 1. <u>https://doi.org/10.6028/NIST.SP.800-60v1r1</u>
[SP 800-60-2]	Stine KM, Kissel RL, Barker WC, Lee A, Fahlsing J (2008) Guide for Mapping Types of Information and Information Systems to Security Categories: Appendices. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-60, Vol. 2, Rev. 1. <u>https://doi.org/10.6028/NIST.SP.800-60v2r1</u>
[SP 800-115]	Scarfone KA, Souppaya MP, Cody A, Orebaugh AD (2008) Technical Guide to Information Security Testing and Assessment. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-115. https://doi.org/10.6028/NIST.SP.800-115
[SP 800-128]	Johnson LA, Dempsey KL, Ross RS, Gupta S, Bailey D (2011) Guide for Security-Focused Configuration Management of Information Systems. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-128, Includes updates as of October 10, 2019. https://doi.org/10.6028/NIST.SP.800-128
[SP 800-137]	Dempsey KL, Chawla NS, Johnson LA, Johnston R, Jones AC, Orebaugh AD, Scholl MA, Stine KM (2011) Information Security Continuous Monitoring (ISCM) for Federal Information Systems and Organizations. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-137. <u>https://doi.org/10.6028/NIST.SP.800-137</u>
[SP 800-137A]	Dempsey KL, Pillitteri VY, Baer C, Niemeyer R, Rudman R, Urban S (2020) Assessing Information Security Continuous Monitoring (ISCM) Programs: Developing an ISCM Program Assessment. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-137A. <u>https://doi.org/10.6028/NIST.SP.800-137A</u>
[SP 800-161]	Boyens JM, Paulsen C, Moorthy R, Bartol N (2015) Supply Chain Risk Management Practices for Federal Information Systems and Organizations. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-161. <u>https://doi.org/10.6028/NIST.SP.800-161</u>

[SP 800-181]	Petersen R, Santos D, Smith MC, Wetzel KA, Witte G (2020) Workforce Framework for Cybersecurity (NICE Framework). (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-181, Rev. 1.
	https://doi.org/10.6028/NIST.SP.800-181r1
[IR 8011-1]	Dempsey KL, Eavy P, Moore G (2017) Automation Support for Security Control Assessments: Volume 1: Overview. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Interagency or Internal Report (IR) 8011, Volume 1. <u>https://doi.org/10.6028/NIST.IR.8011-1</u>
[IR 8011-2]	Dempsey KL, Eavy P, Moore G (2017) Automation Support for Security Control Assessments: Volume 2: Hardware Asset Management. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Interagency or Internal Report (IR) 8011, Volume 2. <u>https://doi.org/10.6028/NIST.IR.8011-2</u>
[IR 8011-3]	Dempsey KL, Eavy P, Goren N, Moore G (2018) Automation Support for Security Control Assessments: Volume 3: Software Asset Management. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Interagency or Internal Report (IR) 8011, Volume 3. <u>https://doi.org/10.6028/NIST.IR.8011-3</u>
[IR 8011-4]	Dempsey KL, Takamura E, Eavy P, Moore G (2020) Automation Support for Security Control Assessments: Volume 4: Software Vulnerability Management. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Interagency or Internal Report (IR) 8011, Volume 4.
	https://doi.org/10.6028/NIST.IR.8011-4
[IR 8062]	Brooks S, Garcia M, Lefkovitz N, Lightman S, Nadeau E (2017) An Introduction to Privacy Engineering and Risk Management in Federal Systems. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Interagency or Internal Report (IR) 8062. <u>https://doi.org/10.6028/NIST.IR.8062</u>
[IR 8179]	Paulsen C, Boyens JM, Bartol N, Winkler K (2018) Criticality Analysis Process Model: Prioritizing Systems and Components. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Interagency or Internal Report (IR) 8179. <u>https://doi.org/10.6028/NIST.IR.8179</u>
	WHITE PAPERS, WEBSITES, AND DATA SETS
[FedRAMP]	General Services Administration Federal Risk and Automation Management Program (FedRAMP) website. <u>https://www.fedramp.gov</u>
[NARA CUI]	National Archives and Records Administration, Controlled Unclassified Information (CUI) Registry. <u>https://www.archives.gov/cui</u>

[OSCAL]	National Institute of Standards and Technology (2021) OSCAL: the Open Security Controls Assessment Language.
	https://pages.nist.gov/OSCAL/
[OSCAL content]	National Institute of Standards and Technology (2021) oscal-content [usnistgov Git Repository].
	https://github.com/usnistgov/oscal-content
[SEI]	Weinstock CB, Lipson HF, Goodenough J (2007) Arguing Security – Creating Security Assurance Cases. (Software Engineering Institute, Carnegie Mellon University, Pittsburg, PA.). https://resources.sei.cmu.edu/asset_files/WhitePaper/2013_019_001_293637.pdf

1474 APPENDIX A

1475 **GLOSSARY**

1476 COMMON TERMS AND DEFINITIONS

1477 Appendix A provides definitions for terminology used in NIST SP 800-53A. For other terminology

1478 in this publication, refer to the glossary in [<u>SP 800-53</u>], Revision 5. Sources for terms used in this

- 1479 publication are cited as applicable. Where no citation is noted, the source of the definition is
- 1480 Special Publication 800-53A.

activities	An assessment object that includes specific protection-related pursuits or actions supporting a system that involves people (e.g., conducting system backup operations, monitoring network traffic).
adequate security [OMB A-130]	Security protections commensurate with the risk resulting from the unauthorized access, use, disclosure, disruption, modification, or destruction of information. This includes ensuring that information hosted on behalf of an agency and information systems and applications used by the agency operate effectively and provide appropriate confidentiality, integrity, and availability protections through the application of cost-effective security controls.
agency [OMB A-130]	Any executive agency or department, military department, Federal Government corporation, Federal Government- controlled corporation, or other establishment in the Executive Branch of the Federal Government, or any independent regulatory agency. See <i>executive agency</i> .
assessment	See control assessment or risk assessment.
assessment findings	Assessment results produced by the application of an assessment procedure to a security control, privacy control, or control enhancement to achieve an assessment objective; the execution of a determination statement within an assessment procedure by an assessor that results in either a satisfied or other than satisfied condition.
assessment method	One of three types of actions (i.e., examine, interview, test) taken by assessors in obtaining evidence during an assessment.
assessment object	The item (i.e., specifications, mechanisms, activities, individuals) upon which an assessment method is applied during an assessment.
assessment objective	A set of determination statements that expresses the desired outcome for the assessment of a security control, privacy control, or control enhancement.

assessment plan	The objectives for the security and privacy control assessments and a detailed roadmap of how to conduct such assessments.
assessment procedure	A set of assessment objectives and an associated set of assessment methods and assessment objects.
assessor	The individual, group, or organization responsible for conducting a security or privacy control assessment.
assignment operation	A control parameter that allows an organization to assign a specific, organization-defined value to the control or control enhancement (e.g., assigning a list of roles to be notified or a value for the frequency of testing).
	See organization-defined control parameters and selection operation.
assurance [ISO/IEC 15026, Adapted]	Grounds for justified confidence that a [security or privacy] claim has been or will be achieved.
	<i>Note 1:</i> Assurance is typically obtained relative to a set of specific claims. The scope and focus of such claims may vary (e.g., security claims, safety claims) and the claims themselves may be interrelated. <i>Note 2:</i> Assurance is obtained through techniques and methods that generate
	credible evidence to substantiate claims.
assurance case [<u>SEI</u>]	A structured set of arguments and a body of evidence showing that a system satisfies specific claims with respect to a given quality attribute.
authorization [<u>CNSSI 4009</u>]	Access privileges granted to a user, program, or process or the act of granting those privileges.
authorization boundary [OMB A-130]	All components of an information system to be authorized for operation by an authorizing official. This excludes separately authorized systems to which the information system is connected.
authorization to operate [OMB A-130]	The official management decision given by a senior Federal official or officials to authorize operation of an information system and to explicitly accept the risk to agency operations (including mission, functions, image, or reputation), agency assets, individuals, other organizations, and the Nation based on the implementation of an agreed-upon set of security and privacy controls. Authorization also applies to common controls inherited by agency information systems.
authorizing official [OMB A-130]	A senior Federal official or executive with the authority to authorize (i.e., assume responsibility for) the operation of an information system or the use of a designated set of common controls at an acceptable level of risk to agency operations (including mission, functions, image, or reputation), agency assets, individuals, other organizations, and the Nation.

availability [FISMA]	Ensuring timely and reliable access to and use of information.
baseline	See control baseline.
basic testing	A test methodology that assumes no knowledge of the internal structure and implementation detail of the assessment object. Also known as black box testing.
black box testing	See basic testing.
boundary [<u>CNSSI 4009]</u>	Physical or logical perimeter of a system. See also <i>authorization boundary</i> and <i>interface</i> .
breach [OMB M-17-12]	The loss of control, compromise, unauthorized disclosure, unauthorized acquisition, or any similar occurrence where: a person other than an authorized user accesses or potentially accesses personally identifiable information; or an authorized user accesses personally identifiable information for another than authorized purpose.
breadth [<u>SP 800-53A</u>]	An attribute associated with an assessment method that addresses the scope or coverage of the assessment objects included with the assessment.
capability	A combination of mutually reinforcing security and/or privacy controls implemented by technical, physical, and procedural means. Such controls are typically selected to achieve a common information security- or privacy-related purpose.
chief information officer [OMB A-130]	The senior official that provides advice and other assistance to the head of the agency and other senior management personnel of the agency to ensure that IT is acquired and information resources are managed for the agency in a manner that achieves the agency's strategic goals and information resources management goals; and is responsible for ensuring agency compliance with, and prompt, efficient, and effective implementation of, the information policies and information resources management responsibilities, including the reduction of information collection burdens on the public.
chief information security officer	See senior agency information security officer.
chief privacy officer	See senior agency official for privacy.
common control [OMB A-130]	A security or privacy control that is inherited by multiple information systems or programs.
common control provider [<u>SP 800-37</u>]	An organizational official responsible for the development, implementation, assessment, and monitoring of common controls (i.e., security or privacy controls inheritable by systems).

compensating controls [SP 800-53B]	The security and privacy controls employed in lieu of the controls in the baselines described in NIST Special Publication 800-53B that provide equivalent or comparable protection for a system or organization.
component	See system component.
comprehensive testing	A test methodology that assumes explicit and substantial knowledge of the internal structure and implementation detail of the assessment object. Also known as white box testing.
confidentiality [<u>FISMA</u>]	Preserving authorized restrictions on information access and disclosure, including means for protecting personal privacy and proprietary information
continuous monitoring [<u>SP 800-137]</u>	Maintaining ongoing awareness to support organizational risk decisions.
control	See security control or privacy control.
control assessment [SP 800-37]	The testing or evaluation of the controls in an information system or an organization to determine the extent to which the controls are implemented correctly, operating as intended, and producing the desired outcome with respect to meeting the security or privacy requirements for the system or the organization.
control assessor	See assessor.
control baseline	Predefined sets of controls specifically assembled to address the
[<u>SP 800-53B]</u>	protection needs of groups, organizations, or communities of interest. See <i>privacy control baseline</i> or <i>security control baseline</i> .
control effectiveness	
	interest. See <i>privacy control baseline</i> or <i>security control baseline</i> . A measure of whether a security or privacy control contributes
control effectiveness	 interest. See <i>privacy control baseline</i> or <i>security control baseline</i>. A measure of whether a security or privacy control contributes to the reduction of information security or privacy risk. Augmentation of a security or privacy control to build in additional but related functionality to the control, increase the
control effectiveness control enhancement	 interest. See privacy control baseline or security control baseline. A measure of whether a security or privacy control contributes to the reduction of information security or privacy risk. Augmentation of a security or privacy control to build in additional but related functionality to the control, increase the strength of the control, or add assurance to the control. A situation in which a system or application receives protection from security or privacy controls (or portions of controls) that are developed, implemented, assessed, authorized, and monitored by entities other than those responsible for the system or application; entities either internal or external to the organization where the system or application resides. See

coverage	An attribute associated with an assessment method that addresses the scope or breadth of the assessment objects included in the assessment (e.g., types of objects to be assessed and the number of objects to be assessed by type). The values for the coverage attribute, hierarchically from less coverage to more coverage, are basic, focused, and comprehensive.
depth	An attribute associated with an assessment method that addresses the rigor and level of detail associated with the application of the method.
environment of operation [OMB A-130]	The physical surroundings in which an information system processes, stores, and transmits information.
examine	A type of assessment method that is characterized by the process of checking, inspecting, reviewing, observing, studying, or analyzing one or more assessment objects to facilitate understanding, achieve clarification, or obtain evidence, the results of which are used to support the determination of security control or privacy control effectiveness over time.
executive agency [OMB A-130]	An executive department specified in 5 U.S.C., Sec. 101; a military department specified in 5 U.S.C., Sec. 102; an independent establishment as defined in 5 U.S.C., Sec. 104(1); and a wholly owned Government corporation fully subject to the provisions of 31 U.S.C., Chapter 91.
federal agency	See executive agency.
federal information system [OMB A-130]	An information system used or operated by an executive agency, by a contractor of an executive agency, or by another organization on behalf of an executive agency.
focused testing	A test methodology that assumes some knowledge of the internal structure and implementation detail of the assessment object. Also known as gray box testing.
firmware [CNSSI 4009]	Computer programs and data stored in hardware – typically in read-only memory (ROM) or programmable read-only memory (PROM) – such that the programs and data cannot be dynamically written or modified during execution of the programs. See <i>hardware</i> and <i>software</i> .
grey box testing	See focused testing.
hardware [CNSSI 4009]	The material physical components of a system. See <i>software</i> and <i>firmware</i> .
hybrid control [OMB A-130]	A security or privacy control that is implemented for an information system in part as a common control and in part as a system-specific control.
individuals	An assessment object that includes people applying specifications, mechanisms, or activities.

impact	The effect on organizational operations, organizational assets, individuals, other organizations, or the Nation (including the national security interests of the United States) of a loss of confidentiality, integrity, or availability of information or a system.
impact value [FIPS 199]	The assessed worst-case potential impact that could result from a compromise of the confidentiality, integrity, or availability of information expressed as a value of low, moderate or high.
information [OMB A-130]	Any communication or representation of knowledge such as facts, data, or opinions in any medium or form, including textual, numerical, graphic, cartographic, narrative, electronic, or audiovisual forms.
information owner [<u>SP 800-37</u>]	Official with statutory or operational authority for specified information and responsibility for establishing the controls for its generation, collection, processing, dissemination, and disposal.
information resources [OMB A-130]	Information and related resources, such as personnel, equipment, funds, and information technology.
information security [OMB A-130]	The protection of information and systems from unauthorized access, use, disclosure, disruption, modification, or destruction in order to provide confidentiality, integrity, and availability.
information security architecture [OMB A-130]	An embedded, integral part of the enterprise architecture that describes the structure and behavior of the enterprise security processes, security systems, personnel and organizational subunits, showing their alignment with the enterprise's mission and strategic plans.
information security policy [<u>CNSSI 4009</u>]	Aggregate of directives, regulations, rules, and practices that prescribes how an organization manages, protects, and distributes information.
information security program plan [OMB A-130]	Formal document that provides an overview of the security requirements for an organization-wide information security program and describes the program management controls and common controls in place or planned for meeting those requirements.
information security risk [<u>SP 800-30</u>]	The risk to organizational operations (including mission, functions, image, reputation), organizational assets, individuals, other organizations, and the Nation due to the potential for unauthorized access, use, disclosure, disruption, modification, or destruction of information and/or systems.
information system [<u>USC 3502]</u>	A discrete set of information resources organized for the collection, processing, maintenance, use, sharing, dissemination, or disposition of information.

information technology [USC 11101]	Any services, equipment, or interconnected system(s) or subsystem(s) of equipment, that are used in the automatic acquisition, storage, analysis, evaluation, manipulation, management, movement, control, display, switching, interchange, transmission, or reception of data or information by the agency. For purposes of this definition, such services or equipment if used by the agency directly or is used by a contractor under a contract with the agency that requires its use; or to a significant extent, its use in the performance of a service or the furnishing of a product. Information technology includes computers, ancillary equipment (including imaging peripherals, input, output, and storage devices necessary for security and surveillance), peripheral equipment designed to be controlled by the central processing unit of a computer, software, firmware and similar procedures, services (including cloud computing and help-desk services or other professional services which support any point of the life cycle of the equipment or service), and related resources. Information technology does not include any equipment that is acquired by a contractor incidental to a contract which does not require its use.
information type [FIPS 199]	A specific category of information (e.g., privacy, medical, proprietary, financial, investigative, contractor-sensitive, security management) defined by an organization or in some instances, by a specific law, Executive Order, directive, policy, or regulation.
integrity [FISMA]	Guarding against improper information modification or destruction, and includes ensuring information non-repudiation and authenticity.
interview	A type of assessment method that is characterized by the process of conducting discussions with individuals or groups within an organization to facilitate understanding, achieve clarification, or lead to the location of evidence, the results of which are used to support the determination of security control and privacy control effectiveness over time.
low-impact system [FIPS 200]	A system in which all three security objectives (i.e., confidentiality, integrity, and availability) are assigned a FIPS Publication 199 potential impact value of low.
mechanisms	An assessment object that includes specific protection-related items (e.g., hardware, software, or firmware).
moderate-impact system [FIPS 200]	A system in which at least one security objective (i.e., confidentiality, integrity, or availability) is assigned a FIPS Publication 199 potential impact value of moderate and no security objective is assigned a potential impact value of high.

national security system [OMB A-130]	Any system (including any telecommunications system) used or operated by an agency or by a contractor of an agency, or other organization on behalf of an agency—(i) the function, operation, or use of which involves intelligence activities; involves cryptologic activities related to national security; involves command and control of military forces; involves equipment that is an integral part of a weapon or weapons system; or is critical to the direct fulfillment of military or intelligence missions (excluding a system that is to be used for routine administrative and business applications, for example, payroll, finance, logistics, and personnel management applications); or (ii) is protected at all times by procedures established for information that have been specifically authorized under criteria established by an Executive Order or an Act of Congress to be kept classified in the interest of national defense or foreign policy.
ongoing assessment	The continuous evaluation of the effectiveness of security control or privacy control implementation; with respect to security controls, a subset of Information Security Continuous Monitoring (ISCM) activities.
organization [FIPS 200, Adapted]	An entity of any size, complexity, or positioning within an organizational structure, including federal agencies, private enterprises, academic institutions, state, local, or tribal governments, or as appropriate, any of their operational elements.
organization-defined control parameter	The variable part of a control or control enhancement that is instantiated by an organization during the tailoring process by either assigning an organization-defined value or selecting a value from a predefined list provided as part of the control or control enhancement. See <i>assignment operation</i> and <i>selection</i> <i>operation</i> .
parameter	See organization-defined control parameter.
penetration testing	A test methodology in which assessors, typically working under specific constraints, attempt to circumvent or defeat the security features of a system.
personally identifiable information [OMB A-130]	Information that can be used to distinguish or trace an individual's identity, either alone or when combined with other information that is linked or linkable to a specific individual.
personally identifiable information processing [ISO/IEC 29100, Adapted]	An operation or set of operations performed upon personally identifiable information that can include, but is not limited to, the collection, retention, logging, generation, transformation, use, disclosure, transfer, and disposal of personally identifiable information.

personally identifiable information processing	The requirements for how personally identifiable information can be processed or the conditions under which personally
permissions	identifiable information can be processed.
plan of action and milestones	A document that identifies tasks that need to be accomplished. It details resources required to accomplish the elements of the plan, milestones for meeting the tasks, and the scheduled completion dates for the milestones.
potential impact [FIPS 199]	The loss of confidentiality, integrity, or availability could be expected to have a limited adverse effect (FIPS Publication 199 low); a serious adverse effect (FIPS Publication 199 moderate); or a severe or catastrophic adverse effect (FIPS Publication 199 high) on organizational operations, organizational assets, or individuals.
privacy architecture [<u>SP 800-37</u>]	An embedded, integral part of the enterprise architecture that describes the structure and behavior for an enterprise's privacy protection processes, technical measures, personnel and organizational sub-units, showing their alignment with the enterprise's mission and strategic plans.
privacy capability	See <i>capability</i> .
privacy control [OMB A-130]	The administrative, technical, and physical safeguards employed within an agency to ensure compliance with applicable privacy requirements and manage privacy risks.
privacy control baseline	The set of privacy controls selected based on the privacy selection criteria that provide a starting point for the tailoring process.
privacy impact assessment [OMB A-130]	An analysis of how information is handled to ensure handling conforms to applicable legal, regulatory, and policy requirements regarding privacy; to determine the risks and effects of creating, collecting, using, processing, storing, maintaining, disseminating, disclosing, and disposing of information in identifiable form in an electronic information system; and to examine and evaluate protections and alternate processes for handling information to mitigate potential privacy concerns. A privacy impact assessment is both an analysis and a formal document detailing the process and the outcome of the analysis.
privacy plan [OMB A-130]	A formal document that details the privacy controls selected for an information system or environment of operation that are in place or planned for meeting applicable privacy requirements and managing privacy risks, details how the controls have been implemented, and describes the methodologies and metrics that

will be used to assess the controls.

privacy program plan [OMB A-130]	A formal document that provides an overview of an agency's privacy program, including a description of the structure of the privacy program, the resources dedicated to the privacy program, the role of the Senior Agency Official for Privacy and other privacy officials and staff, the strategic goals and objectives of the privacy program, and the program management controls and common controls in place or planned for meeting applicable privacy requirements and managing privacy risks.
privacy requirements	Requirements of an organization, information program, or system that are derived from applicable laws, Executive Orders, directives, policies, standards, instructions, regulations, procedures, or organizational mission and business case needs with respect to privacy.
	Note: The term privacy requirement can be used in a variety of contexts from high-level policy activities to low-level implementation activities in system development and engineering disciplines.
reciprocity [<u>SP 800-37</u>]	Agreement among participating organizations to accept each other's security assessments to reuse system resources and/or to accept each other's assessed security posture to share information.
records [OMB A-130]	All recorded information, regardless of form or characteristics, made or received by a Federal agency under Federal law or in connection with the transaction of public business and preserved or appropriate for preservation by that agency or its legitimate successor as evidence of the organization, functions, policies, decisions, procedures, operations, or other activities of the United States Government or because of the informational value of data in them.
risk [<u>OMB A-130]</u>	A measure of the extent to which an entity is threatened by a potential circumstance or event, and typically is a function of: (i) the adverse impact, or magnitude of harm, that would arise if the circumstance or event occurs; and (ii) the likelihood of occurrence.
risk assessment [<u>SP 800-39]</u> [<u>IR 8062, adapted]</u>	The process of identifying risks to organizational operations (including mission, functions, image, reputation), organizational assets, individuals, other organizations, and the Nation, resulting from the operation of a system.
	Risk management includes threat and vulnerability analyses as well as analyses of adverse effects on individuals arising from information processing and considers mitigations provided by security and privacy controls planned or in place. Synonymous with <i>risk analysis</i> .

risk executive (function) [<u>SP 800-37</u>]	An individual or group within an organization that helps to ensure that security risk-related considerations for individual systems, to include the authorization decisions for those systems, are viewed from an organization-wide perspective with regard to the overall strategic goals and objectives of the organization in carrying out its mission and business functions; and managing risk from individual systems is consistent across the organization, reflects organizational risk tolerance, and is considered along with other organizational risks affecting mission or business success.
risk management [OMB A-130]	The program and supporting processes to manage risk to agency operations (including mission, functions, image, reputation), agency assets, individuals, other organizations, and the Nation, and includes: establishing the context for risk-related activities; assessing risk; responding to risk once determined; and monitoring risk over time.
risk mitigation [CNSSI 4009]	Prioritizing, evaluating, and implementing the appropriate risk- reducing controls/countermeasures recommended from the risk management process.
risk response [OMB A-130]	Accepting, avoiding, mitigating, sharing, or transferring risk to agency operations, agency assets, individuals, other organizations, or the Nation.
risk tolerance [<u>SP 800-39]</u>	The level of risk or the degree of uncertainty that is acceptable to an organization.
scoping considerations	A part of tailoring guidance that provides organizations with specific considerations on the applicability and implementation of security and privacy controls in the control baselines. Considerations include policy or regulatory, technology, physical infrastructure, system component allocation, public access, scalability, common control, operational or environmental, and security objective.
security [<u>CNSSI 4009</u>]	A condition that results from the establishment and maintenance of protective measures that enable an organization to perform its mission or critical functions despite risks posed by threats to its use of systems. Protective measures may involve a combination of deterrence, avoidance, prevention, detection, recovery, and correction that should form part of the organization's risk management approach.
security capability	See <i>capability</i> .
security categorization	The process of determining the security category for information or a system. Security categorization methodologies are described in CNSS Instruction 1253 for national security systems and in FIPS Publication 199 for other than national security systems. See <i>security category</i> .

security category [OMB A-130]	The characterization of information or an information system based on an assessment of the potential impact that a loss of confidentiality, integrity, or availability of such information or information system would have on agency operations, agency assets, individuals, other organizations, and the Nation.
security control [<u>OMB A-130</u>]	The safeguards or countermeasures prescribed for an information system or an organization to protect the confidentiality, integrity, and availability of the system and its information.
security control baseline [OMB A-130]	The set of minimum security controls defined for a low-impact, moderate-impact, or high-impact information system.
security functionality	The security-related features, functions, mechanisms, services, procedures, and architectures implemented within organizational information systems or the environments in which those systems operate.
security objective [FIPS 199]	Confidentiality, integrity, or availability.
security plan	A formal document that provides an overview of the security requirements for an information system or an information security program and describes the security controls in place or planned for meeting those requirements. The system security plan describes the system components that are included within the system, the environment in which the system operates, how the security requirements are implemented, and the relationships with or connections to other systems. See system security plan.
security requirement [FIPS 200, Adapted]	A requirement levied on an information system or an organization that is derived from applicable laws, executive orders, directives, regulations, policies, standards, procedures, or mission/business needs to ensure the confidentiality, integrity, and availability of information that is being processed, stored, or transmitted. <i>Note:</i> Security requirements can be used in a variety of contexts from high- level policy-related activities to low-level implementation-related activities in system development and engineering disciplines.
selection operation	A control parameter that allows an organization to select a value from a list of predefined values provided as part of the control or control enhancement (e.g., selecting to either restrict an action or prohibit an action).
	See assignment operation and organization-defined control parameter.

senior agency information security officer	Official responsible for carrying out the Chief Information Officer responsibilities under FISMA and serving as the Chief Information Officer's primary liaison to the agency's authorizing officials, information system owners, and information system security officers.
	<i>Note:</i> Organizations subordinate to federal agencies may use the term <i>senior information security officer</i> or <i>chief information security officer</i> to denote individuals who fill positions with similar responsibilities to senior agency information security officers.
senior agency official for privacy [OMB A-130]	Senior official, designated by the head of each agency, who has agency-wide responsibility for privacy, including implementation of privacy protections; compliance with Federal laws, regulations, and policies relating to privacy; management of privacy risks at the agency; and a central policy-making role in the agency's development and evaluation of legislative, regulatory, and other policy proposals.
senior information security officer	See senior agency information security officer.
software [<u>CNSSI 4009]</u>	Computer programs and associated data that may be dynamically written or modified during execution.
specification	An assessment object that includes document-based artifacts (e.g., policies, procedures, plans, system security requirements, functional specifications, architectural designs) associated with a system.
subject	An individual, process, or device that causes information to flow among objects or change to the system state. Also see <i>object</i> .
supply chain	Linked set of resources and processes between and among multiple tiers of organizations, each of which is an acquirer, that begins with the sourcing of products and services and extends through their life cycle.
supply chain risk	The potential for harm or compromise that arises as a result of security risks from suppliers, their supply chains, and their products or services. Supply chain risks include exposures, threats, and vulnerabilities associated with the products and services traversing the supply chain as well as the exposures, threats, and vulnerabilities to the supply chain.
supply chain risk assessment	A systematic examination of supply chain risks, likelihoods of their occurrence, and potential impacts.
supply chain risk management	A systematic process for managing cyber supply chain risk exposures, threats, and vulnerabilities throughout the supply chain and developing risk response strategies to the risks presented by the supplier, the supplied products and services, or the supply chain.

system [<u>CNSSI 4009</u>]	Any organized assembly of resources and procedures united and regulated by interaction or interdependence to accomplish a set of specific functions. <i>Note:</i> Systems also include specialized systems such as industrial control systems, telephone switching and private branch exchange (PBX) systems, and environmental control systems.
[<u>ISO 15288]</u>	Combination of interacting elements organized to achieve one or more stated purposes.
	<i>Note 1:</i> There are many types of systems. Examples include: general and special-purpose information systems; command, control, and communication systems; crypto modules; central processing unit and graphics processor boards; industrial control systems; flight control systems; weapons, targeting, and fire control systems; medical devices and treatment systems; financial, banking, and merchandising transaction systems; and social networking systems.
	<i>Note 2:</i> The interacting elements in the definition of system include hardware, software, data, humans, processes, facilities, materials, and naturally occurring physical entities.
	<i>Note 3:</i> System-of-systems is included in the definition of system.
system component [<u>SP 800-128</u>]	A discrete identifiable information technology asset that represents a building block of a system and may include hardware, software, and firmware.
system owner (or program manager)	Official responsible for the overall procurement, development, integration, modification, operation, and maintenance of a system.
system security officer [<u>SP 800-37</u>]	Individual with assigned responsibility for maintaining the appropriate operational security posture for a system or program.
system security plan	See security plan.
system-related privacy risk [<u>SP 800-37, Adapted</u>]	Those risks that arise from the likelihood that a given operation the system is taking when processing PII could create an adverse effect on individuals—and the potential impact on individuals.
system-related security risk [<u>SP 800-30</u>]	Risk that arises through the loss of confidentiality, integrity, or availability of information or systems and that considers impacts to the organization (including assets, mission, functions, image, or reputation), individuals, other organizations, and the Nation. See <i>risk</i> .
system-specific control [OMB A-130]	A security or privacy control for an information system that is implemented at the system level and is not inherited by any other information system.
tailored control baseline	A set of controls that result from the application of tailoring guidance to a control baseline. See <i>tailoring</i> .

tailoring [<u>SP 800-53B</u>]	The process by which security control baselines are modified by: identifying and designating common controls, applying scoping considerations on the applicability and implementation of baseline controls, selecting compensating security controls, assigning specific values to organization-defined security control parameters, supplementing baselines with additional security controls or control enhancements, and providing additional specification information for control implementation.
tailoring assessment procedures	The process by which assessment procedures defined in SP 800- 53A are adjusted or scoped to match the characteristics of a system under assessment, providing organizations with the flexibility needed to meet specific organizational requirements and avoid overly constrained assessment approaches.
test	A type of assessment method that is characterized by the process of exercising one or more assessment objects under specified conditions to compare actual with expected behavior, the results of which are used to support the determination of security control or privacy control effectiveness over time.
threat [<u>SP 800-30</u>]	Any circumstance or event with the potential to adversely impact organizational operations, organizational assets, individuals, other organizations, or the Nation through a system via unauthorized access, destruction, disclosure, modification of information, and/or denial of service.
threat assessment [<u>CNSSI 4009]</u>	Formal description and evaluation of threat to an information system.
threat source [FIPS 200]	The intent and method targeted at the intentional exploitation of a vulnerability or a situation and method that may accidentally trigger a vulnerability. See <i>threat agent</i> .
trustworthiness [CNSSI 4009]	The attribute of a person or enterprise that provides confidence to others of the qualifications, capabilities, and reliability of that entity to perform specific tasks and fulfill assigned responsibilities.
trustworthiness (system)	The degree to which an information system (including the information technology components that are used to build the system) can be expected to preserve the confidentiality, integrity, and availability of the information being processed, stored, or transmitted by the system across the full range of threats. A trustworthy information system is believed to operate within defined levels of risk despite the environmental disruptions, human errors, structural failures, and purposeful attacks that are expected to occur in its environment of operation.

user	Individual, or (system) process acting on behalf of an individual, authorized to access a system. See organizational user and non-organizational user.
vulnerability [SP 800-30]	Weakness in an information system, system security procedures, internal controls, or implementation that could be exploited or triggered by a threat source.
vulnerability analysis	See vulnerability assessment.
vulnerability assessment [<u>CNSSI 4009</u>]	Systematic examination of an information system or product to determine the adequacy of security measures, identify security deficiencies, provide data from which to predict the effectiveness of proposed security measures, and confirm the adequacy of such measures after implementation.
white box testing	See comprehensive testing.

1481

1482 **APPENDIX B**

1483 **ACRONYMS**

1484 COMMON ABBREVIATIONS

CDM	Continuous Diagnostics and Mitigation
CISA	Cybersecurity and Infrastructure Security Agency
CNSSI	Committee on National Security Systems Instruction
CONOPS	Concept of Operations
CUI	Controlled Unclassified Information
DNS	Domain Name System
DoD	Department of Defense
EMP	Electromagnetic Pulse
FICAM	Federal Identity, Credential, and Access Management
FIPS	Federal Information Processing Standards
FISMA	Federal Information Security Modernization Act
FOIA	Freedom of Information Act
GSA	General Services Administration
HSPD	Homeland Security Presidential Directive
I/O	Input/Output
I/O IR	Input/Output Interagency Report or Internal Report
-	
IR	Interagency Report or Internal Report
IR IT	Interagency Report or Internal Report Information Technology
IR IT ITL	Interagency Report or Internal Report Information Technology Information Technology Laboratory
IR IT ITL MTTF	Interagency Report or Internal Report Information Technology Information Technology Laboratory Mean Time To Failure
IR IT ITL MTTF NIAP	Interagency Report or Internal Report Information Technology Information Technology Laboratory Mean Time To Failure National Information Assurance Partnership
IR IT ITL MTTF NIAP NICE	Interagency Report or Internal Report Information Technology Information Technology Laboratory Mean Time To Failure National Information Assurance Partnership National Initiative for Cybersecurity Education
IR IT ITL MTTF NIAP NICE NIST	Interagency Report or Internal Report Information Technology Information Technology Laboratory Mean Time To Failure National Information Assurance Partnership National Initiative for Cybersecurity Education National Institute of Standards and Technology
IR IT ITL MTTF NIAP NICE NIST NSA	Interagency Report or Internal Report Information Technology Information Technology Laboratory Mean Time To Failure National Information Assurance Partnership National Initiative for Cybersecurity Education National Institute of Standards and Technology National Security Agency
IR IT ITL MTTF NIAP NICE NIST NSA ODNI	Interagency Report or Internal Report Information Technology Information Technology Laboratory Mean Time To Failure National Information Assurance Partnership National Initiative for Cybersecurity Education National Institute of Standards and Technology National Security Agency Office of the Director of National Intelligence
IR IT ITL MTTF NIAP NICE NIST NSA ODNI OMB	Interagency Report or Internal Report Information Technology Information Technology Laboratory Mean Time To Failure National Information Assurance Partnership National Initiative for Cybersecurity Education National Institute of Standards and Technology National Security Agency Office of the Director of National Intelligence Office of Management and Budget

ΡII Personally Identifiable Information ΡΙν Personal Identity Verification PIV-I Personal Identity Verification-Interoperable ΡΚΙ Public Key Infrastructure SCRM Supply Chain Risk Management System Development Life Cycle SDLC SP **Special Publication** UTC Coordinated Universal Time

1485

1486 **APPENDIX C**

1487 **ASSESSMENT METHOD DESCRIPTIONS**

- 1488 ASSESSMENT METHOD DEFINITIONS, APPLICABLE OBJECTS, AND ATTRIBUTES
- 1489 This appendix defines the three assessment methods that can be used by assessors during 1490 security and privacy control assessments:
- 1491 **1.** Examine
- 1492 2. Interview
- 1493 3. Test

1494 Included in the definition of each assessment method are types of objects to which the method
1495 can be applied. The application of each method is described in terms of the attributes of depth
1496 and coverage, progressing from basic to focused to comprehensive. The attribute values
1497 correlate to the assurance requirements specified by the organization.

- 1498 The depth attribute addresses the rigor and level of detail of the assessment. For the depth
- 1499 attribute, the focused attribute value includes and builds upon the assessment rigor and level of
- 1500 detail defined for the basic attribute value. The comprehensive attribute value includes and
- 1501 builds upon the assessment rigor and level of detail defined for the focused attribute value.
- 1502 The coverage attribute addresses the scope or breadth of the assessment. For the coverage
- 1503 attribute, the focused attribute value includes and builds upon the number and type of
- 1504 assessment objects defined for the basic attribute value. The comprehensive attribute value
- includes and builds upon the number and type of assessment objects defined for the focusedattribute value.
- 1507 The use of bolded text in the assessment method description indicates content that was added 1508 and appears for the first time, signifying greater rigor and level of detail for the attribute value
- 1509

Assessment Method Examine

Assessment Objects: Specifications (e.g., policies, plans, procedures, system requirements, designs)

Mechanisms (e.g., functionality implemented in hardware, software, firmware)

Activities (e.g., system operations, administration, management, exercises)

- 1510 **Definition:** The process of checking, inspecting, reviewing, observing, studying, or analyzing one
- 1511 or more assessment objects to facilitate understanding, achieve clarification, or obtain evidence,
- 1512 the results of which are used to support the determination of security and privacy control
- 1513 existence, functionality, correctness, completeness, and potential for improvement over time.
- 1514 **Supplemental guidance:** Typical assessor actions may include reviewing information security
- 1515 and privacy policies, plans, and procedures; analyzing system design documentation and
- 1516 interface specifications; observing system backup operations; reviewing the results of
- 1517 contingency plan exercises; observing incident response activities; studying technical manuals
- 1518 and user/administrator guides; checking, studying, or observing the operation of an information
- 1519 technology mechanism in the system hardware and software; or checking, studying, or
- 1520 observing physical security or privacy measures related to the operation of a system.
- 1521 Attributes: Depth, Coverage
- The depth attribute addresses the rigor of and level of detail in the examination process.
 There are three possible values for the depth attribute: *basic, focused,* and *comprehensive.*
- 1525Basic examination: Examination that consists of high-level reviews, checks,1526observations, or inspections of the assessment object. This type of examination1527is conducted using a limited body of evidence or documentation (e.g.,1528functional-level descriptions for mechanisms; high-level process descriptions for1529activities; actual documents for specifications). Basic examinations provide a1530level of understanding of the security and privacy controls necessary for1531determining whether the controls are implemented and free of obvious errors.
- 1532 Focused examination: Examination that consists of high-level reviews, checks, 1533 observations, or inspections and more in-depth studies/analyses of the 1534 assessment object. This type of examination is conducted using a substantial 1535 body of evidence or documentation (e.g., functional-level descriptions and, 1536 where appropriate and available, high-level design information for 1537 mechanisms; high-level process descriptions and implementation procedures 1538 for activities; the actual documents and related documents for specifications). 1539 Focused examinations provide a level of understanding of the security and 1540 privacy controls necessary for determining whether the controls are 1541 implemented and free of obvious errors and whether there are increased

1542grounds for confidence that the controls are implemented correctly and1543operating as intended.

- 1544 Comprehensive examination: Examination that consists of high-level reviews, 1545 checks, observations, or inspections and more in-depth, detailed, and thorough 1546 studies/analyses of the assessment object. This type of examination is 1547 conducted using an extensive body of evidence or documentation (e.g., 1548 functional-level descriptions and, where appropriate and available, high-level 1549 design information, low-level design information, and implementation 1550 information for mechanisms; high-level process descriptions and detailed 1551 implementation procedures for activities; the actual documents and related 1552 documents for specifications⁴⁷). **Comprehensive** examinations provide a level of 1553 understanding of the security and privacy controls necessary for determining 1554 whether the controls are implemented and free of obvious errors, there are 1555 further increased grounds for confidence that the controls are implemented 1556 correctly and operating as intended on an ongoing and consistent basis, and 1557 there is support for continuous improvement in the effectiveness of the 1558 controls.
- The coverage attribute addresses the scope or breadth of the examination process and includes the types of assessment objects to be examined, the number of objects to be examined (by type), and specific objects to be examined.⁴⁸ There are three possible values for the coverage attribute: *basic, focused,* and *comprehensive.*
- 1563Basic examination: Examination that uses a representative sample of1564assessment objects (by type and number within type) to provide the level of1565coverage necessary for determining whether the security and privacy controls1566are implemented and free of obvious errors.
- 1567Focused examination: Examination that uses a representative sample of1568assessment objects (by type and number within type) and other specific1569assessment objects deemed particularly important to achieving the1570assessment objective to provide the level of coverage necessary for1571determining whether the security and privacy controls are implemented and1572free of obvious errors and whether there are increased grounds for confidence1573that the controls are implemented correctly and operating as intended.
- 1574Comprehensive examination: Examination that uses a sufficiently large sample1575of assessment objects (by type and number within type) and other specific1576assessment objects deemed particularly important to achieving the assessment1577objective to provide the level of coverage necessary for determining whether

⁴⁷ While additional documentation is likely for mechanisms when moving from basic to focused to comprehensive examinations, the documentation associated with specifications and activities may be the same or similar for focused and comprehensive examinations, with the rigor of the examinations of these documents being increased at the comprehensive level.

⁴⁸ The organization considers a variety of factors (e.g., available resources, importance of the assessment, the organization's overall assessment goals and objectives), confers with assessors, and provides direction on the type, number, and specific objects to be examined for the particular attribute value described.

- 1578the security and privacy controls are implemented and free of obvious errors,1579there are **further** increased grounds for confidence that the controls are
- 1580 implemented correctly and operating as intended **on an ongoing and consistent**
- 1581 basis, and there is support for continuous improvement in the effectiveness of
- 1582 the controls.

Assessment Method Interview

Assessment Objects: Individuals or groups of individuals

Definition: The process of conducting discussions with individuals or groups within an organization to facilitate understanding, achieve clarification, or lead to the location of evidence, the results of which are used to support the determination of security and privacy

1586 control existence, functionality, correctness, completeness, and potential for improvement over1587 time.

Supplemental guidance: Typical assessor actions may include interviewing agency heads, chief
 information officers, senior agency information security officers, senior agency officials for
 privacy, authorizing officials, information owners, system and mission owners, system security
 and privacy officers, system security and privacy managers, personnel officers, human resource
 managers, legal, facilities managers, training officers, system operators, network and system
 administrators, site managers, physical security officers, and users.

1594 Attributes: Depth, Coverage

- The depth attribute addresses the rigor of and level of detail in the interview process.
 There are three possible values for the depth attribute: basic, focused, and
 comprehensive.
- 1598Basic interview: Interview that consists of broad-based, high-level discussions1599with individuals or groups of individuals. This type of interview is conducted1600using a set of generalized, high-level questions. Basic interviews provide a level1601of understanding of the security and privacy controls necessary for determining1602whether the controls are implemented and free of obvious errors.
- 1603 Focused interview: Interview that consists of broad-based, high-level discussions 1604 and more in-depth discussions in specific areas with individuals or groups of 1605 individuals. This type of interview is conducted using a set of generalized, high-1606 level questions and more in-depth questions in specific areas where responses 1607 indicate a need for more in-depth investigation. Focused interviews provide a 1608 level of understanding of the security and privacy controls necessary for 1609 determining whether the controls are implemented and free of obvious errors 1610 and whether there are increased grounds for confidence that the controls are 1611 implemented correctly and operating as intended.
- 1612 **Comprehensive interview: Interview that consists of b**road-based, high-level 1613 discussions and more in-depth, probing discussions in specific areas with 1614 individuals or groups of individuals. This type of interview is conducted using a 1615 set of generalized, high-level questions and more in-depth, probing questions in 1616 specific areas where responses indicate a need for more in-depth investigation. 1617 **Comprehensive** interviews provide a level of understanding of the security and 1618 privacy controls necessary for determining whether the controls are 1619 implemented and free of obvious errors, there are further increased grounds 1620 for confidence that the controls are implemented correctly and operating as

1621 1622		intended on an ongoing and consistent basis, and there is support for continuous improvement in the effectiveness of the controls.
1623		
1624	•	The coverage attribute addresses the scope or breadth of the interview process and
1625		includes the types of individuals to be interviewed (by organizational role and
1626		associated responsibility), the number of individuals to be interviewed (by type), and
1627		specific individuals to be interviewed. ⁴⁹ There are three possible values for the coverage
1628		attribute: <i>basic, focused, and comprehensive.</i>
1629		Basic interview: Interview that uses a representative sample of individuals in key
1630		organizational roles to provide the level of coverage necessary for determining
1631		whether the security and privacy controls are implemented and free of obvious
1632		errors.
1633		Focused interview: Interview that uses a representative sample of individuals in
1634		key organizational roles and other specific individuals deemed particularly
1635		important to achieving the assessment objective to provide the level of
1636		coverage necessary for determining whether the security and privacy controls
1637		are implemented and free of obvious errors and whether there are increased
1638		grounds for confidence that the controls are implemented correctly and
1639		operating as intended.
1640		<u>Comprehensive interview</u> : Interview that uses a sufficiently large sample of
1641		individuals in key organizational roles and other specific individuals deemed
1642		particularly important to achieving the assessment objective to provide the level
1643		of coverage necessary for determining whether the security and privacy controls
1644		are implemented and free of obvious errors, there are further increased
1645		grounds for confidence that the controls are implemented correctly and
1646		operating as intended on an ongoing and consistent basis, and there is support
1647		for continuous improvement in the effectiveness of the controls.

⁴⁹ The organization considers a variety of factors (e.g., available resources, importance of the assessment, the organization's overall assessment goals and objectives), confers with assessors, and provides direction on the type, number, and specific individuals to be interviewed for the particular attribute value described.

Assessment Method Test

Assessment Objects: Mechanisms (e.g., hardware, software, firmware)

Activities (e.g., system operations, administration, management, exercises)

- 1648 **Definition:** The process of exercising one or more assessment objects under specified conditions
- 1649 to compare actual with expected behavior, the results of which are used to support the
- 1650 determination of security and privacy control existence, functionality, correctness,
- 1651 completeness, and potential for improvement over time.⁵⁰
- 1652 Supplemental guidance: Typical assessor actions may include testing access control,
- 1653 identification and authentication, and audit mechanisms; testing security and privacy
- 1654 configuration settings; testing physical access control devices; conducting penetration testing of
- 1655 key system components; testing system backup operations; testing the incident response
- 1656 capability; and exercising the contingency planning capability.

1657 **Attributes:** Depth, Coverage

- The *depth* attribute addresses the types of testing to be conducted. There are three possible values for the depth attribute: *basic, focused,* and *comprehensive*.
- 1660Basic testing: Test methodology (also known as black box testing) that assumes1661no knowledge of the internal structure and implementation detail of the1662assessment object. This type of testing is conducted using a functional1663specification for mechanisms and a high-level process description for activities.1664Basic testing provides a level of understanding of the security and privacy1665controls necessary for determining whether the controls are implemented and1666free of obvious errors.
- 1667 Focused testing: Test methodology (also known as gray box testing) that 1668 assumes some knowledge of the internal structure and implementation detail of 1669 the assessment object. This type of testing is conducted using a functional 1670 specification and limited system architectural information (e.g., high-level 1671 design) for mechanisms and a high-level process description and high-level 1672 description of integration into the operational environment for activities. 1673 Focused testing provides a level of understanding of the security and privacy 1674 controls necessary for determining whether the controls are implemented and 1675 free of obvious errors and whether there are increased grounds for confidence 1676 that the controls are implemented correctly and operating as intended.
- 1677Comprehensive testing: Test methodology (also known as white box testing)1678that assumes **explicit and substantial** knowledge of the internal structure and1679implementation detail of the assessment object. This type of testing is

⁵⁰ Testing is typically used to determine if mechanisms or activities meet a set of predefined specifications. Testing can also be performed to determine characteristics of a security or privacy control that are not commonly associated with predefined specifications, such as penetration testing. Guidelines for conducting penetration testing are provided in <u>Appendix D</u>.

1680 conducted using a functional specification, extensive system architectural 1681 information (e.g., high-level design, low-level design), implementation 1682 representation (e.g., source code, schematics) for mechanisms, and a high-level 1683 process description and detailed description of integration into the operational 1684 environment for activities. Comprehensive testing provides a level of 1685 understanding of the security and privacy controls necessary for determining 1686 whether the controls are implemented and free of obvious errors, there are 1687 further increased grounds for confidence that the controls are implemented 1688 correctly and operating as intended on an ongoing and consistent basis, and 1689 there is support for continuous improvement in the effectiveness of the 1690 controls.

- The coverage attribute addresses the scope or breadth of the testing process and
 includes the types of assessment objects to be tested, the number of objects to be
 tested (by type), and specific objects to be tested.⁵¹ There are three possible values for
 the coverage attribute: *basic, focused,* and *comprehensive.*
- 1695Basic testing: Testing that uses a representative sample of assessment objects1696(by type and number within type) to provide the level of coverage necessary for1697determining whether the security and privacy controls are implemented and1698free of obvious errors.
- 1699Focused testing: Testing that uses a representative sample of assessment1700objects (by type and number within type) and other specific assessment objects1701deemed particularly important to achieving the assessment objective to1702provide the level of coverage necessary for determining whether the security1703and privacy controls are implemented and free of obvious errors and whether1704there are increased grounds for confidence that the controls are implemented1705correctly and operating as intended.
- 1706 Comprehensive testing: Testing that uses a sufficiently large sample of 1707 assessment objects (by type and number within type) and other specific 1708 assessment objects deemed particularly important to achieving the assessment 1709 objective to provide the level of coverage necessary for determining whether 1710 the security and privacy controls are implemented and free of obvious errors, 1711 there are **further** increased grounds for confidence that the controls are 1712 implemented correctly and operating as intended on an ongoing and consistent 1713 basis, and there is support for continuous improvement in the effectiveness of 1714 the controls.

⁵¹ The organization considers a variety of factors (e.g., available resources, importance of the assessment, the organization's overall assessment goals and objectives), confers with assessors, and provides direction on the type, number, and specific objects to be tested for the particular attribute value described. For mechanism-related testing, the coverage attribute also addresses the extent of the testing conducted (e.g., for software, the number of test cases and modules tested; for hardware, the range of inputs, number of components tested, and range of environmental factors over which the testing is conducted).

1715 APPENDIX D

1716 **PENETRATION TESTING**

1717 ASSESSMENT TOOLS AND TECHNIQUES TO IDENTIFY SYSTEM WEAKNESSES

1718 Organizations may consider adding controlled penetration testing to their arsenal of tools and

1719 techniques used to assess the security and privacy controls in organizational systems.

1720 Penetration testing is a specific type of assessment in which assessors simulate the actions of a

1721 given class of attacker by using a defined set of documentation (i.e., documentation

1722 representative of what that class of attacker is likely to possess) and working under other

1723 specific constraints to attempt to circumvent the security or privacy features of a system.

Penetration testing is conducted as a controlled attempt to breach the security and privacycontrols employed within the system using the attacker's techniques and appropriate hardware

1726 and software tools. Penetration testing represents the results of a specific assessor or group of

assessors at a specific point in time using agreed-upon *rules of engagement*. Considering the

1728 complexity of the information technologies commonly employed by organizations today,

penetration testing can be viewed not as a means to verify the security and privacy features of a

1730 system but rather as a means to enhance the organization's understanding of the system,

1731 uncover weaknesses or deficiencies in the system, and indicate the level of effort required on

1732 the part of adversaries to breach the system's safeguards.

1733 Penetration testing exercises can be scheduled and/or random in accordance with

1734 organizational policy and organizational assessments of risk. Consideration can be given to 1735 performing penetration tests on any newly developed system (or legacy system undergoing

performing penetration tests on any newly developed system (or legacy system undergoing amajor upgrade) before the system is authorized for operation, after important changes are

1737 made to the environment in which the system operates, and when a new type of attack is

1738 discovered that may impact the system. Organizations actively monitor the system environment

and threat landscape (e.g., new vulnerabilities, attack techniques, new technology deployments,
 user security, and privacy awareness and training) to identify changes that require out-of-cycle

1741 penetration testing.

1742 Organizations specify which components within the system are subject to penetration testing as 1743 well as the attacker's profile to be adopted throughout the penetration testing exercises. 1744 Organizations train selected personnel in the use and maintenance of penetration testing tools 1745 and techniques. Effective penetration testing tools have the capability to readily update the list 1746 of attack techniques and exploitable vulnerabilities used during the exercises. Organizations 1747 update the list of attack techniques and exploitable vulnerabilities used in penetration testing 1748 based on an organizational assessment of risk or when significant new vulnerabilities or threats 1749 are identified and reported. Whenever possible, organizations employ tools and attack 1750 techniques that include the capability to perform penetration testing exercises on systems and 1751 security and privacy controls in an automated manner.⁵²

⁵² While automated penetration testing tools provide repeatable results and reduce the resources used, organizations should carefully consider the potential detrimental effects of automated exploits on system availability. Additionally, penetration testing based solely on automated tools may not provide the level of attempted system compromise that organizations might experience from an actual attacker.

1752 1753 1754 1755 1756 1757 1758 1759	The information obtained from the penetration testing process can be shared with appropriate personnel throughout the organization to help prioritize the vulnerabilities in the system that are demonstrably subject to compromise by attackers of a profile equivalent to the ones used in the penetration testing exercises. The prioritization helps to determine effective strategies for eliminating the identified vulnerabilities and mitigating associated risks to the organization's operations and assets, individuals, other organizations, and the Nation resulting from the operation and use of the system. Penetration testing can be integrated into the network security testing process and the patch and vulnerability management process. ⁵³
1760	Penetration Testing Considerations
1761 1762	Organizations consider the following criteria when developing and implementing a controlled penetration testing program. An effective penetration test:
1763	 Goes beyond vulnerability scanning to provide explicit proof of mission risks and an
1764	indicator of the level of effort that an adversary would need to expend in order to cause
1765	harm to the organization's operations and assets, individuals, other organizations, or the
1766	Nation
1767	 Approaches the system as the adversary would – considering vulnerabilities, incorrect
1768	system configurations, trust relationships between organizations, and architectural
1769	weaknesses in the environment being tested
1770	Has a clearly defined scope and contains as a minimum:
1771	 A definition of the environment subject to testing (e.g., facilities, users,
1772	organizational groups)
1773	 A definition of the attack surface to be tested (e.g., servers, desktop systems,
1774	wireless networks, web applications, intrusion detection and prevention
1775	systems, firewalls, email accounts, user security and privacy awareness and
1776	training posture, and incident response posture, including breaches of
1777	personally identifiable information)
1778	 A definition of the threat sources to simulate (e.g., an enumeration of attackers'
1779	profiles to be used, such as an internal attacker, casual attacker, single or group
1780	of external targeted attackers, nation/state actor, or criminal organization)
1781	 A definition of the objectives for the simulated attacker (e.g., gain domain
1782	administrator access on the organization's LDAP [Lightweight Directory Access
1783	Protocol] structure and access and modify information in the organization's
1784	financial system)
1785	• A definition of level of effort (e.g., time and resources) to be expended

⁵³ [<u>SP 800-40</u>] provides guidance on patch and vulnerability management. [<u>SP 800-115</u>] provides guidance on information and network security testing.

1786	 A definition of the rules of engagement
1787 1788	• Thoroughly documents all activities performed during the test, including all exploited vulnerabilities and how the vulnerabilities were combined into attacks
1789 1790 1791	 Produces results indicating a likelihood of occurrence for a given attack by using the level of effort that the team needed to expend to penetrate the system as an indicator of the penetration resistance of the system
1792 1793	 Validates existing security and privacy controls (including risk mitigation mechanisms, such as firewalls and intrusion detection and prevention systems)
1794	• Provides a verifiable and reproducible log of all the activities performed during the test
1795 1796	Provides actionable results with information about possible remediation measures for the successful attacks performed.

1797 APPENDIX E

1798 **ASSESSMENT REPORTS**

1799 DOCUMENTING THE FINDINGS FROM SECURITY AND PRIVACY CONTROL ASSESSMENTS

1800 The primary purpose of the security and privacy assessment reports is to convey the results of 1801 the security and privacy control assessments to appropriate organizational officials. The security 1802 assessment report and privacy assessment report are included in the system authorization 1803 package along with the system security plan and privacy plan (or equivalent for common 1804 controls), plan of action and milestones, and an executive summary to provide authorizing 1805 officials with the information necessary to make risk-based decisions on whether to authorize a 1806 system to begin operating or continue its operation. As the assessment and authorization 1807 process becomes more dynamic in nature, relying to a greater degree on the continuous 1808 monitoring aspects of the process as an integrated and tightly coupled part of the system 1809 development life cycle, the ability to update the security and privacy assessment reports

- 1810 frequently becomes a critical aspect of information security and privacy programs.
- 1811 It is important to emphasize the relationship among the key artifacts in the authorization

package, as described in [SP 800-37]. These documents provide a reliable indication of the

1813 overall security and privacy risk posture of the system and the ability of the system to protect

- 1814 the organization's operations and assets, individuals, other organizations, and the Nation to the
- 1815 degree necessary. Updates to these key documents are provided on an ongoing basis in
- 1816 accordance with the continuous monitoring program established by the organization.
- 1817 The security and privacy assessment reports provide a disciplined and structured approach for
- 1818 documenting the findings of the assessor and the recommendations for correcting any
- 1819 weaknesses or deficiencies in the security and privacy controls.⁵⁴ This appendix provides a
- 1820 template for reporting the results from security and privacy control assessments. Organizations
- are not restricted to the specific template format. However, it is anticipated that the overall
- 1822 report of an assessment will include information similar to that detailed in the template for each
- 1823 security and privacy control assessed preceded by a summary that provides the list of all
- 1824 security and privacy controls assessed and the overall status of each control.
- 1825 Key Elements for Assessment Reporting
- 1826 The following elements are included in security and privacy assessment reports:⁵⁵
- System name

1831

1832

- Security categorization
- Site(s) assessed and assessment date(s)
- Assessor's name/identification
 - Previous assessment results (if reused)
 - Security/privacy control or control enhancement designator

⁵⁴ While the rationale for each determination made is a part of the formal security and privacy assessment reports, the complete set of records produced as part of the assessment is likely not included in the report. However, organizations retain the portion of these records necessary for maintaining an audit trail of assessment evidence, facilitating reuse of evidence, and promoting repeatability of assessor actions.

⁵⁵ Information available in other key organizational documents (e.g., security or privacy plans, risk assessments, plans of action and milestones, or security or privacy assessment plans) need not be duplicated in the security and privacy assessment reports.

- 1833 Selected assessment methods and objects • 1834 Depth and coverage attributes values ٠ 1835
 - Assessment finding summary (indicating "satisfied" or "other than satisfied") ٠
 - Assessor comments (weaknesses or deficiencies noted) •
 - Assessor recommendations (priorities, remediation, corrective actions, or • improvements)

1840 **The Assessment Findings**

- 1841 Each determination statement executed by an assessor results in one of the following findings:
- 1842 (i) satisfied (S) or (ii) other than satisfied (O). Consider the following example in Figure 9 for CP-
- 1843 2(3). The assessor executes the assessment procedure for CP-03 and produces the following
- 1844 findings, as shown in Figure 9.

ASSESSMEN Determine ij CP-03_ODP[0 CP-03_ODP[0 CP-03_ODP[0 CP-03_0DP[0 CP-03a.01	11 the time period within which to provide contingency training after assuming a contingency role or responsibility is defined; 121 frequency at which to provide training to system users with a contingency role or responsibility; 131 frequency at which to review and update contingency training content;	ASSESSMENT FINDING S S S	COMMENTS AND RECOMMENDATIONS
CP-03_ODP[0 CP-03_ODP[0 CP-03_ODP[0 CP-03_0DP[0	contingency role or responsibility is defined; [2] frequency at which to provide training to system users with a contingency role or responsibility; [3] frequency at which to review and update contingency training content;	S	
CP-03_ODP[0 CP-03_0DP[0 CP-03a.01	responsibility; [3] frequency at which to review and update contingency training content;		
CP-03_ODP[0 CP-03a.01		S	
CP-03a.01	4] events necessitating review and update of contingency training are defined;		
		S	
CP-03a.02	contingency training is provided to system users consistent with assigned roles and responsibilities within <cp-03_odp[01] period="" time=""></cp-03_odp[01]> of assuming a contingency role or responsibility;	S	
	contingency training is provided to system users consistent with assigned roles and responsibilities when required by system changes;	0	CP-03a.02 is marked as "other than satisfied" because assess could not find evidence that the organization provided contingency training to system users consistent with their assigned roles and responsibili when there were significant changes to the system.
СР-03а.03	contingency training is provided to system users consistent with assigned roles and responsibilities < CP-03_ODP[02] frequency> thereafter;	S	
CP-03b.[01]	the contingency plan training content is reviewed and updated < CP-03_0DP[03] frequency>;	S	
CP-03b.[02]	the contingency plan training content is reviewed and updated following <<i>CP</i>-	S	

1845 1846

1836

1837

1838

1839

FIGURE 9: SECURITY AND PRIVACY CONTROL ASSESSMENT FINDINGS EXAMPLE

- 1847 During an actual security and privacy control assessment, the assessment findings, comments,
- 1848 and recommendations are documented on appropriate organization-defined reporting forms or
- 1849 platforms. Organizations are encouraged to develop standard templates for reporting that
- 1850 contain the key elements for assessment reporting described above. Whenever possible,
- 1851 automation is used to make assessment data collection and reporting cost-effective, timely, and
- 1852 efficient.

1853 APPENDIX F

1854 ONGOING ASSESSMENT AND AUTOMATION

1855 USING AUTOMATED TECHNIQUES TO ACHIEVE MORE EFFICIENT ASSESSMENTS

1856 Ongoing security and privacy assessment is the continuous evaluation of the effectiveness of 1857 security and privacy control implementation. It is an essential subset of Information Security 1858 Continuous Monitoring (ISCM) activities.⁵⁶ Ongoing assessment encompasses ISCM Steps 3 and 4 1859 and is initiated as part of ISCM Step 3, Implement, when the collection of security-related 1860 information begins in accordance with organization-defined frequencies. Ongoing assessment 1861 continues as the security-related information generated as part of ISCM Step 3 is correlated, 1862 analyzed, and reported to senior leaders as part of ISCM Step 4. As noted in [SP 800-137], 1863 security-related information is generated, correlated, analyzed, and reported using automated 1864 tools to the extent that it is possible and practical to do so. When it is not possible and practical 1865 to use automated tools, security-related information is generated, correlated, analyzed, and 1866 reported using manual or procedural methods. In this way, senior leaders are provided with the 1867 security-related information necessary to make credible, risk-based decisions regarding 1868 information security risk to the mission and business.⁵⁷

Automating assessments is a fundamental element in helping organizations manage information security and privacy risks. Evolving threats and changes in PII processing create a challenge for organizations that design, implement, and operate complex systems that contain many hardware, firmware, and software components. The ability to assess all implemented security and privacy controls as frequently as needed using manual or procedural methods has become impractical for most organizations due to the size, complexity, and scope of their information technology infrastructures.

1876 One strategy to increase the number of security and privacy controls for which assessment and 1877 monitoring can be automated depends on defining a *desired state specification* and expressing 1878 the desired state in a form that can be compared automatically with the actual state. The 1879 desired state is a defined value or *specification* to which the actual state value can be compared. 1880 A mismatch of the two values indicates that a defect is present in the effectiveness of one or 1881 more controls. For example, an organizational policy may state that user accounts will be locked 1882 after three unsuccessful logon attempts. The desired state specification would be that 1883 applicable devices are configured to lock accounts after three unsuccessful logon attempts. If, 1884 during automated assessment, the security-related information collected indicates that a 1885 specific device is configured such that accounts are locked only after *five* unsuccessful logon 1886 attempts, a mismatch between the desired state (three attempts allowed before lockout) and 1887 the actual state (five attempts allowed before lockout) is identified. This mismatch may reflect a 1888 problem with the effectiveness of SP 800-53 control AC-7, Unsuccessful Logon Attempts; AC-2, 1889 Account Management; and CM-2, Baseline Configuration. When such a strategy is employed, 1890 security-related information generated from ISCM activities is equivalent to security control 1891 assessment results.

⁵⁶ [SP 800-137] provides guidance on Information Security Continuous Monitoring (ISCM). [SP 800-137A] provides guidance on conducting assessment of ISCM Programs.

⁵⁷ Continuous monitoring can be effectively applied to privacy controls consistent with the concepts, techniques, and principles described in [SP 800-137]. Senior Agency Officials for Privacy (SAOPs)/Chief Privacy Officers (CPOs) provide guidance on the ongoing monitoring of privacy controls.

1892 In order to effectively automate security and privacy control assessments using the desired state 1893 specification strategy, it is important to meet the following prerequisites: 1894 Automated actual state and behavior specifications are defined; • 1895 • Data-based desired state specifications (comparable to the actual state) are defined; 1896 and 1897 A method to compute or identify defects (i.e., differences between desired and actual ٠ 1898 state and behavior) is defined. 1899 When the prerequisites are met, the assessment system can automatically compute where 1900 differences between the desired state and actual state (defects) occur, use that information to 1901 create security and privacy assessment reports, and deliver those reports to designated 1902 personnel via a security and privacy management console (dashboard). 1903 When automated tools are used to conduct assessments, the test assessment method is used.⁵⁸ 1904 The organization determines and documents (i) the specific capabilities⁵⁹ and privacy controls 1905 that are being assessed by the automated tool, (ii) the frequency with which the tool will assess 1906 the capabilities or controls, and (iii) the analysis and reporting requirements for the capabilities 1907 or controls. 1908 To help automate ongoing assessment, NIST and the Department of Homeland Security 1909 Cybersecurity Infrastructure Security Agency (CISA) have collaborated on the development of a 1910 process that leverages the *test* assessment method and is consistent with the Risk Management 1911 Framework, as described in SP 800-37 and the ISCM guidance in SP 800-137. Automation of the 1912 test method for security assessments is facilitated by the CISA Continuous Diagnostics and 1913 Mitigation (CDM) program. 1914 The transition from manual to automated assessments requires time to implement the data 1915 collection system to support automated assessments and a security and privacy management

- 1916
- console to present assessment results. It also requires time and effort to modify and update the 1917 assessment process. More information on automation support for ongoing assessments and
- 1918 how the CISA CDM program facilitates ongoing assessments is provided in NIST
- 1919 Interagency/Internal Report (NISTIR) 8011, Automation Support for Security Control
- 1920 Assessments: Volume 1: Overview [IR 8011-1].

⁵⁸ If greater depth and coverage are needed to provide additional assurance, the automated test method may be supplemented by the use of manual or procedural assessment methods (i.e., interview, examine, or manual test).

⁵⁹ If a security or privacy capability is defined, a mapping of all individual controls that support the capability is documented. If organizations define multiple capabilities, a many-to-many relationship between security and privacy controls and capabilities is to be expected. See Section 3.5 for additional information regarding security and privacy capability assessments.