

## Subject Index to Volume 102

Numbers in parenthesis in italic type after the volume number are the issue numbers

- No. 1 January–February
- No. 2 March–April
- No. 3 May–June
- No. 4 July–August
- No. 5 September–October
- No. 6 November–December

### A

absolute technique . . . . . 479(4)  
absorbed dose to water . . . . . 63(1)  
ac current . . . . . 75(1)  
ac-dc difference . . . . . 75(1)  
acetylene . . . . . 693(6)  
Adam-Gibbs theory . . . . . 159(2), 195(2)  
algorithms . . . . . 425(4)  
amplitude distributions . . . . . 569(5)  
angle standards . . . . . 647(6)  
appearance . . . . . 489(4)  
atomic force microscopy . . . . . 425(4)

### B

Baldrige Award . . . . . 249(2)  
ball plate . . . . . 85(1)  
beta decay . . . . . 523(5)  
beta counting . . . . . 455(4)  
bias . . . . . 577(5)  
biosensors . . . . . 95(1)  
blackbody . . . . . 551(5)  
blind reconstruction . . . . . 425(4)  
bond-fluctuation model . . . . . 159(2)  
broadband telecommunications . . . . . 703(6)

### C

calibration . . . . . 323(3), 479(4), 627(6), 647(6)  
candela . . . . . 323(3)  
catalytic conversion of methanol . . . . . 559(5)  
ceramics . . . . . 15(1)  
chemical potential . . . . . 159(2)  
chemical sensors . . . . . 95(1)  
chromatic dispersion . . . . . 333(3)  
CIEMAT/NIST Method . . . . . 455(4)  
coatings . . . . . 489(4)  
composition-sensitive imaging . . . . . 1(1)  
concentration power equation . . . . . 229(2)  
conducting channels . . . . . 677(6)

conductor current . . . . . 405(4)  
conductor representation . . . . . 405(4)  
conductor voltage . . . . . 405(4)  
conformational entropy . . . . . 229(2)  
coordinate measuring machine . . . . . 85(1)  
coordinate metrology . . . . . 85(1)  
creep recovery . . . . . 349(3)  
critical current . . . . . 29(1)  
criteria and assurance . . . . . 367(3)  
current calibrations . . . . . 75(1)  
current shunts . . . . . 75(1)

### D

degradation . . . . . 29(1)  
deoxyribonucleic acid (DNA) sequencing . . . . . 53(1)  
dielectric susceptibility . . . . . 207(2)  
diffusion coefficient . . . . . 159(2)  
dimensional metrology . . . . . 425(4), 647(6)  
dispersion slope . . . . . 333(3)  
distributed computing . . . . . 371(3)  
distributed currents . . . . . 677(6)  
DNA identification . . . . . 53(1)  
dosimetry . . . . . 63(1)

### E

edge-channel states . . . . . 677(6)  
efficiency tracing . . . . . 523(5)  
electrochemical devices . . . . . 95(1)  
electromagnetic modes . . . . . 405(4)  
electron energy-loss spectroscopy . . . . . 1(1)  
electronic commerce . . . . . 367(3)  
energy landscapes . . . . . 171(2)  
energy filtering . . . . . 1(1)  
enthalpy relaxation . . . . . 195(2)  
entropy . . . . . 213(2)  
entropy crises . . . . . 187(2)  
entropy measurement . . . . . 159(2)  
environmental monitoring . . . . . 279(3)  
expanded uncertainty . . . . . 577(5)

**F**

filter radiometer . . . . .	551(5)
finite element method . . . . .	15(1)
flexible bond . . . . .	229(2)
flow patterns . . . . .	677(6)
force measurement . . . . .	349(3)
formaldehyde standard . . . . .	559(5)
formaldehyde . . . . .	559(5)
fragility . . . . .	171(2)
free volume . . . . .	213(2), 229(2)
Fresnel integrals . . . . .	363(3)

**G**

gage blocks . . . . .	647(6)
gages . . . . .	647(6)
gas standards . . . . .	559(5)
genetic codes . . . . .	53(1)
genetic information . . . . .	53(1)
Gibbs-DiMarzio theory . . . . .	135(2), 159(2)
glass formers . . . . .	171(2)
glass kinetics . . . . .	135(2)
glass transition . . . . .	159(2), 171(2), 187(2), 195(2), 207(2), 213(2), 229(2)
glass transition temperature . . . . .	135(2)

**H**

heat flux . . . . .	479(4)
high temperature superconductors . . . . .	29(1)
high-resolution electron microscopy . . . . .	1(1)
hydrocarbon . . . . .	693(6)
hydrogen-3 . . . . .	523(5)

**I**

illuminance . . . . .	323(3)
image simulation . . . . .	425(4)
impedance matrix . . . . .	405(4)
information technology security . . . . .	367(3)
integrating sphere . . . . .	323(3), 627(6)
interchain orientation . . . . .	229(2)
interlaboratory comparison . . . . .	29(1)
intermolecular cooperativity . . . . .	213(2)
ionizing radiation . . . . .	63(1)
iron-55 . . . . .	523(5)
irradiance . . . . .	479(4)

**L**

level of confidence . . . . .	587(5)
leveraging cyberspace . . . . .	371(3)
liquid scintillation (LS) . . . . .	455(4), 523(5)
load cell . . . . .	349(3)
log-normal distribution . . . . .	569(5)
lumen . . . . .	323(3)
luminance . . . . .	323(3)
luminous flux . . . . .	323(3)
luminous intensity . . . . .	323(3)
lux . . . . .	323(3)

**M**

magnetic susceptibility . . . . .	207(2)
management practices . . . . .	249(2)
mathematical morphology . . . . .	425(4)
metrology laboratories . . . . .	589(5)
miscible polymer blends . . . . .	229(2)
modal representation . . . . .	405(4)
models for coating . . . . .	489(4)
molecular tags . . . . .	53(1)
Monte Carlo simulation . . . . .	159(2)
multiconductor transmission line . . . . .	405(4)

**N**

networking . . . . .	371(3)
nickel-63 . . . . .	455(4), 523(5)
nonlinear four-wave mixing . . . . .	333(3)
nonlinear relaxation . . . . .	195(2)
nonlinear susceptibility . . . . .	207(2)
numerical approximations . . . . .	363(3)

**O**

ocean color . . . . .	627(6)
optical fiber bandwidth . . . . .	333(3)
optical flats . . . . .	647(6)
optimum design . . . . .	15(1)

**P**

partial discharges . . . . .	569(5)
personal communications services . . . . .	697(6)
polarization-mode dispersion . . . . .	333(3)
polymer . . . . .	213(2)
power-law creep . . . . .	15(1)
probability . . . . .	587(5)
protein folding . . . . .	171(2)

**Q**

quality award . . . . . 249(2)  
 quantum Hall effect . . . . . 677(6)

**R**

radiation . . . . . 479(4)  
 radical . . . . . 693(6)  
 radioactivity . . . . . 455(4), 523(5)  
 radioactivity standards . . . . . 589(5)  
 radiofrequency techniques . . . . . 703(6)  
 radionuclide metrology . . . . . 589(5)  
 random first order transition . . . . . 187(2)  
 random heteropolymers . . . . . 187(2)  
 random point process . . . . . 569(5)  
 relaxation . . . . . 171(2), 213(2)  
 remote sensing . . . . . 627(6)  
 round robin . . . . . 85(1)

**S**

scale realization . . . . . 551(5)  
 scanned probe microscopy . . . . . 425(4)  
 scanning tunneling microscopy . . . . . 425(4)  
 scintillation counting . . . . . 589(5)  
 security . . . . . 367(3)  
 sensors . . . . . 95(1), 479(4)  
 series expansions . . . . . 363(3)  
 skipping orbits . . . . . 677(6)  
 solar ultraviolet . . . . . 279(3)  
 specific-heat spectroscopy . . . . . 207(2)  
 specimen design . . . . . 15(1)  
 spectral irradiance . . . . . 551(5)  
 spectral radiometry . . . . . 627(6)  
 spectrometry . . . . . 523(5)  
 spectroradiometers . . . . . 279(3)  
 spin-glass transition . . . . . 207(2)  
 spread sheet computations . . . . . 363(3)  
 standard reference materials . . . . . 53(1), 333(3)  
 stress analysis . . . . . 15(1)  
 stress relaxation . . . . . 15(1)  
 surface reconstruction . . . . . 425(4)

**T**

telecommunication systems . . . . . 333(3)  
 telecommunications . . . . . 697(6)  
 thermal current converter . . . . . 75(1)  
 thermoelement . . . . . 75(1)  
 time separation distributions . . . . . 569(5)  
 total ionization cross section . . . . . 693(6)  
 transfer radiometers . . . . . 627(6)  
 two-dimensional electron gas . . . . . 677(6)

**U**

uncertainty . . . . . 479(4), 551(5), 577(5), 587(5), 647(6)  
 uncertainty budget . . . . . 647(6)

**V**

vehicle emissions . . . . . 559(5)  
 Vogel equation . . . . . 135(2)

**W**

water calorimetry . . . . . 63(1)  
 wireless communications . . . . . 697(6), 703(6)

**Z**

zero-dispersion wavelength . . . . . 333(3)