

## *Author Index to Volume 109*

Numbers in parentheses in italic type after the volume number are the issue numbers

No. 1 January-February  
No. 2 March-April  
No. 3 May-June  
No. 4 July-August  
No. 5 September-October  
No. 6 November-December

### A

#### **Altomare, A.**

Direct Methods Optimised for Solving Crystal Structure by Powder Diffraction Data: Limits, Strategies, and Prospects. Altomare, A., Giacovazzo, C., Moliterni, A. G. G., Rizzi, R., **109**(1), 125 (2004).

#### **Amer, M.**

Uncertainties in Small-Angle Measurement Systems Used to Calibrate Angle Artifacts. Stone, J. A., Amer, M., Faust, B., Zimmerman, J., **109**(3), 319 (2004).

#### **Armstrong, N.**

Bayesian Inference of Nanoparticle-Broadened X-Ray Line Profiles. Armstrong, N., Kalceff, W., Cline, J. P., Bonevich, J., **109**(1), 155 (2004).

#### **Attfield, J. P.**

Multidataset Refinement Resonant Diffraction, and Magnetic Structures. Attfield, J. P., **109**(1), 99 (2004).

### B

#### **Ballou, S.**

SRM 2460/2461 Standard Bullets and Casings Project. Song, J., Whitenton, E., Kelley, D., Clary, R., Ma, L., Ballou, S., Ols, M., **109**(6), 533 (2004).

#### **Berg, R. F.**

Two Primary Standards for Low Flows of Gases. Berg, R. F., Tison, S. A., **109**(4), 435 (2004).

#### **Blackwell, M. M.**

High-Resolution Observations of the Infrared Spectrum of Neutral Neon. Sansonetti, C. J., Blackwell, M. M., Saloman, E. B., **109**(3), 371 (2004).

#### **Bonevich, J.**

Bayesian Inference of Nanoparticle-Broadened X-Ray Line Profiles. Armstrong, N., Kalceff, W., Cline, J. P., Bonevich, J., **109**(1), 155 (2004).

#### **Byers, F.**

Stability Comparison of Recordable Optical Discs-A Study of Error Rates in Harsh Conditions. Slattery, O., Lu, R., Zheng, J., Byers, F., Tang, X., **109**(5), 517 (2004).

#### **Byrd, W. E.**

Development of A High Throughput Method Incorporating Traditional Analytical Devices. White, C. C., Embree, E., Byrd, W. E., Patel, A. R., **109**(5), 465 (2004).

## C

**Cage, M. E.**

Initial NIST AC QHR Measurements. Cage, M. E., Shields, S. H., Jeffery, A., **109(4)**, 391 (2004).

**Cheary, R. W.**

Fundamental Parameters Line Profile Fitting in Laboratory Diffractometers. Cheary, R. W., Coelho, A. A., Cline, J. P., **109(1)**, 1 (2004).

**Chow, L. C.**

Properties of Nanostructured Hydroxyapatite Prepared by a Spray Drying Technique. Chow, L. C., Sun, L., Hockey, B., **109(6)**, 543 (2004).

**Clary, R.**

SRM 2460/2461 Standard Bullets and Casings Project. Song, J., Whinton, E., Kelley, D., Clary, R., Ma, L., Ballou, S., Ols, M., **109(6)**, 533 (2004).

**Cline, J. P.**

Bayesian Inference of Nanoparticle-Broadened X-Ray Line Profiles. Armstrong, N., Kalceff, W., Cline, J. P., Bonevich, J., **109(1)**, 155 (2004).

Fundamental Parameters Line Profile Fitting in Laboratory Diffractometers. Cheary, R. W., Coelho, A. A., Cline, J. P., **109(1)**, 1 (2004).

**Coelho, A. A.**

Fundamental Parameters Line Profile Fitting in Laboratory Diffractometers. Cheary, R. W., Coelho, A. A., Cline, J. P., **109(1)**, 1 (2004).

**Coursey, B. M.**

Erratum: New National Air-Kerma-Strength Standards for 125I and 103Pd Brachytherapy Seeds. Seltzer, S. M., Lamperti, P. J., Loevinger, R., Mitch, M. G., Weaver, J. T., Coursey, B. M., **109(2)**, 301 (2004).

**Cromer, C.**

Nonlinearity Measurements of High-Power Laser Detectors at NIST. Li, X., Scott, T., Yang, S., Cromer, C., Dowell, M., **109(4)**, 429 (2004).

**Currie, L. A.**

The Remarkable Metrological History of Radiocarbon Dating [II]. Currie, L. A., **109(2)**, 185 (2004).

## D

**Datla, R. U.**

Erratum: Statistical Interpretation of Key Comparison Reference Value and Degrees of Equivalence. Kacker, R. N., Datla, R. U., Parr, A. C., **109(2)**, 299 (2004).

**David, W. I. F.**

Powder Diffraction: Least-Squares and Beyond. David, W. I. F., **109(1)**, 107 (2004).

**Davis, R. S.**

Erratum: Determining the Magnetic Properties of 1 kg Mass Standards. Davis, R. S., **109(2)**, 303 (2004).

**DeGroot, D. C.**

Frequency-Domain Models for Nonlinear Microwave Devices Based on Large-Signal Measurements. Jargon, J. A., DeGroot, D. C., Gupta, K. C., **109(4)**, 407 (2004).

**Denisov, A. A.**

Spot Weld Analysis With 2D Ultrasonic Arrays. Denisov, A. A., Shakarji, C. M., Lawford, B. B., Maev, R. Gr., Paille, J. M., **109(2)**, 233 (2004).

**Deutsch, M.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G., Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**Diamant, R.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G., Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**Dowell, M.**

Nonlinearity Measurements of High-Power Laser Detectors at NIST. Li, X., Scott, T., Yang, S., Cromer, C., Dowell, M., **109(4)**, 429 (2004).

**E****Eidelman, N.**

Characterization of Combinatorial Polymer Blend Composition Gradients by FTIR Microspectroscopy. Eidelman, N., Simon, C. G., Jr., **109(2)**, 219 (2004).

**Embree, E.**

Development of A High Throughput Method Incorporating Traditional Analytical Devices. White, C. C., Embree, E., Byrd, W. E., Patel, A. R., **109(5)**, 465 (2004).

**F****Faust, B.**

Uncertainties in Small-Angle Measurement Systems Used to Calibrate Angle Artifacts. Stone, J. A., Amer, M., Faust, B., Zimmerman, J., **109(3)**, 319 (2004).

**Feng, S. C.**

Software Architecture for a Virtual Environment for Nano Scale Assembly (VENSA). Lee, Y.-G., Lyons, K. W., Feng, S. C., **109(2)**, 279 (2004).

**Fitch, A. N.**

The High Resolution Powder Diffraction Beam Line at ESRF. Fitch, A. N., **109(1)**, 133 (2004).

**Förster, E.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G.,

Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**Fowler, B. O.**

Preparation and Comprehensive Characterization of a Calcium Hydroxyapatite Reference Material. Markovic, M., Fowler, B. O., Tung, M. S., **109(6)**, 553 (2004).

**G****Gaitan, M.**

Embedded MicroHeating Elements in Polymeric MicroChannels for Temperature Control and Fluid Flow Sensing. Gaitan, M., Locascio, L. E., **109(3)**, 335 (2004).

**Gardner, J. L.**

Uncertainty Propagation for NIST Visible Spectral Standards. Gardner, J. L., **109(3)**, 305 (2004).

**Giacovazzo, C.**

Direct Methods Optimised for Solving Crystal Structure by Powder Diffraction Data: Limits, Strategies, and Prospects. Altomare, A., Giacovazzo, C., Moliterni, A. G. G., Rizzi, R., **109(1)**, 125 (2004).

**Gupta, K. C.**

Frequency-Domain Models for Nonlinear Microwave Devices Based on Large-Signal Measurements. Jargon, J. A., DeGroot, D. C., Gupta, K. C., **109(4)**, 407 (2004).

**H****Hadler, J.**

Intramural Comparison of NIST Laser and Optical Fiber Power Calibrations. Lehman, J. H., Vayshenker, I., Livigni, D. J., Hadler, J., **109(2)**, 291 (2004).

**Hämäläinen, K.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G., Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**Härtwig, J.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G., Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**Hockey, B.**

Properties of Nanostructured Hydroxyapatite Prepared by a Spray Drying Technique. Chow, L. C., Sun, L., Hockey, B., **109(6)**, 543 (2004).

**Hölzer, G.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G., Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**Huotari, S.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G., Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**J****Jargon, J. A.**

Frequency-Domain Models for Nonlinear Microwave Devices Based on Large-Signal Measurements. Jargon, J. A., DeGroot, D. C., Gupta, K. C., **109(4)**, 407 (2004).

**Jeffery, A.**

Initial NIST AC QHR Measurements. Cage, M. E., Shields, S. H., Jeffery, A., **109(4)**, 391 (2004).

**Johnson, A.**

Uncertainty and Traceability for the CEESI Iowa Natural Gas Facility. Johnson, A., Kegel, T. **109(3)**, 345 (2004).

**K****Kacker, R. N.**

Erratum: Statistical Interpretation of Key Comparison Reference Value and Degrees of Equivalence. Kacker, R. N., Datla, R. U., Parr, A. C., **109(2)**, 299 (2004).

**Kalceff, W.**

Bayesian Inference of Nanoparticle-Broadened X-Ray Line Profiles. Armstrong, N., Kalceff, W., Cline, J. P., Bonevich, J., **109(1)**, 155 (2004).

**Kammaing, J.-D.**

Diffraction Line Broadening Analysis if Broadening Is Caused by Both Dislocations and Limited Crystallite Size. Kammaing, J.-D., Seijbel, L. J., **109(1)**, 65 (2004).

**Kao, C.-C.**

X-Ray Spectrometry of Copper: New Results on an Old Subject. Deutsch, M., Förster, E., Hölzer, G., Härtwig, J., Hämäläinen, K., Kao, C.-C., Huotari, S., Diamant, R., **109(1)**, 75 (2004).

**Karam, L. R.**

Evaluation of Handheld Radionuclide Identifiers. Pibida, L., Unterweger, M., Karam, L. R., **109(4)**, 451 (2004).

**Kegel, T.**

Uncertainty and Traceability for the CEESI Iowa Natural Gas Facility. Johnson, A., Kegel, T. **109(3)**, 345 (2004).

**Kelley, D.**

SRM 2460/2461 Standard Bullets and Casings Project. Song, J., Whinton, E., Kelley, D., Clary, R., Ma, L., Ballou, S., Ols, M., **109(6)**, 533 (2004).

**Kim, Y.-K.**

Electron-Impact Cross Sections for Ground State to *np* Excitations of Sodium and Potassium. Stone, P. M., Kim, Y.-K., **109(5)**, 505 (2004).

**L****Lamperti, P. J.**

Erratum: New National Air-Kerma-Strength Standards for 125I and 103Pd Brachytherapy Seeds. Seltzer, S. M., Lamperti, P. J., Loevinger, R., Mitch, M. G., Weaver, J. T., Coursey, B. M., **109(2)**, 301 (2004).

**Lawford, B. B.**

Spot Weld Analysis With 2D Ultrasonic Arrays. Denisov, A. A., Shakarji, C. M., Lawford, B. B., Maev, R. Gr., Paille, J. M., **109(2)**, 233 (2004).

**Lee, B.-C.**

A Small-Volume Apparatus for the Measurement of Phase Equilibria, Outcalt, S. L., Lee, B.-C., **109(6)**, 525 (2004).

**Lee, Y.-G.**

Software Architecture for a Virtual Environment for Nano Scale Assembly (VENSA). Lee, Y.-G., Lyons, K. W., Feng, S. C., **109(2)**, 279 (2004).

**Lehman, J. H.**

Intramural Comparison of NIST Laser and Optical Fiber Power Calibrations. Lehman, J. H., Vayshenker, I., Livigni, D. J., Hadler, J., **109(2)**, 291 (2004).

**Leigh, S. D.**

Standard Reference Materials (SRMs) for the Calibration and Validation of Analytical Methods for PCBs (as Aroclor Mixtures). Poster, D. L., Schantz, M. M., Leigh, S. D., Wise, S. A., **109(2)**, 245 (2004).

**Leoni, M.**

Polycapillary Optics for Materials Science Studies: Instrumental Effects and Their Correction. Leoni, M., Welzel, U., Scardi, P., **109(1)**, 27 (2004).

**Li, X.**

Nonlinearity Measurements of High-Power Laser Detectors at NIST. Li, X., Scott, T., Yang, S., Cromer, C., Dowell, M., **109(4)**, 429 (2004).

**Livigni, D. J.**

Intramural Comparison of NIST Laser and Optical Fiber Power Calibrations. Lehman, J. H., Vayshenker, I., Livigni, D. J., Hadler, J., **109(2)**, 291 (2004).

**Locascio, L. E.**

Embedded MicroHeating Elements in Polymeric MicroChannels for Temperature Control and Fluid Flow Sensing. Gaitan, M., Locascio, L. E., **109(3)**, 335 (2004).

**Loevinger, R.**

Erratum: New National Air-Kerma-Strength Standards for 125I and 103Pd Brachytherapy Seeds. Seltzer, S. M., Lamperti, P. J., Loevinger, R., Mitch, M. G., Weaver, J. T., Coursey, B. M., **109(2)**, 301 (2004).

**Lu, R.**

Stability Comparison of Recordable Optical Discs-A Study of Error Rates in Harsh Conditions. Slattery, O., Lu, R., Zheng, J., Byers, F., Tang, X., **109(5)**, 517 (2004).

**Lyons, K. W.**

Software Architecture for a Virtual Environment for Nano Scale Assembly (VENSA). Lee, Y.-G., Lyons, K. W., Feng, S. C., **109(2)**, 279 (2004).

**M****Ma, L.**

SRM 2460/2461 Standard Bullets and Casings Project. Song, J., Whinton, E., Kelley, D., Clary, R., Ma, L., Ballou, S., Ols, M., **109(6)**, 533 (2004).

**Maev, R. Gr.**

Spot Weld Analysis With 2D Ultrasonic Arrays. Denisov, A. A., Shakarji, C. M., Lawford, B. B., Maev, R. Gr., Paille, J. M., **109(2)**, 233 (2004).

**Markovic, M.**

Preparation and Comprehensive Characterization of a Calcium Hydroxyapatite Reference Material. Markovic, M., Fowler, B. O., Tung, M. S., **109(6)**, 553 (2004).

**Martys, N.**

Simulation of Sheared Suspensions With a Parallel Implementation of QDPD. Sims, J. S., Martys, N., **109(2)**, 267 (2004).

**Mielenz, K. D.**

Optical Diffraction in Close Proximity to Plane Apertures. III. Modified, Self-Consistent Theory. Mielenz, K. D., **109(5)**, 457 (2004).

**Mighell, A. D.**

Ambiguities in Powder Indexing: Conjunction of a Ternary and Binary Lattice Metric Singularity in the Cubic System. Mighell, A. D., **109(6)**, 569 (2004).

**Mitch, M. G.**

Erratum: New National Air-Kerma-Strength Standards for 125I and 103Pd Brachytherapy Seeds. Seltzer, S. M., Lamperti, P. J., Loevinger, R., Mitch, M. G., Weaver, J. T., Coursey, B. M., **109(2)**, 301 (2004).

**Moliterni, A. G. G.**

Direct Methods Optimised for Solving Crystal Structure by Powder Diffraction Data: Limits, Strategies, and Prospects. Altomare, A., Giacovazzo, C., Moliterni, A. G. G., Rizzi, R., **109(1)**, 125 (2004).

**Munro, R. G.**

Analytical Representations of Elastic Moduli Data With Simultaneous Dependence on Temperature and Porosity. Munro, R. G., **109(5)**, 497 (2004).

**O****Ols, M.**

SRM 2460/2461 Standard Bullets and Casings Project. Song, J., Whinton, E., Kelley, D., Clary, R., Ma, L., Ballou, S., Ols, M., **109(6)**, 533 (2004).

**Outcalt, S. L.**

A Small-Volume Apparatus for the Measurement of Phase Equilibria, Outcalt, S. L., Lee, B.-C., **109(6)**, 525 (2004).

**P****Paille, J. M.**

Spot Weld Analysis With 2D Ultrasonic Arrays. Denisov, A. A., Shakarji, C. M., Lawford, B. B., Maev, R. Gr., Paille, J. M., **109(2)**, 233 (2004).

**Parr, A. C.**

Erratum: Statistical Interpretation of Key Comparison Reference Value and Degrees of Equivalence. Kacker, R. N., Datla, R. U., Parr, A. C., **109(2)**, 299 (2004).

**Patel, A. R.**

Development of A High Throughput Method Incorporating Traditional Analytical Devices. White, C. C., Embree, E., Byrd, W. E., Patel, A. R., **109(5)**, 465 (2004).

**Pibida, L.**

Evaluation of Handheld Radionuclide Identifiers. Pibida, L., Unterweger, M., Karam, L. R., **109(4)**, 451 (2004).

**Poster, D. L.**

Standard Reference Materials (SRMs) for the Calibration and Validation of Analytical Methods for PCBs (as Aroclor Mixtures). Poster, D. L., Schantz, M. M., Leigh, S. D., Wise, S. A., **109(2)**, 245 (2004).

**R****Rizzi, R.**

Direct Methods Optimised for Solving Crystal Structure by Powder Diffraction Data: Limits, Strategies, and Prospects. Altomare, A., Giacovazzo, C., Moliterni, A. G. G., Rizzi, R., **109(1)**, 125 (2004).

## S

**Saloman, E. B.**

High-Resolution Observations of the Infrared Spectrum of Neutral Neon. Sansonetti, C. J., Blackwell, M. M., Saloman, E. B., **109(3)**, 371 (2004).

**Sansonetti, C. J.**

High-Resolution Observations of the Infrared Spectrum of Neutral Neon. Sansonetti, C. J., Blackwell, M. M., Saloman, E. B., **109(3)**, 371 (2004).

**Scardi, P.**

Polycapillary Optics for Materials Science Studies: Instrumental Effects and Their Correction. Leoni, M., Welzel, U., Scardi, P., **109(1)**, 27 (2004).

**Schantz, M. M.**

Standard Reference Materials (SRMs) for the Calibration and Validation of Analytical Methods for PCBs (as Aroclor Mixtures). Poster, D. L., Schantz, M. M., Leigh, S. D., Wise, S. A., **109(2)**, 245 (2004).

**Scott, T.**

Nonlinearity Measurements of High-Power Laser Detectors at NIST. Li, X., Scott, T., Yang, S., Cromer, C., Dowell, M., **109(4)**, 429 (2004).

**Seijbel, L. J.**

Diffraction Line Broadening Analysis if Broadening Is Caused by Both Dislocations and Limited Crystallite Size. Kamminga, J.-D., Seijbel, L. J., **109(1)**, 65 (2004).

**Seltzer, S. M.**

Erratum: New National Air-Kerma-Strength Standards for 125I and 103Pd Brachytherapy Seeds. Seltzer, S. M., Lamperti, P. J., Loevinger, R., Mitch, M. G., Weaver, J. T., Coursey, B. M., **109(2)**, 301 (2004).

**Shakarji, C. M.**

Spot Weld Analysis With 2D Ultrasonic Arrays. Denisov, A. A., Shakarji, C. M., Lawford, B. B., Maev, R. Gr., Paille, J. M., **109(2)**, 233 (2004).

**Shankland, K.**

Global Rietveld Refinement. Shankland, K., **109(1)**, 143 (2004).

**Shields, S. H.**

Initial NIST AC QHR Measurements. Cage, M. E., Shields, S. H., Jeffery, A., **109(4)**, 391 (2004).

**Simon, C. G., Jr.**

Characterization of Combinatorial Polymer Blend Composition Gradients by FTIR Microspectroscopy. Eidelman, N., Simon, C. G., Jr., **109(2)**, 219 (2004).

**Sims, J. S.**

Simulation of Sheared Suspensions With a Parallel Implementation of QDPD. Sims, J. S., Martys, N., **109(2)**, 267 (2004).

**Slattery, O.**

Stability Comparison of Recordable Optical Discs-A Study of Error Rates in Harsh Conditions. Slattery, O., Lu, R., Zheng, J., Byers, F., Tang, X., **109(5)**, 517 (2004).

**Song, J.**

SRM 2460/2461 Standard Bullets and Casings Project. Song, J., Whinton, E., Kelley, D., Clary, R., Ma, L., Ballou, S., Ols, M., **109(6)**, 533 (2004).

**Stone, J. A.**

Uncertainties in Small-Angle Measurement Systems Used to Calibrate Angle Artifacts. Stone, J. A., Amer, M., Faust, B., Zimmerman, J., **109(3)**, 319 (2004).

**Stone, P. M.**

Electron-Impact Cross Sections for Ground State to *np* Excitations of Sodium and Potassium. Stone, P. M., Kim, Y.-K., **109(5)**, 505 (2004).

**Sun, L.**

Properties of Nanostructured Hydroxyapatite Prepared by a Spray Drying Technique. Chow, L. C., Sun, L., Hockey, B., **109(6)**, 543 (2004).

**T****Tang, X.**

Stability Comparison of Recordable Optical Discs-A Study of Error Rates in Harsh Conditions. Slattery, O., Lu, R., Zheng, J., Byers, F., Tang, X., **109(5)**, 517 (2004).

**Tison, S. A.**

Two Primary Standards for Low Flows of Gases. Berg, R. F., Tison, S. A., **109(4)**, 435 (2004).

**Tremayne, M.**

Direct Space Structure Solution Applications. Tremayne, M., **109(1)**, 49 (2004).

**Tung, M. S.**

Preparation and Comprehensive Characterization of a Calcium Hydroxyapatite Reference Material. Markovic, M., Fowler, B. O., Tung, M. S., **109(6)**, 553 (2004).

**U****Unterweger, M.**

Evaluation of Handheld Radionuclide Identifiers. Pibida, L., Unterweger, M., Karam, L. R., **109(4)**, 451 (2004).

**V****Vayshenker, I.**

Intramural Comparison of NIST Laser and Optical Fiber Power Calibrations. Lehman, J. H., Vayshenker, I., Livigni, D. J., Hadler, J., **109(2)**, 291 (2004).

**W****Weaver, J. T.**

Erratum: New National Air-Kerma-Strength Standards for 125I and 103Pd Brachytherapy Seeds. Seltzer, S. M., Lamperti, P. J., Loevinger, R., Mitch, M. G., Weaver, J. T., Coursey, B. M., **109(2)**, 301 (2004).

**Welzel, U.**

Polycapillary Optics for Materials Science Studies: Instrumental Effects and Their Correction. Leoni, M., Welzel, U., Scardi, P., **109(1)**, 27 (2004).

**White, C. C.**

Development of A High Throughput Method Incorporating Traditional Analytical Devices. White, C. C., Embree, E., Byrd, W. E., Patel, A. R., **109(5)**, 465 (2004).

**Whitenton, E.**

SRM 2460/2461 Standard Bullets and Casings Project. Song, J., Whitenton, E., Kelley, D., Clary, R., Ma, L., Ballou, S., Ols, M., **109(6)**, 533 (2004).

**Wise, S. A.**

Standard Reference Materials (SRMs) for the Calibration and Validation of Analytical Methods for PCBs (as Aroclor Mixtures). Poster, D. L., Schantz, M. M., Leigh, S. D., Wise, S. A., **109(2)**, 245 (2004).

**Wojcik, G. S.**

Determining the Uncertainty of X-Ray Absorption Measurements. Wojcik, G. S., **109(5)**, 479 (2004).

**Y****Yang, S.**

Nonlinearity Measurements of High-Power Laser Detectors at NIST. Li, X., Scott, T., Yang, S., Cromer, C., Dowell, M., **109(4)**, 429 (2004).

**Z****Zheng, J.**

Stability Comparison of Recordable Optical Discs-A Study of Error Rates in Harsh Conditions. Slattery, O., Lu, R., Zheng, J., Byers, F., Tang, X., **109(5)**, 517 (2004).

**Zimmerman, J.**

Uncertainties in Small-Angle Measurement Systems Used to Calibrate Angle Artifacts. Stone, J. A., Amer, M., Faust, B., Zimmerman, J., **109(3)**, 319 (2004).