

Subject Index to Volume 109

Numbers in parentheses in italic type after the volume number are the issue numbers

- No. 1 January-February
- No. 2 March-April
- No. 3 May-June
- No. 4 July-August
- No. 5 September-October
- No. 6 November-December

A

- absolute responsivity 291(2)
- ac quantum Hall effect 391(4)
- accelerator mass spectrometry 185(2)
- air kerma 301(2)
- ambiguities in powder indexing 569(6)
- analytical chemistry 465(5)
- anomalous scattering 133(1)
- ANSI N42.34 451(4)
- ANSI standards 451(4)
- Aroclors 245(2)
- atomic spectroscopy 371(3)
- attenuation method 429(4)
- autocollimator 319(3)

B

- ballistics 533(6)
- Bayesian 155(1)
- bidirectional scalar fields 457(5)
- bioactive materials 543(6)
- biomaterials 219(2)
- boundary-value theory 457(5)
- brachytherapy seed source 301(2)
- bullet signature 533(6)
- butane 525(6)

C

- calibration 429(4)
- calorimeter 291(2), 429(4)
- carbonated apatite 543(6)

- CD-R 517(5)
- CEESI Iowa uncertainty analysis 345(3)
- CEESI Iowa: natural gas facility 345(3)
- CEESI traceability to NIST 345(3)
- cement paste 479(5)
- ceramics 497(5)
- chlorothalopil 49(1)
- chopper wheel 429(4)
- circular apertures 457(5)
- combinatorial materials science 219(2)
- combinatorial methods 219(2)
- copper 75(1)
- core polarization 505(5)
- correlation coefficient 345(3)
- critical flow venture uncertainty 345(3)
- cryogenic radiometer 291(2)
- crystal engineering 49(1)
- crystal size 553(6)
- crystal structure 99(1)
- crystallinity 553(6)
- crystallite size 65(1)

D

- d*-spacings 569(6)
- dc quantum Hall effect 391(4)
- derivative lattices 569(6)
- diffraction 457(5)
- diffraction line broadening 65(1)
- digital preservation 517(5)
- direct-space methods 49(1)
- dissipative particle dynamics 267(2)
- domain decomposition 267(2)
- dual isotopic authentication 185(2)
- DVD-R 517(5)

E

- elastic moduli 497(5)
electron-impact 505(5)
error rates 517(5)
excitation cross section 505(5)

F

- figure of merit 569(6)
Fizeau interferometer 319(3)
flow sensor 335(3)
Fourier transform spectroscopy 371(3)
free-air chamber 301(2)
frequency dependences 391(4)
frequency-domain 407(4)
FTIR microspectroscopy 219(2)
fundamental parameters 1(I)
fuzzy pixel 155(I)

G

- gamma-ray detection 451(4)
gas flow meter 435(4)
global optimization 143(I)
grazing incidence 133(I)

H

- high-power laser 429(4)
high-throughput assay 219(2)
homeland security 451(4)
hydrogen bonding 49(I)
hydroxyapatite 543(6), 553(6)
hypersatellites 75(I)

I

- indexing programs 569(6)
infrared 371(3), 553(6)
instrument broadening 155(I)
instrumental effects 27(I)
intensity extraction 125(I)
interlaboratory evaluation 299(2)
inverse problem 155(I)
irradiance 305(3), 457(5)
isotope identifier 451(4)

K

- Kirchhoff 457(5)

L

- laminar flow meter 435(4)
large-signal 407(4)
laser 291(2)
lattice metric singularity 569(6)
least squares analysis 107(I)
least-squares 233(2)
low-*e* glass 219(2)

M

- magnetic permeability 303(2)
magnetic structure 99(I)
magnetic susceptibility 303(2)
mass metrology 303(2)
mass standards 303(2)
maximum entropy 155(I)
measurement uncertainty 299(2)
mesoscopic modeling 267(2)
metrological history 185(2)
metrology 319(3)
microfluidics 335(3)
microheating elements 335(3)
microstructure analysis parafocusing optics 1(I)
microstructure, powder crystallography 133(1)
microwave 407(4)
molecular dating 185(2)
Monte Carlo 49(I)
morphology 155(I), 553(6)
mortar 479(5)
multi-electronic transitions 75(I)
multidataset refinement 99(I)
multifrequency bridge 391(4)
multiphase analysis 99(I)

N

- nanoparticles 155(I)
nanoscale assembly 279(2)
nanostructured 543(6)
national measurement standard 301(2)
near zone 457(5)
neon 371(3)
network analyzer 407(4)

| | |
|------------------------------------|--------|
| nickel | 65(1) |
| nicotinic acid | 49(1) |
| nitrogen | 435(4) |
| non-destructive testing | 479(5) |
| nondestructive analysis | 233(2) |
| nonlinearity measurement | 429(4) |

O

| | |
|------------------|--------|
| optics | 457(5) |
|------------------|--------|

P

| | |
|--------------------------------------|-----------------------|
| parallel algorithms | 267(2) |
| parallel beam geometry | 27(1) |
| PCBs | 245(2) |
| phase equilibria | 525(6) |
| phase shifting | 319(3) |
| Poisson process | 479(5) |
| polarization | 457(5) |
| poly(lactic acid) | 219(2) |
| polycapillary optics | 27(1) |
| polycrystalline materials | 497(5) |
| polymer blends | 219(2) |
| polymer microchannels | 335(3) |
| polymorphism | 49(1) |
| potassium | 505(5) |
| powder diffraction | 49(I), 107(I), 143(I) |
| powder indexing | 569(6) |
| powder neutron diffraction | 99(I) |
| powder x-ray diffraction | 99(I) |
| primary standard | 435(4) |
| profile convolution | 1(I) |
| profile fitting | 1(I) |
| propane + butane | 525(6) |
| propane | 525(6) |
| pyroelectric detector | 291(2) |

Q

| | |
|--|--------|
| quadruple-series connections | 391(4) |
|--|--------|

R

| | |
|------------------------------|--------|
| radiocarbon dating | 185(2) |
| radiometry | 305(3) |

| | |
|------------------------------------|---------------|
| radionuclide identifier | 451(4) |
| Raman | 553(6) |
| recrystallization | 65(1) |
| residual strain | 133(1) |
| residual stress analysis | 27(I) |
| rheology | 267(2) |
| Rietveld analysis | 107(I) |
| Rietveld refinement | 99(I), 133(1) |

S

| | |
|---|--------|
| satellites | 75(1) |
| scattering parameter | 407(4) |
| single-series connections | 391(4) |
| sodium | 505(5) |
| software architecture | 279(2) |
| software reuse | 279(2) |
| spatial decomposition | 267(2) |
| specialized lattices | 569(6) |
| spectral responsivity | 291(2) |
| spot weld | 233(2) |
| spray drying | 543(6) |
| SRM 1649a | 185(2) |
| SRM | 533(6) |
| standard bullet | 533(6) |
| standard casing | 533(6) |
| Standard Reference Materials (SRMs) | 245(2) |
| structural solution | 133(1) |
| structure determination | 143(I) |
| structure solution by powder data | 125(I) |
| sulfonamide | 49(I) |
| susceptometer | 303(2) |
| synchrotron radiation | 133(1) |

T

| | |
|--|--------|
| texture analysis | 27(I) |
| thermal detector | 429(4) |
| traceability | 345(3) |
| transducer | 233(2) |
| transformer oil | 245(2) |
| turbine meter uncertainty analysis | 345(3) |
| Turin Shroud | 185(2) |

U

| | |
|-----------------------|--------|
| ultrasonic | 233(2) |
| uncertainty | 305(3) |

V

- vapor pressure 525(6)
variance components 299(2)
VENSA 279(2)
virtual reality 279(2)

W

- water 245(2)
wavelengths 371(3)

X

- x rays 301(2)
x-ray absorption 479(5)
x-ray diffraction 27(*I*), 65(*I*), 133(*I*)
x-ray line profiles 155(*I*)
x-ray optics 27(*I*)
x-ray powder diffraction 1(*I*)
x-ray spectra 75(*I*)